

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at:
<http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address:
<http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid		Ground	
-----	-----	Coordinates				-----	-----		Bearing			Distance		Distance	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					Metres		Metres	
306167	10H2568	E	517778.213	0.9996036	0.9999997	768556	02H2449	GPS	42 29 2			14388.134		14393.816	
		N	5440713.056			904904	NO MARKING	GPS	102 55 45			7419.527		7422.457	
		El	21.346			162420	86H1293	GPS	116 17 25			836.879		837.210	
						210369	84H0564	GPS	161 57 42			10253.494		10257.549	
						548891	92H0829	GPS	180 39 51			1734.996		1735.681	
						777862	92H0845	GPS	246 16 19			2042.372		2043.180	
						869792	NO MARKING	GPS	269 5 43			28517.395		28528.749	
						875864	NO MARKING	GPS	305 38 6			29868.847		29880.774	
						898734	NO MARKING	GPS	316 54 29			11099.329		11103.817	
						689091	13H2674	GPS	359 17 15			1448.130		1448.702	
251454	10H2569	E	512880.174	0.9996020	0.9999999	98178	86H1262	GPS	29 41 48			3300.568		3301.877	
		N	5440702.635			361865	13H2678	GPS	90 2 40			1659.515		1660.173	
		El	19.784			716605	13H2680	GPS	179 39 5			785.768		786.083	
						103879	86H1274	GPS	315 3 55			1126.889		1127.340	
						224899	10H2572	GPS	333 8 27			1805.714		1806.440	
						898734	NO MARKING	GPS	341 41 45			8548.331		8551.794	
232017	10H2570	E	509658.557	0.9995886	0.9999875	898734	NO MARKING	GPS	3 47 29			8119.783		8123.127	
		N	5440716.437			90316	80H2099	GPS	26 28 47			3603.044		3604.514	
		El	99.442			850214	92H0908	GPS	181 10 53			1216.720		1217.218	
						102970	92H0875	GPS	270 47 31			1641.551		1642.224	
						6544	13H2686	GPS	296 29 48			1841.566		1842.322	
409813	10H2571	E	511276.065	0.9995933	0.9999918	224899	10H2572	GPS	88 54 33			788.434		788.755	
		N	5442298.538			103879	86H1274	GPS	134 38 33			1135.885		1136.344	
		El	71.921			898734	NO MARKING	GPS	350 35 23			6608.848		6611.554	
						90316	80H2099	GPS	359 37 2			1642.992		1643.658	
224899	10H2572	E	512064.356	0.9995937	0.9999919	98178	86H1262	GPS	62 51 50			2754.099		2755.202	
		N	5442313.549			251454	10H2569	GPS	153 8 27			1805.714		1806.440	
		El	71.175			103879	86H1274	GPS	178 35 55			813.420		813.750	
						409813	10H2571	GPS	268 54 33			788.434		788.755	
						898734	NO MARKING	GPS	343 58 14			6768.041		6770.811	
136820	10H2573	E	520166.338	0.9996036	0.9999986	377754	5680	GPS	42 20 41			2372.499		2373.436	
		N	5442202.379			904904	NO MARKING	GPS	123 2 4			5777.224		5779.505	
		El	28.076			89649	5934	GPS	140 17 53			1259.962		1260.466	
						17830	10H2578	GPS	308 44 17			1064.632		1065.052	
629519	10H2574	E	519342.470	0.9996072	1.0000026	904904	NO MARKING	GPS	82 29 2			5716.281		5718.528	
		N	5438305.249			602961	86H1306	GPS	141 34 29			1295.362		1295.870	
		El	2.478			548891	92H0829	GPS	293 0 44			1721.355		1722.033	

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
799965	10H2575	E	509208.960	0.9995910	0.9999900	CVD28GVRD2018	898734	NO MARKING	GPS	16 57 50		3381.171	3382.560		
		N	5445584.398				934539	8791	GPS	326 13 14	1443.063	1443.655			
		E1	83.296												
316281	10H2576	E	510424.330	0.9995935	0.9999922	CVD28GVRD2018	597377	10H2582	GPS	64 40 7		1792.616	1793.345		
		N	5446365.242				934539	8791	GPS	281 43 14	2060.677	2061.519			
		E1	69.095				898734	NO MARKING	GPS	354 40 15	2463.856	2464.866			
20453	10H2577	E	516112.768	0.9995940	0.9999908	CVD28GVRD2018	409698	92H0842	GPS	53 23 11		1009.413	1009.820		
		N	5444988.376				821256	5189	GPS	120 13 49	1896.591	1897.356			
		E1	77.914				98178	86H1262	GPS	228 23 33	2136.475	2137.331			
						898734	NO MARKING	GPS	302 54 49	7048.663	7051.548				
17830	10H2578	E	519335.908	0.9996074	1.0000028	CVD28GVRD2018	969295	13H2676	GPS	11 16 58		2360.959	2361.887		
		N	5442868.583				377754	5680	GPS	65 52 50	2660.823	2661.870			
		E1	1.492				904904	NO MARKING	GPS	123 55 16	6837.404	6840.091			
						136820	10H2573	GPS	128 44 17	1064.632	1065.052				
						89649	5934	GPS	135 0 19	2312.859	2313.779				
						608869	92H0926	GPS	180 20 47	2159.457	2160.307				
						162420	86H1293	GPS	197 43 27	2652.079	2653.125				
						898734	NO MARKING	GPS	303 3 42	10906.336	10910.726				
						821256	5189	GPS	306 19 24	1966.606	1967.386				
998500	10H2579	E	519353.462	0.9996073	1.0000027	CVD28GVRD2018	334078	8640	GPS	48 27 1		2120.646	2121.484		
		N	5445574.895				564955	8799	GPS	66 44 8	3045.239	3046.438			
		E1	1.556				969295	13H2676	GPS	131 20 35	591.888	592.120			
						904904	NO MARKING	GPS	139 3 59	8632.949	8636.341				
						821256	5189	GPS	226 6 17	2223.157	2224.039				
						943670	10H2581	GPS	271 38 6	931.808	932.174				
						898734	NO MARKING	GPS	289 30 11	9715.407	9719.317				
187641	10H2580	E	519352.341	0.9996036	0.9999990	CVD28GVRD2018	334078	8640	GPS	69 22 26		1696.948	1697.621		
		N	5446383.676				564955	8799	GPS	81 59 12	2826.357	2827.475			
		E1	25.141				904904	NO MARKING	GPS	142 20 30	9259.818	9263.474			
						693051	10H2599	GPS	356 38 58	758.029	758.332				
943670	10H2581	E	518422.033	0.9996066	1.0000024	CVD28GVRD2018	998500	10H2579	GPS	91 38 6		931.808	932.174		
		N	5445601.480				821256	5189	GPS	203 9 19	1705.377	1706.054			
		E1	3.851				409698	92H0842	GPS	269 34 36	1499.074	1499.670			
						898734	NO MARKING	GPS	291 21 28	8833.172	8836.731				
597377	10H2582	E	512044.583	0.9995933	0.9999915	CVD28GVRD2018	481663	79H0008	GPS	78 51 34		2093.731	2094.585		
		N	5447132.218				316281	10H2576	GPS	244 40 7	1792.616	1793.345			
		E1	73.294				898734	NO MARKING	GPS	312 21 45	2502.504	2503.529			

Integrated Survey Area No:1 Municipality of Surrey
Order in Council No. 3050/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
722686	10H2583	E	507973.507	0.9996034	1.0000026	379222	10H2587	GPS	29 53 2	1159.631	1160.091
		N	5448631.223			898734	NO MARKING	GPS	85 11 1	2229.855	2230.756
		El	2.431			934539	8791	GPS	166 48 20	1897.467	1898.234
						21139	92H0904	GPS	314 24 28	1000.218	1000.615
						961417	10H2586	GPS	353 59 58	1493.910	1494.502
542852	10H2584	E	516343.135	0.9995962	0.9999929	904904	NO MARKING	GPS	56 38 6	10376.761	10380.896
		N	5433346.054			782151	80H2067	GPS	62 40 44	1825.716	1826.445
		El	64.825			901330	92H0919	GPS	193 12 10	842.231	842.572
						511907	92H0921	GPS	231 34 54	1306.509	1307.039
						465427	13H2672	GPS	317 16 6	2698.936	2700.015
961417	10H2586	E	507817.335	0.9996030	1.0000023	50146	92H0903	GPS	42 0 26	776.101	776.409
		N	5450116.947			898734	NO MARKING	GPS	118 38 6	2709.559	2710.655
		El	4.504			379222	10H2587	GPS	123 11 59	877.126	877.474
						722686	10H2583	GPS	173 59 58	1493.910	1494.502
						21139	92H0904	GPS	215 23 45	963.986	964.369
379222	10H2587	E	508551.284	0.9996035	1.0000026	898734	NO MARKING	GPS	116 27 24	1836.543	1837.285
		N	5449636.667			722686	10H2583	GPS	209 53 2	1159.631	1160.091
		El	2.269			961417	10H2586	GPS	303 11 59	877.126	877.474
571075	10H2588	E	508845.151	0.9996035	1.0000025	701342	10H2589	GPS	1 12 45	717.745	718.030
		N	5450400.732			898734	NO MARKING	GPS	139 31 20	2080.152	2080.992
		El	2.781			50146	92H0903	GPS	299 56 46	586.768	587.002
701342	10H2589	E	508860.340	0.9996032	1.0000022	16725	92H0902	GPS	70 14 29	557.422	557.644
		N	5451118.316			898734	NO MARKING	GPS	149 51 48	2659.326	2660.401
		El	4.761			571075	10H2588	GPS	181 12 45	717.745	718.030
						50146	92H0903	GPS	230 57 24	674.189	674.456
950618	10H2590	E	510048.627	0.9996037	1.0000025	309096	10H2591	GPS	0 28 48	481.223	481.414
		N	5450956.864			898734	NO MARKING	GPS	176 4 16	2143.453	2144.319
		El	3.056			16725	92H0902	GPS	297 47 54	750.267	750.565
309096	10H2591	E	510052.659	0.9996035	1.0000023	698134	10H2607	GPS	97 31 37	1584.698	1585.326
		N	5451438.070			898734	NO MARKING	GPS	176 52 45	2623.513	2624.573
		El	4.555			950618	10H2590	GPS	180 28 48	481.223	481.414
						16725	92H0902	GPS	258 52 27	680.504	680.774
948505	10H2592	E	507026.388	0.9996029	1.0000023	21139	92H0904	GPS	11 43 33	1144.454	1144.909
		N	5448210.564			898734	NO MARKING	GPS	79 8 30	3226.874	3228.181
		El	4.706			524181	10H2595	GPS	223 11 49	1360.200	1360.740

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
193888	10H2593	E	519848.281	0.9996073	1.0000025	411447	5997	GPS	9 17 41	961.346	961.724
		N	5449463.448			800326	5985	GPS	149 13 51	1285.980	1286.485
		E1	2.985			589457	92H0860	GPS	171 58 7	696.333	696.606
						736215	5976	GPS	334 43 24	1420.718	1421.276
524181	10H2595	E	506095.322	0.9996030	1.0000026	21139	92H0904	GPS	28 51 6	2411.499	2412.457
		N	5447218.969			948505	10H2592	GPS	43 11 49	1360.200	1360.740
		E1	2.892			898734	NO MARKING	GPS	68 41 21	4401.102	4402.882
						394825	81	GPS	225 21 6	25142.946	25152.916
						869792	NO MARKING	GPS	247 32 42	18211.774	18219.019
						875864	NO MARKING	GPS	310 52 8	16652.595	16659.245
						510404	82H5017	GPS	322 45 28	8933.674	8937.241
56473	10H2596	E	517022.963	0.9996066	1.0000030	162420	86H1293	GPS	50 53 51	1940.113	1940.880
		N	5439118.739			904904	NO MARKING	GPS	90 28 18	7986.945	7990.087
		E1	.278			548891	92H0829	GPS	100 49 29	748.454	748.747
						100123	92H0913	GPS	268 45 46	2486.734	2487.716
						621482	13H2685	GPS	269 26 1	1632.126	1632.769
						777862	92H0845	GPS	304 43 37	1356.011	1356.545
12765	10H2597	E	510378.494	0.9995970	0.9999957	4903	92H0897	GPS	45 23 22	1094.649	1095.086
		N	5433775.622			904904	NO MARKING	GPS	70 9 58	15553.802	15559.997
		E1	47.270			879726	10H2605	GPS	95 43 27	2556.154	2557.185
						417725	80H2072	GPS	153 22 20	1141.406	1141.869
						53561	10H2606	GPS	198 32 27	2151.666	2152.537
						557686	5495	GPS	293 25 5	1543.769	1544.386
450072	10H2598	E	517252.622	0.9996016	0.9999979	638197	5287	GPS	142 35 29	798.554	798.872
		N	5450229.288			898734	NO MARKING	GPS	258 41 41	7196.778	7199.695
		E1	32.283			715698	92H0905	GPS	274 21 27	2199.087	2199.974
						3996	92H0900	GPS	310 1 39	753.380	753.681
693051	10H2599	E	519308.039	0.9995975	0.9999929	694950	13H2677	GPS	3 22 49	570.418	570.648
		N	5447140.409			589457	92H0860	GPS	21 19 10	1753.535	1754.233
		E1	64.102			800326	5985	GPS	44 31 37	1708.572	1709.252
						334078	8640	GPS	95 33 41	1640.196	1640.852
						904904	NO MARKING	GPS	144 48 59	9895.194	9899.131
						187641	10H2580	GPS	176 38 58	758.029	758.332
						904581	10H2600	GPS	270 41 31	2419.342	2420.312
						898734	NO MARKING	GPS	280 26 2	9265.765	9269.540
904581	10H2600	E	516888.873	0.9996010	0.9999975	693051	10H2599	GPS	90 41 31	2419.342	2420.312
		N	5447169.623			904904	NO MARKING	GPS	134 59 8	11481.587	11486.135
		E1	34.844			409698	92H0842	GPS	178 45 43	1579.588	1580.221
						481663	79H0008	GPS	277 29 48	2814.067	2815.206
						898734	NO MARKING	GPS	283 50 19	6893.477	6896.274

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
698290	10H2601	E	516189.193	0.9995959	0.9999927	3996	92H0900	GPS	14 15 36	1975.224	1976.019
		N	5448799.464			638197	5287	GPS	62 48 35	1740.930	1741.629
		El	65.495			481663	79H0008	GPS	238 51 55	2442.110	2443.105
						898734	NO MARKING	GPS	270 10 53	5993.735	5996.181
						715698	92H0905	GPS	324 43 58	1955.871	1956.665
513077	10H2603	E	513659.795	0.9995898	0.9999875	MARKER DESTROYED					
		N	5448738.357								
		El	98.917								
360701	10H2604	E	514492.051	0.9995915	0.9999889	715698	92H0905	GPS	18 58 1	1747.091	1747.804
		N	5448744.134			898734	NO MARKING	GPS	270 59 27	4297.206	4298.969
		El	89.959			71563	86H1270	GPS	314 40 28	1183.606	1184.090
879726	10H2605	E	512921.902	0.9995967	0.9999946	767350	13H2687	GPS	53 13 55	1066.900	1067.328
		N	5433520.670			904904	NO MARKING	GPS	65 24 27	13293.596	13298.892
		El	53.800			703223	677003	GPS	164 17 35	1438.963	1439.551
						417725	80H2072	GPS	249 21 31	2171.218	2172.099
						12765	10H2597	GPS	275 43 27	2556.154	2557.185
						4903	92H0897	GPS	300 7 34	2039.640	2040.456
53561	10H2606	E	509694.308	0.9995936	0.9999924	12765	10H2597	GPS	18 32 27	2151.666	2152.537
		N	5431735.633			417725	80H2072	GPS	49 32 42	1571.468	1572.108
		El	68.052			904904	NO MARKING	GPS	64 27 45	16973.589	16980.379
						940213	92H0920	GPS	89 21 25	1608.533	1609.191
						851287	5476	GPS	180 50 30	792.530	792.853
						557686	5495	GPS	344 34 11	2752.766	2753.870
698134	10H2607	E	511623.702	0.9996040	1.0000024	290957	02H2441	GPS	58 14 27	7212.921	7215.770
		N	5451230.488			248765	02H2466	GPS	59 24 30	4201.169	4202.849
		El	3.670			458042	5398	GPS	92 39 2	575.365	575.594
						10835	5527	GPS	124 47 13	1359.632	1360.180
						228619	5066	GPS	144 54 40	5006.680	5008.696
						898734	NO MARKING	GPS	210 37 50	2803.165	2804.297
						394825	81	GPS	227 12 12	31911.793	31924.432
						869792	NO MARKING	GPS	243 52 16	24904.400	24914.298
						21139	92H0904	GPS	246 28 60	4760.084	4761.972
						309096	10H2591	GPS	277 31 37	1584.698	1585.326
						875864	NO MARKING	GPS	290 48 12	19385.014	19392.750
						252106	14H2750	GPS	312 53 14	5293.405	5295.517
						196881	80H3132	GPS	342 23 50	9041.891	9045.491

Issued: 2021-MAY-03

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid		Ground Distance Metres
-----	-----	Coordinates				-----	-----		Bearing			Distance Metres		
GCM-NO	TABLET MARKING		Metres		Combined Ellipsoidal	GCM-NO	TABLET MARKING							
368530	10H2608	E	520956.098	0.9995998	0.9999944	377754	5680	GPS	20	52	48	2267.953	2268.853	
		N	5441836.895			752048	13H2683	GPS	71	0	29	1680.076	1680.751	
		El	55.168	CVD28GVRD2018		608562	92H0923	GPS	99	44	59	1640.130	1640.789	
						904904	NO MARKING	GPS	124	28	51	4917.460	4919.411	
						89649	5934	GPS	178	34	4	604.090	604.332	
252833	10H2609	E	521753.836	0.9995981	0.9999923	608562	92H0923	GPS	71	18	37	864.278	864.626	
		N	5441282.196			10702	93H1153	GPS	109	49	35	2378.834	2379.781	
		El	68.333	CVD28GVRD2018		904904	NO MARKING	GPS	124	23	57	3945.844	3947.413	
						266809	92H0922	GPS	126	43	47	905.688	906.051	
						89649	5934	GPS	266	24	10	784.185	784.500	
675207	10H2610	E	523201.793	0.9996083	1.0000016	904904	NO MARKING	GPS	168	9	38	8811.391	8814.849	
		N	5447676.909			695155	77C060	GPS	232	7	7	789.289	789.599	
		El	8.421	CVD28GVRD2018		288092	10H2611	GPS	263	45	42	660.865	661.124	
						898734	NO MARKING	GPS	275	0	57	13056.304	13061.554	
						459750	5992	GPS	311	40	57	835.183	835.509	
288092	10H2611	E	522544.841	0.9996076	1.0000014	459750	5992	GPS	3	1	49	628.086	628.333	
		N	5447605.098			675207	10H2610	GPS	83	45	42	660.865	661.124	
		El	10.044	CVD28GVRD2018		904904	NO MARKING	GPS	163	55	21	8900.230	8903.725	
						695155	77C060	GPS	175	17	42	414.230	414.392	
						564955	8799	GPS	205	26	54	916.321	916.681	
						31682	10H2612	GPS	266	2	59	779.208	779.515	
						898734	NO MARKING	GPS	275	36	41	12408.817	12413.811	
31682	10H2612	E	521767.484	0.9996073	1.0000015	288092	10H2611	GPS	86	2	59	779.208	779.515	
		N	5447551.419			564955	8799	GPS	153	37	40	863.612	863.952	
		El	9.627	CVD28GVRD2018		904904	NO MARKING	GPS	159	7	5	9095.888	9099.462	
						334078	8640	GPS	235	25	28	1004.361	1004.758	
						885384	10H2613	GPS	266	4	60	767.395	767.697	
						898734	NO MARKING	GPS	276	14	55	11641.154	11645.840	
						800326	5985	GPS	302	36	49	1497.428	1498.016	
885384	10H2613	E	521001.881	0.9996059	1.0000005	31682	10H2612	GPS	86	4	60	767.395	767.697	
		N	5447499.000			904904	NO MARKING	GPS	154	36	54	9348.664	9352.344	
		El	15.866	CVD28GVRD2018		334078	8640	GPS	186	45	44	521.173	521.379	
						898734	NO MARKING	GPS	276	57	41	10886.647	10891.036	
						800326	5985	GPS	330	1	31	992.198	992.588	
337592	10H2614	E	511685.758	0.9996042	1.0000025	801928	92H0911	GPS	17	39	26	2094.162	2095.002	
		N	5437084.653			686790	92H0898	GPS	79	0	19	2038.630	2039.437	
		El	3.671	CVD28GVRD2018		995597	77C056	GPS	132	36	48	1822.973	1823.695	
						4903	92H0897	GPS	191	44	30	2594.567	2595.595	
						557686	5495	GPS	225	18	1	3832.112	3833.630	
						864868	5640	GPS	284	8	16	1624.544	1625.188	
						898734	NO MARKING	GPS	352	45	43	11828.054	11832.831	

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
465427	13H2672	E	514511.725	0.9996042	1.0000016	904904	NO MARKING	GPS	70 27 59	11139.015	11143.411
		N	5435328.525			885012	92H0833	GPS	98 22 13	2458.457	2459.428
		El	9.131			30502	8601	GPS	101 36 6	5738.587	5740.850
						542852	10H2584	GPS	137 16 6	2698.936	2700.015
						767350	13H2687	GPS	212 9 36	1381.150	1381.700
						995597	77C056	GPS	289 22 17	1573.440	1574.062
						686790	92H0898	GPS	338 58 3	2298.038	2298.947
						898734	NO MARKING	GPS	342 15 27	14163.613	14169.333
570986	13H2673	E	516764.185	0.9996061	1.0000026	904904	NO MARKING	GPS	73 36 28	8594.813	8598.197
		N	5436627.412			602961	86H1306	GPS	78 54 45	3447.699	3449.055
		El	2.637			885012	92H0833	GPS	173 48 21	1666.495	1667.151
						686790	92H0898	GPS	285 22 23	3191.405	3192.664
						621482	13H2685	GPS	330 58 41	2830.628	2831.744
						898734	NO MARKING	GPS	331 41 1	13848.074	13853.654
689091	13H2674	E	517760.208	0.9996063	1.0000025	904904	NO MARKING	GPS	113 12 24	7887.619	7890.722
		N	5442161.074			306167	10H2568	GPS	179 17 15	1448.130	1448.702
		El	3.477			777862	92H0845	GPS	219 12 25	2929.355	2930.509
						278754	13H2675	GPS	264 49 17	1626.730	1627.371
						898734	NO MARKING	GPS	311 20 58	10076.985	10081.045
						821256	5189	GPS	359 43 54	1872.431	1873.174
278754	13H2675	E	516140.118	0.9996058	1.0000026	821256	5189	GPS	38 35 21	2583.349	2584.375
		N	5442014.242			689091	13H2674	GPS	84 49 17	1626.730	1627.371
		El	2.672			904904	NO MARKING	GPS	108 27 46	9350.802	9354.484
						777862	92H0845	GPS	186 13 35	2135.626	2136.468
						98178	86H1262	GPS	313 45 3	2249.336	2250.225
						898734	NO MARKING	GPS	318 51 26	9035.256	9038.899
969295	13H2676	E	519797.832	0.9996073	1.0000025	564955	8799	GPS	55 53 31	2842.179	2843.298
		N	5445183.913			377754	5680	GPS	121 58 55	2318.511	2319.422
		El	3.374			904904	NO MARKING	GPS	139 37 58	8046.823	8049.985
						17830	10H2578	GPS	191 16 58	2360.959	2361.887
						821256	5189	GPS	240 39 23	2347.598	2348.529
						898734	NO MARKING	GPS	290 43 55	10267.174	10271.307
						998500	10H2579	GPS	311 20 35	591.888	592.120
694950	13H2677	E	519341.673	0.9995969	0.9999923	589457	92H0860	GPS	29 34 32	1223.529	1224.016
		N	5447709.834			800326	5985	GPS	60 52 51	1332.963	1333.494
		El	68.350			334078	8640	GPS	114 29 33	1756.938	1757.642
						904904	NO MARKING	GPS	146 47 9	10347.323	10351.443
						693051	10H2599	GPS	183 22 49	570.418	570.648
						898734	NO MARKING	GPS	276 54 40	9213.128	9216.884
						638197	5287	GPS	319 36 29	2475.151	2476.142

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
361865	13H2678	E	514539.688	0.9996046	1.0000020	777862	92H0845	GPS	120 37 10	1590.578	1591.205
		N	5440701.347			316992	92H0912	GPS	206 58 60	1827.415	1828.144
		El	6.275			716605	13H2680	GPS	244 38 8	1831.264	1831.996
						251454	10H2569	GPS	270 2 40	1659.515	1660.173
						898734	NO MARKING	GPS	331 50 41	9206.487	9210.204
634667	13H2679	E	513337.563	0.9996037	1.0000016	896894	92H0901	GPS	95 13 40	1712.115	1712.793
		N	5451299.001			715698	92H0905	GPS	117 39 29	1944.521	1945.303
		El	8.916			71563	86H1270	GPS	169 42 30	1750.870	1751.576
						10835	5527	GPS	215 16 36	1034.107	1034.524
						898734	NO MARKING	GPS	231 42 37	4003.221	4004.839
716605	13H2680	E	512884.955	0.9995953	0.9999932	458042	5398	GPS	265 13 36	1143.077	1143.532
		N	5439916.882			361865	13H2678	GPS	64 38 8	1831.264	1831.996
		El	62.574			801928	92H0911	GPS	213 58 54	1009.058	1009.468
						569384	84H0585	GPS	242 35 35	1651.035	1651.707
						248641	92H0910	GPS	255 54 43	1670.432	1671.112
321372	13H2681	E	520948.255	0.9996068	1.0000014	103879	86H1274	GPS	333 10 34	1774.420	1775.137
		N	5434148.353			898734	NO MARKING	GPS	343 11 19	9298.984	9302.782
		El	10.443			251454	10H2569	GPS	359 39 5	785.768	786.083
						909333	NO MARKING	GPS	35 7 9	21999.585	22008.285
						904904	NO MARKING	GPS	39 37 38	6367.896	6370.400
756601	13H2682	E	522524.121	0.9996021	0.9999959	336131	NO MARKING	GPS	85 15 35	1576.165	1576.790
		N	5433374.638			756601	13H2682	GPS	116 9 0	1755.559	1756.254
		El	45.646			23978	78H2743	GPS	130 40 45	4252.369	4254.055
						671651	5170	GPS	180 49 10	769.317	769.619
						30502	8601	GPS	271 49 60	815.606	815.926
752048	13H2683	E	522544.717	0.9995960	0.9999898	869792	NO MARKING	GPS	280 55 22	32268.488	32281.288
		N	5442383.653			875864	NO MARKING	GPS	311 7 44	36437.390	36451.876
		El	84.434			898734	NO MARKING	GPS	323 45 35	18188.834	18196.157
						904904	NO MARKING	GPS	23 38 24	6198.488	6200.940
						469304	5109	GPS	160 39 4	2556.214	2557.230

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
286757	13H2684	E	518493.260	0.9996071	1.0000029	608869	92H0926	GPS	27	3	59	1823.194	1823.913		
		N	5439085.648			873646	80H2008	GPS	46	35	38	852.616	852.952		
		E1	.707			CVD28GVRD2018	904904	NO MARKING	GPS	90	17	14	6516.459	6519.021	
						813808	92H0914	GPS	93	4	38	858.003	858.340		
						602961	86H1306	GPS	137	20	23	2441.186	2442.144		
						548891	92H0829	GPS	261	40	59	742.975	743.267		
621482	13H2685	E	515390.917	0.9996058	1.0000029	777862	92H0845	GPS	33	16	39	943.284	943.656		
		N	5439102.607			56473	10H2596	GPS	89	26	1	1632.126	1632.769		
		E1	.667			CVD28GVRD2018	904904	NO MARKING	GPS	90	17	44	9618.848	9622.637	
						570986	13H2673	GPS	150	58	41	2830.628	2831.744		
						686790	92H0898	GPS	226	17	8	2357.447	2358.377		
						100123	92H0913	GPS	267	28	54	854.934	855.271		
		898734	NO MARKING	GPS	331	51	54	11017.715	11022.157						
6544	13H2686	E	508010.428	0.9995907	0.9999899	898734	NO MARKING	GPS	16	42	22	7601.236	7604.358		
		N	5441538.043			90316	80H2099	GPS	53	33	20	4045.909	4047.555		
		E1	83.562			CVD28GVRD2018	232017	10H2570	GPS	116	29	48	1841.566	1842.322	
						102970	92H0875	GPS	179	31	1	798.947	799.274		
						242818	82H5464	GPS	345	30	21	2512.457	2513.489		
767350	13H2687	E	513776.557	0.9995991	0.9999968	465427	13H2672	GPS	32	9	36	1381.150	1381.700		
		N	5434159.293			904904	NO MARKING	GPS	66	27	35	12252.762	12257.629		
		E1	40.312			CVD28GVRD2018	879726	10H2605	GPS	233	13	55	1066.900	1067.328	
						4903	92H0897	GPS	278	21	55	2646.947	2648.002		
						995597	77C056	GPS	336	6	21	1849.648	1850.385		
15610	13H2688	E	520983.216	0.9996020	0.9999966	652842	92H0925	GPS	0	35	43	793.998	794.315		
		N	5439080.897			904904	NO MARKING	GPS	90	23	51	4026.518	4028.111		
		E1	41.273			CVD28GVRD2018	203257	92H0916	GPS	91	21	41	801.385	801.705	
						447771	5169	GPS	180	47	16	1625.167	1625.809		
						737981	92H0915	GPS	268	0	8	819.227	819.551		
						873646	80H2008	GPS	287	31	27	1961.565	1962.341		
		344507	5944	GPS	323	28	12	708.419	708.702						
929984	13H2689	E	522556.797	0.9996072	1.0000010	904904	NO MARKING	GPS	91	50	47	2454.114	2455.078		
		N	5439132.038			60269	79H9604	GPS	139	10	60	2201.658	2202.524		
		E1	13.193			CVD28GVRD2018	203257	92H0916	GPS	264	48	30	775.604	775.911	
						266809	92H0922	GPS	357	15	23	1610.366	1611.005		
2949	13H2690	E	517712.212	0.9996049	1.0000011	395459	85H0635	GPS	58	17	37	11480.189	11484.702		
		N	5447177.009			909333	NO MARKING	GPS	72	38	48	16649.822	16656.428		
		E1	12.325			CVD28GVRD2018	904904	NO MARKING	GPS	138	4	6	10920.275	10924.579	
						898734	NO MARKING	GPS	282	19	6	7693.859	7696.965		
						479550	14H2741	GPS	352	49	19	9974.774	9978.717		

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
7286	13H2691	E	518377.422	0.9996067	1.0000026	909333	NO MARKING	GPS	45 52 16	21213.840	21222.233
		N	5437372.384			904904	NO MARKING	GPS	75 46 50	6841.831	6844.522
		El	2.959	CVD28GVRD2018		147819	91H9962	GPS	114 46 31	22718.676	22727.530
						607093	5893	GPS	271 32 37	10378.052	10382.154
						875864	NO MARKING	GPS	309 49 27	32388.729	32401.608
						770800	5296	GPS	313 10 17	14296.873	14302.620
						898734	NO MARKING	GPS	324 26 31	14069.699	14075.365
						610006	90H6709	GPS	325 58 27	24897.432	24907.643
78519	2700	E	512806.650	0.9995889	0.9999869		MARKER DESTROYED				
		N	5449569.787								
		El	102.489	CVD28GVRD2018							
542100	2802	E	508005.313	0.9996011	1.0000003		MARKER ISOLATED				
		N	5448235.839								
		El	17.026	CVD28GVRD2018							
701318	2828	E	510989.042	0.9995978	0.9999963		MARKER DESTROYED				
		N	5445547.744								
		El	42.993	CVD28GVRD2018							
446542	2835	E	522567.850	0.9996076	1.0000014		MARKER DESTROYED				
		N	5447660.969								
		El	9.964	1928 Canadian Vertical Datum							
170050	2957	E	509630.089	0.9995906	0.9999894		MARKER DESTROYED				
		N	5447215.502								
		El	86.530	1928 Canadian Vertical Datum							
252452	2958	E	509641.183	0.9995910	0.9999898	580092	NO MARKING	TERR	119 9 26	777.602	777.923
		N	5448382.310			602813	5056	TERR	179 33 54	414.559	414.729
		El	83.899	CVD28GVRD2018		354316	5057	TERR	359 25 51	392.515	392.676
174219	2959	E	513296.931	0.9995890	0.9999868	669960	677004	TERR	178 59 30	560.673	560.904
		N	5449566.784			506220	5530	TERR	180 33 13	402.273	402.438
		El	103.211	CVD28GVRD2018							
321687	2965	E	514484.362	0.9995912	0.9999886		MARKER DESTROYED				
		N	5446296.425								
		El	91.544	1928 Canadian Vertical Datum							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
364935	2966	E 514472.885 N 5445688.831 El 93.202	1928 Canadian Vertical Datum	0.9995910	0.9999884		MARKER DESTROYED				
110296	3124	E 515336.335 N 5430933.463 El 97.758	CVD28GVRD2018	0.9995907	0.9999878	978940 838979 759894 337246 753087 748798	8748 3123 88H3864 NO MARKING 88H3858 8671	TERR TERR TERR TERR TERR TERR	91 15 10 179 54 22 179 56 37 266 38 31 267 43 15 359 48 0	422.494 605.202 404.263 533.826 210.591 450.588	422.666 605.449 404.428 534.046 210.678 450.772
905091	3125	E 517754.658 N 5432144.746 El 107.614	CVD28GVRD2018	0.9995901	0.9999862	249672	3126	TERR	0 9 17	252.332	252.435
249672	3126	E 517755.340 N 5432397.077 El 109.724	CVD28GVRD2018	0.9995898	0.9999859	905091 303578	3125 5181	TERR TERR	180 9 17 359 54 2	252.332 165.425	252.435 165.493
156059	3127	E 509643.639 N 5440375.123 El 102.377	CVD28GVRD2018	0.9995881	0.9999870		MARKER DESTROYED				
899534	3128	E 509640.199 N 5442348.065 El 89.013	CVD28GVRD2018	0.9995902	0.9999891		MARKER DESTROYED				
765941	3129	E 516357.071 N 5440703.207 El .143	CVD28GVRD2018	0.9996063	1.0000030		MARKER DESTROYED				
538439	3130	E 514522.374 N 5440706.482 El 5.329	CVD28GVRD2018	0.9996048	1.0000022		MARKER DESTROYED				
307710	3342	E 524079.352 N 5428022.484 El 142.668	1928 Canadian Vertical Datum	0.9995878	0.9999807		MARKER DESTROYED				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
341438	3489	E 508229.584 N 5433789.673 El 3.132		0.9996034	1.0000026	373472	NO MARKING	TERR	256 39 5	15609.352	15615.653
						55384	6202	TERR	334 4 60	4228.292	4229.972
				CVD28GVRD2018							
860262	5002	E 509236.665 N 5440711.739 El 99.422		0.9995885	0.9999875		MARKER DESTROYED				
				CVD28GVRD2018							
879650	5003	E 509810.059 N 5440704.039 El 98.360		0.9995888	0.9999876	222943	79H0033	TERR	90 47 33	660.110	660.382
				CVD28GVRD2018							
622993	5004	E 510470.112 N 5440694.903 El 84.596		0.9995911	0.9999898		MARKER DESTROYED				
				CVD28GVRD2018							
60749	5005	E 512088.983 N 5440707.593 El 28.598		0.9996004	0.9999986		MARKER DESTROYED				
				CVD28GVRD2018							
615799	5006	E 512893.486 N 5440713.412 El 18.895		0.9996021	1.0000001		MARKER DESTROYED				
				CVD28GVRD2018							
335430	5007	E 513704.993 N 5440715.739 El 14.893		0.9996030	1.0000007		MARKER DESTROYED				
				CVD28GVRD2018							
301234	5008	E 515332.180 N 5440700.462 El .665		0.9996058	1.0000029		MARKER DESTROYED				
				1928 Canadian Vertical Datum							
739995	5009	E 516969.864 N 5440705.290 El 27.027		0.9996023	0.9999988		MARKER DESTROYED				
				CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
926493	5010	E N El	517763.682 5440701.845 20.766	0.9996036	0.9999998		MARKER DESTROYED				
52407	5011	E N El	519329.391 5440693.219 14.686	0.9996053	1.0000007		MARKER DESTROYED				
374066	5012	E N El	520317.241 5440694.540 51.565	0.9996000	0.9999949		MARKER DESTROYED				
63446	5013	E N El	520973.550 5440695.725 69.028	0.9995976	0.9999922	973289 485250 909333 793737 662908 10058 10702 210369 447771 782151 439760 869792 898734 89649	5157 93H1144 NO MARKING 84H0030 88H0918 5014 93H1153 84H0564 5169 80H2067 5184 NO MARKING NO MARKING 5934	GPS GPS GPS GPS GPS TERR GPS GPS GPS GPS GPS GPS GPS TERR	0 0 33 44 13 39 47 48 49 53 40 13 66 23 51 87 59 18 94 10 34 180 7 11 180 13 27 204 47 48 224 30 5 269 13 4 307 0 11 359 44 56	3242.471 4597.883 17046.240 13069.916 7023.260 665.355 3026.147 9732.227 3239.866 7173.047 4575.040 31712.133 13496.120 537.274	3243.759 4599.727 17053.062 13075.069 7026.062 665.623 3027.352 9736.105 3241.153 7175.906 4576.860 31724.859 13501.618 537.491
10058	5014	E N El	521638.495 5440719.080 73.977	0.9995972	0.9999914	477539 63446	5015 5013	TERR TERR	88 21 19 267 59 18	664.464 665.355	664.731 665.623
477539	5015	E N El	522302.685 5440738.152 67.700	0.9995985	0.9999924	10058	5014	TERR	268 21 19	664.464	664.731
262550	5016	E N El	522551.946 5440744.559 55.641	0.9996005	0.9999943		MARKER DESTROYED				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
496794	5017	E 523352.220 N 5440742.376 El 30.301		0.9996050	0.9999983	55749 799601	88H4579 86H1303	TERR TERR	90 34 28 270 9 35	217.402 254.875	217.488 254.976
				CVD28GVRD2018							
72579	5018	E 514523.483 N 5440327.978 El 22.509		0.9996021	0.9999995		MARKER DESTROYED				
				CVD28GVRD2018							
811638	5019	E 514524.374 N 5439616.714 El 33.155		0.9996004	0.9999978		MARKER DESTROYED				
				CVD28GVRD2018							
363853	5020	E 514521.919 N 5439098.782 El 13.198		0.9996036	1.0000010		MARKER DESTROYED				
				CVD28GVRD2018							
418616	5021	E 514519.036 N 5438399.458 El .945		0.9996055	1.0000029		MARKER DESTROYED				
				CVD28GVRD2018							
625376	5022	E 514515.914 N 5437458.615 El .284		0.9996056	1.0000030	374504 288423 27888	5023 5627 5623	TERR GPS GPS	179 50 53 270 6 27 326 0 39	875.683 1188.169 1069.297	876.028 1188.638 1069.719
				CVD28GVRD2018							
374504	5023	E 514518.237 N 5436582.935 El .265		0.9996056	1.0000030	780643 47019 288423 625376	5024 5629 5627 5022	TERR GPS GPS TERR	179 47 24 269 57 5 306 24 23 359 50 53	810.690 1420.743 1479.186 875.683	811.010 1421.304 1479.770 876.028
				CVD28GVRD2018							
780643	5024	E 514521.207 N 5435772.250 El .923		0.9996055	1.0000029	391003 953570 374504	79H0027 5115 5023	TERR TERR TERR	89 51 42 179 54 47 359 47 24	806.869 808.310 810.690	807.188 808.632 811.010
				CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
546390	5025	E	514517.838	0.9996032	1.0000006	699132	92H0836	GPS	20 59 57	2200.865	2201.742
		N	5441206.020			745927	5271	GPS	24 20 9	3902.018	3903.585
		El	15.297			821256	5189	GPS	48 50 1	4295.430	4297.143
						834499	92H0883	GPS	94 18 12	3249.821	3251.110
						904904	NO MARKING	GPS	101 35 49	10710.437	10714.669
						162420	86H1293	GPS	102 9 8	4102.620	4104.247
						534685	5153	GPS	107 14 29	1686.328	1686.994
						24588	5078	GPS	112 10 21	3502.280	3503.670
						112839	92H0846	GPS	122 22 33	972.237	972.622
						535096	8606	GPS	136 4 54	6938.163	6940.902
						8094	84H0567	GPS	147 39 31	8991.639	8995.210
						885012	92H0833	GPS	158 44 21	6690.749	6693.395
						934976	92H0855	GPS	170 58 22	10391.886	10396.046
						686790	92H0898	GPS	192 32 58	3823.916	3825.430
						599530	5630	GPS	195 58 57	5709.544	5711.808
						563304	5622	GPS	204 9 32	3208.380	3209.650
						869792	NO MARKING	GPS	267 51 40	25271.073	25281.135
						799270	9352	GPS	277 41 28	8554.351	8557.765
						898734	NO MARKING	GPS	330 24 43	8753.957	8757.498
						418749	92H0839	GPS	337 19 47	2119.863	2120.708
						606558	5400	GPS	339 53 32	9777.587	9781.508
						403428	92H0843	GPS	346 30 40	3662.769	3664.230
						256230	5026	TERR	359 37 8	315.636	315.761
						880229	5027	GPS	359 37 39	1129.527	1129.975
						98178	86H1262	GPS	359 56 18	2363.690	2364.627
256230	5026	E	514515.739	0.9996035	1.0000009	546390	5025	TERR	179 37 8	315.636	315.761
		N	5441521.649			330688	5929	TERR	270 7 37	676.467	676.737
		El	13.615			880229	5027	TERR	359 37 51	813.891	814.213
						445981	81H4533	GPS	359 42 40	1115.530	1115.972
880229	5027	E	514510.494	0.9996046	1.0000020	546390	5025	GPS	179 37 39	1129.527	1129.975
		N	5442335.523			256230	5026	TERR	179 37 51	813.891	814.213
		El	6.413			776989	5450	TERR	270 31 48	345.080	345.218
						445981	81H4533	GPS	359 55 42	301.642	301.761
580142	5028	E	514502.155	0.9996049	1.0000023		MARKER DESTROYED				
		N	5443617.211								
		El	4.510								
73189	5029	E	514487.010	0.9995984	0.9999958	433342	5860	TERR	90 9 10	542.682	542.901
		N	5444361.751			898189	5030	TERR	358 54 43	403.319	403.482
		El	45.875								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM		Station Scale Factor		TO MARKER	IDENTIFIERS -----		Obs.	UTM Grid	UTM Grid	Ground	
GCM-NO	TABLET MARKING		Coordinates				GCM-NO	TABLET MARKING		Type	Bearing	Distance	Distance	
			Metres		Combined	Ellipsoidal						Metres	Metres	
898189	5030	E	514479.352	0.9995949	0.9999923		172833	5262	TERR	90	8 35	824.597	824.932	
		N	5444764.997				73189	5029	TERR	178	54 43	403.319	403.482	
		E1	68.114	CVD28GVRD2018		642710	5856	TERR	269	46 32	263.299	263.406		
843730	5031	E	514470.885	0.9995910	0.9999884		334821	5254	TERR	90	16 44	483.599	483.796	
		N	5445578.302				686204	5558	TERR	269	37 43	393.229	393.390	
		E1	92.884	CVD28GVRD2018										
731232	5032	E	513678.063	0.9995945	0.9999922		117622	5554	TERR	0	19 48	405.204	405.368	
		N	5445573.128				686204	5558	TERR	89	37 25	399.610	399.772	
		E1	68.734 CVD28GVRD2018					817379	5455	TERR	180	14 46	405.587	405.751
								406348	5556	TERR	270	9 25	404.539	404.703
906842	5033	E	512872.744	0.9995950	0.9999930		MARKER DESTROYED							
		N	5445575.490											
		E1	63.765	CVD28GVRD2018										
341784	5034	E	512880.244	0.9995979	0.9999958		491977	80H2038	TERR	0	31 59	259.009	259.114	
		N	5444759.677				621250	5035	TERR	180	20 23	271.444	271.552	
		E1	45.848	CVD28GVRD2018										
621250	5035	E	512878.635	0.9995982	0.9999962		341784	5034	TERR	0	20 23	271.444	271.552	
		N	5444488.238				271734	5887	TERR	89	55 14	263.111	263.217	
		E1	43.589	CVD28GVRD2018										
752741	5036	E	512875.735	0.9996010	0.9999990		MARKER DESTROYED							
		N	5443949.870											
		E1	25.853	CVD28GVRD2018										
223651	5037	E	512881.559	0.9995970	0.9999950		MARKER ISOLATED							
		N	5443143.731											
		E1	51.485	CVD28GVRD2018										
478180	5038	E	512887.421	0.9995941	0.9999920		841528	8771	TERR	89	48 37	378.698	378.852	
		N	5442337.462				141077	8615	TERR	179	43 56	231.330	231.423	
		E1	70.243	CVD28GVRD2018		782094	8770	TERR	269	9 13	287.351	287.468		

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- UTM Coordinates Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
431908	5039	E N El	512889.895 5441766.956 59.247	0.9995958	0.9999937	141077	8615	TERR	359 45 53	339.182	339.320
			CVD28GVRD2018								
130336	5040	E N El	512891.204 5441499.523 39.040	0.9995990	0.9999969	964403 368571 719047	5043 80H2020 8747	TERR TERR TERR	88 19 14 179 50 29 270 0 29	811.350 384.781 403.941	811.675 384.935 404.103
505115	5041	E N El	512894.737 5439903.848 62.571	0.9995953	0.9999932	MARKER DESTROYED					
			CVD28GVRD2018								
155861	5042	E N El	513701.653 5442339.918 52.472	0.9995971	0.9999948	776989 848101	5450 5451	TERR TERR	90 8 55 269 52 24	463.778 202.944	463.963 203.026
			CVD28GVRD2018								
964403	5043	E N El	513702.205 5441523.301 36.745	0.9995996	0.9999973	330688 258251 232918 130336	5929 8637 80H2021 5040	TERR TERR TERR TERR	90 3 50 179 48 9 179 49 35 268 19 14	137.069 807.566 397.285 811.350	137.124 807.888 397.444 811.675
55673	5044	E N El	509644.364 5439892.971 93.669	0.9995895	0.9999884	63222 320804 251355	5919 5920 5045	TERR TERR TERR	89 10 22 269 55 18 359 55 10	434.263 197.913 307.505	434.442 197.994 307.631
251355	5045	E N El	509643.932 5440200.476 102.331	0.9995882	0.9999870	55673	5044	TERR	179 55 10	307.505	307.631
			CVD28GVRD2018								
725838	5046	E N El	509644.826 5441121.401 92.982	0.9995896	0.9999885	722397	5047	TERR	0 9 10	414.913	415.083
			CVD28GVRD2018								
722397	5047	E N El	509645.932 5441536.312 88.220	0.9995904	0.9999892	419705 725838 60731 182428 6585 36509	8776 5046 92H0873 92H0872 5843 92H0882	TERR TERR GPS GPS TERR GPS	91 10 57 180 9 10 296 22 35 316 29 43 359 36 13 359 55 53	407.704 414.913 1827.914 2392.879 428.901 1618.801	407.871 415.083 1828.662 2393.861 429.077 1619.464

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
838334	5048	E	509634.364	0.9995907	0.9999896		MARKER DESTROYED				
		N	5443141.455								
		El	85.724	CVD28GVRD2018							
655696	5049	E	509628.322	0.9995918	0.9999906	304071	8792	TERR	88 42 55	401.628	401.792
		N	5443934.249			707570	5845	TERR	179 33 34	380.732	380.888
		El	79.188	CVD28GVRD2018		367391	5917	TERR	271 37 21	205.243	205.327
						640540	5138	TERR	271 37 22	811.255	811.588
63339	5050	E	509624.763	0.9995929	0.9999918	717728	5053	TERR	359 45 53	800.382	800.708
		N	5444735.737								
		El	71.639	CVD28GVRD2018							
991885	5052	E	519333.394	0.9996065	1.0000019		MARKER DESTROYED				
		N	5439882.790								
		El	6.901	1928 Canadian Vertical Datum							
717728	5053	E	509621.475	0.9995929	0.9999918	950477	80H2032	TERR	0 44 45	522.003	522.216
		N	5445536.112			878785	79H0026	TERR	87 52 58	393.982	394.143
		El	71.818	CVD28GVRD2018		801498	8720	TERR	89 19 15	810.424	810.754
						63339	5050	TERR	179 45 53	800.382	800.708
558841	5054	E	509620.548	0.9995914	0.9999902		MARKER DESTROYED				
		N	5446339.943								
		El	81.378	CVD28GVRD2018							
559104	5055	E	509628.354	0.9995905	0.9999894	602813	5056	TERR	1 7 59	808.010	808.340
		N	5447159.911			631804	5292	TERR	90 29 42	402.220	402.385
		El	86.815	CVD28GVRD2018		696856	5293	TERR	269 52 31	512.546	512.756
602813	5056	E	509644.330	0.9995923	0.9999911	171884	5907	TERR	90 9 33	220.002	220.091
		N	5447967.763			413872	5331	TERR	180 58 43	249.623	249.725
		El	75.590	CVD28GVRD2018		559104	5055	TERR	181 7 59	808.010	808.340
						362699	5305	TERR	270 41 50	327.690	327.824
						252452	2958	TERR	359 33 54	414.559	414.729
354316	5057	E	509637.283	0.9995905	0.9999894	765859	8733	TERR	0 11 51	406.330	406.496
		N	5448774.806			898908	80H2044	TERR	92 19 43	186.867	186.944
		El	86.888	CVD28GVRD2018		252452	2958	TERR	179 25 51	392.515	392.676
						744094	80H2043	TERR	273 45 45	155.528	155.592
						760454	5892	TERR	354 47 54	92.077	92.115

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
809137	5058	E 509646.726 N 5449584.596 El 61.971		0.9995944	0.9999933		MARKER DESTROYED				
156380	5060	E 510455.728 N 5449583.616 El 71.062		0.9995932	0.9999918	471698 251272 833772 977066	5151 5359 5332 80H2046	TERR TERR TERR TERR	0 23 21 90 38 3 179 39 9 270 3 30	362.194 410.574 307.838 303.922	362.341 410.741 307.963 304.047
468744	5061	E 511683.696 N 5449574.304 El 103.978		0.9995884	0.9999867	426031 952663	5784 5362	TERR TERR	89 57 38 180 29 27	291.337 153.389	291.457 153.452
861658	5062	E 512085.576 N 5449574.571 El 104.959		0.9995883	0.9999865	857904 426031 363382	5063 5784 5384	TERR TERR TERR	90 22 38 269 57 55 359 10 45	412.250 110.543 210.816	412.420 110.589 210.903
857904	5063	E 512497.817 N 5449571.857 El 108.158		0.9995879	0.9999860	861658	5062	TERR	270 22 38	412.250	412.420
348656	5064	E 513658.929 N 5449564.963 El 96.115		0.9995902	0.9999879		MARKER DESTROYED				
59246	5065	E 514118.788 N 5449567.030 El 89.314		0.9995914	0.9999890	252551 239426	5282 5531	TERR TERR	89 45 10 181 5 31	201.874 435.830	201.956 436.009

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
228619	5066	E 514501.771	0.9995910	0.9999884		407239	79H0017	TERR	1 52 8	407.238	407.404
		N 5447133.713				715698	92H0905	GPS	9 42 26	3310.050	3311.403
		E1 93.266	CVD28GVRD2018			3996	92H0900	GPS	31 16 3	4188.476	4190.171
						736470	5067	TERR	89 24 20	806.485	806.815
						162537	5071	GPS	89 31 38	3238.500	3239.803
						904904	NO MARKING	GPS	127 33 39	13255.702	13261.020
						98178	86H1262	GPS	179 46 57	3564.030	3565.463
						688044	5853	TERR	181 12 25	375.184	375.338
						611178	92H0885	GPS	257 27 24	3331.852	3333.208
						841734	6966	GPS	259 3 48	8009.361	8012.648
						426981	92H0886	GPS	269 39 21	3241.885	3243.205
						596494	5288	TERR	270 0 7	408.443	408.611
						898734	NO MARKING	GPS	291 22 0	4624.111	4626.010
						698134	10H2607	GPS	324 54 40	5006.680	5008.696
						71563	86H1270	GPS	340 46 60	2586.719	2587.779
736470	5067	E 515308.213	0.9995928	0.9999899		480236	79H0014	TERR	0 40 51	421.455	421.626
		N 5447142.080				32243	5267	TERR	180 25 8	753.133	753.441
		E1 83.553	CVD28GVRD2018			228619	5066	TERR	269 24 20	806.485	806.815
63867	5068	E 516120.052	0.9995962	0.9999930		605592	5819	TERR	0 58 5	211.237	211.323
		N 5447145.230				868422	5274	TERR	180 4 5	759.900	760.207
		E1 63.932	CVD28GVRD2018								
717538	5069	E 516547.354	0.9995969	0.9999935							
		N 5447149.508					MARKER DESTROYED				
		E1 60.590	CVD28GVRD2018								
62133	5070	E 517187.600	0.9996043	1.0000007							
		N 5447155.781					MARKER DESTROYED				
		E1 14.707	CVD28GVRD2018								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
162537	5071	E	517740.161	0.9996050	1.0000011	957910	5882	TERR	0 30 24	482.742	482.933
		N	5447160.440			3525	02H2432	GPS	48 56 17	5388.934	5391.054
		El	12.044			459750	5992	GPS	77 30 27	4955.199	4957.149
						80176	5072	TERR	89 51 18	782.438	782.748
						334078	8640	GPS	93 12 4	3205.354	3206.624
						124644	90H6429	GPS	93 38 16	12291.820	12296.637
						830976	89H4979	GPS	128 22 42	15604.320	15610.491
						973289	5157	GPS	134 53 47	4565.196	4566.994
						904904	NO MARKING	GPS	138 7 10	10889.276	10893.568
						821256	5189	GPS	179 47 36	3126.976	3128.221
						439760	5184	GPS	179 50 35	9727.826	9731.661
						997130	5192	TERR	180 27 40	757.013	757.311
						98178	86H1262	GPS	221 55 38	4826.291	4828.199
						607093	5893	GPS	225 40 49	13609.588	13614.978
						274696	78H8518	GPS	268 17 50	21145.901	21154.289
						228619	5066	GPS	269 31 38	3238.500	3239.803
						426981	92H0886	GPS	269 35 29	6480.381	6482.976
						770800	5296	GPS	269 57 46	9789.576	9793.521
						898734	NO MARKING	GPS	282 23 39	7724.706	7727.824
						611681	V-3719	GPS	292 43 21	26242.613	26253.022
						610006	90H6709	GPS	309 12 36	17157.864	17164.920
						715698	92H0905	GPS	320 21 56	4201.795	4203.483
						3996	92H0900	GPS	343 19 27	3709.390	3710.865
						682930	02H2475	GPS	351 52 5	10100.314	10104.307
80176	5072	E	518522.596	0.9995995	0.9999953	932566	5862	TERR	179 28 36	343.428	343.566
		N	5447162.422			162537	5071	TERR	269 51 18	782.438	782.748
		El	48.931								
823807	5073	E	519327.992	0.9995975	0.9999929						
		N	5447163.989								
		El	64.356								
718213	5074	E	520136.721	0.9996013	0.9999963	601328	8639	TERR	89 47 8	318.403	318.530
		N	5447168.640			968198	8614	TERR	269 25 53	474.737	474.928
		El	42.762								
831990	5075	E	520939.693	0.9996042	0.9999988						
		N	5447172.824								
		El	26.297								

MARKER DESTROYED

MARKER DESTROYED

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
185298	5076	E 522152.684 N 5447176.825 El 17.130		0.9996063	1.0000003		MARKER DESTROYED				
797241	5077	E 522572.729 N 5447178.217 El 13.746		0.9996071	1.0000008	879080	8800	TERR	89 52 40	576.276	576.502
24588	5078	E 517761.128 N 5439884.266 El 24.593		0.9996031	0.9999992	714295	5080	TERR	90 3 32	773.765	774.072
						535096	8606	GPS	156 52 59	3996.946	3998.524
						150128	5185	GPS	179 47 36	1628.343	1628.986
						693002	8602	TERR	179 48 47	272.919	273.026
						548891	92H0829	GPS	180 11 30	906.094	906.452
						777862	92H0845	GPS	270 12 54	1852.650	1853.383
						112839	92H0846	GPS	288 18 7	2551.237	2552.247
						546390	5025	GPS	292 10 21	3502.280	3503.670
						220467	80H2030	GPS	316 59 55	1121.633	1122.078
						834499	92H0883	GPS	359 51 37	1077.902	1078.330
537258	5079	E 517081.139 N 5439887.223 El 42.231		0.9996000	0.9999964		MARKER DESTROYED				
714295	5080	E 518534.893 N 5439883.469 El 20.834		0.9996040	0.9999998	434712	8609	TERR	89 54 41	151.465	151.526
						410852	8608	TERR	180 11 33	204.747	204.828
						24588	5078	TERR	270 3 32	773.765	774.072
570572	5081	E 520156.648 N 5439880.926 El 30.162		0.9996033	0.9999983	304451	5943	TERR	89 53 43	406.912	407.074
						288670	8611	TERR	179 54 51	233.399	233.492
						42242	8610	TERR	269 58 39	109.177	109.220
						128694	5836	TERR	359 49 11	222.391	222.479
390070	5082	E 520972.391 N 5439882.410 El 62.300		0.9995987	0.9999933		MARKER DESTROYED				
888537	5083	E 521770.771 N 5439875.096 El 64.948		0.9995987	0.9999928	579102	5936	TERR	89 56 36	222.627	222.716
						40378	5935	TERR	270 31 32	264.267	264.374

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
179200	5084	E	522536.546	0.9996049	0.9999986	834671	5941	TERR	1 0 55	685.031	685.303
		N	5439875.849			36707	5764	TERR	90 17 30	424.555	424.722
		El	27.974			111096	5939	TERR	179 33 8	391.319	391.474
						579102	5936	TERR	269 56 38	543.148	543.364
677260	5085	E	523350.112	0.9996069	1.0000002	MARKER DESTROYED					
		N	5439870.932								
		El	17.988								
631689	5086	E	513715.848	0.9996053	1.0000030	MARKER DESTROYED					
		N	5435775.439								
		El	.397								
428094	5087	E	515591.445	0.9996055	1.0000025	MARKER DESTROYED					
		N	5435774.596								
		El	3.557								
779223	5088	E	516133.928	0.9996062	1.0000030	327841	5089	TERR	88 42 1	809.194	809.513
		N	5435775.481			718809	81H4539	GPS	115 23 51	1801.527	1802.236
		El	.492			166	5183	GPS	134 15 43	2273.864	2274.760
						391003	79H0027	GPS	269 54 32	805.855	806.172
327841	5089	E	516942.914	0.9996066	1.0000031	387258	5090	TERR	88 37 11	821.378	821.701
		N	5435793.837			302992	5091	GPS	89 51 46	1587.842	1588.465
		El	-.035			718809	81H4539	GPS	134 1 27	1138.220	1138.667
						166	5183	GPS	152 57 30	1802.428	1803.138
						779223	5088	TERR	268 42 1	809.194	809.513
						391003	79H0027	GPS	269 18 12	1614.959	1615.596
387258	5090	E	517764.054	0.9996069	1.0000030	439760	5184	TERR	0 5 48	1619.029	1619.665
		N	5435813.623			5702	5121	GPS	43 59 32	2268.801	2269.693
		El	.385			302992	5091	TERR	91 11 40	766.864	767.165
						718809	81H4539	TERR	180 11 29	810.811	811.130
						327841	5089	TERR	268 37 11	821.378	821.701
302992	5091	E	518530.751	0.9996073	1.0000030	5702	5121	GPS	26 8 48	1836.126	1836.849
		N	5435797.639			535096	8606	GPS	62 49 8	898.883	899.236
		El	.052			649830	5092	TERR	91 17 12	775.249	775.554
						718809	81H4539	GPS	224 4 9	1106.222	1106.656
						327841	5089	GPS	269 51 46	1587.842	1588.465
						387258	5090	TERR	271 11 40	766.864	767.165
						439760	5184	GPS	334 57 20	1804.689	1805.398

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
649830	5092	E 519305.804 N 5435780.230 El .310		0.9996076	1.0000030	5702 535096 602961 151852 1727 435560 38133 505818 885012 302992	5121 8606 86H1306 5167 5866 86H1266 5095 8786 92H0833 5091	GPS TERR GPS GPS GPS TERR GPS GPS GPS TERR	1 10 19 3 17 4 29 8 0 29 57 30 69 11 54 89 56 42 116 3 28 179 29 55 251 4 45 271 17 12	1665.992 428.728 1728.939 3330.635 1736.396 811.264 1810.656 1603.528 2496.712 775.249	1666.646 428.896 1729.618 3331.944 1737.078 811.582 1811.366 1604.158 2497.696 775.554
80671	5093	E 520120.239 N 5435785.015 El 1.343		0.9996078	1.0000028		MARKER DESTROYED				
852699	5094	E 520924.227 N 5435787.398 El 3.891		0.9996078	1.0000024		MARKER DESTROYED				
38133	5095	E 520932.408 N 5434984.847 El 5.317		0.9996076	1.0000022	614040 905570 381954 505818 649830	5875 5874 5876 8786 5092	GPS GPS GPS GPS GPS	62 24 20 89 28 53 134 56 47 243 23 2 296 3 28	1789.676 1594.313 1133.652 1803.718 1810.656	1790.383 1594.944 1134.100 1804.427 1811.366
660175	5096	E 520934.769 N 5434183.166 El 10.035		0.9996069	1.0000015		MARKER DESTROYED				
101188	5098	E 522534.801 N 5434184.710 El 46.337		0.9996020	0.9999958	291302 747543 482679 8094 381954 599530 98178 905570	88H4592 5099 5118 84H0567 5876 5630 86H1262 5874	GPS TERR GPS GPS TERR GPS GPS TERR	7 47 31 89 39 50 232 50 52 259 49 32 269 56 53 279 4 48 319 29 10 359 25 38	9894.016 802.524 4006.834 3258.006 800.029 9710.733 12344.660 814.605	9897.951 802.843 4008.446 3259.303 800.348 9714.591 12349.557 814.928
747543	5099	E 523337.311 N 5434189.416 El 46.913		0.9996024	0.9999957	458646 101188	85H0956 5098	TERR TERR	89 40 47 269 39 50	402.946 802.524	403.107 802.843

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- UTM Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
553032	5100	E N El	516140.285 5430932.058 65.029	0.9995961	0.9999929		MARKER DESTROYED				
752626	5102	E N El	517753.371 5430941.096 46.095	0.9995997	0.9999959		MARKER DESTROYED				
736702	5103	E N El	518548.332 5430951.236 36.671	0.9996016	0.9999973	409771 21188	5752 5751	TERR TERR	89 16 36 269 14 18	372.197 239.630	372.345 239.726
362152	5104	E N El	519347.766 5430961.813 29.899	0.9996030	0.9999984	613935 325746 335349 409771	84H0572 84H0563 84H0573 5752	TERR TERR TERR TERR	2 11 6 92 23 45 180 4 11 269 12 42	398.979 164.251 812.540 427.307	399.139 164.315 812.862 427.477
31393	5105	E N El	520155.618 5430962.843 17.000	0.9996054	1.0000004	210369 325746	84H0564 84H0563	TERR TERR	89 57 5 269 17 50	797.603 643.793	797.918 644.049
567735	5106	E N El	520952.906 5430964.452 17.209	0.9996058	1.0000004		MARKER DESTROYED				
742353	5107	E N El	521759.846 5430960.003 22.897	0.9996053	0.9999995	210369	84H0564	TERR	270 14 59	806.633	806.951
409540	5108	E N El	522565.985 5430955.249 38.844	0.9996032	0.9999970	469304	5109	TERR	89 27 44	805.098	805.418

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM	Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs.	UTM Grid	UTM Grid	Ground	
GCM-NO	TABLET MARKING		Coordinates			GCM-NO	TABLET MARKING	Type	Bearing	Distance	Distance	
			Metres		Ellipsoidal					Metres	Metres	
469304	5109	E	523371.048	0.9996030	0.9999963	904904	NO MARKING	GPS	11 26 59	8254.440	8257.701	
		N	5430962.804			867044	5951	TERR	89 12 44	805.743	806.065	
		El	43.047			CVD28GVRD2018	811083	78H8366	TERR	89 21 24	302.595	302.715
						576363	8705	GPS	219 10 5	4161.674	4163.338	
						409540	5108	TERR	269 27 44	805.098	805.418	
						839837	5172	GPS	288 28 30	2555.303	2556.319	
						525667	92H0918	GPS	332 54 12	1828.659	1829.386	
						756601	13H2682	GPS	340 39 4	2556.214	2557.230	
						926782	89H5015	TERR	359 32 29	458.289	458.471	
442525	5110	E	514533.760	0.9995884	0.9999858	208850	5472	TERR	270 10 24	301.380	301.505	
		N	5430933.801									
		El	110.295									CVD28GVRD2018
313379	5111	E	514530.162	0.9995882	0.9999856	968156	5745	TERR	89 57 52	803.383	803.713	
		N	5431738.490									
		El	111.813									CVD28GVRD2018
918706	5112	E	514527.764	0.9995893	0.9999867	MARKER DESTROYED						
		N	5432546.349									
		El	104.338									CVD28GVRD2018
927475	5113	E	514523.019	0.9995959	0.9999933	MARKER DESTROYED						
		N	5433349.768									
		El	62.598									CVD28GVRD2018
191999	5114	E	514523.042	0.9995995	0.9999969	157834	5734	TERR	89 57 53	325.705	325.835	
		N	5434156.964			953570	5115	TERR	359 57 25	806.977	807.300	
		El	39.330			CVD28GVRD2018						
953570	5115	E	514522.435	0.9996008	0.9999982	391003	79H0027	GPS	44 50 10	1142.616	1143.071	
		N	5434963.941			191999	5114	TERR	179 57 25	806.977	807.300	
		El	31.225			CVD28GVRD2018	193425	5632	GPS	270 7 52	1430.176	1430.744
						780643	5024	TERR	359 54 47	808.310	808.632	
364653	5116	E	519350.068	0.9996059	1.0000013	MARKER DESTROYED						
		N	5428534.525									
		El	11.476									1928 Canadian Vertical Datum

1928 Canadian Vertical Datum

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
482679	5118	E	519341.219	0.9995942	0.9999896	101188	5098	GPS	52 50 52	4006.834	4008.446
		N	5431764.843			283887	8617	TERR	89 48 10	407.955	408.121
		El	85.800			699488	84H0571	TERR	178 51 43	236.367	236.463
						426056	5749	TERR	269 32 2	791.516	791.838
						436204	5809	GPS	320 8 4	2466.771	2467.768
						8094	84H0567	GPS	359 35 25	1844.406	1845.147
						614552	84H0570	TERR	359 53 49	340.364	340.502
799627	5119	E	519334.244	0.9995948	0.9999902	MARKER DESTROYED					
		N	5432568.562								
		El	82.284								
5702	5121	E	519339.877	0.9996075	1.0000029	447771	5169	GPS	89 38 46	1621.023	1621.659
		N	5437445.873			570713	5865	GPS	96 38 5	1612.358	1612.990
		El	.690			535096	8606	TERR	180 26 25	1237.656	1238.142
						649830	5092	GPS	181 10 19	1665.992	1666.646
						302992	5091	GPS	206 8 48	1836.126	1836.849
						387258	5090	GPS	223 59 32	2268.801	2269.693
						439760	5184	GPS	269 31 6	1573.146	1573.764
66167	5122	E	519329.852	0.9996054	1.0000008	MARKER DESTROYED					
		N	5441359.506								
		El	14.152								
876656	5123	E	519336.873	0.9996075	1.0000029	MARKER DESTROYED					
		N	5443948.139								
		El	.430								
169318	5124	E	519333.862	0.9996073	1.0000028	MARKER DESTROYED					
		N	5445565.155								
		El	1.504								
660712	5125	E	519330.914	0.9996035	0.9999989	MARKER DESTROYED					
		N	5446386.594								
		El	26.127								
45328	5126	E	523141.016	0.9996006	0.9999940	60400	92H0827	TERR	230 45 54	188.142	188.217
		N	5429475.137			699736	5127	TERR	258 12 13	570.500	570.727
		El	57.950			823492	5128	TERR	264 30 7	1378.993	1379.541

Issued: 2021-MAY-03

Datum: NAD83 (CSRS)

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						Metres	Metres
699736	5127	E	522582.565	0.9996052	0.9999990	45328	5126	TERR	78 12 13	570.500	570.727				
		N	5429358.506		60400	92H0827	TERR	90 19 44	412.731	412.895					
		E1	26.267	CVD28GVRD2018	683342	5177	TERR	179 49 28	1611.182	1611.829					
					769554	8709	TERR	268 54 39	350.918	351.056					
823492	5128	E	521768.367	0.9996047	0.9999988	45328	5126	TERR	84 30 7	1378.993	1379.541				
		N	5429343.015		769554	8709	TERR	88 54 34	463.427	463.610					
		E1	26.998	CVD28GVRD2018	591511	5176	TERR	179 32 31	1599.573	1600.214					
					926840	5129	TERR	270 45 6	807.028	807.347					
926840	5129	E	520961.408	0.9996063	1.0000010	306191	5173	TERR	0 17 30	798.859	799.174				
		N	5429353.601		823492	5128	TERR	90 45 6	807.028	807.347					
		E1	13.581	CVD28GVRD2018	847178	5174	TERR	180 14 32	809.054	809.373					
					530097	8707	TERR	269 48 44	325.750	325.879					
856971	5130	E	520316.731	0.9996068	1.0000017	MARKER DESTROYED									
		N	5429351.486												
		E1	8.601	1928	Canadian Vertical Datum										
482695	5131	E	518549.514	0.9996050	1.0000008	851600	84H0574	TERR	89 57 5	796.889	797.205				
		N	5429334.456		29389	8708	TERR	269 48 55	801.945	802.261					
		E1	14.628	CVD28GVRD2018											
336701	5132	E	512055.147	0.9995974	0.9999957	552067	5551	TERR	0 1 17	412.292	412.459				
		N	5445564.879		595660	5654	TERR	179 40 4	306.006	306.128					
		E1	46.908	CVD28GVRD2018											
362723	5133	E	510431.838	0.9995958	0.9999945	MARKER DESTROYED									
		N	5445545.718												
		E1	54.467	CVD28GVRD2018											
980540	5134	E	508810.975	0.9995905	0.9999896	MARKER DESTROYED									
		N	5445607.326												
		E1	85.840	CVD28GVRD2018											
920769	5135	E	508003.128	0.9995884	0.9999876	MARKER DESTROYED									
		N	5445605.086												
		E1	98.352	CVD28GVRD2018											

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
146878	5136	E	508003.553	0.9995888	0.9999880		MARKER DESTROYED				
		N	5444801.960								
		El	95.573	1928	Canadian Vertical Datum						
4481	5137	E	508005.691	0.9995886	0.9999878	246900	5602	TERR	91 29 44	407.405	407.573
		N	5443978.496			591271	6930	TERR	270 18 33	357.199	357.346
		El	96.943	CVD28GVRD2018							
640540	5138	E	508817.392	0.9995897	0.9999888	655696	5049	TERR	91 37 22	811.255	811.588
		N	5443957.224			367391	5917	TERR	91 37 23	606.012	606.260
		El	90.952	CVD28GVRD2018		829994	5599	TERR	179 55 17	412.716	412.885
						585604	5460	TERR	359 50 28	407.057	407.224
491233	5139	E	510441.854	0.9995936	0.9999922		MARKER DESTROYED				
		N	5443937.481								
		El	68.738	CVD28GVRD2018							
755371	5140	E	510447.356	0.9995915	0.9999902		MARKER DESTROYED				
		N	5443134.192								
		El	81.887	CVD28GVRD2018							
742700	5141	E	510452.876	0.9995917	0.9999903	718882	8728	TERR	91 24 25	604.261	604.508
		N	5442330.191			767905	81H4538	TERR	92 11 9	627.449	627.705
		El	81.156	CVD28GVRD2018		771287	8672	TERR	179 25 14	289.183	289.301
						476424	5225	TERR	271 19 55	406.477	406.643
						200071	5925	TERR	359 36 21	298.913	299.035
757542	5142	E	510461.085	0.9995920	0.9999907		MARKER DESTROYED				
		N	5441517.575								
		El	78.956	CVD28GVRD2018							
961201	5143	E	510461.105	0.9995892	0.9999878	907592	5922	TERR	0 39 4	199.488	199.569
		N	5439904.759			63222	5919	TERR	269 10 24	382.563	382.720
		El	97.136	CVD28GVRD2018							
387241	5144	E	510457.393	0.9995906	0.9999892		MARKER DESTROYED				
		N	5439506.841								
		El	88.103	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
538116	5145	E	510436.827	0.9995960	0.9999946		MARKER DESTROYED				
		N	5444742.458								
		El	53.403	CVD28GVRD2018							
875765	5146	E	510433.004	0.9995936	0.9999922		MARKER DESTROYED				
		N	5446356.062								
		El	68.684	CVD28GVRD2018							
441113	5147	E	510434.749	0.9995924	0.9999911	196311	5342	TERR	1 27 50	407.160	407.326
		N	5447153.010			907873	5291	TERR	90 20 20	395.898	396.059
		El	75.998	CVD28GVRD2018		543439	5341	TERR	180 13 1	398.723	398.885
						631804	5292	TERR	270 29 9	404.205	404.370
349084	5148	E	510455.642	0.9995894	0.9999880	705632	80H2057	TERR	91 42 27	248.840	248.942
		N	5447965.269			172049	5909	TERR	181 29 7	104.712	104.755
		El	95.632	CVD28GVRD2018		334409	5908	TERR	270 11 36	125.911	125.962
975870	5149	E	510457.764	0.9995896	0.9999882		MARKER DESTROYED				
		N	5448330.315								
		El	94.125	CVD28GVRD2018							
210450	5150	E	510460.131	0.9995905	0.9999891		MARKER DESTROYED				
		N	5448772.494								
		El	88.347	CVD28GVRD2018							
471698	5151	E	510458.188	0.9995942	0.9999929	42952	5152	TERR	0 24 59	274.640	274.752
		N	5449945.802			972984	5911	TERR	45 13 25	219.606	219.696
		El	64.603	CVD28GVRD2018		156380	5060	TERR	180 23 21	362.194	362.341
42952	5152	E	510460.184	0.9995958	0.9999945	471698	5151	TERR	180 24 59	274.640	274.752
		N	5450220.435			283275	80H2050	TERR	270 10 58	243.581	243.680
		El	54.278	CVD28GVRD2018							
534685	5153	E	516128.389	0.9996063	1.0000031	220467	80H2030	GPS	90 6 29	867.769	868.112
		N	5440706.193			546390	5025	GPS	287 14 29	1686.328	1686.994
		El	- .309	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
246314	5154	E	520970.064	0.9995989	0.9999935		MARKER DESTROYED				
		N	5441491.645								
		El	60.683	1928	Canadian Vertical Datum						
763870	5155	E	520972.586	0.9995997	0.9999943		MARKER DESTROYED				
		N	5442317.248								
		El	55.294	1928	Canadian Vertical Datum						
65292	5156	E	520974.233	0.9996040	0.9999986	354134	5686	TERR	88 31 18	432.820	432.992
		N	5443121.992			183087	5933	TERR	180 7 2	491.652	491.848
		El	28.399	CVD28GVRD2018		863621	5937	TERR	359 59 18	166.352	166.418
973289	5157	E	520974.069	0.9996081	1.0000027	3525	02H2432	GPS	6 59 32	6812.772	6815.441
		N	5443938.196			459750	5992	GPS	20 28 56	4583.897	4585.694
		El	1.841	CVD28GVRD2018		397893	5670	GPS	23 40 20	1259.646	1260.140
						909333	NO MARKING	GPS	56 59 28	15061.195	15067.144
						962043	5681	TERR	88 38 50	496.041	496.236
						377754	5680	GPS	88 42 58	790.556	790.867
						485250	93H1144	GPS	89 3 59	3206.978	3208.248
						662908	88H0918	GPS	93 49 36	6449.594	6452.132
						10702	93H1153	GPS	138 55 49	4593.158	4594.963
						904904	NO MARKING	GPS	140 26 27	6336.500	6338.987
						863621	5937	TERR	179 59 19	649.852	650.108
						63446	5013	GPS	180 0 33	3242.471	3243.759
						869792	NO MARKING	GPS	263 23 19	31921.986	31934.629
						430371	5668	TERR	270 22 1	560.433	560.652
						821256	5189	GPS	271 41 37	3224.039	3225.317
						898734	NO MARKING	GPS	294 21 35	11831.934	11836.692
						875864	NO MARKING	GPS	297 17 48	30914.032	30926.315
						162537	5071	GPS	314 53 47	4565.196	4566.994
						721050	5672	GPS	358 51 43	1660.856	1661.508
						87486	5669	GPS	358 54 12	596.704	596.939
						334078	8640	GPS	359 22 6	3043.442	3044.643
736207	5158	E	522559.418	0.9996071	1.0000008	170423	86H1299	TERR	89 9 2	475.496	475.683
		N	5445602.190			247189	5159	TERR	180 9 40	814.138	814.459
		El	13.827	CVD28GVRD2018		228734	5671	TERR	269 55 18	605.808	606.046
						923417	5673	TERR	359 40 48	388.443	388.596
247189	5159	E	522557.129	0.9996074	1.0000012	736207	5158	TERR	0 9 40	814.138	814.459
		N	5444788.055			565457	5160	TERR	180 12 10	814.444	814.765
		El	11.429	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
565457	5160	E	522554.247	0.9996036	0.9999974	247189	5159	TERR	0 12 10	814.444	814.765
		N	5443973.616					TERR	89 24 8	328.037	328.167
		El	35.973					TERR	179 54 56	496.713	496.911
								TERR	268 42 56	790.019	790.331
702829	5161	E	522555.448	0.9995985	0.9999923	774166	5816	TERR	179 56 24	458.056	458.241
		N	5443166.244					TERR	268 12 56	687.007	687.283
		El	68.429					TERR	359 54 49	310.660	310.785
358705	5162	E	522555.894	0.9995961	0.9999898			MARKER DESTROYED			
		N	5442362.529								
		El	83.913								
867507	5163	E	522553.216	0.9995964	0.9999902			MARKER DESTROYED			
		N	5441552.452								
		El	81.897								
560334	5164	E	519353.448	0.9996070	1.0000024	933507	5827	TERR	89 49 32	330.979	331.109
		N	5439472.133								
		El	3.936								
410894	5165	E	522541.297	0.9996080	1.0000018	246934	5940	TERR	0 28 26	126.077	126.127
		N	5438720.192					TERR	266 41 48	804.380	804.696
		El	8.106								
49338	5166	E	522538.242	0.9996088	1.0000025			MARKER DESTROYED			
		N	5438325.892								
		El	3.224								
151852	5167	E	520969.029	0.9996062	1.0000007	291302	88H4592	GPS	28 38 53	6063.848	6066.248
		N	5438665.851					TERR	89 24 18	769.267	769.571
		El	14.538					GPS	126 49 56	2017.187	2017.981
								GPS	151 29 6	3245.740	3247.025
								GPS	180 23 11	1209.995	1210.470
								GPS	209 57 30	3330.635	3331.944
								GPS	210 50 56	1602.068	1602.697
								GPS	213 41 40	2953.810	2954.973
								GPS	275 33 20	3226.084	3227.355

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates		Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres				GCM-NO	TABLET MARKING				
30320	5168	E	520966.998	0.9996075	1.0000021		MARKER DESTROYED				
		N	5438268.850								
		El	6.239	CVD28GVRD2018							
447771	5169	E	520960.869	0.9996080	1.0000026	63446	5013	GPS	0 13 27	3239.866	3241.153
		N	5437455.884			151852	5167	GPS	0 23 11	1209.995	1210.470
		El	2.591	CVD28GVRD2018		15610	13H2688	GPS	0 47 16	1625.167	1625.809
						203257	92H0916	GPS	27 8 52	1804.801	1805.516
						909333	NO MARKING	GPS	40 43 24	19379.535	19387.188
						10702	93H1153	GPS	45 6 26	4278.195	4279.876
						287078	79H0136	GPS	62 39 13	7185.632	7188.441
						904904	NO MARKING	GPS	68 28 21	4352.380	4354.089
						60269	79H9604	GPS	89 48 45	3035.041	3036.234
						8979	75H2716	GPS	89 51 58	5903.442	5905.753
						24430	5725	GPS	89 58 29	1622.704	1623.341
						210369	84H0564	GPS	180 4 3	6492.370	6494.923
						570713	5865	TERR	185 39 12	197.259	197.335
						782151	80H2067	GPS	222 28 37	4436.127	4437.872
						439760	5184	GPS	269 34 60	3194.167	3195.421
						5702	5121	GPS	269 38 46	1621.023	1621.659
						869792	NO MARKING	GPS	275 3 39	31820.542	31833.146
						875864	NO MARKING	GPS	306 57 27	34362.379	34376.025
						898734	NO MARKING	GPS	316 32 45	15652.517	15658.811
						737981	92H0915	GPS	333 29 17	1784.066	1784.767
671651	5170	E	520937.251	0.9996054	1.0000001	321372	13H2681	GPS	0 49 10	769.317	769.619
		N	5433379.115			904904	NO MARKING	GPS	35 40 7	6984.051	6986.802
		El	19.144	CVD28GVRD2018		839837	5172	GPS	179 38 12	1606.596	1607.234
						802926	5171	TERR	179 39 6	805.190	805.510
						976324	92H0924	GPS	206 4 31	5406.748	5408.885
						30502	8601	GPS	314 40 58	1131.045	1131.491
802926	5171	E	520942.146	0.9996016	0.9999962	217398	5878	TERR	89 51 45	798.867	799.186
		N	5432573.940			748251	5811	TERR	179 49 20	289.315	289.431
		El	43.525	CVD28GVRD2018		495333	8618	TERR	269 48 25	511.701	511.905
						671651	5170	TERR	359 39 6	805.190	805.510
839837	5172	E	520947.439	0.9996012	0.9999958	904904	NO MARKING	GPS	29 9 35	8337.024	8340.325
		N	5431772.551			525667	92H0918	GPS	62 46 48	1788.764	1789.477
		El	46.197	CVD28GVRD2018		469304	5109	GPS	108 28 30	2555.303	2556.319
						210369	84H0564	TERR	179 35 26	809.053	809.374
						976324	92H0924	GPS	216 17 38	4032.141	4033.743
						239038	8616	TERR	269 38 10	801.182	801.504
						748251	5811	TERR	359 30 29	512.094	512.298
						671651	5170	GPS	359 38 12	1606.596	1607.234

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						Metres	Metres
306191	5173	E	520965.474	0.9996061	1.0000007	926840	5129	TERR	180	17	30	798.859	799.174		
		N	5430152.450			210369	84H0564	TERR	359	8	4	811.162	811.481		
		E1	14.913	CVD28GVRD2018											
847178	5174	E	520957.989	0.9996062	1.0000008	926840	5129	TERR	0	14	32	809.054	809.373		
		N	5428544.554			576363	8705	TERR	194	55	29	836.503	836.836		
		E1	14.315	CVD28GVRD2018											
637249	5175	E	520929.371	0.9995973	0.9999919	591511	5176	TERR	89	19	39	851.844	852.189		
		N	5427733.495			576363	8705	TERR	270	51	5	186.845	186.920		
		E1	71.140	CVD28GVRD2018											
591511	5176	E	521781.156	0.9995940	0.9999882	637520	5676	GPS	0	24	19	18666.079	18673.570		
		N	5427743.493			672345	80H2329	GPS	58	48	53	20883.039	20891.374		
		E1	95.071	CVD28GVRD2018		967877	79H0853	GPS	89	37	18	18555.364	18562.702		
						637249	5175	TERR	269	19	39	851.844	852.189		
						823492	5128	TERR	359	32	31	1599.573	1600.214		
683342	5177	E	522587.504	0.9995924	0.9999861	97972	92H0828	TERR	90	4	55	568.221	568.453		
		N	5427747.332			639351	86H1278	GPS	269	42	22	4031.720	4033.339		
		E1	108.454	CVD28GVRD2018		851600	84H0574	GPS	296	6	0	3609.134	3610.582		
						878538	92H0857	GPS	303	26	38	5804.656	5807.002		
						8094	84H0567	GPS	330	55	26	6707.138	6709.840		
				699736	5127	TERR	359	49	28	1611.182	1611.829				
68924	5178	E	517748.581	0.9996042	1.0000003	29389	8708	TERR	180	12	41	273.074	273.182		
		N	5429604.943			483248	5179	TERR	359	57	35	529.434	529.644		
		E1	17.626	CVD28GVRD2018											
483248	5179	E	517748.209	0.9996045	1.0000006	48249	5754	TERR	0	15	1	1331.039	1331.572		
		N	5430134.377			68924	5178	TERR	179	57	35	529.434	529.644		
		E1	15.596	CVD28GVRD2018											
261222	5180	E	517753.994	0.9995921	0.9999882	426056	5749	TERR	89	32	36	795.760	796.085		
		N	5431752.062			48249	5754	TERR	179	59	41	286.659	286.776		
		E1	94.887	CVD28GVRD2018		203588	5748	TERR	269	29	12	342.280	342.419		
303578	5181	E	517755.053	0.9995900	0.9999861	89763	5810	TERR	0	15	4	531.594	531.812		
		N	5432562.502			77040	5739	TERR	89	47	16	394.369	394.530		
		E1	107.997	CVD28GVRD2018		249672	3126	TERR	179	54	2	165.425	165.493		
						352625	5740	TERR	269	17	15	317.356	317.485		

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
478065	5182	E	517758.741	0.9995941	0.9999902	436204	5809	TERR	0 15 53	282.544	282.658
		N	5433375.672			89763	5810	TERR	180 16 35	281.584	281.699
		El	82.191	CVD28GVRD2018							
166	5183	E	517762.367	0.9996059	1.0000021	505818	8786	GPS	90 25 49	1557.510	1558.123
		N	5434188.457			782151	80H2067	TERR	91 15 17	202.871	202.951
		El	6.442	CVD28GVRD2018		8094	84H0567	GPS	110 18 12	1669.380	1670.041
						436204	5809	TERR	180 15 3	530.249	530.461
						709527	8784	TERR	268 53 35	974.885	975.270
						779223	5088	GPS	314 15 43	2273.864	2274.760
						327841	5089	GPS	332 57 30	1802.428	1803.138
						718809	81H4539	TERR	359 55 41	814.361	814.681
439760	5184	E	517766.787	0.9996069	1.0000030	150128	5185	TERR	0 0 54	823.284	823.609
		N	5437432.650			63446	5013	GPS	44 30 5	4575.040	4576.860
		El	.186	CVD28GVRD2018		904904	NO MARKING	GPS	77 23 23	7421.881	7424.800
						5702	5121	GPS	89 31 6	1573.146	1573.764
						447771	5169	GPS	89 34 60	3194.167	3195.421
						830976	89H4979	GPS	89 48 47	12206.110	12210.927
						968016	80H2360	GPS	90 1 25	21617.377	21625.894
						147819	91H9962	GPS	114 16 50	23299.231	23308.309
						636696	92H0688	GPS	125 58 1	16410.083	16416.575
						210369	84H0564	GPS	153 46 37	7211.312	7214.152
						302992	5091	GPS	154 57 20	1804.689	1805.398
						782151	80H2067	GPS	176 30 19	3254.688	3255.970
						387258	5090	TERR	180 5 48	1619.029	1619.665
						4903	92H0897	GPS	246 23 37	7212.574	7215.422
						686790	92H0898	GPS	270 34 23	4080.023	4081.631
						607093	5893	GPS	271 17 12	9766.114	9769.972
						901199	5620	GPS	275 38 40	6664.472	6667.101
						274696	78H8518	GPS	293 15 58	23036.499	23045.613
						868968	5729	GPS	304 18 30	1979.868	1980.647
						770800	5296	GPS	314 43 20	13815.357	13820.910
						162537	5071	GPS	359 50 35	9727.826	9731.661
150128	5185	E	517767.001	0.9996069	1.0000030	439760	5184	TERR	180 0 54	823.284	823.609
		N	5438255.934			868968	5729	GPS	280 8 41	1661.593	1662.246
		El	.135	CVD28GVRD2018		541524	5714	GPS	296 41 22	1835.838	1836.561
						24588	5078	GPS	359 47 36	1628.343	1628.986
573386	5186	E	517762.068	0.9996049	1.0000010	MARKER DESTROYED					
		N	5441106.193								
		El	12.768	CVD28GVRD2018							

Issued: 2021-MAY-03

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station	Scale	Factor	TO MARKER -----	IDENTIFIERS -----	Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal		GCM-NO	TABLET MARKING			Metres	Metres
30619	5187	E	517760.607	0.9996069	1.0000030	642769	5702	GPS	296 23 29	1822.516	1823.236
		N	5442332.323			15594	5188	TERR	359 41 30	1219.716	1220.198
		E1	- .037	CVD28GVRD2018							
15594	5188	E	517754.043	0.9996025	0.9999986	500009	5683	GPS	11 49 37	413.971	414.137
		N	5443552.021			30619	5187	TERR	179 41 30	1219.716	1220.198
		E1	28.012	CVD28GVRD2018		745927	5271	GPS	306 36 5	2028.206	2029.020
						261545	8605	TERR	359 41 16	142.207	142.264
						187831	5191	GPS	359 42 13	2036.480	2037.288
821256	5189	E	517751.438	0.9995997	0.9999959	943670	10H2581	GPS	23 9 19	1705.377	1706.054
		N	5444033.484			3525	02H2432	GPS	31 17 26	7801.597	7804.687
		E1	45.492	CVD28GVRD2018		998500	10H2579	GPS	46 6 17	2223.157	2224.039
						334078	8640	GPS	47 14 59	4342.894	4344.626
						459750	5992	GPS	48 58 44	6397.361	6399.894
						969295	13H2676	GPS	60 39 23	2347.598	2348.529
						225243	91H9887	GPS	89 18 25	12797.863	12802.922
						973289	5157	GPS	91 41 37	3224.039	3225.317
						904904	NO MARKING	GPS	124 27 27	8802.668	8806.161
						17830	10H2578	GPS	126 19 24	1966.606	1967.386
						689091	13H2674	GPS	179 43 54	1872.431	1873.174
						686790	92H0898	GPS	211 46 54	7717.111	7720.180
						278754	13H2675	GPS	218 35 21	2583.349	2584.375
						546390	5025	GPS	228 50 1	4295.430	4297.143
						98178	86H1262	GPS	261 50 40	3269.202	3270.503
						20453	10H2577	GPS	300 13 49	1896.591	1897.356
						898734	NO MARKING	GPS	302 20 42	8943.616	8947.249
						409698	92H0842	GPS	331 58 57	1763.607	1764.314
800540	5190	E	517745.773	0.9996006	0.9999967	821256	5189	TERR	179 33 10	725.752	726.043
		N	5444759.214								
		E1	40.247	CVD28GVRD2018							
187831	5191	E	517743.508	0.9996050	1.0000012	958421	5682	GPS	154 19 44	1814.457	1815.173
		N	5445588.474			500009	5683	GPS	176 39 13	1634.056	1634.705
		E1	11.746	CVD28GVRD2018		15594	5188	GPS	179 42 13	2036.480	2037.288
						745927	5271	GPS	242 55 9	1816.911	1817.638
						997130	5192	TERR	359 20 11	815.033	815.354
997130	5192	E	517734.068	0.9996061	1.0000022	162537	5071	TERR	0 27 40	757.013	757.311
		N	5446403.452			187831	5191	TERR	179 20 11	815.033	815.354
		E1	4.943	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
764720	5193	E 517747.442 N 5447984.064 El 49.278		0.9995991	0.9999953	137620 957910 808923	5707 5882 5883	TERR TERR TERR	90 29 33 180 30 23 359 42 53	300.973 340.914 327.068	301.094 341.050 327.199
385690	5194	E 519338.203 N 5448774.120 El 3.252		0.9996070	1.0000024		MARKER DESTROYED				
				1928	Canadian Vertical Datum						
564344	5195	E 518168.056 N 5448781.532 El 49.364		0.9995993	0.9999952	429126 417667	80H2051 5196	TERR TERR	90 18 14 270 31 2	627.869 424.619	628.119 424.790
					CVD28GVRD2018						
417667	5196	E 517743.454 N 5448785.365 El 59.065		0.9995976	0.9999937	564344 771212	5195 5885	TERR TERR	90 31 2 359 52 44	424.619 449.291	424.790 449.472
					CVD28GVRD2018						
516013	5197	E 516949.442 N 5448771.186 El 67.582		0.9995959	0.9999924	456939	5198	TERR	270 11 24	1630.446	1631.107
					CVD28GVRD2018						
456939	5198	E 515319.005 N 5448776.594 El 79.317		0.9995934	0.9999905	516013 564237	5197 79H0011	TERR TERR	90 11 24 180 3 4	1630.446 804.660	1631.107 804.988
					CVD28GVRD2018						
433193	5199	E 514508.259 N 5448760.497 El 89.898		0.9995915	0.9999889		MARKER DESTROYED				
					1928 Canadian Vertical Datum						
411462	5200	E 513667.387 N 5448760.703 El 98.332		0.9995899	0.9999876		MARKER DESTROYED				
					CVD28GVRD2018						
256123	5201	E 512888.982 N 5448762.188 El 106.074		0.9995884	0.9999864	46532 276089 506469 242107	5794 5825 80H2053 5774	TERR TERR TERR TERR	0 18 8 90 5 36 179 46 33 272 5 29	271.920 407.897 418.730 200.979	272.032 408.064 418.902 201.062

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres	
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
173716	5203	E N El	512085.533 5449164.569 102.554	0.9995887	0.9999869		MARKER DESTROYED									
174094	5204	E N El	512947.488 5449977.234 100.233	0.9995893	0.9999873	192674 463976	5205 5380	TERR TERR	90 270	8 3	17 28	304.594 204.101	304.719 204.185			
192674	5205	E N El	513252.081 5449976.500 95.080	0.9995902	0.9999881	309013 174094	5790 5204	TERR TERR	89 270	59 8	5 17	254.975 304.594	255.079 304.719			
332049	5206	E N El	513652.516 5449976.372 85.824	0.9995918	0.9999895	309013 144808	5790 5207	TERR TERR	270 359	4 11	38 22	145.460 310.779	145.520 310.906			
144808	5207	E N El	513648.119 5450287.120 74.244	0.9995936	0.9999913	189563 332049 623256 660191	5422 5206 5789 5421	TERR TERR TERR TERR	45 179 269 314	26 11 51 17	33 22 36 37	483.562 310.779 185.473 185.548	483.758 310.906 185.548 185.623			
937961	5208	E N El	513247.230 5450285.264 90.701	0.9995909	0.9999888		MARKER DESTROYED									
429050	5209	E N El	512890.942 5449167.456 102.809	0.9995889	0.9999869	506220 46532	5530 5794	TERR TERR	90 180	25 13	1 34	402.114 133.353	402.278 133.408			
609750	5210	E N El	513664.413 5449162.386 101.296	0.9995894	0.9999871		MARKER ISOLATED									
383653	5211	E N El	512084.397 5448337.465 100.961	0.9995890	0.9999872	498634 421834 395590	5202 5214 5539	TERR TERR TERR	0 180 270	8 4 44	4 31 39	417.167 328.555 316.694	417.338 328.691 316.823			

Issued: 2021-MAY-03

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station Scale Factor	TO MARKER IDENTIFIERS -----	Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Combined Ellipsoidal	GCM-NO	TABLET MARKING			
630764	5212	E 511423.142 N 5448346.075 E1 77.429	0.9995925 0.9999909 CVD28GVRD2018	395590	5539	TERR	90 44 52	344.617 344.758
749143	5213	E 511423.976 N 5447956.558 E1 74.482	0.9995929 0.9999913 CVD28GVRD2018	MARKER DESTROYED				
421834	5214	E 512083.965 N 5448008.910 E1 102.610	0.9995887 0.9999869 CVD28GVRD2018	383653 400374	5211 5215	TERR TERR	0 4 31 181 46 54	328.555 328.691 557.560 557.788
400374	5215	E 512066.630 N 5447451.620 E1 81.015	0.9995921 0.9999903 CVD28GVRD2018	421834	5214	TERR	1 46 54	557.560 557.788
678854	5216	E 512055.900 N 5447144.224 E1 73.189	0.9995933 0.9999915 CVD28GVRD2018	MARKER DESTROYED				
465351	5217	E 512055.340 N 5446378.354 E1 64.872	0.9995946 0.9999928 CVD28GVRD2018	827923 552067 403345	5542 5551 5543	TERR TERR TERR	0 3 28 180 0 21 269 32 55	302.691 302.814 401.183 401.346 353.277 353.420
968172	5218	E 512059.941 N 5444760.012 E1 33.808	0.9995995 0.9999977 CVD28GVRD2018	149674 595660	5219 5654	TERR TERR	179 39 47 359 39 11	816.802 817.129 498.875 499.076
149674	5219	E 512064.743 N 5443943.224 E1 21.718	0.9996014 0.9999996 CVD28GVRD2018	540047 968172	8768 5218	TERR TERR	180 45 30 359 39 47	374.981 375.131 816.802 817.129
441865	5220	E 512070.325 N 5443133.822 E1 65.573	0.9995945 0.9999927 CVD28GVRD2018	MARKER DESTROYED				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
910364	5221	E N El	512073.224 5442716.251 72.632	0.9995934	0.9999916	703637	8769	TERR	359 36 42	215.319	215.406
			CVD28GVRD2018								
64444	5222	E N El	512076.040 5442324.517 71.145	0.9995937	0.9999919		MARKER DESTROYED				
			CVD28GVRD2018								
356204	5223	E N El	511467.528 5442314.977 70.282	0.9995936	0.9999920		MARKER DESTROYED				
			CVD28GVRD2018								
719229	5224	E N El	511057.312 5442315.390 75.207	0.9995927	0.9999912		MARKER DESTROYED				
			CVD28GVRD2018								
476424	5225	E N El	510046.509 5442339.640 84.439	0.9995910	0.9999898	742700 419705 263079	5141 8776 80H2024	TERR TERR TERR	91 19 55 179 30 11 359 32 57	406.477 811.772 393.188	406.643 812.104 393.349
			CVD28GVRD2018								
671719	5226	E N El	509230.106 5442351.093 87.367	0.9995904	0.9999893	13227 125260 30064	81H4521 5805 5227	TERR TERR TERR	90 25 26 179 32 35 270 17 25	410.109 449.885 411.362	410.277 450.069 411.531
			CVD28GVRD2018								
30064	5227	E N El	508818.749 5442353.177 83.482	0.9995909	0.9999899	364 671719 999623 468280	5598 5226 5806 5228	TERR TERR TERR TERR	0 15 48 90 17 25 179 17 30 271 0 44	592.458 411.362 449.319 415.703	592.701 411.531 449.503 415.873
			CVD28GVRD2018								
468280	5228	E N El	508403.111 5442360.521 80.081	0.9995914	0.9999905	30064	5227	TERR	91 0 44	415.703	415.873
			CVD28GVRD2018								
139907	5230	E N El	508000.328 5438873.934 31.319	0.9995989	0.9999981		MARKER DESTROYED				
			CVD28GVRD2018								

Issued: 2021-MAY-03

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs.	UTM Grid	UTM Grid	Ground	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING		Type	Bearing	Distance Metres	Distance Metres
948729	5231	E	507998.997	0.9995960	0.9999952		MARKER ISOLATED						
		N	5439222.540										
		E1	50.335	CVD28GVRD2018									
865204	5232	E	508004.006	0.9995932	0.9999925		MARKER DESTROYED						
		N	5440311.034										
		E1	67.562	1928 Canadian Vertical Datum									
614743	5233	E	508008.917	0.9995896	0.9999888		MARKER DESTROYED						
		N	5441136.886										
		E1	90.854	CVD28GVRD2018									
375345	5235	E	508007.168	0.9995899	0.9999891		MARKER DESTROYED						
		N	5442970.952										
		E1	88.808	CVD28GVRD2018									
55608	5236	E	508006.975	0.9995895	0.9999887		MARKER DESTROYED						
		N	5443282.421										
		E1	91.342	CVD28GVRD2018									
511238	5237	E	512082.866	0.9995926	0.9999908	260026	5238	TERR	270 42 54		430.118	430.293	
		N	5439086.799										
		E1	77.860	CVD28GVRD2018									
260026	5238	E	511652.782	0.9995912	0.9999896	511238	5237	TERR	90 42 54		430.118	430.293	
		N	5439092.166			569384	84H0585	TERR	285 29 32		242.357	242.456	
		E1	85.996	CVD28GVRD2018									
251843	5239	E	511331.177	0.9995910	0.9999894		MARKER DESTROYED						
		N	5439172.605										
		E1	87.109	CVD28GVRD2018									
223644	5240	E	510851.168	0.9995922	0.9999907	948950	5931	TERR	83 18 36		192.180	192.258	
		N	5439087.221			202929	5241	TERR	270 26 48		397.679	397.841	
		E1	78.665	CVD28GVRD2018									

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance	Ground Distance	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						Metres	Metres
202929	5241	E	510453.501	0.9995942	0.9999928		752527	5923	TERR	0	31	2	197.724	197.804	
		N	5439090.321				223644	5240	TERR	90	26	48	397.679	397.841	
		E1	65.360	CVD28GVRD2018			706184	5242	TERR	272	8	20	406.993	407.157	
706184	5242	E	510046.792	0.9995950	0.9999937		202929	5241	TERR	92	8	20	406.993	407.157	
		N	5439105.510				514943	8648	TERR	253	47	52	107.136	107.179	
		E1	59.403	CVD28GVRD2018											
240697	5243	E	509848.148	0.9995950	0.9999939		514943	8648	TERR	89	37	47	95.765	95.804	
		N	5439074.997				368738	5589	TERR	271	26	44	202.602	202.684	
		E1	58.694	CVD28GVRD2018											
271528	5244	E	509400.042	0.9995937	0.9999926		368738	5589	TERR	89	1	23	245.605	245.704	
		N	5439075.921				121970	5614	TERR	268	33	24	242.274	242.372	
		E1	66.573	CVD28GVRD2018											
210088	5245	E	509021.808	0.9995947	0.9999937		121970	5614	TERR	89	57	53	136.037	136.092	
		N	5439069.735				351304	5246	TERR	255	40	4	515.473	515.683	
		E1	59.815	CVD28GVRD2018											
351304	5246	E	508522.378	0.9995969	0.9999960		210088	5245	TERR	75	40	4	515.473	515.683	
		N	5438942.133												
		E1	44.875	CVD28GVRD2018											
439992	5247	E	509152.149	0.9995970	0.9999960		121970	5614	TERR	0	44	3	444.583	444.762	
		N	5438625.273				540484	5890	TERR	181	15	50	181.800	181.873	
		E1	45.160	CVD28GVRD2018											
531657	5248	E	509148.139	0.9995989	0.9999979		MARKER DESTROYED								
		N	5438443.517												
		E1	32.781	1928 Canadian Vertical Datum											
640250	5249	E	509008.723	0.9995986	0.9999976		540484	5890	TERR	90	25	43	139.420	139.476	
		N	5438444.560				763672	5250	TERR	270	30	33	380.202	380.355	
		E1	35.090	CVD28GVRD2018											

Integrated Survey Area No:1 Municipality of Surrey
Order in Council No. 3050/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
763672	5250	E 508628.536 N 5438447.939 El 33.628		0.9995987	0.9999978	640250 444810	5249 5616	TERR TERR	90 30 33 175 28 25	380.202 568.597	380.355 568.824
					CVD28GVRD2018						
754051	5251	E 510943.291 N 5448770.577 El 80.553		0.9995918	0.9999904	MARKER DESTROYED					
					CVD28GVRD2018						
731893	5252	E 509139.088 N 5438236.682 El 2.539		0.9996037	1.0000027	8516 754531	5618 5253	TERR TERR	126 21 9 179 52 50	480.304 296.694	480.493 296.811
					CVD28GVRD2018						
754531	5253	E 509139.707 N 5437939.989 El .729		0.9996040	1.0000029	540484 8516 864868 607093 444810 731893	5890 5618 5640 5893 5616 5252	TERR TERR GPS GPS TERR TERR	0 57 34 88 13 17 115 17 4 255 46 46 262 48 14 359 52 50	503.599 386.397 1073.563 1172.500 470.001 296.694	503.799 386.550 1073.989 1172.965 470.187 296.811
334821	5254	E 514954.478 N 5445575.949 El 94.776		0.9995909	0.9999881	104513 843730	5255 5031	TERR TERR	90 8 29 270 16 44	342.203 483.599	342.343 483.796
					CVD28GVRD2018						
104513	5255	E 515296.680 N 5445575.105 El 94.443		0.9995911	0.9999882	334482 160952 304444 334821	5266 5256 5261 5254	TERR TERR TERR TERR	0 28 47 90 15 14 179 28 51 270 8 29	362.264 364.104 406.013 342.203	362.412 364.253 406.178 342.343
160952	5256	E 515660.780 N 5445573.492 El 92.210		0.9995916	0.9999885	336230 434282 104513	5257 5690 5255	TERR TERR TERR	90 15 52 179 39 31 270 15 14	230.001 322.438 364.104	230.095 322.570 364.253
336230	5257	E 515890.779 N 5445572.431 El 86.600		0.9995925	0.9999894	51482 160952	5258 5256	TERR TERR	90 17 13 270 15 52	231.006 230.001	231.100 230.095
					CVD28GVRD2018						
51482	5258	E 516121.782 N 5445571.274 El 76.530		0.9995942	0.9999910	916502 264689 336230 685628	5259 5272 5257 5273	TERR TERR TERR TERR	89 22 44 179 42 6 270 17 13 359 48 40	411.558 210.954 231.006 411.550	411.724 211.039 231.100 411.718

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
916502	5259	E 516533.316 N 5445575.736 El 61.482		0.9995967	0.9999934	510453 51482	5691 5258	TERR TERR	180 27 7 269 22 44	833.160 411.558	833.496 411.724
833038	5260	E 516932.799 N 5445580.198 El 49.154		0.9995988	0.9999953		MARKER DESTROYED				
304444	5261	E 515300.358 N 5445169.109 El 92.769		0.9995913	0.9999885	172833 104513	5262 5255	TERR TERR	179 29 38 359 28 51	406.185 406.013	406.351 406.178
172833	5262	E 515303.946 N 5444762.940 El 83.916		0.9995927	0.9999899	765826 898189 304444	5859 5030 5261	TERR TERR TERR	90 6 39 270 8 35 359 29 38	539.858 824.597 406.185	540.078 824.932 406.351
727040	5263	E 515305.823 N 5444359.581 El 75.417		0.9995941	0.9999912		MARKER DESTROYED				
948711	5264	E 515308.400 N 5443957.981 El 64.019		0.9995959	0.9999930		MARKER ISOLATED				
334482	5266	E 515299.713 N 5445937.356 El 94.517		0.9995911	0.9999882	32243 104513	5267 5255	TERR TERR	0 22 48 180 28 47	451.621 362.264	451.805 362.412
32243	5267	E 515302.708 N 5446388.967 El 89.086		0.9995919	0.9999890	736470 334482 663989	5067 5266 5867	TERR TERR TERR	0 25 8 180 22 48 269 35 13	753.133 451.621 408.333	753.441 451.805 408.500
34199	5268	E 515318.201 N 5447972.247 El 81.952		0.9995930	0.9999901		MARKER DESTROYED				
					1928 Canadian Vertical Datum						

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
558726	5269	E 516127.977 N 5443958.121 El 60.239		0.9995968	0.9999936	7922	5694	TERR	89 58 29	814.704	815.033
				CVD28GVRD2018							
438507	5270	E 516126.874 N 5444359.723 El 68.611		0.9995955	0.9999923		MARKER DESTROYED				
				CVD28GVRD2018							
745927	5271	E 516125.795 N 5444761.329 El 74.959		0.9995945	0.9999913	409698	92H0842	GPS	43 52 38	1150.174	1150.638
						652255	92H0838	GPS	55 48 51	2906.346	2907.507
						187831	5191	GPS	62 55 9	1816.911	1817.638
						500009	5683	GPS	115 8 43	1892.435	1893.197
						15594	5188	GPS	126 36 5	2028.206	2029.020
						162420	86H1293	GPS	151 27 56	5029.927	5031.943
						546390	5025	GPS	204 20 9	3902.018	3903.585
						418749	92H0839	GPS	236 35 46	2904.861	2906.031
						124974	92H0844	GPS	256 7 36	3339.792	3341.136
						765826	5859	TERR	270 6 55	281.993	282.108
						403428	92H0843	GPS	270 8 58	2462.333	2463.327
						202697	NO MARKING	GPS	304 19 8	4535.355	4537.202
						950121	5281	GPS	343 56 43	5844.305	5846.680
						264689	5272	TERR	359 43 16	599.001	599.245
264689	5272	E 516122.880 N 5445360.323 El 78.304		0.9995939	0.9999907	745927	5271	TERR	179 43 16	599.001	599.245
						51482	5258	TERR	359 42 6	210.954	211.039
				CVD28GVRD2018							
685628	5273	E 516120.425 N 5445982.822 El 75.798		0.9995943	0.9999911	51482	5258	TERR	179 48 40	411.550	411.718
						868422	5274	TERR	359 49 7	402.511	402.674
				CVD28GVRD2018							
868422	5274	E 516119.151 N 5446385.331 El 71.034		0.9995951	0.9999919	63867	5068	TERR	0 4 5	759.900	760.207
						685628	5273	TERR	179 49 7	402.511	402.674
				CVD28GVRD2018							
558494	5275	E 516130.569 N 5447768.052 El 52.343		0.9995980	0.9999948	342766	5276	TERR	0 11 24	504.356	504.559
						806836	79H0022	TERR	0 58 58	204.998	205.081
						605592	5819	TERR	180 58 1	411.674	411.839
						260125	79H0021	TERR	180 59 24	210.991	211.075
				CVD28GVRD2018							

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						Metres	Metres
342766	5276	E	516132.242	0.9995983	0.9999951	806836	79H0022	TERR	179	38	50	299.391	299.512		
		N	5448272.405			558494	5275	TERR	180	11	24	504.356	504.559		
		E1	50.380	CVD28GVRD2018	625020	5277	TERR	359	43	28	1095.205	1095.646			
625020	5277	E	516126.977	0.9995942	0.9999910	342766	5276	TERR	179	43	28	1095.205	1095.646		
		N	5449367.597			996579	5278	TERR	359	10	54	211.666	211.751		
		E1	76.457	CVD28GVRD2018											
996579	5278	E	516123.954	0.9995940	0.9999908	625020	5277	TERR	179	10	54	211.666	211.751		
		N	5449579.241			254078	5888	TERR	359	42	26	402.913	403.078		
		E1	77.508	CVD28GVRD2018											
516864	5279	E	516119.778	0.9995935	0.9999903	MARKER DESTROYED									
		N	5450386.061												
		E1	80.712	CVD28GVRD2018											
158733	5280	E	515310.720	0.9995919	0.9999890	MARKER ISOLATED									
		N	5450390.229												
		E1	88.886	CVD28GVRD2018											
950121	5281	E	514509.530	0.9995929	0.9999903	230904	92H0840	GPS	90	9	37	1616.798	1617.457		
		N	5450377.697			745927	5271	GPS	163	56	43	5844.305	5846.680		
		E1	80.679	CVD28GVRD2018		58636	5879	TERR	179	56	42	447.313	447.495		
						202697	NO MARKING	GPS	214	50	27	3727.540	3729.061		
						71563	86H1270	GPS	226	59	32	1174.898	1175.377		
						10835	5527	GPS	272	29	42	1770.868	1771.591		
252551	5282	E	514320.660	0.9995908	0.9999882	525980	5914	TERR	89	53	13	188.047	188.124		
		N	5449567.901			59246	5065	TERR	269	45	10	201.874	201.956		
		E1	93.949	CVD28GVRD2018											
558783	5283	E	515314.941	0.9995929	0.9999900	MARKER DESTROYED									
		N	5449583.259												
		E1	82.640	CVD28GVRD2018											
417535	5284	E	516827.400	0.9995951	0.9999916	MARKER DESTROYED									
		N	5449586.270												
		E1	72.229	CVD28GVRD2018											

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
366088	5285	E 517324.578 N 5449591.883 El 65.727		0.9995964	0.9999927		MARKER DESTROYED				
819912	5286	E 517569.686 N 5449593.227 El 46.470		0.9995995	0.9999957		MARKER DESTROYED				
				1928	Canadian Vertical Datum						
638197	5287	E 517737.739 N 5449594.978 El 29.823		0.9996022	0.9999983	970699 736215 411447 589457 694950 771212 698290 898734 450072	10H2594 5976 5997 92H0860 13H2677 5885 10H2601 NO MARKING 10H2598	GPS GPS GPS GPS GPS TERR GPS GPS GPS	23 40 3 52 31 11 70 10 3 110 23 56 139 36 29 179 14 32 242 48 35 264 7 18 322 35 29	2291.577 1895.131 2408.672 2355.548 2475.151 360.355 1740.930 7582.120 798.554	2292.484 1895.881 2409.624 2356.479 2476.142 360.498 1741.629 7585.192 798.872
596494	5288	E 514093.328 N 5447133.727 El 97.796		0.9995901	0.9999877	228619 54619 80283	5066 79H0032 5289	TERR TERR TERR	90 0 7 180 9 18 269 57 59	408.443 371.811 408.445	408.611 371.964 408.613
80283	5289	E 513684.883 N 5447133.488 El 96.062		0.9995902	0.9999879	371245 596494 365114 613166	79H0004 5288 79H0020 84H0562	TERR TERR TERR TERR	0 47 16 89 57 59 180 59 33 269 55 16	404.359 408.445 387.941 413.357	404.525 408.613 388.100 413.526
475897	5290	E 511600.445 N 5447146.606 El 71.479		0.9995934	0.9999918		MARKER DESTROYED				
907873	5291	E 510830.640 N 5447150.668 El 69.169		0.9995936	0.9999922	757021 795302 124982 441113	5338 8750 80H2080 5147	TERR TERR TERR TERR	0 34 56 90 18 1 181 20 53 270 20 20	492.275 770.851 346.097 395.898	492.475 771.164 346.238 396.059
631804	5292	E 510030.559 N 5447156.437 El 85.203		0.9995909	0.9999896	493262 441113 559104	5330 5147 5055	TERR TERR TERR	1 5 0 90 29 9 270 29 42	407.087 404.205 402.220	407.253 404.370 402.385

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
696856	5293	E	509115.809	0.9995899	0.9999889	559104	5055	TERR	89 52 31	512.546	512.756
		N	5447158.795			949008	5294	TERR	269 56 25	314.020	314.149
		El	90.236	CVD28GVRD2018							
949008	5294	E	508801.789	0.9995897	0.9999887	696856	5293	TERR	89 56 25	314.020	314.149
		N	5447158.467				8749	TERR	180 3 58	452.365	452.551
		El	90.983	CVD28GVRD2018			5507	TERR	269 42 19	392.848	393.010
984617	5295	E	508207.065	0.9995895	0.9999887	862052	5507	TERR	89 41 59	201.884	201.967
		N	5447155.389				5296	TERR	269 42 32	256.481	256.586
		El	91.250	CVD28GVRD2018			5503	TERR	359 51 26	396.800	396.963
770800	5296	E	507950.587	0.9995897	0.9999889	682930	02H2475	GPS	39 53 3	13038.653	13043.909
		N	5447154.086			898734	NO MARKING	GPS	53 26 49	2794.581	2795.730
		El	90.166	CVD28GVRD2018		971887	5778	GPS	79 39 10	1711.909	1712.611
						984617	5295	TERR	89 42 32	256.481	256.586
						162537	5071	GPS	89 57 46	9789.576	9793.521
						426981	92H0886	GPS	90 41 24	3309.598	3310.948
						124644	90H6429	GPS	92 0 31	22070.188	22079.012
						830976	89H4979	GPS	113 43 54	24056.449	24066.156
						904904	NO MARKING	GPS	115 24 9	18884.895	18892.487
						98178	86H1262	GPS	118 38 5	7479.519	7482.533
						636696	92H0688	GPS	129 58 5	30137.917	30150.101
						7286	13H2691	GPS	133 10 17	14296.873	14302.620
						90316	80H2099	GPS	134 6 20	4615.914	4617.795
						439760	5184	GPS	134 43 20	13815.357	13820.910
						737213	92H0877	GPS	157 18 18	1664.905	1665.589
						607093	5893	GPS	179 40 59	9502.273	9506.108
						841734	6966	GPS	220 26 44	2023.519	2024.350
						869792	NO MARKING	GPS	249 45 24	19916.426	19924.483
						15578	82H5618	GPS	257 4 10	1501.519	1502.131
						274696	78H8518	GPS	266 51 45	11364.024	11368.615
						137695	92H0576	GPS	266 54 46	3046.396	3047.627
						32219	94H1708	GPS	292 28 9	5052.522	5054.563
						611681	V-3719	GPS	305 7 46	17626.961	17634.082
						875864	NO MARKING	GPS	307 11 10	18135.468	18142.832
						277665	89H6112	GPS	315 32 34	4267.688	4269.418
						610006	90H6709	GPS	342 6 8	11404.845	11409.621
						21139	92H0904	GPS	342 22 33	2284.266	2285.189
531558	5297	E	507542.033	0.9995899	0.9999892	MARKER DESTROYED					
		N	5447152.238								
		El	88.363	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING		Bearing				
10413	5298	E N El	507291.152 5447151.565 89.263	0.9995897	0.9999890		MARKER DESTROYED						
823633	5299	E N El	506926.068 5447150.414 72.995	0.9995922	0.9999916		MARKER DESTROYED						
337337	5300	E N El	506745.443 5447149.903 60.802	0.9995940	0.9999935	612846 737999 282665 471789 837583	78H8584 3517 NO MARKING 5375 6014	TERR TERR TERR TERR TERR	269 34 36 308 22 39 337 43 19 339 24 29 341 34 0		147.825 3783.607 1046.934 295.148 3038.162	147.886 3785.137 1047.355 295.267 3039.390	
453100	5301	E N El	508025.009 5447758.094 66.029	0.9995934	0.9999926		MARKER DESTROYED						
487454	5302	E N El	508307.134 5447758.200 81.616	0.9995911	0.9999902	487082 528992	5904 5800	TERR TERR	90 8 36 270 9 31		401.567 99.989	401.732 100.030	
547521	5303	E N El	508832.733 5447756.903 78.044	0.9995917	0.9999908	408476 487082	5304 5904	TERR TERR	93 59 41 270 8 7		475.125 124.033	475.319 124.083	
408476	5304	E N El	509306.704 5447723.803 69.319	0.9995932	0.9999921	413872 547521	5331 5303	TERR TERR	90 58 1 273 59 41		333.411 475.125	333.547 475.319	
362699	5305	E N El	509316.664 5447971.751 69.366	0.9995932	0.9999921	602813 32128 905240	5056 5799 5325	TERR TERR TERR	90 41 50 270 42 14 326 6 8		327.690 391.529 244.718	327.824 391.689 244.817	
543934	5306	E N El	508709.040 5447966.186 68.279	0.9995932	0.9999923	32128 487082 156620	5799 5904 5307	TERR TERR TERR	87 15 7 180 5 36 269 30 57		216.374 208.990 301.075	216.461 209.076 301.198	

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- UTM Coordinates Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
156620	5307	E	508407.976	0.9995930	0.9999921	543934	5306	TERR	89 30 57	301.075	301.198
		N	5447963.642			320226	80H2042	TERR	269 8 34	196.273	196.353
		El	69.420	CVD28GVRD2018							
546564	5308	E	508708.137	0.9995904	0.9999895	487082	5904	TERR	0 27 30	70.376	70.404
		N	5447686.822			272195	5309	TERR	179 54 4	340.765	340.905
		El	86.320	CVD28GVRD2018							
272195	5309	E	508708.725	0.9995895	0.9999886	546564	5308	TERR	359 54 4	340.765	340.905
		N	5447346.058								
		El	91.948	CVD28GVRD2018							
443200	5310	E	509226.088	0.9995904	0.9999894	971887	5778	TERR	89 50 31	408.570	408.737
		N	5447460.437			557041	8658	TERR	89 50 32	201.084	201.165
		El	86.774	CVD28GVRD2018		877282	5311	TERR	181 32 0	603.195	603.442
877282	5311	E	509209.946	0.9995898	0.9999887	443200	5310	TERR	1 32 0	603.195	603.442
		N	5446857.458								
		El	90.995	CVD28GVRD2018							
477299	5312	E	509208.882	0.9995904	0.9999893		MARKER DESTROYED				
		N	5446363.235								
		El	87.196	CVD28GVRD2018							
23184	5313	E	509218.734	0.9995911	0.9999900		MARKER DESTROYED				
		N	5445571.806								
		El	82.758	CVD28GVRD2018							
365262	5314	E	508800.408	0.9995901	0.9999891	112961	8749	TERR	0 9 15	319.500	319.631
		N	5446386.603								
		El	88.522	CVD28GVRD2018							
795211	5315	E	508403.931	0.9995885	0.9999876		MARKER DESTROYED				
		N	5446398.167								
		El	98.188	1928 Canadian Vertical Datum							

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
897520	5316	E N E1	508055.713 5446407.616 102.905	0.9995877	0.9999869		MARKER ISOLATED				
507210	5317	E N E1	510049.547 5447966.641 85.533	0.9995908	0.9999896	334409 493262 171884	5908 5330 5907	TERR TERR TERR	90 11 37 181 36 15 270 9 29	280.187 403.348 185.217	280.302 403.513 185.292
411769	5318	E N E1	510059.418 5448371.019 90.160	0.9995901	0.9999889		MARKER DESTROYED				
588848	5319	E N E1	510101.290 5448773.556 92.228	0.9995898	0.9999885	898908	80H2044	TERR	268 41 23	277.367	277.480
893420	5320	E N E1	509832.398 5448774.347 93.189	0.9995896	0.9999884		MARKER DESTROYED				
569707	5321	E N E1	509491.819 5448777.583 89.391	0.9995901	0.9999890		MARKER DESTROYED				
372045	5322	E N E1	509191.874 5448783.407 73.466	0.9995925	0.9999915		MARKER DESTROYED				
35451	5323	E N E1	508892.737 5448789.183 30.472	0.9995992	0.9999982		MARKER DESTROYED				
920447	5324	E N E1	508681.638 5448787.261 5.215	0.9996031	1.0000022		MARKER DESTROYED				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
905240	5325	E 509180.182 N 5448174.875 El 70.417		0.9995930	0.9999920	982066 362699	5326 5305	TERR TERR	44 27 50 146 6 8	264.520 244.718	264.628 244.817
				CVD28GVRD2018							
982066	5326	E 509365.468 N 5448363.661 El 80.007		0.9995915	0.9999905	905240 65128	5325 5327	TERR TERR	224 27 50 271 36 54	264.520 382.734	264.628 382.890
				CVD28GVRD2018							
65128	5327	E 508982.886 N 5448374.447 El 69.865		0.9995930	0.9999920	982066	5326	TERR	91 36 54	382.734	382.890
				CVD28GVRD2018							
248195	5328	E 509177.885 N 5448573.378 El 76.526		0.9995920	0.9999910	730119 731224	80H2082 5329	TERR TERR	1 22 40 268 20 54	215.495 201.168	215.583 201.249
				CVD28GVRD2018							
731224	5329	E 508976.801 N 5448567.580 El 60.662		0.9995945	0.9999935	248195	5328	TERR	88 20 54	201.168	201.249
				CVD28GVRD2018							
493262	5330	E 510038.256 N 5447563.451 El 82.426		0.9995913	0.9999901	507210 631804	5317 5292	TERR TERR	1 36 15 181 5 0	403.348 407.087	403.513 407.253
				CVD28GVRD2018							
413872	5331	E 509640.067 N 5447718.176 El 71.400		0.9995929	0.9999918	602813 971887 876623 408476	5056 5778 8660 5304	TERR TERR TERR TERR	0 58 43 181 12 29 181 12 30 270 58 1	249.623 256.668 146.053 333.411	249.725 256.773 146.112 333.547
				CVD28GVRD2018							
833772	5332	E 510457.595 N 5449275.784 El 80.230		0.9995918	0.9999904	960021 156380	5333 5060	TERR TERR	269 55 44 359 39 9	202.953 307.838	203.036 307.963
				CVD28GVRD2018							
960021	5333	E 510254.642 N 5449275.532 El 86.007		0.9995908	0.9999895	833772 889436	5332 5334	TERR TERR	89 55 44 269 46 1	202.953 392.524	203.036 392.685
				CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
-----	-----	Coordinates				-----	-----								
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
889436	5334	E	509862.121	0.9995908	0.9999896	346098	5335	TERR	0 11 15	202.886	202.969				
		N	5449273.936					960021	5333	TERR	89 46 1	392.524	392.685		
		El	85.421					CVD28GVRD2018	529388	5777	TERR	179 53 56	87.307	87.343	
346098	5335	E	509862.785	0.9995919	0.9999907	889436	5334	TERR	180 11 15	202.886	202.969				
		N	5449476.821					689893	5336	TERR	271 19 52	380.134	380.289		
		El	78.128					CVD28GVRD2018							
689893	5336	E	509482.754	0.9995942	0.9999931	346098	5335	TERR	91 19 52	380.134	380.289				
		N	5449485.651					835322	5356	TERR	233 44 12	84.937	84.970		
		El	63.371					CVD28GVRD2018							
259812	5337	E	509642.125	0.9995911	0.9999900										
N	5449180.950	MARKER DESTROYED													
El	82.927	1928 Canadian Vertical Datum													
757021	5338	E	510835.642	0.9995924	0.9999910	324863	8746	TERR	89 35 2	249.048	249.149				
		N	5447642.918					907873	5291	TERR	180 34 56	492.275	492.475		
		El	76.577					CVD28GVRD2018							
486985	5339	E	510827.862	0.9995935	0.9999920										
		N	5446802.429									MARKER DESTROYED			
		El	69.876									CVD28GVRD2018			
79244	5340	E	510823.593	0.9995945	0.9999930										
		N	5446364.216									MARKER DESTROYED			
		El	63.726									CVD28GVRD2018			
543439	5341	E	510433.239	0.9995928	0.9999915	441113	5147	TERR	0 13 1	398.723	398.885				
		N	5446754.290												
		El	73.446					CVD28GVRD2018							
196311	5342	E	510445.150	0.9995918	0.9999904	172049	5909	TERR	1 28 57	300.656	300.779				
		N	5447560.037					441113	5147	TERR	181 27 50	407.160	407.326		
		El	80.281					CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
487785	5343	E 510218.448 N 5450221.233 El 56.163		0.9995955	0.9999942		MARKER DESTROYED				
492538	5344	E 509956.818 N 5450221.053 El 30.295		0.9995994	0.9999982	283275 550178 585505	80H2050 5357 5345	TERR TERR TERR	89 57 54 180 39 10 269 55 1	259.786 211.026 302.538	259.891 211.110 302.659
585505	5345	E 509654.280 N 5450220.614 El 2.423		0.9996037	1.0000026	492538 490466	5344 80H2049	TERR TERR	89 55 1 182 4 28	302.538 233.325	302.659 233.418
645499	5346	E 509646.274 N 5449992.277 El 4.540		0.9996034	1.0000023		MARKER DESTROYED				
810440	5347	E 509038.263 N 5449985.945 El 1.961		0.9996037	1.0000027	490466	80H2049	TERR	89 51 32	607.573	607.814
687400	5348	E 509572.892 N 5449653.578 El 50.758		0.9995962	0.9999950		MARKER DESTROYED				
32136	5349	E 509438.205 N 5449593.759 El 36.012		0.9995984	0.9999973	853838	5350	TERR	235 9 18	197.445	197.524
853838	5350	E 509276.162 N 5449480.947 El 24.380		0.9996002	0.9999992	32136	5349	TERR	55 9 18	197.445	197.524
177758	5351	E 509046.647 N 5449367.417 El 3.809		0.9996034	1.0000024		MARKER DESTROYED				
					1928 Canadian Vertical Datum						

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station	Scale	Factor	TO MARKER -----	IDENTIFIERS -----	Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal		GCM-NO	TABLET MARKING				
329631	5352	E N E1 508835.821 5449432.790 2.265	0.9996036	1.0000026		580407	5501	TERR	0 49 11	152.519	152.579
851055	5353	E N E1 509096.835 5449060.058 39.548	0.9995978	0.9999968		MARKER DESTROYED					
570283	5354	E N E1 509097.910 5448831.784 56.044	0.9995952	0.9999942		MARKER ISOLATED					
629824	5355	E N E1 509408.745 5449033.662 75.582	0.9995922	0.9999911		835322 444885 260794	5356 5798 5891	TERR TERR TERR	0 47 16 179 27 31 180 26 37	401.787 254.527 162.821	401.951 254.631 162.887
835322	5356	E N E1 509414.269 5449435.411 62.347	0.9995943	0.9999932		689893 629824	5336 5355	TERR TERR	53 44 12 180 47 16	84.937 401.787	84.970 401.951
550178	5357	E N E1 509954.414 5450010.041 50.304	0.9995963	0.9999951		492538 252908	5344 5358	TERR TERR	0 39 10 180 27 18	211.026 212.016	211.110 212.102
252908	5358	E N E1 509952.730 5449798.032 67.874	0.9995936	0.9999923		550178	5357	TERR	0 27 18	212.016	212.102
251272	5359	E N E1 510866.277 5449579.072 75.578	0.9995926	0.9999911		428664 156380	5770 5060	TERR TERR	90 41 58 270 38 3	341.707 410.574	341.846 410.741
418699	5360	E N E1 510636.217 5448248.801 94.991	0.9995895	0.9999881		90910	8721	TERR	119 21 59	346.346	346.488

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
169292	5370	E N El	507200.942 5447243.948 82.086	0.9995908	0.9999901	668459	5373	TERR	358 47 51	118.799	118.848
			CVD28GVRD2018								
334953	5371	E N El	507192.411 5447642.926 58.999	0.9995944	0.9999938	23135	5372	TERR	288 24 15	183.424	183.498
			CVD28GVRD2018								
23135	5372	E N El	507018.369 5447700.836 46.513	0.9995963	0.9999957	334953	5371	TERR	108 24 15	183.424	183.498
			CVD28GVRD2018								
668459	5373	E N El	507198.449 5447362.721 74.366	0.9995920	0.9999913	985606 971887 202697 737213 169292 15578 709121	86H1304 5778 NO MARKING 92H0877 5370 82H5618 5374	GPS GPS GPS GPS TERR GPS TERR	75 9 55 87 40 36 90 29 26 141 21 52 178 47 51 232 33 34 271 43 16	6331.164 2438.211 5181.727 2233.465 118.799 895.868 277.367	6333.761 2439.208 5183.842 2234.379 118.848 896.232 277.480
709121	5374	E N El	506921.207 5447371.052 62.126	0.9995939	0.9999933	668459	5373	TERR	91 43 16	277.367	277.480
			CVD28GVRD2018								
471789	5375	E N El	506641.637 5447426.194 28.523	0.9995991	0.9999985	637512 337337	5901 5300	TERR TERR	45 1 25 159 24 29	58.182 295.148	58.206 295.267
			CVD28GVRD2018								
70953	5376	E N El	507540.348 5447466.468 69.456	0.9995928	0.9999921		MARKER DESTROYED				
			CVD28GVRD2018								
893289	5377	E N El	508032.160 5448649.375 2.049	0.9996035	1.0000027		MARKER DESTROYED				
			CVD28GVRD2018								
163279	5378	E N El	508453.214 5448653.709 3.011	0.9996034	1.0000025		MARKER DESTROYED				
			1928 Canadian Vertical Datum								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
715953	5379	E 508675.387 N 5448655.521 El 7.590		0.9996027	1.0000018		MARKER DESTROYED				
				1928	Canadian Vertical Datum						
463976	5380	E 512743.387 N 5449977.440 El 103.166		0.9995888	0.9999868	174094 259192 10835	5204 5381 5527	TERR TERR TERR	90 3 28 270 19 54 359 38 4	204.101 151.014 477.354	204.185 151.076 477.549
259192	5381	E 512592.376 N 5449978.314 El 108.708		0.9995879	0.9999859	463976 640102 660522	5380 5899 5382	TERR TERR TERR	90 19 54 179 11 12 270 23 9	151.014 196.176 427.541	151.076 196.257 427.717
660522	5382	E 512164.845 N 5449981.194 El 107.723		0.9995879	0.9999861	259192 947564	5381 5385	TERR TERR	90 23 9 270 24 9	427.541 84.981	427.717 85.016
293126	5383	E 511969.187 N 5449982.593 El 103.001		0.9995886	0.9999868	947564 426031	5385 5784	TERR TERR	90 24 55 179 10 45	110.682 408.131	110.727 408.299
363382	5384	E 512082.556 N 5449785.365 El 106.715		0.9995880	0.9999863	861658 947564	5062 5385	TERR TERR	179 10 45 359 12 55	210.816 196.444	210.903 196.525
947564	5385	E 512079.866 N 5449981.791 El 105.451		0.9995882	0.9999864	660522 363382 293126 590224	5382 5384 5383 5386	TERR TERR TERR TERR	90 24 9 179 12 55 270 24 55 318 35 18	84.981 196.444 110.682 219.185	85.016 196.525 110.727 219.275
590224	5386	E 511934.883 N 5450146.174 El 102.262		0.9995887	0.9999869	427567 947564 559211 141382	5408 5385 5387 5783	TERR TERR TERR TERR	50 25 37 138 35 18 230 42 35 320 32 33	323.155 219.185 240.042 131.387	323.287 219.275 240.140 131.441
559211	5387	E 511749.103 N 5449994.168 El 98.125		0.9995893	0.9999876	590224 521237 971101	5386 5529 5388	TERR TERR TERR	50 42 35 230 34 42 316 45 28	240.042 281.095 246.355	240.140 281.210 246.457

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
971101	5388	E 511580.329 N 5450173.629 El 89.619		0.9995906	0.9999889	559211 924167	5387 5389	TERR TERR	136 45 28 270 20 36	246.355 309.749	246.457 309.876
				CVD28GVRD2018							
924167	5389	E 511270.586 N 5450175.485 El 72.881		0.9995931	0.9999916	971101 671156 640409	5388 5402 5390	TERR TERR TERR	90 20 36 179 29 23 359 17 43	309.749 311.221 211.442	309.876 311.348 211.528
				CVD28GVRD2018							
640409	5390	E 511267.985 N 5450386.911 El 68.317		0.9995938	0.9999923	48520 924167 606558	5391 5389 5400	TERR TERR TERR	90 25 29 179 17 43 270 22 28	233.239 211.442 111.556	233.335 211.528 111.602
				CVD28GVRD2018							
48520	5391	E 511501.218 N 5450385.182 El 80.154		0.9995920	0.9999904	548032 634055 640409	5393 5392 5390	TERR TERR TERR	22 31 6 90 23 4 270 25 29	183.724 238.272 233.239	183.798 238.369 233.335
				CVD28GVRD2018							
634055	5392	E 511739.485 N 5450383.583 El 87.233		0.9995910	0.9999893	141382 48520 548032	5783 5391 5393	TERR TERR TERR	140 32 43 270 23 4 315 34 33	176.093 238.272 239.877	176.165 238.369 239.975
				CVD28GVRD2018							
548032	5393	E 511571.580 N 5450554.898 El 75.753		0.9995927	0.9999911	937219 634055 48520	5394 5392 5391	TERR TERR TERR	90 17 41 135 34 33 202 31 6	383.213 239.877 183.724	383.369 239.975 183.798
				CVD28GVRD2018							
937219	5394	E 511954.788 N 5450552.926 El 91.466		0.9995904	0.9999886	660779 548032	5395 5393	TERR TERR	90 25 51 270 17 41	239.560 383.213	239.659 383.369
				CVD28GVRD2018							
660779	5395	E 512194.341 N 5450551.125 El 96.525		0.9995897	0.9999878	283986 937219	5396 5394	TERR TERR	0 19 58 270 25 51	163.162 239.560	163.229 239.659
				CVD28GVRD2018							
283986	5396	E 512195.289 N 5450714.284 El 88.022		0.9995910	0.9999892	998559 660779	5397 5395	TERR TERR	0 23 25 180 19 58	275.996 163.162	276.108 163.229
				CVD28GVRD2018							

Issued: 2021-MAY-03

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station Scale Factor	TO MARKER -----	IDENTIFIERS -----	Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
998559	5397	E 512197.169	0.9995948 0.9999930	458042	5398	TERR	0 20 38	213.611	213.697
		N 5450990.274		283986	5396	TERR	180 23 25	275.996	276.108
		E1 63.726	CVD28GVRD2018						
458042	5398	E 512198.451	0.9995988 0.9999970	634667	13H2679	GPS	85 13 36	1143.077	1143.532
		N 5451203.881		10835	5527	GPS	144 7 6	924.549	924.925
		E1 38.046	CVD28GVRD2018	998559	5397	TERR	180 20 38	213.611	213.697
				898734	NO MARKING	GPS	220 1 8	3114.828	3116.094
				698134	10H2607	GPS	272 39 2	575.365	575.594
578682	5399	E 512335.454	0.9995984 0.9999965	MARKER DESTROYED					
		N 5451219.727							
		E1 41.239	1928 Canadian Vertical Datum						
606558	5400	E 511156.431	0.9995949 0.9999933	357780	95H1994	GPS	13 17 54	2081.681	2082.515
		N 5450387.640		277749	94H1655	GPS	28 38 1	5218.899	5221.024
		E1 61.566	CVD28GVRD2018	248765	02H2466	GPS	53 52 21	5055.922	5057.967
				10835	5527	GPS	87 34 21	1585.333	1585.979
				715698	92H0905	GPS	89 52 19	3903.471	3905.059
				640409	5390	TERR	90 22 28	111.556	111.602
				71563	86H1270	GPS	108 1 15	2622.599	2623.667
				904904	NO MARKING	GPS	129 17 24	17899.331	17906.477
				546390	5025	GPS	159 53 32	9777.587	9781.508
				426981	92H0886	GPS	178 11 20	3275.044	3276.372
				516153	5403	TERR	179 3 6	330.726	330.861
				898734	NO MARKING	GPS	211 28 57	1840.048	1840.799
				841734	6966	GPS	223 25 42	6572.944	6575.628
				74286	92H0895	GPS	242 57 30	1715.207	1715.902
				869792	NO MARKING	GPS	245 10 48	24119.991	24129.689
				21139	92H0904	GPS	254 49 59	4038.116	4039.737
				595017	89H6032	GPS	279 42 18	6102.216	6104.711
		859504	462	GPS	292 22 58	5856.442	5858.842		
		875864	NO MARKING	GPS	293 38 25	19271.173	19278.951		
		16725	92H0902	GPS	297 25 20	1995.732	1996.532		
2303	5401	E 510800.128	0.9995978 0.9999964	MARKER DESTROYED					
		N 5450390.176							
		E1 42.223	CVD28GVRD2018						
671156	5402	E 511273.358	0.9995916 0.9999901	728048	8726	TERR	140 25 6	201.438	201.521
		N 5449864.276		924167	5389	TERR	359 29 23	311.221	311.348
		E1 82.293	CVD28GVRD2018						

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- UTM Coordinates Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
516153	5403	E	511161.905	0.9995933	0.9999917	954966	5404	TERR	315 33 21	140.179	140.236
		N	5450056.959			606558	5400	TERR	359 3 6	330.726	330.861
		El	71.633	CVD28GVRD2018							
954966	5404	E	511063.750	0.9995943	0.9999928	516153	5403	TERR	135 33 21	140.179	140.236
		N	5450157.037			65771	5516	TERR	226 12 14	271.664	271.775
		El	64.866	CVD28GVRD2018							
28019	5405	E	510177.475	0.9995984	0.9999971	101741	5780	TERR	89 53 18	189.517	189.594
		N	5450391.045								
		El	37.430	CVD28GVRD2018							
767293	5406	E	512742.794	0.9995932	0.9999912	146654	5782	TERR	230 34 3	174.126	174.197
		N	5450811.600			59733	5409	TERR	335 45 41	302.095	302.217
		El	75.118	CVD28GVRD2018							
314948	5407	E	512467.058	0.9995898	0.9999878	146654	5782	TERR	50 34 13	182.866	182.941
		N	5450584.857			427567	5408	TERR	230 33 55	366.522	366.673
		El	96.486	CVD28GVRD2018							
427567	5408	E	512183.975	0.9995886	0.9999868	314948	5407	TERR	50 33 55	366.522	366.673
		N	5450352.043			590224	5386	TERR	230 25 37	323.155	323.287
		El	103.329	CVD28GVRD2018							
59733	5409	E	512618.773	0.9995963	0.9999943	230565	5410	TERR	4 9 56	90.381	90.418
		N	5451087.064			767293	5406	TERR	155 45 41	302.095	302.217
		El	55.073	CVD28GVRD2018							
230565	5410	E	512625.338	0.9995979	0.9999959	59733	5409	TERR	184 9 56	90.381	90.418
		N	5451177.206								
		El	45.061	CVD28GVRD2018							
793422	5411	E	512771.595	0.9995992	0.9999972	MARKER DESTROYED					
		N	5451207.993								
		El	36.817	1928 Canadian Vertical Datum							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
438994	5412	E 512959.674 N 5451210.565 El 15.389		0.9996026	1.0000006	371856	5414	TERR	63 11 36	177.136	177.206
				CVD28GVRD2018							
371856	5414	E 513117.774 N 5451290.450 El 8.531		0.9996037	1.0000016	438994	5412	TERR	243 11 36	177.136	177.206
				CVD28GVRD2018							
846154	5415	E 513299.973 N 5451300.645 El 9.635		0.9996036	1.0000014						
				1928 Canadian Vertical Datum							
492314	5416	E 513463.146 N 5451113.647 El 17.921		0.9996024	1.0000002	791913	5417	TERR	150 18 29	159.352	159.415
				CVD28GVRD2018							
791913	5417	E 513542.079 N 5450975.218 El 25.357		0.9996012	0.9999990	86652 492314	5418 5416	TERR TERR	173 55 28 330 18 29	175.431 159.352	175.502 159.415
				CVD28GVRD2018							
86652	5418	E 513560.647 N 5450800.772 El 40.258		0.9995989	0.9999967	453951 791913	5419 5417	TERR TERR	198 10 46 353 55 28	143.108 175.431	143.165 175.502
				CVD28GVRD2018							
453951	5419	E 513515.998 N 5450664.808 El 54.761		0.9995966	0.9999944	86652	5418	TERR	18 10 46	143.108	143.165
				CVD28GVRD2018							
700625	5420	E 513434.049 N 5450594.441 El 66.570		0.9995948	0.9999925						
				CVD28GVRD2018							
660191	5421	E 513515.309 N 5450416.695 El 73.917		0.9995936	0.9999914	144808	5207	TERR	134 17 37	185.548	185.623
				CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
189563	5422	E 513992.679 N 5450626.399 El 57.430		0.9995964	0.9999940	849307 144808	5423 5207	TERR TERR	204 34 56 225 26 33	291.904 483.562	292.022 483.758
				CVD28GVRD2018							
849307	5423	E 513871.247 N 5450360.952 El 66.890		0.9995949	0.9999925	189563 244699	5422 5424	TERR TERR	24 34 56 125 7 31	291.904 120.040	292.022 120.088
				CVD28GVRD2018							
244699	5424	E 513969.427 N 5450291.885 El 72.357		0.9995940	0.9999916	849307	5423	TERR	305 7 31	120.040	120.088
				CVD28GVRD2018							
441451	5425	E 513874.649 N 5450094.291 El 74.893		0.9995936	0.9999912				MARKER DESTROYED		
				CVD28GVRD2018							
145284	5426	E 513922.685 N 5449886.583 El 83.047		0.9995923	0.9999900	911495	5427	TERR	91 3 57	431.753	431.928
				CVD28GVRD2018							
911495	5427	E 514354.363 N 5449878.551 El 92.594		0.9995910	0.9999885	145284	5426	TERR	271 3 57	431.753	431.928
				CVD28GVRD2018							
589374	5428	E 512871.698 N 5447142.770 El 87.748		0.9995913	0.9999892				MARKER DESTROYED		
				CVD28GVRD2018							
433581	5429	E 514499.915 N 5443961.624 El 16.294		0.9996030	1.0000005				MARKER DESTROYED		
				CVD28GVRD2018							
988014	5430	E 514504.917 N 5443158.256 El 2.505		0.9996052	1.0000026				MARKER DESTROYED		
				CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates		Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres				GCM-NO	TABLET MARKING				
588079	5431	E 518533.809 N 5440697.486 El 17.391		0.9996045	1.0000003		MARKER ISOLATED				
607465	5432	E 512096.851 N 5434628.658 El 36.005		0.9995992	0.9999974	591339 346668	84H0596 5433	TERR TERR	0 41 3 180 26 49	332.363 212.520	332.495 212.605
346668	5433	E 512095.193 N 5434416.145 El 48.519		0.9995973	0.9999955	607465 28266	5432 5434	TERR TERR	0 26 49 180 1 33	212.520 249.131	212.605 249.232
28266	5434	E 512095.081 N 5434167.014 El 49.988		0.9995970	0.9999952	346668 170829	5433 5437	TERR TERR	0 1 33 179 47 40	249.131 402.749	249.232 402.910
857813	5435	E 510937.762 N 5448076.784 El 82.226		0.9995916	0.9999901		MARKER DESTROYED				
791855	5436	E 510938.362 N 5448333.933 El 82.265		0.9995916	0.9999901		MARKER DESTROYED				
170829	5437	E 512096.525 N 5433764.268 El 49.087		0.9995972	0.9999954	67421 28266	5438 5434	TERR TERR	179 47 44 359 47 40	402.928 402.749	403.091 402.910
67421	5438	E 512097.963 N 5433361.343 El 61.063		0.9995953	0.9999935	665794 170829	5498 5437	TERR TERR	270 11 59 359 47 44	808.742 402.928	809.071 403.091
702597	5439	E 512098.371 N 5433197.127 El 78.201		0.9995926	0.9999908		MARKER DESTROYED				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
423731	5449	E	512082.844	0.9995972	0.9999954		MARKER DESTROYED				
		N	5441499.648								
		El	48.533	1928	Canadian Vertical Datum						
776989	5450	E	514165.429	0.9996006	0.9999981	880229	5027	TERR	90 31 48	345.080	345.218
		N	5442338.715			155861	5042	TERR	270 8 55	463.778	463.963
		El	31.232	CVD28GVRD2018							
848101	5451	E	513498.710	0.9995954	0.9999931	155861	5042	TERR	89 52 24	202.944	203.026
		N	5442339.469			841528	8771	TERR	269 48 52	232.594	232.688
		El	63.147	CVD28GVRD2018							
646497	5452	E	513259.563	0.9995946	0.9999925		MARKER DESTROYED				
		N	5442338.543								
		El	67.462	CVD28GVRD2018							
308981	5453	E	513693.814	0.9996001	0.9999978		MARKER DESTROYED				
		N	5443154.145								
		El	33.019	1928	Canadian Vertical Datum						
94292	5454	E	513674.606	0.9995994	0.9999971		MARKER DESTROYED				
		N	5444761.805								
		El	37.844	1928	Canadian Vertical Datum						
817379	5455	E	513676.320	0.9995966	0.9999943	731232	5032	TERR	0 14 46	405.587	405.751
		N	5445167.545								
		El	55.727	CVD28GVRD2018							
398610	5456	E	513302.242	0.9995984	0.9999962		MARKER ISOLATED				
		N	5444760.187								
		El	43.302	CVD28GVRD2018							
524223	5457	E	511231.242	0.9995989	0.9999974		MARKER DESTROYED				
		N	5444749.453								
		El	35.935	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
654228	5458	E N El	510998.632 5444747.685 43.735	0.9995976	0.9999962		MARKER ISOLATED				
494740	5459	E N El	508815.695 5444773.074 87.475	0.9995903	0.9999893	585604 25601	5460 8762	TERR TERR	179 55 13 272 2 44	408.795 239.431	408.963 239.528
585604	5460	E N El	508816.264 5444364.279 89.502	0.9995899	0.9999890	950840 640540 649145 494740	5461 5138 8763 5459	TERR TERR TERR TERR	91 39 55 179 50 28 271 50 21 359 55 13	651.634 407.057 555.609 408.795	651.901 407.224 555.838 408.963
950840	5461	E N El	509467.623 5444345.341 77.679	0.9995919	0.9999908	783019 36509 585604 737213	92H0879 92H0882 5460 92H0877	GPS GPS TERR GPS	67 19 20 171 34 16 271 39 55 325 30 7	1034.745 1203.225 651.634 1544.327	1035.165 1203.717 651.901 1544.959
532192	5462	E N El	509627.338 5444140.972 77.045	0.9995921	0.9999909		MARKER DESTROYED				
555227	5464	E N El	510841.102 5443936.823 65.136	0.9995943	0.9999928		MARKER DESTROYED				
289595	5465	E N El	512099.663 5432824.892 88.340	0.9995910	0.9999892	801845	5466	TERR	179 47 19	272.593	272.704
801845	5466	E N El	512100.669 5432552.301 89.850	0.9995908	0.9999890	445338 673970 554550 289595	5871 5467 5568 5465	TERR TERR TERR TERR	90 5 40 179 41 53 270 5 51 359 47 19	809.448 806.114 808.005 272.593	809.780 806.445 808.335 272.704
673970	5467	E N El	512104.917 5431746.198 92.517	0.9995904	0.9999886	545905 801845	5468 5466	TERR TERR	179 42 48 359 41 53	476.323 806.114	476.518 806.445

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
545905	5468	E 512107.301 N 5431269.881 El 88.361		0.9995910	0.9999892	502807 673970	5469 5467	TERR TERR	179 42 45 359 42 48	332.122 476.323	332.257 476.518
				CVD28GVRD2018							
502807	5469	E 512108.968 N 5430937.763 El 81.059		0.9995922	0.9999904	467191 583997 236786 545905	5470 88H3885 5473 5468	TERR TERR TERR TERR	90 5 2 183 21 58 270 2 3 359 42 45	808.527 231.560 404.823 332.122	808.857 231.654 404.989 332.257
				CVD28GVRD2018							
467191	5470	E 512917.494 N 5430936.579 El 86.859		0.9995915	0.9999895	390740 471623 854612 502807 43158	88H3874 5471 88H3910 5469 88H3860	TERR TERR TERR TERR TERR	88 40 15 90 2 23 180 6 24 270 5 2 272 5 11	283.693 809.748 226.388 808.527 201.468	283.809 810.079 226.481 808.857 201.549
				CVD28GVRD2018							
471623	5471	E 513727.242 N 5430936.019 El 95.940		0.9995904	0.9999881	513044 629832 202903 208850 335265 467191 851287 390740 188508	92H0852 84H0578 86H1297 5472 88H3862 5470 5476 88H3874 92H0849	GPS GPS GPS TERR TERR TERR GPS TERR GPS	0 19 8 56 17 12 75 1 58 90 8 53 177 53 12 270 2 23 270 6 6 270 46 39 314 15 45	815.868 1448.198 833.299 505.141 209.778 809.748 4044.580 526.180 1145.523	816.204 1448.792 833.642 505.348 209.863 810.079 4046.233 526.395 1145.992
				CVD28GVRD2018							
208850	5472	E 514232.381 N 5430934.713 El 108.654		0.9995886	0.9999861	589564 442525 489948 471623	86H1296 5110 88H3859 5471	TERR TERR TERR TERR	88 13 50 90 10 24 179 50 11 270 8 53	312.763 301.380 394.140 505.141	312.892 301.505 394.301 505.348
				CVD28GVRD2018							
236786	5473	E 511704.145 N 5430938.004 El 86.370		0.9995912	0.9999896	502807 730085	5469 5474	TERR TERR	90 2 3 270 3 21	404.823 404.785	404.989 404.950
				CVD28GVRD2018							
730085	5474	E 511299.360 N 5430938.398 El 87.668		0.9995909	0.9999894	236786 354274 510669 656637 942870	5473 88H3844 5661 5475 86H1263	TERR TERR TERR TERR TERR	90 3 21 177 57 49 180 7 20 270 11 5 359 44 19	404.785 196.796 450.531 807.835 182.019	404.950 196.877 450.715 808.166 182.093
				CVD28GVRD2018							
656637	5475	E 510491.529 N 5430941.002 El 85.906		0.9995910	0.9999896	730085 851287	5474 5476	TERR TERR	90 11 5 270 9 18	807.835 808.864	808.166 809.195
				CVD28GVRD2018							

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground
-----		-----				-----		Type	Bearing			Distance	Distance
GCM-NO	TABLET MARKING		Coordinates								Metres	Metres	
			Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
851287	5476	E	509682.668	0.9995924	0.9999912	375337	5489	TERR	0 19 32		382.109	382.265	
		N	5430943.189			53561	10H2606	GPS	0 50 30		792.530	792.853	
		E1	75.603	CVD28GVRD2018		904904	NO MARKING	GPS	62 6 57	17340.258	17347.204		
						940213	92H0920	GPS	63 25 19	1811.501	1812.243		
						188508	92H0849	GPS	76 11 36	3320.140	3321.497		
						202903	86H1297	GPS	87 32 37	4854.062	4856.053		
						471623	5471	GPS	90 6 6	4044.580	4046.233		
						656637	5475	TERR	90 9 18	808.864	809.195		
						819185	5666	TERR	179 57 31	281.629	281.744		
						303743	92H0854	GPS	313 51 39	1091.452	1091.894		
				557686	5495	GPS	348 11 10	3520.559	3521.975				
641548	5477	E	509687.545	0.9995937	0.9999925		MARKER DESTROYED						
		N	5431747.587										
		E1	67.556	CVD28GVRD2018									
553982	5478	E	509690.928	0.9995943	0.9999931		MARKER DESTROYED						
		N	5432552.265										
		E1	63.663	CVD28GVRD2018									
273763	5479	E	509691.460	0.9995950	0.9999939	462184	5480	TERR	0 5 50		403.038	403.200	
		N	5432955.498			323808	80H2023	TERR	180 3 54		403.185	403.349	
		E1	58.661	CVD28GVRD2018									
462184	5480	E	509692.143	0.9995968	0.9999956	451906	84H0605	TERR	80 2 31		210.481	210.566	
		N	5433358.535			273763	5479	TERR	180 5 50		403.038	403.200	
		E1	47.656	CVD28GVRD2018		397364	5481	TERR	270 42 59		417.529	417.697	
						165555	5492	TERR	282 11 46		387.666	387.822	
397364	5481	E	509274.647	0.9995994	0.9999983	462184	5480	TERR	90 42 59		417.529	417.697	
		N	5433363.756			660654	8631	TERR	180 47 49		287.051	287.166	
		E1	30.263	CVD28GVRD2018									
179465	5482	E	509028.797	0.9995961	0.9999951	323808	80H2023	TERR	90 3 38		662.205	662.474	
		N	5432553.014			145326	5483	TERR	269 57 59		443.768	443.947	
		E1	51.152	CVD28GVRD2018		459172	5485	TERR	270 2 58		143.995	144.053	
145326	5483	E	508585.029	0.9995977	0.9999968	459172	5485	TERR	89 55 35		299.773	299.894	
		N	5432552.753			179465	5482	TERR	89 57 59		443.768	443.947	
		E1	40.401	CVD28GVRD2018									

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER IDENTIFIERS			UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing			UTM Grid Distance		Ground Distance
----- GCM-NO	----- TABLET MARKING		Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING		Metres			Metres	Metres	
776252	5484	E N El	508887.677 5432820.128 46.029	0.9995968	0.9999959			MARKER DESTROYED							
459172	5485	E N El	508884.802 5432553.138 43.472	0.9995972	0.9999963		179465 287474 145326	5482 5486 5483	TERR TERR TERR	90 2 58 179 49 6 269 55 35		143.995 349.580 299.773	144.053 349.721 299.894		
287474	5486	E N El	508885.911 5432203.560 43.388	0.9995973	0.9999963		324061 459172	5490 5485	TERR TERR	90 50 8 359 49 6		803.891 349.580	804.215 349.721		
228056	5487	E N El	508887.815 5431696.746 38.719	0.9995980	0.9999970			MARKER DESTROYED							
613695	5488	E N El	509111.316 5431336.475 37.512	0.9995982	0.9999972		965061	8713	TERR	91 6 58		280.558	280.672		
375337	5489	E N El	509684.840 5431325.292 72.160	0.9995929	0.9999918		851287 965061	5476 8713	TERR TERR	180 19 32 271 7 5		382.109 293.075	382.265 293.194		
324061	5490	E N El	509689.716 5432191.839 65.288	0.9995940	0.9999929		323808 287474	80H2023 5486	TERR TERR	0 12 16 270 50 8		360.476 803.891	360.623 804.215		
685032	5491	E N El	509266.998 5432812.946 50.953	0.9995962	0.9999951		660654	8631	TERR	0 47 39		263.812	263.919		
165555	5492	E N El	509313.226 5433440.432 26.713	0.9996000	0.9999989		462184 187682	5480 8744	TERR TERR	102 11 46 280 38 53		387.666 233.116	387.822 233.210		

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
263103	5493	E	509079.323	0.9996030	1.0000020		MARKER DESTROYED				
		N	5433482.316								
		El	6.776	1928	Canadian Vertical Datum						
255232	5494	E	508592.496	0.9996037	1.0000028	557686	5495	TERR	44 20 51	528.450	528.659
		N	5434011.273								
		El	2.053	CVD28GVRD2018							
557686	5495	E	508961.887	0.9996038	1.0000028	898734	NO MARKING	GPS	4 53 11	14481.910	14487.761
		N	5434389.174			864868	5640	TERR	20 22 34	3298.686	3299.996
		El	1.805	CVD28GVRD2018		901199	5620	GPS	30 25 47	4289.871	4291.570
						337592	10H2614	GPS	45 18 1	3832.112	3833.630
						563304	5622	GPS	47 29 17	5755.856	5758.134
						251132	5637	GPS	47 38 26	2066.869	2067.688
						599530	5630	GPS	71 33 52	4199.376	4201.041
						904904	NO MARKING	GPS	73 47 42	16711.711	16718.312
						4903	92H0897	GPS	85 57 26	2201.362	2202.234
						904300	84H0601	GPS	94 34 8	1995.127	1995.921
						690016	92H0848	GPS	102 16 25	4886.834	4888.794
						12765	10H2597	GPS	113 25 5	1543.769	1544.386
						202903	86H1297	GPS	120 10 7	6443.092	6445.696
						455196	5873	GPS	125 12 59	8786.246	8789.720
						942870	86H1263	GPS	144 26 29	4018.045	4019.665
						53561	10H2606	GPS	164 34 11	2752.766	2753.870
						851287	5476	GPS	168 11 10	3520.559	3521.975
						303743	92H0854	GPS	181 24 34	2690.521	2691.595
						255232	5494	TERR	224 20 51	528.450	528.659
						394825	81	GPS	256 52 27	21310.867	21319.318
						762716	80H1257	GPS	279 58 56	5921.491	5923.841
						995365	6910	GPS	311 27 48	5629.585	5631.818
						607093	5893	GPS	343 37 30	3400.730	3402.078
						102970	92H0875	GPS	351 32 16	6419.842	6422.426
463604	5496	E	510485.886	0.9995945	0.9999932	626739	5497	TERR	89 32 7	400.582	400.744
		N	5433361.302			338822	8632	TERR	179 36 14	265.411	265.520
		El	63.354	CVD28GVRD2018							
626739	5497	E	510886.455	0.9995936	0.9999921	665794	5498	TERR	90 3 20	402.771	402.935
		N	5433364.552			271718	80H2073	TERR	179 36 18	280.014	280.127
		El	69.929	CVD28GVRD2018		463604	5496	TERR	269 32 7	400.582	400.744

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
665794	5498	E 511289.226 N 5433364.161 El 70.860		0.9995935	0.9999920	67421 341933 626739	5438 80H2069 5497	TERR TERR TERR	90 11 59 179 41 40 270 3 20	808.742 194.339 402.771	809.071 194.418 402.935
519785	5500	E 512102.463 N 5434952.053 El 5.134		0.9996041	1.0000023		MARKER DESTROYED				
580407	5501	E 508838.003 N 5449585.293 El 2.232		0.9996036	1.0000026	329631	5352	TERR	180 49 11	152.519	152.579
119438	5502	E 508451.179 N 5448241.665 El 40.916		0.9995975	0.9999966		MARKER ISOLATED				
162214	5503	E 508206.077 N 5447552.188 El 80.341		0.9995912	0.9999904	984617	5295	TERR	179 51 26	396.800	396.963
704361	5504	E 507688.642 N 5447768.289 El 61.170		0.9995941	0.9999934	528992 622860	5800 8725	TERR TERR	91 5 3 91 35 24	518.596 328.600	518.807 328.733
95075	5505	E 511060.435 N 5449268.793 El 80.805		0.9995918	0.9999903		MARKER DESTROYED				
862052	5507	E 508408.946 N 5447156.447 El 86.211		0.9995904	0.9999895	949008 934539 984617	5294 8791 5295	TERR TERR TERR	89 42 19 180 21 28 269 41 59	392.848 372.606 201.884	393.010 372.760 201.967
264119	5508	E 508406.616 N 5446783.860 El 95.326		0.9995889	0.9999881		MARKER DESTROYED				

1928 Canadian Vertical Datum

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
169847	5509	E	508801.278	0.9995891	0.9999881		MARKER DESTROYED				
		N	5446706.090								
		El	94.887	1928	Canadian Vertical Datum						
37739	5510	E	508261.206	0.9995880	0.9999872		MARKER DESTROYED				
		N	5446008.029								
		El	101.141	CVD28GVRD2018							
8813	5511	E	508806.526	0.9995903	0.9999894		MARKER DESTROYED				
		N	5446011.664								
		El	87.119	CVD28GVRD2018							
577387	5512	E	509213.567	0.9995909	0.9999898		MARKER DESTROYED				
		N	5445966.327								
		El	83.972	CVD28GVRD2018							
444083	5513	E	510831.166	0.9995961	0.9999946		MARKER DESTROYED				
		N	5445953.455								
		El	53.340	1928	Canadian Vertical Datum						
29140	5514	E	510832.592	0.9995972	0.9999958		MARKER DESTROYED				
		N	5445553.030								
		El	45.988	1928	Canadian Vertical Datum						
105155	5515	E	510655.190	0.9995964	0.9999950		MARKER DESTROYED				
		N	5450183.035								
		El	51.166	CVD28GVRD2018							
65771	5516	E	510867.661	0.9995946	0.9999931	954966	5404	TERR	46 12 14	271.664	271.775
		N	5449969.020			933747	5517	TERR	130 45 12	304.336	304.459
		El	62.834	CVD28GVRD2018							
933747	5517	E	511098.203	0.9995921	0.9999906	65771	5516	TERR	310 45 12	304.336	304.459
		N	5449770.348								
		El	79.239	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
521641	5518	E 511242.378 N 5449566.614 El 86.625		0.9995910	0.9999894		MARKER DESTROYED				
422048	5519	E 511284.029 N 5449170.522 El 84.378		0.9995913	0.9999898		MARKER DESTROYED				
126169	5521	E 511277.748 N 5448333.402 El 77.743		0.9995924	0.9999908		MARKER DESTROYED				
136622	5522	E 511247.743 N 5447969.777 El 76.093		0.9995926	0.9999911		MARKER DESTROYED				
633719	5523	E 512890.834 N 5448349.121 El 106.189		0.9995884	0.9999863		MARKER DESTROYED				
476275	5524	E 512892.632 N 5447954.454 El 101.577		0.9995891	0.9999871	202697 426981 303420 85258 361485 187880 991117	NO MARKING 92H0886 8661 92H0892 5525 86H1271 8662	GPS GPS TERR GPS TERR GPS TERR	218 51 57 242 46 7 269 26 9 270 8 26 293 58 42 325 1 47 359 43 58	816.966 1836.203 206.545 1117.528 226.036 715.165 151.100	817.301 1836.953 206.630 1117.987 226.129 715.459 151.162
361485	5525	E 512686.103 N 5448046.313 El 105.646		0.9995884	0.9999864	336313 476275 303420	5526 5524 8661	TERR TERR TERR	0 7 18 113 58 42 180 0 13	236.800 226.036 93.893	236.897 226.129 93.932
336313	5526	E 512686.606 N 5448283.112 El 108.905		0.9995879	0.9999859	795534 242107 361485	8666 5774 5525	TERR TERR TERR	0 10 46 0 10 49 180 7 18	69.268 486.412 236.800	69.297 486.612 236.897

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
10835	5527	E	512740.341	0.9995900	0.9999880	634667	13H2679	GPS	35 16 36	1034.107	1034.524
		N	5450454.784			950121	5281	GPS	92 29 42	1770.868	1771.591
		El	95.472			71563	86H1270	GPS	133 59 22	1264.869	1265.386
						463976	5380	TERR	179 38 4	477.354	477.549
						898734	NO MARKING	GPS	237 15 33	3025.537	3026.780
						606558	5400	GPS	267 34 21	1585.333	1585.979
						698134	10H2607	GPS	304 47 13	1359.632	1360.180
						458042	5398	GPS	324 7 6	924.549	924.925
681528	5528	E	512493.637	0.9995890	0.9999870	MARKER DESTROYED					
		N	5449176.689								
		El	101.721								
521237	5529	E	511531.959	0.9995895	0.9999879	559211	5387	TERR	50 34 42	281.095	281.210
		N	5449815.667			728048	8726	TERR	230 41 26	168.338	168.407
		El	96.307			CVD28GVRD2018					
506220	5530	E	513293.045	0.9995885	0.9999863	174219	2959	TERR	0 33 13	402.273	402.438
		N	5449164.530			429050	5209	TERR	270 25 1	402.114	402.278
		El	106.375			CVD28GVRD2018					
239426	5531	E	514110.482	0.9995910	0.9999885	59246	5065	TERR	1 5 31	435.830	436.009
		N	5449131.279			342428	5532	TERR	181 3 29	371.521	371.673
		El	92.059			CVD28GVRD2018					
342428	5532	E	514103.621	0.9995908	0.9999883	239426	5531	TERR	1 3 29	371.521	371.673
		N	5448759.821			718296	79H0024	TERR	178 47 0	429.037	429.212
		El	93.520			785238	5536	TERR	180 6 59	811.502	811.834
390351	5534	E	513699.618	0.9995897	0.9999874	MARKER DESTROYED					
		N	5448430.293								
		El	99.251								
364455	5535	E	513696.149	0.9995894	0.9999871	MARKER DESTROYED					
		N	5447945.188								
		El	101.593								
785238	5536	E	514101.971	0.9995910	0.9999885	342428	5532	TERR	0 6 59	811.502	811.834
		N	5447948.321			718296	79H0024	TERR	1 36 39	382.711	382.868
		El	92.187			419374	79H0010	TERR	89 29 44	396.610	396.773

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
865857		5537	E N El	514507.770 5447951.571 89.545	0.9995915	0.9999890		MARKER DESTROYED								
395590		5539	E N El	511767.730 5448341.578 93.411	0.9995901	0.9999883	383653 630764	5211 5212	TERR TERR	90 44 39 270 44 52		316.694 344.617		316.823 344.758		
165712		5540	E N El	511696.989 5447952.651 85.080	0.9995913	0.9999897		MARKER DESTROYED								
177865		5541	E N El	511685.575 5447597.800 76.626	0.9995927	0.9999910		MARKER ISOLATED								
827923		5542	E N El	512055.645 5446681.045 71.896	0.9995935	0.9999917	465351	5217	TERR	180 3 28		302.691		302.814		
403345		5543	E N El	511702.074 5446375.570 58.978	0.9995954	0.9999938	465351 129593	5217 78H8426	TERR TERR	89 32 55 269 11 52		353.277 878.528		353.420 878.884		
820316		5544	E N El	511229.815 5446371.820 55.524	0.9995959	0.9999943		MARKER DESTROYED								
450593		5545	E N El	511244.250 5446886.781 59.145	0.9995953	0.9999937		MARKER DESTROYED								
27755		5546	E N El	511224.463 5447148.623 63.229	0.9995946	0.9999931		MARKER DESTROYED								

Issued: 2021-MAY-03

Datum: NAD83 (CSRS)

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----		Coordinates				-----		Type	Bearing			Distance	Distance	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						Metres	Metres
473454		5547	E	511239.905	0.9995930	0.9999914		MARKER DESTROYED							
			N	5447538.258											
			El	73.804	1928	Canadian Vertical Datum									
711523		5548	E	511274.233	0.9995922	0.9999906		MARKER DESTROYED							
			N	5447817.911											
			El	78.991	CVD28GVRD2018										
160366		5549	E	511261.356	0.9995995	0.9999979		MARKER DESTROYED							
			N	5445560.632											
			El	32.445	CVD28GVRD2018										
850826		5550	E	511678.370	0.9995981	0.9999964		MARKER DESTROYED							
			N	5445562.860											
			El	42.213	CVD28GVRD2018										
552067		5551	E	512055.300	0.9995963	0.9999946	465351	5217	TERR	0	0	21	401.183	401.346	
			N	5445977.171			336701	5132	TERR	180	1	17	412.292	412.459	
			El	53.855	CVD28GVRD2018										
609503		5552	E	512873.163	0.9995928	0.9999908	704387	5559	TERR	0	4	46	490.642	490.842	
			N	5446383.907			472969	5553	TERR	90	0	35	809.694	810.023	
			El	77.968	CVD28GVRD2018		910646	80H2055	TERR	180	6	16	360.400	360.545	
472969		5553	E	513682.857	0.9995915	0.9999892	173922	8775	TERR	89	20	54	392.509	392.671	
			N	5446383.769			117622	5554	TERR	180	20	51	405.452	405.617	
			El	87.753	CVD28GVRD2018		609503	5552	TERR	270	0	35	809.694	810.023	
							365114	79H0020	TERR	359	15	24	361.866	362.015	
117622		5554	E	513680.397	0.9995929	0.9999906	472969	5553	TERR	0	20	51	405.452	405.617	
			N	5445978.325			731232	5032	TERR	180	19	48	405.204	405.368	
			El	79.419	CVD28GVRD2018		611517	5555	TERR	270	2	4	404.105	404.270	
611517		5555	E	513276.292	0.9995932	0.9999910	117622	5554	TERR	90	2	4	404.105	404.270	
			N	5445978.568			406348	5556	TERR	180	23	31	404.342	404.506	
			El	76.444	CVD28GVRD2018										

Issued: 2021-MAY-03

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
406348	5556	E N El	513273.526 5445574.236 66.564	0.9995947	0.9999926	611517 731232	5555 5032	TERR TERR	0 23 31 90 9 25	404.342 404.539	404.506 404.703
472845	5557	E N El	512504.607 5445570.550 59.086	0.9995957	0.9999937	MARKER DESTROYED					
686204	5558	E N El	514077.664 5445575.754 78.467	0.9995931	0.9999907	843730 731232	5031 5032	TERR TERR	89 37 43 269 37 25	393.229 399.610	393.390 399.772
704387	5559	E N El	512873.844 5446874.548 84.827	0.9995917	0.9999897	609503	5552	TERR	180 4 46	490.642	490.842
98152	5560	E N El	514080.787 5446165.297 91.157	0.9995912	0.9999887	506832	5561	TERR	120 26 36	459.955	460.143
506832	5561	E N El	514477.329 5445932.245 91.510	0.9995912	0.9999887	98152	5560	TERR	300 26 36	459.955	460.143
219584	5562	E N El	514486.011 5446383.768 92.470	0.9995911	0.9999885	MARKER DESTROYED					
563155	5563	E N El	514063.249 5446383.530 93.433	0.9995908	0.9999883	MARKER DESTROYED					
464313	5564	E N El	514493.800 5446760.380 93.890	0.9995909	0.9999883	MARKER DESTROYED					

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
905513	5565	E	514092.329	0.9995904	0.9999880		MARKER DESTROYED				
		N	5446761.930								
		El	95.702	CVD28GVRD2018							
700542	5566	E	509944.565	0.9995921	0.9999908		MARKER DESTROYED				
		N	5449583.671								
		El	77.404	1928 Canadian Vertical Datum							
27854	5567	E	510491.380	0.9995907	0.9999894	891721	80H2071	TERR	89 59 3	400.504	400.668
		N	5432553.494			554550	5568	TERR	89 59 13	801.285	801.613
		El	87.568	CVD28GVRD2018		466326	8627	TERR	269 53 56	163.299	163.366
						946129	8628	TERR	359 37 23	300.964	301.087
554550	5568	E	511292.665	0.9995919	0.9999903	801845	5466	TERR	90 5 51	808.005	808.335
		N	5432553.675			27854	5567	TERR	269 59 13	801.285	801.613
		El	81.456	CVD28GVRD2018		891721	80H2071	TERR	269 59 24	400.781	400.945
						934836	80H2070	TERR	359 46 16	228.263	228.356
307439	5569	E	511279.662	0.9995949	0.9999933		MARKER DESTROYED				
		N	5440298.567								
		El	62.112	CVD28GVRD2018							
138198	5570	E	510811.543	0.9995911	0.9999896	230417	5571	TERR	269 42 5	346.082	346.224
		N	5440295.130								
		El	85.654	CVD28GVRD2018							
230417	5571	E	510465.466	0.9995897	0.9999883	222943	79H0033	TERR	0 39 43	401.609	401.773
		N	5440293.326			103879	86H1274	GPS	53 17 24	2019.264	2020.085
		El	93.857	CVD28GVRD2018		138198	5570	TERR	89 42 5	346.082	346.224
						907592	5922	TERR	180 38 4	189.104	189.182
						102970	92H0875	GPS	280 19 11	2488.559	2489.578
300533	5572	E	511233.243	0.9995994	0.9999979		MARKER DESTROYED				
		N	5445337.599								
		El	32.604	CVD28GVRD2018							
565663	5573	E	511256.800	0.9995978	0.9999963		MARKER DESTROYED				
		N	5444408.663								
		El	42.912	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- UTM Coordinates Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
134056	5574	E N El	511244.422 5443936.456 57.053	0.9995956	0.9999941		MARKER DESTROYED				
444281	5575	E N El	511252.549 5443124.049 71.435	0.9995934	0.9999918		MARKER DESTROYED				
214163	5576	E N El	511255.414 5442485.969 73.290	0.9995931	0.9999915		MARKER DESTROYED				
290742	5577	E N El	511257.278 5442058.345 69.620	0.9995937	0.9999921		MARKER DESTROYED				
599746	5578	E N El	511263.280 5441499.279 60.908	0.9995950	0.9999935		MARKER DESTROYED				
952044	5579	E N El	511281.934 5440700.344 51.238	0.9995966	0.9999950		MARKER DESTROYED				
253955	5580	E N El	511277.988 5439902.338 87.105	0.9995910	0.9999894		MARKER DESTROYED				
677310	5581	E N El	511660.157 5439902.901 75.232	0.9995929	0.9999913	318279 918441	5603 5582	TERR TERR	89 57 33 142 27 34	600.997 512.953	601.241 513.162
918441	5582	E N El	511972.710 5439496.169 85.330	0.9995914	0.9999897	677310	5581	TERR	322 27 34	512.953	513.162

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
715581	5583	E 511608.485 N 5439492.204 El 89.749		0.9995906	0.9999890		MARKER DESTROYED				
935726	5584	E 511831.065 N 5439372.147 El 88.078		0.9995910	0.9999892		MARKER DESTROYED				
781534	5585	E 512083.670 N 5439140.625 El 79.802		0.9995923	0.9999905		MARKER DESTROYED				
956136	5586	E 511273.329 N 5439487.815 El 90.372		0.9995904	0.9999889		MARKER DESTROYED				
113316	5587	E 510860.030 N 5439486.282 El 91.818		0.9995901	0.9999887		MARKER ISOLATED				
971945	5588	E 509645.155 N 5439476.059 El 78.892		0.9995918	0.9999907		MARKER DESTROYED				
368738	5589	E 509645.611 N 5439080.108 El 62.693		0.9995944	0.9999932	240697 271528	5243 5244	TERR TERR	91 26 44 269 1 23	202.602 245.605	202.684 245.704
870972	5590	E 508920.801 N 5439495.858 El 74.336		0.9995924	0.9999914		MARKER DESTROYED				
644864	5591	E 508463.927 N 5439497.140 El 68.830		0.9995931	0.9999923	734822	5592	TERR	267 42 21	465.872	466.061

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates	Station Scale Factor		TO MARKER -----	IDENTIFIERS -----	Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
734822	5592	E N El	507998.428 5439478.491 51.955	0.9995957	0.9999949	644864	5591	TERR	87 42 21	465.872	466.061
635920	5593	E N El	507989.633 5439920.689 62.729	0.9995940	0.9999932		MARKER DESTROYED				
365684	5594	E N El	508921.948 5439892.594 83.169	0.9995910	0.9999900		MARKER ISOLATED				
955252	5595	E N El	509230.777 5439892.538 90.075	0.9995900	0.9999889		MARKER DESTROYED				
894600	5596	E N El	509232.283 5440147.178 98.514	0.9995887	0.9999876	811554	5597	TERR	0 24 59	255.057	255.161
811554	5597	E N El	509234.137 5440402.228 101.534	0.9995882	0.9999871	379560 894600	8634 5596	TERR TERR	0 28 5 180 24 59	309.522 255.057	309.649 255.161
364	5598	E N El	508821.471 5442945.629 89.806	0.9995899	0.9999890	505024 30064	5444 5227	TERR TERR	0 14 13 180 15 48	197.912 592.458	197.993 592.701
829994	5599	E N El	508817.958 5443544.508 93.750	0.9995893	0.9999883	505024 385674 640540	5444 8774 5138	TERR TERR TERR	179 22 52 270 16 13 359 55 17	400.992 201.909 412.716	401.157 201.992 412.885
459966	5600	E N El	508616.149 5443549.848 95.143	0.9995890	0.9999881		MARKER DESTROYED				
			1928 Canadian Vertical Datum								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
230227	5601	E 508413.234 N 5443553.871 El 91.675		0.9995895	0.9999887	385674 246900	8774 5602	TERR TERR	92 22 29 359 57 42	202.991 413.991	203.075 414.162
				CVD28GVRD2018							
246900	5602	E 508412.957 N 5443967.862 El 95.267		0.9995890	0.9999881	230227 4481	5601 5137	TERR TERR	179 57 42 271 29 44	413.991 407.405	414.162 407.573
				CVD28GVRD2018							
318279	5603	E 512261.154 N 5439903.329 El 74.335		0.9995932	0.9999914	677310	5581	TERR	269 57 33	600.997	601.241
				CVD28GVRD2018							
284133	5605	E 513703.231 N 5439899.863 El 59.719		0.9995960	0.9999937	299800 995910	5932 5604	TERR TERR	0 7 25 270 19 44	237.120 273.471	237.215 273.581
				CVD28GVRD2018							
893651	5606	E 513923.283 N 5439898.140 El 56.414		0.9995966	0.9999942		MARKER DESTROYED				
				CVD28GVRD2018							
823179	5607	E 514284.008 N 5439895.517 El 43.937		0.9995987	0.9999962	712224	5608	TERR	90 23 2	242.482	242.580
				CVD28GVRD2018							
712224	5608	E 514526.485 N 5439893.892 El 29.207		0.9996011	0.9999985	474155 823179 970038	8742 5607 8743	TERR TERR TERR	180 21 15 270 23 2 359 33 53	306.283 242.482 174.404	306.405 242.580 174.473
				CVD28GVRD2018							
911222	5609	E 512893.788 N 5439521.030 El 74.403		0.9995934	0.9999914		MARKER ISOLATED				
				CVD28GVRD2018							
795427	5610	E 512893.059 N 5439288.286 El 73.496		0.9995936	0.9999915		MARKER DESTROYED				
				CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
218396	5611	E 513699.417 N 5439093.111 El 49.608		0.9995976	0.9999953		MARKER DESTROYED				
767319	5612	E 513440.260 N 5439079.477 El 57.622		0.9995962	0.9999940		MARKER DESTROYED				
887273	5613	E 512627.121 N 5439094.303 El 67.090		0.9995945	0.9999925		MARKER DESTROYED				
121970	5614	E 509157.845 N 5439069.819 El 62.996		0.9995942	0.9999932	271528 439992 210088	5244 5247 5245	TERR TERR TERR	88 33 24 180 44 3 269 57 53	242.274 444.583 136.037	242.372 444.762 136.092
213322	5615	E 509135.028 N 5437620.464 El 2.161		0.9996037	1.0000027		MARKER DESTROYED				
444810	5616	E 508673.408 N 5437881.115 El .771		0.9996039	1.0000029	754531 8516 607093 763672	5253 5618 5893 5250	TERR GPS GPS TERR	82 48 14 85 14 53 251 7 30 355 28 25	470.001 855.450 708.363 568.597	470.187 855.789 708.644 568.824
194258	5617	E 508214.381 N 5437838.779 El 2.121		0.9996036	1.0000027		MARKER DESTROYED				
8516	5618	E 509525.918 N 5437951.982 El 1.014		0.9996040	1.0000029	901199 864868 444810 754531 731893	5620 5640 5616 5253 5252	GPS TERR GPS TERR TERR	85 9 46 128 50 3 265 14 53 268 13 17 306 21 9	1614.459 750.359 855.450 386.397 480.304	1615.098 750.657 855.789 386.550 480.493
229955	5619	E 510384.168 N 5438020.605 El .838		0.9996042	1.0000029		MARKER DESTROYED				

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----	UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
418194	5621	E	512229.153	0.9996048	1.0000030	563304	5622	TERR	84 45 57	979.676	980.064	
		N	5438189.279			901199	5620	TERR	264 43 10	1099.191	1099.625	
		E1	.508	CVD28GVRD2018								
563304	5622	E	513204.744	0.9996050	1.0000028	546390	5025	GPS	24 9 32	3208.380	3209.650	
		N	5438278.652			27888	5623	TERR	84 40 10	716.492	716.775	
		E1	1.385	CVD28GVRD2018		288423	5627	TERR	171 26 47	827.006	827.332	
						599530	5630	GPS	185 46 25	2574.538	2575.557	
						557686	5495	GPS	227 29 17	5755.856	5758.134	
						864868	5640	GPS	255 33 11	3195.366	3196.633	
						901199	5620	GPS	264 44 29	2078.867	2079.689	
						418194	5621	TERR	264 45 57	979.676	980.064	
						355388	5930	GPS	338 48 39	862.940	863.284	
						425058	84H0587	TERR	341 32 26	509.337	509.539	
27888	5623	E	513918.137	0.9996054	1.0000030	625376	5022	GPS	146 0 39	1069.297	1069.719	
		N	5438345.214			563304	5622	TERR	264 40 10	716.492	716.775	
		E1	.453	CVD28GVRD2018		355388	5930	GPS	305 44 50	1263.306	1263.810	
247387	5624	E	513034.338	0.9996029	1.0000008	MARKER DESTROYED						
		N	5438741.689									
		E1	14.301	1928 Canadian Vertical Datum								
574582	5625	E	512564.251	0.9995973	0.9999953	425058	84H0587	TERR	101 3 46	488.294	488.489	
		N	5438855.480									
		E1	49.372	CVD28GVRD2018								
202986	5626	E	512294.474	0.9995940	0.9999921	MARKER DESTROYED						
		N	5439081.466									
		E1	69.903	CVD28GVRD2018								
288423	5627	E	513327.747	0.9996049	1.0000027	625376	5022	GPS	90 6 27	1188.169	1188.638	
		N	5437460.845			374504	5023	GPS	126 24 23	1479.186	1479.770	
		E1	2.268	CVD28GVRD2018		599530	5630	GPS	192 21 25	1785.024	1785.730	
						901199	5620	GPS	285 57 42	2281.063	2281.965	
						563304	5622	TERR	351 26 47	827.006	827.332	
138461	5628	E	513234.606	0.9996048	1.0000027	MARKER DESTROYED						
		N	5437082.683									
		E1	2.408	CVD28GVRD2018								

Issued: 2021-MAY-03

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground
-----	-----	Coordinates						Type	Bearing			Distance	Distance
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				Metres	Metres	
47019	5629	E	513097.495	0.9996049	1.0000028	374504	5023	GPS	89	57	5	1420.743	1421.304
		N	5436581.728			599530	5630	TERR	189	57	18	877.770	878.117
		E1	1.826	CVD28GVRD2018									
599530	5630	E	512945.751	0.9996038	1.0000017	563304	5622	GPS	5	46	25	2574.538	2575.557
		N	5435717.174			47019	5629	TERR	9	57	18	877.770	878.117
		E1	8.450	CVD28GVRD2018		98178	86H1262	GPS	11	18	12	8007.858	8011.027
						288423	5627	GPS	12	21	25	1785.024	1785.730
						546390	5025	GPS	15	58	57	5709.544	5711.808
						777862	92H0845	GPS	35	22	2	5118.636	5120.659
						291302	88H4592	GPS	52	53	17	13706.603	13712.044
						101188	5098	GPS	99	4	48	9710.733	9714.591
						885012	92H0833	GPS	100	34	34	4067.340	4068.947
						35329	92H0835	GPS	103	27	13	3269.390	3270.683
						934976	92H0855	GPS	146	8	46	5748.998	5751.299
						690016	92H0848	GPS	161	30	51	2495.604	2496.605
						193425	5632	TERR	168	56	45	764.135	764.438
						774802	86H1307	GPS	181	36	1	1537.162	1537.774
						303743	92H0854	GPS	225	13	47	5704.809	5707.087
						904300	84H0601	GPS	233	18	10	2488.230	2489.221
						557686	5495	GPS	251	33	52	4199.376	4201.041
				126631	5631	TERR	278	34	57	834.871	835.201		
				864868	5640	TERR	301	53	31	3339.430	3340.755		
				41699	5639	TERR	315	39	9	1195.517	1195.991		
				901199	5620	GPS	322	37	28	2983.547	2984.728		
126631	5631	E	512120.229	0.9996047	1.0000029	599530	5630	TERR	98	34	57	834.871	835.201
		N	5435841.764			41699	5639	TERR	359	12	13	730.413	730.701
		E1	1.230	CVD28GVRD2018									
193425	5632	E	513092.263	0.9996041	1.0000020	953570	5115	GPS	90	7	52	1430.176	1430.744
		N	5434967.216			599530	5630	TERR	348	56	45	764.135	764.438
		E1	6.733	CVD28GVRD2018									
181883	5633	E	513769.698	0.9995992	0.9999968	MARKER DESTROYED							
		N	5434161.550										
		E1	39.744	CVD28GVRD2018									
679126	5634	E	513314.261	0.9996007	0.9999985	MARKER DESTROYED							
		N	5434162.726										
		E1	28.930	CVD28GVRD2018									

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
632687	5635	E 513043.335 N 5434164.347 El 39.171		0.9995990	0.9999969		MARKER DESTROYED				
992867	5636	E 512909.027 N 5434165.778 El 34.179		0.9995998	0.9999977		MARKER DESTROYED				
251132	5637	E 510489.162 N 5435781.790 El .513		0.9996043	1.0000030	901199 515205 557686 607093 864868	5620 5638 5495 5893 5640	GPS TERR GPS GPS TERR	15 38 7 90 3 40 227 38 26 306 57 11 347 26 16	2394.949 1015.906 2066.869 3110.925 1741.352	2395.897 1016.308 2067.688 3112.158 1742.043
515205	5638	E 511505.067 N 5435780.707 El 1.089		0.9996045	1.0000029	41699 251132	5639 5637	TERR TERR	37 23 50 270 3 40	996.167 1015.906	996.560 1016.308
41699	5639	E 512110.076 N 5436572.106 El 1.598		0.9996046	1.0000028	599530 126631 515205	5630 5631 5638	TERR TERR TERR	135 39 9 179 12 13 217 23 50	1195.517 730.413 996.167	1195.991 730.701 996.560
864868	5640	E 510110.420 N 5437481.455 El 10.636		0.9996026	1.0000014	898734 86454 801928 901199 563304 337592 599530 251132 557686 754531 853168 8516 850214	NO MARKING 92H0909 92H0911 5620 5622 10H2614 5630 5637 5495 5253 84H9452 5618 92H0908	GPS GPS GPS GPS GPS GPS TERR TERR TERR GPS GPS TERR GPS	0 25 48 10 15 57 54 7 30 59 21 38 75 33 11 104 8 16 121 53 31 167 26 16 200 22 34 295 17 4 305 12 23 308 50 3 346 42 20	11337.312 2033.264 2728.066 1190.395 3195.366 1624.544 3339.430 1741.352 3298.686 1073.563 2917.339 750.359 2074.104	11341.900 2034.085 2729.162 1190.868 3196.633 1625.188 3340.755 1742.043 3299.996 1073.989 2918.506 750.657 2074.940
479956	5641	E 512961.261 N 5434864.586 El 12.598		0.9996032	1.0000011		MARKER DESTROYED				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
317099	5642	E 512910.436 N 5434662.314 El 20.821		0.9996019	0.9999998	133249	5643	TERR	180 13 42	255.828	255.930
				CVD28GVRD2018							
133249	5643	E 512909.417 N 5434406.488 El 29.367		0.9996005	0.9999985	317099	5642	TERR	0 13 42	255.828	255.930
				CVD28GVRD2018							
298737	5644	E 512911.898 N 5433358.504 El 67.149		0.9995946	0.9999926						
				CVD28GVRD2018			MARKER DESTROYED				
581520	5645	E 513446.577 N 5433356.511 El 71.455		0.9995941	0.9999919						
				CVD28GVRD2018			MARKER DESTROYED				
397430	5646	E 513729.370 N 5433355.475 El 69.628		0.9995945	0.9999922						
				1928 Canadian Vertical Datum			MARKER DESTROYED				
761437	5647	E 514104.858 N 5433750.171 El 43.166		0.9995988	0.9999963						
				1928 Canadian Vertical Datum			MARKER DESTROYED				
646414	5648	E 514523.750 N 5433240.923 El 69.613		0.9995948	0.9999922						
				CVD28GVRD2018			MARKER DESTROYED				
996850	5649	E 513324.196 N 5443149.465 El 44.522		0.9995982	0.9999960						
				1928 Canadian Vertical Datum			MARKER DESTROYED				
828863	5650	E 512588.385 N 5442332.786 El 74.533		0.9995933	0.9999913						
				1928 Canadian Vertical Datum			MARKER DESTROYED				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
902262	5651	E 512303.666 N 5442328.169 El 72.856	1928 Canadian Vertical Datum	0.9995935	0.9999916		MARKER DESTROYED				
555920	5652	E 512069.915 N 5443187.526 El 65.152	CVD28GVRD2018	0.9995946	0.9999928		MARKER DESTROYED				
763961	5653	E 512067.668 N 5443528.313 El 49.863	CVD28GVRD2018	0.9995970	0.9999952		MARKER DESTROYED				
595660	5654	E 512056.921 N 5445258.878 El 44.326	CVD28GVRD2018	0.9995978	0.9999961	968172 336701	5218 5132	TERR TERR	179 39 11 359 40 4	498.875 306.006	499.076 306.128
921759	5655	E 511295.438 N 5431746.027 El 94.219	CVD28GVRD2018	0.9995899	0.9999883		MARKER DESTROYED				
364588	5656	E 511127.035 N 5431746.154 El 99.514	CVD28GVRD2018	0.9995890	0.9999875	258640	5657	TERR	270 5 13	635.656	635.917
258640	5657	E 510491.380 N 5431747.118 El 95.018	CVD28GVRD2018	0.9995896	0.9999882	364588 349613	5656 5658	TERR TERR	90 5 13 270 1 38	635.656 451.282	635.917 451.467
349613	5658	E 510040.098 N 5431747.332 El 86.164	CVD28GVRD2018	0.9995908	0.9999896	258640	5657	TERR	90 1 38	451.282	451.467
907147	5659	E 514255.777 N 5432547.226 El 113.672	CVD28GVRD2018	0.9995878	0.9999853		MARKER ISOLATED				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
326413	5660	E 513709.016 N 5432548.620 El 113.445		0.9995876	0.9999853		MARKER DESTROYED				
510669	5661	E 511298.399 N 5430487.868 El 67.381		0.9995941	0.9999925	730085 354274 225169	5474 88H3844 88H3884	TERR TERR TERR	0 7 20 1 47 41 86 59 26	450.531 253.983 314.858	450.715 254.086 314.987
538850	5662	E 510640.055 N 5430453.920 El 53.099		0.9995962	0.9999948		MARKER DESTROYED				
597294	5663	E 510288.191 N 5430438.742 El 68.104		0.9995937	0.9999924		MARKER DESTROYED				
169979	5664	E 510085.123 N 5430441.196 El 69.998		0.9995934	0.9999921	534867	5665	TERR	0 17 0	216.950	217.038
534867	5665	E 510086.196 N 5430658.143 El 76.628		0.9995923	0.9999911	169979 819185	5664 5666	TERR TERR	180 17 0 270 29 7	216.950 403.339	217.038 403.503
819185	5666	E 509682.872 N 5430661.560 El 68.390		0.9995935	0.9999924	534867 851287	5665 5476	TERR TERR	90 29 7 359 57 31	403.339 281.629	403.503 281.744
736017	5667	E 519637.527 N 5443108.133 El .649		0.9996076	1.0000029	430371	5668	TERR	42 57 12	1139.008	1139.456
430371	5668	E 520413.648 N 5443941.785 El .794		0.9996080	1.0000029	87486 962043 973289 736017	5669 5681 5157 5667	TERR GPS TERR TERR	42 47 36 89 33 34 90 22 1 222 57 12	808.120 1056.355 560.433 1139.008	808.436 1056.770 560.652 1139.456

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
87486	5669	E	520962.648	0.9996080	1.0000026	397893	5670	TERR	42	52	25	760.122	760.420		
		N	5444534.791			463638	5773	TERR	73	3	52	830.086	830.411		
		E1	2.420			CVD28GVRD2018	962043	5681	GPS	139	3	43	774.253	774.557	
							973289	5157	GPS	178	54	12	596.704	596.939	
							430371	5668	TERR	222	47	36	808.120	808.436	
							721050	5672	TERR	358	50	19	1064.152	1064.569	
397893	5670	E	521479.822	0.9996078	1.0000021	696088	5956	GPS	0	15	20	508.808	509.008		
		N	5445091.852			228734	5671	TERR	42	55	10	695.756	696.029		
		E1	5.557			CVD28GVRD2018	463638	5773	GPS	138	42	19	419.609	419.773	
							377754	5680	GPS	165	56	4	1171.055	1171.514	
							973289	5157	GPS	203	40	20	1259.646	1260.140	
							87486	5669	TERR	222	52	25	760.122	760.420	
228734	5671	E	521953.611	0.9996070	1.0000011	736207	5158	TERR	89	55	18	605.808	606.046		
		N	5445601.362			397893	5670	TERR	222	55	10	695.756	696.029		
		E1	12.178			CVD28GVRD2018	696088	5956	TERR	269	54	51	471.521	471.706	
721050	5672	E	520941.080	0.9996074	1.0000021	696088	5956	TERR	89	47	44	541.014	541.227		
		N	5445598.724			397893	5670	GPS	133	15	15	739.704	739.995		
		E1	5.911			CVD28GVRD2018	463638	5773	GPS	135	13	36	1158.102	1158.556	
							377754	5680	GPS	153	22	51	1837.592	1838.315	
							962043	5681	GPS	162	12	55	1731.567	1732.247	
							87486	5669	TERR	178	50	19	1064.152	1064.569	
							973289	5157	GPS	178	51	43	1660.856	1661.508	
							704247	5817	TERR	269	3	33	795.541	795.854	
							409698	92H0842	GPS	269	52	53	4018.089	4019.684	
							652255	92H0838	GPS	288	15	43	2538.981	2539.979	
							133892	92H0837	GPS	333	2	31	2087.248	2088.075	
							589457	92H0860	GPS	342	35	33	3327.622	3328.929	
923417	5673	E	522557.248	0.9996068	1.0000005	736207	8716	TERR	359	45	56	601.724	601.962		
		N	5445990.627			963793	5158	TERR	179	40	48	388.443	388.596		
		E1	15.580			CVD28GVRD2018	469650	8679	TERR	270	52	52	317.368	317.493	
								5674	TERR	359	39	10	644.606	644.859	
469650	5674	E	522553.341	0.9996062	0.9999999	923417	5673	TERR	179	39	10	644.606	644.859		
		N	5446635.221			428466	5675	TERR	208	55	34	221.686	221.773		
		E1	19.335			CVD28GVRD2018	723551	5942	TERR	359	45	57	373.947	374.095	
428466	5675	E	522446.116	0.9996053	0.9999991	469650	5674	TERR	28	55	34	221.686	221.773		
		N	5446441.192			828640	8795	TERR	92	29	16	519.738	519.943		
		E1	24.541			CVD28GVRD2018	637520	5676	TERR	266	33	16	533.872	534.083	

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
637520	5676	E 521913.209	0.9996030	0.9999971	428466	5675	TERR	86 33 16	533.872	534.083	
		N 5446409.105			915256	82H5771	GPS	91 8 17	18102.893	18109.919	
		E1 37.371	CVD28GVRD2018		672345	80H2329	GPS	113 53 1	19394.060	19401.714	
					591511	5176	GPS	180 24 19	18666.079	18673.570	
					306738	5677	TERR	269 51 57	972.830	973.217	
306738	5677	E 520940.382	0.9996010	0.9999956	637520	5676	TERR	89 51 57	972.830	973.217	
		N 5446406.826			991125	8716	TERR	180 29 23	206.391	206.473	
		E1 47.009	CVD28GVRD2018		717660	5678	TERR	269 3 49	293.940	294.058	
					125963	8642	TERR	359 58 7	105.796	105.839	
717660	5678	E 520646.481	0.9996010	0.9999957	306738	5677	TERR	89 3 49	293.940	294.058	
		N 5446402.023									
		E1 46.351	CVD28GVRD2018								
300152	5679	E 519568.571	0.9996018	0.9999971			MARKER DESTROYED				
		N 5446388.608									
		E1 37.442	1928 Canadian Vertical Datum								
377754	5680	E 521764.427	0.9996068	1.0000009	564955	8799	GPS	7 48 10	2848.147	2849.270	
		N 5443955.908			565457	5160	TERR	88 42 56	790.019	790.331	
		E1 13.077	CVD28GVRD2018		291302	88H4592	GPS	89 8 47	2112.010	2112.846	
					904904	NO MARKING	GPS	146 29 59	5879.641	5881.953	
					752048	13H2683	GPS	153 36 19	1755.232	1755.932	
					368530	10H2608	GPS	200 52 48	2267.953	2268.853	
					136820	10H2573	GPS	222 20 41	2372.499	2373.436	
					17830	10H2578	GPS	245 52 50	2660.823	2661.870	
					973289	5157	GPS	268 42 58	790.556	790.867	
					962043	5681	TERR	268 49 57	294.516	294.632	
					969295	13H2676	GPS	301 58 55	2318.511	2319.422	
					721050	5672	GPS	333 22 51	1837.592	1838.315	
					397893	5670	GPS	345 56 4	1171.055	1171.514	
					696088	5956	GPS	350 15 35	1668.804	1669.460	
					463638	5773	TERR	359 27 47	820.718	821.041	
962043	5681	E 521469.972	0.9996070	1.0000013	377754	5680	TERR	88 49 57	294.516	294.632	
		N 5443949.907			973289	5157	TERR	268 38 50	496.041	496.236	
		E1 10.878	CVD28GVRD2018		430371	5668	GPS	269 33 34	1056.355	1056.770	
					87486	5669	GPS	319 3 43	774.253	774.557	
					721050	5672	GPS	342 12 55	1731.567	1732.247	
958421	5682	E 518529.540	0.9996058	1.0000016	500009	5683	TERR	270 20 22	690.662	690.936	
		N 5443953.112			187831	5191	GPS	334 19 44	1814.457	1815.173	
		E1 8.915	CVD28GVRD2018								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance		Ground Distance	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING					Metres		Metres	Metres
500009	5683	E	517838.890	0.9996006	0.9999967	CVD28GVRD2018	958421	5682	TERR	90 20 22		690.662		690.936		
		N	5443957.204				15594	5188	GPS	191 49 37		413.971		414.137		
		El	40.176				745927	5271	GPS	295 8 43		1892.435		1893.197		
							187831	5191	GPS	356 39 13		1634.056		1634.705		
685479	5684	E	519338.754	0.9996074	1.0000028	1928 Canadian Vertical Datum	MARKER DESTROYED									
		N	5442872.760													
		El	1.109													
960013	5685	E	521868.774	0.9995993	0.9999934	CVD28GVRD2018	702829	5161	TERR	88 12 56		687.007		687.283		
		N	5443144.852				354134	5686	TERR	268 32 59		462.013		462.198		
		El	61.314													
354134	5686	E	521406.909	0.9996009	0.9999952	CVD28GVRD2018	960013	5685	TERR	88 32 59		462.013		462.198		
		N	5443133.158				65292	5156	TERR	268 31 18		432.820		432.992		
		El	49.578													
746222	5687	E	521764.280	0.9995971	0.9999913	CVD28GVRD2018	110551	8778	TERR	88 20 26		459.066		459.251		
		N	5442339.974				337253	8790	TERR	268 19 9		389.358		389.514		
		El	74.611													
72272	5688	E	522223.026	0.9995961	0.9999900	1928 Canadian Vertical Datum	MARKER DESTROYED									
		N	5442353.197													
		El	82.650													
901827	5689	E	521763.219	0.9995982	0.9999923	CVD28GVRD2018	MARKER DESTROYED									
		N	5441259.693													
		El	68.109													
434282	5690	E	515662.701	0.9995916	0.9999886	CVD28GVRD2018	510453	5691	TERR	120 28 31		1002.546		1002.953		
		N	5445251.060				160952	5256	TERR	359 39 31		322.438		322.570		
		El	91.873													
510453	5691	E	516526.743	0.9995960	0.9999927	CVD28GVRD2018	916502	5259	TERR	0 27 7		833.160		833.496		
		N	5444742.602				814913	5692	TERR	122 11 3		482.964		483.159		
		El	65.875				434282	5690	TERR	300 28 31		1002.546		1002.953		

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
814913	5692	E 516935.495 N 5444485.355 El 64.581		0.9995964	0.9999929	7922	5694 5691 86H1260	TERR TERR TERR	179 13 7 302 11 3 359 16 58	526.923 482.964 278.136	527.135 483.159 278.249
958983	5693	E 517429.399 N 5443957.914 El 53.739		0.9995983	0.9999946		MARKER DESTROYED				
7922	5694	E 516942.681 N 5443958.481 El 56.811		0.9995976	0.9999941	558726 814913	5269 5692	TERR TERR	269 58 29 359 13 7	814.704 526.923	815.033 527.135
942219	5695	E 519991.267 N 5442381.161 El 7.763		0.9996067	1.0000018		MARKER DESTROYED				
872655	5696	E 520163.182 N 5442213.672 El 27.426		0.9996037	0.9999987		MARKER DESTROYED				
923268	5697	E 520427.083 N 5442107.257 El 44.348		0.9996012	0.9999961		MARKER DESTROYED				
744896	5698	E 520700.390 N 5441964.117 El 50.757		0.9996003	0.9999951		MARKER DESTROYED				
618637	5699	E 520970.438 N 5441807.423 El 54.870		0.9995998	0.9999944		MARKER DESTROYED				
14035	5700	E 521468.240 N 5441451.026 El 65.555		0.9995984	0.9999927		MARKER DESTROYED				

Issued: 2021-MAY-03

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Type	Bearing	Distance Metres	Distance Metres
112219	5701	E 516128.351 N 5443462.906 El 37.524	0.9996003	0.9999971		MARKER DESTROYED				
642769	5702	E 516128.038 N 5443142.436 El 16.931	0.9996036	1.0000004	30619 445981 98178	5187 81H4533 86H1262	GPS GPS GPS	116 23 29 252 39 24 284 50 20	1822.516 1694.983 1668.379	1823.236 1695.654 1669.040
333807	5703	E 516127.771 N 5441479.045 El .224	0.9996062	1.0000030		MARKER DESTROYED				
831867	5704	E 515317.452 N 5441522.364 El 1.015	0.9996057	1.0000029		MARKER DESTROYED				
846626	5705	E 515337.824 N 5439625.067 El 10.956	0.9996042	1.0000013	868968 355388	5729 5930	GPS GPS	143 36 10 257 30 18	1337.358 2504.304	1337.886 2505.305
726653	5706	E 515335.278 N 5439274.128 El 13.103	0.9996039	1.0000010		MARKER DESTROYED				
137620	5707	E 518048.404 N 5447981.477 El 56.766	0.9995981	0.9999941	796326 764720	5708 5193	TERR TERR	91 34 8 270 29 33	367.939 300.973	368.087 301.094
796326	5708	E 518416.205 N 5447971.404 El 63.380	0.9995972	0.9999930	78816 137620	5854 5707	TERR TERR	89 18 51 271 34 8	282.743 367.939	282.857 368.087
138164	5709	E 519353.079 N 5447968.611 El 53.285	0.9995992	0.9999946		MARKER DESTROYED				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
948521	5710	E 519357.283 N 5447660.110 El 67.618		0.9995970	0.9999924		MARKER DESTROYED				
873885	5711	E 519988.057 N 5447457.514 El 48.347		0.9996003	0.9999954		MARKER DESTROYED				
				1928 Canadian Vertical Datum							
304949	5712	E 520630.545 N 5447201.917 El 40.663		0.9996018	0.9999966		MARKER DESTROYED				
				1928 Canadian Vertical Datum							
310375	5713	E 515484.667 N 5439076.918 El .393		0.9996059	1.0000030		MARKER DESTROYED				
				1928 Canadian Vertical Datum							
541524	5714	E 516126.764 N 5439080.509 El .438		0.9996062	1.0000030	150128 868968	5185 5729	GPS TERR	116 41 22 179 30 8	1835.838 531.932	1836.561 532.142
				CVD28GVRD2018							
926378	5715	E 516954.249 N 5439085.303 El .907		0.9996064	1.0000029		MARKER DESTROYED				
				CVD28GVRD2018							
65334	5716	E 517763.784 N 5439062.130 El .348		0.9996069	1.0000030		MARKER DESTROYED				
				CVD28GVRD2018							
38406	5717	E 518532.675 N 5439079.159 El .652		0.9996071	1.0000029		MARKER DESTROYED				
				CVD28GVRD2018							
575118	5718	E 518533.589 N 5439475.824 El 11.922		0.9996054	1.0000012	410852 296368	8608 5829	TERR TERR	0 10 26 90 14 40	202.900 249.205	202.980 249.304
				CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
671859	5719	E 520157.115	0.9996063	1.0000013		921403	5950	TERR	90 15 43	274.124	274.233
		N 5439474.384				754838	5839	TERR	269 54 54	224.136	224.224
		El 11.225	CVD28GVRD2018			288670	8611	TERR	359 57 41	173.143	173.211
186056	5720	E 520157.025	0.9996071	1.0000021							
		N 5439067.604									
		El 5.940	1928 Canadian Vertical Datum								
124800	5721	E 520969.713	0.9996021	0.9999967							
		N 5439074.260									
		El 40.243	CVD28GVRD2018								
549501	5722	E 521738.254	0.9996035	0.9999977		410894	5165	TERR	86 41 48	804.380	804.696
		N 5438673.840				151852	5167	TERR	269 24 18	769.267	769.571
		El 33.742	CVD28GVRD2018								
993691	5724	E 523359.487	0.9996077	1.0000010		183020	87H2599	TERR	88 46 43	241.665	241.760
		N 5439105.356									
		El 12.947	CVD28GVRD2018								
24430	5725	E 522583.573	0.9996070	1.0000008		614040	5875	GPS	182 16 6	1644.043	1644.693
		N 5437456.598				447771	5169	GPS	269 58 29	1622.704	1623.341
		El 14.461	CVD28GVRD2018			151852	5167	GPS	306 49 56	2017.187	2017.981
889402	5726	E 522534.609	0.9996031	0.9999968							
		N 5436216.925									
		El 39.499	1928 Canadian Vertical Datum								
868968	5729	E 516131.385	0.9996061	1.0000029		150128	5185	GPS	100 8 41	1661.593	1662.246
		N 5438548.597				439760	5184	GPS	124 18 30	1979.868	1980.647
		El 1.049	CVD28GVRD2018			846626	5705	GPS	323 36 10	1337.358	1337.886
						541524	5714	TERR	359 30 8	531.932	532.142
604199	5731	E 516787.641	0.9996041	1.0000006							
		N 5434169.627									
		El 15.789	1928 Canadian Vertical Datum								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid		UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----		Bearing			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
815589	5732	E	516133.582	0.9996042	1.0000010		MARKER DESTROYED					
		N	5434156.706									
		El	13.420	1928	Canadian Vertical Datum							
141119	5733	E	515381.534	0.9996015	0.9999986	157834	5734	TERR	270 2 49		532.787	533.001
		N	5434156.728									
		El	28.799	CVD28GVRD2018								
157834	5734	E	514848.747	0.9995992	0.9999965	141119	5733	TERR	90 2 49		532.787	533.001
		N	5434157.164			191999	5114	TERR	269 57 53		325.705	325.835
		El	42.161	CVD28GVRD2018								
7054	5735	E	516133.592	0.9995978	0.9999946		MARKER DESTROYED					
		N	5433349.702									
		El	54.106	CVD28GVRD2018								
934497	5736	E	516134.290	0.9995939	0.9999907		MARKER DESTROYED					
		N	5432542.447									
		El	79.252	CVD28GVRD2018								
259069	5737	E	515680.243	0.9995918	0.9999888		MARKER DESTROYED					
		N	5432548.606									
		El	91.027	CVD28GVRD2018								
120741	5738	E	518545.611	0.9995912	0.9999870		MARKER DESTROYED					
		N	5432565.501									
		El	102.489	1928	Canadian Vertical Datum							
77040	5739	E	518149.419	0.9995904	0.9999863	994244	80H2004	TERR	89 46 19		396.552	396.715
		N	5432563.962			303578	5181	TERR	269 47 16		394.369	394.530
		El	106.772	CVD28GVRD2018								
352625	5740	E	517437.722	0.9995897	0.9999859	303578	5181	TERR	89 17 15		317.356	317.485
		N	5432558.556			735381	5741	TERR	269 18 13		493.491	493.692
		El	109.381	CVD28GVRD2018								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
735381	5741	E 516944.268 N 5432552.558 El 96.206		0.9995915	0.9999880	352625	5740	TERR	89 18 13	493.491	493.692
				CVD28GVRD2018							
972315	5742	E 515331.046 N 5432544.355 El 89.835		0.9995919	0.9999890		MARKER DESTROYED				
				CVD28GVRD2018							
671388	5743	E 514929.531 N 5432545.269 El 96.670		0.9995907	0.9999879		MARKER ISOLATED				
				CVD28GVRD2018							
275263	5744	E 515467.338 N 5433349.785 El 69.059		0.9995952	0.9999922		MARKER DESTROYED				
				CVD28GVRD2018							
968156	5745	E 515333.545 N 5431738.990 El 87.818		0.9995922	0.9999893	908939 825703 313379	5746 8670 5111	TERR TERR TERR	90 7 1 179 48 11 269 57 52	391.174 211.063 803.383	391.333 211.150 803.713
				CVD28GVRD2018							
908939	5746	E 515724.718 N 5431738.192 El 77.007		0.9995941	0.9999910	50617 787424 968156	5747 80H2013 5745	TERR TERR TERR	89 55 20 89 55 51 270 7 1	672.563 412.603 391.174	672.835 412.771 391.333
				CVD28GVRD2018							
50617	5747	E 516397.280 N 5431739.104 El 59.747		0.9995970	0.9999937	203588 787424 908939	5748 80H2013 5746	TERR TERR TERR	89 26 29 269 54 32 269 55 20	1014.496 259.959 672.563	1014.907 260.064 672.835
				CVD28GVRD2018							
203588	5748	E 517411.728 N 5431748.996 El 95.765		0.9995918	0.9999881	261222 50617	5180 5747	TERR TERR	89 29 12 269 26 29	342.280 1014.496	342.419 1014.907
				CVD28GVRD2018							
426056	5749	E 518549.729 N 5431758.403 El 90.654		0.9995931	0.9999889	482679 261222	5118 5180	TERR TERR	89 32 2 269 32 36	791.516 795.760	791.838 796.085
				CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
814921	5750	E 516865.897 N 5430931.401 El 51.190		0.9995986	0.9999951		MARKER DESTROYED				
21188	5751	E 518308.723 N 5430948.050 El 41.203		0.9996007	0.9999966	736702	5103	TERR	89 14 18	239.630	239.726
409771	5752	E 518920.499 N 5430955.934 El 35.777		0.9996019	0.9999975	362152 736702	5104 5103	TERR TERR	89 12 42 269 16 36	427.307 372.197	427.477 372.345
698159	5753	E 519542.266 N 5430957.793 El 35.098		0.9996023	0.9999976		MARKER DESTROYED				
48249	5754	E 517754.020 N 5431465.403 El 82.851		0.9995940	0.9999901	483248 261222	5179 5180	TERR TERR	180 15 1 359 59 41	1331.039 286.659	1331.572 286.776
695254	5756	E 516140.819 N 5430528.976 El 58.751		0.9995971	0.9999939	907279 112110	5757 88H3908	TERR TERR	179 58 23 270 5 8	465.448 401.165	465.635 401.328
907279	5757	E 516141.038 N 5430063.528 El 52.181		0.9995981	0.9999949	878314 695254	5870 5756	TERR TERR	180 2 18 359 58 23	339.900 465.448	340.036 465.635
983270	5759	E 516945.365 N 5429726.164 El 40.274		0.9996003	0.9999968	752493 251710 878314	80H2010 5760 5870	TERR TERR TERR	0 6 9 179 52 59 269 49 10	522.622 193.210 804.559	522.831 193.288 804.881
251710	5760	E 516945.759 N 5429532.954 El 36.210		0.9996009	0.9999974	577171 983270	5761 5759	TERR TERR	179 43 55 359 52 59	209.614 193.210	209.698 193.288

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid		Ground Distance Metres
-----	-----	Coordinates				-----	-----		Bearing			Distance		
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				Metres		
577171	5761	E	516946.740	0.9996031	0.9999995		301838	5762	TERR	89	44	36	366.966	367.112
		N	5429323.342				121954	80H2037	TERR	269	53	2	534.840	535.052
		El	22.687	CVD28GVRD2018		251710	5760	TERR	359	43	55	209.614	209.698	
301838	5762	E	517313.702	0.9996026	0.9999989		29389	8708	TERR	89	5	27	433.926	434.098
		N	5429324.986				577171	5761	TERR	269	44	36	366.966	367.112
		El	26.536	CVD28GVRD2018										
753939	5763	E	516215.909	0.9995959	0.9999927		MARKER DESTROYED							
		N	5448835.445											
		El	65.627	CVD28GVRD2018										
36707	5764	E	522961.095	0.9996059	0.9999994		179200	5084	TERR	270	17	30	424.555	424.722
		N	5439873.687											
		El	23.171	CVD28GVRD2018										
37549	5765	E	511098.878	0.9995916	0.9999901		MARKER DESTROYED							
		N	5447977.414											
		El	82.168	1928 Canadian Vertical Datum										
230987	5766	E	507244.283	0.9996021	1.0000015		MARKER ISOLATED							
		N	5447998.850											
		El	9.817	CVD28GVRD2018										
428664	5770	E	511207.958	0.9995912	0.9999897		251272	5359	TERR	270	41	58	341.707	341.846
		N	5449574.901											
		El	84.984	CVD28GVRD2018										
463638	5773	E	521756.736	0.9996078	1.0000020		291302	88H4592	GPS	110	25	25	2261.637	2262.531
		N	5444776.590				377754	5680	TERR	179	27	47	820.718	821.041
		El	6.097	CVD28GVRD2018		87486	5669	TERR	253	3	52	830.086	830.411	
						721050	5672	GPS	315	13	36	1158.102	1158.556	
						397893	5670	GPS	318	42	19	419.609	419.773	
						696088	5956	GPS	341	34	4	868.627	868.968	
242107	5774	E	512688.137	0.9995889	0.9999869		256123	5201	TERR	92	5	29	200.979	201.062
		N	5448769.522				336313	5526	TERR	180	10	49	486.412	486.612
		El	102.360	CVD28GVRD2018		791830	8663	TERR	180	10	50	217.965	218.052	

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM			Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs.	UTM Grid	UTM Grid	Ground
GCM-NO	TABLET MARKING	Coordinates					GCM-NO	TABLET MARKING	Type	Bearing	Distance	Distance
		Metres		Combined	Ellipsoidal						Metres	Metres
910315	5775	E N El	512286.312 5448765.749 106.293	0.9995882	0.9999863			MARKER DESTROYED				
325126	5776	E N El	510467.592 5450388.928 40.374	0.9995980	0.9999966			MARKER DESTROYED				
529388	5777	E N El	509862.275 5449186.629 87.896	0.9995904	0.9999892	889436		5334	TERR	359 53 56	87.307	87.343
971887	5778	E N El	509634.656 5447461.565 82.890	0.9995911	0.9999900	876623 413872 985606 243121 202697 426981 611178 737213 770800 668459 557041 443200		8660 5331 86H1304 92H0887 NO MARKING 92H0886 92H0885 92H0877 5296 5373 8658 5310	TERR TERR GPS GPS GPS GPS GPS GPS GPS GPS TERR TERR	1 12 27 1 12 29 67 33 2 72 21 57 92 59 10 102 3 47 123 4 11 209 28 11 259 39 10 267 40 36 269 50 29 269 50 31	110.616 256.668 3986.004 1692.562 2749.063 1661.988 1926.936 2117.440 1711.909 2438.211 207.486 408.570	110.661 256.773 3987.640 1693.252 2750.186 1662.664 1927.719 2118.307 1712.611 2439.208 207.571 408.737
954263	5779	E N El	510152.030 5449583.973 77.925	0.9995920	0.9999908			MARKER DESTROYED				
101741	5780	E N El	510366.992 5450391.414 42.406	0.9995977	0.9999963	28019		5405	TERR	269 53 18	189.517	189.594
927319	5781	E N El	511399.334 5449706.519 93.421	0.9995899	0.9999883			MARKER DESTROYED				
146654	5782	E N El	512608.304 5450701.001 88.699	0.9995910	0.9999891	767293 314948		5406 5407	TERR TERR	50 34 3 230 34 13	174.126 182.866	174.197 182.941

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
141382	5783	E	511851.386	0.9995893	0.9999876		590224	5386	TERR	140 32 33	131.387	131.441
		N	5450247.617				634055	5392	TERR	320 32 43	176.093	176.165
		El	98.256	CVD28GVRD2018								
426031	5784	E	511975.033	0.9995880	0.9999863		861658	5062	TERR	89 57 55	110.543	110.589
		N	5449574.504				468744	5061	TERR	269 57 38	291.337	291.457
		El	106.689	CVD28GVRD2018			293126	5383	TERR	359 10 45	408.131	408.299
166033	5785	E	512571.532	0.9995983	0.9999964				MARKER DESTROYED			
		N	5451217.087									
		El	41.858	1928 Canadian Vertical Datum								
328260	5786	E	511270.641	0.9995935	0.9999919				MARKER DESTROYED			
		N	5447393.103									
		El	70.592	1928 Canadian Vertical Datum								
681049	5787	E	509656.565	0.9996036	1.0000025				MARKER DESTROYED			
		N	5450391.544									
		El	3.103	1928 Canadian Vertical Datum								
618835	5788	E	510865.953	0.9995920	0.9999905				MARKER DESTROYED			
		N	5449290.454									
		El	79.470	1928 Canadian Vertical Datum								
623256	5789	E	513462.647	0.9995922	0.9999899		144808	5207	TERR	89 51 36	185.473	185.548
		N	5450286.667									
		El	83.212	CVD28GVRD2018								
309013	5790	E	513507.056	0.9995906	0.9999883		332049	5206	TERR	90 4 38	145.460	145.520
		N	5449976.568				192674	5205	TERR	269 59 5	254.975	255.079
		El	93.544	CVD28GVRD2018								
60426	5791	E	510458.586	0.9995896	0.9999883				MARKER ISOLATED			
		N	5448510.256									
		El	93.924	CVD28GVRD2018								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
458588	5792	E 513366.587 N 5447137.136 El 95.296	1928 Canadian Vertical Datum	0.9995903	0.9999881		MARKER DESTROYED				
243717	5793	E 512624.146 N 5447144.504 El 88.133	1928 Canadian Vertical Datum	0.9995911	0.9999892		MARKER DESTROYED				
46532	5794	E 512890.416 N 5449034.104 El 106.397	CVD28GVRD2018	0.9995884	0.9999863	429050 256123	5209 5201	TERR TERR	0 13 34 180 18 8	133.353 271.920	133.408 272.032
925917	5795	E 507196.293 N 5447464.730 El 68.563	CVD28GVRD2018	0.9995929	0.9999923		MARKER DESTROYED				
16931	5796	E 508838.699 N 5449986.146 El 1.926	1928 Canadian Vertical Datum	0.9996036	1.0000027		MARKER DESTROYED				
727271	5797	E 508209.229 N 5447957.848 El 63.560	1928 Canadian Vertical Datum	0.9995939	0.9999930		MARKER DESTROYED				
444885	5798	E 509411.150 N 5448779.146 El 83.220	CVD28GVRD2018	0.9995910	0.9999899	744094 730119 260794 629824	80H2043 80H2082 5891 5355	TERR TERR TERR TERR	85 16 23 272 25 35 357 42 38 359 27 31	71.182 228.289 91.773 254.527	71.212 228.381 91.811 254.631
32128	5799	E 508925.165 N 5447976.560 El 68.416	CVD28GVRD2018	0.9995933	0.9999923	362699 543934	5305 5306	TERR TERR	90 42 14 267 15 7	391.529 216.374	391.689 216.461
528992	5800	E 508207.145 N 5447758.477 El 75.118	CVD28GVRD2018	0.9995921	0.9999912	320226 487454 622860 704361	80H2042 5302 8725 5504	TERR TERR TERR TERR	1 17 51 90 9 31 270 12 33 271 5 3	202.281 99.989 190.031 518.596	202.363 100.030 190.109 518.807

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----		Bearing				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
676601	5801	E	508002.799	0.9995948	0.9999940		MARKER DESTROYED						
		N	5447923.553										
		El	57.131	CVD28GVRD2018									
502088	5802	E	518517.830	0.9996069	1.0000027		MARKER DESTROYED						
		N	5445577.124										
		El	1.800	CVD28GVRD2018									
652453	5803	E	510681.893	0.9995907	0.9999893		MARKER DESTROYED						
		N	5448771.611										
		El	87.395	1928 Canadian Vertical Datum									
423566	5804	E	511280.886	0.9995918	0.9999902		MARKER DESTROYED						
		N	5448754.177										
		El	81.552	1928 Canadian Vertical Datum									
125260	5805	E	509233.693	0.9995906	0.9999896	671719	5226	TERR	359 32 35		449.885	450.069	
		N	5441901.222										
		El	85.757	CVD28GVRD2018									
999623	5806	E	508824.304	0.9995911	0.9999901	768879	5443	TERR	179 17 32		361.768	361.915	
		N	5441903.892			30064	5227	TERR	359 17 30		449.319	449.503	
		El	82.469	CVD28GVRD2018									
591560	5807	E	509236.533	0.9995904	0.9999894		MARKER DESTROYED						
		N	5441539.242										
		El	87.206	1928 Canadian Vertical Datum									
303545	5808	E	518529.548	0.9996064	1.0000022		MARKER DESTROYED						
		N	5446395.914										
		El	4.886	1928 Canadian Vertical Datum									
436204	5809	E	517760.046	0.9995975	0.9999936	166	5183	TERR	0 15 3		530.249	530.461	
		N	5433658.213			505818	8786	GPS	71 36 38		1643.724	1644.377	
		El	60.362	CVD28GVRD2018		8094	84H0567	GPS	91 47 25		1568.748	1569.375	
						482679	5118	GPS	140 8 4		2466.771	2467.768	
						478065	5182	TERR	180 15 53		282.544	282.658	

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
89763	5810	E 517757.383 N 5433094.091 El 97.266		0.9995917	0.9999878	478065 303578	5182 5181	TERR TERR	0 16 35 180 15 4	281.584 531.594	281.699 531.812
				CVD28GVRD2018							
748251	5811	E 520943.043 N 5432284.626 El 49.638		0.9996007	0.9999953	839837 802926	5172 5171	TERR TERR	179 30 29 359 49 20	512.094 289.315	512.298 289.431
				CVD28GVRD2018							
98509	5812	E 517272.930 N 5445583.615 El 35.077		0.9996012	0.9999975						
				CVD28GVRD2018			MARKER DESTROYED				
967398	5813	E 522554.980 N 5443476.904 El 59.049		0.9996000	0.9999937	702829 565457	5161 5160	TERR TERR	179 54 49 359 54 56	310.660 496.713	310.785 496.911
				CVD28GVRD2018							
589952	5814	E 517761.296 N 5435002.539 El .930		0.9996068	1.0000029						
				1928 Canadian Vertical Datum			MARKER DESTROYED				
493445	5815	E 519359.406 N 5429341.941 El 13.701		0.9996055	1.0000009						
				1928 Canadian Vertical Datum			MARKER DESTROYED				
774166	5816	E 522555.928 N 5442708.188 El 82.820		0.9995963	0.9999900	702829	5161	TERR	359 56 24	458.056	458.241
				CVD28GVRD2018							
704247	5817	E 520145.646 N 5445585.660 El 1.378		0.9996078	1.0000028	721050	5672	TERR	89 3 33	795.541	795.854
				CVD28GVRD2018							
120097	5818	E 515908.747 N 5447144.412 El 71.841		0.9995948	0.9999917						
				CVD28GVRD2018			MARKER DESTROYED				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
605592	5819	E 516123.621 N 5447356.437 El 63.380		0.9995962	0.9999931	260125 558494 63867	79H0021 5275 5068	TERR TERR TERR	0 56 35 0 58 1 180 58 5	200.683 411.674 211.237	200.764 411.839 211.323
843276	5820	E 520971.449 N 5439337.576 El 55.677		0.9995997	0.9999943		MARKER ISOLATED				
830679	5821	E 511524.631 N 5448812.408 El 92.264		0.9995902	0.9999885	593194	5363	TERR	345 22 21	171.776	171.846
745091	5822	E 519341.117 N 5438259.242 El 1.402		0.9996074	1.0000028		MARKER DESTROYED				
26658	5823	E 520144.839 N 5438250.638 El 3.063		0.9996075	1.0000025		MARKER DESTROYED				
831347	5824	E 520159.273 N 5437284.470 El 2.277		0.9996077	1.0000027		MARKER DESTROYED				
276089	5825	E 513296.878 N 5448761.523 El 107.409		0.9995883	0.9999861	441758 256123	8638 5201	TERR TERR	90 9 42 270 5 36	169.776 407.897	169.845 408.064
579557	5826	E 511684.666 N 5440703.955 El 34.293		0.9995993	0.9999977		MARKER DESTROYED				
933507	5827	E 519684.425 N 5439473.141 El 5.863		0.9996069	1.0000021	754838 560334 604330	5839 5164 5837	TERR TERR TERR	89 47 25 269 49 32 359 42 11	248.556 330.979 408.868	248.654 331.109 409.027

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
578344	5828	E N El	519114.206 5439473.434 2.188	0.9996072	1.0000027		MARKER DESTROYED				
296368	5829	E N El	518782.792 5439474.761 6.972	0.9996063	1.0000019	575118	5718	TERR	270 14 40	249.205	249.304
840116	5830	E N El	518874.527 5439671.778 8.780	0.9996060	1.0000017	873646 51466	80H2008 5832	TERR TERR	90 3 29 359 40 19	238.159 211.466	238.253 211.549
279893	5831	E N El	519114.374 5439671.421 5.389	0.9996067	1.0000022		MARKER DESTROYED				
51466	5832	E N El	518873.316 5439883.240 13.612	0.9996053	1.0000009	840116 434712	5830 8609	TERR TERR	179 40 19 270 8 31	211.466 186.959	211.549 187.032
212456	5833	E N El	517762.680 5439406.509 10.424	0.9996053	1.0000014		MARKER DESTROYED				
104992	5834	E N El	520154.289 5440694.294 35.761	0.9996024	0.9999974	738260	5835	TERR	179 50 48	223.870	223.959
738260	5835	E N El	520154.888 5440470.425 38.882	0.9996019	0.9999969	128694 104992	5836 5834	TERR TERR	179 50 4 359 50 48	367.111 223.870	367.257 223.959
128694	5836	E N El	520155.948 5440103.316 37.747	0.9996021	0.9999971	570572 738260	5081 5835	TERR TERR	179 49 11 359 50 4	222.391 367.111	222.479 367.257

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
604330	5837	E 519682.305 N 5439882.003 El 7.348		0.9996066	1.0000019	784165 933507	5838 5827	TERR TERR	90 7 50 179 42 11	248.238 408.868	248.335 409.027
				CVD28GVRD2018							
784165	5838	E 519930.542 N 5439881.437 El 15.858		0.9996054	1.0000005	42242 754838 604330	8610 5839 5837	TERR TERR TERR	90 16 17 179 39 26 270 7 50	116.930 407.393 248.238	116.976 407.553 248.335
754838	5839	E 519932.979 N 5439474.051 El 7.300		0.9996068	1.0000019	671859 933507 784165	5719 5827 5838	TERR TERR TERR	89 54 54 269 47 25 359 39 26	224.136 248.556 407.393	224.224 248.654 407.553
722025	5840	E 520559.163 N 5439472.357 El 48.547		0.9996006	0.9999954	344507 921403	5944 5950	TERR TERR	0 45 51 270 20 48	177.803 127.929	177.874 127.980
516229	5842	E 509643.269 N 5440706.245 El 99.228		0.9995886	0.9999875	MARKER DESTROYED					
				1928 Canadian Vertical Datum							
6585	5843	E 509642.965 N 5441965.203 El 86.664		0.9995906	0.9999894	722397 13227	5047 81H4521	TERR TERR	179 36 13 359 35 13	428.901 382.865	429.077 383.022
				CVD28GVRD2018							
785725	5844	E 509637.201 N 5442755.236 El 88.041		0.9995904	0.9999892	263079 13227	80H2024 81H4521	TERR TERR	93 9 33 179 34 39	406.832 407.189	406.999 407.355
				CVD28GVRD2018							
707570	5845	E 509631.249 N 5443553.528 El 82.435		0.9995912	0.9999901	908012 655696	80H2027 5049	TERR TERR	90 27 29 359 33 34	286.259 380.732	286.376 380.888
				CVD28GVRD2018							
595777	5846	E 510464.857 N 5441162.752 El 79.507		0.9995919	0.9999906	MARKER DESTROYED					
				1928 Canadian Vertical Datum							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
926089	5847	E 510866.267 N 5441165.445 El 66.784		0.9995940	0.9999926	494252 298117 152694	80H2081 5447 5446	TERR TERR TERR	89 24 48 179 14 53 359 23 30	416.668 468.019 342.929	416.837 468.209 343.068
608554	5848	E 519931.423 N 5448771.769 El 3.173		0.9996073	1.0000025		MARKER DESTROYED				
111716	5849	E 516131.655 N 5448987.368 El 66.549		0.9995957	0.9999925		MARKER DESTROYED				
891895	5850	E 509420.260 N 5443541.086 El 84.607		0.9995909	0.9999898	367391 662049	5917 5921	TERR TERR	0 24 60 269 2 21	398.985 95.949	399.148 95.987
512228	5851	E 519065.022 N 5447971.323 El 62.278		0.9995977	0.9999932		MARKER DESTROYED				
370809	5852	E 514485.954 N 5446383.526 El 92.556		0.9995911	0.9999885	688044 663989 173922	5853 5867 8775	TERR TERR TERR	1 12 31 89 38 58 270 39 24	375.170 408.440 410.640	375.323 408.607 410.808
688044	5853	E 514493.868 N 5446758.612 El 93.894		0.9995909	0.9999883	228619 370809 54619	5066 5852 79H0032	TERR TERR TERR	1 12 25 181 12 31 270 28 18	375.184 375.170 401.559	375.338 375.323 401.723
78816	5854	E 518698.928 N 5447974.788 El 65.051		0.9995971	0.9999928	796326	5708	TERR	269 18 51	282.743	282.857
5181	5855	E 513300.912 N 5444488.825 El 37.518		0.9995993	0.9999971		MARKER DESTROYED				
					1928 Canadian Vertical Datum						

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid		UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----		Bearing			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
642710	5856	E	514216.055	0.9995958	0.9999933	898189	5030	TERR	89 46 32		263.299	263.406
		N	5444763.966									
		El	61.771	CVD28GVRD2018								
422071	5857	E	513995.791	0.9996021	0.9999997		MARKER ISOLATED					
		N	5443155.674									
		El	21.260	CVD28GVRD2018								
956235	5858	E	515619.549	0.9995960	0.9999930		MARKER DESTROYED					
		N	5443957.924									
		El	63.767	1928 Canadian Vertical Datum								
765826	5859	E	515843.803	0.9995933	0.9999902	745927	5271	TERR	90 6 55		281.993	282.108
		N	5444761.897			172833	5262	TERR	270 6 39		539.858	540.078
		El	81.846	CVD28GVRD2018								
433342	5860	E	515029.690	0.9995951	0.9999923	73189	5029	TERR	270 9 10		542.682	542.901
		N	5444360.305									
		El	68.430	CVD28GVRD2018								
929810	5861	E	515312.801	0.9995921	0.9999892		MARKER DESTROYED					
		N	5449995.362									
		El	87.987	1928 Canadian Vertical Datum								
932566	5862	E	518525.733	0.9996020	0.9999978	80176	5072	TERR	359 28 36		343.428	343.566
		N	5446819.008									
		El	33.004	CVD28GVRD2018								
367185	5863	E	519329.799	0.9995999	0.9999953		MARKER DESTROYED					
		N	5446627.533									
		El	48.954	1928 Canadian Vertical Datum								
524116	5864	E	518277.125	0.9996066	1.0000025		MARKER DESTROYED					
		N	5446398.309									
		El	3.127	1928 Canadian Vertical Datum								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
570713	5865	E	520941.437	0.9996081	1.0000027	447771	5169	TERR	5 39 12	197.259	197.335
		N	5437259.585			133967	5955	TERR	180 49 26	667.440	667.702
		El	1.852			435560	86H1266	GPS	209 8 30	1692.858	1693.523
						535096	8606	GPS	236 52 22	1923.758	1924.513
						5702	5121	GPS	276 38 5	1612.358	1612.990
1727	5866	E	520929.015	0.9996077	1.0000023	133967	5955	TERR	0 49 42	195.354	195.431
		N	5436396.880			614040	5875	GPS	110 8 36	1693.049	1693.718
		El	4.784			435560	86H1266	GPS	232 49 10	1019.095	1019.495
						649830	5092	GPS	249 11 54	1736.396	1737.078
663989	5867	E	514894.386	0.9995915	0.9999887	32243	5267	TERR	89 35 13	408.333	408.500
		N	5446386.024			370809	5852	TERR	269 38 58	408.440	408.607
		El	90.965								
161687	5868	E	510681.894	0.9995907	0.9999893						
		N	5448771.611								
		El	87.490								
926154	5869	E	514815.752	0.9995912	0.9999885						
		N	5448766.601								
		El	92.580								
878314	5870	E	516140.810	0.9996004	0.9999972	907279	5757	TERR	0 2 18	339.900	340.036
		N	5429723.628			983270	5759	TERR	89 49 10	804.559	804.881
		El	37.277			323683	5872	TERR	180 6 19	200.255	200.335
						360545					
							WR88008	TERR	269 58 1	200.818	200.898
445338	5871	E	512910.116	0.9995900	0.9999880	510149	5945	TERR	0 4 28	253.118	253.223
		N	5432550.965			237164	8711	TERR	90 10 5	517.224	517.437
		El	96.370			801845	5466	TERR	270 5 40	809.448	809.780
323683	5872	E	516140.442	0.9996028	0.9999996	878314	5870	TERR	0 6 19	200.255	200.335
		N	5429523.373			455196	5873	TERR	180 6 16	200.926	201.006
		El	22.245			896845	WR88007	TERR	269 54 7	200.742	200.822

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid	Ground				
-----	-----	Coordinates				-----	-----		Bearing	Distance	Distance						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				Metres	Metres					
455196	5873	E	516140.076	0.9996058	1.0000026	323683	5872	TERR	0	6	16	200.926	201.006				
		N	5429322.447			782151	80H2067	GPS	20	34	37	5192.868	5194.916				
		El	3.026			904904	NO MARKING	GPS	42	20	59	13166.329	13171.512				
						878538	92H0857	GPS	44	38	37	2282.452	2283.359				
						121954	80H2037	TERR	90	2	23	271.825	271.932				
						976324	92H0924	GPS	108	16	60	2549.321	2550.328				
						576363	8705	GPS	109	0	57	4868.130	4870.070				
						136531	92H0917	GPS	131	37	34	2169.376	2170.232				
						394825	81	GPS	270	27	58	27933.203	27944.263				
						557686	5495	GPS	305	12	59	8786.246	8789.720				
						202903	86H1297	GPS	318	40	45	2435.056	2436.038				
						898734	NO MARKING	GPS	343	2	34	20382.154	20390.364				
						787424	80H2013	GPS	359	56	5	2416.245	2417.209				
		905570	5874			E	522526.656	0.9996022	0.9999959	947986	90H6435	TERR	90	2	8	806.229	806.549
N	5434999.274			101188	5098	TERR	179			25	38	814.605	814.928				
El	45.472			381954	5876	GPS	224			9	57	1136.563	1137.015				
				38133	5095	GPS	269			28	53	1594.313	1594.944				
				614040	5875	TERR	359			25	36	814.610	814.934				
614040	5875	E	522518.506	0.9996027	0.9999964	24430	5725	GPS	2	16	6	1644.043	1644.693				
		N	5435813.843			904904	NO MARKING	GPS	37	33	47	4086.280	4087.895				
		El	42.209			60269	79H9604	GPS	41	48	25	2216.233	2217.110				
						905570	5874	TERR	179	25	36	814.610	814.934				
						336131	NO MARKING	GPS	179	58	50	1535.235	1535.846				
						38133	5095	GPS	242	24	20	1789.676	1790.383				
						1727	5866	GPS	290	8	36	1693.049	1693.718				
						133967	5955	GPS	296	7	52	1767.307	1768.006				
						602961	86H1306	GPS	301	54	50	2793.181	2794.284				
						151852	5167	GPS	331	29	6	3245.740	3247.025				
						203257	92H0916	GPS	347	15	50	3329.946	3331.272				
		381954	5876			E	521734.772	0.9996017	0.9999959	905570	5874	GPS	44	9	57	1136.563	1137.015
						N	5434183.986			101188	5098	TERR	89	56	53	800.029	800.348
El	45.356			38133	5095	GPS	314			56	47	1133.652	1134.100				
270116	5877	E	522550.861	0.9996024	0.9999961	MARKER DESTROYED											
		N	5432577.715														
		El	44.305			CVD28GVRD2018											
217398	5878	E	521741.011	0.9996020	0.9999962	802926	5171	TERR	269	51	45	798.867	799.186				
		N	5432575.856														
		El	43.964			CVD28GVRD2018											

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						Metres	Metres
58636	5879	E	514509.960	0.9995911	0.9999885		525980	5914	TERR	180 11 54		362.114	362.262		
		N	5449930.384			950121	5281	TERR	359 56 42		447.313	447.495			
		E1	92.200	CVD28GVRD2018											
966879	5880	E	509856.395	0.9995906	0.9999894		MARKER DESTROYED								
		N	5448371.668												
		E1	86.935	1928 Canadian Vertical Datum											
465450	5881	E	514495.493	0.9995932	0.9999906	525980	5914	TERR	1 38 42		460.278	460.465			
		N	5449108.184												
		E1	79.128	CVD28GVRD2018											
957910	5882	E	517744.429	0.9996008	0.9999969	764720	5193	TERR	0 30 23		340.914	341.050			
		N	5447643.163		162537	5071	TERR	180 30 24		482.742	482.933				
		E1	38.574	CVD28GVRD2018											
808923	5883	E	517745.813	0.9995979	0.9999940	764720	5193	TERR	179 42 53		327.068	327.199			
		N	5448311.128												
		E1	57.305	CVD28GVRD2018											
745687	5884	E	517744.377	0.9995974	0.9999935		MARKER DESTROYED								
		N	5448595.213												
		E1	60.488	1928 Canadian Vertical Datum											
771212	5885	E	517742.504	0.9995991	0.9999952	417667	5196	TERR	179 52 44		449.291	449.472			
		N	5449234.655		638197	5287	TERR	359 14 32		360.355	360.498				
		E1	49.354	CVD28GVRD2018											
469866	5886	E	517141.635	0.9995957	0.9999921		MARKER DESTROYED								
		N	5448774.598												
		E1	69.208	1928 Canadian Vertical Datum											
271734	5887	E	513141.746	0.9995985	0.9999964	621250	5035	TERR	269 55 14		263.111	263.217			
		N	5444488.603												
		E1	42.183	CVD28GVRD2018											

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs.	UTM Grid	UTM Grid	Ground
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Type	Bearing	Distance Metres	Distance Metres
254078	5888	E N El	516121.896 5449982.149 80.812	0.9995935	0.9999903 CVD28GVRD2018	996579	5278	TERR	179 42 26	402.913	403.078
679076	5889	E N El	515053.321 5450386.274 87.712	0.9995920	0.9999892 1928 Canadian Vertical Datum	MARKER DESTROYED					
540484	5890	E N El	509148.139 5438443.517 33.707	0.9995988	0.9999978 CVD28GVRD2018	439992 754531 640250	5247 5253 5249	TERR TERR TERR	1 15 50 180 57 34 270 25 43	181.800 503.599 139.420	181.873 503.799 139.476
260794	5891	E N El	509407.484 5448870.846 81.302	0.9995913	0.9999902 1928 Canadian Vertical Datum	629824 444885	5355 5798	TERR TERR	0 26 37 177 42 38	162.821 91.773	162.887 91.811
760454	5892	E N El	509628.935 5448866.504 86.207	0.9995906	0.9999895 CVD28GVRD2018	765859 354316	8733 5057	TERR TERR	1 46 29 174 47 54	314.781 92.077	314.910 92.115
254102	5895	E N El	512045.265 5446888.831 72.481	0.9995934	0.9999916 CVD28GVRD2018	MARKER DESTROYED					
214346	5896	E N El	511925.201 5446889.374 67.912	0.9995941	0.9999924 CVD28GVRD2018	886200	5897	TERR	270 15 27	72.559	72.588
886200	5897	E N El	511852.643 5446889.700 66.549	0.9995943	0.9999926 CVD28GVRD2018	214346	5896	TERR	90 15 27	72.559	72.588
502419	5898	E N El	512494.732 5449782.912 108.457	0.9995879	0.9999860 CVD28GVRD2018	640102	5899	TERR	90 25 49	100.432	100.473

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
640102	5899	E 512595.161 N 5449782.158 El 109.399		0.9995878	0.9999858	502419 259192	5898 5381	TERR TERR	270 25 49 359 11 12	100.432 196.176	100.473 196.257
				CVD28GVRD2018							
312827	5900	E 512285.628 N 5448398.277 El 104.555		0.9995885	0.9999866	255802	8652	TERR	180 7 3	248.313	248.415
				CVD28GVRD2018							
637512	5901	E 506682.795 N 5447467.318 El 30.508		0.9995988	0.9999982	471789	5375	TERR	225 1 25	58.182	58.206
				CVD28GVRD2018							
240374	5902	E 506389.841 N 5447256.700 El 6.071		0.9996026	1.0000021		MARKER ISOLATED				
				CVD28GVRD2018							
849828	5903	E 506891.565 N 5447467.847 El 54.312		0.9995951	0.9999945		MARKER DESTROYED				
				1928 Canadian Vertical Datum							
487082	5904	E 508708.700 N 5447757.196 El 81.823		0.9995911	0.9999902	543934 547521 546564 487454	5306 5303 5308 5302	TERR TERR TERR TERR	0 5 36 90 8 7 180 27 30 270 8 36	208.990 124.033 70.376 401.567	209.076 124.083 70.404 401.732
				CVD28GVRD2018							
746610	5905	E 510342.318 N 5448361.814 El 94.799		0.9995895	0.9999881	57349	5906	TERR	300 31 34	299.251	299.374
				CVD28GVRD2018							
57349	5906	E 510084.544 N 5448513.813 El 91.175		0.9995900	0.9999887	746610	5905	TERR	120 31 34	299.251	299.374
				CVD28GVRD2018							
171884	5907	E 509864.331 N 5447967.152 El 83.378		0.9995911	0.9999899	507210 602813	5317 5056	TERR TERR	90 9 29 270 9 33	185.217 220.002	185.292 220.091
				CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
334409	5908	E 510329.732 N 5447965.694 El 100.695		0.9995885	0.9999872	349084 507210	5148 5317	TERR TERR	90 11 36 270 11 37	125.911 280.187	125.962 280.302
				CVD28GVRD2018							
172049	5909	E 510452.928 N 5447860.592 El 94.534		0.9995895	0.9999882	349084 196311	5148 5342	TERR TERR	1 29 7 181 28 57	104.712 300.656	104.755 300.779
				CVD28GVRD2018							
214445	5910	E 511081.142 N 5447644.845 El 82.000		0.9995916	0.9999901						
				1928 Canadian Vertical Datum			MARKER DESTROYED				
972984	5911	E 510614.078 N 5450100.480 El 55.340		0.9995957	0.9999943	471698	5151	TERR	225 13 25	219.606	219.696
				CVD28GVRD2018							
656884	5912	E 511251.909 N 5447646.191 El 77.00		0.9995925	0.9999909						
				(NOT INTEGRATED)			MARKER DESTROYED				
304394	5913	E 508051.723 N 5446007.127 El 104.955		0.9995874	0.9999866						
				CVD28GVRD2018			MARKER DESTROYED				
525980	5914	E 514508.707 N 5449568.272 El 90.311		0.9995914	0.9999888	58636 465450 252551	5879 5881 5282	TERR TERR TERR	0 11 54 181 38 42 269 53 13	362.114 460.278 188.047	362.262 460.465 188.124
				CVD28GVRD2018							
557603	5915	E 509041.867 N 5445976.230 El 85.338		0.9995906	0.9999896						
				CVD28GVRD2018			MARKER ISOLATED				
450528	5916	E 510544.866 N 5445547.687 El 56.254		0.9995956	0.9999942						
				1928 Canadian Vertical Datum			MARKER DESTROYED				

Issued: 2021-MAY-03

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station	Scale	Factor	TO MARKER -----	IDENTIFIERS -----	Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal		GCM-NO	TABLET MARKING			Metres	Metres
367391	5917	E	509423.161	0.9995912	0.9999901	655696	5049	TERR	91 37 21	205.243	205.327
		N	5443940.060			891895	5850	TERR	180 24 60	398.985	399.148
		El	82.265	CVD28GVRD2018		640540	5138	TERR	271 37 23	606.012	606.260
109769	5918	E	511473.382	0.9995896	0.9999880		MARKER DESTROYED				
		N	5449571.464								
		El	95.580	1928 Canadian Vertical Datum							
63222	5919	E	510078.582	0.9995892	0.9999879	961201	5143	TERR	89 10 24	382.563	382.720
		N	5439899.240			55673	5044	TERR	269 10 22	434.263	434.442
		El	96.607	CVD28GVRD2018							
320804	5920	E	509446.451	0.9995894	0.9999883	55673	5044	TERR	89 55 18	197.913	197.994
		N	5439892.700								
		El	94.130	CVD28GVRD2018							
662049	5921	E	509324.325	0.9995902	0.9999891	891895	5850	TERR	89 2 21	95.949	95.987
		N	5443539.477			114371	8777	TERR	179 49 26	397.322	397.485
		El	88.822	CVD28GVRD2018							
907592	5922	E	510463.372	0.9995892	0.9999879	230417	5571	TERR	0 38 4	189.104	189.182
		N	5440104.234			961201	5143	TERR	180 39 4	199.488	199.569
		El	96.910	CVD28GVRD2018							
752527	5923	E	510455.286	0.9995921	0.9999907	202929	5241	TERR	180 31 2	197.724	197.804
		N	5439288.037								
		El	78.682	CVD28GVRD2018							
48595	5924	E	509327.061	0.9995896	0.9999885		MARKER DESTROYED				
		N	5443142.165								
		El	92.766	1928 Canadian Vertical Datum							
200071	5925	E	510450.820	0.9995913	0.9999900	742700	5141	TERR	179 36 21	298.913	299.035
		N	5442629.097								
		El	83.225	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
393223	5926	E 510443.778 N 5443656.843 El 75.438		0.9995925	0.9999912		MARKER ISOLATED				
582767	5927	E 511064.676 N 5441503.778 El 67.418		0.9995940	0.9999925	152694	5446	TERR	271 17 52	202.102	202.184
111765	5928	E 511865.604 N 5441499.673 El 54.024		0.9995963	0.9999946	197129	5448	TERR	269 54 40	187.994	188.070
330688	5929	E 513839.274 N 5441523.148 El 37.368		0.9995995	0.9999972	256230 964403	5026 5043	TERR TERR	90 7 37 270 3 50	676.467 137.069	676.737 137.124
355388	5930	E 512892.835 N 5439083.250 El 58.622		0.9995959	0.9999939	846626 27888 563304	5705 5623 5622	GPS GPS GPS	77 30 18 125 44 50 158 48 39	2504.304 1263.306 862.940	2505.305 1263.810 863.284
948950	5931	E 511042.039 N 5439109.609 El 80.369		0.9995920	0.9999905	223644	5240	TERR	263 18 36	192.180	192.258
299800	5932	E 513703.742 N 5440136.982 El 52.546		0.9995971	0.9999948	258251 284133	8637 5605	TERR TERR	0 7 24 180 7 25	578.759 237.120	578.991 237.215
183087	5933	E 520973.226 N 5442630.341 El 45.821		0.9996012	0.9999958	65292 614602	5156 8779	TERR TERR	0 7 2 180 7 52	491.652 312.694	491.848 312.819
89649	5934	E 520971.196 N 5441232.994 El 68.740		0.9995976	0.9999922	608562 252833 266809 904904 63446 17830 136820 368530	92H0923 10H2609 92H0922 NO MARKING 5013 10H2578 10H2573 10H2608	GPS GPS GPS GPS TERR GPS GPS GPS	78 29 16 86 24 10 108 4 43 118 21 39 179 44 56 315 0 19 320 17 53 358 34 4	1634.220 784.185 1586.859 4589.282 537.274 2312.859 1259.962 604.090	1634.878 784.500 1587.495 4591.107 537.491 2313.779 1260.466 604.332

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
40378	5935	E N El	521506.515 5439877.520 66.364	0.9995983	0.9999926	888537	5083	TERR	90 31 32	264.267	264.374
579102	5936	E N El	521993.398 5439875.316 57.886	0.9995999	0.9999939	179200 888537	5084 5083	TERR TERR	89 56 38 269 56 36	543.148 222.627	543.364 222.716
863621	5937	E N El	520974.199 5443288.344 25.331	0.9996044	0.9999990	65292 973289	5156 5157	TERR TERR	179 59 18 359 59 19	166.352 649.852	166.418 650.108
839787	5938	E N El	522544.732 5439126.769 13.103	0.9996072	1.0000010	MARKER DESTROYED					
111096	5939	E N El	522539.605 5439484.542 23.429	0.9996056	0.9999993	179200	5084	TERR	359 33 8	391.319	391.474
246934	5940	E N El	522542.340 5438846.265 11.918	0.9996074	1.0000012	410894	5165	TERR	180 28 26	126.077	126.127
834671	5941	E N El	522548.684 5440560.772 55.177	0.9996006	0.9999944	179200	5084	TERR	181 0 55	685.031	685.303
723551	5942	E N El	522551.812 5447009.165 20.199	0.9996061	0.9999998	469650	5674	TERR	179 45 57	373.947	374.095
304451	5943	E N El	520563.559 5439881.669 54.895	0.9995996	0.9999944	344507 570572	5944 5081	TERR TERR	180 30 4 269 53 43	231.534 406.912	231.626 407.074

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
344507	5944	E	520561.534	0.9995997	0.9999945	304451	5943	TERR	0 30 4	231.534	231.626
		N	5439650.144			652842	92H0925	GPS	62 24 21	485.114	485.308
		El	54.264			904904	NO MARKING	GPS	97 38 47	4488.010	4489.791
						15610	13H2688	GPS	143 28 12	708.419	708.702
						722025	5840	TERR	180 45 51	177.803	177.874
						737981	92H0915	GPS	213 35 28	717.648	717.932
						873646	80H2008	GPS	270 50 45	1449.006	1449.581
510149	5945	E	512910.445	0.9995904	0.9999883	445338	5871	TERR	180 4 28	253.118	253.223
		N	5432804.083								
		El	94.204								
310003	5946	E	519395.625	0.9996056	1.0000010	576363	8705	TERR	115 1 32	1486.472	1487.065
		N	5428365.079			709840	84H0576	TERR	343 7 11	178.114	178.184
		El	13.217								
210963	5947	E	519348.368	0.9996058	1.0000012	MARKER DESTROYED					
		N	5440310.438								
		El	11.507								
450908	5948	E	519346.316	0.9996053	1.0000007	MARKER DESTROYED					
		N	5440906.935								
		El	14.50 (APPROX. ONLY)								
655407	5949	E	509841.575	0.9995906	0.9999894	MARKER DESTROYED					
		N	5442346.392								
		El	86.80 (APPROX. ONLY)								
921403	5950	E	520431.236	0.9996018	0.9999967	722025	5840	TERR	90 20 48	127.929	127.980
		N	5439473.131			671859	5719	TERR	270 15 43	274.124	274.233
		El	40.417								
723387	5953	E	524185.821	0.9996036	0.9999964	MARKER DESTROYED					
		N	5437098.521								
		El	42.065								
175885	5954	E	524185.019	0.9996071	0.9999999	MARKER DESTROYED					
		N	5440737.666								
		El	19.632								

1928 Canadian Vertical Datum

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
133967	5955	E	520931.839	0.9996077	1.0000023	570713	5865	TERR	0 49 26	667.440	667.702
		N	5436592.214			614040	5875	GPS	116 7 52	1767.307	1768.006
		El	4.796			1727	5866	TERR	180 49 42	195.354	195.431
						435560	86H1266	GPS	225 7 32	1149.741	1150.192
						535096	8606	GPS	256 31 3	1646.857	1647.504
696088	5956	E	521482.091	0.9996069	1.0000012	228734	5671	TERR	89 54 51	471.521	471.706
		N	5445600.655			291302	88H4592	GPS	123 58 27	2886.945	2888.087
		El	11.331			463638	5773	GPS	161 34 4	868.627	868.968
						377754	5680	GPS	170 15 35	1668.804	1669.460
						397893	5670	GPS	180 15 20	508.808	509.008
						721050	5672	TERR	269 47 44	541.014	541.227
						266148	NO MARKING	GPS	309 13 14	2822.195	2823.319
489179	5958	E	514528.907	0.9995983	0.9999957	MARKER DESTROYED					
		N	5433988.147								
		El	47.039								
723262	5972	E	519859.093	0.9996072	1.0000023	411447	5997	TERR	8 38 43	960.998	961.376
		N	5449462.093			792697	5995	TERR	151 10 14	659.079	659.338
		El	3.962			1928 Canadian Vertical Datum					
736215	5976	E	519241.647	0.9996070	1.0000024	411447	5997	TERR	113 47 44	832.688	833.015
		N	5450748.140			193888	10H2593	GPS	154 43 24	1420.718	1421.276
		El	3.492			638197	5287	GPS	232 31 11	1895.131	1895.881
						898734	NO MARKING	GPS	257 57 30	9249.687	9253.412
						3996	92H0900	GPS	269 14 2	2566.144	2567.163
						970699	10H2594	GPS	328 18 8	1111.467	1111.905
						446229	NO MARKING	TERR	356 47 10	777.754	778.061
792697	5995	E	520176.904	0.9996073	1.0000023	125146	5999	TERR	176 24 23	771.623	771.926
		N	5448884.701			723262	5972	TERR	331 10 14	659.079	659.338
		El	4.300			1928 Canadian Vertical Datum					
703223	677003	E	513311.451	0.9995862	0.9999840	851105	29701	TERR	35 14 45	40356.613	40376.907
		N	5432135.439			904904	NO MARKING	GPS	59 24 10	13590.431	13595.916
		El	121.609			511907	92H0921	GPS	78 46 6	2047.249	2048.091
						202903	86H1297	GPS	128 52 31	1568.139	1568.787
						417725	80H2072	GPS	284 21 31	2499.462	2500.490
						931295	19724	TERR	305 34 39	19389.635	19397.504
						932632	13701	TERR	306 45 22	9657.549	9661.464
						334839	2967	TERR	334 34 56	14311.316	14317.236
						879726	10H2605	GPS	344 17 35	1438.963	1439.551
						400028	NO MARKING	TERR	345 50 48	27218.546	27230.421
						669960	677004	TERR	359 59 3	16870.760	16877.754

Issued: 2021-MAY-03

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

MARKER	IDENTIFIERS	UTM	Station Scale Factor		TO MARKER	IDENTIFIERS	Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates			-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres

MARKER -----	IDENTIFIERS -----		UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs.	UTM Grid			UTM Grid	Ground
GCM-NO	TABLET	MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Type	Bearing			Distance Metres	Distance Metres
20040		6939	E	507990.374	0.9995876	0.9999868		MARKER DESTROYED						
			N	5446006.882										
			El	103.507	1928	Canadian Vertical Datum								
935809		6944	E	507993.847	0.9995880	0.9999872		MARKER DESTROYED						
			N	5446412.075										
			El	100.547	1928	Canadian Vertical Datum								
71787		6963	E	507993.189	0.9995896	0.9999888		MARKER DESTROYED						
			N	5443046.083										
			El	90.823	CVD28GVRD2018									
342816		6964	E	507986.634	0.9995885	0.9999877		MARKER DESTROYED						
			N	5444389.993										
			El	97.506	1928	Canadian Vertical Datum								
58917		6965	E	507987.983	0.9995889	0.9999881		MARKER DESTROYED						
			N	5445202.203										
			El	94.896	1928	Canadian Vertical Datum								
995597		77C056	E	513027.359	0.9996049	1.0000028	904904	NO MARKING	GPS	75	2	10	12402.876	12407.767
			N	5435850.417			465427	13H2672	GPS	109	22	17	1573.440	1574.062
			El	1.838	CVD28GVRD2018		767350	13H2687	GPS	156	6	21	1849.648	1850.385
							4903	92H0897	GPS	235	3	47	2280.593	2281.496
							337592	10H2614	GPS	312	36	48	1822.973	1823.695
							898734	NO MARKING	GPS	347	40	53	13273.633	13278.989
695155		77C060	E	522578.819	0.9996071	1.0000009	675207	10H2610	GPS	52	7	7	789.289	789.599
			N	5447192.264			904904	NO MARKING	GPS	163	22	18	8494.526	8497.865
			El	13.513	CVD28GVRD2018		564955	8799	GPS	225	53	38	595.667	595.901
							898734	NO MARKING	GPS	277	28	53	12489.650	12494.679
							288092	10H2611	GPS	355	17	42	414.230	414.392
							459750	5992	GPS	359	57	26	1040.042	1040.450
567420		77H2729	E	523359.571	0.9996075	1.0000008	2691	77H2730	TERR	89	39	47	406.130	406.290
			N	5447179.988			879080	8800	TERR	269	51	10	210.568	210.650
			El	13.865	CVD28GVRD2018									
411884		77H6867	E	520165.976	0.9996064	1.0000015		MARKER DESTROYED						
			N	5439060.257										
			El	10.00 (APPROX. ONLY)										

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
935643	77H6868	E 509215.916 N 5445563.174 El 83.337		0.9995910	0.9999899		MARKER DESTROYED				
642942	77H6869	E 508811.241 N 5445616.359 El 86.625		0.9995904	0.9999894		MARKER DESTROYED				
785568	77H6870	E 508575.531 N 5445595.688 El 92.287		0.9995895	0.9999885		MARKER DESTROYED				
				1928 Canadian Vertical Datum							
202689	78H8253	E 519338.066 N 5443304.727 El 2.304		0.9996072	1.0000026		MARKER DESTROYED				
765776	78H8254	E 519331.554 N 5442872.880 El 1.173		0.9996074	1.0000028		MARKER DESTROYED				
129593	78H8426	E 510823.632 N 5446363.268 El 63.996		0.9995944	0.9999930	403345 179374 578278 124982	5543 81H4543 8793 80H2080	TERR TERR TERR TERR	89 11 52 178 3 41 270 28 28 359 51 10	878.528 202.564 217.301 441.401	878.884 202.646 217.390 441.580
417246	78H8616	E 520148.105 N 5439082.044 El 6.261		0.9996070	1.0000020		MARKER DESTROYED				
				1928 Canadian Vertical Datum							
512145	79H0001	E 523150.043 N 5447699.944 El 9.093		0.9996081	1.0000015		MARKER DESTROYED				
480608	79H0002	E 514835.847 N 5448755.840 El 91.901		0.9995913	0.9999886		MARKER DESTROYED				

Issued: 2021-MAY-03

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station	Scale	Factor	TO MARKER -----	IDENTIFIERS -----	Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal		GCM-NO	TABLET MARKING			Metres	Metres
157701	79H0003	E N E1 514495.159 5448746.512 89.867	0.9995915	0.9999889			MARKER DESTROYED				
371245	79H0004	E N E1 513690.443 5447537.809 98.812	0.9995898	0.9999875		481663 80283	79H0008 5289	TERR TERR	90 8 47 180 47 16	408.417 404.359	408.584 404.525
702118	79H0005	E N E1 513677.404 5448749.111 98.547	0.9995898	0.9999875			MARKER DESTROYED				
880559	79H0007	E N E1 514494.850 5448465.845 89.865	0.9995915	0.9999889			MARKER DESTROYED				
481663	79H0008	E N E1 514098.859 5447536.766 96.864	0.9995903	0.9999878		698290 407239 904581 597377 371245 898734	10H2601 79H0017 10H2600 10H2582 79H0004 NO MARKING	GPS TERR GPS GPS TERR GPS	58 51 55 89 27 14 97 29 48 258 51 34 270 8 47 288 10 40	2442.110 416.213 2814.067 2093.731 408.417 4108.408	2443.105 416.384 2815.206 2094.585 408.584 4110.096
399659	79H0009	E N E1 514912.892 5447958.317 87.907	0.9995919	0.9999892		564237 419374	79H0011 79H0010	TERR TERR	88 4 34 269 6 2	405.625 414.377	405.790 414.545
419374	79H0010	E N E1 514498.566 5447951.813 89.504	0.9995915	0.9999890		399659 407239 785238 172262	79H0009 79H0017 5536 79H0018	TERR TERR TERR TERR	89 6 2 177 42 12 269 29 44 359 56 34	414.377 411.410 396.610 284.568	414.545 411.578 396.773 284.684
564237	79H0011	E N E1 515318.288 5447971.934 82.083	0.9995930	0.9999901		456939 784959 480236 399659	5198 79H0012 79H0014 79H0009	TERR TERR TERR TERR	0 3 4 89 55 41 180 42 39 268 4 34	804.660 597.567 408.460 405.625	804.988 597.809 408.627 405.790
784959	79H0012	E N E1 515915.854 5447972.684 64.625	0.9995960	0.9999929		806836 564237	79H0022 79H0011	TERR TERR	89 54 42 269 55 41	218.231 597.567	218.319 597.809

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
274217	79H0013	E	515899.044	0.9995955	0.9999924	260125	79H0021	TERR	89 50 51	227.881	227.973
		N	5447556.487			480236	79H0014	TERR	270 41 11	585.866	586.104
		El	67.778								
480236	79H0014	E	515313.220	0.9995929	0.9999900	564237	79H0011	TERR	0 42 39	408.460	408.627
		N	5447563.505			274217	79H0013	TERR	90 41 11	585.866	586.104
		El	82.967			736470	5067	TERR	180 40 51	421.455	421.626
						742841	79H0016	TERR	269 22 0	404.129	404.294
414532	79H0015	E	514905.162	0.9995917	0.9999890	MARKER DESTROYED					
		N	5447138.235								
		El	89.262								
742841	79H0016	E	514909.116	0.9995917	0.9999889	480236	79H0014	TERR	89 22 0	404.129	404.294
		N	5447559.038								
		El	89.626								
407239	79H0017	E	514515.053	0.9995912	0.9999886	228619	5066	TERR	181 52 8	407.238	407.404
		N	5447540.734			481663	79H0008	TERR	269 27 14	416.213	416.384
		El	91.806			419374	79H0010	TERR	357 42 12	411.410	411.578
172262	79H0018	E	514498.282	0.9995914	0.9999888	419374	79H0010	TERR	179 56 34	284.568	284.684
		N	5448236.381								
		El	90.590								
530386	79H0019	E	516142.784	0.9995966	0.9999934	MARKER DESTROYED					
		N	5448768.790								
		El	60.986								
365114	79H0020	E	513678.163	0.9995907	0.9999884	80283	5289	TERR	0 59 33	387.941	388.100
		N	5446745.605			54619	79H0032	TERR	87 44 40	414.481	414.651
		El	93.440			472969	5553	TERR	179 15 24	361.866	362.015
260125	79H0021	E	516126.924	0.9995972	0.9999940	558494	5275	TERR	0 59 24	210.991	211.075
		N	5447557.093			605592	5819	TERR	180 56 35	200.683	200.764
		El	57.355			274217	79H0013	TERR	269 50 51	227.881	227.973

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
806836	79H0022	E	516134.085	0.9995981	0.9999949	558494	5275	TERR	180 58 58	204.998	205.081
		N	5447973.020			784959	79H0012	TERR	269 54 42	218.231	218.319
		El	51.744	CVD28GVRD2018		342766	5276	TERR	359 38 50	299.391	299.512
727362	79H0023	E	514905.086	0.9995918	0.9999891		MARKER DESTROYED				
		N	5448454.089								
		El	88.532	CVD28GVRD2018							
718296	79H0024	E	514112.730	0.9995910	0.9999885	785238	5536	TERR	181 36 39	382.711	382.868
		N	5448330.881			342428	5532	TERR	358 47 0	429.037	429.212
		El	92.138	CVD28GVRD2018							
757286	79H0025	E	513299.430	0.9996026	1.0000005	258251	8637	TERR	89 49 45	405.561	405.723
		N	5440714.531								
		El	16.437	CVD28GVRD2018							
878785	79H0026	E	510015.188	0.9995942	0.9999930	801498	8720	TERR	90 40 50	416.683	416.852
		N	5445550.668			717728	5053	TERR	267 52 58	393.982	394.143
		El	63.890	CVD28GVRD2018							
391003	79H0027	E	515328.074	0.9996058	1.0000029	327841	5089	GPS	89 18 12	1614.959	1615.596
		N	5435774.199			779223	5088	GPS	89 54 32	805.855	806.172
		El	1.083	CVD28GVRD2018		953570	5115	GPS	224 50 10	1142.616	1143.071
						780643	5024	TERR	269 51 42	806.869	807.188
554584	79H0028	E	510422.994	0.9995947	0.9999933	801498	8720	TERR	178 42 15	391.287	391.445
		N	5445936.905			939983	80H2036	TERR	280 46 24	149.292	149.353
		El	61.817	CVD28GVRD2018							
179721	79H0029	E	511261.127	0.9995944	0.9999929		MARKER DESTROYED				
		N	5447158.215								
		El	64.536	1928 Canadian Vertical Datum							
902486	79H0030	E	511262.380	0.9995924	0.9999908		MARKER DESTROYED				
		N	5447646.708								
		El	77.650	1928 Canadian Vertical Datum							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
784074	79H0031	E 510852.367 N 5443132.450 El 78.222		0.9995922	0.9999908		MARKER ISOLATED				
54619	79H0032	E 514092.323 N 5446761.917 El 95.902		0.9995904	0.9999880	596494 688044 365114	5288 5853 79H0020	TERR TERR TERR	0 9 18 90 28 18 267 44 40	371.811 401.559 414.481	371.964 401.723 414.651
222943	79H0033	E 510470.106 N 5440694.908 El 85.262		0.9995910	0.9999897	298117 230417 879650	5447 5571 5003	TERR TERR TERR	89 38 9 180 39 43 270 47 33	402.311 401.609 660.110	402.475 401.773 660.382
374363	79H0034	E 518552.530 N 5428104.492 El 16.952		0.9996047	1.0000004		MARKER DESTROYED				
409300	79H0035	E 511264.163 N 5440575.875 El 53.892		0.9995962	0.9999946		MARKER DESTROYED				
395418	80H2002	E 519785.200 N 5429343.844 El 12.513		0.9996059	1.0000011	867986 851600	8739 84H0574	TERR TERR	89 9 1 268 51 46	521.983 438.883	522.189 439.056
994244	80H2004	E 518545.968 N 5432565.540 El 102.840		0.9995912	0.9999870	556571 77040	84H0569 5739	TERR TERR	89 47 8 269 46 19	788.384 396.552	788.704 396.715
339176	80H2005	E 520139.665 N 5432571.292 El 65.038		0.9995979	0.9999929	495333 308353	8618 80H2006	TERR TERR	89 49 4 269 47 55	290.785 494.683	290.902 494.882
308353	80H2006	E 519644.985 N 5432569.553 El 77.081		0.9995957	0.9999910	339176 556571	80H2005 84H0569	TERR TERR	89 47 55 269 48 14	494.683 310.641	494.882 310.767

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----		Bearing				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
664797	80H2007	E	519107.937	0.9996070	1.0000025		MARKER DESTROYED						
		N	5439474.452										
		El	3.104	CVD28GVRD2018									
873646	80H2008	E	519112.686	0.9996066	1.0000022	608869	92H0926	GPS	11	27	1	1058.699	1059.117
		N	5439671.537			344507	5944	GPS	90	50	45	1449.006	1449.581
		El	5.575	CVD28GVRD2018		904904	NO MARKING	GPS	95	59	18	5929.305	5931.637
						15610	13H2688	GPS	107	31	27	1961.565	1962.341
						737981	92H0915	GPS	120	29	8	1220.530	1221.009
						602961	86H1306	GPS	156	30	36	2596.254	2597.273
						813808	92H0914	GPS	159	24	55	675.046	675.311
						286757	13H2684	GPS	226	35	38	852.616	852.952
						840116	5830	TERR	270	3	29	238.159	238.253
83378	80H2009	E	518543.331	0.9996041	0.9999999		MARKER DESTROYED						
		N	5440147.710										
		El	20.037	CVD28GVRD2018									
752493	80H2010	E	516946.299	0.9996004	0.9999968	983270	5759	TERR	180	6	9	522.622	522.831
		N	5430248.785										
		El	39.809	CVD28GVRD2018									
883579	80H2011	E	516708.230	0.9995999	0.9999965		MARKER DESTROYED						
		N	5430532.240										
		El	42.299	CVD28GVRD2018									
745232	80H2012	E	516140.326	0.9995960	0.9999928		MARKER DESTROYED						
		N	5431227.091										
		El	65.337	CVD28GVRD2018									
787424	80H2013	E	516137.321	0.9995960	0.9999928	782151	80H2067	GPS	36	46	41	3052.985	3054.203
		N	5431738.690			904904	NO MARKING	GPS	50	29	53	11498.552	11503.136
		El	65.632	CVD28GVRD2018		50617	5747	TERR	89	54	32	259.959	260.064
						576363	8705	GPS	130	59	38	6101.431	6103.892
						976324	92H0924	GPS	143	0	2	4026.842	4028.452
						455196	5873	GPS	179	56	5	2416.245	2417.209
						202903	86H1297	GPS	249	53	50	1709.180	1709.878
						908939	5746	TERR	269	55	51	412.603	412.771
						511907	92H0921	GPS	314	12	26	1140.908	1141.372

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
753780	80H2015	E 512963.376 N 5434870.953 El 11.874		0.9996033	1.0000012		MARKER DESTROYED				
67587	80H2017	E 512492.642 N 5439903.438 El 70.053		0.9995940	0.9999921		MARKER DESTROYED				
10207	80H2018	E 512490.476 N 5441113.699 El 23.306		0.9996013	0.9999994	368571 719047	80H2020 8747	TERR TERR	89 51 4 359 31 23	401.794 385.893	401.955 386.048
366054	80H2019	E 512491.388 N 5440710.504 El 23.916		0.9996012	0.9999993		MARKER DESTROYED				
368571	80H2020	E 512892.269 N 5441114.744 El 20.239		0.9996019	0.9999999	10207 130336	80H2018 5040	TERR TERR	269 51 4 359 50 29	401.794 384.781	401.955 384.935
232918	80H2021	E 513703.408 N 5441126.018 El 17.474		0.9996026	1.0000003	258251 964403	8637 5043	TERR TERR	179 46 45 359 49 35	410.281 397.285	410.443 397.444
236547	80H2022	E 514110.282 N 5440711.997 El 12.102		0.9996036	1.0000011	258251	8637	TERR	270 31 45	405.310	405.471
323808	80H2023	E 509691.002 N 5432552.313 El 64.046		0.9995942	0.9999931	273763 942771 324061 179465	5479 8626 5490 5482	TERR TERR TERR TERR	0 3 54 89 56 36 180 12 16 270 3 38	403.185 289.623 360.476 662.205	403.349 289.741 360.623 662.474
263079	80H2024	E 510043.415 N 5442732.816 El 85.324		0.9995909	0.9999897	476424 785725	5225 5844	TERR TERR	179 32 57 273 9 33	393.188 406.832	393.349 406.999

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
960997	80H2025	E N El	509982.419 5443147.423 85.260	0.9995909	0.9999897		MARKER DESTROYED				
559146	80H2026	E N El	509990.282 5443381.502 84.609	0.9995910	0.9999898	908012	80H2027	TERR	336 47 26	184.685	184.760
908012	80H2027	E N El	509917.499 5443551.240 83.552	0.9995911	0.9999899	559146 707570	80H2026 5845	TERR TERR	156 47 26 270 27 29	184.685 286.259	184.760 286.376
62307	80H2028	E N El	510850.584 5443630.237 70.955	0.9995933	0.9999919	469395	80H2087	TERR	90 19 41	416.055	416.224
579029	80H2029	E N El	508415.621 5443267.836 89.991	0.9995898	0.9999889		MARKER DESTROYED				
220467	80H2030	E N El	516996.156 5440704.557 26.121	0.9996025	0.9999989	24588 693002 534685	5078 8602 5153	GPS GPS GPS	136 59 55 144 59 11 270 6 29	1121.633 1334.785 867.769	1122.078 1335.314 868.112
27789	80H2031	E N El	509394.472 5445963.826 80.632	0.9995915	0.9999904		MARKER DESTROYED				
950477	80H2032	E N El	509628.271 5446058.071 78.259	0.9995919	0.9999907	717728	5053	TERR	180 44 45	522.003	522.216
820803	80H2033	E N El	511269.937 5450557.317 61.283	0.9995949	0.9999934		MARKER DESTROYED				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
188375	80H2034	E 510035.872 N 5445809.287 El 64.282		0.9995942	0.9999929	870287	80H2035	TERR	36 35 0	140.649	140.707
					CVD28GVRD2018						
870287	80H2035	E 510119.698 N 5445922.227 El 63.489		0.9995943	0.9999931	939983 188375	80H2036 80H2034	TERR TERR	74 47 27 216 35 0	162.320 140.649	162.387 140.707
					CVD28GVRD2018						
939983	80H2036	E 510276.333 N 5445964.811 El 62.707		0.9995945	0.9999932	554584 870287	79H0028 80H2035	TERR TERR	100 46 24 254 47 27	149.292 162.320	149.353 162.387
					CVD28GVRD2018						
121954	80H2037	E 516411.901 N 5429322.259 El 13.477		0.9996043	1.0000010	577171 455196	5761 5873	TERR TERR	89 53 2 270 2 23	534.840 271.825	535.052 271.932
					CVD28GVRD2018						
491977	80H2038	E 512882.654 N 5445018.675 El 49.397		0.9995973	0.9999953	891424 341784	80H2039 5034	TERR TERR	90 51 59 180 31 59	378.434 259.009	378.587 259.114
					CVD28GVRD2018						
891424	80H2039	E 513261.045 N 5445012.953 El 50.024		0.9995973	0.9999952	491977	80H2038	TERR	270 51 59	378.434	378.587
					CVD28GVRD2018						
771477	80H2040	E 506499.186 N 5447395.348 El 11.393		0.9996017	1.0000012		MARKER DESTROYED				
					CVD28GVRD2018						
3087	80H2041	E 518802.772 N 5440143.100 El 17.830		0.9996046	1.0000002		MARKER DESTROYED				
					CVD28GVRD2018						
320226	80H2042	E 508211.725 N 5447960.706 El 63.762		0.9995938	0.9999930	156620 528992	5307 5800	TERR TERR	89 8 34 181 17 51	196.273 202.281	196.353 202.363
					CVD28GVRD2018						

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
744094	80H2043	E 509482.090 N 5448785.012 El 89.242		0.9995901	0.9999890	354316 444885	5057 5798	TERR TERR	93 45 45 265 16 23	155.528 71.182	155.592 71.212
				CVD28GVRD2018							
898908	80H2044	E 509823.996 N 5448767.213 El 93.667		0.9995895	0.9999883	588848 354316	5319 5057	TERR TERR	88 41 23 272 19 43	277.367 186.867	277.480 186.944
				CVD28GVRD2018							
800813	80H2045	E 510865.958 N 5449290.410 El 80.014		0.9995919	0.9999904		MARKER DESTROYED				
				CVD28GVRD2018							
977066	80H2046	E 510151.806 N 5449583.925 El 77.767		0.9995921	0.9999908	156380 554980	5060 80H2047	TERR TERR	90 3 30 270 3 47	303.922 151.449	304.047 151.510
				CVD28GVRD2018							
554980	80H2047	E 510000.357 N 5449584.092 El 78.861		0.9995919	0.9999906	977066	80H2046	TERR	90 3 47	151.449	151.510
				CVD28GVRD2018							
378109	80H2048	E 509574.285 N 5449652.118 El 51.123		0.9995961	0.9999950		MARKER DESTROYED				
				CVD28GVRD2018							
490466	80H2049	E 509645.834 N 5449987.442 El 5.447		0.9996033	1.0000021	585505 810440	5345 5347	TERR TERR	2 4 28 269 51 32	233.325 607.573	233.418 607.814
				CVD28GVRD2018							
283275	80H2050	E 510216.604 N 5450221.212 El 56.455		0.9995954	0.9999941	42952 492538	5152 5344	TERR TERR	90 10 58 269 57 54	243.581 259.786	243.680 259.891
				CVD28GVRD2018							
429126	80H2051	E 518795.916 N 5448778.201 El 20.912		0.9996040	0.9999997	564344	5195	TERR	270 18 14	627.869	628.119
				CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
305961	80H2052	E 522551.947 N 5440744.449 El 56.106		0.9996005	0.9999942		MARKER DESTROYED				
506469	80H2053	E 512890.621 N 5448343.461 El 106.618		0.9995883	0.9999863	991117 795534 256123	8662 8666 5201	TERR TERR TERR	179 41 8 272 30 21 359 46 33	237.913 203.993 418.730	238.010 204.077 418.902
376822	80H2054	E 511765.491 N 5442311.614 El 68.820		0.9995939	0.9999922	718882	8728	TERR	270 18 8	708.546	708.834
910646	80H2055	E 512872.506 N 5446023.508 El 72.758		0.9995936	0.9999916	609503	5552	TERR	0 6 16	360.400	360.545
780841	80H2056	E 510483.911 N 5450392.470 El 40.860		0.9995979	0.9999966		MARKER DESTROYED				
705632	80H2057	E 510704.371 N 5447957.854 El 90.859		0.9995902	0.9999888	218446 349084	80H2058 5148	TERR TERR	106 36 18 271 42 27	119.763 248.840	119.812 248.942
218446	80H2058	E 510819.140 N 5447923.629 El 83.580		0.9995913	0.9999899	705632	80H2057	TERR	286 36 18	119.763	119.812
965343	80H2059	E 515484.116 N 5439078.644 El 1.013		0.9996058	1.0000029		MARKER DESTROYED				
184614	80H2060	E 519350.812 N 5438259.300 El 1.997		0.9996073	1.0000027		MARKER DESTROYED				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates		-----	-----	-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
682518	80H2061	E	519345.231	0.9996071	1.0000025		MARKER DESTROYED				
		N	5439059.569								
		El	3.308	CVD28GVRD2018							
585794	80H2062	E	519340.534	0.9996070	1.0000024		MARKER DESTROYED				
		N	5439287.974								
		El	3.971	1928 Canadian Vertical Datum							
17376	80H2063	E	519681.368	0.9996073	1.0000026		MARKER DESTROYED				
		N	5439060.002								
		El	2.861	1928 Canadian Vertical Datum							
713990	80H2064	E	519349.469	0.9996061	1.0000015		MARKER DESTROYED				
		N	5440135.318								
		El	9.735	CVD28GVRD2018							
929760	80H2065	E	519356.098	0.9996070	1.0000024		MARKER DESTROYED				
		N	5448772.964								
		El	3.658	CVD28GVRD2018							
657478	80H2066	E	519355.490	0.9996021	0.9999975		MARKER DESTROYED				
		N	5448270.479								
		El	34.791	CVD28GVRD2018							
782151	80H2067	E	517965.189	0.9996056	1.0000016	63446	5013	GPS	24 47 48	7173.047	7175.906
		N	5434184.015			447771	5169	GPS	42 28 37	4436.127	4437.872
		El	9.197	CVD28GVRD2018		904904	NO MARKING	GPS	55 20 55	8563.351	8566.724
						231829	8649	TERR	91 7 57	485.933	486.125
						210369	84H0564	GPS	137 8 40	4393.169	4394.902
						576363	8705	GPS	156 41 46	7020.479	7023.276
						878538	92H0857	GPS	183 54 33	3245.176	3246.465
						455196	5873	GPS	200 34 37	5192.868	5194.916
						787424	80H2013	GPS	216 46 41	3052.985	3054.203
						202903	86H1297	GPS	228 32 29	4580.688	4582.535
						511907	92H0921	GPS	238 3 10	3117.953	3119.204
						542852	10H2584	GPS	242 40 44	1825.716	1826.445
						166	5183	TERR	271 15 17	202.871	202.951
						869792	NO MARKING	GPS	281 57 31	29337.500	29349.150
						885012	92H0833	GPS	307 36 26	1289.041	1289.550
						898734	NO MARKING	GPS	332 2 7	16569.094	16575.775
						439760	5184	GPS	356 30 19	3254.688	3255.970

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
804856		80H2068	E N E1	515592.080 5435776.035 3.403	0.9996055	1.0000025		MARKER DESTROYED				
341933		80H2069	E N E1	511290.262 5433169.825 73.940	0.9995931	0.9999915	934836 665794	80H2070 5498	TERR TERR	179 46 47 359 41 40	387.892 194.339	388.050 194.418
934836		80H2070	E N E1	511291.753 5432781.936 79.040	0.9995923	0.9999907	554550 341933	5568 80H2069	TERR TERR	179 46 16 359 46 47	228.263 387.892	228.356 388.050
891721		80H2071	E N E1	510891.884 5432553.605 83.507	0.9995915	0.9999900	554550 27854 417725	5568 5567 80H2072	TERR TERR TERR	89 59 24 269 59 3 359 28 60	400.781 400.504 201.681	400.945 400.668 201.764
417725		80H2072	E N E1	510890.065 5432755.278 82.351	0.9995916	0.9999902	904904 879726 703223 940213 891721 53561 12765 271718	NO MARKING 10H2605 677003 92H0920 80H2071 10H2606 10H2597 80H2073	GPS GPS GPS GPS GPS GPS GPS TERR	65 57 43 69 21 31 104 21 31 157 36 27 179 28 60 229 32 42 333 22 20 359 42 28	15460.377 2171.218 2499.462 1083.277 201.681 1571.468 1141.406 329.271	15466.576 2172.099 2500.490 1083.721 201.764 1572.108 1141.869 329.406
271718		80H2073	E N E1	510888.386 5433084.545 81.979	0.9995917	0.9999902	417725 626739	80H2072 5497	TERR TERR	179 42 28 359 36 18	329.271 280.014	329.406 280.127
974519		80H2074	E N E1	520160.942 5442212.569 28.256	0.9996036	0.9999986		MARKER DESTROYED				
717587		80H2075	E N E1	519991.931 5442380.388 8.131	0.9996066	1.0000017		MARKER DESTROYED				
289983		80H2077	E N E1	520631.583 5447335.084 39.975	0.9996019	0.9999967		MARKER DESTROYED				
				1928 Canadian Vertical Datum								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
205153	80H2079	E 520631.381 N 5447824.847 El 10.272		0.9996066	1.0000014		MARKER DESTROYED				
124982	80H2080	E 510822.497 N 5446804.667 El 70.107		0.9995935	0.9999920	907873 129593	5291 78H8426	TERR TERR	1 20 53 179 51 10	346.097 441.401	346.238 441.580
494252	80H2081	E 511282.913 N 5441169.712 El 55.662		0.9995959	0.9999943	926089	5847	TERR	269 24 48	416.668	416.837
730119	80H2082	E 509183.066 N 5448788.811 El 72.235		0.9995927	0.9999917	444885 248195	5798 5328	TERR TERR	92 25 35 181 22 40	228.289 215.495	228.381 215.583
163642	80H2083	E 511279.130 N 5441761.374 El 65.570		0.9995943	0.9999928		MARKER DESTROYED				
321810	80H2084	E 511277.375 N 5442033.243 El 69.803		0.9995937	0.9999921	767905	81H4538	TERR	324 7 2	336.968	337.104
274720	80H2085	E 511273.017 N 5442718.214 El 73.745		0.9995930	0.9999915		MARKER DESTROYED				
469395	80H2087	E 511266.632 N 5443627.855 El 63.929		0.9995946	0.9999930	62307 90316	80H2028 80H2099	TERR TERR	270 19 41 359 43 4	416.055 313.642	416.224 313.768
743781	80H2088	E 511262.233 N 5444383.805 El 44.117		0.9995977	0.9999961	90316	80H2099	TERR	179 37 49	442.321	442.500

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
790915	80H2089	E N El	511259.936 5444749.745 36.695	0.9995988	0.9999973		MARKER DESTROYED				
			1928 Canadian Vertical Datum								
158402	80H2090	E N El	511258.038 5445042.742 33.281	0.9995994	0.9999978		MARKER ISOLATED				
			CVD28GVRD2018								
965483	80H2091	E N El	511252.769 5445871.386 41.310	0.9995981	0.9999965	639708	80H2092	TERR	359 37 49	296.943	297.062
			CVD28GVRD2018								
639708	80H2092	E N El	511250.853 5446168.323 50.707	0.9995966	0.9999951	965483 403493	80H2091 8681	TERR TERR	179 37 49 269 8 36	296.943 250.511	297.062 250.612
			CVD28GVRD2018								
916049	80H2093	E N El	511247.309 5446703.156 58.723	0.9995954	0.9999938	359679	80H2094	TERR	0 40 49	199.776	199.856
			CVD28GVRD2018								
359679	80H2094	E N El	511249.681 5446902.918 59.802	0.9995952	0.9999936	916049	80H2093	TERR	180 40 49	199.776	199.856
			CVD28GVRD2018								
270306	80H2095	E N El	511268.354 5447406.523 70.975	0.9995934	0.9999919		MARKER ISOLATED				
			CVD28GVRD2018								
611343	80H2096	E N El	511285.933 5440707.080 51.879	0.9995965	0.9999949		MARKER DESTROYED				
			CVD28GVRD2018								
355719	80H2097	E N El	511280.740 5441504.492 61.457	0.9995950	0.9999934		MARKER DESTROYED				
			1928 Canadian Vertical Datum								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates		Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres				GCM-NO	TABLET MARKING				
963355	80H2098	E 511275.622 N 5442322.798 El 72.212		0.9995933	0.9999917		MARKER DESTROYED				
90316	80H2099	E 511265.087 N 5443941.493 El 57.396		0.9995956	0.9999940	98178 904904 409813 469395 232017 102970 6544 841734 897322 770800 898734 743781 426981	86H1262 NO MARKING 10H2571 80H2087 10H2570 92H0875 13H2686 6966 V-2503 5296 NO MARKING 80H2088 92H0886	GPS GPS GPS TERR GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS	96 31 32 109 34 44 179 37 2 179 43 4 206 28 47 225 24 17 233 33 20 289 52 26 296 3 11 314 6 20 347 37 48 359 37 49 359 54 26	3271.407 14588.019 1642.992 313.642 3603.044 4561.160 4045.909 4920.243 14427.284 4615.914 4992.868 442.321 3172.743	3272.715 14593.840 1643.658 313.768 3604.514 4563.015 4047.555 4922.250 14433.074 4617.795 4994.907 442.500 3174.028
568600	80H2100	E 511254.782 N 5445566.990 El 33.263		0.9995993	0.9999978		MARKER DESTROYED				
971655	80H2101	E 511249.530 N 5446377.018 El 56.161		0.9995958	0.9999942		MARKER DESTROYED				
55731	80H2554	E 519342.602 N 5439675.042 El 4.851		0.9996069	1.0000023		MARKER DESTROYED				
612630	80H2555	E 519335.876 N 5439567.133 El 4.300		0.9996069	1.0000024		MARKER DESTROYED				
755405	80H2556	E 510839.960 N 5447759.855 El 78.920		0.9995921	0.9999906		MARKER DESTROYED				
397133	80H5351	E 509046.377 N 5449367.392 El 3.100		0.9996035	1.0000025	74286 74526 533091	92H0895 92H0891 92H0894	GPS GPS GPS	67 33 54 112 13 16 342 5 17	630.047 1536.325 673.858	630.300 1536.944 674.125

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
13227	81H4521	E 509640.204	0.9995902	0.9999891		6585	5843	TERR	179 35 13	382.865	383.022
		N 5442348.058				671719	5226	TERR	270 25 26	410.109	410.277
		El 88.887	CVD28GVRD2018			785725	5844	TERR	359 34 39	407.189	407.355
494153	81H4522	E 521772.232	0.9996075	1.0000017			MARKER DESTROYED				
		N 5447593.363									
		El 8.122	CVD28GVRD2018								
421693	81H4523	E 522151.983	0.9996077	1.0000017			MARKER DESTROYED				
		N 5447592.255									
		El 8.087	CVD28GVRD2018								
356303	81H4524	E 520630.460	0.9996018	0.9999966		601328	8639	TERR	259 3 23	178.586	178.656
		N 5447203.735									
		El 40.889	CVD28GVRD2018								
877126	81H4525	E 520728.664	0.9996023	0.9999970			MARKER DESTROYED				
		N 5447169.019									
		El 38.216	CVD28GVRD2018								
508689	81H4526	E 520939.699	0.9996041	0.9999988		813428	81H4527	TERR	89 47 50	366.052	366.197
		N 5447172.801				334078	8640	TERR	179 45 21	191.350	191.425
		El 26.845	CVD28GVRD2018								
813428	81H4527	E 521305.749	0.9996058	1.0000002		860155	81H4528	TERR	89 49 16	462.421	462.603
		N 5447174.096				508689	81H4526	TERR	269 47 50	366.052	366.197
		El 17.739	CVD28GVRD2018								
860155	81H4528	E 521768.168	0.9996060	1.0000002		138370	81H4529	TERR	89 48 36	384.511	384.663
		N 5447175.539				813428	81H4527	TERR	269 49 16	462.421	462.603
		El 17.824	CVD28GVRD2018								
138370	81H4529	E 522152.677	0.9996063	1.0000002		564955	8799	TERR	180 13 35	399.132	399.289
		N 5447176.814				860155	81H4528	TERR	269 48 36	384.511	384.663
		El 17.509	CVD28GVRD2018								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
938688	81H4530	E 522558.266 N 5447178.165 El 14.362		0.9996070	1.0000007		MARKER DESTROYED				
227074	81H4531	E 511526.900 N 5441499.955 El 57.006		0.9995957	0.9999941		MARKER DESTROYED				
				1928 Canadian Vertical Datum							
118497	81H4532	E 514509.611 N 5443158.305 El 3.377		0.9996051	1.0000025		MARKER DESTROYED				
445981	81H4533	E 514510.117 N 5442637.165 El 8.129		0.9996043	1.0000017	98178 642769 256230 880229	86H1262 5702 5026 5027	GPS GPS GPS GPS	0 19 6 72 39 24 179 42 40 179 55 42	932.558 1694.983 1115.530 301.642	932.927 1695.654 1115.972 301.761
395616	81H4534	E 511270.409 N 5443126.585 El 71.750		0.9995933	0.9999918		MARKER DESTROYED				
915678	81H4535	E 516425.758 N 5430933.836 El 54.584		0.9995978	0.9999945		MARKER ISOLATED				
106880	81H4536	E 509679.116 N 5431757.436 El 67.904		0.9995936	0.9999924		MARKER DESTROYED				
837609	81H4537	E 510457.617 N 5441171.186 El 79.869		0.9995919	0.9999905		MARKER DESTROYED				
767905	81H4538	E 511079.868 N 5442306.260 El 75.408		0.9995927	0.9999912	321810 742700	80H2084 5141	TERR TERR	144 7 2 272 11 9	336.968 627.449	337.104 627.705

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
718809	81H4539	E 517761.346 N 5435002.817 El 1.053		0.9996068	1.0000029	387258 302992 166 779223 327841	5090 5091 5183 5088 5089	TERR GPS TERR GPS GPS	0 11 29 44 4 9 179 55 41 295 23 51 314 1 27	810.811 1106.222 814.361 1801.527 1138.220	811.130 1106.656 814.681 1802.236 1138.667
661918	81H4540	E 513674.448 N 5444758.510 El 38.222		0.9995993	0.9999970		MARKER DESTROYED				
929109	81H4541	E 510436.830 N 5444742.461 El 53.911		0.9995959	0.9999946		MARKER DESTROYED				
179374	81H4543	E 510830.484 N 5446160.820 El 58.650		0.9995953	0.9999938	403493 129593	8681 78H8426	TERR TERR	88 43 59 358 3 41	169.928 202.564	169.997 202.646
339994	81H4544	E 516938.232 N 5449586.920 El 71.101		0.9995954	0.9999918		MARKER DESTROYED				
769455	81H4545	E 522563.878 N 5447654.087 El 10.188		0.9996076	1.0000014		MARKER DESTROYED				
670414	84H0557	E 512071.062 N 5447130.799 El 73.789		0.9995932	0.9999914		MARKER DESTROYED				
693440	84H0558	E 512232.198 N 5447132.584 El 80.436		0.9995922	0.9999904	842724	84H0559	TERR	116 52 46	200.865	200.946
842724	84H0559	E 512411.361 N 5447041.770 El 83.447		0.9995918	0.9999899	238113 693440	84H0560 84H0558	TERR TERR	59 49 40 296 52 46	208.366 200.865	208.452 200.946

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS			Obs. Type	UTM Grid			UTM Grid		Ground Distance Metres
-----	-----	Coordinates				-----	-----			Bearing	Distance				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				Metres				
238113	84H0560	E	512591.497	0.9995911	0.9999892	982645	84H0561		TERR	87 47 29	266.455		266.564		
		N	5447146.495			842724	84H0559		TERR	239 49 40	208.366		208.452		
		El	88.199	CVD28GVRD2018											
982645	84H0561	E	512857.754	0.9995913	0.9999893	613166	84H0562		TERR	93 17 54	414.459		414.628		
		N	5447156.764			238113	84H0560		TERR	267 47 29	266.455		266.564		
		El	87.416	CVD28GVRD2018											
613166	84H0562	E	513271.526	0.9995905	0.9999883	80283	5289		TERR	89 55 16	413.357		413.526		
		N	5447132.919			982645	84H0561		TERR	273 17 54	414.459		414.628		
		El	93.772	CVD28GVRD2018											
325746	84H0563	E	519511.873	0.9996024	0.9999977	31393	5105		TERR	89 17 50	643.793		644.049		
		N	5430954.947			362152	5104		TERR	272 23 45	164.251		164.315		
		El	34.150	CVD28GVRD2018											
210369	84H0564	E	520953.221	0.9996057	1.0000003	447771	5169		GPS	0 4 3	6492.370		6494.923		
		N	5430963.519			63446	5013		GPS	0 7 11	9732.227		9736.105		
		El	17.423	CVD28GVRD2018		909333	NO MARKING		GPS	30 51 3	24670.214		24679.980		
						23978	78H2743		GPS	82 41 24	3246.295		3247.584		
						742353	5107		TERR	90 14 59	806.633		806.951		
						127415	92H0635		GPS	130 13 59	4956.813		4958.810		
						306191	5173		TERR	179 8 4	811.162		811.481		
						576363	8705		GPS	183 44 6	3234.117		3235.406		
						878538	92H0857		GPS	269 41 39	3209.322		3210.597		
						31393	5105		TERR	269 57 5	797.603		797.918		
						869792	NO MARKING		GPS	286 21 17	33025.148		33038.264		
						782151	80H2067		GPS	317 8 40	4393.169		4394.902		
						898734	NO MARKING		GPS	328 55 51	20845.319		20853.720		
						439760	5184		GPS	333 46 37	7211.312		7214.152		
						306167	10H2568		GPS	341 57 42	10253.494		10257.549		
				839837	5172		TERR	359 35 26	809.053		809.374				
457515	84H0565	E	513031.144	0.9995888	0.9999867	MARKER DESTROYED									
		N	5447932.002												
		El	103.873	CVD28GVRD2018											
127811	84H0566	E	512284.668	0.9995888	0.9999869	255802	8652		TERR	0 7 59	194.017		194.096		
		N	5447955.949			303420	8661		TERR	90 30 13	401.445		401.609		
		El	102.403	CVD28GVRD2018											

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
8094	84H0567	E	519328.028	0.9996025	0.9999979	535096	8606	GPS	0 3 6	2599.053	2600.079
		N	5433609.202			101188	5098	GPS	79 49 32	3258.006	3259.303
		E1	32.867			683342	5177	GPS	150 55 26	6707.138	6709.840
						298760	84H0568	TERR	178 8 25	639.247	639.503
						482679	5118	GPS	179 35 25	1844.406	1845.147
						851600	84H0574	GPS	179 45 13	4274.108	4275.801
						436204	5809	GPS	271 47 25	1568.748	1569.375
						166	5183	GPS	290 18 12	1669.380	1670.041
						885012	92H0833	GPS	299 43 45	2745.387	2746.474
						546390	5025	GPS	327 39 31	8991.639	8995.210
298760	84H0568	E	519348.772	0.9995966	0.9999920	556571	84H0569	TERR	182 3 22	402.061	402.223
		N	5432970.292			8094	84H0567	TERR	358 8 25	639.247	639.503
556571	84H0569	E1	70.407	CVD28GVRD2018							
		E	519334.346		0.9995948	0.9999902	298760	84H0568	TERR	2 3 22	402.061
		N	5432568.490				308353	80H2006	TERR	89 48 14	310.641
		E1	82.228				614552	84H0570	TERR	179 13 33	463.326
614552	84H0570	E	519340.606	0.9995934	0.9999888	482679	5118	TERR	179 53 49	340.364	340.502
		N	5432105.206			556571	84H0569	TERR	359 13 33	463.326	463.514
		E1	91.214								
699488	84H0571	E	519345.914	0.9995952	0.9999906	613935	84H0572	TERR	174 12 4	168.885	168.953
		N	5431528.523			482679	5118	TERR	358 51 43	236.367	236.463
		E1	79.585								
613935	84H0572	E	519362.978	0.9995972	0.9999926	362152	5104	TERR	182 11 6	398.979	399.139
		N	5431360.502			699488	84H0571	TERR	354 12 4	168.885	168.953
		E1	66.706								
335349	84H0573	E	519346.776	0.9996054	1.0000008	362152	5104	TERR	0 4 11	812.540	812.862
		N	5430149.274			899617	86H1269	TERR	177 13 33	358.024	358.165
		E1	14.343								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
851600	84H0574	E	519346.403	0.9996055	1.0000009	899617	86H1269	TERR	2 13 14	456.879	457.059
		N	5429335.134			395418	80H2002	TERR	88 51 46	438.883	439.056
		El	13.749			683342	5177	GPS	116 6 0	3609.134	3610.582
						142646	84H0575	TERR	179 39 37	362.238	362.381
						639351	86H1278	GPS	206 10 26	1792.266	1792.974
						482695	5131	TERR	269 57 5	796.889	797.205
						878538	92H0857	GPS	315 9 25	2272.448	2273.351
142646	84H0575	E	519348.550	0.9996059	1.0000013	8094	84H0567	GPS	359 45 13	4274.108	4275.801
		N	5428972.902			709840	84H0576	TERR	180 36 30	437.408	437.581
		El	11.080			851600	84H0574	TERR	359 39 37	362.238	362.381
709840	84H0576	E	519343.905	0.9996058	1.0000012						
		N	5428535.519			142646	84H0575	TERR	0 36 30	437.408	437.581
		El	11.753			310003	5946	TERR	163 7 11	178.114	178.184
594044	84H0577	E	519367.630	0.9996050	1.0000004						
		N	5428108.015								
		El	17.236								
629832	84H0578	E	514931.888	0.9995900	0.9999873						
		N	5431739.826			885012	92H0833	GPS	31 54 51	3806.149	3807.679
		El	100.656			202903	86H1297	GPS	214 10 27	711.433	711.725
						471623	5471	GPS	236 17 12	1448.198	1448.792
						513044	92H0852	GPS	270 34 31	1200.166	1200.659
210229	84H0579	E	511055.827	0.9995917	0.9999902	982553	92H0850	GPS	332 18 58	899.446	899.815
		N	5449251.053								
		El	81.289								
474007	84H0581	E	512294.362	0.9995939	0.9999920						
		N	5439080.053								
		El	70.195								
42234	84H0582	E	511980.368	0.9995916	0.9999898						
		N	5439211.207								
		El	84.420								

MARKER DESTROYED

MARKER ISOLATED

MARKER DESTROYED

MARKER DESTROYED

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
954636	84H0583	E 511750.756 N 5439438.616 El 89.720		0.9995907	0.9999890		MARKER DESTROYED				
95851	84H0584	E 511615.842 N 5439493.305 El 90.348		0.9995905	0.9999889		MARKER DESTROYED				
569384	84H0585	E 511419.231 N 5439156.901 El 88.003		0.9995909	0.9999893	716605 801928 260026 86454 248641 898734	13H2680 92H0911 5238 92H0909 92H0910 NO MARKING	GPS GPS TERR GPS GPS GPS	62 35 35 94 51 53 105 29 32 288 57 59 336 23 21 352 46 53	1651.035 904.993 242.357 1000.782 385.660 9738.739	1651.707 905.362 242.456 1001.192 385.817 9742.738
956805	84H0586	E 511268.541 N 5439165.330 El 84.312		0.9995914	0.9999898		MARKER DESTROYED				
425058	84H0587	E 513043.471 N 5438761.783 El 17.337		0.9996024	1.0000003	563304 574582	5622 5625	TERR TERR	161 32 26 281 3 46	509.337 488.294	509.539 488.489
553453	84H0588	E 516946.024 N 5433362.687 El 70.878		0.9995955	0.9999920		MARKER DESTROYED				
756221	84H0589	E 516945.196 N 5432957.579 El 91.460		0.9995923	0.9999887		MARKER DESTROYED				
423236	84H0590	E 516945.566 N 5433160.285 El 83.455		0.9995935	0.9999900		MARKER DESTROYED				
861823	84H0591	E 512641.190 N 5439094.412 El 67.043		0.9995945	0.9999925		MARKER DESTROYED				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
315747	84H0592	E N El	512800.915 5434978.939 6.464	0.9996041	1.0000021		MARKER DESTROYED				
626952	84H0593	E N El	512578.482 5434928.375 10.084	0.9996034	1.0000015		MARKER DESTROYED				
67538	84H0594	E N El	512407.868 5434978.586 11.742	0.9996031	1.0000012	507798	84H0595	TERR	269 56 24	131.757	131.809
507798	84H0595	E N El	512276.111 5434978.448 12.494	0.9996030	1.0000011	67538 591339	84H0594 84H0596	TERR TERR	89 56 24 264 18 53	131.757 176.159	131.809 176.229
591339	84H0596	E N El	512100.819 5434960.997 5.452	0.9996040	1.0000022	507798 607465 162628	84H0595 5432 84H0597	TERR TERR TERR	84 18 53 180 41 3 250 15 52	176.159 332.363 155.387	176.229 332.495 155.448
162628	84H0597	E N El	511954.559 5434908.526 2.832	0.9996044	1.0000026	591339 225409	84H0596 84H0598	TERR TERR	70 15 52 224 49 29	155.387 360.587	155.448 360.731
225409	84H0598	E N El	511700.366 5434652.774 7.426	0.9996036	1.0000019	162628 362442	84H0597 84H0599	TERR TERR	44 49 29 262 11 7	360.587 177.826	360.731 177.896
362442	84H0599	E N El	511524.192 5434628.595 8.345	0.9996034	1.0000018	225409 747535	84H0598 84H0600	TERR TERR	82 11 7 243 17 2	177.826 507.441	177.896 507.642
747535	84H0600	E N El	511070.923 5434400.464 8.975	0.9996032	1.0000017	362442 904300	84H0599 84H0601	TERR TERR	63 17 2 215 14 20	507.441 208.409	507.642 208.493

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
904300	84H0601	E	510950.674	0.9996004	0.9999989	747535	84H0600	TERR	35 14 20	208.409	208.493
		N	5434230.245			599530	5630	GPS	53 18 10	2488.230	2489.221
		El	26.353	CVD28GVRD2018		299271	84H0606	TERR	212 56 20	418.254	418.421
						557686	5495	GPS	274 34 8	1995.127	1995.921
34314	84H0602	E	510302.905	0.9995969	0.9999956		MARKER DESTROYED				
		N	5433743.939								
		El	47.529	CVD28GVRD2018							
854299	84H0603	E	510156.715	0.9995960	0.9999947		MARKER DESTROYED				
		N	5433647.717								
		El	53.509	CVD28GVRD2018							
225888	84H0604	E	510039.876	0.9995962	0.9999949	451906	84H0605	TERR	223 43 23	203.166	203.248
		N	5433541.759								
		El	52.052	CVD28GVRD2018							
451906	84H0605	E	509899.453	0.9995958	0.9999946	225888	84H0604	TERR	43 43 23	203.166	203.248
		N	5433394.933			462184	5480	TERR	260 2 31	210.481	210.566
		El	54.196	CVD28GVRD2018							
299271	84H0606	E	510723.251	0.9995981	0.9999967	904300	84H0601	TERR	32 56 20	418.254	418.421
		N	5433879.225								
		El	40.574	CVD28GVRD2018							
30502	8601	E	520133.067	0.9996073	1.0000023	904904	NO MARKING	GPS	44 59 19	6897.894	6900.604
		N	5434174.446			321372	13H2681	GPS	91 49 60	815.606	815.926
		El	4.539	CVD28GVRD2018		671651	5170	GPS	134 40 58	1131.045	1131.491
						360990	8785	TERR	270 1 19	1029.887	1030.292
						505818	8786	TERR	270 9 48	813.237	813.557
						465427	13H2672	GPS	281 36 6	5738.587	5740.850
						885012	92H0833	GPS	284 1 5	3286.962	3288.256
693002	8602	E	517762.019	0.9996035	0.9999996	220467	80H2030	GPS	324 59 11	1334.785	1335.314
		N	5439611.349			24588	5078	TERR	359 48 47	272.919	273.026
		El	21.924	CVD28GVRD2018							
56119	8603	E	517763.859	0.9996037	0.9999998		MARKER DESTROYED				
		N	5440902.742								
		El	20.287	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
9688	8604	E 517744.538 N 5445212.785 El 28.386		0.9996024	0.9999985		MARKER DESTROYED				
261545	8605	E 517753.268 N 5443694.226 El 38.063		0.9996009	0.9999970	15594	5188	TERR	179 41 16	142.207	142.264
535096	8606	E 519330.367 N 5436208.254 El .648		0.9996075	1.0000029	5702 151852 602961 570713 133967 435560 8094 649830 885012 302992 546390 24588	5121 5167 86H1306 5865 5955 86H1266 84H0567 5092 92H0833 5091 5025 5078	TERR GPS GPS GPS GPS GPS GPS TERR GPS GPS GPS GPS	0 26 25 33 41 40 37 3 24 56 52 22 76 31 3 118 30 20 180 3 6 183 17 4 242 35 17 242 49 8 316 4 54 336 52 59	1237.656 2953.810 1356.052 1923.758 1646.857 895.230 2599.053 428.728 2688.206 898.883 6938.163 3996.946	1238.142 2954.973 1356.585 1924.513 1647.504 895.581 2600.079 428.896 2689.263 899.236 6940.902 3998.524
243840	8607	E 519344.784 N 5441905.064 El .929		0.9996075	1.0000029		MARKER DESTROYED				
410852	8608	E 518534.205 N 5439678.723 El 19.609		0.9996042	1.0000000	714295 575118	5080 5718	TERR TERR	0 11 33 180 10 26	204.747 202.900	204.828 202.980
434712	8609	E 518686.358 N 5439883.703 El 19.449		0.9996043	1.0000000	51466 714295	5832 5080	TERR TERR	90 8 31 269 54 41	186.959 151.465	187.032 151.526
42242	8610	E 520047.471 N 5439880.883 El 26.341		0.9996038	0.9999989	570572 784165	5081 5838	TERR TERR	89 58 39 270 16 17	109.177 116.930	109.220 116.976
288670	8611	E 520156.998 N 5439647.527 El 21.095		0.9996047	0.9999997	671859 570572	5719 5081	TERR TERR	179 57 41 359 54 51	173.143 233.399	173.211 233.492

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
579649	8613	E N El	519363.094 5428917.331 10.119	0.9996061	1.0000015		MARKER DESTROYED				
			1928 Canadian Vertical Datum								
968198	8614	E N El	519662.007 5447163.928 59.554	0.9995984	0.9999936	718213	5074	TERR	89 25 53	474.737	474.928
			CVD28GVRD2018								
141077	8615	E N El	512888.502 5442106.135 68.219	0.9995944	0.9999923	431908 478180	5039 5038	TERR TERR	179 45 53 359 43 56	339.182 231.330	339.320 231.423
			CVD28GVRD2018								
239038	8616	E N El	520146.273 5431767.464 80.647	0.9995954	0.9999904	839837 283887	5172 8617	TERR TERR	89 38 10 269 49 28	801.182 397.103	801.504 397.264
			CVD28GVRD2018								
283887	8617	E N El	519749.172 5431766.247 86.539	0.9995943	0.9999895	239038 482679	8616 5118	TERR TERR	89 49 28 269 48 10	397.103 407.955	397.264 408.121
			CVD28GVRD2018								
495333	8618	E N El	520430.448 5432572.217 60.285	0.9995987	0.9999936	802926 339176	5171 80H2005	TERR TERR	89 48 25 269 49 4	511.701 290.785	511.905 290.902
			CVD28GVRD2018								
669879	8619	E N El	516457.260 5429322.795 14.865	0.9996041	1.0000008		MARKER DESTROYED				
			1928 Canadian Vertical Datum								
578005	8620	E N El	514719.279 5432545.828 102.156	0.9995897	0.9999871		MARKER DESTROYED				
			CVD28GVRD2018								
908822	8621	E N El	514910.454 5433349.822 63.330	0.9995959	0.9999931		MARKER ISOLATED				
			CVD28GVRD2018								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
371377	8622	E 516134.164 N 5432744.482 El 79.315		0.9995938	0.9999906		MARKER DESTROYED				
393991	8623	E 516133.836 N 5433115.315 El 70.259		0.9995953	0.9999921		MARKER DESTROYED				
497115	8624	E 514526.453 N 5432772.848 El 95.250		0.9995907	0.9999881		MARKER ISOLATED				
319350	8625	E 511298.442 N 5431120.767 El 93.708		0.9995900	0.9999884		MARKER DESTROYED				
942771	8626	E 509980.625 N 5432552.599 El 80.969		0.9995916	0.9999904	466326 323808	8627 80H2023	TERR TERR	89 53 60 269 56 36	347.457 289.623	347.598 289.741
466326	8627	E 510328.081 N 5432553.206 El 87.650		0.9995907	0.9999893	27854 942771	5567 8626	TERR TERR	89 53 56 269 53 60	163.299 347.457	163.366 347.598
946129	8628	E 510489.400 N 5432854.451 El 85.953		0.9995910	0.9999896	27854 338822	5567 8632	TERR TERR	179 37 23 359 36 6	300.964 241.452	301.087 241.550
275347	8629	E 508793.863 N 5433388.860 El 3.820		0.9996034	1.0000025	187682	8744	TERR	71 56 25	305.302	305.423
642561	8630	E 508415.628 N 5443268.087 El 90.00 (APPROX. ONLY)		0.9995898	0.9999889		MARKER DESTROYED				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
660654	8631	E 509270.655 N 5433076.733 El 45.374		0.9995970	0.9999960	397364 685032	5481 5491	TERR TERR	0 47 49 180 47 39	287.051 263.812	287.166 263.919
				CVD28GVRD2018							
338822	8632	E 510487.721 N 5433095.897 El 77.957		0.9995922	0.9999909	946129 463604	8628 5496	TERR TERR	179 36 6 359 36 14	241.452 265.411	241.550 265.520
				CVD28GVRD2018							
996116	8633	E 508829.780 N 5440716.923 El 85.792		0.9995906	0.9999896	269076	5440	TERR	270 45 53	405.840	406.006
				CVD28GVRD2018							
379560	8634	E 509236.665 N 5440711.740 El 99.565		0.9995885	0.9999874	811554	5597	TERR	180 28 5	309.522	309.649
				CVD28GVRD2018							
426569	8635	E 509643.269 N 5440706.246 El 99.194		0.9995886	0.9999875	MARKER DESTROYED					
				1928 Canadian Vertical Datum							
183814	8636	E 512893.484 N 5440713.416 El 19.305		0.9996021	1.0000000	MARKER DESTROYED					
				CVD28GVRD2018							
258251	8637	E 513704.989 N 5440715.740 El 14.363		0.9996031	1.0000008	236547 299800 757286 232918 964403	80H2022 5932 79H0025 80H2021 5043	TERR TERR TERR TERR TERR	90 31 45 180 7 24 269 49 45 359 46 45 359 48 9	405.310 578.759 405.561 410.281 807.566	405.471 578.991 405.723 410.443 807.888
441758	8638	E 513466.653 N 5448761.044 El 105.995		0.9995886	0.9999864	276089	5825	TERR	270 9 42	169.776	169.845
				CVD28GVRD2018							
601328	8639	E 520455.122 N 5447169.832 El 40.382		0.9996018	0.9999966	356303 718213	81H4524 5074	TERR TERR	79 3 23 269 47 8	178.586 318.403	178.656 318.530
				CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
334078	8640	E	520940.514	0.9996028	0.9999974	885384	10H2613	GPS	6 45 44	521.173	521.379
		N	5446981.453			3525	02H2432	GPS	13 3 48	3817.645	3819.151
		El	35.264			1511	02H2456	GPS	49 23 8	4376.255	4377.980
						459750	5992	GPS	52 37 30	2060.615	2061.428
						31682	10H2612	GPS	55 25 28	1004.361	1004.758
						909333	NO MARKING	GPS	67 49 29	13675.189	13680.628
						12260	92H0958	GPS	85 25 34	6509.791	6512.353
						564955	8799	GPS	99 33 16	1227.616	1228.102
						485250	93H1144	GPS	132 42 38	4409.579	4411.337
						904904	NO MARKING	GPS	152 49 55	8911.711	8915.232
						973289	5157	GPS	179 22 6	3043.442	3044.643
						181149	8641	TERR	180 10 31	178.182	178.252
						821256	5189	GPS	227 14 59	4342.894	4344.626
						998500	10H2579	GPS	228 27 1	2120.646	2121.484
						187641	10H2580	GPS	249 22 26	1696.948	1697.621
						162537	5071	GPS	273 12 4	3205.354	3206.624
						693051	10H2599	GPS	275 33 41	1640.196	1640.852
						898734	NO MARKING	GPS	279 42 6	10900.924	10905.336
						694950	13H2677	GPS	294 29 33	1756.938	1757.642
						508689	81H4526	TERR	359 45 21	191.350	191.425
181149	8641	E	520939.969	0.9996016	0.9999962	334078	8640	TERR	0 10 31	178.182	178.252
		N	5446803.272			125963	8642	TERR	179 55 48	290.650	290.766
		El	43.295								
125963	8642	E	520940.324	0.9996008	0.9999954	306738	5677	TERR	179 58 7	105.796	105.839
		N	5446512.622			181149	8641	TERR	359 55 48	290.650	290.766
		El	48.474								
650366	8643	E	517745.580	0.9996000	0.9999961		MARKER DESTROYED				
		N	5443954.156								
		El	43.870								
833962	8644	E	515917.892	0.9996061	1.0000030		MARKER DESTROYED				
		N	5440702.513								
		El	.227				1928 Canadian Vertical Datum				
369710	8645	E	523555.162	0.9996073	1.0000005		MARKER DESTROYED				
		N	5439867.936								
		El	16.148				1928 Canadian Vertical Datum				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
258095	8646	E 512085.859 N 5441110.300 El 28.20 (APPROX. ONLY)	0.9996004	0.9999986			MARKER DESTROYED				
945790	8647	E 515032.725 N 5439077.596 El 9.750	0.9996043	1.0000015			MARKER DESTROYED				
514943	8648	E 509943.911 N 5439075.616 El 58.397	0.9995951	0.9999939		706184 240697	5242 5243	TERR TERR	73 47 52 269 37 47	107.136 95.765	107.179 95.804
231829	8649	E 518451.027 N 5434174.410 El 4.327	0.9996066	1.0000024		360990 782151	8785 80H2067	TERR TERR	89 57 44 271 7 57	652.153 485.933	652.409 486.125
66423	8650	E 519103.179 N 5434174.847 El 6.078	0.9996066	1.0000021			MARKER DESTROYED				
67355	8651	E 512207.474 N 5448397.514 El 104.00 (APPROX. ONLY)	0.9995885	0.9999867			MARKER DESTROYED				
255802	8652	E 512285.119 N 5448149.965 El 104.884	0.9995884	0.9999865		312827 127811	5900 84H0566	TERR TERR	0 7 3 180 7 59	248.313 194.017	248.415 194.096
288902	8653	E 512094.518 N 5448555.601 El 103.739	0.9995885	0.9999867			MARKER DESTROYED				
512293	8654	E 512276.475 N 5448557.400 El 105.778	0.9995883	0.9999864		601260	8676	TERR	0 7 23	79.549	79.582

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
543975	8655	E 512591.344 N 5449559.038 El 106.354	1928	0.9995883	0.9999863		MARKER DESTROYED				
552786	8656	E 512590.567 N 5449375.919 El 102.340	1928	0.9995889	0.9999869		MARKER DESTROYED				
269605	8657	E 512589.713 N 5449175.418 El 101.565	1928	0.9995890	0.9999871		MARKER DESTROYED				
557041	8658	E 509427.171 N 5447460.991 El 81.953	CVD28GVRD2018	0.9995912	0.9999902	212019 971887 443200	8659 5778 5310	TERR TERR TERR	1 49 32 89 50 29 269 50 32	104.694 207.486 201.084	104.737 207.571 201.165
212019	8659	E 509430.506 N 5447565.632 El 76.594	CVD28GVRD2018	0.9995921	0.9999910	876623 557041	8660 8658	TERR TERR	88 11 25 181 49 32	206.584 104.694	206.668 104.737
876623	8660	E 509636.987 N 5447572.156 El 76.571	CVD28GVRD2018	0.9995921	0.9999910	413872 971887 212019	5331 5778 8659	TERR TERR TERR	1 12 30 181 12 27 268 11 25	146.053 110.616 206.584	146.112 110.661 206.668
303420	8661	E 512686.097 N 5447952.420 El 102.686	CVD28GVRD2018	0.9995889	0.9999869	361485 476275 127811	5525 5524 84H0566	TERR TERR TERR	0 0 13 89 26 9 270 30 13	93.893 206.545 401.445	93.932 206.630 401.609
991117	8662	E 512891.927 N 5448105.552 El 103.389	CVD28GVRD2018	0.9995888	0.9999868	476275 506469	5524 80H2053	TERR TERR	179 43 58 359 41 8	151.100 237.913	151.162 238.010
791830	8663	E 512687.450 N 5448551.558 El 105.669	CVD28GVRD2018	0.9995884	0.9999864	242107 795534	5774 8666	TERR TERR	0 10 50 180 10 49	217.965 199.179	218.055 199.261

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
370189	8664	E 512486.890 N 5448549.557 El 104.663		0.9995885	0.9999866		MARKER DESTROYED				
369207	8665	E 512486.134 N 5448351.080 El 104.738		0.9995885	0.9999866		MARKER ISOLATED				
795534	8666	E 512686.823 N 5448352.380 El 108.010		0.9995880	0.9999861	791830 506469 336313	8663 80H2053 5526	TERR TERR TERR	0 10 49 92 30 21 180 10 46	199.179 203.993 69.268	199.261 204.077 69.297
985622	8667	E 514933.615 N 5431528.396 El 102.177		0.9995898	0.9999871		MARKER DESTROYED				
88120	8668	E 514934.230 N 5431384.413 El 105.482		0.9995893	0.9999866	748798	8671	TERR	90 3 8	400.533	400.698
424937	8669	E 515126.473 N 5431528.172 El 96.818		0.9995907	0.9999879		MARKER DESTROYED				
748798	8671	E 515334.763 N 5431384.048 El 94.738		0.9995911	0.9999882	110296 88120 825703	3124 8668 8670	TERR TERR TERR	179 48 0 270 3 8 359 48 13	450.588 400.533 143.881	450.772 400.698 143.940
771287	8672	E 510455.800 N 5442041.023 El 80.469		0.9995918	0.9999904	469163 742700	8673 5141	TERR TERR	276 12 58 359 25 14	183.260 289.183	183.335 289.301
469163	8673	E 510273.617 N 5442060.866 El 82.465		0.9995914	0.9999901	771287	8672	TERR	96 12 58	183.260	183.335

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid		UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING		Bearing			
178939	8675	E N El	512094.663 5448635.097 105.00 (APPROX. ONLY)	0.9995883	0.9999865		MARKER DESTROYED					
601260	8676	E N El	512276.646 5448636.949 105.531	0.9995883	0.9999864	512293	8654	TERR	180	7 23	79.549	79.582
			CVD28GVRD2018									
429118	8677	E N El	512925.070 5431228.953 93.802	0.9995904	0.9999884	695593	8678	TERR	90	0 57	199.873	199.954
			CVD28GVRD2018									
695593	8678	E N El	513124.943 5431228.898 94.203	0.9995904	0.9999883	429118	8677	TERR	270	0 57	199.873	199.954
			CVD28GVRD2018									
963793	8679	E N El	522239.918 5445995.508 14.781	0.9996067	1.0000007	923417	5673	TERR	90	52 52	317.368	317.493
			CVD28GVRD2018									
310383	8680	E N El	511233.214 5446169.205 50.048	0.9995967	0.9999952		MARKER DESTROYED					
			1928 Canadian Vertical Datum									
403493	8681	E N El	511000.370 5446164.577 52.026	0.9995963	0.9999948	639708 179374	80H2092 81H4543	TERR TERR	89 268	8 36 43 59	250.511 169.928	250.612 169.997
			CVD28GVRD2018									
459545	8682	E N El	510835.723 5446161.309 52.00 (APPROX. ONLY)	0.9995963	0.9999948		MARKER DESTROYED					
444638	8683	E N El	519336.886 5443948.168 1.196	0.9996074	1.0000028		MARKER DESTROYED					
			CVD28GVRD2018									

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid		UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----		Bearing			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
463257	8684	E	519334.591	0.9996073	1.0000027		MARKER DESTROYED					
		N	5445049.496									
		El	1.604	CVD28GVRD2018								
364265	8685	E	519330.907	0.9996037	0.9999991		MARKER DESTROYED					
		N	5446386.612									
		El	24.907	CVD28GVRD2018								
554097	8686	E	519333.805	0.9996073	1.0000027		MARKER DESTROYED					
		N	5445565.196									
		El	1.990	1928 Canadian Vertical Datum								
178905	8687	E	519327.244	0.9996006	0.9999960		MARKER DESTROYED					
		N	5446586.504									
		El	44.627	CVD28GVRD2018								
286039	8688	E	519328.502	0.9995992	0.9999946		MARKER DESTROYED					
		N	5446761.851									
		El	53.611	CVD28GVRD2018								
838763	8689	E	519327.623	0.9995974	0.9999928		MARKER DESTROYED					
		N	5447157.669									
		El	65.163	1928 Canadian Vertical Datum								
109918	86H1258	E	510481.986	0.9995972	0.9999959		MARKER DESTROYED					
		N	5433794.878									
		El	46.105	CVD28GVRD2018								
428540	86H1259	E	516932.270	0.9995971	0.9999936	235572	86H1260	TERR	180 2 10		409.211	409.376
		N	5445172.680									
		El	59.926	CVD28GVRD2018								
235572	86H1260	E	516932.013	0.9995963	0.9999927	428540	86H1259	TERR	0 2 10		409.211	409.376
		N	5444763.469			814913	5692	TERR	179 16 58		278.136	278.249
		El	65.513	CVD28GVRD2018								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates		Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres				GCM-NO	TABLET MARKING				
125351	86H1261	E	517747.741	0.9996000	0.9999961		MARKER DESTROYED				
		N	5444521.175								
		El	43.771	CVD28GVRD2018							
98178	86H1262	E	514515.299	0.9996048	1.0000022	715698	92H0905	GPS	4 33 40	6848.349	6851.100
		N	5443569.709			3996	92H0900	GPS	16 49 33	7463.639	7466.608
		El	5.290	CVD28GVRD2018		752220	02H2448	GPS	37 57 29	10987.246	10991.572
						162537	5071	GPS	41 55 38	4826.291	4828.199
						20453	10H2577	GPS	48 23 33	2136.475	2137.331
						821256	5189	GPS	81 50 40	3269.202	3270.503
						642769	5702	GPS	104 50 20	1668.379	1669.040
						904904	NO MARKING	GPS	113 17 13	11425.063	11429.568
						278754	13H2675	GPS	133 45 3	2249.336	2250.225
						101188	5098	GPS	139 29 10	12344.660	12349.557
						546390	5025	GPS	179 56 18	2363.690	2364.627
						445981	81H4533	GPS	180 19 6	932.558	932.927
						686790	92H0898	GPS	187 44 16	6152.265	6154.696
						599530	5630	GPS	191 18 12	8007.858	8011.027
						251454	10H2569	GPS	209 41 48	3300.568	3301.877
						224899	10H2572	GPS	242 51 50	2754.099	2755.202
						90316	80H2099	GPS	276 31 32	3271.407	3272.715
						841734	6966	GPS	284 32 57	8138.392	8141.675
						770800	5296	GPS	298 38 5	7479.519	7482.533
						426981	92H0886	GPS	317 26 6	4812.585	4814.512
						898734	NO MARKING	GPS	320 32 42	6797.796	6800.541
						228619	5066	GPS	359 46 57	3564.030	3565.463
942870	86H1263	E	511298.530	0.9995900	0.9999884	909333	NO MARKING	GPS	46 41 46	30651.160	30663.546
		N	5431120.415			202903	86H1297	GPS	89 27 14	3233.887	3235.217
		El	93.836	CVD28GVRD2018		147819	91H9962	GPS	96 43 41	27898.626	27909.744
						136531	92H0917	GPS	116 37 4	7229.345	7232.257
						730085	5474	TERR	179 44 19	182.019	182.093
						430900	87H3190	GPS	257 40 44	14694.751	14700.687
						394825	81	GPS	266 6 30	23144.096	23153.437
						869792	NO MARKING	GPS	292 32 4	23855.563	23865.214
						762716	80H1257	GPS	297 44 12	9228.927	9232.654
						531079	6902	GPS	299 1 49	13067.195	13072.472
						995365	6910	GPS	316 51 50	9587.555	9591.424
						557686	5495	GPS	324 26 29	4018.045	4019.665
						875864	NO MARKING	GPS	326 36 20	32332.976	32346.084
						607093	5893	GPS	333 13 39	7315.783	7318.734
						898734	NO MARKING	GPS	356 26 1	17732.374	17739.659
						4903	92H0897	GPS	357 38 45	3426.853	3428.235
						475228	86H1264	TERR	358 6 42	230.238	230.332

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Coordinates Metres		Combined Ellipsoidal	----- GCM-NO	----- TABLET MARKING		Bearing				
475228	86H1264	E N El	511290.943 5431350.528 94.967	0.9995898	0.9999882	942870	86H1263	TERR	178 6 42			230.238	230.332
					CVD28GVRD2018								
435560	86H1266	E N El	520117.068 5435781.010 1.399	0.9996078	1.0000028	570713 133967 1727 649830 535096	5865 5955 5866 5092 8606	GPS GPS GPS TERR GPS	29 8 30 45 7 32 52 49 10 269 56 42 298 30 20			1692.858 1149.741 1019.095 811.264 895.230	1693.523 1150.192 1019.495 811.582 895.581
444034	86H1267	E N El	506547.821 5447445.778 13.220	0.9996015	1.0000009		MARKER DESTROYED						
899617	86H1269	E N El	519364.105 5429791.670 14.262	0.9996055	1.0000008	851600 335349	84H0574 84H0573	TERR TERR	182 13 14 357 13 33			456.879 358.024	457.059 358.165
71563	86H1270	E N El	513650.374 5449576.301 96.662	0.9995901	0.9999878	896894 950121 360701 228619 985606 898734 606558 10835 634667	92H0901 5281 10H2604 5066 86H1304 NO MARKING 5400 5527 13H2679	GPS GPS GPS GPS GPS GPS GPS GPS GPS	41 37 28 46 59 32 134 40 28 160 46 60 209 14 38 257 37 40 288 1 15 313 59 22 349 42 30			2095.880 1174.898 1183.606 2586.719 679.162 3537.030 2622.599 1264.869 1750.870	2096.724 1175.377 1184.090 2587.779 679.442 3538.483 2623.667 1265.386 1751.576
187880	86H1271	E N El	512482.734 5448540.495 105.164	0.9995884	0.9999865	985606 476275 85258 572487	86H1304 5524 92H0892 92H0889	GPS GPS GPS GPS	62 3 56 145 1 47 230 30 4 281 23 35			946.085 715.165 917.048 1225.626	946.475 715.459 917.423 1226.129
951137	86H1273	E N El	511280.758 5441506.811 61.463	0.9995950	0.9999934		MARKER DESTROYED						
103879	86H1274	E N El	512084.251 5441500.372 48.989	0.9995971	0.9999954	251454 716605 230417 409813 898734 224899	10H2569 13H2680 5571 10H2571 NO MARKING 10H2572	GPS GPS GPS GPS GPS GPS	135 3 55 153 10 34 233 17 24 314 38 33 345 31 41 358 35 55			1126.889 1774.420 2019.264 1135.885 7557.887 813.420	1127.340 1775.137 2020.085 1136.344 7560.967 813.750

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
72918	86H1275	E 519663.251 N 5427726.648 El 26.441		0.9996037	0.9999989	55822 864827	86H1276 86H1277	TERR TERR	89 26 4 269 40 40	791.882 319.230	792.197 319.356
				CVD28GVRD2018							
55822	86H1276	E 520455.094 N 5427734.463 El 58.855		0.9995990	0.9999939	576363 72918	8705 86H1275	TERR TERR	89 38 23 269 26 4	287.459 791.882	287.574 792.197
				CVD28GVRD2018							
864827	86H1277	E 519344.026 N 5427724.853 El 19.695		0.9996046	1.0000000	72918 639351	86H1275 86H1278	TERR TERR	89 40 40 270 7 50	319.230 788.191	319.356 788.503
				CVD28GVRD2018							
639351	86H1278	E 518555.837 N 5427726.649 El 18.366		0.9996044	1.0000002	976324 851600 904904 683342 576363 864827 397588 136531 202903 934976 878538	92H0924 84H0574 NO MARKING 5177 8705 86H1277 86H1284 92H0917 86H1297 92H0855 92H0857	GPS GPS GPS GPS GPS TERR TERR GPS GPS GPS GPS	0 20 60 26 10 26 29 40 29 89 42 22 89 44 52 90 7 50 268 45 26 281 1 35 310 24 8 323 11 1 345 50 50	796.050 1792.266 13035.993 4031.720 2186.731 788.191 259.992 809.102 5283.642 4017.438 3320.527	796.364 1792.974 13041.132 4033.339 2187.603 788.503 260.095 809.422 5285.776 4019.045 3321.849
170100	86H1279	E 517909.863 N 5427720.843 El 13.616		0.9996049	1.0000010	397588	86H1284	TERR	89 58 31	386.043	386.196
				CVD28GVRD2018							
361808	86H1280	E 517775.530 N 5427899.452 El 14.401		0.9996047	1.0000008		MARKER DESTROYED				
				CVD28GVRD2018							
758011	86H1281	E 517749.670 N 5428304.962 El 16.530		0.9996044	1.0000005	766543	86H1282	TERR	356 54 39	358.215	358.357
				CVD28GVRD2018							
766543	86H1282	E 517730.366 N 5428662.656 El 15.886		0.9996045	1.0000006	29389 758011	8708 86H1281	TERR TERR	1 28 22 176 54 39	669.436 358.215	669.700 358.357
				CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
998187	86H1283	E 518294.243 N 5428528.326 El 17.334		0.9996045	1.0000004	397588	86H1284	TERR	179 52 55	807.318	807.636
					CVD28GVRD2018						
397588	86H1284	E 518295.906 N 5427721.010 El 17.074		0.9996045	1.0000004	639351 170100 998187	86H1278 86H1279 86H1283	TERR TERR TERR	88 45 26 269 58 31 359 52 55	259.992 386.043 807.318	260.095 386.196 807.636
					CVD28GVRD2018						
1545	86H1285	E 518548.382 N 5428528.301 El 17.441		0.9996046	1.0000004		MARKER DESTROYED				
					CVD28GVRD2018						
413609	86H1288	E 520165.158 N 5439056.155 El 6.227		0.9996070	1.0000021		MARKER DESTROYED				
					CVD28GVRD2018						
162420	86H1293	E 518528.527 N 5440342.388 El 22.953		0.9996036	0.9999994	17830 608869 904904 548891 56473 546390 306167 202697 745927	10H2578 92H0926 NO MARKING 92H0829 10H2596 5025 10H2568 NO MARKING 5271	GPS GPS GPS GPS GPS GPS GPS GPS GPS	17 43 27 65 12 54 101 15 7 209 27 19 230 53 51 282 9 8 296 17 25 318 36 27 331 27 56	2652.079 874.919 6608.130 1566.726 1940.113 4102.620 836.879 9298.850 5029.927	2653.125 875.266 6610.740 1567.345 1940.880 4104.247 837.210 9302.593 5031.943

Datum: NAD83 (CSRS)

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				Metres	Metres	
202903	86H1297	E N El	514532.270	0.9995880	0.9999854	511907	92H0921	GPS	29	38	59	1591.319	1591.972	
			5431151.233			629832	84H0578	GPS	34	10	27	711.433	711.725	
			113.084	CVD28GVRD2018		782151	80H2067	GPS	48	32	29	4580.688	4582.535	
						901330	92H0919	GPS	49	39	12	2123.622	2124.491	
						904904	NO MARKING	GPS	52	58	39	13122.983	13128.268	
						787424	80H2013	GPS	69	53	50	1709.180	1709.878	
						878538	92H0857	GPS	93	38	58	3218.201	3219.509	
						934976	92H0855	GPS	97	20	50	1629.489	1630.154	
						639351	86H1278	GPS	130	24	8	5283.642	5285.776	
						455196	5873	GPS	138	40	45	2435.056	2436.038	
						471623	5471	GPS	255	1	58	833.299	833.642	
						851287	5476	GPS	267	32	37	4854.062	4856.053	
						942870	86H1263	GPS	269	27	14	3233.887	3235.217	
						940213	92H0920	GPS	280	34	0	3285.242	3286.592	
						762716	80H1257	GPS	290	30	20	12173.575	12178.504	
						557686	5495	GPS	300	10	7	6443.092	6445.696	
						995365	6910	GPS	305	26	3	12014.346	12019.207	
						513044	92H0852	GPS	306	52	57	1000.774	1001.187	
						703223	677003	GPS	308	52	31	1568.139	1568.787	
						4903	92H0897	GPS	315	9	28	4785.464	4787.398	
170423	86H1299	E N El	523034.862	0.9996069	1.0000004	736207	5158	TERR	269	9	2	475.496	475.683	
			5445609.240											
			16.405	CVD28GVRD2018										
520262	86H1301	E N El	522882.266	0.9996015	0.9999950	394726	86H1302	TERR	89	23	44	187.781	187.856	
			5443977.039			565457	5160	TERR	269	24	8	328.037	328.167	
			50.662	CVD28GVRD2018										
394726	86H1302	E N El	523070.037	0.9996008	0.9999942	800912	88H4590	TERR	89	22	31	307.781	307.903	
			5443979.020			520262	86H1301	TERR	269	23	44	187.781	187.856	
			55.762	CVD28GVRD2018										
799601	86H1303	E N El	523097.346	0.9996032	0.9999967	496794	5017	TERR	90	9	35	254.875	254.976	
			5440743.086											
			40.531	CVD28GVRD2018										

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER	IDENTIFIERS	UTM	Station	Scale	Factor	TO MARKER	IDENTIFIERS	Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates				-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
985606	86H1304	E	513318.585	0.9995878	0.9999856	71563	86H1270	GPS	29 14 38	679.162	679.442
		N	5448983.699			546473	85H0764	GPS	80 47 60	20824.735	20833.181
		E1	110.684	CVD28GVRD2018		929125	82H5827	GPS	105 24 59	29551.400	29563.399
						854612	88H3910	GPS	181 15 31	18277.919	18285.405
						308429	90H6222	GPS	234 13 6	7798.169	7801.387
						187880	86H1271	GPS	242 3 56	946.085	946.475
						971887	5778	GPS	247 33 2	3986.004	3987.640
						668459	5373	GPS	255 9 55	6331.164	6333.761
						258020	19713	GPS	255 27 1	28495.474	28506.999
						572487	92H0889	GPS	264 21 46	2047.226	2048.066
						709113	90H6573	GPS	301 37 26	7631.353	7634.515
						681239	677011	GPS	309 3 41	22554.420	22563.775
						821058	84H9889	GPS	329 12 39	10337.359	10341.644
						996132	73H0413	GPS	332 55 27	7225.056	7228.056
		602961	86H1306	E	520147.530	0.9996079	1.0000029	737981	92H0915	GPS	0 33 5
N	5437290.438					151852	5167	GPS	30 50 56	1602.068	1602.697
E1	.842			CVD28GVRD2018		904904	NO MARKING	GPS	70 4 27	5171.712	5173.743
						614040	5875	GPS	121 54 50	2793.181	2794.284
						336131	NO MARKING	GPS	141 46 60	3833.422	3834.938
						649830	5092	GPS	209 8 0	1728.939	1729.618
						535096	8606	GPS	217 3 24	1356.052	1356.585
						885012	92H0833	GPS	234 5 25	3955.260	3956.816
						570986	13H2673	GPS	258 54 45	3447.699	3449.055
						548891	92H0829	GPS	305 14 6	2925.379	2926.529
						286757	13H2684	GPS	317 20 23	2441.186	2442.144
						629519	10H2574	GPS	321 34 29	1295.362	1295.870
						813808	92H0914	GPS	335 29 24	1922.380	1923.135
						873646	80H2008	GPS	336 30 36	2596.254	2597.273
774802	86H1307			E	512902.826	0.9995998	0.9999977	599530	5630	GPS	1 36 1
		N	5434180.612			777862	92H0845	GPS	27 45 33	6453.294	6455.857
		E1	33.980	CVD28GVRD2018		35329	92H0835	GPS	76 27 45	3314.690	3316.008
						885012	92H0833	GPS	78 56 18	4117.668	4119.305
215277	8701	E	522550.410	0.9996070	1.0000007	MARKER DESTROYED					
		N	5447178.235								
		E1	14.170	1928 Canadian Vertical Datum							
553016	8702	E	511227.916	0.9995977	0.9999961	MARKER DESTROYED					
		N	5445908.104								
		E1	44.00 (APPROX. ONLY)								

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
576363	8705	E	520742.547	0.9995977	0.9999924	210369	84H0564	GPS	3 44 6	3234.117	3235.406
		N	5427736.271			847178	5174	TERR	14 55 29	836.503	836.836
		El	68.047	CVD28GVRD2018		904904	NO MARKING	GPS	20 39 34	12094.452	12099.261
						909333	NO MARKING	GPS	27 47 16	27588.270	27599.297
						469304	5109	GPS	39 10 5	4161.674	4163.338
						23978	78H2743	GPS	43 18 4	5002.064	5004.070
						127415	92H0635	GPS	89 37 55	3994.909	3996.535
						637249	5175	TERR	90 51 5	186.845	186.920
						55822	86H1276	TERR	269 38 23	287.459	287.574
						639351	86H1278	GPS	269 44 52	2186.731	2187.603
						455196	5873	GPS	289 0 57	4868.130	4870.070
						976324	92H0924	GPS	289 49 15	2319.247	2320.172
						310003	5946	TERR	295 1 32	1486.472	1487.065
						787424	80H2013	GPS	310 59 38	6101.431	6103.892
						878538	92H0857	GPS	316 57 4	4392.776	4394.539
						898734	NO MARKING	GPS	333 25 19	23573.261	23582.854
				782151	80H2067	GPS	336 41 46	7020.479	7023.276		
431148	8706	E	523166.098	0.9995905	0.9999839	MARKER DESTROYED					
		N	5427743.817								
		El	122.246	1928 Canadian Vertical Datum							
530097	8707	E	520635.660	0.9996064	1.0000012	926840	5129	TERR	89 48 44	325.750	325.879
		N	5429352.534			867986	8739	TERR	269 50 5	328.535	328.664
		El	12.163	CVD28GVRD2018							
29389	8708	E	517747.573	0.9996050	1.0000011	68924	5178	TERR	0 12 41	273.074	273.182
		N	5429331.871			482695	5131	TERR	89 48 55	801.945	802.261
		El	12.725	CVD28GVRD2018		766543	86H1282	TERR	181 28 22	669.436	669.700
						301838	5762	TERR	269 5 27	433.926	434.098
769554	8709	E	522231.710	0.9996053	0.9999992	699736	5127	TERR	88 54 39	350.918	351.056
		N	5429351.836			823492	5128	TERR	268 54 34	463.427	463.610
		El	24.477	CVD28GVRD2018							
403634	8710	E	514317.048	0.9995963	0.9999938	MARKER ISOLATED					
		N	5433492.195								
		El	59.400	CVD28GVRD2018							
237164	8711	E	513427.338	0.9995879	0.9999857	445338	5871	TERR	270 10 5	517.224	517.437
		N	5432549.447								
		El	110.852	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----	UTM			Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid			UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Bearing						
678631	8712	E N El	512911.420 5433063.967 83.916	0.9995920	0.9999899		MARKER DESTROYED							
965061	8713	E N El	509391.821 5431331.010 57.048	0.9995952	0.9999942	375337 613695	5489 5488	TERR TERR	91 271	7 6	5 58	293.075 280.558	293.194 280.672	
650879	8714	E N El	509044.442 5441536.804 88.118	0.9995902	0.9999892		MARKER DESTROYED							
679654	8715	E N El	519335.374 5444754.924 1.20 (APPROX. ONLY)	0.9996074	1.0000028		MARKER DESTROYED							
991125	8716	E N El	520938.618 5446200.443 37.642	0.9996025	0.9999971	306738 721050	5677 5672	TERR TERR	0 179	29 45	23 56	206.391 601.724	206.473 601.962	
986059	8717	E N El	510940.290 5448506.070 84.257	0.9995913	0.9999898		MARKER ISOLATED							
389668	8718	E N El	511059.335 5448937.468 79.323	0.9995921	0.9999905		MARKER DESTROYED							
969840	8719	E N El	509864.735 5448674.737 90.181	0.9995901	0.9999889		MARKER DESTROYED							
801498	8720	E N El	510431.842 5445545.718 55.698	0.9995956	0.9999943	717728 878785 554584	5053 79H0026 79H0028	TERR TERR TERR	269 270 358	19 40 42	15 50 15	810.424 416.683 391.287	810.754 416.852 391.445	

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
90910	8721	E N El	510938.058 5448078.955 82.758	0.9995915	0.9999900	418699	5360	TERR	299 21 59	346.346	346.488
			CVD28GVRD2018								
3319	8722	E N El	511116.559 5447968.951 81.922	0.9995917	0.9999901		MARKER DESTROYED				
			1928 Canadian Vertical Datum								
303784	8723	E N El	511308.693 5447774.223 80.509	0.9995919	0.9999904		MARKER ISOLATED				
			CVD28GVRD2018								
43976	8724	E N El	509828.087 5442343.949 89.342	0.9995902	0.9999890		MARKER DESTROYED				
			1928 Canadian Vertical Datum								
622860	8725	E N El	508017.115 5447759.171 66.003	0.9995934	0.9999927	528992 704361	5800 5504	TERR TERR	90 12 33 271 35 24	190.031 328.600	190.109 328.733
			CVD28GVRD2018								
728048	8726	E N El	511401.710 5449709.024 92.718	0.9995900	0.9999884	521237 671156	5529 5402	TERR TERR	50 41 26 320 25 6	168.338 201.438	168.407 201.521
			CVD28GVRD2018								
354084	8727	E N El	510441.991 5443937.475 68.927	0.9995936	0.9999922		MARKER DESTROYED				
			CVD28GVRD2018								
718882	8728	E N El	511056.955 5442315.353 75.546	0.9995927	0.9999912	376822 742700	80H2054 5141	TERR TERR	90 18 8 271 24 25	708.546 604.261	708.834 604.508
			CVD28GVRD2018								
781955	8729	E N El	507456.441 5448063.006 12.296	0.9996018	1.0000011		MARKER ISOLATED				
			CVD28GVRD2018								

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
157628	8730	E 508453.297 N 5448652.010 El 2.303		0.9996035	1.0000026		MARKER DESTROYED				
199000	8731	E 508675.392 N 5448655.653 El 7.808		0.9996027	1.0000018		MARKER ISOLATED				
516260	8732	E 508678.322 N 5448787.110 El 5.247		0.9996031	1.0000022		MARKER DESTROYED				
765859	8733	E 509638.683 N 5449181.134 El 83.058		0.9995911	0.9999900	354316 760454	5057 5892	TERR TERR	180 11 51 181 46 29	406.330 314.781	406.496 314.910
661769	8734	E 510467.495 N 5448338.728 El 94.471		0.9995895	0.9999882		MARKER DESTROYED				
667816	8735	E 511242.959 N 5449563.809 El 86.671		0.9995909	0.9999894		MARKER DESTROYED				
294413	8736	E 510528.807 N 5445540.429 El 56.799		0.9995955	0.9999941		MARKER DESTROYED				
851592	8737	E 510893.840 N 5445547.037 El 44.892		0.9995974	0.9999960		MARKER DESTROYED				
172767	8738	E 510998.874 N 5445548.711 El 42.971		0.9995978	0.9999963		MARKER DESTROYED				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
867986	8739	E 520307.126 N 5429351.586 El 9.442		0.9996067	1.0000016	530097 395418	8707 80H2002	TERR TERR	89 50 5 269 9 1	328.535 521.983	328.664 522.189
				CVD28GVRD2018							
512814	8740	E 514522.356 N 5440706.480 El 6.061		0.9996047	1.0000021		MARKER DESTROYED				
				CVD28GVRD2018							
20347	8741	E 514523.442 N 5440344.229 El 22.366		0.9996021	0.9999995		MARKER DESTROYED				
				1928 Canadian Vertical Datum							
474155	8742	E 514524.592 N 5439587.615 El 32.940		0.9996005	0.9999979	712224	5608	TERR	0 21 15	306.283	306.405
				CVD28GVRD2018							
970038	8743	E 514525.160 N 5440068.291 El 28.385		0.9996012	0.9999986	712224	5608	TERR	179 33 53	174.404	174.473
				CVD28GVRD2018							
187682	8744	E 509084.124 N 5433483.506 El 6.964		0.9996030	1.0000020	165555 275347	5492 8629	TERR TERR	100 38 53 251 56 25	233.116 305.302	233.210 305.423
				CVD28GVRD2018							
807040	8745	E 511249.379 N 5447646.302 El 77.049		0.9995925	0.9999909		MARKER DESTROYED				
				1928 Canadian Vertical Datum							
324863	8746	E 511084.683 N 5447644.727 El 82.079		0.9995916	0.9999901	757021	5338	TERR	269 35 2	249.048	249.149
				CVD28GVRD2018							
719047	8747	E 512487.263 N 5441499.579 El 37.806		0.9995990	0.9999971	130336 10207	5040 80H2018	TERR TERR	90 0 29 179 31 23	403.941 385.893	404.103 386.048
				CVD28GVRD2018							

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

FROM MARKER IDENTIFIERS			UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS			Obs.	UTM Grid			UTM Grid	Ground
-----	-----						-----	-----	Type	Bearing			Distance	Distance	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING					Metres	Metres	
112961	8749	E	508801.267	0.9995891	0.9999882		949008	5294	TERR	0	3	58	452.365	452.551	
		N	5446706.102				365262	5314	TERR	180	9	15	319.500	319.631	
		E1	94.738	CVD28GVRD2018											
795302	8750	E	511601.480	0.9995936	0.9999920		907873	5291	TERR	270	18	1	770.851	771.164	
		N	5447146.627												
		E1	70.353	CVD28GVRD2018											
947507	8752	E	508014.488	0.9995885	0.9999878		MARKER DESTROYED								
		N	5446683.398												
		E1	97.309	CVD28GVRD2018											
956912	8753	E	508011.003	0.9995880	0.9999872		MARKER DESTROYED								
		N	5446421.897												
		E1	100.869	CVD28GVRD2018											
564153	8754	E	508008.084	0.9995878	0.9999870	179564	8755	TERR	183	34	2	364.278	364.428		
		N	5446220.993												
		E1	102.048	CVD28GVRD2018											
340158	8756	E	508004.997	0.9995883	0.9999876		MARKER DESTROYED								
		N	5445593.482												
		E1	98.633	CVD28GVRD2018											
133926	8757	E	508005.670	0.9995889	0.9999882	99242	8761	TERR	88	34	1	576.745	576.983		
		N	5445193.754												
		E1	94.794	CVD28GVRD2018											
665091	8758	E	507980.756	0.9995887	0.9999879		MARKER DESTROYED								
		N	5444809.333												
		E1	96.321	CVD28GVRD2018											
347971	8759	E	508006.812	0.9995885	0.9999877		MARKER DESTROYED								
		N	5444380.695												
		E1	97.438	CVD28GVRD2018											

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
21162	8760	E 507983.021 N 5444212.171 El 97.870		0.9995885	0.9999877		MARKER DESTROYED				
99242	8761	E 508582.235 N 5445208.178 El 92.038		0.9995895	0.9999886	25601 133926	8762 8757	TERR TERR	180 46 53 268 34 1	426.598 576.745	426.773 576.983
25601	8762	E 508576.417 N 5444781.620 El 91.692		0.9995896	0.9999886	99242 494740	8761 5459	TERR TERR	0 46 53 92 2 44	426.598 239.431	426.773 239.528
649145	8763	E 508260.941 N 5444382.110 El 95.809		0.9995888	0.9999880	585604	5460	TERR	91 50 21	555.609	555.838
323477	8764	E 512065.260 N 5442333.993 El 71.125		0.9995937	0.9999919		MARKER DESTROYED				
583112	8765	E 511755.601 N 5442307.704 El 68.961		0.9995939	0.9999922		MARKER DESTROYED				
610113	8766	E 512278.848 N 5442320.430 El 73.525		0.9995934	0.9999915		MARKER DESTROYED				
986430	8767	E 512078.453 N 5443197.095 El 64.685		0.9995947	0.9999929		MARKER DESTROYED				
540047	8768	E 512059.781 N 5443568.276 El 47.656		0.9995973	0.9999955	149674	5219	TERR	0 45 30	374.981	375.131

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
703637	8769	E 512071.765 N 5442931.565 El 70.233		0.9995938	0.9999920	910364	5221	TERR	179 36 42	215.319	215.406
				CVD28GVRD2018							
782094	8770	E 512600.101 N 5442333.217 El 74.385		0.9995933	0.9999914	478180	5038	TERR	89 9 13	287.351	287.468
				CVD28GVRD2018							
841528	8771	E 513266.117 N 5442338.716 El 67.390		0.9995946	0.9999925	848101 478180	5451 5038	TERR TERR	89 48 52 269 48 37	232.594 378.698	232.688 378.852
				CVD28GVRD2018							
657221	8772	E 509627.961 N 5446341.913 El 81.804		0.9995913	0.9999902				MARKER DESTROYED		
				CVD28GVRD2018							
999904	8773	E 510848.827 N 5443945.743 El 65.180		0.9995943	0.9999928				MARKER DESTROYED		
				CVD28GVRD2018							
385674	8774	E 508616.051 N 5443545.460 El 95.603		0.9995890	0.9999880	829994 230227	5599 5601	TERR TERR	90 16 13 272 22 29	201.909 202.991	201.992 203.075
				CVD28GVRD2018							
173922	8775	E 514075.341 N 5446388.233 El 93.653		0.9995908	0.9999883	370809 472969	5852 5553	TERR TERR	90 39 24 269 20 54	410.640 392.509	410.808 392.671
				CVD28GVRD2018							
419705	8776	E 510053.549 N 5441527.899 El 85.249		0.9995909	0.9999897	722397 476424	5047 5225	TERR TERR	271 10 57 359 30 11	407.704 811.772	407.871 812.104
				CVD28GVRD2018							
114371	8777	E 509325.547 N 5443142.157 El 92.834		0.9995895	0.9999885	505024 662049	5444 5921	TERR TERR	270 9 26 359 49 26	503.260 397.322	503.467 397.485
				CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
110551	8778	E 522223.153 N 5442353.269 El 82.598		0.9995961	0.9999901	746222	5687	TERR	268 20 26	459.066	459.251
					CVD28GVRD2018						
614602	8779	E 520972.510 N 5442317.648 El 55.374		0.9995997	0.9999943	183087 337253	5933 8790	TERR TERR	0 7 52 88 26 54	312.694 402.728	312.819 402.889
					CVD28GVRD2018						
311779	8780	E 519333.392 N 5439882.790 El 7.063		0.9996065	1.0000019						
					CVD28GVRD2018		MARKER DESTROYED				
182469	8781	E 519346.572 N 5440882.397 El 15.866		0.9996051	1.0000005						
					CVD28GVRD2018		MARKER DESTROYED				
770339	8782	E 519335.305 N 5441359.852 El 14.024		0.9996054	1.0000008						
					CVD28GVRD2018		MARKER DESTROYED				
46581	8783	E 511684.672 N 5440703.955 El 34.401		0.9995993	0.9999976						
					CVD28GVRD2018		MARKER ISOLATED				
709527	8784	E 516787.664 N 5434169.624 El 15.189		0.9996041	1.0000007	166	5183	TERR	88 53 35	974.885	975.270
					CVD28GVRD2018						
360990	8785	E 519103.180 N 5434174.839 El 5.599		0.9996067	1.0000022	505818 30502 231829	8786 8601 8649	TERR TERR TERR	89 29 28 90 1 19 269 57 44	216.662 1029.887 652.153	216.747 1030.292 652.409
					CVD28GVRD2018						
505818	8786	E 519319.833 N 5434176.763 El 2.926		0.9996072	1.0000026	38133 30502 8094 436204 360990 166 649830	5095 8601 84H0567 5809 8785 5183 5092	GPS TERR TERR GPS TERR GPS GPS	63 23 2 90 9 48 179 10 22 251 36 38 269 29 28 270 25 49 359 29 55	1803.718 813.237 567.620 1643.724 216.662 1557.510 1603.528	1804.427 813.557 567.844 1644.377 216.747 1558.123 1604.158

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
19034	8787	E 523067.637 N 5442359.616 El 82.111	CVD28GVRD2018	0.9995967	0.9999901		MARKER DESTROYED				
813758	8788	E 522554.557 N 5441957.961 El 82.900	CVD28GVRD2018	0.9995963	0.9999900		MARKER ISOLATED				
321992	8789	E 523065.099 N 5441955.547 El 79.813	CVD28GVRD2018	0.9995970	0.9999905		MARKER DESTROYED				
337253	8790	E 521375.090 N 5442328.553 El 66.725	CVD28GVRD2018	0.9995982	0.9999925	746222 614602	5687 8779	TERR TERR	88 19 9 268 26 54	389.358 402.728	389.514 402.889
934539	8791	E 508406.619 N 5446783.848 El 95.353	CVD28GVRD2018	0.9995889	0.9999881	862052 898734 316281 799965 543827 722686	5507 NO MARKING 10H2576 10H2575 8794 10H2583	TERR GPS GPS GPS TERR GPS	0 21 28 41 19 22 101 43 14 146 13 14 178 45 36 346 48 20	372.606 2709.179 2060.677 1443.063 195.336 1897.467	372.760 2710.294 2061.519 1443.655 195.415 1898.234
304071	8792	E 510029.849 N 5443943.254 El 76.194	CVD28GVRD2018	0.9995923	0.9999911	655696	5049	TERR	268 42 55	401.628	401.792
578278	8793	E 510606.338 N 5446365.067 El 70.897	CVD28GVRD2018	0.9995933	0.9999919	129593	78H8426	TERR	90 28 28	217.301	217.390
543827	8794	E 508410.846 N 5446588.558 El 99.865	CVD28GVRD2018	0.9995882	0.9999874	934539	8791	TERR	358 45 36	195.336	195.415
828640	8795	E 522965.364 N 5446418.632 El 15.977	CVD28GVRD2018	0.9996069	1.0000005	91116 428466 579870	88H4611 5675 8797	TERR TERR TERR	90 7 18 272 29 16 359 13 37	446.897 519.738 386.017	447.073 519.943 386.170

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
283507	8796	E 523160.244 N 5446794.511 El 15.372		0.9996071	1.0000006	579870 879080	8797 8800	TERR TERR	272 53 26 358 19 39	200.344 385.100	200.423 385.252
				CVD28GVRD2018							
579870	8797	E 522960.155 N 5446804.614 El 17.355		0.9996067	1.0000002	283507 828640	8796 8795	TERR TERR	92 53 26 179 13 37	200.344 386.017	200.423 386.170
				CVD28GVRD2018							
138255	8798	E 522566.913 N 5446784.091 El 20.747		0.9996060	0.9999997	MARKER DESTROYED					
				1928 Canadian Vertical Datum							
564955	8799	E 522151.100 N 5446777.685 El 20.751		0.9996057	0.9999997	138370 288092 695155 904904 377754 969295 998500 187641 334078 31682	81H4529 10H2611 77C060 NO MARKING 5680 13H2676 10H2579 10H2580 8640 10H2612	TERR GPS GPS GPS GPS GPS GPS GPS GPS GPS	0 13 35 25 26 54 45 53 38 159 41 35 187 48 10 235 53 31 246 44 8 261 59 12 279 33 16 333 37 40	399.132 916.321 595.667 8236.652 2848.147 2842.179 3045.239 2826.357 1227.616 863.612	399.289 916.681 595.901 8239.895 2849.270 2843.298 3046.438 2827.475 1228.102 863.952
879080	8800	E 523149.004 N 5447179.447 El 15.139		0.9996072	1.0000006	567420 283507 797241	77H2729 8796 5077	TERR TERR TERR	89 51 10 178 19 39 269 52 40	210.568 385.100 576.276	210.650 385.252 576.502
60400	92H0827	E 522995.289 N 5429356.137 El 39.133		0.9996034	0.9999969	45328 699736	5126 5127	TERR TERR	50 45 54 270 19 44	188.142 412.731	188.217 412.895
				CVD28GVRD2018							
97972	92H0828	E 523155.724 N 5427746.518 El 121.533		0.9995906	0.9999840	105593 683342	92H0782 5177	TERR TERR	90 0 1 270 4 55	238.516 568.221	238.614 568.453
				CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid		Ground Distance Metres
-----	-----	Coordinates		Combined	Ellipsoidal	-----	-----		Bearing			Distance Metres		
GCM-NO	TABLET MARKING		Metres					GCM-NO	TABLET MARKING					
548891	92H0829	E	517758.099	0.9996068	1.0000030	24588	5078	GPS	0	11	30	906.094	906.452	
		N	5438978.177			306167	10H2568	GPS	0	39	51	1734.996	1735.681	
		E1	.408			CVD28GVRD2018	162420	86H1293	GPS	29	27	19	1566.726	1567.345
							608869	92H0926	GPS	42	6	45	2333.406	2334.326
							286757	13H2684	GPS	81	40	59	742.975	743.267
							904904	NO MARKING	GPS	89	24	33	7251.924	7254.776
							151852	5167	GPS	95	33	20	3226.084	3227.355
							629519	10H2574	GPS	113	0	44	1721.355	1722.033
							602961	86H1306	GPS	125	14	6	2925.379	2926.529
							56473	10H2596	GPS	280	49	29	748.454	748.747
							777862	92H0845	GPS	296	16	22	2062.689	2063.501
							112839	92H0846	GPS	305	12	41	2960.907	2962.073
		440628	92H0830			E	520964.000	0.9996021	0.9999967	MARKER DESTROYED				
N	5439055.340													
E1	40.261			CVD28GVRD2018										
916528	92H0831	E	521768.394	0.9996012	0.9999954	MARKER DESTROYED								
		N	5439065.039											
		E1	48.462			CVD28GVRD2018								
744789	92H0832	E	522530.112	0.9996071	1.0000009	MARKER DESTROYED								
		N	5439128.216											
		E1	13.772			CVD28GVRD2018								
885012	92H0833	E	516943.994	0.9996058	1.0000023	602961	86H1306	GPS	54	5	25	3955.260	3956.816	
		N	5434970.646			535096	8606	GPS	62	35	17	2688.206	2689.263	
		E1	4.770			CVD28GVRD2018	904904	NO MARKING	GPS	63	9	16	9039.910	9043.470
							649830	5092	GPS	71	4	45	2496.712	2497.696
							30502	8601	GPS	104	1	5	3286.962	3288.256
							8094	84H0567	GPS	119	43	45	2745.387	2746.474
							782151	80H2067	GPS	127	36	26	1289.041	1289.550
							934976	92H0855	GPS	191	10	26	4105.621	4107.260
							629832	84H0578	GPS	211	54	51	3806.149	3807.679
							982553	92H0850	GPS	224	56	55	3439.597	3440.981
							774802	86H1307	GPS	258	56	18	4117.668	4119.305
							35329	92H0835	GPS	269	0	41	818.692	819.015
							465427	13H2672	GPS	278	22	13	2458.457	2459.428
							599530	5630	GPS	280	34	34	4067.340	4068.947
							686790	92H0898	GPS	307	32	24	4107.591	4109.212
							898734	NO MARKING	GPS	334	1	6	15404.673	15410.882
							546390	5025	GPS	338	44	21	6690.749	6693.395
							570986	13H2673	GPS	353	48	21	1666.495	1667.151

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
409698	92H0842	E	516923.000	0.9995987	0.9999952	652255	92H0838	GPS	63 25 19	1796.860	1797.574
		N	5445590.404			943670	10H2581	GPS	89 34 36	1499.074	1499.670
		El	49.729			721050	5672	GPS	89 52 53	4018.089	4019.684
						821256	5189	GPS	151 58 57	1763.607	1764.314
						745927	5271	GPS	223 52 38	1150.174	1150.638
						20453	10H2577	GPS	233 23 11	1009.413	1009.820
						403428	92H0843	GPS	255 50 7	3361.740	3363.089
						898734	NO MARKING	GPS	295 37 59	7461.882	7464.918
						904581	10H2600	GPS	358 45 43	1579.588	1580.221
403428	92H0843	E	513663.470	0.9995993	0.9999970	652255	92H0838	GPS	71 31 5	5131.152	5133.191
		N	5444767.752			409698	92H0842	GPS	75 50 7	3361.740	3363.089
		El	38.041			745927	5271	GPS	90 8 58	2462.333	2463.327
						546390	5025	GPS	166 30 40	3662.769	3664.230
						418749	92H0839	GPS	178 40 7	1606.088	1606.730
						124974	92H0844	GPS	224 1 8	1122.528	1122.977
						404020	92H0878	GPS	269 9 60	2403.369	2404.333
124974	92H0844	E	512883.430	0.9996009	0.9999988	403428	92H0843	GPS	44 1 8	1122.528	1122.977
		N	5443960.530			745927	5271	GPS	76 7 36	3339.792	3341.136
		El	26.676			699132	92H0836	GPS	106 6 33	2522.133	2523.140
						418749	92H0839	GPS	134 19 45	1142.612	1143.068
777862	92H0845	E	515908.491	0.9996060	1.0000029	278754	13H2675	GPS	6 13 35	2135.626	2136.468
		N	5439891.214			689091	13H2674	GPS	39 12 25	2929.355	2930.509
		El	.786			306167	10H2568	GPS	66 16 19	2042.372	2043.180
						24588	5078	GPS	90 12 54	1852.650	1853.383
						904904	NO MARKING	GPS	95 15 44	9139.667	9143.265
						548891	92H0829	GPS	116 16 22	2062.689	2063.501
						56473	10H2596	GPS	124 43 37	1356.011	1356.545
						35329	92H0835	GPS	177 28 58	4939.459	4941.406
						774802	86H1307	GPS	207 45 33	6453.294	6455.857
						621482	13H2685	GPS	213 16 39	943.284	943.656
						599530	5630	GPS	215 22 2	5118.636	5120.659
						686790	92H0898	GPS	222 34 41	3283.396	3284.691
						100123	92H0913	GPS	238 56 21	1601.272	1601.905
						316992	92H0912	GPS	249 34 43	2345.358	2346.292
						361865	13H2678	GPS	300 37 10	1590.578	1591.205
						112839	92H0846	GPS	324 21 16	977.312	977.698
						898734	NO MARKING	GPS	327 22 58	10598.769	10603.041
112839	92H0846	E	515338.945	0.9996058	1.0000029	24588	5078	GPS	108 18 7	2551.237	2552.247
		N	5440685.416			548891	92H0829	GPS	125 12 41	2960.907	2962.073
		El	.820			777862	92H0845	GPS	144 21 16	977.312	977.698
						546390	5025	GPS	302 22 33	972.237	972.622
						699132	92H0836	GPS	359 16 44	2575.503	2576.527

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
82891	92H0847	E 519342.146 N 5445554.041 El 1.491		0.9996074	1.0000028		MARKER DESTROYED				
690016	92H0848	E 513737.027 N 5433350.336 El 69.968		0.9995944	0.9999921	982553 639534 303743 557686 599530	92H0850 92H0856 92H0854 5495 5630	GPS GPS GPS GPS GPS	136 20 2 180 19 43 251 10 15 282 16 25 341 30 51	1125.321 810.146 5115.053 4886.834 2495.604	1125.780 810.478 5117.119 4888.794 2496.605
188508	92H0849	E 512906.876 N 5431735.533 El 94.487		0.9995903	0.9999883	639534 982553 513044 471623 851287	92H0856 92H0850 92H0852 5471 5476	GPS GPS GPS GPS GPS	45 43 56 63 30 53 88 51 55 134 15 45 256 11 36	1152.801 1795.584 825.069 1145.523 3320.140	1153.275 1796.321 825.408 1145.992 3321.497
982553	92H0850	E 514514.011 N 5432536.307 El 105.203		0.9995892	0.9999866	885012 629832 513044 188508 639534 690016	92H0833 84H0578 92H0852 92H0849 92H0856 92H0848	GPS GPS GPS GPS GPS GPS	44 56 55 152 18 58 224 55 10 243 30 53 270 17 8 316 20 2	3439.597 899.446 1107.798 1795.584 781.641 1125.321	3440.981 899.815 1108.253 1796.321 781.963 1125.780
848895	92H0851	E 514514.121 N 5433199.174 El 71.546		0.9995945	0.9999919		MARKER DESTROYED				
513044	92H0852	E 513731.783 N 5431751.874 El 108.412		0.9995884	0.9999861	639534 982553 629832 202903 471623 188508	92H0856 92H0850 84H0578 86H1297 5471 92H0849	GPS GPS GPS GPS GPS GPS	0 2 36 44 55 10 90 34 31 126 52 57 180 19 8 268 51 55	788.329 1107.798 1200.166 1000.774 815.868 825.069	788.653 1108.253 1200.659 1001.187 816.204 825.408
827410	92H0853	E 509696.730 N 5431737.299 El 67.961		0.9995936	0.9999924		MARKER DESTROYED				
303743	92H0854	E 508895.705 N 5431699.467 El 39.106		0.9995979	0.9999970	557686 599530 690016 851287	5495 5630 92H0848 5476	GPS GPS GPS GPS	1 24 34 45 13 47 71 10 15 133 51 39	2690.521 5704.809 5115.053 1091.452	2691.595 5707.087 5117.119 1091.894

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
934976	92H0855	E	516148.380	0.9995960	0.9999928	885012	92H0833	GPS	11 10 26	4105.621	4107.260
		N	5430942.852			878538	92H0857	GPS	89 52 23	1595.569	1596.211
		E1	65.333			639351	86H1278	GPS	143 11 1	4017.438	4019.045
						202903	86H1297	GPS	277 20 50	1629.489	1630.154
						599530	5630	GPS	326 8 46	5748.998	5751.299
						546390	5025	GPS	350 58 22	10391.886	10396.046
639534	92H0856	E	513732.380	0.9995876	0.9999853	690016	92H0848	GPS	0 19 43	810.146	810.478
		N	5432540.203			982553	92H0850	GPS	90 17 8	781.641	781.963
		E1	113.353			513044	92H0852	GPS	180 2 36	788.329	788.653
						188508	92H0849	GPS	225 43 56	1152.801	1153.275
878538	92H0857	E	517743.945	0.9995997	0.9999959	782151	80H2067	GPS	3 54 33	3245.176	3246.465
		N	5430946.390			904904	NO MARKING	GPS	41 52 8	10886.089	10890.408
		E1	46.025			23978	78H2743	GPS	86 10 19	6443.562	6446.140
						210369	84H0564	GPS	89 41 39	3209.322	3210.597
						127415	92H0635	GPS	114 28 56	7684.324	7687.445
						683342	5177	GPS	123 26 38	5804.656	5807.002
						851600	84H0574	GPS	135 9 25	2272.448	2273.351
						576363	8705	GPS	136 57 4	4392.776	4394.539
						639351	86H1278	GPS	165 50 50	3320.527	3321.849
						455196	5873	GPS	224 38 37	2282.452	2283.359
						934976	92H0855	GPS	269 52 23	1595.569	1596.211
						202903	86H1297	GPS	273 38 58	3218.201	3219.509
						869792	NO MARKING	GPS	288 6 52	29964.682	29976.667
						898734	NO MARKING	GPS	337 6 10	19400.764	19408.641
680090	92H0858	E	519356.860	0.9996052	1.0000006		MARKER DESTROYED				
		N	5440704.330								
		E1	15.405		CVD28GVRD2018						
869081	92H0859	E	522550.751	0.9996004	0.9999942		MARKER DESTROYED				
		N	5440744.897								
		E1	56.471		CVD28GVRD2018						
589457	92H0860	E	519945.569	0.9996073	1.0000024	800326	5985	GPS	126 32 32	697.761	698.035
		N	5448773.945			721050	5672	GPS	162 35 33	3327.622	3328.929
		E1	3.554		CVD28GVRD2018	133892	92H0837	GPS	177 51 13	1315.701	1316.223
						693051	10H2599	GPS	201 19 10	1753.535	1754.233
						266148	NO MARKING	GPS	205 4 38	1533.334	1533.944
						694950	13H2677	GPS	209 34 32	1223.529	1224.016
						898734	NO MARKING	GPS	270 15 41	9750.183	9754.107
						245928	92H0861	GPS	270 27 3	586.213	586.444
						638197	5287	GPS	290 23 56	2355.548	2356.479
						193888	10H2593	GPS	351 58 7	696.333	696.606

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
245928	92H0861	E	519359.374	0.9996070	1.0000024	589457	92H0860	GPS	90 27 3	586.213	586.444
		N	5448778.558			133892	92H0837	GPS	154 16 57	1464.452	1465.033
		El	3.883	CVD28GVRD2018		266148	NO MARKING	GPS	182 37 1	1394.867	1395.422
						230904	92H0840	GPS	296 15 13	3604.919	3606.360
562272	92H0862	E	522561.967	0.9995961	0.9999898		MARKER DESTROYED				
		N	5442355.752								
		El	84.008	CVD28GVRD2018							
677138	92H0863	E	511269.242	0.9995908	0.9999893		MARKER DESTROYED				
		N	5439895.374								
		El	87.976	CVD28GVRD2018							
803254	92H0864	E	511260.819	0.9995965	0.9999949		MARKER DESTROYED				
		N	5440711.674								
		El	51.887	CVD28GVRD2018							
817650	92H0865	E	509635.857	0.9995916	0.9999904		MARKER DESTROYED				
		N	5439510.560								
		El	80.476	CVD28GVRD2018							
585919	92H0866	E	509655.701	0.9995886	0.9999874		MARKER DESTROYED				
		N	5440695.710								
		El	99.543	CVD28GVRD2018							
808014	92H0867	E	512063.234	0.9995945	0.9999927		MARKER DESTROYED				
		N	5443136.642								
		El	66.053	CVD28GVRD2018							
118687	92H0868	E	511254.858	0.9995993	0.9999978		MARKER DESTROYED				
		N	5445572.584								
		El	33.339	CVD28GVRD2018							
26484	92H0869	E	512065.058	0.9995937	0.9999919		MARKER DESTROYED				
		N	5442314.625								
		El	71.148	CVD28GVRD2018							

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
402313	92H0870	E 512860.039 N 5445564.364 El 63.860		0.9995950	0.9999930		MARKER DESTROYED				
420521	92H0871	E 508006.145 N 5444840.898 El 96.099		0.9995887	0.9999880	182428 515189 308429 15578	92H0872 82H5404 90H6222 82H5618	GPS GPS GPS GPS	180 16 27 200 15 43 247 39 9 322 27 59	1569.006 3428.179 1096.152 2493.321	1569.651 3429.582 1096.604 2494.339
182428	92H0872	E 507998.640 N 5443271.910 El 92.476		0.9995893	0.9999885	420521 36509 722397 60731 515189 308429	92H0871 92H0882 5047 92H0873 82H5404 90H6222	GPS GPS GPS GPS GPS GPS	0 16 27 94 3 38 136 29 43 179 23 60 215 36 46 318 51 59	1569.006 1649.493 2392.879 923.569 2025.962 1529.788	1569.651 1650.170 2393.861 923.947 2026.791 1530.419
60731	92H0873	E 508008.313 N 5442348.392 El 78.791		0.9995915	0.9999907	36509 722397 182428	92H0882 5047 92H0872	GPS GPS GPS	63 44 51 116 22 35 359 23 60	1823.800 1827.914 923.569	1824.546 1828.662 923.947
466987	92H0874	E 508000.233 N 5441533.955 El 83.959		0.9995907	0.9999899		MARKER DESTROYED				
102970	92H0875	E 508017.163 N 5440739.124 El 79.137		0.9995914	0.9999906	898734 90316 232017 230417 901199 275420 557686 607093 853168 995365 252569 515189 799270 815746 406223 6544	NO MARKING 80H2099 10H2570 5571 5620 92H0907 5495 5893 84H9452 6910 92H0596 82H5404 9352 84H9508 94H1459 13H2686	GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS	15 5 21 45 24 17 90 47 31 100 19 11 130 22 37 147 14 27 171 32 16 180 15 37 190 26 37 231 18 22 269 30 52 306 28 18 309 11 33 317 48 56 349 54 28 359 31 1	8367.830 4561.160 1641.551 2488.559 4092.238 1465.570 6419.842 3087.198 1602.297 4194.721 2614.704 1490.075 2550.520 4096.958 14544.694 798.947	8371.264 4563.015 1642.224 2489.578 4093.883 1466.168 6422.426 3088.441 1602.946 4196.410 2615.760 1490.683 2551.553 4098.618 14550.568 799.274
279778	92H0876	E 508005.471 N 5445614.205 El 99.176		0.9995883	0.9999875		MARKER DESTROYED				

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
737213	92H0877	E	508592.949	0.9995896	0.9999886	971887	5778	GPS	29 28 11	2117.440	2118.307
		N	5445618.091			611178	92H0885	GPS	73 23 54	2772.049	2773.178
		El	91.648			783019	92H0879	GPS	115 31 52	2027.393	2028.218
						950840	5461	GPS	145 30 7	1544.327	1544.959
						15578	82H5618	GPS	299 40 36	2423.718	2424.707
						668459	5373	GPS	321 21 52	2233.465	2234.379
						770800	5296	GPS	337 18 18	1664.905	1665.589
404020	92H0878	E	511260.355	0.9995988	0.9999972	403428	92H0843	GPS	89 9 60	2403.369	2404.333
		N	5444732.794			783019	92H0879	GPS	270 47 8	838.064	838.401
		El	36.906								
783019	92H0879	E	510422.370	0.9995959	0.9999946	404020	92H0878	GPS	90 47 8	838.064	838.401
		N	5444744.283			36509	92H0882	GPS	206 5 44	1769.558	1770.278
		El	53.990			950840	5461	GPS	247 19 20	1034.745	1035.165
						737213	92H0877	GPS	295 31 52	2027.393	2028.218
148999	92H0881	E	510454.175	0.9995915	0.9999902	MARKER DESTROYED					
		N	5443147.850								
		El	81.871								
36509	92H0882	E	509643.993	0.9995907	0.9999896	783019	92H0879	GPS	26 5 44	1769.558	1770.278
		N	5443155.112			722397	5047	GPS	179 55 53	1618.801	1619.464
		El	85.865			60731	92H0873	GPS	243 44 51	1823.800	1824.546
						182428	92H0872	GPS	274 3 38	1649.493	1650.170
						950840	5461	GPS	351 34 16	1203.225	1203.717
834499	92H0883	E	517758.497	0.9996040	1.0000001	24588	5078	GPS	179 51 37	1077.902	1078.330
		N	5440962.165			546390	5025	GPS	274 18 12	3249.821	3251.110
		El	18.661								
443911	92H0884	E	517772.198	0.9996035	0.9999996	MARKER DESTROYED					
		N	5440690.948								
		El	21.612								
611178	92H0885	E	511249.442	0.9995957	0.9999941	426981	92H0886	GPS	0 51 17	704.196	704.481
		N	5446410.114			202697	NO MARKING	GPS	51 13 22	1450.181	1450.770
		El	56.583			228619	5066	GPS	77 27 24	3331.852	3333.208
						737213	92H0877	GPS	253 23 54	2772.049	2773.178
						971887	5778	GPS	303 4 11	1926.936	1927.719

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
426981	92H0886	E	511259.945	0.9995946	0.9999931	85258	92H0892	GPS	31 25 50	987.915	988.319
		N	5447114.232			715698	92H0905	GPS	49 10 54	5021.158	5023.201
		E1	63.327			3996	92H0900	GPS	56 23 24	6502.910	6505.531
						476275	5524	GPS	62 46 7	1836.203	1836.953
						162537	5071	GPS	89 35 29	6480.381	6482.976
						228619	5066	GPS	89 39 21	3241.885	3243.205
						98178	86H1262	GPS	137 26 6	4812.585	4814.512
						90316	80H2099	GPS	179 54 26	3172.743	3174.028
						611178	92H0885	GPS	180 51 17	704.196	704.481
						841734	6966	GPS	252 1 9	4859.398	4861.383
						770800	5296	GPS	270 41 24	3309.598	3310.948
						971887	5778	GPS	282 3 47	1661.988	1662.664
						897322	V-2503	GPS	283 43 21	13336.845	13342.204
						12591	384	GPS	287 52 21	10684.492	10688.791
						21139	92H0904	GPS	298 59 26	4574.105	4575.941
						595017	89H6032	GPS	305 6 45	7479.490	7482.548
						859504	462	GPS	314 55 15	7793.905	7797.098
						898734	NO MARKING	GPS	328 0 40	2009.333	2010.155
						16725	92H0902	GPS	335 54 17	4592.701	4594.543
						606558	5400	GPS	358 11 20	3275.044	3276.372
						243121	92H0887	GPS	359 10 60	860.163	860.513
243121	92H0887	E	511247.684	0.9995926	0.9999911	572487	92H0889	GPS	2 22 43	808.995	809.326
		N	5447974.308			426981	92H0886	GPS	179 10 60	860.163	860.513
		E1	76.062			971887	5778	GPS	252 21 57	1692.562	1693.252
						74526	92H0891	GPS	316 11 16	1125.361	1125.821
823898	92H0888	E	511278.127	0.9995923	0.9999908	MARKER DESTROYED					
		N	5448358.715								
		E1	77.934								
572487	92H0889	E	511281.259	0.9995918	0.9999902	985606	86H1304	GPS	84 21 46	2047.226	2048.066
		N	5448782.606			187880	86H1271	GPS	101 23 35	1225.626	1226.129
		E1	81.461			243121	92H0887	GPS	182 22 43	808.995	809.326
						74526	92H0891	GPS	270 15 59	812.666	812.998
95539	92H0890	E	511284.084	0.9995913	0.9999897	MARKER DESTROYED					
		N	5449180.057								
		E1	84.537								
74526	92H0891	E	510468.602	0.9995905	0.9999891	572487	92H0889	GPS	90 15 59	812.666	812.998
		N	5448786.384			243121	92H0887	GPS	136 11 16	1125.361	1125.821
		E1	88.544			397133	80H5351	GPS	292 13 16	1536.325	1536.944
						533091	92H0894	GPS	306 52 20	2036.901	2037.722

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid	Ground
-----	-----	Coordinates				-----	-----		Bearing	Distance	Distance		
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres		
85258	92H0892	E	511775.107	0.9995904	0.9999887	187880	86H1271	GPS	50 30 4	917.048	917.423		
		N	5447957.194			476275	5524	GPS	90 8 26	1117.528	1117.987		
		El	91.361			CVD28GVRD2018	202697	NO MARKING	GPS	136 33 51	879.772	880.133	
						426981	92H0886	GPS	211 25 50	987.915	988.319		
888164	92H0893	E	509646.892	0.9996036	1.0000025	MARKER DESTROYED							
		N	5450365.336										
		El	3.074			CVD28GVRD2018							
533091	92H0894	E	508839.130	0.9996035	1.0000025	74286	92H0895	GPS	116 54 33	885.483	885.838		
		N	5450008.589			74526	92H0891	GPS	126 52 20	2036.901	2037.722		
		El	2.972			CVD28GVRD2018	397133	80H5351	GPS	162 5 17	673.858	674.125	
74286	92H0895	E	509628.738	0.9995949	0.9999937	606558	5400	GPS	62 57 30	1715.207	1715.902		
		N	5449607.840			397133	80H5351	GPS	247 33 54	630.047	630.300		
		El	59.156			CVD28GVRD2018	533091	92H0894	GPS	296 54 33	885.483	885.838	
346346	92H0896	E	508003.627	0.9996034	1.0000026	MARKER DESTROYED							
		N	5448659.727										
		El	2.667			CVD28GVRD2018							
4903	92H0897	E	511157.771	0.9996038	1.0000023	337592	10H2614	GPS	11 44 30	2594.567	2595.595		
		N	5434544.376			686790	92H0898	GPS	40 48 35	3869.933	3871.465		
		El	5.233			995597	77C056	GPS	55 3 47	2280.593	2281.496		
						439760	5184	GPS	66 23 37	7212.574	7215.422		
						904904	NO MARKING	GPS	71 58 14	14567.142	14572.895		
						767350	13H2687	GPS	98 21 55	2646.947	2648.002		
						879726	10H2605	GPS	120 7 34	2039.640	2040.456		
						202903	86H1297	GPS	135 9 28	4785.464	4787.398		
						942870	86H1263	GPS	177 38 45	3426.853	3428.235		
						12765	10H2597	GPS	225 23 22	1094.649	1095.086		
						557686	5495	GPS	265 57 26	2201.362	2202.234		
						762716	80H1257	GPS	276 11 39	8074.871	8078.077		
						995365	6910	GPS	299 6 51	7342.253	7345.166		
						898734	NO MARKING	GPS	356 8 36	14306.471	14312.252		
						901199	5620	GPS	359 37 33	3543.819	3545.222		

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
686790	92H0898	E	513686.968	0.9996051	1.0000028	316992	92H0912	GPS	0 50 39	1599.578	1600.215
		N	5437473.462			98178	86H1262	GPS	7 44 16	6152.265	6154.696
		El	1.320			546390	5025	GPS	12 32 58	3823.916	3825.430
						100123	92H0913	GPS	28 6 2	1804.261	1804.975
						821256	5189	GPS	31 46 54	7717.111	7720.180
						777862	92H0845	GPS	42 34 41	3283.396	3284.691
						621482	13H2685	GPS	46 17 8	2357.447	2358.377
						904904	NO MARKING	GPS	82 3 31	11432.309	11436.815
						439760	5184	GPS	90 34 23	4080.023	4081.631
						570986	13H2673	GPS	105 22 23	3191.405	3192.664
						885012	92H0833	GPS	127 32 24	4107.591	4109.212
						465427	13H2672	GPS	158 58 3	2298.038	2298.947
						4903	92H0897	GPS	220 48 35	3869.933	3871.465
						337592	10H2614	GPS	259 0 19	2038.630	2039.437
						869792	NO MARKING	GPS	276 30 56	24581.371	24591.133
						901199	5620	GPS	283 32 25	2625.309	2626.347
						799270	9352	GPS	302 31 56	9069.646	9073.257
						801928	92H0911	GPS	319 37 44	2108.893	2109.738
						898734	NO MARKING	GPS	342 53 38	11870.094	11874.883
3996	92H0900	E	516675.732	0.9995999	0.9999964	290957	02H2441	GPS	14 4 7	4446.550	4448.315
		N	5450713.828			685651	02H2480	GPS	14 39 11	7149.445	7152.284
		El	41.643			104380	02H2447	GPS	31 29 42	2711.744	2712.820
						758508	02H2485	GPS	39 38 34	5364.234	5366.361
						970699	10H2594	GPS	63 41 21	2210.957	2211.835
						752220	02H2448	GPS	71 43 6	4842.050	4843.969
						91694	98SG042	GPS	79 43 32	7852.389	7855.495
						736215	5976	GPS	89 14 2	2566.144	2567.163
						3525	02H2432	GPS	90 9 4	5127.697	5129.728
						450072	10H2598	GPS	130 1 39	753.380	753.681
						162537	5071	GPS	163 19 27	3709.390	3710.865
						698290	10H2601	GPS	194 15 36	1975.224	1976.019
						98178	86H1262	GPS	196 49 33	7463.639	7466.608
						228619	5066	GPS	211 16 3	4188.476	4190.171
						426981	92H0886	GPS	236 23 24	6502.910	6505.531
						898734	NO MARKING	GPS	253 41 48	6751.743	6754.485
						715698	92H0905	GPS	258 53 6	1646.730	1647.395
						896894	92H0901	GPS	284 43 25	1688.624	1689.296
						286567	02H2455	GPS	351 53 8	4735.807	4737.700
896894	92H0901	E	515042.556	0.9996050	1.0000022	3996	92H0900	GPS	104 43 25	1688.624	1689.296
		N	5451142.999			715698	92H0905	GPS	178 40 12	746.830	747.131
		El	4.903			71563	86H1270	GPS	221 37 28	2095.880	2096.724
						898734	NO MARKING	GPS	244 22 43	5375.649	5377.819
						634667	13H2679	GPS	275 13 40	1712.115	1712.793

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid		Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING		Bearing	Distance Metres		Distance Metres		
16725	92H0902	E	509384.944	0.9996034	1.0000024	99259	73H0436	GPS	17 38 5	3306.230		3307.553		
		N	5451306.758			684761	73H0250	GPS	34 49 49	4363.942		4365.712		
		El	3.844			CVD28GVRD2018	357780	95H1994	GPS	63 48 41	2507.755		2508.749	
							309096	10H2591	GPS	78 52 27	680.504		680.774	
		909333	NO MARKING			GPS	88 1 21	24233.682		24243.324				
		606558	5400			GPS	117 25 20	1995.732		1996.532				
		950618	10H2590			GPS	117 47 54	750.267		750.565				
		426981	92H0886			GPS	155 54 17	4592.701		4594.543				
		898734	NO MARKING			GPS	161 57 27	2616.996		2618.054				
		21139	92H0904			GPS	227 5 57	2902.213		2903.365				
		701342	10H2589			GPS	250 14 29	557.422		557.644				
		595017	89H6032			GPS	271 28 44	4244.814		4246.531				
		859504	462			GPS	289 47 17	3872.395		3873.965				
		875864	NO MARKING			GPS	293 12 14	17280.288		17287.188				
		449306	89H5585			GPS	312 1 59	2471.986		2472.978				
		114751	73H1127			GPS	319 42 39	13859.278		13864.801				
		613281	90H6710			GPS	336 16 6	7128.360		7131.352				
50146	92H0903	E	508336.719	0.9996031	1.0000023	701342	10H2589	GPS	50 57 24	674.189		674.456		
		N	5450693.638			571075	10H2588	GPS	119 56 46	586.768		587.002		
		El	4.387			CVD28GVRD2018	898734	NO MARKING	GPS	135 15 7	2640.333		2641.401	
							961417	10H2586	GPS	222 0 26	776.101		776.409	
715698	92H0905	E	515059.892	0.9995920	0.9999892	248765	02H2466	GPS	3 28 14	2977.614		2978.822		
		N	5450396.370			686659	02H2444	GPS	28 8 24	6606.803		6609.452		
		El	88.069			CVD28GVRD2018	290957	02H2441	GPS	30 12 54	5358.649		5360.797	
							3996	92H0900	GPS	78 53 6	1646.730		1647.395	
		450072	10H2598			GPS	94 21 27	2199.087		2199.974				
		162537	5071			GPS	140 21 56	4201.795		4203.483				
		698290	10H2601			GPS	144 43 58	1955.871		1956.665				
		98178	86H1262			GPS	184 33 40	6848.349		6851.100				
		228619	5066			GPS	189 42 26	3310.050		3311.403				
		360701	10H2604			GPS	198 58 1	1747.091		1747.804				
		426981	92H0886			GPS	229 10 54	5021.158		5023.201				
		898734	NO MARKING			GPS	252 1 40	5113.928		5116.026				
		606558	5400			GPS	269 52 19	3903.471		3905.059				
		634667	13H2679			GPS	297 39 29	1944.521		1945.303				
		357780	95H1994			GPS	300 29 54	3974.528		3976.127				
		277749	94H1655			GPS	342 56 44	4782.198		4784.152				
		896894	92H0901			GPS	358 40 12	746.830		747.131				
275420	92H0907	E	508810.194	0.9995925	0.9999915	898734	NO MARKING	GPS	8 27 42	9414.280		9418.138		
		N	5439506.648			850214	92H0908	GPS	90 27 52	823.303		823.639		
		El	73.697			CVD28GVRD2018	853168	84H9452	GPS	252 25 13	1136.554		1137.014	
							102970	92H0875	GPS	327 14 27	1465.570		1466.168	

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
850214	92H0908	E	509633.470	0.9995917	0.9999906	232017	10H2570	GPS	1 10 53	1216.720	1217.218
		N	5439499.976			898734	NO MARKING	GPS	3 27 5	9335.405	9339.234
		El	79.608			86454	92H0909	GPS	91 12 56	839.501	839.844
						864868	5640	GPS	166 42 20	2074.104	2074.940
						853168	84H9452	GPS	259 59 19	1936.233	1937.018
						275420	92H0907	GPS	270 27 52	823.303	823.639
86454	92H0909	E	510472.782	0.9995905	0.9999892	248641	92H0910	GPS	87 58 3	792.482	792.807
		N	5439482.169			569384	84H0585	GPS	108 57 59	1000.782	1001.192
		El	88.420			864868	5640	GPS	190 15 57	2033.264	2034.085
						850214	92H0908	GPS	271 12 56	839.501	839.844
						898734	NO MARKING	GPS	358 17 56	9340.396	9344.233
248641	92H0910	E	511264.765	0.9995904	0.9999888	716605	13H2680	GPS	75 54 43	1670.432	1671.112
		N	5439510.276			569384	84H0585	GPS	156 23 21	385.660	385.817
		El	90.693			86454	92H0909	GPS	267 58 3	792.482	792.807
						898734	NO MARKING	GPS	353 26 49	9369.387	9373.237
801928	92H0911	E	512320.964	0.9995940	0.9999921	716605	13H2680	GPS	33 58 54	1009.058	1009.468
		N	5439080.155			316992	92H0912	GPS	90 18 2	1389.590	1390.153
		El	69.813			100123	92H0913	GPS	90 23 27	2215.897	2216.787
						686790	92H0898	GPS	139 37 44	2108.893	2109.738
						337592	10H2614	GPS	197 39 26	2094.162	2095.002
						864868	5640	GPS	234 7 30	2728.066	2729.162
						853168	84H9452	GPS	271 2 16	4594.998	4596.855
						569384	84H0585	GPS	274 51 53	904.993	905.362
						898734	NO MARKING	GPS	347 41 16	9967.547	9971.625
316992	92H0912	E	513710.535	0.9995976	0.9999953	361865	13H2678	GPS	26 58 60	1827.415	1828.144
		N	5439072.866			777862	92H0845	GPS	69 34 43	2345.358	2346.292
		El	49.518			100123	92H0913	GPS	90 32 33	826.311	826.641
						686790	92H0898	GPS	180 50 39	1599.578	1600.215
						801928	92H0911	GPS	270 18 2	1389.590	1390.153
						898734	NO MARKING	GPS	340 9 60	10360.112	10364.332
100123	92H0913	E	514536.809	0.9996035	1.0000009	777862	92H0845	GPS	58 56 21	1601.272	1601.905
		N	5439065.042			621482	13H2685	GPS	87 28 54	854.934	855.271
		El	13.805			56473	10H2596	GPS	88 45 46	2486.734	2487.716
						904904	NO MARKING	GPS	90 3 58	10472.835	10476.972
						686790	92H0898	GPS	208 6 2	1804.261	1804.975
						801928	92H0911	GPS	270 23 27	2215.897	2216.787
						316992	92H0912	GPS	270 32 33	826.311	826.641
						898734	NO MARKING	GPS	336 0 21	10675.954	10680.271

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Coordinates Metres		Combined Ellipsoidal	----- GCM-NO	----- TABLET MARKING		Bearing				
813808	92H0914	E	519350.026	0.9996071	1.0000025	737981	92H0915	GPS	89 6 12			814.561	814.881
		N	5439039.590			904904	NO MARKING	GPS	89 51 52			5659.627	5661.852
		El	3.440			602961	86H1306	GPS	155 29 24			1922.380	1923.135
						286757	13H2684	GPS	273 4 38			858.003	858.340
						873646	80H2008	GPS	339 24 55			675.046	675.311
737981	92H0915	E	520164.487	0.9996071	1.0000021	344507	5944	GPS	33 35 28			717.648	717.932
		N	5439052.338			15610	13H2688	GPS	88 0 8			819.227	819.551
		El	6.094			904904	NO MARKING	GPS	89 59 33			4845.150	4847.055
						447771	5169	GPS	153 29 17			1784.066	1784.767
						602961	86H1306	GPS	180 33 5			1761.982	1762.674
						813808	92H0914	GPS	269 6 12			814.561	814.881
						873646	80H2008	GPS	300 29 8			1220.530	1221.009
203257	92H0916	E	521784.375	0.9996014	0.9999955	266809	92H0922	GPS	22 29 60			1817.013	1817.738
		N	5439061.856			929984	13H2689	GPS	84 48 30			775.604	775.911
		El	47.872			904904	NO MARKING	GPS	90 9 28			3225.274	3226.552
						60269	79H9604	GPS	125 49 4			2727.299	2728.381
						614040	5875	GPS	167 15 50			3329.946	3331.272
						447771	5169	GPS	207 8 52			1804.801	1805.516
						15610	13H2688	GPS	271 21 41			801.385	801.705
						652842	92H0925	GPS	315 42 60			1135.635	1136.089
136531	92H0917	E	517761.672	0.9996048	1.0000009	904904	NO MARKING	GPS	32 58 30			13316.794	13322.043
		N	5427881.400			976324	92H0924	GPS	51 15 0			1024.544	1024.949
		El	14.015			147819	91H9962	GPS	90 4 47			21243.376	21251.677
						639351	86H1278	GPS	101 1 35			809.102	809.422
						394825	81	GPS	273 13 51			29600.923	29612.661
						869792	NO MARKING	GPS	293 29 2			31070.822	31083.169
						942870	86H1263	GPS	296 37 4			7229.345	7232.257
						455196	5873	GPS	311 37 34			2169.376	2170.232
						898734	NO MARKING	GPS	340 7 53			22262.235	22271.215
525667	92H0918	E	522538.108	0.9996026	0.9999964	904904	NO MARKING	GPS	20 55 47			6918.726	6921.460
		N	5432590.749			469304	5109	GPS	152 54 12			1828.659	1829.386
		El	42.732			839837	5172	GPS	242 46 48			1788.764	1789.477
						756601	13H2682	GPS	358 58 40			784.014	784.325
901330	92H0919	E	516150.773	0.9995938	0.9999906	542852	10H2584	GPS	13 12 10			842.231	842.572
		N	5432526.085			904904	NO MARKING	GPS	53 37 7			11003.623	11008.021
		El	79.506			202903	86H1297	GPS	229 39 12			2123.622	2124.491
						511907	92H0921	GPS	270 33 32			831.322	831.661
940213	92H0920	E	511302.740	0.9995899	0.9999883	904904	NO MARKING	GPS	61 57 49			15529.282	15535.522
		N	5431753.685			202903	86H1297	GPS	100 34 0			3285.242	3286.592
		El	94.270			851287	5476	GPS	243 25 19			1811.501	1812.243
						53561	10H2606	GPS	269 21 25			1608.533	1609.191
						417725	80H2072	GPS	337 36 27			1083.277	1083.721

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
511907	92H0921	E	515319.491	0.9995919	0.9999890	542852	10H2584	GPS	51 34 54	1306.509	1307.039
		N	5432534.193			904904	NO MARKING	GPS	56 4 13	11678.758	11683.438
		El	89.948			782151	80H2067	GPS	58 3 10	3117.953	3119.204
						901330	92H0919	GPS	90 33 32	831.322	831.661
						787424	80H2013	GPS	134 12 26	1140.908	1141.372
						202903	86H1297	GPS	209 38 59	1591.319	1591.972
						703223	677003	GPS	258 46 6	2047.249	2048.091
266809	92H0922	E	522479.714	0.9995999	0.9999937	10702	93H1153	GPS	99 56 55	1535.031	1535.641
		N	5440740.558			904904	NO MARKING	GPS	123 42 19	3041.128	3042.335
		El	59.334			60269	79H9604	GPS	155 9 22	3608.703	3610.136
						929984	13H2689	GPS	177 15 23	1610.366	1611.005
						203257	92H0916	GPS	202 29 60	1817.013	1817.738
						89649	5934	GPS	288 4 43	1586.859	1587.495
						252833	10H2609	GPS	306 43 47	905.688	906.051
608562	92H0923	E	522572.539	0.9995964	0.9999902	10702	93H1153	GPS	127 22 8	1785.639	1786.351
		N	5441559.147			904904	NO MARKING	GPS	135 48 2	3495.764	3497.157
		El	82.002			252833	10H2609	GPS	251 18 37	864.278	864.626
						89649	5934	GPS	258 29 16	1634.220	1634.878
						368530	10H2608	GPS	279 44 59	1640.130	1640.789
						752048	13H2683	GPS	358 4 2	824.975	825.309
976324	92H0924	E	518560.699	0.9996046	1.0000004	671651	5170	GPS	26 4 31	5406.748	5408.885
		N	5428522.684			904904	NO MARKING	GPS	31 29 3	12348.107	12352.975
		El	17.370			839837	5172	GPS	36 17 38	4032.141	4033.743
						576363	8705	GPS	109 49 15	2319.247	2320.172
						639351	86H1278	GPS	180 20 60	796.050	796.364
						136531	92H0917	GPS	231 15 0	1024.544	1024.949
						455196	5873	GPS	288 16 60	2549.321	2550.328
						787424	80H2013	GPS	323 0 2	4026.842	4028.452
652842	92H0925	E	520991.466	0.9995986	0.9999932	904904	NO MARKING	GPS	101 33 36	4101.364	4102.994
		N	5439874.852			203257	92H0916	GPS	135 42 60	1135.635	1136.089
		El	62.816			15610	13H2688	GPS	180 35 43	793.998	794.315
						344507	5944	GPS	242 24 21	485.114	485.308
608869	92H0926	E	519322.856	0.9996052	1.0000006	17830	10H2578	GPS	0 20 47	2159.457	2160.307
		N	5440709.165			904904	NO MARKING	GPS	106 14 15	5923.045	5925.379
		El	15.423			873646	80H2008	GPS	191 27 1	1058.699	1059.117
						286757	13H2684	GPS	207 3 59	1823.194	1823.913
						548891	92H0829	GPS	222 6 45	2333.406	2334.326
						162420	86H1293	GPS	245 12 54	874.919	875.266

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
336131	NO MARKING	E	522519.029	0.9996017	0.9999955	904904	NO MARKING	GPS	27 32 58	5384.949	5387.079
		N	5434278.608			777771	NO MARKING	GPS	73 25 26	30715.825	30727.680
		El	48.304			825034	3340	GPS	89 9 20	34836.148	34850.608
						756601	13H2682	GPS	179 40 38	903.984	904.345
						321372	13H2681	GPS	265 15 35	1576.165	1576.790
						939728	767004	GPS	274 38 4	22287.909	22296.788
						939132	128-1950	GPS	306 53 9	51161.250	51181.553
						326595	PIER 3	GPS	308 24 27	52003.652	52025.003
						602961	86H1306	GPS	321 46 60	3833.422	3834.938
						202697	NO MARKING	GPS	322 7 59	16517.721	16524.384
						266148	NO MARKING	GPS	346 10 60	13497.085	13502.493
						693275	NO MARKING	GPS	359 21 41	1469.403	1469.988
						614040	5875	GPS	359 58 50	1535.235	1535.846
693275	NO MARKING	E	522502.653	0.9996023	0.9999961	909333	NO MARKING	GPS	34 6 10	19800.110	19807.985
		N	5435747.920			904904	NO MARKING	GPS	37 10 53	4148.293	4149.933
		El	44.393			70722	79H9535	GPS	47 35 33	4198.915	4200.569
						777771	NO MARKING	GPS	76 5 33	30345.252	30356.955
						825034	3340	GPS	91 34 16	34861.848	34876.309
						147819	91H9962	GPS	115 34 13	18294.150	18301.318
						336131	NO MARKING	GPS	179 21 41	1469.403	1469.988
						914127	80H1262	GPS	267 13 34	22891.729	22900.844
						939728	767004	GPS	270 51 20	22201.137	22209.974
						869792	NO MARKING	GPS	277 44 7	33543.520	33556.906
						939132	128-1950	GPS	305 33 28	50279.742	50299.686
						326595	PIER 3	GPS	307 7 39	51090.758	51111.723
						875864	NO MARKING	GPS	307 38 33	36623.873	36638.522
						898734	NO MARKING	GPS	316 43 23	17952.855	17960.125
						202697	NO MARKING	GPS	318 49 5	15373.460	15379.658
						266148	NO MARKING	GPS	344 35 35	12071.026	12075.860

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
898734	NO MARKING	E 510195.488	0.9995882	0.9999869		770610	84H9903	GPS	0 46 42	12153.403	12158.425
		N 5448818.448				821538	02H2490	GPS	1 9 6	14523.858	14529.904
		El 102.787	CVD28GVRD2018			99259	73H0436	GPS	1 56 26	5642.409	5644.709
						691782	14H2740	GPS	2 14 20	9653.038	9656.940
						223347	73H0371	GPS	3 36 55	8299.420	8302.875
						509430	80H3166	GPS	5 20 48	9328.669	9332.453
						669861	80H3162	GPS	12 30 25	10475.129	10479.369
						292540	83H6606	GPS	13 24 11	12152.633	12157.749
						573840	02H2484	GPS	13 42 55	29533.172	29545.816
						256636	73H0331	GPS	15 7 51	8371.674	8375.161
						684761	73H0250	GPS	15 29 10	6299.136	6301.738
						831958	NO MARKING	GPS	18 16 55	18842.213	18850.044
						298166	S23T39	GPS	18 48 12	15122.553	15129.045
						357780	95H1994	GPS	21 49 32	3872.644	3874.208
						323543	94H1583	GPS	22 14 5	13141.181	13146.639
						932020	95H1746	GPS	25 34 15	14631.391	14637.364
						117994	14H2746	GPS	29 3 28	13089.765	13095.080
						858704	82H5097	GPS	29 11 18	9054.975	9058.637
						277749	94H1655	GPS	29 22 34	7057.265	7060.161
						698134	10H2607	GPS	30 37 50	2803.165	2804.297
						606558	5400	GPS	31 28 57	1840.048	1840.799
						682930	02H2475	GPS	36 15 5	10342.787	10346.963
						479550	14H2741	GPS	37 13 8	10366.510	10370.696
						699272	14H2743	GPS	37 46 9	13318.107	13323.497
						458042	5398	GPS	40 1 8	3114.828	3116.094
						783449	14H2742	GPS	40 37 12	4640.652	4642.526
						157081	77H4131	GPS	41 20 27	15393.291	15399.525
						286567	02H2455	GPS	41 26 11	8781.968	8785.529
						685651	02H2480	GPS	43 14 48	12097.970	12102.845
						232108	02H2426	GPS	44 59 50	22136.639	22145.509
						142232	02H2462	GPS	45 37 3	13779.218	13784.761
						686659	02H2444	GPS	47 8 47	10885.867	10890.252
						634667	13H2679	GPS	51 42 37	4003.221	4004.839
						106443	02H2463	GPS	53 25 35	12420.395	12425.395
						149518	02H2459	GPS	54 11 7	19309.874	19317.614
						10835	5527	GPS	57 15 33	3025.537	3026.780
						104380	02H2447	GPS	61 57 1	8947.944	8951.550
						200915	02H2433	GPS	63 19 15	31533.853	31546.771
						896894	92H0901	GPS	64 22 43	5375.649	5377.819
						970699	10H2594	GPS	71 13 58	8937.324	8940.925
						715698	92H0905	GPS	72 1 40	5113.928	5116.026
						3996	92H0900	GPS	73 41 48	6751.743	6754.485
						603746	02H2446	GPS	73 45 4	26633.453	26644.396
						395459	85H0635	GPS	75 44 29	17832.867	17840.030
						325373	84H0055	GPS	76 41 8	20992.273	21000.684
						71563	86H1270	GPS	77 37 40	3537.030	3538.483
						736215	5976	GPS	77 57 30	9249.687	9253.412
						863944	85H0742	GPS	78 21 26	24145.465	24155.263
						450072	10H2598	GPS	78 41 41	7196.778	7199.695

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
GCM-NO	TABLET MARKING									
					411447	5997	GPS	80 46 14	9936.701	9940.701
					3525	02H2432	GPS	80 47 29	11759.475	11764.202
					909333	NO MARKING	GPS	81 55 0	23643.612	23653.198
					956524	85H0699	GPS	83 21 42	25480.702	25491.013
					638197	5287	GPS	84 7 18	7582.120	7585.192
					1511	02H2456	GPS	85 53 10	14103.411	14109.075
					698290	10H2601	GPS	90 10 53	5993.735	5996.181
					589457	92H0860	GPS	90 15 41	9750.183	9754.107
					360701	10H2604	GPS	90 59 27	4297.206	4298.969
					800326	5985	GPS	92 33 15	10320.929	10325.084
					459750	5992	GPS	92 42 36	12396.420	12401.404
					654848	88H1395	GPS	92 46 14	27380.011	27391.114
					168013	5988	GPS	93 31 26	11860.332	11865.101
					675207	10H2610	GPS	95 0 57	13056.304	13061.554
					288092	10H2611	GPS	95 36 41	12408.817	12413.811
					488098	93H1078	GPS	95 49 42	28326.096	28337.340
					31682	10H2612	GPS	96 14 55	11641.154	11645.840
					694950	13H2677	GPS	96 54 40	9213.128	9216.884
					885384	10H2613	GPS	96 57 41	10886.647	10891.036
					695155	77C060	GPS	97 28 53	12489.650	12494.679
					777771	NO MARKING	GPS	97 52 32	42160.506	42177.103
					575159	82H5753	GPS	98 28 10	30940.700	30952.947
					334078	8640	GPS	99 42 6	10900.924	10905.336
					693051	10H2599	GPS	100 26 2	9265.765	9269.540
					2949	13H2690	GPS	102 19 6	7693.859	7696.965
					162537	5071	GPS	102 23 39	7724.706	7727.824
					904581	10H2600	GPS	103 50 19	6893.477	6896.274
					481663	79H0008	GPS	108 10 40	4108.408	4110.096
					485250	93H1144	GPS	109 2 45	14795.050	14801.059
					998500	10H2579	GPS	109 30 11	9715.407	9719.317
					969295	13H2676	GPS	110 43 55	10267.174	10271.307
					968016	80H2360	GPS	111 19 29	31333.965	31346.612
					943670	10H2581	GPS	111 21 28	8833.172	8836.731
					228619	5066	GPS	111 22 0	4624.111	4626.010
					827154	74H2689	GPS	111 37 17	21868.413	21877.185
					973289	5157	GPS	114 21 35	11831.934	11836.692
					409698	92H0842	GPS	115 37 59	7461.882	7464.918
					322909	88H4721	GPS	116 36 6	32368.036	32381.099
					830976	89H4979	GPS	119 50 32	22800.752	22809.967
					10702	93H1153	GPS	121 9 47	16122.703	16129.201
					49007	84H9663	GPS	121 10 32	34244.772	34258.618
					821256	5189	GPS	122 20 42	8943.616	8947.249
					20453	10H2577	GPS	122 54 49	7048.663	7051.548
					17830	10H2578	GPS	123 3 42	10906.336	10910.726
					904904	NO MARKING	GPS	123 23 34	17743.268	17750.413
					18564	81H4256	GPS	123 26 22	32233.189	32246.204
					212746	81H4238	GPS	125 40 22	25069.050	25079.213
					147819	91H9962	GPS	126 2 45	35631.263	35645.482
					63446	5013	GPS	127 0 11	13496.120	13501.618

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
GCM-NO	TABLET MARKING									
					854208	91H9966	GPS	128 23 21	33789.228	33802.738
					189860	79H0146	GPS	131 14 22	22885.604	22894.861
					689091	13H2674	GPS	131 20 58	10076.985	10081.045
					659102	92H0660	GPS	131 53 26	31459.248	31471.926
					597377	10H2582	GPS	132 21 45	2502.504	2503.529
					636696	92H0688	GPS	135 14 2	29611.507	29623.497
					392712	78H2744	GPS	135 59 3	24775.544	24785.630
					649012	88H4663	GPS	136 15 39	19570.776	19578.697
					447771	5169	GPS	136 32 45	15652.517	15658.811
					693275	NO MARKING	GPS	136 43 23	17952.855	17960.125
					306167	10H2568	GPS	136 54 29	11099.329	11103.817
					278754	13H2675	GPS	138 51 26	9035.256	9038.899
					227967	92H0776	GPS	140 25 59	27034.028	27045.002
					98178	86H1262	GPS	140 32 42	6797.796	6800.541
					321372	13H2681	GPS	143 45 35	18188.834	18196.157
					7286	13H2691	GPS	144 26 31	14069.699	14075.365
					777862	92H0845	GPS	147 22 58	10598.769	10603.041
					426981	92H0886	GPS	148 0 40	2009.333	2010.155
					210369	84H0564	GPS	148 55 51	20845.319	20853.720
					546390	5025	GPS	150 24 43	8753.957	8757.498
					570986	13H2673	GPS	151 41 1	13848.074	13853.654
					361865	13H2678	GPS	151 50 41	9206.487	9210.204
					621482	13H2685	GPS	151 51 54	11017.715	11022.157
					782151	80H2067	GPS	152 2 7	16569.094	16575.775
					576363	8705	GPS	153 25 19	23573.261	23582.854
					885012	92H0833	GPS	154 1 6	15404.673	15410.882
					100123	92H0913	GPS	156 0 21	10675.954	10680.271
					878538	92H0857	GPS	157 6 10	19400.764	19408.641
					136531	92H0917	GPS	160 7 53	22262.235	22271.215
					316992	92H0912	GPS	160 9 60	10360.112	10364.332
					251454	10H2569	GPS	161 41 45	8548.331	8551.794
					465427	13H2672	GPS	162 15 27	14163.613	14169.333
					686790	92H0898	GPS	162 53 38	11870.094	11874.883
					455196	5873	GPS	163 2 34	20382.154	20390.364
					716605	13H2680	GPS	163 11 19	9298.984	9302.782
					224899	10H2572	GPS	163 58 14	6768.041	6770.811
					103879	86H1274	GPS	165 31 41	7557.887	7560.967
					90316	80H2099	GPS	167 37 48	4992.868	4994.907
					995597	77C056	GPS	167 40 53	13273.633	13278.989
					801928	92H0911	GPS	167 41 16	9967.547	9971.625
					409813	10H2571	GPS	170 35 23	6608.848	6611.554
					337592	10H2614	GPS	172 45 43	11828.054	11832.831
					569384	84H0585	GPS	172 46 53	9738.739	9742.738
					248641	92H0910	GPS	173 26 49	9369.387	9373.237
					316281	10H2576	GPS	174 40 15	2463.856	2464.866
					901199	5620	GPS	174 59 53	10771.348	10775.697
					4903	92H0897	GPS	176 8 36	14306.471	14312.252
					942870	86H1263	GPS	176 26 1	17732.374	17739.659
					86454	92H0909	GPS	178 17 56	9340.396	9344.233

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
GCM-NO	TABLET MARKING									
					864868	5640	GPS	180 25 48	11337.312	11341.900
					850214	92H0908	GPS	183 27 5	9335.405	9339.234
					232017	10H2570	GPS	183 47 29	8119.783	8123.127
					557686	5495	GPS	184 53 11	14481.910	14487.761
					275420	92H0907	GPS	188 27 42	9414.280	9418.138
					607093	5893	GPS	191 6 28	11379.671	11384.272
					853168	84H9452	GPS	194 20 35	9965.708	9969.764
					102970	92H0875	GPS	195 5 21	8367.830	8371.264
					6544	13H2686	GPS	196 42 22	7601.236	7604.358
					799965	10H2575	GPS	196 57 50	3381.171	3382.560
					995365	6910	GPS	206 59 52	12010.567	12015.424
					242818	82H5464	GPS	210 7 56	5605.373	5607.683
					252569	92H0596	GPS	210 36 33	9413.085	9416.903
					430900	87H3190	GPS	212 27 44	24691.963	24701.948
					799270	9352	GPS	212 43 6	7687.258	7690.384
					630830	87H3184	GPS	216 41 26	26011.691	26022.312
					446658	80H1267	GPS	219 28 2	20459.160	20467.439
					782433	87H3160	GPS	220 48 24	25566.855	25577.297
					934539	8791	GPS	221 19 22	2709.179	2710.294
					531079	6902	GPS	222 16 5	15347.041	15353.250
					647321	77C010	GPS	223 44 23	27071.509	27082.455
					815746	84H9508	GPS	224 20 42	7052.467	7055.337
					331918	6831	GPS	227 32 40	22762.563	22771.769
					991802	88H4194	GPS	227 51 43	18309.303	18316.712
					841734	6966	GPS	227 59 27	4787.917	4789.889
					394825	81	GPS	228 46 14	29236.012	29247.826
					770800	5296	GPS	233 26 49	2794.581	2795.730
					737197	84H0431	GPS	237 7 0	18769.465	18777.059
					88062	14H2736	GPS	242 0 7	8931.805	8935.421
					675850	84H0394	GPS	242 41 12	12196.256	12201.194
					839639	80H1300	GPS	242 55 14	15495.780	15502.054
					869792	NO MARKING	GPS	247 46 4	22612.169	22621.335
					51441	02H2453	GPS	247 52 3	18153.271	18160.617
					524181	10H2595	GPS	248 41 21	4401.102	4402.882
					829762	02H2412	GPS	249 25 33	11904.579	11909.401
					49908	02H2413	GPS	249 35 25	14496.136	14502.007
					137695	92H0576	GPS	250 55 21	5594.124	5596.388
					177238	88H4212	GPS	250 58 34	6885.697	6888.486
					258020	19713	GPS	254 2 35	25438.691	25448.972
					838037	02H2423	GPS	257 28 51	7867.649	7870.833
					948505	10H2592	GPS	259 8 30	3226.874	3228.181
					274696	78H8518	GPS	260 27 5	13782.849	13788.429
					30031	77H4885	GPS	264 22 13	24757.058	24767.059
					722686	10H2583	GPS	265 11 1	2229.855	2230.756
					47092	02H2454	GPS	271 19 26	11132.608	11137.116
					247494	78H8494	GPS	272 3 50	17688.856	17696.014
					32219	94H1708	GPS	272 12 31	6919.001	6921.801
					381285	V-3015	GPS	274 12 12	20864.339	20872.781
					546226	83	GPS	275 8 60	18056.716	18064.023

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
GCM-NO	TABLET MARKING									
					47209	v-4217	GPS	276 36 20	13768.823	13774.399
					398255	V-612	GPS	277 32 38	16163.716	16170.283
					538736	V-2980	GPS	277 37 1	24332.025	24341.859
					652990	V-1292	GPS	278 51 52	19437.350	19445.306
					485912	126	GPS	278 57 46	22039.636	22048.613
					21139	92H0904	GPS	279 54 12	2980.934	2982.140
					870014	V-2593	GPS	281 59 55	15077.932	15084.146
					277665	89H6112	GPS	284 47 21	5413.221	5415.419
					293399	87H3273	GPS	286 7 55	11270.399	11275.067
					197442	V-1856	GPS	286 33 42	17329.754	17336.878
					78576	V-1220	GPS	288 28 6	15017.059	15023.250
					454694	V-3951	GPS	288 33 4	19853.186	19861.326
					104109	94H1482	GPS	289 11 49	7758.479	7761.678
					584086	V-1778	GPS	291 4 33	17940.892	17948.237
					556928	87H2638	GPS	293 15 18	9581.265	9585.227
					798777	V-1387	GPS	295 27 60	15871.065	15877.533
					379222	10H2587	GPS	296 27 24	1836.543	1837.285
					611681	V-3719	GPS	296 58 16	18694.444	18702.010
					595017	89H6032	GPS	297 12 16	5682.542	5684.883
					961417	10H2586	GPS	298 38 6	2709.559	2710.655
					229781	94H1355	GPS	299 3 33	7770.391	7773.606
					875864	NO MARKING	GPS	299 6 53	19107.257	19115.031
					510404	82H5017	GPS	300 6 26	10989.305	10993.775
					621854	v-4011	GPS	300 24 19	16579.907	16586.696
					325001	78H6944	GPS	300 58 37	13877.695	13883.376
					453423	02H2465	GPS	301 54 34	36210.016	36224.809
					326595	PIER 3	GPS	302 0 21	33522.913	33536.898
					41996	82H5025	GPS	303 24 27	12042.437	12047.333
					785741		GPS	304 50 7	9632.950	9636.868
					228882	14H2737	GPS	305 57 13	36109.647	36124.559
					611699	V-3684	GPS	307 57 58	17469.293	17476.417
					602029	77H6738	GPS	308 0 34	15090.809	15096.951
					770685	94H1407	GPS	308 47 30	7580.503	7583.593
					856963	14H2738	GPS	309 7 58	36330.480	36345.315
					689976	02H2425	GPS	310 37 60	27709.095	27721.030
					927004	77H6805	GPS	312 23 17	13554.125	13559.672
					901165	14H2747	GPS	312 45 11	15747.212	15753.716
					691592	94H1473	GPS	313 1 2	10843.233	10847.632
					50146	92H0903	GPS	315 15 7	2640.333	2641.401
					852939	02H2470	GPS	315 43 19	26114.737	26125.604
					559500	02H2477	GPS	316 28 10	39814.716	39830.925
					565432	77H6854	GPS	318 24 50	12082.707	12087.682
					473900	73H1355	GPS	318 52 28	22366.288	22375.761
					900837	14H2748	GPS	319 26 36	13953.978	13959.841
					571075	10H2588	GPS	319 31 20	2080.152	2080.992
					139790	85H0618	GPS	319 36 17	17387.945	17394.996
					245498	73H1232	GPS	320 1 17	19784.271	19792.469
					146290	73H1188	GPS	326 42 3	17899.726	17907.183
					371617	90H6702	GPS	327 7 39	12532.630	12537.766

Order in Council No. 3050/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----		Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING				GCM-NO	TABLET MARKING				
					449306	89H5585	GPS	327 25 53	4916.588	4918.599
					610006	90H6709	GPS	327 57 48	10839.296	10843.843
					701342	10H2589	GPS	329 51 48	2659.326	2660.401
					905000	14H2720	GPS	329 54 51	13944.542	13950.186
					343202	76H3931	GPS	331 32 54	16335.490	16342.245
					479832	83H5930	GPS	334 5 16	14906.612	14912.667
					381111	90H6644	GPS	334 20 19	12100.307	12105.223
					613281	90H6710	GPS	337 47 43	9735.923	9740.083
					252106	14H2750	GPS	337 50 4	6494.450	6497.093
					921874	77C107	GPS	339 49 26	14328.866	14334.660
					674135	87001	GPS	339 51 10	19847.100	19856.633
					16725	92H0902	GPS	341 57 27	2616.996	2618.054
					365940	02H2422	GPS	342 34 37	15356.921	15363.199
					169128	73H0289	GPS	345 56 38	8033.702	8037.018
					365049	79H9652	GPS	345 56 46	11027.104	11031.586
					359497	02H2417	GPS	349 23 54	13056.169	13061.597
					318030	02H2418	GPS	352 25 24	14890.083	14896.151
					812123	02H2416	GPS	352 41 31	16043.796	16050.298
					196881	80H3132	GPS	353 14 48	11107.623	11112.133
					950618	10H2590	GPS	356 4 16	2143.453	2144.319
					309096	10H2591	GPS	356 52 45	2623.513	2624.573
					794750	14H2744	GPS	357 59 43	4281.786	4283.517
					675009	02H2467	GPS	358 15 6	20450.896	20459.127
					974717		GPS			

END OF REPORT