

## Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Integrated Survey Area No:11 The Corporation of the City of Duncan  
 Order in Council No. 781/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
593202	3751	E	447890.757	0.9996345	1.0000011		MARKER DESTROYED				
		N	5403995.562								
		E1	10.338	CVD28BC							
373357	3752	E	447586.116	0.9996326	0.9999989	27847	87H2626	TERR	84 37 3	97.286	97.322
		N	5404116.229			865493	93H0996	TERR	183 45 33	257.409	257.504
		E1	24.534	CVD28BC							
475665	3753	E	447686.765	0.9996325	0.9999989		MARKER DESTROYED				
		N	5404123.807								
		E1	24.725	CVD28BC							
387068	3755	E	447254.380	0.9996322	0.9999981		MARKER DESTROYED				
		N	5403850.859								
		E1	29.918	CVD28BC							
145870	3756	E	447325.768	0.9996324	0.9999983		MARKER DESTROYED				
		N	5404105.444								
		E1	28.488	CVD28BC							
720961	3758	E	447540.089	0.9996322	0.9999984	865493	93H0996	TERR	9 53 2	169.825	169.887
		N	5403692.070			315218	3759	TERR	188 20 41	110.834	110.876
		E1	27.589	CVD28BC		744292	77H4348	TERR	271 19 15	133.909	133.958
315218	3759	E	447524.004	0.9996322	0.9999984	720961	3758	TERR	8 20 41	110.834	110.876
		N	5403582.409			66175	3760	TERR	231 48 19	125.459	125.504
		E1	27.716	CVD28BC							
66175	3760	E	447425.404	0.9996319	0.9999980	315218	3759	TERR	51 48 19	125.459	125.504
		N	5403504.833			790253	77H4326	TERR	168 25 57	107.673	107.713
		E1	30.510	CVD28BC		80317	3765	TERR	245 41 56	82.878	82.909
						779173	3764	TERR	246 30 10	260.756	260.853
						947812	3795	TERR	334 15 13	283.750	283.854
						897785	77H2571	TERR	334 46 15	75.657	75.685
525469	3761	E	447464.641	0.9996320	0.9999981		MARKER DESTROYED				
		N	5403398.385								
		E1	29.713	CVD28BC							

Integrated Survey Area No:11 The Corporation of the City of Duncan  
 Order in Council No. 781/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
775486	3762	E	447363.133	0.9996318	0.9999978	605980	3769	TERR	176 55 36	107.977	108.017		
		N	5403327.760					134387	3763	TERR	270 46 29	136.155	136.206
		E1	31.503					CVD28BC					
134387	3763	E	447226.990	0.9996313	0.9999971	775486	3762	TERR	90 46 29	136.155	136.206		
		N	5403329.601					779173	3764	TERR	330 15 28	82.081	82.111
		E1	36.048					CVD28BC					
779173	3764	E	447186.270	0.9996313	0.9999970	66175	3760	TERR	66 30 10	260.756	260.853		
		N	5403400.869					80317	3765	TERR	66 52 39	177.889	177.956
		E1	36.334					CVD28BC	134387	3763	TERR	150 15 28	82.081
80317	3765	E	447349.869	0.9996318	0.9999977	66175	3760	TERR	65 41 56	82.878	82.909		
		N	5403470.726					779173	3764	TERR	246 52 39	177.889	177.956
		E1	32.127					CVD28BC	570457	3766	TERR	311 12 13	88.163
570457	3766	E	447283.538	0.9996322	0.9999981	80317	3765	TERR	131 12 13	88.163	88.194		
		N	5403528.802					609800	3670	TERR	256 44 40	139.790	139.842
		E1	29.665					CVD28BC					
479402	3767	E	447488.960	0.9996333	0.9999994	MARKER DESTROYED							
		N	5403225.031										
		E1	21.060			CVD28BC							
846527	3768	E	447571.641	0.9996323	0.9999985	MARKER DESTROYED							
		N	5403859.277										
		E1	27.026			CVD28BC							
605980	3769	E	447368.922	0.9996320	0.9999979	104182	3770	TERR	265 57 50	340.557	340.682		
		N	5403219.938					775486	3762	TERR	356 55 36	107.977	108.017
		E1	30.580					CVD28BC					
164103	3771	E	447831.680	0.9996343	1.0000008	MARKER DESTROYED							
		N	5403685.820										
		E1	12.141			CVD28BC							

Integrated Survey Area No:11 The Corporation of the City of Duncan  
 Order in Council No. 781/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
312181	3772	E	447826.069	0.9996346	1.0000012		MARKER DESTROYED				
		N	5403478.820								
		El	10.177	CVD28BC							
199687	3773	E	447965.880	0.9996343	1.0000011		MARKER DESTROYED				
		N	5403477.098								
		El	10.624	CVD28BC							
225789	3774	E	447677.114	0.9996346	1.0000010	616003	77H2577	TERR	92 7 19	143.624	143.676
		N	5403228.949			587691	77H4333	TERR	197 37 30	71.605	71.631
		El	11.381	CVD28BC							
221838	3775	E	447803.013	0.9996340	1.0000005	731372	8037	TERR	115 34 11	180.466	180.532
		N	5402991.888			545004	77H4328	TERR	307 0 17	145.367	145.420
		El	14.321	CVD28BC							
530220	3776	E	448024.949	0.9996339	1.0000007		MARKER DESTROYED				
		N	5403162.935								
		El	12.926	CVD28BC							
466342	3777	E	448089.175	0.9996335	1.0000004	856872	80H2621	TERR	2 58 31	196.810	196.883
		N	5402886.020			798819	77H2572	TERR	3 24 31	196.833	196.906
		El	14.899	CVD28BC		303768	77H4330	TERR	85 56 48	147.047	147.101
						731372	8037	TERR	282 46 37	126.503	126.549
146381	3778	E	448334.735	0.9996339	1.0000011	740688	96H2104	TERR	178 24 23	111.330	111.371
		N	5403288.617								
		El	10.310	CVD28BC							
176354	3779	E	448332.270	0.9996336	1.0000009		MARKER DESTROYED				
		N	5403097.670								
		El	12.113	CVD28BC							
173385	3781	E	448517.547	0.9996336	1.0000010		MARKER DESTROYED				
		N	5403095.573								
		El	11.014	CVD28BC							

Integrated Survey Area No:11 The Corporation of the City of Duncan  
 Order in Council No. 781/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
705715	3782	E	448520.233	0.9996338	1.0000012	721472	8042	TERR	20 8 35	189.755	189.825		
		N	5403294.139					774000	3668	TERR	62 12 14	170.156	170.218
		E1	9.860					CVD28BC	944322	77H4308	TERR	183 46 41	191.303
90704	3783	E	448796.377	0.9996333	1.0000011	MARKER DESTROYED							
		N	5403092.364										
		E1	10.439			CVD28BC							
960732	3785	E	449129.935	0.9996330	1.0000012	MARKER DESTROYED							
		N	5403082.277										
		E1	9.696			CVD28BC							
511964	3786	E	449268.641	0.9996330	1.0000014	686212	3787	TERR	80 8 29	139.397	139.449		
		N	5403181.031					501189	93H0992	TERR	180 27 17	287.201	287.307
		E1	8.644					CVD28BC	237743	93H0982	TERR	234 29 6	172.657
686212	3787	E	449405.980	0.9996329	1.0000015	832832	79H8681	TERR	88 51 23	265.714	265.812		
		N	5403204.898					516054	77H2560	TERR	181 24 33	145.769	145.822
		E1	8.171					CVD28BC	511964	3786	TERR	260 8 29	139.397
435446	3788	E	448935.504	0.9996331	1.0000011	MARKER DESTROYED							
		N	5402882.943										
		E1	10.808			CVD28BC							
950717	3789	E	449186.457	0.9996329	1.0000012	MARKER DESTROYED							
		N	5402885.600										
		E1	9.818			CVD28BC							
708131	3790	E	449410.389	0.9996329	1.0000015	MARKER DESTROYED							
		N	5402887.493										
		E1	8.160			CVD28BC							
484972	3793	E	448935.987	0.9996331	1.0000011	820662	77H4307	TERR	87 23 41	107.534	107.573		
		N	5402705.868					783043	3792	TERR	89 45 15	252.319	252.412
		E1	10.769					CVD28BC	184523	77H2552	TERR	176 22 58	92.722

Integrated Survey Area No:11 The Corporation of the City of Duncan  
 Order in Council No. 781/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
800532	3794	E	447801.037	0.9996344	1.0000009		MARKER DESTROYED				
		N	5403225.301								
		E1	11.652	CVD28BC							
947812	3795	E	447302.146	0.9996323	0.9999982	66175	3760	TERR	154 15 13	283.750	283.854
		N	5403760.414			49999	93H0989	TERR	161 33 35	126.812	126.858
		E1	28.948	CVD28BC		140368	3757	TERR	263 10 4	155.576	155.633
						637132	77H4336	TERR	325 5 26	106.524	106.564
838672	3797	E	447657.315	0.9996349	1.0000012		MARKER DESTROYED				
		N	5403479.960								
		E1	9.894	CVD28BC							
418111	3799	E	449667.986	0.9996327	1.0000016		MARKER DESTROYED				
		N	5402709.971								
		E1	7.726	CVD28BC							
351692	3800	E	449665.217	0.9996327	1.0000016		MARKER DESTROYED				
		N	5402888.536								
		E1	7.423	CVD28BC							
51607	73H2010	E	448765.967	0.9996332	1.0000009		MARKER DESTROYED				
		N	5402755.160								
		E1	11.561	CVD28BC							
28191	74H2030	E	448936.304	0.9996332	1.0000011		MARKER DESTROYED				
		N	5402392.029								
		E1	10.370	CVD28BC							
663641	77H2549	E	448924.841	0.9996332	1.0000011		MARKER DESTROYED				
		N	5403083.566								
		E1	10.262	CVD28BC							

Integrated Survey Area No:11 The Corporation of the City of Duncan  
 Order in Council No. 781/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
295741	77H2550	E	448810.320	0.9996334	1.0000012	979161	99H2253	GPS	28 19 33	24631.865	24641.176	
		N	5403259.115			938902	99H2257	GPS	30 0 7	16366.636	16372.734	
		E1	9.852			CVD28BC	918003	99H2256	GPS	56 43 54	16300.765	16306.906
							967117	78H8154	GPS	58 50 45	4332.345	4333.956
							546374	99H2258	GPS	84 13 28	14920.443	14926.169
							696443	77H4304	TERR	89 52 35	152.146	152.203
							689505	91H0483	GPS	127 44 50	9207.510	9210.983
							26864	"CON.MON. #9"	GPS	140 39 23	16685.052	16691.325
							574822	99H2271	GPS	181 10 55	13501.642	13506.736
							880567	93H0988	TERR	187 49 53	160.439	160.498
							397620	2-M-38	GPS	205 5 44	9820.387	9824.578
							225276	No Marking	GPS	341 18 37	5143.086	5144.983
							964320	917000	GPS	342 34 55	5159.782	5161.684
			399220	897152	GPS	358 49 22	15541.376	15547.077				
716845	77H2551	E	449421.219	0.9996328	1.0000014	373753	3791	TERR	2 11 52	153.717	153.774	
		N	5402555.893									
		E1	8.631			CVD28BC						
184523	77H2552	E	448941.837	0.9996330	1.0000010	150201	77H2564	TERR	86 4 30	195.432	195.504	
		N	5402613.331			891143	93H0981	TERR	185 49 26	116.456	116.499	
		E1	11.049			CVD28BC	484972	3793	TERR	356 22 58	92.722	92.755
212258	77H2553	E	447660.537	0.9996348	1.0000011		MARKER ISOLATED					
		N	5403426.264									
		E1	10.337	CVD28BC								
118968	77H2554	E	449295.623	0.9996329	1.0000014	373753	3791	TERR	91 40 17	131.547	131.596	
		N	5402713.334			783043	3792	TERR	266 35 45	107.509	107.548	
		E1	8.983			CVD28BC						
380865	77H2555	E	449181.394	0.9996329	1.0000012		MARKER DESTROYED					
		N	5402880.382									
		E1	9.917	CVD28BC								
337972	77H2556	E	448412.594	0.9996334	1.0000007		MARKER DESTROYED					
		N	5402895.302									
		E1	12.891	CVD28BC								

Integrated Survey Area No:11 The Corporation of the City of Duncan  
 Order in Council No. 781/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
593939	77H2557	E	448940.221	0.9996331	1.0000010		MARKER DESTROYED				
		N	5402879.673								
		E1	10.897	CVD28BC							
783936	77H2558	E	448417.204	0.9996339	1.0000012	299560	88H3971	TERR	180 45 30	185.269	185.337
		N	5403291.443								
		E1	10.113	CVD28BC							
503516	77H2559	E	449019.721	0.9996331	1.0000012	237743	93H0982	TERR	91 39 6	108.429	108.469
		N	5403083.857			239699	93H0986	TERR	269 47 12	94.527	94.562
		E1	10.066	CVD28BC							
736868	77H2563	E	448083.221	0.9996338	1.0000006	773960	77H4316	TERR	75 41 33	74.456	74.484
		N	5403163.816			798819	77H2572	TERR	167 44 54	83.206	83.237
		E1	13.415	CVD28BC							
150201	77H2564	E	449136.811	0.9996330	1.0000012	783043	3792	TERR	32 41 21	95.343	95.378
		N	5402626.708			184523	77H2552	TERR	266 4 30	195.432	195.504
		E1	9.824	CVD28BC							
403857	77H2565	E	447982.208	0.9996341	1.0000009		MARKER DESTROYED				
		N	5403332.277								
		E1	11.878	CVD28BC							
891226	77H2566	E	448056.080	0.9996336	1.0000005		MARKER DESTROYED				
		N	5402995.786								
		E1	14.516	CVD28BC							
298018	77H2567	E	447809.281	0.9996350	1.0000015	751909	77H4341	TERR	157 51 56	210.796	210.873
		N	5404180.263			675033	8035	TERR	328 40 58	119.797	119.841
		E1	7.955	CVD28BC							
238261	77H2568	E	448244.535	0.9996339	1.0000010		MARKER DESTROYED				
		N	5403294.769								
		E1	10.963	CVD28BC							

Integrated Survey Area No:11 The Corporation of the City of Duncan  
 Order in Council No. 781/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
450700	77H2569	E	447820.596	0.9996345	1.0000011		MARKER DESTROYED				
		N	5403424.655								
		E1	10.731	CVD28BC							
168153	77H2570	E	449662.674	0.9996327	1.0000016		MARKER DESTROYED				
		N	5403065.759								
		E1	7.341	CVD28BC							
897785	77H2571	E	447393.156	0.9996322	0.9999982	66175	3760	TERR	154 46 15	75.657	75.685
		N	5403573.273			49999	93H0989	TERR	322 42 42	84.012	84.044
		E1	29.222	CVD28BC							
798819	77H2572	E	448100.878	0.9996336	1.0000005	466342	3777	TERR	183 24 31	196.833	196.906
		N	5403082.505			736868	77H2563	TERR	347 44 54	83.206	83.237
		E1	14.414	CVD28BC							
651802	77H2573	E	447653.841	0.9996347	1.0000010	252494	91H0493	TERR	90 2 11	166.948	167.009
		N	5403332.644			401422	77H4340	TERR	259 40 2	197.430	197.502
		E1	10.848	CVD28BC							
564831	77H2574	E	447340.790	0.9996323	0.9999982		MARKER DESTROYED				
		N	5403640.729								
		E1	28.748	CVD28BC							
815332	77H2575	E	448241.030	0.9996338	1.0000009	773960	77H4316	TERR	272 0 54	85.715	85.747
		N	5403179.202								
		E1	12.081	CVD28BC							
837070	77H2576	E	447829.755	0.9996336	1.0000002	105056	77H4332	TERR	184 5 31	105.218	105.256
		N	5403723.489			532374	77H4319	TERR	304 56 50	110.330	110.370
		E1	16.364	CVD28BC							
616003	77H2577	E	447820.639	0.9996343	1.0000008	252494	91H0493	TERR	0 4 44	108.907	108.947
		N	5403223.631			491340	93H0997	TERR	87 12 44	182.335	182.402
		E1	12.249	CVD28BC		225789	3774	TERR	272 7 19	143.624	143.676

Integrated Survey Area No:11 The Corporation of the City of Duncan  
 Order in Council No. 781/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
783167	77H4301	E	448787.354	0.9996333	1.0000011		MARKER DESTROYED				
		N	5403099.791								
		E1	10.628	CVD28BC							
935403	77H4303	E	449271.340	0.9996329	1.0000013		MARKER DESTROYED				
		N	5402881.443								
		E1	9.382	CVD28BC							
696443	77H4304	E	448962.466	0.9996333	1.0000013	295741	77H2550	TERR	269 52 35	152.146	152.203
		N	5403259.443								
		E1	9.459	CVD28BC							
851220	77H4305	E	448414.782	0.9996336	1.0000009		MARKER DESTROYED				
		N	5403106.232								
		E1	11.810	CVD28BC							
206532	77H4306	E	449545.343	0.9996329	1.0000016	174300	93H0995	TERR	82 18 1	119.071	119.114
		N	5403049.936			553917	93H0985	TERR	175 11 9	157.701	157.759
		E1	7.342	CVD28BC		516054	77H2560	TERR	273 41 50	143.246	143.299
820662	77H4307	E	449043.410	0.9996330	1.0000011	783043	3792	TERR	91 30 17	144.944	144.998
		N	5402710.756			484972	3793	TERR	267 23 41	107.534	107.573
		E1	10.426	CVD28BC							
944322	77H4308	E	448507.628	0.9996336	1.0000010	705715	3782	TERR	3 46 41	191.303	191.373
		N	5403103.252			595959	93H0990	TERR	90 55 46	138.038	138.089
		E1	10.980	CVD28BC		617878	77H4321	TERR	180 7 29	132.696	132.745
						299560	88H3971	TERR	271 48 43	92.923	92.957
360156	77H4310	E	448238.680	0.9996325	0.9999996	303768	77H4330	TERR	182 24 13	67.384	67.410
		N	5402963.739								
		E1	20.054	CVD28BC							
59204	77H4312	E	449431.557	0.9996329	1.0000015	373753	3791	TERR	182 32 14	100.361	100.398
		N	5402809.760			519447	93H0983	TERR	349 52 28	73.753	73.780
		E1	8.193	CVD28BC							

Integrated Survey Area No:11 The Corporation of the City of Duncan  
 Order in Council No. 781/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
464305	77H4313	E	448221.607	0.9996326	0.9999997		MARKER DESTROYED				
		N	5403096.972								
		El	19.687	CVD28BC							
239947	77H4314	E	447917.107	0.9996344	1.0000011	295568	3754	TERR	271 31 2	53.928	53.948
		N	5403853.147			751909	77H4341	TERR	347 50 39	134.879	134.929
		El	10.602	CVD28BC							
773960	77H4316	E	448155.368	0.9996338	1.0000008	815332	77H2575	TERR	92 0 54	85.715	85.747
		N	5403182.216			736868	77H2563	TERR	255 41 33	74.456	74.484
		El	12.685	CVD28BC							
534800	77H4317	E	447952.906	0.9996344	1.0000011	149716	77H4334	TERR	166 31 41	86.961	86.993
		N	5403517.720			319954	77H4320	TERR	270 10 19	121.562	121.606
		El	10.278	CVD28BC							
649962	77H4318	E	447939.047	0.9996345	1.0000012		MARKER DESTROYED				
		N	5403611.228								
		El	9.663	CVD28BC							
532374	77H4319	E	447739.320	0.9996321	0.9999986	837070	77H2576	TERR	124 56 50	110.330	110.370
		N	5403786.688								
		El	26.690	CVD28BC							
319954	77H4320	E	447831.345	0.9996346	1.0000012	534800	77H4317	TERR	90 10 19	121.562	121.606
		N	5403518.085			71902	91H0494	TERR	186 32 53	94.021	94.055
		El	9.948	CVD28BC		105056	77H4332	TERR	354 49 30	100.865	100.902
617878	77H4321	E	448507.339	0.9996335	1.0000009	944322	77H4308	TERR	0 7 29	132.696	132.745
		N	5402970.556			969386	8047	TERR	174 41 15	85.045	85.076
		El	11.707	CVD28BC							
153569	77H4322	E	447958.764	0.9996339	1.0000006		MARKER DESTROYED				
		N	5403081.217								
		El	13.578	CVD28BC							

Integrated Survey Area No:11 The Corporation of the City of Duncan  
 Order in Council No. 781/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
471334	77H4323	E	448337.803	0.9996338	1.0000010		MARKER DESTROYED				
		N	5403177.379								
		E1	11.055	CVD28BC							
50377	77H4324	E	448003.376	0.9996340	1.0000008		MARKER DESTROYED				
		N	5403231.597								
		E1	12.627	CVD28BC							
841619	77H4325	E	449553.425	0.9996329	1.0000016		MARKER DESTROYED				
		N	5402882.873								
		E1	7.397	CVD28BC							
790253	77H4326	E	447446.995	0.9996320	0.9999980	401422	77H4340	TERR	172 57 21	102.892	102.930
		N	5403399.347			66175	3760	TERR	348 25 57	107.673	107.713
		E1	29.959	CVD28BC							
546168	77H4327	E	447795.900	0.9996341	1.0000006		MARKER DESTROYED				
		N	5403079.339								
		E1	13.465	CVD28BC							
545004	77H4328	E	447686.925	0.9996344	1.0000007	221838	3775	TERR	127 0 17	145.367	145.420
		N	5403079.382			308312	77H4329	TERR	297 23 57	195.422	195.493
		E1	12.762	CVD28BC							
308312	77H4329	E	447513.425	0.9996336	0.9999998	587691	77H4333	TERR	93 28 8	142.269	142.320
		N	5403169.313			545004	77H4328	TERR	117 23 57	195.422	195.493
		E1	18.981	CVD28BC		401422	77H4340	TERR	337 11 5	138.777	138.828
303768	77H4330	E	448235.854	0.9996329	1.0000000	360156	77H4310	TERR	2 24 13	67.384	67.410
		N	5402896.414			409862	3780	TERR	98 10 22	95.745	95.781
		E1	17.651	CVD28BC		979252	93H0987	TERR	104 44 49	91.966	92.000
						466342	3777	TERR	265 56 48	147.047	147.101
387712	77H4331	E	448338.296	0.9996337	1.0000009		MARKER DESTROYED				
		N	5403107.320								
		E1	11.823	CVD28BC							

Integrated Survey Area No:11 The Corporation of the City of Duncan  
 Order in Council No. 781/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
105056	77H4332	E	447822.247	0.9996346	1.0000012	837070	77H2576	TERR	4 5 31	105.218	105.256					
		N	5403618.539					319954				77H4320	TERR	174 49 30	100.865	100.902
		El	9.974					CVD28BC								
587691	77H4333	E	447655.433	0.9996345	1.0000009	225789	3774	TERR	17 37 30	71.605	71.631					
		N	5403160.705					308312				77H4329	TERR	273 28 8	142.269	142.320
		El	11.859					CVD28BC								
149716	77H4334	E	447973.165	0.9996343	1.0000010	753061	93H0994	TERR	174 58 20	100.904	100.941					
		N	5403433.152					71902				91H0494	TERR	266 49 12	152.777	152.834
		El	11.003					CVD28BC				534800	77H4317	TERR	346 31 41	86.961
828004	77H4335	E	447793.388	0.9996321	0.9999987	78873	77H4346	TERR	0 21 2	153.024	153.080					
		N	5403860.564					295568				3754	TERR	94 54 12	70.066	70.091
		El	26.040					CVD28BC				43281	87H2625	TERR	269 35 17	94.569
637132	77H4336	E	447241.184	0.9996322	0.9999980	320440	77H4347	TERR	21 44 56	163.074	163.134					
		N	5403847.770					968024				77H4344	TERR	88 45 55	156.715	156.773
		El	30.089					CVD28BC				947812	3795	TERR	145 5 26	106.524
15933	77H4337	E	449674.794	0.9996327	1.0000016	MARKER DESTROYED										
		N	5403209.758													
		El	7.267			CVD28BC										
174383	77H4338	E	448789.336	0.9996332	1.0000010	10850	93H0978	TERR	88 31 18	149.724	149.778					
		N	5402881.486					969386				8047	TERR	270 55 3	274.158	274.259
		El	11.194					CVD28BC				382945	93H0984	TERR	276 12 24	146.946
967232	77H4339	E	447463.814	0.9996322	0.9999983	968024	77H4344	TERR	197 6 6	224.272	224.355					
		N	5404065.503													
		El	28.302					CVD28BC								
401422	77H4340	E	447459.613	0.9996327	0.9999988	651802	77H2573	TERR	79 40 2	197.430	197.502					
		N	5403297.232					308312				77H4329	TERR	157 11 5	138.777	138.828
		El	25.172					CVD28BC				790253	77H4326	TERR	352 57 21	102.892

Integrated Survey Area No:11 The Corporation of the City of Duncan  
 Order in Council No. 781/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
751909	77H4341	E	447888.705	0.9996345	1.0000011	239947	77H4314	TERR	167 50 39	134.879	134.929			
		N	5403985.002					298018	77H2567	TERR	337 51 56	210.796	210.873	
		El	10.268					CVD28BC						
23358	77H4342	E	448644.827	0.9996334	1.0000010	MARKER DESTROYED								
		N	5403100.740											
		El	11.013			CVD28BC								
170738	77H4343	E	447820.790	0.9996344	1.0000010	MARKER DESTROYED								
		N	5403332.547											
		El	11.302			CVD28BC								
968024	77H4344	E	447397.863	0.9996324	0.9999984	967232	77H4339	TERR	17 6 6	224.272	224.355			
		N	5403851.147					865493	93H0996	TERR	87 15 6	171.574	171.637	
		El	27.672					CVD28BC	744292	77H4348	TERR	176 56 5	156.214	156.271
									637132	77H4336	TERR	268 45 55	156.715	156.773
969402	77H4345	E	449413.063	0.9996329	1.0000015	MARKER DESTROYED								
		N	5402887.637											
		El	8.166			CVD28BC								
78873	77H4346	E	447794.324	0.9996323	0.9999989	828004	77H4335	TERR	180 21 2	153.024	153.080			
		N	5404013.585											
		El	24.795					CVD28BC						
320440	77H4347	E	447301.609	0.9996323	0.9999982	637132	77H4336	TERR	201 44 56	163.074	163.134			
		N	5403999.236											
		El	29.229					CVD28BC						
744292	77H4348	E	447406.216	0.9996323	0.9999983	720961	3758	TERR	91 19 15	133.909	133.958			
		N	5403695.157					968024	77H4344	TERR	356 56 5	156.214	156.271	
		El	28.267					CVD28BC						
558346	77H4349	E	447191.307	0.9996325	0.9999982	49999	93H0989	TERR	91 14 48	150.988	151.043			
		N	5403643.398											
		El	28.867					CVD28BC						

Integrated Survey Area No:11 The Corporation of the City of Duncan  
 Order in Council No. 781/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
607242	77H4350	E	447696.594	0.9996322	0.9999986		MARKER DESTROYED				
		N	5403860.607								
		E1	26.522	CVD28BC							
394080	77H4351	E	447927.300	0.9996344	1.0000011		MARKER DESTROYED				
		N	5403695.422								
		E1	10.490	CVD28BC							
832832	79H8681	E	449671.641	0.9996327	1.0000016	280164	3724	TERR	2 11 19	549.777	549.979
		N	5403210.201			174300	93H0995	TERR	183 17 32	144.551	144.603
		E1	7.251	CVD28BC		686212	3787	TERR	268 51 23	265.714	265.812
731372	8037	E	447965.804	0.9996336	1.0000004	466342	3777	TERR	102 46 37	126.503	126.549
		N	5402913.997			221838	3775	TERR	295 34 11	180.466	180.532
		E1	15.157	CVD28BC							
239764	8053	E	447801.546	0.9996342	1.0000008		MARKER DESTROYED				
		N	5403160.662								
		E1	12.710	CVD28BC							
471904	8054	E	447655.199	0.9996347	1.0000011		MARKER DESTROYED				
		N	5403296.421								
		E1	10.784	CVD28BC							
856872	80H2621	E	448099.390	0.9996336	1.0000005	466342	3777	TERR	182 58 31	196.810	196.883
		N	5403082.565			718999	80H2622	TERR	348 48 23	83.270	83.300
		E1	14.268	CVD28BC							
718999	80H2622	E	448083.225	0.9996338	1.0000007	179986	80H2623	TERR	76 11 17	74.400	74.427
		N	5403164.251			856872	80H2621	TERR	168 48 23	83.270	83.300
		E1	13.257	CVD28BC		491340	93H0997	TERR	310 18 10	105.512	105.550
179986	80H2623	E	448155.474	0.9996338	1.0000008	13144	96H2105	TERR	91 22 29	85.942	85.973
		N	5403182.013			718999	80H2622	TERR	256 11 17	74.400	74.427
		E1	12.662	CVD28BC							

Integrated Survey Area No:11 The Corporation of the City of Duncan  
 Order in Council No. 781/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
422659	80H2624	E	448241.434	0.9996338	1.0000009		MARKER DESTROYED				
		N	5403179.794								
		E1	12.087	CVD28BC							
117937	83H6286	E	448057.197	0.9996336	1.0000005		MARKER DESTROYED				
		N	5402992.403								
		E1	14.369	CVD28BC							
91363	83H6287	E	447958.811	0.9996339	1.0000006		MARKER DESTROYED				
		N	5403080.868								
		E1	13.589	CVD28BC							
822114	83H9384	E	448766.817	0.9996332	1.0000009	36939	73H2009	TERR	267 18 43	121.224	121.268
		N	5402755.360								
		E1	11.580	CVD28BC							
43281	87H2625	E	447698.821	0.9996322	0.9999986	828004	77H4335	TERR	89 35 17	94.569	94.605
		N	5403859.884			865493	93H0996	TERR	269 46 28	129.582	129.629
		E1	26.503	CVD28BC		27847	87H2626	TERR	356 35 1	265.944	266.041
27847	87H2626	E	447682.973	0.9996324	0.9999988	43281	87H2625	TERR	176 35 1	265.944	266.041
		N	5404125.355			373357	3752	TERR	264 37 3	97.286	97.322
		E1	25.066	CVD28BC							
839274	88H3970	E	448338.260	0.9996337	1.0000009	299560	88H3971	TERR	90 49 18	76.500	76.528
		N	5403107.287			979252	93H0987	TERR	183 17 25	234.670	234.756
		E1	11.732	CVD28BC		740688	96H2104	TERR	359 38 57	70.044	70.070
299560	88H3971	E	448414.752	0.9996336	1.0000009	783936	77H2558	TERR	0 45 30	185.269	185.337
		N	5403106.190			944322	77H4308	TERR	91 48 43	92.923	92.957
		E1	11.771	CVD28BC		378703	93H0993	TERR	180 29 46	211.937	212.015
						839274	88H3970	TERR	270 49 18	76.500	76.528
252494	91H0493	E	447820.789	0.9996344	1.0000010	753061	93H0994	TERR	89 57 55	161.219	161.278
		N	5403332.538			616003	77H2577	TERR	180 4 44	108.907	108.947
		E1	11.260	CVD28BC		651802	77H2573	TERR	270 2 11	166.948	167.009
						71902	91H0494	TERR	359 53 48	92.139	92.173

Integrated Survey Area No:11 The Corporation of the City of Duncan  
 Order in Council No. 781/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
71902	91H0494	E	447820.623	0.9996345	1.0000011	319954	77H4320	TERR	6 32 53	94.021	94.055			
		N	5403424.677					149716	77H4334	TERR	86 49 12	152.777	152.834	
		E1	10.692					CVD28BC	252494	91H0493	TERR	179 53 48	92.139	92.173
10850	93H0978	E	448939.010	0.9996331	1.0000011	237743	93H0982	TERR	44 3 47	271.903	272.004			
		N	5402885.349					645754	93H0979	TERR	88 42 45	250.223	250.316	
		E1	10.572					CVD28BC	174383	77H4338	TERR	268 31 18	149.724	149.778
									239699	93H0986	TERR	356 0 43	198.637	198.711
645754	93H0979	E	449189.170	0.9996329	1.0000012	501189	93H0992	TERR	87 52 20	77.244	77.272			
		N	5402890.971					783043	3792	TERR	180 16 11	184.023	184.091	
		E1	9.817					CVD28BC	10850	93H0978	TERR	268 42 45	250.223	250.316
891143	93H0981	E	448930.020	0.9996331	1.0000010	184523	77H2552	TERR	5 49 26	116.456	116.499			
		N	5402497.476					294124	93H0991	TERR	267 39 51	265.542	265.639	
		E1	10.967					CVD28BC						
237743	93H0982	E	449128.105	0.9996330	1.0000012	511964	3786	TERR	54 29 6	172.657	172.720			
		N	5403080.732					10850	93H0978	TERR	224 3 47	271.903	272.004	
		E1	9.929					CVD28BC	503516	77H2559	TERR	271 39 6	108.429	108.469
									219873	3667	TERR	358 42 35	292.835	292.943
519447	93H0983	E	449418.591	0.9996329	1.0000015	553917	93H0985	TERR	85 44 25	140.375	140.426			
		N	5402882.364					59204	77H4312	TERR	169 52 28	73.753	73.780	
		E1	8.345					CVD28BC	501189	93H0992	TERR	274 18 39	152.662	152.718
									516054	77H2560	TERR	354 45 58	177.549	177.614
382945	93H0984	E	448643.251	0.9996332	1.0000008	595959	93H0990	TERR	0 40 28	203.654	203.729			
		N	5402897.373					174383	77H4338	TERR	96 12 24	146.946	147.000	
		E1	12.225					CVD28BC	36939	73H2009	TERR	179 2 24	147.719	147.773
									969386	8047	TERR	264 52 8	128.553	128.601
553917	93H0985	E	449558.578	0.9996329	1.0000016	519447	93H0983	TERR	265 44 25	140.375	140.426			
		N	5402892.791					206532	77H4306	TERR	355 11 9	157.701	157.759	
		E1	7.325					CVD28BC						
239699	93H0986	E	448925.195	0.9996332	1.0000012	503516	77H2559	TERR	89 47 12	94.527	94.562			
		N	5403083.505					10850	93H0978	TERR	176 0 43	198.637	198.711	
		E1	10.149					CVD28BC	880567	93H0988	TERR	276 56 59	137.748	137.798

Integrated Survey Area No:11 The Corporation of the City of Duncan  
 Order in Council No. 781/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
979252	93H0987	E	448324.791	0.9996333	1.0000005	839274	88H3970	TERR	3 17 25	234.670	234.756					
		N	5402873.004					378703	93H0993			TERR	76 26 19	90.654	90.687	
		E1	14.104					CVD28BC	303768			77H4330	TERR	284 44 49	91.966	92.000
880567	93H0988	E	448788.459	0.9996333	1.0000011	295741	77H2550	TERR	7 49 53	160.439	160.498					
		N	5403100.172					239699	93H0986			TERR	96 56 59	137.748	137.798	
		E1	10.488					CVD28BC	174383			77H4338	TERR	179 46 13	218.688	218.768
									595959			93H0990	TERR	270 20 15	142.814	142.866
49999	93H0989	E	447342.259	0.9996323	0.9999982	897785	77H2571	TERR	142 42 42	84.012	84.044					
		N	5403640.113					558346	77H4349			TERR	271 14 48	150.988	151.043	
		E1	28.656					CVD28BC	947812			3795	TERR	341 33 35	126.812	126.858
595959	93H0990	E	448645.648	0.9996334	1.0000010	774000	3668	TERR	5 15 53	273.628	273.729					
		N	5403101.013					880567	93H0988			TERR	90 20 15	142.814	142.866	
		E1	11.047					CVD28BC	382945			93H0984	TERR	180 40 28	203.654	203.729
									944322			77H4308	TERR	270 55 46	138.038	138.089
501189	93H0992	E	449266.361	0.9996329	1.0000013	511964	3786	TERR	0 27 17	287.201	287.307					
		N	5402893.839					519447	93H0983			TERR	94 18 39	152.662	152.718	
		E1	9.227					CVD28BC	645754			93H0979	TERR	267 52 20	77.244	77.272
378703	93H0993	E	448412.917	0.9996335	1.0000008	299560	88H3971	TERR	0 29 46	211.937	212.015					
		N	5402894.261					969386	8047			TERR	94 41 9	102.639	102.676	
		E1	12.689					CVD28BC	979252			93H0987	TERR	256 26 19	90.654	90.687
753061	93H0994	E	447982.008	0.9996341	1.0000009	491340	93H0997	TERR	168 17 35	102.264	102.302					
		N	5403332.636					252494	91H0493			TERR	269 57 55	161.219	161.278	
		E1	11.860					CVD28BC	149716			77H4334	TERR	354 58 20	100.904	100.941
174300	93H0995	E	449663.340	0.9996327	1.0000016	832832	79H8681	TERR	3 17 32	144.551	144.603					
		N	5403065.889					206532	77H4306			TERR	262 18 1	119.071	119.114	
		E1	7.632					CVD28BC								
865493	93H0996	E	447569.240	0.9996323	0.9999985	373357	3752	TERR	3 45 33	257.409	257.504					
		N	5403859.374					43281	87H2625			TERR	89 46 28	129.582	129.629	
		E1	27.120					CVD28BC	720961			3758	TERR	189 53 2	169.825	169.887
									968024			77H4344	TERR	267 15 6	171.574	171.637

Integrated Survey Area No:11 The Corporation of the City of Duncan  
 Order in Council No. 781/73  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
491340	93H0997	E	448002.758	0.9996340	1.0000008	718999	80H2622	TERR	130 18 10	105.512	105.550		
		N	5403232.499					616003	77H2577	TERR	267 12 44	182.335	182.402
		E1	12.587					CVD28BC	753061	93H0994	TERR	348 17 35	102.264
740688	96H2104	E	448337.831	0.9996338	1.0000010	839274	88H3970	TERR	179 38 57	70.044	70.070		
		N	5403177.330					13144	96H2105	TERR	271 33 24	96.476	96.511
		E1	11.034					CVD28BC	146381	3778	TERR	358 24 23	111.330
13144	96H2105	E	448241.391	0.9996338	1.0000009	740688	96H2104	TERR	91 33 24	96.476	96.511		
		N	5403179.951					179986	80H2623	TERR	271 22 29	85.942	85.973
		E1	12.056					CVD28BC					
933051	96H2106	E	448244.525	0.9996339	1.0000010	MARKER DESTROYED							
		N	5403294.535										
		E1	10.965			CVD28BC							

END OF REPORT