

## Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
447623	4301	E	313371.658	0.9999700	0.9999422	450759	80H2625	TERR	70 34 57	158.289	158.293		
		N	5485096.337					853978	4325	TERR	168 42 24	181.004	181.009
		E1	385.021					CVD28BC					
386862	4302	E	314636.908	0.9999526	0.9999306	MARKER DESTROYED							
		N	5484830.784										
		E1	459.18			(PROVISIONAL)							
315481	4303	E	314611.566	0.9999524	0.9999302	299966	77H2032	TERR	3 6 0	322.322	322.337		
		N	5484388.020					790220	84H9643	TERR	192 38 0	88.193	88.197
		E1	461.216					CVD28BC		536052	4874	TERR	280 31 33
133330	4304	E	312734.993	0.9999760	0.9999452	900928	4888	TERR	73 34 29	341.699	341.707		
		N	5485558.119					468538	4900	TERR	343 58 51	427.283	427.293
		E1	365.747					CVD28BC					
578591	4305	E	311615.720	0.9999846	0.9999486	64626	4318	TERR	79 19 18	345.386	345.392		
		N	5486469.476					26336	84H0131	TERR	267 22 22	280.289	280.293
		E1	344.031					CVD28BC					
141234	4306	E	312126.538	0.9999811	0.9999475	60863	4822	TERR	107 15 13	284.003	284.009		
		N	5485124.418					202713	4342	TERR	197 18 6	288.768	288.774
		E1	351.267					CVD28BC		484816	4862	TERR	287 14 27
580720	4307	E	311708.904	0.9999840	0.9999485	643650	4813	TERR	73 22 5	208.569	208.572		
		N	5486150.782					892133	4881	TERR	163 19 55	372.798	372.805
		E1	344.725					CVD28BC		980565	4873	TERR	253 24 2
121087	4308	E	311903.127	0.9999835	0.9999489	MARKER DESTROYED							
		N	5483635.932										
		E1	342.081			CVD28BC							
82859	4309	E	311994.117	0.9999832	0.9999491	MARKER DESTROYED							
		N	5482987.658										
		E1	341.188			CVD28BC							

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
881839	4310	E	312332.912	0.9999811	0.9999485		MARKER ISOLATED				
		N	5483345.839								
		El	344.732	CVD28BC							
927186	4311	E	311953.555	0.9999835	0.9999492		MARKER DESTROYED				
		N	5481931.550								
		El	340.471	CVD28BC							
485359	4312	E	312042.205	0.9999831	0.9999491		MARKER DESTROYED				
		N	5482405.439								
		El	340.701	CVD28BC							
576561	4313	E	311867.354	0.9999836	0.9999488	590612	4864	TERR	37 20 36	359.681	359.686
		N	5483879.438			615732	81H4283	TERR	169 25 19	262.676	262.680
		El	342.597	CVD28BC		758425	79H2038	TERR	170 36 57	477.390	477.397
						883686	85H0767	TERR	336 54 32	454.253	454.259
99812	4314	E	312033.573	0.9999831	0.9999490		MARKER DESTROYED				
		N	5482722.601								
		El	341.276	CVD28BC							
55400	4315	E	312087.734	0.9999812	0.9999475	211086	4816	TERR	73 21 10	201.866	201.869
		N	5485361.967								
		El	351.297	CVD28BC							
279919	4316	E	313991.012	0.9999639	0.9999389	828657	4882	TERR	82 0 56	396.650	396.665
		N	5485096.551			829861	4328	TERR	268 35 46	164.719	164.725
		El	406.074	CVD28BC							
479329	4317	E	312461.989	0.9999792	0.9999471	598003	4871	TERR	4 5 1	146.446	146.449
		N	5484288.679								
		El	353.435	CVD28BC							
64626	4318	E	311955.125	0.9999830	0.9999487	578591	4305	TERR	259 19 18	345.386	345.392
		N	5486533.475								
		El	343.743	CVD28BC							

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
551796	4319	E	311323.106	0.9999860	0.9999487		MARKER DESTROYED				
		N	5486343.758								
		E1	343.263	CVD28BC							
788471	4320	E	314578.792	0.9999569	0.9999346	687301	4333	TERR	273 47 19	325.611	325.624
		N	5483842.274								
		E1	433.577	CVD28BC							
500728	4321	E	312618.240	0.9999791	0.9999478		MARKER ISOLATED				
		N	5482796.955								
		E1	349.032	CVD28BC							
998336	4322	E	312211.291	0.9999806	0.9999475		MARKER DESTROYED				
		N	5485674.948								
		E1	351.31	(PROVISIONAL)							
99044	4323	E	312476.269	0.9999782	0.9999463		MARKER DESTROYED				
		N	5485486.237								
		E1	359.093	CVD28BC							
624437	4324	E	312132.208	0.9999813	0.9999478		MARKER DESTROYED				
		N	5485894.190								
		E1	349.389	CVD28BC							
853978	4325	E	313407.104	0.9999698	0.9999422	314146	4883	TERR	67 17 13	189.569	189.576
		N	5484918.838			447623	4301	TERR	348 42 24	181.004	181.009
		E1	385.246	CVD28BC							
799155	4326	E	312302.518	0.9999809	0.9999481	770917	95H2008	TERR	167 42 59	254.211	254.215
		N	5483902.103								
		E1	347.088	CVD28BC							
511584	4327	E	313206.384	0.9999732	0.9999446	285395	4336	TERR	278 33 13	447.970	447.981
		N	5484066.385								
		E1	369.719	CVD28BC							

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
-----	-----	Coordinates		Combined	Ellipsoidal	-----	-----						
GCM-NO	TABLET MARKING	Metres				GCM-NO	TABLET MARKING						
829861	4328	E	313826.343	0.9999656	0.9999398	279919	4316	TERR	88 35 46	164.719	164.725		
		N	5485092.515					57067	4856	TERR	180 50 20	372.431	372.444
		E1	400.246	CVD28BC				314146	4883	TERR	247 38 54	264.223	264.231
886689	4329A	E	313853.670	0.9999654	0.9999398								
		N	5483862.708										
		E1	400.448	CVD28BC									
652065	4331	E	311678.434	0.9999845	0.9999488								
		N	5484296.082										
		E1	342.606	CVD28BC									
58578	4332	E	312647.714	0.9999776	0.9999464								
		N	5486599.798										
		E1	357.993	CVD28BC									
687301	4333	E	314253.893	0.9999608	0.9999370	788471	4320	TERR	93 47 19	325.611	325.624		
		N	5483863.789										
		E1	417.914	CVD28BC									
978775	4334	E	311412.063	0.9999858	0.9999489								
		N	5484555.885										
		E1	342.352	CVD28BC									
824029	4335	E	312568.280	0.9999809	0.9999493	85415	4359	TERR	91 1 34	472.335	472.345		
		N	5481063.371			460493		97H2180	TERR	141 21 4	612.814	612.827	
		E1	339.378	CVD28BC		614586		84H0118	TERR	351 31 56	245.885	245.889	
285395	4336	E	312763.397	0.9999771	0.9999464	511584	4327	TERR	98 33 13	447.970	447.981		
		N	5484133.014			767582		95H2009	TERR	167 24 53	416.705	416.715	
		E1	357.965	CVD28BC		581801		4832	TERR	351 33 1	202.726	202.731	
995225	4337	E	312937.708	0.9999785	0.9999487								
		N	5480596.510										
		E1	343.499	CVD28BC									

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
795138	4338	E	313047.318	0.9999768	0.9999475	151753	4839	TERR	169 14 60	334.431	334.439
		N	5482600.827			554139	83H6726	TERR	348 7 15	227.292	227.297
		E1	351.309	CVD28BC		897496	4899	TERR	349 58 39	353.988	353.996
317040	4340	E	314243.725	0.9999597	0.9999358	645846	4356	TERR	67 39 14	228.907	228.917
		N	5484082.045								
		E1	425.740	CVD28BC							
35147	4341	E	312375.705	0.9999810	0.9999485						
		N	5483054.110								
		E1	344.447	CVD28BC							
202713	4342	E	312040.657	0.9999819	0.9999479	141234	4306	TERR	17 18 6	288.768	288.774
		N	5484848.716			747584	4870	TERR	198 47 27	228.560	228.564
		E1	348.428	CVD28BC		752501	4353	TERR	286 7 26	304.404	304.409
207019	4344	E	312125.502	0.9999822	0.9999486						
		N	5483675.826								
		E1	344.024	CVD28BC							
620930	4345	E	312259.047	0.9999810	0.9999481						
		N	5484160.559								
		E1	347.612	CVD28BC							
755488	4346	E	313603.865	0.9999698	0.9999430						
		N	5483184.473								
		E1	379.497	CVD28BC							
795419	4347	E	313048.129	0.9999781	0.9999488						
		N	5480746.078								
		E1	342.881	CVD28BC							
150136	4348	E	312485.927	0.9999812	0.9999493						
		N	5481135.255								
		E1	339.509	CVD28BC							

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
797761	4349	E	311358.708	0.9999859	0.9999488		MARKER DESTROYED				
		N	5485052.194								
		El	343.130	CVD28BC							
544460	4350	E	313339.665	0.9999720	0.9999440	37721	4835	TERR	70 25 41	408.249	408.262
		N	5483357.796			89805	4836	TERR	249 24 17	433.537	433.548
		El	373.583	CVD28BC							
783415	4351	E	313865.296	0.9999651	0.9999395		MARKER DESTROYED				
		N	5484092.708								
		El	402.349	CVD28BC							
752501	4353	E	311748.227	0.9999837	0.9999483	484816	4862	TERR	17 39 55	294.711	294.716
		N	5484933.253			202713	4342	TERR	106 7 26	304.404	304.409
		El	345.771	CVD28BC		474106	4823	TERR	196 42 45	219.662	219.664
						743658	85H0769	TERR	293 19 19	423.796	423.802
174995	4354	E	313840.365	0.9999659	0.9999402		MARKER ISOLATED				
		N	5483636.556								
		El	397.904	CVD28BC							
516468	4355	E	311436.462	0.9999855	0.9999487	474106	4823	TERR	106 51 6	259.751	259.755
		N	5484798.170			572438	85H0768	TERR	199 42 28	194.009	194.012
		El	343.242	CVD28BC		743658	85H0769	TERR	345 39 48	312.597	312.601
645846	4356	E	314455.442	0.9999567	0.9999338	317040	4340	TERR	247 39 14	228.907	228.917
		N	5484169.076			487173	84H9652	TERR	350 29 33	134.790	134.795
		El	438.208	CVD28BC							
626192	4358	E	312748.761	0.9999782	0.9999474	89805	4836	TERR	24 47 50	441.277	441.286
		N	5482804.704								
		El	351.475	CVD28BC							
85415	4359	E	313040.539	0.9999787	0.9999493	812867	95H2007	TERR	19 3 24	249.970	249.975
		N	5481054.912			799353	97H2179	TERR	180 11 9	227.682	227.688
		El	339.571	CVD28BC		824029	4335	TERR	271 1 34	472.335	472.345

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
609396	4360	E	312354.009	0.9999801	0.9999476		MARKER DESTROYED				
		N	5485960.104								
		E1	350.757	CVD28BC							
530915	4808	E	314119.859	0.9999601	0.9999357		MARKER DESTROYED				
		N	5486051.514								
		E1	426.485	CVD28BC							
507293	4811	E	312442.857	0.9999806	0.9999485		MARKER DESTROYED				
		N	5486607.426								
		E1	344.893	CVD28BC							
933036	4812	E	312241.002	0.9999815	0.9999484		MARKER DESTROYED				
		N	5486309.809								
		E1	345.406	CVD28BC							
643650	4813	E	311908.747	0.9999829	0.9999484	580720	4307	TERR	253 22 5	208.569	208.572
		N	5486210.479								
		E1	345.644	CVD28BC							
138917	4814	E	310538.028	0.9999896	0.9999487		MARKER DESTROYED				
		N	5485840.193								
		E1	343.805	CVD28BC							
723668	4815	E	311903.423	0.9999824	0.9999478		MARKER DESTROYED				
		N	5485429.279								
		E1	349.154	CVD28BC							
211086	4816	E	312281.139	0.9999799	0.9999470	60863	4822	TERR	162 55 21	397.124	397.133
		N	5485419.797			55400	4315	TERR	253 21 10	201.866	201.869
		E1	354.262	CVD28BC		92254	79H1104	TERR	344 41 46	264.574	264.579
148577	4818	E	314023.430	0.9999601	0.9999353		MARKER DESTROYED				
		N	5485560.273								
		E1	429.222	CVD28BC							



Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
692475	4819	E	313410.671	0.9999694	0.9999418		MARKER DESTROYED				
		N	5485393.484								
		E1	387.790	CVD28BC							
891002	4821	E	312574.985	0.9999772	0.9999457		MARKER DESTROYED				
		N	5485188.304								
		E1	362.913	CVD28BC							
60863	4822	E	312397.761	0.9999790	0.9999467	80945	4824	TERR	197 8 13	517.369	517.380
		N	5485040.183			141234	4306	TERR	287 15 13	284.003	284.009
		E1	356.369	CVD28BC		211086	4816	TERR	342 55 21	397.124	397.133
474106	4823	E	311685.059	0.9999841	0.9999485	752501	4353	TERR	16 42 45	219.662	219.664
		N	5484722.870			80945	4824	TERR	107 32 27	587.577	587.588
		E1	344.866	CVD28BC		747584	4870	TERR	107 47 60	296.152	296.157
						516468	4355	TERR	286 51 6	259.751	259.755
80945	4824	E	312245.315	0.9999805	0.9999475	398750	4866	TERR	16 56 31	159.006	159.009
		N	5484545.783			60863	4822	TERR	17 8 13	517.369	517.380
		E1	351.089	CVD28BC		747584	4870	TERR	287 16 39	291.431	291.437
						474106	4823	TERR	287 32 27	587.577	587.588
938019	4825	E	312653.003	0.9999770	0.9999459	581801	4832	TERR	169 34 50	445.696	445.706
		N	5484771.886								
		E1	361.381	CVD28BC							
135749	4826	E	313607.274	0.9999644	0.9999376		MARKER DESTROYED				
		N	5485999.626								
		E1	414.387	CVD28BC							
497917	4829	E	313964.431	0.9999603	0.9999352	858324	3418	TERR	233 43 12	6360.655	6361.016
		N	5484708.649			57067	4856	TERR	274 34 14	143.999	144.005
		E1	429.853	CVD28BC		347989	4807	TERR	356 45 4	3027.372	3027.506
57141	4831	E	313331.958	0.9999708	0.9999428	581801	4832	TERR	272 49 54	599.082	599.097
		N	5484303.942								
		E1	381.137	CVD28BC							

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING						
581801	4832	E	312733.608	0.9999770	0.9999462	57141	4831	TERR	92 49 54	599.082	599.097		
		N	5484333.539					285395	4336	TERR	171 33 1	202.726	202.731
		E1	359.165	CVD28BC				938019	4825	TERR	349 34 50	445.696	445.706
606624	4833	E	312844.151	0.9999767	0.9999464	MARKER DESTROYED							
		N	5483734.191										
		E1	358.283	CVD28BC									
950402	4834	E	313652.307	0.9999678	0.9999412	MARKER DESTROYED							
		N	5483884.485										
		E1	391.106	CVD28BC									
37721	4835	E	313724.326	0.9999676	0.9999414	89805 544460	4836	TERR	249 54 4	841.752	841.776		
		N	5483494.556					4350	TERR	250 25 41	408.249	408.262	
		E1	390.240	CVD28BC									
89805	4836	E	312933.836	0.9999761	0.9999462	544460	4350	TERR	69 24 17	433.537	433.548		
		N	5483205.294					37721	4835	TERR	69 54 4	841.752	841.776
		E1	359.252	CVD28BC				897496	4899	TERR	168 32 23	261.086	261.093
								626192	4358	TERR	204 47 50	441.277	441.286
								767582	95H2009	TERR	351 18 33	527.079	527.091
236141	4837	E	313764.800	0.9999633	0.9999373	MARKER DESTROYED							
		N	5482825.291										
		E1	416.363	CVD28BC									
151753	4839	E	313109.698	0.9999776	0.9999486	68379 795138	95H2010	TERR	169 47 49	548.118	548.130		
		N	5482272.265					4338	TERR	349 14 60	334.431	334.439	
		E1	344.226	CVD28BC									
382432	4840	E	312483.926	0.9999811	0.9999491	MARKER DESTROYED							
		N	5482163.623										
		E1	340.745	CVD28BC									
348516	4841	E	312419.372	0.9999814	0.9999491	614586	84H0118	TERR	168 55 55	587.060	587.071		
		N	5481882.716										
		E1	340.682	CVD28BC									

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
836999	4842	E N E1	313205.233 5481730.791 340.020	0.9999778	0.9999492		MARKER DESTROYED				
47142	4844	E N E1	312528.535 5481299.618 339.813	0.9999810	0.9999493		MARKER DESTROYED				
519629	4845	E N E1	312138.255 5481091.894 340.671	0.9999827	0.9999491	370544 635987 614586 936385 508002 506204 688366 914267	4875 84H9647 84H0118 4846 84H9654 83C146 NO MARKING	GPS GPS TERR TERR GPS GPS GPS GPS	9 33 16 52 56 42 61 24 14 262 56 56 341 27 18 345 9 32 345 50 14 358 7 31	5424.370 2890.162 448.532 332.902 4999.599 13016.708 16846.964 2739.750	5424.497 2890.259 448.540 332.907 4999.669 13016.938 16847.185 2739.800
936385	4846	E N E1	311807.871 5481051.029 340.647	0.9999842	0.9999491	717025 519629 425991	79H2033 4845 4848	TERR TERR TERR	6 18 53 82 56 56 126 48 55	415.107 332.902 1330.844	415.113 332.907 1330.868
425991	4848	E N E1	312873.307 5480253.538 340.730	0.9999793	0.9999491	259135 936385	4849 4846	TERR TERR	170 26 49 306 48 55	502.030 1330.844	502.042 1330.868
259135	4849	E N E1	312956.625 5479758.470 358.405	0.9999761	0.9999464	940387 425991	4851 4848	TERR TERR	173 11 52 350 26 49	1535.087 502.030	1535.123 502.042
940387	4851	E N E1	313138.445 5478234.189 349.456	0.9999767	0.9999478	958678 259135	4852 4849	TERR TERR	157 10 7 353 11 52	539.092 1535.087	539.105 1535.123
958678	4852	E N E1	313347.623 5477737.334 339.901	0.9999772	0.9999492	858324 940387 418905	3418 4851 3416	TERR TERR TERR	305 24 58 337 10 7 339 17 3	5534.890 539.092 12603.959	5535.157 539.105 12604.783
686386	4853A	E N E1	313263.337 5484697.613 377.697	0.9999717	0.9999433	420604	8566	TERR	170 31 48	405.921	405.932

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
34520	4854	E	313152.042	0.9999719	0.9999430	832311	82H5345	TERR	72 32 7	268.153	268.161					
		N	5485317.289					900928				4888	TERR	345 10 42	349.065	349.074
		El	379.780					CVD28BC								
719955	4855	E	313811.012	0.9999639	0.9999381	MARKER DESTROYED										
		N	5484432.658													
		El	411.302			CVD28BC										
57067	4856	E	313820.890	0.9999626	0.9999368	829861	4328	TERR	0 50 20	372.431	372.444					
		N	5484720.124					497917				4829	TERR	94 34 14	143.999	144.005
		El	419.161										CVD28BC			
346916	4857	E	312761.636	0.9999778	0.9999472	MARKER DESTROYED										
		N	5483127.230													
		El	353.265			CVD28BC										
590539	4858	E	313275.795	0.9999732	0.9999449	897496	4899	TERR	249 15 37	310.185	310.193					
		N	5483059.257													
		El	367.537					CVD28BC								
605691	4859	E	314035.522	0.9999608	0.9999360	705400	4860	TERR	294 0 54	315.284	315.296					
		N	5485849.967													
		El	424.624					CVD28BC								
705400	4860	E	313747.529	0.9999637	0.9999376	605691	4859	TERR	114 0 54	315.284	315.296					
		N	5485978.280					162644				94H1185	TERR	278 30 44	146.926	146.930
		El	414.253										CVD28BC			
781088	4861	E	313300.606	0.9999678	0.9999396	MARKER DESTROYED										
		N	5485997.731													
		El	401.298			CVD28BC										
484816	4862	E	311837.658	0.9999830	0.9999481	141234	4306	TERR	107 14 27	302.471	302.476					
		N	5485214.067					752501				85H0770	TERR	197 39 55	294.711	294.716
		El	347.479										CVD28BC			

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates		Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres				GCM-NO	TABLET MARKING				
653469	4863	E	311552.854	0.9999847	0.9999485	892133	4881	TERR	73 14 30	274.643	274.648
		N	5485714.459			980565	4873	TERR	325 57 28	391.564	391.569
		E1	344.746	CVD28BC							
590612	4864	E	312085.532	0.9999822	0.9999484	576561	4313	TERR	217 20 36	359.681	359.686
		N	5484165.390			883686	85H0767	TERR	288 24 30	417.707	417.714
		E1	345.305	CVD28BC							
949628	4865	E	311502.777	0.9999850	0.9999485						
		N	5485545.438								
		E1	344.813	CVD28BC							
398750	4866	E	312291.650	0.9999801	0.9999473	500157	4869	TERR	93 51 32	197.525	197.529
		N	5484697.888			80945	4824	TERR	196 56 31	159.006	159.009
		E1	352.543	CVD28BC							
774935	4867	E	312643.384	0.9999781	0.9999469						
		N	5486395.795								
		E1	354.805	CVD28BC							
998161	4868	E	313553.055	0.9999652	0.9999382						
		N	5485645.441								
		E1	410.388	CVD28BC							
500157	4869	E	312488.727	0.9999786	0.9999467	598003	4871	TERR	183 44 5	250.374	250.379
		N	5484684.595			398750	4866	TERR	273 51 32	197.525	197.529
		E1	356.129	CVD28BC							
747584	4870	E	311967.034	0.9999824	0.9999481	202713	4342	TERR	18 47 27	228.560	228.564
		N	5484632.338			80945	4824	TERR	107 16 39	291.431	291.437
		E1	347.384	CVD28BC			474106	4823	TERR	287 47 60	296.152
598003	4871	E	312472.418	0.9999788	0.9999468	500157	4869	TERR	3 44 5	250.374	250.379
		N	5484434.753			479329	4317	TERR	184 5 1	146.446	146.449
		E1	355.356	CVD28BC							

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
157610	4872	E	310881.396	0.9999885	0.9999491		MARKER DESTROYED				
		N	5485505.410								
		E1	340.914	CVD28BC							
980565	4873	E	311333.656	0.9999861	0.9999488	580720	4307	TERR	73 24 2	391.567	391.573
		N	5486038.919			653469	4863	TERR	145 57 28	391.564	391.569
		E1	342.731	CVD28BC		293084	4879	TERR	253 22 1	388.769	388.774
						151217	83H5893	TERR	357 54 26	305.679	305.683
536052	4874	E	314231.478	0.9999584	0.9999345	315481	4303	TERR	100 31 33	386.593	386.610
		N	5484458.642								
		E1	434.157	CVD28BC							
370544	4875	E	313038.628	0.9999705	0.9999411	635987	84H9647	GPS	158 42 19	3871.921	3872.075
		N	5486441.017			934182	4885	TERR	181 39 37	184.403	184.409
		E1	391.692	CVD28BC		519629	4845	GPS	189 33 16	5424.370	5424.497
						890558	887006	GPS	190 48 40	20163.894	20164.569
						508002	84H9654	GPS	256 15 22	2563.911	2563.962
						506204		GPS	329 39 18	8381.638	8381.837
						688366	83C146	GPS	335 25 53	12079.404	12079.637
						573923	97H2183	TERR	345 34 18	163.197	163.202
563494	4876	E	311281.736	0.9999862	0.9999487		MARKER ISOLATED				
		N	5485347.384								
		E1	343.485	CVD28BC							
766345	4877	E	310920.662	0.9999881	0.9999489	293084	4879	TERR	11 23 49	204.912	204.914
		N	5485726.767			508002	84H9654	TERR	285 45 25	387.081	387.086
		E1	342.248	CVD28BC							
748269	4878	E	311601.872	0.9999848	0.9999488		MARKER DESTROYED				
		N	5486347.029								
		E1	342.979	CVD28BC							
293084	4879	E	310961.154	0.9999879	0.9999489	980565	4873	TERR	73 22 1	388.769	388.774
		N	5485927.638			766345	4877	TERR	191 23 49	204.912	204.914
		E1	342.205	CVD28BC		508002	84H9654	TERR	256 56 50	423.982	423.987
343939	4880	E	313492.187	0.9999684	0.9999411		MARKER DESTROYED				
		N	5484401.020								
		E1	391.639	CVD28BC							

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates		Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres				GCM-NO	TABLET MARKING				
892133	4881	E	311815.833	0.9999832	0.9999482	653469	4863	TERR	253 14 30	274.643	274.648
		N	5485793.648			580720	4307	TERR	343 19 55	372.798	372.805
		El	346.896	CVD28BC							
828657	4882	E	314383.817	0.9999598	0.9999366	279919	4316	TERR	262 0 56	396.650	396.665
		N	5485151.647								
		El	420.708	CVD28BC							
314146	4883	E	313581.972	0.9999681	0.9999412	829861	4328	TERR	67 38 54	264.223	264.231
		N	5484992.034			853978	4325	TERR	247 17 13	189.569	189.576
		El	391.376	CVD28BC		450759	80H2625	TERR	338 44 57	168.375	168.381
146456	4884	E	314396.017	0.9999553	0.9999321	299966	77H2032	TERR	89 6 21	233.008	233.019
		N	5484706.234								
		El	449.204	CVD28BC							
934182	4885	E	313033.285	0.9999692	0.9999398	370544	4875	TERR	1 39 37	184.403	184.409
		N	5486256.691			130807	4894	TERR	179 51 44	260.808	260.816
		El	400.147	CVD28BC							
501791	4886	E	311357.404	0.9999858	0.9999487			MARKER DESTROYED			
		N	5485592.340								
		El	343.559	CVD28BC							
132613	4887	E	312985.438	0.9999741	0.9999445	900928	4888	TERR	149 46 46	153.595	153.598
		N	5485787.459			659300	4890	TERR	303 49 6	194.817	194.822
		El	370.297	CVD28BC							
900928	4888	E	313062.747	0.9999732	0.9999439	34520	4854	TERR	165 10 42	349.065	349.074
		N	5485654.739			133330	4304	TERR	253 34 29	341.699	341.707
		El	374.061	CVD28BC		132613	4887	TERR	329 46 46	153.595	153.598
107136	4889	E	313513.833	0.9999685	0.9999413			MARKER DESTROYED			
		N	5485153.547								
		El	390.379	CVD28BC							

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
659300	4890	E	312823.583	0.9999762	0.9999458	130807	4894	TERR	64 34 20	232.890	232.896		
		N	5485895.887					132613	4887	TERR	123 49 6	194.817	194.822
		E1	361.799					CVD28BC	468538	4900	TERR	289 26 59	219.001
305664	4891	E	311325.427	0.9999859	0.9999486	MARKER DESTROYED							
		N	5486462.000										
		E1	343.993			CVD28BC							
710871	4892	E	313072.763	0.9999714	0.9999422	MARKER DESTROYED							
		N	5486596.912										
		E1	385.010			CVD28BC							
845883	4893	E	311450.296	0.9999852	0.9999485	MARKER DESTROYED							
		N	5485343.262										
		E1	344.576			CVD28BC							
130807	4894	E	313033.912	0.9999705	0.9999411	251587	94H1183	TERR	88 48 15	274.776	274.784		
		N	5485995.884			659300	4890	TERR	244 34 20	232.890	232.896		
		E1	392.107			CVD28BC	934182	4885	TERR	359 51 44	260.808	260.816	
914341	4895	E	313251.329	0.9999724	0.9999440	MARKER DESTROYED							
		N	5483809.582										
		E1	373.249			CVD28BC							
380048	4896	E	312279.847	0.9999815	0.9999487	MARKER DESTROYED							
		N	5483629.679										
		E1	343.771			CVD28BC							
999755	4897	E	314628.699	0.9999532	0.9999311	MARKER DESTROYED							
		N	5484709.629										
		E1	455.67 (PROVISIONAL)										
406447	4898	E	312922.325	0.9999744	0.9999445	MARKER ISOLATED							
		N	5485008.698										
		E1	370.319			CVD28BC							



Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
897496	4899	E	312985.711	0.9999760	0.9999464	590539	4858	TERR	69 15 37	310.185	310.193
		N	5482949.413			795138	4338	TERR	169 58 39	353.988	353.996
		E1	358.113	CVD28BC		554139	83H6726	TERR	173 18 3	127.029	127.032
						89805	4836	TERR	348 32 23	261.086	261.093
468538	4900	E	312617.080	0.9999783	0.9999470	404269	84H0129	TERR	4 11 50	428.748	428.757
		N	5485968.810			659300	4890	TERR	109 26 59	219.001	219.006
		E1	354.638	CVD28BC		133330	4304	TERR	163 58 51	427.283	427.293
179762	77H2031	E	314636.983	0.9999526	0.9999306	299966	77H2032	TERR	183 46 28	121.313	121.319
		N	5484830.920								
		E1	459.186	CVD28BC							
299966	77H2032	E	314628.997	0.9999532	0.9999311	179762	77H2031	TERR	3 46 28	121.313	121.319
		N	5484709.870			156349	84H9646	TERR	69 52 31	135.733	135.740
		E1	455.831	CVD28BC		315481	4303	TERR	183 6 0	322.322	322.337
						146456	4884	TERR	269 6 21	233.008	233.019
92254	79H1104	E	312211.308	0.9999807	0.9999475	211086	4816	TERR	164 41 46	264.574	264.579
		N	5485674.989								
		E1	351.209	CVD28BC							
717025	79H2033	E	311853.528	0.9999840	0.9999491	534297	79H2034	TERR	13 39 11	402.690	402.697
		N	5481463.617			936385	4846	TERR	186 18 53	415.107	415.113
		E1	340.799	CVD28BC							
534297	79H2034	E	311948.580	0.9999836	0.9999492	7443	79H2035	TERR	10 52 41	431.929	431.937
		N	5481854.928			717025	79H2033	TERR	193 39 11	402.690	402.697
		E1	340.260	CVD28BC							
7443	79H2035	E	312030.093	0.9999832	0.9999492	883223	79H2036	TERR	2 17 14	419.459	419.466
		N	5482279.096			534297	79H2034	TERR	190 52 41	431.929	431.937
		E1	340.550	CVD28BC							
883223	79H2036	E	312046.833	0.9999830	0.9999491	7443	79H2035	TERR	182 17 14	419.459	419.466
		N	5482698.221			160754	79H2037	TERR	352 7 22	293.690	293.695
		E1	341.038	CVD28BC							

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
160754	79H2037	E	312006.583	0.9999832	0.9999490	883223	79H2036	TERR	172 7 22	293.690	293.695
		N	5482989.140			758425	79H2038	TERR	351 40 13	423.767	423.775
		E1	341.265	CVD28BC							
758425	79H2038	E	311945.193	0.9999833	0.9999489	160754	79H2037	TERR	171 40 13	423.767	423.775
		N	5483408.437			576561	4313	TERR	350 36 57	477.390	477.397
		E1	342.200	CVD28BC		615732	81H4283	TERR	352 4 33	214.840	214.844
450759	80H2625	E	313520.944	0.9999684	0.9999413	314146	4883	TERR	158 44 57	168.375	168.381
		N	5485148.960			447623	4301	TERR	250 34 57	158.289	158.293
		E1	390.812	CVD28BC		832311	82H5345	TERR	335 33 11	273.311	273.320
615732	81H4283	E	311915.575	0.9999834	0.9999489	758425	79H2038	TERR	172 4 33	214.840	214.844
		N	5483621.226			576561	4313	TERR	349 25 19	262.676	262.680
		E1	342.255	CVD28BC							
832311	82H5345	E	313407.834	0.9999694	0.9999418	571117	8565	TERR	75 9 41	303.027	303.036
		N	5485397.767			450759	80H2625	TERR	155 33 11	273.311	273.320
		E1	387.806	CVD28BC		34520	4854	TERR	252 32 7	268.153	268.161
151217	83H5893	E	311322.494	0.9999860	0.9999487	26336	84H0131	TERR	6 43 26	113.011	113.013
		N	5486344.394			980565	4873	TERR	177 54 26	305.679	305.683
		E1	343.239	CVD28BC							
554139	83H6726	E	313000.530	0.9999761	0.9999466	704882	83H6733	TERR	95 51 35	241.947	241.954
		N	5482823.251			795138	4338	TERR	168 7 15	227.292	227.297
		E1	356.963	CVD28BC		897496	4899	TERR	353 18 3	127.029	127.032
271494	83H6727	E	311004.819	0.9999874	0.9999486	26336	84H0131	TERR	93 42 32	331.602	331.606
		N	5486478.078			735555	83H9638	TERR	213 3 38	277.455	277.459
		E1	344.190	CVD28BC							
979377	83H6728	E	313588.708	0.9999654	0.9999385		MARKER DESTROYED				
		N	5482816.451								
		E1	408.271	CVD28BC							

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
349118	83H6729	E 313352.906 N 5482786.642 E1 386.538	0.9999699	0.9999419	704882	83H6733	TERR	276 5 8	112.326	112.329
545244	83H6730	E 313736.105 N 5483035.766 E1 423.233	0.9999624	0.9999362	607358 601229	84H0138 83H6731	TERR TERR	92 5 13 183 47 27	220.494 190.413	220.502 190.420
601229	83H6731	E 313723.516 N 5482845.770 E1 414.393	0.9999638	0.9999376	545244	83H6730	TERR	3 47 27	190.413	190.420
163410	83H6732	E 314366.086 N 5482859.679 E1 474.588	0.9999514	0.9999281	635987 607127	84H9647 84H9649	TERR TERR	108 26 5 249 5 53	82.941 226.386	82.945 226.396
704882	83H6733	E 313241.213 N 5482798.550 E1 375.883	0.9999721	0.9999436	349118 554139	83H6729 83H6726	TERR TERR	96 5 8 275 51 35	112.326 241.947	112.329 241.954
261065	83H6734	E 313428.227 N 5482849.346 E1 394.820	0.9999682	0.9999406	MARKER DESTROYED					
735555	83H9638	E 310853.460 N 5486245.545 E1 342.004	0.9999884	0.9999489	271494 488775	83H6727 84H0137	TERR TERR	33 3 38 234 7 38	277.455 265.547	277.459 265.550
614586	84H0118	E 312532.073 N 5481306.576 E1 340.059	0.9999809	0.9999492	812867 824029 519629 348516	95H2007 4335 4845 4841	TERR TERR TERR TERR	91 29 39 171 31 56 241 24 14 348 55 55	590.283 245.885 448.532 587.060	590.295 245.889 448.540 587.071
404269	84H0129	E 312648.460 N 5486396.408 E1 355.167	0.9999780	0.9999469	468538 393579	4900 97H2182	TERR TERR	184 11 50 357 25 9	428.748 215.847	428.757 215.851

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
704692	84H0130	E	313970.310	0.9999584	0.9999333	607358	84H0138	TERR	183 13 24	246.438	246.447
		N	5483273.784								
		E1	441.707	CVD28BC							
26336	84H0131	E	311335.726	0.9999858	0.9999486	578591	4305	TERR	87 22 22	280.289	280.293
		N	5486456.628			151217	83H5893	TERR	186 43 26	113.011	113.013
		E1	344.303	CVD28BC		271494	83H6727	TERR	273 42 32	331.602	331.606
329938	84H0133	E	312273.004	0.9999816	0.9999487		MARKER DESTROYED				
		N	5483631.685								
		E1	343.799	CVD28BC							
493163	84H0136	E	314478.593	0.9999497	0.9999269		MARKER DESTROYED				
		N	5483050.604								
		E1	482.687	CVD28BC							
488775	84H0137	E	310638.282	0.9999894	0.9999489	735555	83H9638	TERR	54 7 38	265.547	265.550
		N	5486089.938			508002	84H9654	TERR	199 15 27	273.351	273.354
		E1	342.388	CVD28BC							
607358	84H0138	E	313956.453	0.9999596	0.9999344	704692	84H0130	TERR	3 13 24	246.438	246.447
		N	5483027.736			459685	84H9648	TERR	179 15 56	165.263	165.269
		E1	434.698	CVD28BC		545244	83H6730	TERR	272 5 13	220.494	220.502
468975	84H9636	E	315105.481	0.9999464	0.9999265	502500	84H9644	TERR	3 23 44	240.143	240.155
		N	5484248.327			560235	84H9639	TERR	219 27 30	124.095	124.102
		E1	485.024	CVD28BC							
554626	84H9637	E	314874.745	0.9999499	0.9999290	998716	84H9640	TERR	182 55 11	90.835	90.839
		N	5484726.217			156349	84H9646	TERR	284 23 26	122.134	122.140
		E1	469.416	CVD28BC							
560235	84H9639	E	315026.617	0.9999464	0.9999261	468975	84H9636	TERR	39 27 30	124.095	124.102
		N	5484152.515			914267	NO MARKING	GPS	263 49 21	2995.384	2995.492
		E1	487.395	CVD28BC		227298	84H9650	TERR	310 35 57	187.392	187.402



Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
607127	84H9649	E	314154.598	0.9999556	0.9999313	163410 459685	83H6732	TERR	69 5 53	226.386	226.396
		N	5482778.911				84H9648	TERR	293 5 27	213.100	213.109
		E1	454.304	CVD28BC							
227298	84H9650	E	314884.334	0.9999487	0.9999278	560235 790220	84H9639	TERR	130 35 57	187.392	187.402
		N	5484274.463				84H9643	TERR	275 22 44	293.349	293.363
		E1	476.923	CVD28BC							
219477	84H9651	E	312832.574	0.9999767	0.9999464	MARKER DESTROYED					
		N	5483736.517								
		E1	358.276	CVD28BC							
487173	84H9652	E	314433.178	0.9999560	0.9999330	790220 645846	84H9643	TERR	90 1 7	159.099	159.106
		N	5484302.014				4356	TERR	170 29 33	134.790	134.795
		E1	443.331	CVD28BC							
561407	84H9653	E	315049.823	0.9999490	0.9999288	502500 998716	84H9644	TERR	144 57 59	121.732	121.738
		N	5484587.724				84H9640	TERR	284 53 17	185.947	185.956
		E1	470.129	CVD28BC							
508002	84H9654	E	310548.127	0.9999896	0.9999487	488775 370544 293084 766345 635987 914267 519629 890558 506204 688366	84H0137	TERR	19 15 27	273.351	273.354
		N	5485831.882				4875	GPS	76 15 22	2563.911	2563.962
		E1	343.368	CVD28BC	4879		TERR	76 56 50	423.982	423.987	
					4877		TERR	105 45 25	387.081	387.086	
		84H9647	GPS	127 34 41	4916.749		4916.898				
		NO MARKING	GPS	143 8 40	2501.663		2501.700				
		4845	GPS	161 27 18	4999.599		4999.669				
		887006	GPS	183 50 58	19240.274		19240.735				
			GPS	347 27 47	8034.049		8034.163				
		83C146	GPS	347 40 55	11868.133		11868.248				
573527	8557	E	312956.328	0.9999742	0.9999445	MARKER DESTROYED					
		N	5484821.043								
		E1	370.446	CVD28BC							
457176	8558	E	313721.929	0.9999631	0.9999368	MARKER DESTROYED					
		N	5482943.375								
		E1	419.336	CVD28BC							

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
899302	8559	E	313118.153	0.9999782	0.9999492		MARKER DESTROYED				
		N	5481291.721								
		E1	340.391	CVD28BC							
603217	8560	E	312174.843	0.9999812	0.9999479		MARKER DESTROYED				
		N	5484296.484								
		E1	348.744	CVD28BC							
40139	8561	E	313048.413	0.9999744	0.9999451		MARKER DESTROYED				
		N	5484324.258								
		E1	366.581	CVD28BC							
238865	8562	E	312989.653	0.9999742	0.9999446		MARKER DESTROYED				
		N	5484642.248								
		E1	369.765	CVD28BC							
208827	8563	E	312881.773	0.9999744	0.9999444		MARKER DESTROYED				
		N	5485228.885								
		E1	371.226	CVD28BC							
552604	8564	E	313188.712	0.9999718	0.9999431		MARKER DESTROYED				
		N	5485053.367								
		E1	378.963	CVD28BC							
571117	8565	E	313700.755	0.9999670	0.9999406	832311	82H5345	TERR	255 9 41	303.027	303.036
		N	5485475.371								
		E1	394.995	CVD28BC							
420604	8566	E	313330.124	0.9999708	0.9999428	686386	4853A	TERR	350 31 48	405.921	405.932
		N	5484297.224								
		E1	381.206	CVD28BC							
883686	85H0767	E	311689.199	0.9999843	0.9999487	590612	4864	TERR	108 24 30	417.707	417.714
		N	5484297.297			576561	4313	TERR	156 54 32	454.253	454.259
		E1	343.479	CVD28BC		572438	85H0768	TERR	315 0 22	449.995	450.002

Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
572438	85H0768	E	311371.038	0.9999855	0.9999484	516468	4355	TERR	19 42 28	194.009	194.012
		N	5484615.525			883686	85H0767	TERR	135 0 22	449.995	450.002
		E1	345.500	CVD28BC							
743658	85H0769	E	311359.057	0.9999858	0.9999487	705111	85H0770	TERR	17 9 59	299.614	299.618
		N	5485101.032			752501	4353	TERR	113 19 19	423.796	423.802
		E1	343.715	CVD28BC		516468	4355	TERR	165 39 48	312.597	312.601
705111	85H0770	E	311447.487	0.9999852	0.9999484	484816	4862	TERR	113 56 27	426.899	426.905
		N	5485387.299			743658	85H0769	TERR	197 9 59	299.614	299.618
		E1	345.202	CVD28BC							
251587	94H1183	E	313308.628	0.9999677	0.9999395	194316	94H1184	TERR	104 12 23	157.389	157.395
		N	5486001.619			130807	4894	TERR	268 48 15	274.776	274.784
		E1	402.053	CVD28BC							
194316	94H1184	E	313461.204	0.9999660	0.9999386	162644	94H1185	TERR	75 17 6	145.800	145.805
		N	5485962.993			251587	94H1183	TERR	284 12 23	157.389	157.395
		E1	408.210	CVD28BC							
162644	94H1185	E	313602.222	0.9999644	0.9999376	705400	4860	TERR	98 30 44	146.926	146.930
		N	5486000.028			194316	94H1184	TERR	255 17 6	145.800	145.805
		E1	414.532	CVD28BC							
812867	95H2007	E	313122.155	0.9999781	0.9999491	68379	95H2010	TERR	10 50 55	449.669	449.678
		N	5481291.183			85415	4359	TERR	199 3 24	249.970	249.975
		E1	341.096	CVD28BC		614586	84H0118	TERR	271 29 39	590.283	590.295
770917	95H2008	E	312356.601	0.9999809	0.9999484	767582	95H2009	TERR	81 41 53	502.862	502.872
		N	5483653.712			799155	4326	TERR	347 42 59	254.211	254.215
		E1	345.483	CVD28BC							
767582	95H2009	E	312854.193	0.9999765	0.9999463	89805	4836	TERR	171 18 33	527.079	527.091
		N	5483726.321			770917	95H2008	TERR	261 41 53	502.862	502.872
		E1	358.729	CVD28BC		285395	4336	TERR	347 24 53	416.705	416.715



Order in Council No. 782/73

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
68379	95H2010	E	313206.789	0.9999777	0.9999491	812867	95H2007	TERR	190 50 55	449.669	449.678	
		N	5481732.815			151753	4839	TERR	349 47 49	548.118	548.130	
		El	340.784	CVD28BC								
799353	97H2179	E	313039.801	0.9999783	0.9999490	85415	4359	TERR	0 11 9	227.682	227.688	
		N	5480827.231			460493	97H2180	TERR	200 6 47	258.206	258.211	
		El	341.700	CVD28BC								
460493	97H2180	E	312951.011	0.9999780	0.9999482	799353	97H2179	TERR	20 6 47	258.206	258.211	
		N	5480584.771			824029	4335	TERR	321 21 4	612.814	612.827	
		El	346.343	CVD28BC								
446690	97H2181	E	312456.545	0.9999805	0.9999484	393579	97H2182	TERR	91 25 59	182.253	182.257	
		N	5486616.594									
		El	345.228	CVD28BC								
393579	97H2182	E	312638.741	0.9999776	0.9999464	573923	97H2183	TERR	92 4 4	359.457	359.466	
		N	5486612.036			404269	84H0129	TERR	177 25 9	215.847	215.851	
		El	358.016	CVD28BC		446690	97H2181	TERR	271 25 59	182.253	182.257	
573923	97H2183	E	312997.964	0.9999726	0.9999431	370544	4875	TERR	165 34 18	163.197	163.202	
		N	5486599.067			393579	97H2182	TERR	272 4 4	359.457	359.466	
		El	379.542	CVD28BC								
203463	LEGAL 3821S	E	314556.009	0.9999496	0.9999272	5173	84H9642	TERR	182 51 49	235.790	235.803	
		N	5483432.803									
		El	480.924	CVD28BC								

END OF REPORT