

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at:
<http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address:
<http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
601708	10H2585	E 507982.106 N 5444205.112 El 97.891		0.9995885	0.9999877		MARKER DESTROYED				
88062	14H2736	E 502309.028 N 5444625.491 El 2.767		0.9996027	1.0000026	898734 904904 531079 80101 875864	NO MARKING NO MARKING 6902 02H2443 NO MARKING	GPS GPS GPS GPS GPS	62 0 7 103 47 32 198 46 47 247 33 7 326 51 44	8931.805 23374.572 7566.765 9991.777 16109.913	8935.421 23383.824 7569.772 9995.747 16116.347
711036	2961	E 507543.292 N 5445199.146 El 103.919		0.9995874	0.9999867		MARKER DESTROYED				
55384	6202	E 506381.550 N 5437592.728 El 6.946		0.9996025	1.0000020	515189 546473 929125 607093 967042 503094 854612 341438 467878 373472 7369 535740 526806 258020 7401	82H5404 85H0764 82H5827 5893 PIER 3 NO MARKING 88H3910 3489 6914 NO MARKING 88H4218 6911 6203 19713 6958	GPS GPS GPS TERR GPS TERR TERR TERR TERR TERR TERR GPS TERR	6 11 26 61 50 6 84 18 4 87 54 29 100 51 21 128 5 23 136 28 53 154 4 60 179 38 35 240 57 31 264 0 51 265 41 32 268 10 29 281 35 8 359 34 14	4055.783 31186.629 35601.117 1622.667 16429.046 8830.165 9491.173 4228.292 741.741 15258.004 746.064 1628.110 3447.278 21073.931 781.521	4057.414 31199.053 35615.330 1623.312 16435.589 8833.764 9494.994 4229.972 742.037 15264.169 746.361 1628.757 3448.650 21082.293 781.831
526806	6203	E 502936.021 N 5437482.924 El 7.424		0.9996020	1.0000019	55384 167627 503094 373472	6202 6907 NO MARKING NO MARKING	TERR TERR TERR TERR	88 10 29 94 20 11 117 10 42 233 35 26	3447.278 192.740 11685.474 12293.892	3448.650 192.816 11690.239 12298.862
282400	6801	E 496637.797 N 5439903.282 El 1.386		0.9996030	1.0000028		MARKER DESTROYED				
167072	6803	E 497450.030 N 5440470.987 El 1.457		0.9996029	1.0000028	157594 859470	84H0382 80H1301	TERR TERR	0 4 21 180 28 5	913.388 573.798	913.750 574.026

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates		Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres				GCM-NO	TABLET MARKING				
468819	6804	E	497495.034	0.9996030	1.0000029	347575	6805	TERR	0 10 18	909.636	909.997
		N	5441720.181			855452	80H1302	TERR	0 15 51	793.220	793.536
		El	1.003			157594	84H0382	TERR	187 26 21	338.658	338.793
857276	6806	E	496645.297	0.9996030	1.0000029	682492	92H0571	TERR	180 24 23	1132.922	1133.372
		N	5441038.652			667352	6201	TERR	204 1 16	1720.847	1721.532
		El	1.316			549881	80H1344	TERR	276 51 39	256.240	256.341
827915	6807	E	494733.945	0.9996032	1.0000029	MARKER DESTROYED					
		N	5438795.011								
		El	1.348								
995605	6809	E	493905.752	0.9996033	1.0000029	840447	84H0427	TERR	35 6 57	294.632	294.749
		N	5437739.684			666396	9381	TERR	35 44 53	629.004	629.254
		El	1.365			27631	80H1290	TERR	218 43 20	91.941	91.977
623900	6812	E	495178.364	0.9996031	1.0000029	974980	92H0565	TERR	82 50 9	57.870	57.893
		N	5438321.991			658849	6813	TERR	90 55 37	222.027	222.116
		El	1.340			40576	6811	TERR	270 18 18	451.837	452.017
						165399	84H0435	TERR	271 31 16	249.634	249.733
						842484	86H2447	TERR	318 9 33	349.485	349.623
658849	6813	E	495400.362	0.9996031	1.0000028	693242	84H0368	TERR	118 19 57	207.549	207.631
		N	5438318.399			679423	6814	TERR	118 39 56	400.864	401.022
		El	1.454			623900	6812	TERR	270 55 37	222.027	222.116
						974980	92H0565	TERR	273 45 27	164.935	165.000
679423	6814	E	495752.094	0.9996031	1.0000029	6064	6815	TERR	180 2 37	401.828	401.988
		N	5438126.107			658849	6813	TERR	298 39 56	400.864	401.022
		El	1.317			106310	84H0367	TERR	299 24 37	92.675	92.712
6064	6815	E	495751.789	0.9996031	1.0000029	679423	6814	TERR	0 2 37	401.828	401.988
		N	5437724.279			667352	6201	TERR	6 19 12	1753.214	1753.911
		El	1.063			121343	6819	TERR	245 29 31	568.736	568.962
						832550	84H0366	TERR	268 11 13	80.920	80.951
793950	6816	E	496630.082	0.9996030	1.0000028	MARKER DESTROYED					
		N	5438891.464								
		El	1.537								

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid	Ground
GCM-NO	TABLET MARKING	Coordinates	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING		Bearing	Distance		Metres	Distance
159855	6817	E	496624.447	0.9996029	1.0000028	528505	92H0579	TERR	0	31	52	607.914	608.155
		N	5438283.577			402628	88H4220	TERR	179	54	57	481.315	481.506
		E1	1.696	CVD28GVRD2018	377291	6818	TERR	180	6	27	801.742	802.060	
121343	6819	E	495234.295	0.9996031	1.0000028	6064	6815	TERR	65	29	31	568.736	568.962
		N	5437488.354			377291	6818	TERR	90	16	8	1388.661	1389.213
		E1	1.751	CVD28GVRD2018	16980	87H3181	TERR	96	55	49	116.838	116.884	
					824557	92H0567	TERR	182	11	11	244.046	244.143	
					53629	84H0441	TERR	267	41	42	240.936	241.032	
					43802	80H1295	TERR	358	4	42	133.813	133.866	
823153	6820	E	494466.731	0.9996032	1.0000028	MARKER DESTROYED							
		N	5437492.318										
		E1	1.630	CVD28GVRD2018									
358242	6822	E	493524.308	0.9996034	1.0000029	530535	9314	TERR	86	51	30	134.866	134.920
		N	5437481.811			857128	6823	TERR	180	24	34	554.967	555.187
		E1	1.196	CVD28GVRD2018	205120	84H0415	TERR	184	35	10	107.670	107.713	
					498345	84H0372	TERR	270	2	24	204.424	204.504	
857128	6823	E	493520.341	0.9996035	1.0000029	358242	6822	TERR	0	24	34	554.967	555.187
		N	5436926.858			171314	84H0340	TERR	90	18	50	120.979	121.027
		E1	.855	CVD28GVRD2018	13029	6844	TERR	90	21	44	447.893	448.071	
					258921	84H0413	TERR	272	36	38	168.962	169.030	
991950	6824	E	493320.383	0.9996035	1.0000029	288019	84H0414	TERR	180	25	46	201.046	201.126
		N	5437280.892			851576	6825	TERR	283	24	36	262.645	262.749
		E1	.864	CVD28GVRD2018	279786	86H2440	TERR	359	16	9	102.528	102.569	
851576	6825	E	493064.899	0.9996035	1.0000029	991950	6824	TERR	103	24	36	262.645	262.749
		N	5437341.804			738930	84H0406	TERR	176	13	8	93.141	93.178
		E1	1.306	CVD28GVRD2018	915090	6826	TERR	244	9	55	1102.526	1102.964	
					338335	84H0379	TERR	244	36	57	334.423	334.556	
915090	6826	E	492072.564	0.9996036	1.0000028	851576	6825	TERR	64	9	55	1102.526	1102.964
		N	5436861.351			145946	9310	TERR	64	43	36	480.898	481.090
		E1	1.563	CVD28GVRD2018	137364	6827	TERR	181	58	19	1345.425	1345.958	
					215509	88H4183	TERR	182	14	21	728.478	728.768	
					531830	6952	TERR	270	6	58	377.954	378.103	

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING						
137364	6827	E	492026.270	0.9996036	1.0000029	215509	88H4183	TERR	1 39 22	616.964	617.208		
		N	5435516.723			915090	6826	TERR	1 58 19	1345.425	1345.958		
		E1	1.346 CVD28GVRD2018			703199	6846	TERR	114 19 37	1065.113	1065.535		
						773077	6828	TERR	181 53 8	1013.081	1013.482		
						284364	88H4182	TERR	182 16 29	433.537	433.709		
						213967	6850	TERR	278 20 3	1565.548	1566.169		
773077	6828	E	491992.936	0.9996036	1.0000028	284364	88H4182	TERR	1 35 40	579.561	579.791		
		N	5434504.191			137364	6827	TERR	1 53 8	1013.081	1013.482		
		E1	1.679 CVD28GVRD2018			241000	88H4179	TERR	272 29 54	711.045	711.326		
						101428	6848	TERR	272 41 56	1531.624	1532.231		
125955	6829	E	491965.573	0.9996036	1.0000028	MARKER DESTROYED							
		N	5433343.252										
		E1	1.605									CVD28GVRD2018	
755579	6830	E	492745.534	0.9996035	1.0000029	MARKER DESTROYED							
		N	5433338.074										
		E1	1.454									CVD28GVRD2018	
331918	6831	E	493401.248	0.9996034	1.0000029	898734	NO MARKING	GPS	47 32 40	22762.563	22771.769		
		N	5433453.300			327726	6832	TERR	90 25 5	775.834	776.142		
		E1	1.181 CVD28GVRD2018			869792	NO MARKING	GPS	328 43 15	7967.651	7970.818		
						336099	OCM	GPS	342 5 13	14303.092	14308.760		
						51649	77H4983	GPS	348 25 3	10684.334	10688.569		
327726	6832	E	494177.061	0.9996033	1.0000029	919548	6833	TERR	89 26 4	204.290	204.370		
		N	5433447.639			398065	6858	TERR	180 4 41	1405.262	1405.820		
		E1	1.338			CVD28GVRD2018	331918	6831	TERR	270 25 5	775.834	776.142	
919548	6833	E	494381.341	0.9996032	1.0000028	658856	84H0376	TERR	90 16 6	605.363	605.603		
		N	5433449.655			327726	6832	TERR	269 26 4	204.290	204.370		
		E1	1.584			CVD28GVRD2018							
737585	6835	E	495368.511	0.9996031	1.0000028	133975	6836	TERR	0 14 41	1363.698	1364.240		
		N	5433436.874			658856	84H0376	TERR	271 29 32	381.944	382.095		
		E1	1.741			CVD28GVRD2018							
133975	6836	E	495374.337	0.9996032	1.0000029	229385	6893	TERR	90 30 16	1239.150	1239.642		
		N	5434800.560			666016	92H0586	TERR	90 51 27	473.856	474.045		
		E1	1.259 CVD28GVRD2018			737585	6835	TERR	180 14 41	1363.698	1364.240		
						24489	6837	TERR	270 29 17	737.276	737.568		

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
24489	6837	E	494637.088	0.9996033	1.0000029	133975	6836	TERR	90 29 17	737.276	737.568
		N	5434806.840			6361	6839	TERR	310 14 30	411.948	412.112
		El	.904	CVD28GVRD2018							
504688	6838	E	494390.683	0.9996032	1.0000029		MARKER DESTROYED				
		N	5434310.183								
		El	1.427	CVD28GVRD2018							
6361	6839	E	494322.637	0.9996032	1.0000028	82651	84H0375	TERR	0 0 38	310.799	310.922
		N	5435072.963			24489	6837	TERR	130 14 30	411.948	412.112
		El	1.544	CVD28GVRD2018		929257	88H4185	TERR	270 1 27	678.533	678.802
						703199	6846	TERR	270 12 57	1325.835	1326.361
67306	6840	E	494231.143	0.9996032	1.0000028	82651	84H0375	TERR	163 58 20	331.585	331.716
		N	5435702.457			649244	6842	TERR	335 19 40	718.324	718.609
		El	1.837	CVD28GVRD2018		396929	84H0388	TERR	354 36 1	433.815	433.987
449561	6841	E	494157.098	0.9996033	1.0000028	261172	6955	TERR	9 34 3	331.439	331.571
		N	5436352.158			649244	6842	TERR	270 46 24	225.822	225.911
		El	1.498	CVD28GVRD2018							
649244	6842	E	493931.297	0.9996034	1.0000029	449561	6841	TERR	90 46 24	225.822	225.911
		N	5436355.206			67306	6840	TERR	155 19 40	718.324	718.609
		El	1.100	CVD28GVRD2018							
13029	6844	E	493968.225	0.9996033	1.0000029	347393	6821	TERR	0 11 50	554.386	554.607
		N	5436924.027			925180	84H0342	TERR	0 32 31	351.507	351.647
		El	1.439	CVD28GVRD2018		218024	84H0343	TERR	91 52 41	130.666	130.718
						857128	6823	TERR	270 21 44	447.893	448.071
						171314	84H0340	TERR	270 22 48	326.914	327.044
275495	6845	E	494153.079	0.9996032	1.0000028	203596	92H0566	TERR	152 47 14	152.493	152.553
		N	5437273.143			925180	84H0342	TERR	270 44 58	181.545	181.617
		El	1.599	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid		Ground	
-----	-----	Coordinates				-----	-----		Bearing			Distance		Distance	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					Metres		Metres	
703199	6846	E	492996.811	0.9996035	1.0000029	80101	02H2443	GPS	0 46 31			5732.726		5735.000	
		N	5435077.956			714972	78H8458	GPS	14 3 5			14797.942		14803.813	
		E1	1.065			737197	84H0431	GPS	22 1 50			3829.619		3831.139	
						47092	02H2454	GPS	23 26 25			15256.772		15262.828	
						546150	84H0346	GPS	25 44 39			1956.368		1957.144	
						839639	80H1300	GPS	26 57 50			7501.959		7504.937	
						528505	92H0579	GPS	43 36 49			5267.211		5269.301	
						991802	88H4194	GPS	68 5 36			3903.640		3905.189	
						531079	6902	GPS	70 52 53			7277.654		7280.543	
						762716	80H1257	GPS	88 5 29			10138.854		10142.880	
						6361	6839	TERR	90 12 57			1325.835		1326.361	
						929257	88H4185	TERR	90 24 60			647.310		647.567	
						914127	80H1262	GPS	93 46 22			6655.359		6658.002	
						446658	80H1267	GPS	116 5 23			4669.890		4671.744	
						989624	80H1275	GPS	261 54 31			4286.325		4288.024	
						855890	6855	GPS	291 56 34			4508.456		4510.242	
						137364	6827	TERR	294 19 37			1065.113		1065.535	
						406991	77C032	GPS	296 53 34			6623.618		6626.240	
						234419	6901	GPS	299 9 28			3045.908		3047.116	
						869792	NO MARKING	GPS	324 15 4			6388.587		6391.126	
						394437	77H4671	GPS	328 36 48			5719.329		5721.596	
861914	6847	E	493029.246	0.9996035	1.0000029	MARKER DESTROYED									
		N	5436109.035												
		E1	1.351												
101428	6848	E	490463.011	0.9996040	1.0000029	773176	88H4177	TERR	0 34 19			612.551		612.793	
		N	5434576.312			213967	6850	TERR	0 41 57			1167.420		1167.883	
		E1	1.379			773077	6828	TERR	92 41 56			1531.624		1532.231	
						241000	88H4179	TERR	92 52 22			820.587		820.913	
						785998	88H4178	TERR	179 43 57			500.188		500.385	
						994251	6849	TERR	180 3 39			1088.746		1089.177	
213967	6850	E	490477.255	0.9996040	1.0000029	840488	6950	TERR	36 22 38			316.387		316.512	
		N	5435743.645			137364	6827	TERR	98 20 3			1565.548		1566.169	
		E1	1.431			101428	6848	TERR	180 41 57			1167.420		1167.883	
						773176	88H4177	TERR	180 50 22			554.873		555.093	
						402412	88H4215	TERR	226 36 29			473.552		473.740	
460527	6851	E	489572.240	0.9996042	1.0000029	234419	6901	TERR	121 34 25			897.493		897.848	
		N	5437031.891			989624	80H1275	GPS	197 45 37			2685.213		2686.276	
		E1	1.203			406991	77C032	GPS	292 46 9			2692.561		2693.626	
						941930	6852	TERR	301 43 2			468.384		468.569	
						869792	NO MARKING	GPS	354 33 25			3245.576		3246.865	

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid			UTM Grid		Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined Ellipsoidal		GCM-NO	TABLET MARKING		Bearing			Distance Metres		
941930	6852	E	489173.808	0.9996043	1.0000029	460527	6851	TERR	121	43	2	468.384	468.569	
		N	5437278.133			855890	6855	TERR	214	50	41	628.076	628.324	
		El	1.386			CVD28GVRD2018	818930	88H4214	TERR	222	11	14	254.926	255.026
							949073	80H1346	TERR	301	45	41	854.387	854.725
964197	6854	E	487884.217	0.9996045	1.0000027	400028	NO MARKING	TERR	42	50	58	27602.637	27614.443	
		N	5438291.086			373472	NO MARKING	TERR	147	31	46	9607.114	9610.985	
		El	2.265			CVD28GVRD2018	974378	88H4213	TERR	179	48	28	418.418	418.583
855890	6855	E	488814.955	0.9996044	1.0000029	869792	NO MARKING	GPS	7	19	0	3528.898	3530.300	
		N	5436762.668			394437	77H4671	GPS	20	37	9	3416.586	3417.938	
		El	1.374			CVD28GVRD2018	818930	88H4214	TERR	29	52	56	376.653	376.802
							941930	6852	TERR	34	50	41	628.076	628.324
							737197	84H0431	GPS	71	38	2	5919.887	5922.233
							234419	6901	GPS	97	30	45	1535.095	1535.703
							703199	6846	GPS	111	56	34	4508.456	4510.242
							989624	80H1275	GPS	181	32	50	2288.850	2289.756
							986182	6856	TERR	222	13	22	446.968	447.145
							406991	77C032	GPS	307	14	2	2167.180	2168.037
							58081	02H2408	GPS	349	16	4	10829.747	10834.030
986182	6856	E	488514.586	0.9996043	1.0000027	855890	6855	TERR	42	13	22	446.968	447.145	
		N	5436431.671			411124	6857	TERR	122	10	41	687.465	687.738	
		El	2.307			CVD28GVRD2018								
411124	6857	E	489096.454	0.9996043	1.0000028	234419	6901	TERR	68	11	20	1336.063	1336.591	
		N	5436065.559			212407	80H1278	TERR	163	1	56	920.379	920.743	
		El	1.529			CVD28GVRD2018	986182	6856	TERR	302	10	41	687.465	687.738
398065	6858	E	494175.148	0.9996033	1.0000029	327726	6832	TERR	0	4	41	1405.262	1405.820	
		N	5432042.378			153528	137000	TERR	29	33	17	686.433	686.705	
		El	1.340			1928 Canadian Vertical Datum								
98202	6859	E	494173.073	0.9996033	1.0000029	MARKER DESTROYED								
		N	5431421.517											
		El	1.154	CVD28GVRD2018										
215541	6860	E	494166.518	0.9995998	0.9999993	793596	6999	TERR	243	20	24	167.362	167.429	
		N	5430615.399											
		El	24.001			CVD28GVRD2018								

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
941419	6861	E 494726.283 N 5430202.666 El 17.317		0.9996007	1.0000004	373472 810275 771220	NO MARKING 6862 9276	TERR TERR TERR	269 25 43 270 11 3 271 1 44	1684.425 810.358 236.025	1685.106 810.681 236.119
810275	6862	E 493915.929 N 5430205.272 El 23.580		0.9995999	0.9999994	941419 43026 866012 429019 163204	6861 92H0584 6994 6863 9374	TERR TERR TERR TERR TERR	90 11 3 91 46 47 179 36 2 270 11 38 273 23 17	810.358 253.198 289.128 556.050 167.097	810.681 253.299 289.244 556.274 167.164
429019	6863	E 493359.882 N 5430207.153 El 32.890		0.9995985	0.9999979	810275	6862	TERR	90 11 38	556.050	556.274
650085	6864	E 493360.653 N 5429637.051 El 57.132		0.9995947	0.9999941		MARKER DESTROYED				
248880	6865	E 493356.188 N 5429402.633 El 54.968		0.9995950	0.9999945	518076	6891	TERR	203 56 5	255.882	255.986
285528	6866	E 493425.659 N 5428573.194 El 56.038		0.9995949	0.9999943	226464 518076	6987 6891	TERR TERR	341 47 41 343 46 39	405.186 620.257	405.350 620.508
544957	6867	E 493456.541 N 5428162.915 El 59.064		0.9995944	0.9999938		MARKER DESTROYED				
251918	6868	E 493463.938 N 5427957.999 El 56.149		0.9995948	0.9999943	49585	80H1349	TERR	91 37 35	328.342	328.476
142307	6874	E 493920.946 N 5429467.079 El 25.698		0.9995995	0.9999991		MARKER DESTROYED				

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
644187	6875	E 494978.106 N 5429458.696 El 14.076		0.9996012	1.0000009	723304 386136	6983 9380	TERR TERR	179 30 15 359 0 3	474.861 473.595	475.050 473.785
677690	6882	E 495893.178 N 5429337.105 El 1.934		0.9996030	1.0000028	MARKER DESTROYED					
657890	6883	E 496599.111 N 5428395.160 El 1.816		0.9996030	1.0000028	436337 564781	6884 92H0547	TERR TERR	90 21 4 91 13 43	547.442 346.583	547.660 346.721
199745	6886	E 497212.677 N 5427689.786 El 2.271		0.9996028	1.0000028	MARKER DESTROYED					
495960	6887	E 494979.138 N 5430203.428 El 12.176		0.9996015	1.0000012	MARKER DESTROYED					
315820	6888	E 494978.063 N 5430667.738 El 14.481		0.9996011	1.0000008	MARKER DESTROYED					
112904	6889	E 494979.016 N 5431017.857 El 4.903		0.9996026	1.0000023	MARKER DESTROYED					
109942	6890	E 494977.315 N 5432017.450 El 1.522		0.9996032	1.0000029	MARKER DESTROYED					
518076	6891	E 493252.378 N 5429168.755 El 53.481		0.9995953	0.9999947	248880 285528 226464	6865 6866 6987	TERR TERR TERR	23 56 5 163 46 39 167 30 10	255.882 620.257 215.770	255.986 620.508 215.857

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER ----- GCM-NO	IDENTIFIERS ----- TABLET MARKING	UTM Coordinates Metres	Station Scale Factor Combined Ellipsoidal	TO MARKER IDENTIFIERS ----- GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
233635	6892	E 496611.891 N 5433428.111 El 1.747	0.9996030 1.0000028 CVD28GVRD2018		MARKER DESTROYED				
229385	6893	E 496613.439 N 5434789.650 El 1.675	0.9996030 1.0000028 CVD28GVRD2018	671693 666016 133975	6894 92H0586 6836	TERR TERR TERR	0 10 36 270 17 9 270 30 16	261.778 765.309 1239.150	261.882 765.613 1239.642
671693	6894	E 496614.246 N 5435051.427 El 1.617	0.9996030 1.0000028 CVD28GVRD2018	667139 279521 428581 969857 229385	88H4193 6895 6896 88H4195 6893	TERR TERR TERR TERR TERR	0 0 35 0 12 54 90 22 14 90 32 15 180 10 36	707.553 1481.576 1615.606 800.137 261.778	707.834 1482.165 1616.247 800.455 261.882
428581	6896	E 498229.818 N 5435040.981 El 1.796	0.9996028 1.0000028 CVD28GVRD2018	982868 741249 247270 969857 671693	6897 88H4196 80H1264 88H4195 6894	TERR TERR TERR TERR TERR	0 23 49 0 44 16 179 48 35 270 12 23 270 22 14	1291.601 477.867 968.926 815.475 1615.606	1292.115 478.057 969.312 815.799 1616.247
982868	6897	E 498238.767 N 5436332.551 El 1.424	0.9996029 1.0000029 CVD28GVRD2018	352666 114439 741249 428581 73643	6898 6900 88H4196 6896 88H4197	TERR TERR TERR TERR TERR	0 12 53 90 21 20 180 11 48 180 23 49 359 56 53	1138.921 645.893 813.748 1291.601 282.518	1139.373 646.150 814.072 1292.115 282.631
352666	6898	E 498243.035 N 5437471.464 El 1.621	0.9996029 1.0000028 CVD28GVRD2018	531079 982868 73643 377291	6902 6897 88H4197 6818	TERR TERR TERR TERR	90 20 54 180 12 53 180 18 10 270 22 1	1630.048 1138.921 856.407 1620.127	1630.696 1139.373 856.747 1620.771
234419	6901	E 490336.874 N 5436561.968 El 1.755	0.9996039 1.0000028 CVD28GVRD2018	177238 737197 568352 703199 989624 411124 855890 406991 460527 558759 537563 869792 394437	88H4212 84H0431 6951 6846 80H1275 6857 6855 77C032 6851 02H2407 77H4827 NO MARKING 77H4671	GPS GPS TERR GPS GPS TERR GPS GPS TERR GPS GPS GPS GPS	53 7 46 63 14 11 87 9 38 119 9 28 217 11 20 248 11 20 277 30 45 294 58 1 301 34 25 325 14 37 332 42 20 343 50 19 354 38 30	16686.397 4587.917 579.943 3045.908 2620.124 1336.063 1535.095 3582.112 897.493 16774.029 5947.698 3853.136 3413.338	16693.025 4589.737 580.172 3047.116 2621.162 1336.591 1535.703 3583.530 897.848 16780.652 5950.052 3854.667 3414.691

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
-----	-----	Coordinates		Combined	Ellipsoidal	-----	-----						
GCM-NO	TABLET MARKING	Metres				GCM-NO	TABLET MARKING						
531079	6902	E	499873.053	0.9996030	1.0000030	88062	14H2736	GPS	18 46 47	7566.765	7569.772		
		N	5437461.556			898734	NO MARKING	GPS	42 16 5	15347.041	15353.250		
		E1	.713 CVD28GVRD2018			252569	92H0596	GPS	59 30 47	6416.626	6419.181		
						909333	NO MARKING	GPS	66 28 44	36787.714	36802.373		
						995365	6910	GPS	82 20 16	4914.018	4915.969		
						904904	NO MARKING	GPS	86 22 39	25186.910	25196.879		
						607093	5893	GPS	88 39 30	8132.312	8135.541		
						942870	86H1263	GPS	119 1 49	13067.195	13072.472		
						762716	80H1257	GPS	122 8 8	3846.269	3847.797		
						694992	6899	TERR	180 4 3	776.801	777.109		
						914127	80H1262	GPS	184 46 2	2831.301	2832.426		
						430900	87H3190	GPS	197 11 5	9919.687	9923.626		
						446658	80H1267	GPS	211 9 5	5184.969	5187.029		
						394825	81	GPS	235 51 11	14095.253	14100.843		
						703199	6846	GPS	250 52 53	7277.654	7280.543		
						991802	88H4194	GPS	254 5 54	3383.968	3385.311		
						352666	6898	TERR	270 20 54	1630.048	1630.696		
						406991	77C032	GPS	272 44 34	12798.208	12803.280		
						869792	NO MARKING	GPS	284 47 30	10972.295	10976.659		
						30031	77H4885	GPS	301 57 5	16871.220	16877.903		
						521617	PP	GPS	317 6 2	27189.162	27200.087		
						839639	80H1300	GPS	321 4 42	5530.615	5532.813		
						274696	78H8518	GPS	340 10 42	9641.775	9645.605		
						875864	NO MARKING	GPS	342 51 28	21613.883	21622.505		
						675850	84H0394	GPS	354 54 2	5783.457	5785.755		
533679	6903	E	501497.984	0.9996029	1.0000029	MARKER DESTROYED							
		N	5437456.197										
		E1	1.237									CVD28GVRD2018	
172312	6905	E	501491.254	0.9996030	1.0000030	572198	6904	TERR	0 15 59	839.592	839.926		
		N	5435842.863			694943	88H4199	TERR	0 24 30	821.625	821.951		
		E1	.822 CVD28GVRD2018			970434	6913	GPS	83 41 52	3287.463	3288.768		
						762716	80H1257	GPS	104 36 43	1693.561	1694.234		
						289603	6906	TERR	179 57 32	534.454	534.666		
						914127	80H1262	GPS	237 1 8	2209.580	2210.458		
						991802	88H4194	GPS	278 4 39	4921.500	4923.454		
289603	6906	E	501491.638	0.9996028	1.0000028	330456	6909	TERR	79 27 3	1670.432	1671.096		
		N	5435308.409			756023	80H1259	TERR	179 46 38	295.932	296.050		
		E1	1.707			CVD28GVRD2018	172312	6905	TERR	359 57 32	534.454	534.666	

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
167627	6907	E	503128.209	0.9996029	1.0000028	995951	88H4202	TERR	89 40 60	806.894	807.215
		N	5437468.351			535740	6911	TERR	89 55 36	1629.831	1630.479
		El	1.898			269191	88H4201	TERR	179 26 11	421.654	421.822
						798785	6908	TERR	179 47 23	778.291	778.600
						526806	6203	TERR	274 20 11	192.740	192.816
995365	6910	E	504743.195	0.9996032	1.0000029	840629	6916	TERR	0 6 43	996.710	997.106
		N	5438116.756			815746	84H9508	GPS	5 16 44	5682.261	5684.530
		El	1.145			252569	92H0596	GPS	14 13 45	2682.511	2683.579
						799270	9352	GPS	17 2 2	4428.385	4430.152
						898734	NO MARKING	GPS	26 59 52	12010.567	12015.424
						102970	92H0875	GPS	51 18 22	4194.721	4196.410
						459750	5992	GPS	60 26 20	20503.808	20511.899
						909333	NO MARKING	GPS	64 4 50	32088.845	32101.619
						904904	NO MARKING	GPS	87 21 18	20288.055	20296.078
						607093	5893	GPS	98 6 52	3292.909	3294.216
						4903	92H0897	GPS	119 6 51	7342.253	7345.166
						202903	86H1297	GPS	125 26 3	12014.346	12019.207
						557686	5495	GPS	131 27 48	5629.585	5631.818
						942870	86H1263	GPS	136 51 50	9587.555	9591.424
						535740	6911	TERR	178 41 4	646.490	646.746
						762716	80H1257	GPS	210 50 47	3146.165	3147.415
						531079	6902	GPS	262 20 16	4914.018	4915.969
						528505	92H0579	GPS	275 27 16	8150.017	8153.254
						869792	NO MARKING	GPS	277 53 37	15626.887	15633.103
						839639	80H1300	GPS	293 36 39	9107.191	9110.810
535740	6911	E	504758.039	0.9996031	1.0000028	55384	6202	TERR	85 41 32	1628.110	1628.757
		N	5437470.436			7369	88H4218	TERR	87 6 39	882.637	882.988
		El	1.628			424499	80H1308	TERR	180 14 42	606.306	606.547
						568360	6912	TERR	180 26 47	795.214	795.530
						167627	6907	TERR	269 55 36	1629.831	1630.479
970434	6913	E	504758.849	0.9996033	1.0000030	995951	88H4202	TERR	270 9 56	822.951	823.279
		N	5436203.744			995365	6910	TERR	358 41 4	646.490	646.746
970434	6913	El	.647	CVD28GVRD2018		607093	5893	GPS	65 56 40	3552.847	3554.257
						773929	83H6496	TERR	179 22 41	196.965	197.042
						762716	80H1257	GPS	244 10 46	1809.460	1810.178
						330456	6909	TERR	250 3 38	1728.639	1729.325
						172312	6905	GPS	263 41 52	3287.463	3288.768
						568360	6912	TERR	359 8 56	471.554	471.741
						424499	80H1308	TERR	359 42 17	660.401	660.663

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates		Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres				GCM-NO	TABLET MARKING				
467878	6914	E 506386.171 N 5436851.001 El 2.429	0.9996032	1.0000027		823575 55384	1589 6202	TERR TERR	275 39 32 359 38 35	387.040 741.741	387.194 742.037
				CVD28GVRD2018							
707323	6915	E 506376.581 N 5439073.680 El 1.343	0.9996033	1.0000028				MARKER DESTROYED			
				CVD28GVRD2018							
840629	6916	E 504745.141 N 5439113.464 El .824	0.9996032	1.0000029		214858 995365	6917 6910	TERR TERR	0 13 21 180 6 43	1585.198 996.710	1585.827 997.106
				CVD28GVRD2018							
214858	6917	E 504751.295 N 5440698.650 El 2.496	0.9996029	1.0000027		193904 840629	6918 6916	TERR TERR	89 7 39 180 13 21	848.075 1585.198	848.413 1585.827
				1928 Canadian Vertical Datum							
193904	6918	E 505599.272 N 5440711.566 El 15.666	0.9996010	1.0000006		457275 214858	78H8586 6917	TERR TERR	27 59 24 269 7 39	88.113 848.075	88.147 848.413
				CVD28GVRD2018							
464065	6919	E 507066.501 N 5440740.753 El 76.898	0.9995916	0.9999910				MARKER DESTROYED			
				CVD28GVRD2018							
728683	6920	E 507994.331 N 5440726.842 El 78.617	0.9995915	0.9999907				MARKER DESTROYED			
				CVD28GVRD2018							
59162	6921	E 507994.793 N 5441385.987 El 91.211	0.9995895	0.9999887				MARKER DESTROYED			
				CVD28GVRD2018							
732883	6922	E 507993.816 N 5442366.863 El 78.940	0.9995914	0.9999907				MARKER DESTROYED			
				CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
44099	6923	E	507730.861	0.9995894	0.9999887	969949	82H5469	TERR	89 31 12	261.603	261.710
		N	5443043.100			590133	6924	TERR	269 33 51	345.586	345.727
		El	91.416			430116	79H9903	TERR	269 37 8	140.094	140.151
590133	6924	E	507385.285	0.9995908	0.9999902	30908	6926	TERR	0 10 48	473.359	473.553
		N	5443040.471			430116	79H9903	TERR	89 31 37	205.492	205.576
		El	82.065			44099	6923	TERR	89 33 51	345.586	345.727
						245324	82H5430	TERR	182 39 42	116.047	116.095
						746990	6925	TERR	269 24 16	407.562	407.728
						182378	82H5460	TERR	358 9 50	193.866	193.944
746990	6925	E	506977.745	0.9995928	0.9999922	406025	6927	TERR	0 37 21	527.722	527.938
		N	5443036.235			36517	80H1339	TERR	0 38 4	337.002	337.139
		El	68.835			590133	6924	TERR	89 24 16	407.562	407.728
						389304	6970	TERR	180 23 38	686.502	686.782
						234930	82H5444	TERR	274 32 24	141.739	141.797
30908	6926	E	507386.771	0.9995890	0.9999884	410100	6929	TERR	0 7 50	466.998	467.191
		N	5443513.828			535203	82H5463	TERR	0 35 24	366.050	366.201
		El	93.636			590133	6924	TERR	180 10 48	473.359	473.553
						182378	82H5460	TERR	181 34 38	279.697	279.812
406025	6927	E	506983.479	0.9995903	0.9999897	143115	6928	TERR	0 35 31	418.763	418.935
		N	5443563.926			127126	82H5456	TERR	89 57 20	117.233	117.281
		El	84.960			36517	80H1339	TERR	180 36 6	190.721	190.799
						746990	6925	TERR	180 37 21	527.722	527.938
143115	6928	E	506987.805	0.9995885	0.9999879	750083	9324	TERR	86 52 15	205.689	205.773
		N	5443982.667			410100	6929	TERR	90 15 50	400.034	400.199
		El	96.688			406025	6927	TERR	180 35 31	418.763	418.935
						515841	82H5453	TERR	268 18 1	206.374	206.459
						74229	6933	TERR	270 10 2	609.900	610.150
919	6931	E	506373.398	0.9995927	0.9999922	577940	6932	TERR	0 14 51	371.429	371.580
		N	5443238.590								
		El	68.836			1928 Canadian Vertical Datum					
577940	6932	E	506375.003	0.9995910	0.9999905	74229	6933	TERR	0 26 40	374.444	374.597
		N	5443610.015			483966	82H5481	TERR	5 2 45	78.191	78.222
		El	80.182			183046	82H5480	TERR	83 57 48	159.733	159.798
						401224	78H8574	TERR	178 51 53	244.486	244.586
						919	6931	TERR	180 14 51	371.429	371.580

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
74229	6933	E	506377.908	0.9995907	0.9999902	635789	6934	TERR	0 51 39	396.564	396.726
		N	5443984.448			516666	82H5485	TERR	87 7 50	168.482	168.551
		E1	81.697			143115	6928	TERR	90 10 2	609.900	610.150
						483966	82H5481	TERR	179 13 57	296.572	296.693
						577940	6932	TERR	180 26 40	374.444	374.597
						800979	82H5484	TERR	268 39 24	197.637	197.719
635789	6934	E	506383.866	0.9995907	0.9999902	74229	6933	TERR	180 51 39	396.564	396.726
		N	5444380.967			551606	82H5488	TERR	268 54 38	80.936	80.968
		E1	81.847								
999029	6935	E	506389.691	0.9995905	0.9999900		MARKER DESTROYED				
		N	5444806.664								
		E1	83.317								
698191	6936	E	506389.028	0.9995903	0.9999898	360123	82H5530	TERR	89 56 28	248.804	248.906
		N	5445209.609			443192	82H5516	TERR	178 32 30	233.088	233.183
		E1	84.376			965400	79H9894	TERR	270 21 59	213.451	213.539
						951442	82H5548	TERR	357 14 10	114.640	114.687
						381186	6937	TERR	359 55 35	405.750	405.917
381186	6937	E	506388.507	0.9995907	0.9999902	454355	6942	TERR	0 12 19	400.627	400.790
		N	5445615.359			841734	6966	TERR	90 16 47	249.377	249.479
		E1	81.753			698191	6936	TERR	179 55 35	405.750	405.917
						857847	90H6236	TERR	182 56 13	159.632	159.697
						394981	82H5569	TERR	359 0 52	285.886	286.003
915694	6940	E	507501.306	0.9995874	0.9999867	200667	82H5578	TERR	87 30 21	93.432	93.471
		N	5446011.289			892414	6968	TERR	183 34 12	405.027	405.194
		E1	104.065			246363	6941	TERR	270 16 57	554.449	554.677
						757872	9345	TERR	271 16 13	356.794	356.941
560383	6943	E	506493.082	0.9995931	0.9999925		MARKER DESTROYED				
		N	5446537.680								
		E1	66.763								
958603	6946	E	507197.130	0.9995884	0.9999877	592675	6947	TERR	0 40 24	349.474	349.618
		N	5446420.223			957068	6945	TERR	91 10 39	230.917	231.012
		E1	97.536			622985	9348	TERR	179 21 29	259.747	259.854
592675	6947	E	507201.237	0.9995885	0.9999879	666065	82H5603	TERR	2 11 20	223.570	223.663
		N	5446769.673			958603	6946	TERR	180 40 24	349.474	349.618
		E1	96.644			429092	6948	TERR	269 38 49	407.536	407.703
						55947	82H5605	TERR	269 57 14	105.823	105.866

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
429092	6948	E	506793.709	0.9995918	0.9999912	865311	82H5615	TERR	0 2 15	192.289	192.367
		N	5446767.162			456905	82H5606	TERR	88 44 15	186.701	186.777
		El	75.148			592675	6947	TERR	89 38 49	407.536	407.703
						216044	82H5614	TERR	188 2 47	127.424	127.476
						585950	80H1342	TERR	274 14 48	91.732	91.769
840488	6950	E	490664.904	0.9996039	1.0000029	568352	6951	TERR	22 58 54	643.385	643.639
		N	5435998.377			213967	6850	TERR	216 22 38	316.387	316.512
		El	1.343								
568352	6951	E	490916.105	0.9996039	1.0000029	832667	86H2437	TERR	52 29 21	158.450	158.513
		N	5436590.696			531830	6952	TERR	70 46 45	824.464	824.791
		El	1.141			840488	6950	TERR	202 58 54	643.385	643.639
						234419	6901	TERR	267 9 38	579.943	580.172
531830	6952	E	491694.611	0.9996037	1.0000029	915090	6826	TERR	90 6 58	377.954	378.103
		N	5436862.117			568352	6951	TERR	250 46 45	824.464	824.791
		El	1.369			832667	86H2437	TERR	254 59 55	675.851	676.119
729699	6953	E	494457.936	0.9996033	1.0000029	500272	92H0594	TERR	0 27 33	485.532	485.725
		N	5437004.523			238154	6954	TERR	162 24 10	335.941	336.075
		El	.966			469718	87H3178	TERR	181 15 35	125.666	125.716
261172	6955	E	494212.187	0.9996033	1.0000029	238154	6954	TERR	89 7 24	347.353	347.491
		N	5436678.987			449561	6841	TERR	189 34 3	331.439	331.571
		El	1.385			528885	84H0347	TERR	267 25 8	229.300	229.391
991190	6956	E	493665.447	0.9996034	1.0000029		MARKER DESTROYED				
		N	5437278.049								
		El	.963								
7401	6958	E	506375.694	0.9996034	1.0000029	55384	6202	TERR	179 34 14	781.521	781.831
		N	5438374.227								
		El	1.116								
509513	6959	E	504923.235	0.9995953	0.9999950		MARKER DESTROYED				
		N	5444783.612								
		El	51.025								

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING					
113290	6960	E 504726.486 N 5444646.547 El 50.163	0.9995954	0.9999952		MARKER DESTROYED					
557108	6961	E 504410.035 N 5444978.395 El 7.224	0.9996021	1.0000019		MARKER DESTROYED					
407924	6962	E 506371.535 N 5442340.569 El 50.997	0.9995955	0.9999950		MARKER DESTROYED					
841734	6966	E 506637.881 N 5445614.141 El 94.202	0.9995888	0.9999882	770800 606558 898734 426981 228619 247221 98178 90316 147819 799270 252569 815746 869792 195156 381186 177238 838037 137695 583880	5296 5400 NO MARKING 92H0886 5066 6967 86H1262 80H2099 91H9962 9352 92H0596 84H9508 NO MARKING 80H1320 6937 88H4212 02H2423 92H0576 89H6028	GPS GPS GPS GPS GPS TERR GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS	40 26 44 43 25 42 47 59 27 72 1 9 79 3 48 90 35 39 104 32 57 109 52 26 118 45 25 190 22 29 194 9 28 216 43 11 252 52 49 257 57 5 270 16 47 288 0 42 289 58 42 308 30 26 325 58 9	2023.519 6572.944 4787.917 4859.398 8009.361 244.961 8138.392 4920.243 36920.596 3317.508 5050.576 2294.530 18178.980 4548.969 249.377 3104.134 4386.973 2209.842 4055.405	2024.350 6575.628 4789.889 4861.383 8012.648 245.062 8141.675 4922.250 36935.330 3318.856 5052.623 2295.463 18186.342 4550.809 249.479 3105.390 4388.747 2210.735 4057.044	
247221	6967	E 506882.829 N 5445611.601 El 102.124	0.9995876	0.9999870	166041 903153 841734	6938 82H5563 6966	TERR TERR TERR	90 31 49 91 32 6 270 35 39	299.482 152.750 244.961	299.606 152.813 245.062	
892414	6968	E 507476.086 N 5445607.048 El 103.545	0.9995875	0.9999868	416123 915694 834168 166041 944637	82H5558 6940 82H5554 6938 78H8588	TERR TERR TERR TERR TERR	0 33 27 3 34 12 91 47 14 270 20 51 271 53 24	90.840 405.027 201.476 293.793 249.809	90.878 405.194 201.559 293.915 249.912	

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
667907	6969	E	506730.350	0.9995912	0.9999906		MARKER DESTROYED				
		N	5446423.978								
		El	79.083	CVD28GVRD2018							
115501	6971	E	507461.203	0.9995917	0.9999911	819516	79H9837	TERR	87 33 59	290.802	290.921
		N	5442357.904			389304	6970	TERR	269 2 35	488.245	488.445
		El	76.455	CVD28GVRD2018		303396	82H5409	TERR	271 57 35	132.355	132.410
888669	6972	E	494275.583	0.9995945	0.9999941	688440	6973	TERR	92 40 6	213.560	213.646
		N	5427744.343			137448	6975	TERR	359 56 23	208.971	209.056
		El	57.478	CVD28GVRD2018							
688440	6973	E	494488.911	0.9995951	0.9999948	888669	6972	TERR	272 40 6	213.560	213.646
		N	5427734.401			234179	6976	TERR	359 41 45	219.182	219.271
		El	53.198	CVD28GVRD2018							
500611	6974	E	493802.734	0.9995936	0.9999931		MARKER DESTROYED				
		N	5427953.916								
		El	63.952	CVD28GVRD2018							
137448	6975	E	494275.363	0.9995949	0.9999945	234179	6976	TERR	89 55 42	212.384	212.470
		N	5427953.314			888669	6972	TERR	179 56 23	208.971	209.056
		El	54.742	CVD28GVRD2018		49585	80H1349	TERR	269 27 2	483.237	483.433
234179	6976	E	494487.747	0.9995951	0.9999947	630830	87H3184	TERR	87 40 15	166.097	166.165
		N	5427953.580			268219	6977	TERR	89 36 57	494.134	494.335
		El	53.389	CVD28GVRD2018		688440	6973	TERR	179 41 45	219.182	219.271
						137448	6975	TERR	269 55 42	212.384	212.470
268219	6977	E	494981.870	0.9995955	0.9999952	668822	84H0384	TERR	0 27 23	626.443	626.694
		N	5427956.893			425363	79H9838	TERR	177 13 27	150.323	150.385
		El	50.339	CVD28GVRD2018		234179	6976	TERR	269 36 57	494.134	494.335
						630830	87H3184	TERR	270 36 0	328.181	328.314
						971184	6978	TERR	297 37 33	448.911	449.093
						557025	88H4211	TERR	357 44 58	327.744	327.876
971184	6978	E	494584.137	0.9995953	0.9999949	268219	6977	TERR	117 37 33	448.911	449.093
		N	5428165.050			649814	9373	TERR	271 40 31	214.378	214.464
		El	52.424	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----	UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs.	UTM Grid	UTM Grid	Ground
GCM-NO	TABLET MARKING	Coordinates		Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Type	Bearing	Distance	Distance
		Metres								Metres	Metres
474676	6979	E	494161.707	0.9995948	0.9999944	211383	6980	TERR	1 11 45	414.924	415.092
		N	5428164.813			649814	9373	TERR	88 12 37	208.246	208.331
		E1	55.507	CVD28GVRD2018		545046	9376	TERR	270 51 41	100.967	101.008
211383	6980	E	494170.366	0.9995950	0.9999946	664607	9364	TERR	89 25 2	399.181	399.343
		N	5428579.647			474676	6979	TERR	181 11 45	414.924	415.092
		E1	54.070	CVD28GVRD2018		673939	9375	TERR	228 46 17	124.611	124.661
						341875	87H3185	TERR	274 13 4	186.305	186.380
432377	6981	E	494581.477	0.9995973	0.9999969	MARKER DESTROYED					
		N	5428579.434								
		E1	39.415	CVD28GVRD2018							
432674	6982	E	494982.881	0.9996021	1.0000018	MARKER DESTROYED					
		N	5428582.454								
		E1	8.346	CVD28GVRD2018							
723304	6983	E	494982.216	0.9996022	1.0000019	631929	87H3145	TERR	86 20 20	205.844	205.926
		N	5428983.853			668822	84H0384	TERR	179 20 9	400.564	400.723
		E1	7.734	CVD28GVRD2018		56341	6984	TERR	269 10 59	412.575	412.740
						644187	6875	TERR	359 30 15	474.861	475.050
56341	6984	E	494569.683	0.9996003	1.0000000	723304	6983	TERR	89 10 59	412.575	412.740
		N	5428977.971			881680	6985	TERR	269 9 19	397.024	397.183
		E1	19.898	CVD28GVRD2018							
881680	6985	E	494172.702	0.9995978	0.9999974	460550	6990	TERR	0 4 11	495.583	495.782
		N	5428972.118			56341	6984	TERR	89 9 19	397.024	397.183
		E1	36.296	CVD28GVRD2018		657122	9372	TERR	268 2 48	238.079	238.176
766196	6986	E	493744.372	0.9995952	0.9999947	657122	9372	TERR	90 34 56	190.399	190.476
		N	5428965.938			901819	9371	TERR	177 59 19	90.626	90.663
		E1	53.800	CVD28GVRD2018		482935	87H3149	TERR	267 12 54	139.741	139.798
226464	6987	E	493299.069	0.9995953	0.9999947	790543	87H3148	TERR	91 4 15	123.920	123.970
		N	5428958.097			285528	6866	TERR	161 47 41	405.186	405.350
		E1	53.318	CVD28GVRD2018		518076	6891	TERR	347 30 10	215.770	215.857

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
629147	6988	E 493754.151 N 5429467.107 El 33.323		0.9995984	0.9999979	782433 376608	87H3160 6995	TERR TERR	269 51 30 328 49 19	266.869 415.834	266.977 416.001
					CVD28GVRD2018						
460550	6990	E 494173.304 N 5429467.701 El 20.461		0.9996003	0.9999999	320531 881680 458943	87H3207 6985 6993	TERR TERR TERR	88 8 24 180 4 11 359 13 38	209.990 495.583 435.306	210.073 495.782 435.479
					CVD28GVRD2018						
773192	6991	E 494497.040 N 5429675.121 El 15.492		0.9996010	1.0000007	62919	6992	TERR	358 36 25	240.361	240.456
					CVD28GVRD2018						
62919	6992	E 494491.196 N 5429915.411 El 15.308		0.9996011	1.0000007	773192 771220	6991 9276	TERR TERR	178 36 25 359 49 23	240.361 291.494	240.456 291.612
					CVD28GVRD2018						
458943	6993	E 494167.434 N 5429902.967 El 19.502		0.9996005	1.0000000	460550 866012	6990 6994	TERR TERR	179 13 38 273 1 30	435.306 249.837	435.479 249.937
					CVD28GVRD2018						
866012	6994	E 493917.945 N 5429916.151 El 22.873		0.9996000	0.9999995	458943 228106 810275	6993 87H3161 6862	TERR TERR TERR	93 1 30 272 40 22 359 36 2	249.837 216.572 289.128	249.937 216.658 289.244
					CVD28GVRD2018						
376608	6995	E 493538.875 N 5429822.879 El 32.336		0.9995985	0.9999980	228106 629147	87H3161 6988	TERR TERR	57 34 33 148 49 19	192.790 415.834	192.867 416.001
					CVD28GVRD2018						
804526	6996	E 493141.577 N 5429834.872 El 59.021		0.9995944	0.9999938	386094	6997	TERR	332 37 23	287.577	287.694
					CVD28GVRD2018						
386094	6997	E 493009.337 N 5430090.241 El 60.503		0.9995942	0.9999936	804526	6996	TERR	152 37 23	287.577	287.694
					CVD28GVRD2018						

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						Metres	Metres
624478	6998	E	493714.725	0.9995993	0.9999989	793596	6999	TERR	81	4	35	305.927	306.050		
		N	5430492.849			163204	9374	TERR	172	56	19	279.824	279.936		
		E1	27.083	CVD28GVRD2018											
793596	6999	E	494016.949	0.9995997	0.9999992	215541	6860	TERR	63	20	24	167.362	167.429		
		N	5430540.304			624478	6998	TERR	261	4	35	305.927	306.050		
		E1	24.574	CVD28GVRD2018											
85480	7000	E	494168.898	0.9996000	0.9999996	MARKER DESTROYED									
		N	5430421.271												
		E1	22.146	CVD28GVRD2018											
295287	78H8546	E	507982.216	0.9995885	0.9999877	681148	82H5496	TERR	7	25	26	172.032	172.103		
		N	5444397.719			924316	78H8580	TERR	267	30	36	407.088	407.256		
		E1	97.594	CVD28GVRD2018											
669101	78H8547	E	505111.777	0.9995993	0.9999990	748384	84H9509	TERR	90	21	55	102.762	102.803		
		N	5443951.411			815746	84H9508	TERR	138	51	25	234.367	234.461		
		E1	25.730	CVD28GVRD2018		222471	9351	TERR	312	28	52	259.567	259.671		
687384	78H8548	E	507729.112	0.9995877	0.9999869	MARKER DESTROYED									
		N	5445192.572												
		E1	102.502	CVD28GVRD2018											
861195	78H8549	E	506839.278	0.9995872	0.9999867	417063	9363	TERR	90	19	30	285.373	285.490		
		N	5445207.829												
		E1	104.400	CVD28GVRD2018											
205203	78H8550	E	506616.614	0.9995934	0.9999928	664540	82H5401	TERR	184	15	20	138.213	138.270		
		N	5441447.169			406413	78H8571	TERR	287	41	4	271.637	271.748		
		E1	65.143	CVD28GVRD2018											
632240	78H8551	E	507591.479	0.9995879	0.9999872	842682	82H5465	TERR	183	33	15	115.161	115.208		
		N	5443986.949			242818	82H5464	TERR	265	31	41	210.517	210.603		
		E1	100.837	CVD28GVRD2018											

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
993402	78H8552	E 507597.200 N 5443508.465 El 97.087		0.9995885	0.9999878	374223 907907	79H9934 82H5466	TERR TERR	181 19 46 359 16 6	263.718 167.018	263.826 167.087
301341	78H8553	E 507528.625 N 5444801.226 El 101.733		0.9995878	0.9999871	928127 138206 285221	78H8561 82H5498 82H5520	TERR TERR TERR	93 3 9 179 49 53 266 14 38	202.518 98.614 246.369	202.602 98.655 246.471
115394	78H8556	E 507169.097 N 5444586.566 El 104.116		0.9995873	0.9999867		MARKER DESTROYED				
486845	78H8557	E 506575.220 N 5444809.582 El 94.427		0.9995888	0.9999882		MARKER DESTROYED				
345249	78H8559	E 495138.979 N 5428232.090 El 9.243		0.9996019	1.0000017	900290	79H9850	TERR	139 50 44	316.628	316.753
130211	78H8560	E 506029.059 N 5440724.385 El 20.367		0.9996003	0.9999999	864934 303891	9356 84H9455	TERR TERR	88 57 27 265 3 40	225.447 188.845	225.538 188.920
928127	78H8561	E 507730.856 N 5444790.442 El 100.758		0.9995880	0.9999872	301341 630731	78H8553 82H5523	TERR TERR	273 3 9 355 49 13	202.518 96.824	202.602 96.863
496281	78H8562	E 506715.336 N 5441820.563 El 61.776		0.9995939	0.9999934	298497 761924 303446	79H9835 82H5402 79H9842	TERR TERR TERR	107 6 43 194 18 6 282 3 46	187.031 231.742 158.495	187.107 231.836 158.559
959890	78H8564	E 506525.587 N 5440842.875 El 50.287		0.9995957	0.9999952	61390 947432	78H8565 82H5399	TERR TERR	167 54 3 331 21 23	113.276 129.853	113.322 129.904

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
61390	78H8565	E	506549.330	0.9995963	0.9999957	864934	9356	TERR	269 17 42	294.883	295.003
		N	5440732.115			959890	78H8564	TERR	347 54 3	113.276	113.322
		El	46.627	CVD28GVRD2018							
98954	78H8566	E	507125.240	0.9995870	0.9999864		MARKER DESTROYED				
		N	5445617.801								
		El	106.282	CVD28GVRD2018							
817395	78H8567	E	506375.524	0.9995907	0.9999902		MARKER DESTROYED				
		N	5444184.225								
		El	82.126	CVD28GVRD2018							
831511	78H8568	E	506877.735	0.9995882	0.9999876	757872	9345	TERR	90 11 40	266.867	266.976
		N	5446020.105			994863	78H8575	TERR	270 13 34	294.296	294.418
		El	98.021	CVD28GVRD2018							
181529	78H8569	E	506965.049	0.9995897	0.9999891		MARKER DESTROYED				
		N	5446420.142								
		El	89.040	CVD28GVRD2018							
792184	78H8570	E	505002.915	0.9995988	0.9999985		MARKER DESTROYED				
		N	5445570.889								
		El	29.086	CVD28GVRD2018							
406413	78H8571	E	506357.813	0.9995946	0.9999941	205203	78H8550	TERR	107 41 4	271.637	271.748
		N	5441529.685			747915	84H9463	TERR	195 15 12	166.044	166.112
		El	57.280	CVD28GVRD2018		211102	9319	TERR	283 15 57	95.024	95.062
294066	78H8572	E	506635.505	0.9995947	0.9999942	230300	80H1343	TERR	90 15 24	71.669	71.698
		N	5446989.176			612846	78H8584	TERR	346 39 0	164.068	164.134
		El	56.345	CVD28GVRD2018							
233916	78H8573	E	506167.425	0.9995912	0.9999908	797589	82H5478	TERR	264 58 11	111.941	111.987
		N	5443519.136								
		El	78.186	CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
401224	78H8574	E N El	506379.847 5443365.577 74.364	0.9995919	0.9999914	585976 577940	82H5448 6932	TERR TERR	90 50 34 358 51 53	202.456 244.486	202.539 244.586
994863	78H8575	E N El	506583.441 5446021.267 87.107	0.9995899	0.9999894	831511 610592	78H8568 9361	TERR TERR	90 13 34 268 24 20	294.296 199.650	294.418 199.731
694059	78H8576	E N El	505849.375 5443157.085 46.602	0.9995961	0.9999957	343368 821959	84H9491 79H9849	TERR TERR	152 7 18 357 7 46	177.518 115.196	177.590 115.242
733733	78H8577	E N El	505574.077 5443817.478 67.506	0.9995928	0.9999924	791079 591933	84H9502 79H9916	TERR TERR	179 52 7 356 1 58	126.996 154.976	127.048 155.040
321521	78H8578	E N El	494969.686 5430627.062 14.986	0.9996011	1.0000007	MARKER ISOLATED					
203372	78H8579	E N El	506350.292 5441767.738 58.763	0.9995943	0.9999938	387852	79H9914	TERR	222 58 37	217.403	217.491
924316	78H8580	E N El	507575.512 5444380.033 101.796	0.9995878	0.9999871	297465 295287	82H5494 78H8546	TERR TERR	8 37 57 87 30 36	96.837 407.088	96.877 407.256
69625	78H8581	E N El	507600.308 5446410.020 100.571	0.9995880	0.9999872	MARKER DESTROYED					
453779	78H8582	E N El	505559.168 5443566.410 45.430	0.9995963	0.9999959	791079 907782 857524	84H9502 80H1338 84H9503	TERR TERR TERR	6 59 4 156 32 25 297 31 22	125.000 58.814 97.708	125.050 58.838 97.748

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
612846	78H8584	E 506597.622 N 5447148.811 El 42.482		0.9995969	0.9999963	337337 294066	5300 78H8572	TERR TERR	89 34 36 166 39 0	147.825 164.068	147.886 164.134
				CVD28GVRD2018							
989699	78H8585	E 505579.246 N 5440923.754 El 15.463		0.9996010	1.0000006	174235 457275	79H9855 78H8586	TERR TERR	1 6 53 155 27 5	188.701 147.736	188.776 147.796
				CVD28GVRD2018							
457275	78H8586	E 505640.625 N 5440789.372 El 19.784		0.9996003	0.9999999	193904 989699	6918 78H8585	TERR TERR	207 59 24 335 27 5	88.113 147.736	88.147 147.796
				CVD28GVRD2018							
755132	78H8587	E 507224.458 N 5445192.188 El 108.429		0.9995867	0.9999860		MARKER DESTROYED				
				CVD28GVRD2018							
944637	78H8588	E 507226.413 N 5445615.287 El 107.887		0.9995868	0.9999861	892414 657387	6968 90H6228	TERR TERR	91 53 24 271 6 26	249.809 103.392	249.912 103.435
				CVD28GVRD2018							
731257	78H8589	E 505987.765 N 5442847.731 El 41.222		0.9995970	0.9999966	343368	84H9491	TERR	340 1 59	162.187	162.252
				CVD28GVRD2018							
427666	78H8590	E 507459.810 N 5446412.389 El 102.442		0.9995876	0.9999870		MARKER DESTROYED				
				CVD28GVRD2018							
161182	78H8591	E 507816.986 N 5441548.454 El 76.526		0.9995918	0.9999910	882969 363069 619148	80H1347 82H5391 79H9883	TERR TERR TERR	39 50 50 174 55 52 251 12 2	116.303 136.613 76.855	116.349 136.670 76.887
				CVD28GVRD2018							
772178	78H8593	E 507607.457 N 5446979.072 El 94.445		0.9995889	0.9999882	121608	82H5593	TERR	181 24 19	241.718	241.818
				CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates	Station Scale Factor		TO MARKER -----	IDENTIFIERS -----	Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
37945	78H8594	E N E1	507979.342 5446000.018 103.329	0.9995876	0.9999868		MARKER DESTROYED						
945774	78H8595	E N E1	505586.869 5444575.705 75.794	0.9995915	0.9999911		MARKER DESTROYED						
298497	79H9835	E N E1	506894.087 5441765.531 64.872	0.9995935	0.9999929	952952 515189 496281	79H9889 82H5404 78H8562	TERR TERR TERR	117 0 42 208 7 8 287 6 43			161.701 159.496 187.031	161.767 159.561 187.107
652875	79H9836	E N E1	498639.633 5442047.571 2.251	0.9996027	1.0000027		MARKER DESTROYED						
819516	79H9837	E N E1	507751.743 5442370.252 77.950	0.9995916	0.9999908	254318 115501	82H5419 6971	TERR TERR	171 59 9 267 33 59			89.937 290.802	89.974 290.921
425363	79H9838	E N E1	494989.150 5427806.746 51.756	0.9995953	0.9999950	263608 268219	79H9863 6977	TERR TERR	107 51 6 357 13 27			204.887 150.323	204.970 150.385
44818	79H9839	E N E1	505004.876 5444909.514 48.589	0.9995957	0.9999954	809491	87H2623	TERR	45 48 47			335.307	335.443
74153	79H9840	E N E1	506029.896 5442728.121 34.938	0.9995980	0.9999976	417790 852020	84H9485 79H9851	TERR TERR	81 9 44 290 47 40			73.537 85.557	73.567 85.591
489708	79H9841	E N E1	495280.647 5427943.067 10.136	0.9996018	1.0000015	900290 558973	79H9850 79H9865	TERR TERR	53 2 54 150 54 22			78.221 94.465	78.252 94.503

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
303446	79H9842	E N El	506560.341 5441853.686 60.748	0.9995940	0.9999935	496281	78H8562	TERR	102 3 46	158.495	158.559
			CVD28GVRD2018								
547976	79H9843	E N El	505944.894 5443513.612 73.583	0.9995919	0.9999915	797589 242222	82H5478 79H9859	TERR TERR	92 12 48 266 47 41	111.104 158.334	111.149 158.398
			CVD28GVRD2018								
505412	79H9844	E N El	507510.126 5441955.483 82.395	0.9995908	0.9999901	566661 7534	79H9882 79H9864	TERR TERR	157 19 5 259 27 18	86.021 103.279	86.056 103.322
			CVD28GVRD2018								
37663	79H9846	E N El	507233.122 5442009.176 74.510	0.9995920	0.9999914	7534	79H9864	TERR	112 28 32	189.893	189.971
			CVD28GVRD2018								
984492	79H9847	E N El	506190.733 5445869.793 66.934	0.9995930	0.9999925	323105 937177	82H5570 80H1334	TERR TERR	59 59 2 308 21 39	93.999 201.499	94.037 201.581
			CVD28GVRD2018								
635797	79H9848	E N El	505670.365 5441326.943 11.057	0.9996017	1.0000013	405308 174235	79H9884 79H9855	TERR TERR	51 15 53 202 10 40	179.664 231.663	179.735 231.755
			CVD28GVRD2018								
821959	79H9849	E N El	505843.606 5443272.136 54.340	0.9995949	0.9999945	694059	78H8576	TERR	177 7 46	115.196	115.242
			CVD28GVRD2018								
900290	79H9850	E N El	495343.157 5427990.089 3.652	0.9996028	1.0000025	489708 345249	79H9841 78H8559	TERR TERR	233 2 54 319 50 44	78.221 316.628	78.252 316.753
			CVD28GVRD2018								
852020	79H9851	E N El	505949.912 5442758.495 23.092	0.9995998	0.9999994	74153 749515 639864	79H9840 79H9927 82H5413	TERR TERR TERR	110 47 40 189 23 11 336 27 11	85.557 129.141 461.833	85.591 129.193 462.018
			CVD28GVRD2018								

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
345025	79H9852	E 507581.402 N 5441424.047 El 76.197		0.9995918	0.9999911	171082 722918	79H9881 9344	TERR TERR	80 17 33 285 38 37	79.599 217.856	79.632 217.944
				CVD28GVRD2018							
234559	79H9853	E 505404.892 N 5444045.317 El 68.862		0.9995926	0.9999922	168344	9346	TERR	150 23 11	107.193	107.237
				CVD28GVRD2018							
134825	79H9854	E 506590.638 N 5442351.297 El 59.756		0.9995942	0.9999937		MARKER DESTROYED				
				CVD28GVRD2018							
174235	79H9855	E 505582.917 N 5441112.419 El 9.350		0.9996020	1.0000016	635797 989699	79H9848 78H8585	TERR TERR	22 10 40 181 6 53	231.663 188.701	231.755 188.776
				CVD28GVRD2018							
916619	79H9857	E 505678.534 N 5443520.239 El 52.703		0.9995952	0.9999948	242222 907782 504175	79H9859 80H1338 83H6503	TERR TERR TERR	98 8 11 265 21 50 355 54 23	109.375 96.267 144.679	109.420 96.306 144.738
				CVD28GVRD2018							
242222	79H9859	E 505786.808 N 5443504.759 El 63.329		0.9995935	0.9999931	547976 916619	79H9843 79H9857	TERR TERR	86 47 41 278 8 11	158.334 109.375	158.398 109.420
				CVD28GVRD2018							
796789	79H9860	E 505938.679 N 5442005.443 El 17.209		0.9996008	1.0000003	33647 382119 898106	84H9476 79H9862 79H9876	TERR TERR TERR	91 21 54 191 31 28 347 56 26	102.270 257.759 156.762	102.311 257.862 156.824
				CVD28GVRD2018							
282616	79H9861	E 506601.411 N 5444386.537 El 91.745		0.9995892	0.9999886		MARKER DESTROYED				
				CVD28GVRD2018							
382119	79H9862	E 505887.182 N 5441752.881 El 22.516		0.9995999	0.9999995	796789 359125 46888	79H9860 84H9473 79H9868	TERR TERR TERR	11 31 28 76 30 53 191 41 55	257.759 85.928 149.973	257.862 85.963 150.033
				CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
263608	79H9863	E 495184.172 N 5427743.937 El 41.987		0.9995968	0.9999965	761403 425363	79H9895 79H9838	TERR TERR	90 5 8 287 51 6	156.953 204.887	157.016 204.970
				CVD28GVRD2018							
7534	79H9864	E 507408.591 N 5441936.582 El 79.837		0.9995912	0.9999905	505412 37663	79H9844 79H9846	TERR TERR	79 27 18 292 28 32	103.279 189.893	103.322 189.971
				CVD28GVRD2018							
558973	79H9865	E 495326.580 N 5427860.521 El 15.441		0.9996010	1.0000007	761403 489708	79H9895 79H9841	TERR TERR	172 54 9 330 54 22	117.720 94.465	117.767 94.503
				CVD28GVRD2018							
69286	79H9866	E 507811.630 N 5441780.875 El 74.083		0.9995922	0.9999914						
				CVD28GVRD2018			MARKER DESTROYED				
665042	79H9867	E 506157.763 N 5446162.411 El 58.175		0.9995944	0.9999939						
				CVD28GVRD2018			MARKER DESTROYED				
46888	79H9868	E 505856.773 N 5441606.023 El 26.625		0.9995993	0.9999989	382119 405308	79H9862 79H9884	TERR TERR	11 41 55 195 30 50	149.973 172.962	150.033 173.031
				CVD28GVRD2018							
445866	79H9869	E 507233.802 N 5441574.522 El 72.647		0.9995923	0.9999917	722918 952952	9344 79H9889	TERR TERR	123 38 53 301 0 7	165.551 228.260	165.619 228.353
				CVD28GVRD2018							
588889	79H9870	E 507753.099 N 5441864.640 El 78.443		0.9995915	0.9999907	870584 206920 541458	82H5420 87H3497 79H9875	TERR TERR TERR	0 14 18 144 10 15 275 26 3	88.694 107.727 134.085	88.730 107.770 134.139
				CVD28GVRD2018							
592139	79H9871	E 505738.852 N 5445105.706 El 67.560		0.9995928	0.9999924						
				CVD28GVRD2018			MARKER DESTROYED				

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
143370	79H9872	E 504646.330 N 5444721.122 El 39.101		0.9995972	0.9999969		MARKER ISOLATED				
732685	79H9873	E 505815.576 N 5443952.266 El 78.899		0.9995911	0.9999907	519405 591933	9313 79H9916	TERR TERR	88 37 59 274 29 33	224.791 252.998	224.883 253.102
520973	79H9874	E 506958.698 N 5444389.594 El 101.557		0.9995877	0.9999871		MARKER DESTROYED				
541458	79H9875	E 507619.617 N 5441877.338 El 82.681		0.9995908	0.9999901	588889 121822 566661	79H9870 79H9909 79H9882	TERR TERR TERR	95 26 3 184 33 25 269 4 55	134.085 89.086 76.330	134.139 89.123 76.361
898106	79H9876	E 505905.927 N 5442158.745 El 9.924		0.9996019	1.0000015	511071 796789	80H1284 79H9860	TERR TERR	15 1 0 167 56 26	143.488 156.762	143.545 156.824
236075	79H9877	E 505292.690 N 5444122.571 El 64.208		0.9995933	0.9999930		MARKER DESTROYED				
986604	79H9878	E 506422.404 N 5441831.522 El 61.084		0.9995940	0.9999935		MARKER DESTROYED				
876094	79H9879	E 507233.470 N 5442343.336 El 71.798		0.9995924	0.9999918		MARKER DESTROYED				
883462	79H9880	E 506882.204 N 5444603.279 El 102.841		0.9995875	0.9999869	600775	80H1336	TERR	268 10 7	99.033	99.073

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
171082	79H9881	E 507659.861 N 5441437.469 El 77.409		0.9995916	0.9999909	619148 345025	79H9883 79H9852	TERR TERR	44 22 46 260 17 33	120.631 79.599	120.681 79.632
				CVD28GVRD2018							
566661	79H9882	E 507543.297 N 5441876.115 El 81.612		0.9995909	0.9999902	541458 505412	79H9875 79H9844	TERR TERR	89 4 55 337 19 5	76.330 86.021	76.361 86.056
				CVD28GVRD2018							
619148	79H9883	E 507744.231 N 5441523.687 El 76.036		0.9995919	0.9999911	161182 171082	78H8591 79H9881	TERR TERR	71 12 2 224 22 46	76.855 120.631	76.887 120.681
				CVD28GVRD2018							
405308	79H9884	E 505810.511 N 5441439.363 El 23.215		0.9995998	0.9999994	46888 612895 635797	79H9868 83H6505 79H9848	TERR TERR TERR	15 30 50 168 28 43 231 15 53	172.962 139.425 179.664	173.031 139.482 179.735
				CVD28GVRD2018							
612762	79H9885	E 496077.828 N 5436788.904 El 1.635		0.9996030	1.0000028	54726	87H3174	TERR	355 10 2	113.152	113.197
				CVD28GVRD2018							
936971	79H9886	E 506034.078 N 5445541.616 El 62.027		0.9995937	0.9999933	225177	79H9928	TERR	90 21 52	80.510	80.542
				CVD28GVRD2018							
859868	79H9887	E 496077.519 N 5437013.819 El .975		0.9996031	1.0000029	54726 671636	87H3174 79H9932	TERR TERR	184 42 4 269 25 17	112.544 116.550	112.589 116.596
				CVD28GVRD2018							
167668	79H9888	E 495872.723 N 5437644.402 El 1.407		0.9996031	1.0000029	242446 668129	79H9892 79H9890	TERR TERR	5 12 5 97 14 47	110.338 154.786	110.382 154.848
				CVD28GVRD2018							
952952	79H9889	E 507038.149 N 5441692.091 El 69.964		0.9995927	0.9999921	445866 298497	79H9869 79H9835	TERR TERR	121 0 7 297 0 42	228.260 161.701	228.353 161.767
				CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
668129	79H9890	E 496026.273 N 5437624.878 El 1.212		0.9996031	1.0000029	397414 167668	79H9891 79H9888	TERR TERR	4 13 40 277 14 47	96.740 154.786	96.779 154.848
					CVD28GVRD2018						
397414	79H9891	E 496033.405 N 5437721.355 El 1.135		0.9996031	1.0000029	668129 242446	79H9890 79H9892	TERR TERR	184 13 40 282 19 41	96.740 154.236	96.779 154.297
					CVD28GVRD2018						
242446	79H9892	E 495882.726 N 5437754.286 El 1.287		0.9996031	1.0000029	397414 167668 474205	79H9891 79H9888 84H0339	TERR TERR TERR	102 19 41 185 12 5 358 38 48	154.236 110.338 99.157	154.297 110.382 99.196
					CVD28GVRD2018						
939439	79H9893	E 506020.047 N 5445295.660 El 65.683		0.9995932	0.9999927	47969	79H9926	TERR	92 46 51	155.352	155.415
					CVD28GVRD2018						
965400	79H9894	E 506175.581 N 5445210.974 El 72.905		0.9995921	0.9999916	698191 47969	6936 79H9926	TERR TERR	90 21 59 359 43 44	213.451 77.150	213.539 77.181
					CVD28GVRD2018						
761403	79H9895	E 495341.125 N 5427743.703 El 27.489		0.9995991	0.9999988	263608 558973	79H9863 79H9865	TERR TERR	270 5 8 352 54 9	156.953 117.720	157.016 117.767
					CVD28GVRD2018						
562710	79H9896	E 496097.485 N 5437777.474 El 1.319		0.9996031	1.0000029	474205	84H0339	TERR	289 16 47	230.000	230.091
					CVD28GVRD2018						
455410	79H9897	E 495835.001 N 5438074.070 El 1.424		0.9996031	1.0000029	81497 525048	79H9898 84H0337	TERR TERR	110 29 19 178 29 11	209.129 88.436	209.212 88.471
					CVD28GVRD2018						
81497	79H9898	E 496030.901 N 5438000.870 El 1.428		0.9996030	1.0000029	822338 455410	84H0336 79H9897	TERR TERR	182 9 45 290 29 19	109.792 209.129	109.835 209.212
					CVD28GVRD2018						

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
714238	79H9899	E N El	498142.815 5442665.396 3.187	0.9996026	1.0000025		MARKER DESTROYED				
724187	79H9900	E N El	507825.923 5440187.873 65.953	0.9995935	0.9999927	350512	79H9901	TERR	91 29 42	104.569	104.611
350512	79H9901	E N El	507930.456 5440185.145 66.234	0.9995934	0.9999927	154922 724187	79H9902 79H9900	TERR TERR	0 28 38 271 29 42	253.850 104.569	253.953 104.611
154922	79H9902	E N El	507932.570 5440438.986 68.139	0.9995931	0.9999924	350512	79H9901	TERR	180 28 38	253.850	253.953
430116	79H9903	E N El	507590.770 5443042.168 87.595	0.9995900	0.9999893	374223 44099 120519 590133	79H9934 6923 82H5429 6924	TERR TERR TERR TERR	0 5 17 89 37 8 178 25 3 269 31 37	202.650 140.094 132.928 205.492	202.734 140.151 132.982 205.576
876995	79H9904	E N El	505833.919 5440819.387 21.392	0.9996001	0.9999997		MARKER DESTROYED				
861062	79H9905	E N El	507665.985 5441667.993 77.761	0.9995916	0.9999909	206920 719302	87H3497 79H9906	TERR TERR	53 57 2 232 8 22	185.742 139.699	185.818 139.756
719302	79H9906	E N El	507555.692 5441582.254 74.442	0.9995921	0.9999914	861062 727180	79H9905 79H9907	TERR TERR	52 8 22 279 2 15	139.699 96.269	139.756 96.308
727180	79H9907	E N El	507460.618 5441597.376 73.538	0.9995922	0.9999915	719302 423780	79H9906 79H9908	TERR TERR	99 2 15 352 24 10	96.269 201.361	96.308 201.442

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
423780	79H9908	E 507433.996 N 5441796.969 El 77.572		0.9995916	0.9999909	121822 727180	79H9909 79H9907	TERR TERR	92 42 17 172 24 10	178.742 201.361	178.816 201.442
				CVD28GVRD2018							
121822	79H9909	E 507612.539 N 5441788.534 El 79.058		0.9995914	0.9999906	541458 423780	79H9875 79H9908	TERR TERR	4 33 25 272 42 17	89.086 178.742	89.123 178.816
				CVD28GVRD2018							
96834	79H9910	E 505585.802 N 5444807.001 El 71.518		0.9995922	0.9999918	425587	9297	TERR	92 4 29	190.920	190.998
				CVD28GVRD2018							
949743	79H9911	E 507832.618 N 5440926.147 El 82.544		0.9995909	0.9999901	81836 172338	92H0592 79H9912	TERR TERR	193 54 47 352 53 26	191.225 165.270	191.303 165.337
				CVD28GVRD2018							
172338	79H9912	E 507812.163 N 5441090.146 El 86.269		0.9995903	0.9999895	949743	79H9911	TERR	172 53 26	165.270	165.337
				CVD28GVRD2018							
577890	79H9913	E 506118.580 N 5445627.773 El 65.738		0.9995932	0.9999927	901645 225177	80H1335 79H9928	TERR TERR	37 59 26 182 38 19	113.522 86.761	113.568 86.796
				CVD28GVRD2018							
387852	79H9914	E 506202.088 N 5441608.680 El 48.136		0.9995960	0.9999955	203372 211102 593293	78H8579 9319 9312	TERR TERR TERR	42 58 37 132 7 32 226 48 57	217.403 85.262 137.241	217.491 85.296 137.296
				CVD28GVRD2018							
518555	79H9915	E 507989.032 N 5441035.718 El 89.119		0.9995899	0.9999891	860387	82H5390	TERR	0 54 10	227.579	227.673
				CVD28GVRD2018							
591933	79H9916	E 505563.355 N 5443972.083 El 70.512		0.9995924	0.9999920	561498 732685 733733 168344	84H9492 79H9873 78H8577 9346	TERR TERR TERR TERR	0 58 2 94 29 33 176 1 58 259 17 15	274.051 252.998 154.976 107.365	274.163 253.102 155.040 107.409
				CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
242362	79H9917	E 507614.508 N 5440435.533 El 65.366		0.9995935	0.9999928	184051 843292	79H9918 82H5383	TERR TERR	0 11 40 73 54 23	212.397 158.716	212.483 158.781
					CVD28GVRD2018						
184051	79H9918	E 507615.229 N 5440647.929 El 71.429		0.9995926	0.9999918	292227 242362	79H9919 79H9917	TERR TERR	95 32 48 180 11 40	166.090 212.397	166.158 212.483
					CVD28GVRD2018						
292227	79H9919	E 507780.541 N 5440631.875 El 72.780		0.9995924	0.9999916	81836 843292 184051	92H0592 82H5383 79H9918	TERR TERR TERR	3 12 42 185 4 40 275 32 48	108.828 152.945 166.090	108.873 153.007 166.158
					CVD28GVRD2018						
181289	79H9920	E 495098.215 N 5436822.631 El .936		0.9996032	1.0000029	682278 987438	79H9921 79H9924	TERR TERR	255 8 35 321 32 17	106.332 78.633	106.374 78.664
					CVD28GVRD2018						
682278	79H9921	E 494995.438 N 5436795.367 El 1.122		0.9996032	1.0000029	181289 674572	79H9920 79H9922	TERR TERR	75 8 35 270 31 15	106.332 282.506	106.374 282.617
					CVD28GVRD2018						
674572	79H9922	E 494712.944 N 5436797.935 El .938		0.9996033	1.0000029	682278 470815 23549	79H9921 84H0446 83H6509	TERR TERR TERR	90 31 15 272 20 1 357 49 28	282.506 196.107 166.564	282.617 196.185 166.631
					CVD28GVRD2018						
719096	79H9923	E 494799.625 N 5436878.743 El .821		0.9996033	1.0000029	987438	79H9924	TERR	88 44 51	249.741	249.840
					CVD28GVRD2018						
987438	79H9924	E 495049.306 N 5436884.202 El 1.038		0.9996032	1.0000029	449355 181289 719096	79H9925 79H9920 79H9923	TERR TERR TERR	22 19 41 141 32 17 268 44 51	80.148 78.633 249.741	80.180 78.664 249.840
					CVD28GVRD2018						
449355	79H9925	E 495079.755 N 5436958.341 El .888		0.9996032	1.0000029	987438 735647	79H9924 83H6508	TERR TERR	202 19 41 265 52 3	80.148 110.295	80.180 110.338
					CVD28GVRD2018						

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
47969	79H9926	E	506175.216	0.9995922	0.9999917	513259	82H5547	TERR	89 30 31	124.271	124.321
		N	5445288.123			965400	79H9894	TERR	179 43 44	77.150	77.181
		El	72.199	CVD28GVRD2018		939439	79H9893	TERR	272 46 51	155.352	155.415
749515	79H9927	E	505928.850	0.9996016	1.0000012	852020	79H9851	TERR	9 23 11	129.141	129.193
		N	5442631.083			487009	9354	TERR	166 57 4	94.848	94.886
		El	11.757	CVD28GVRD2018							
225177	79H9928	E	506114.586	0.9995930	0.9999926	577890	79H9913	TERR	2 38 19	86.761	86.796
		N	5445541.104			473496	82H5550	TERR	91 5 16	187.249	187.326
		El	66.637	CVD28GVRD2018		936971	79H9886	TERR	270 21 52	80.510	80.542
760157	79H9929	E	507352.899	0.9995897	0.9999890	40899	84H9472	TERR	86 36 39	154.224	154.287
		N	5441201.946			375675	84H9471	TERR	231 48 54	141.415	141.473
		El	89.651	CVD28GVRD2018							
565390	79H9930	E	495333.893	0.9996031	1.0000029	863951	9306	TERR	192 46 23	170.466	170.534
		N	5437057.535								
		El	1.293	CVD28GVRD2018							
607598	79H9931	E	495967.668	0.9996030	1.0000028		MARKER DESTROYED				
		N	5437491.081								
		El	1.756	CVD28GVRD2018							
671636	79H9932	E	495960.975	0.9996030	1.0000028	288688	92H0591	TERR	0 55 16	465.499	465.684
		N	5437012.642			859868	79H9887	TERR	89 25 17	116.550	116.596
		El	1.596	CVD28GVRD2018							
527473	79H9933	E	495960.296	0.9996031	1.0000029		MARKER DESTROYED				
		N	5436788.609								
		El	1.297	CVD28GVRD2018							
374223	79H9934	E	507591.081	0.9995892	0.9999885	993402	78H8552	TERR	1 19 46	263.718	263.826
		N	5443244.818			430116	79H9903	TERR	180 5 17	202.650	202.734
		El	92.974	CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
496018	80H1252	E	505886.919	0.9996030	1.0000025	820860	88H4275	TERR	62 58 42	463.333	463.517
		N	5436554.298			895623	80H1253	TERR	241 32 24	592.407	592.642
		El	3.462	CVD28GVRD2018							
895623	80H1253	E	505366.104	0.9996029	1.0000026	496018	80H1252	TERR	61 32 24	592.407	592.642
		N	5436271.990			773929	83H6496	TERR	246 20 3	660.679	660.942
		El	3.278	CVD28GVRD2018							
533059	80H1255	E	504350.341	0.9996028	1.0000025	773929	83H6496	TERR	70 43 44	435.021	435.193
		N	5435863.218			770172	80H1256	TERR	245 47 48	615.014	615.258
		El	3.468	CVD28GVRD2018							
770172	80H1256	E	503789.390	0.9996027	1.0000025	533059	80H1255	TERR	65 47 48	615.014	615.258
		N	5435611.076			762716	80H1257	TERR	253 29 20	687.708	687.981
		El	3.412	CVD28GVRD2018							
17939	80H1258	E	502317.797	0.9996026	1.0000026	762716	80H1257	TERR	76 51 27	834.090	834.421
		N	5435225.979			756023	80H1259	TERR	255 29 28	852.186	852.525
		El	3.278	CVD28GVRD2018							
756023	80H1259	E	501492.789	0.9996026	1.0000026	17939	80H1258	TERR	75 29 28	852.186	852.525
		N	5435012.479			289603	6906	TERR	359 46 38	295.932	296.050
		El	3.329	CVD28GVRD2018							
39248	80H1260	E	500883.123	0.9996026	1.0000026	752360	80H1261	TERR	257 0 44	635.111	635.364
		N	5434885.821								
		El	3.221	CVD28GVRD2018							
752360	80H1261	E	500264.259	0.9996026	1.0000026	39248	80H1260	TERR	77 0 44	635.111	635.364
		N	5434743.084			914127	80H1262	TERR	260 39 39	634.927	635.179
		El	3.388	CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid			UTM Grid		Ground	
GCM-NO	TABLET MARKING	Coordinates		Combined	Ellipsoidal	GCM-NO	TABLET MARKING		Bearing	Distance		Distance		Distance	
		Metres									Metres		Metres		Metres
914127	80H1262	E	499637.748	0.9996026	1.0000026	531079	6902	GPS	4	46	2	2831.301	2832.426		
		N	5434640.050			172312	6905	GPS	57	1	8	2209.580	2210.458		
		E1	2.842			CVD28GVRD2018	762716	80H1257	GPS	77	28	44	3577.377	3578.799	
							752360	80H1261	TERR	80	39	39	634.927	635.179	
							693275	NO MARKING	GPS	87	13	34	22891.729	22900.844	
							430900		87H3190	GPS	202	2	55	7180.477	7183.330
							630830		87H3184	GPS	216	43	42	8334.226	8337.570
							446658		80H1267	GPS	236	33	40	2932.247	2933.412
							137653		80H1263	TERR	251	38	23	825.407	825.735
							703199		6846	GPS	273	46	22	6655.359	6658.002
							869792	NO MARKING	GPS	298	27	34	11799.263	11803.958	
							991802		88H4194	GPS	302	6	20	3564.251	3565.668
							752949		88H4209	GPS	308	34	30	4038.200	4039.805
							247494		78H8494	GPS	334	19	59	16437.357	16443.881
							274696		78H8518	GPS	345	41	13	12273.001	12277.877
							829762		02H2412	GPS	356	38	9	10012.134	10016.114
137653	80H1263	E	498854.359	0.9996026	1.0000026	914127	80H1262	TERR	71	38	23	825.407	825.735		
		N	5434380.054			247270	80H1264	TERR	243	37	55	693.471	693.747		
		E1	3.194			CVD28GVRD2018									
247270	80H1264	E	498233.036	0.9996026	1.0000026	137653	80H1263	TERR	63	37	55	693.471	693.747		
		N	5434072.060			79962	80H1265	TERR	230	31	19	554.471	554.691		
		E1	3.348			CVD28GVRD2018	428581	6896	TERR	359	48	35	968.926	969.312	
79962	80H1265	E	497805.058	0.9996026	1.0000026	247270	80H1264	TERR	50	31	19	554.471	554.691		
		N	5433719.537			477364	80H1266	TERR	227	21	2	555.961	556.182		
		E1	3.416			CVD28GVRD2018									
477364	80H1266	E	497396.141	0.9996027	1.0000026	79962	80H1265	TERR	47	21	2	555.961	556.182		
		N	5433342.868			446658	80H1267	TERR	212	47	28	379.028	379.178		
		E1	3.226			CVD28GVRD2018									
235929	80H1268	E	496612.925	0.9996027	1.0000026	446658	80H1267	TERR	86	0	48	579.345	579.575		
		N	5432983.959			448001	80H1269	TERR	198	41	53	1022.297	1022.703		
		E1	3.131			CVD28GVRD2018	56663	92H0578	TERR	359	51	49	444.148	444.325	
448001	80H1269	E	496285.197	0.9996027	1.0000026	235929	80H1268	TERR	18	41	53	1022.297	1022.703		
		N	5432015.617			248427	80H1270	TERR	191	10	50	689.920	690.195		
		E1	3.394			CVD28GVRD2018	150003	88H4189	TERR	270	4	28	1304.445	1304.963	

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
431460	80H1279	E 489810.327 N 5435270.191 El 1.536		0.9996041	1.0000028	402412 212407	88H4215 80H1278	TERR TERR	65 21 2 259 11 58	355.176 453.305	355.317 453.485
				CVD28GVRD2018							
511071	80H1284	E 505943.105 N 5442297.333 El 19.927		0.9996003	0.9999999	799270 898106	9352 79H9876	TERR TERR	61 11 16 195 1 0	111.091 143.488	111.135 143.545
				CVD28GVRD2018							
236174	80H1285	E 496114.612 N 5439949.088 El 1.436		0.9996030	1.0000028	744615 682492	80H1345 92H0571	TERR TERR	67 45 39 94 44 21	256.176 524.445	256.277 524.653
				CVD28GVRD2018							
458471	80H1286	E 504906.045 N 5445471.718 El 25.928		0.9995993	0.9999990		MARKER DESTROYED				
				CVD28GVRD2018							
626564	80H1287	E 497146.417 N 5428401.235 El 1.317		0.9996030	1.0000029	977868 183806 564781	92H0568 87H3189 92H0547	TERR TERR TERR	97 32 47 174 51 25 266 9 8	129.879 419.310 201.257	129.931 419.477 201.337
				CVD28GVRD2018							
61739	80H1288	E 503887.165 N 5444536.744 El 4.062		0.9996026	1.0000024		MARKER DESTROYED				
				CVD28GVRD2018							
252312	80H1289	E 494008.962 N 5437481.469 El 1.977		0.9996032	1.0000028		MARKER DESTROYED				
				CVD28GVRD2018							
27631	80H1290	E 493848.239 N 5437667.953 El 1.739		0.9996033	1.0000028	995605 434969	6809 83H6502	TERR TERR	38 43 20 316 1 38	91.941 107.612	91.977 107.655
				CVD28GVRD2018							
966663	80H1291	E 493519.213 N 5436763.775 El .804		0.9996035	1.0000030	681700 156117	9320 84H0411	TERR TERR	179 15 40 266 5 12	165.719 161.652	165.784 161.716
				CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
892109	80H1292	E N El	494106.518 5438256.894 3.045	0.9996030	1.0000026		MARKER ISOLATED				
43802	80H1295	E N El	495229.808 5437622.092 1.238	0.9996032	1.0000029	173062 943449 121343	92H0589 84H0363 6819	TERR TERR TERR	0 8 13 90 26 57 178 4 42	204.848 121.451 133.813	204.929 121.498 133.866
460840	80H1297	E N El	495372.153 5440032.093 3.045	0.9996029	1.0000026	943175 144501	88H4176 84H0373	TERR TERR	138 28 27 226 57 20	827.368 120.563	827.697 120.610
106641	80H1298	E N El	495749.212 5440637.040 3.088	0.9996028	1.0000026	865956	80H1299	TERR	26 2 56	850.559	850.897
865956	80H1299	E N El	496122.724 5441401.199 3.249	0.9996027	1.0000025	839639 106641	80H1300 80H1298	TERR TERR	37 11 56 206 2 56	455.976 850.559	456.157 850.897

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
839639	80H1300	E	496398.400	0.9996027	1.0000025	274696	78H8518	GPS	2 27 52	4772.096	4773.992
		N	5441764.403			49908	02H2413	GPS	6 1 32	2009.878	2010.677
		El	3.324			243790	86H2446	TERR	48 26 40	506.747	506.949
						898734	NO MARKING	GPS	62 55 14	15495.780	15502.054
						675850	84H0394	GPS	63 47 8	3300.002	3301.314
						252569	92H0596	GPS	96 38 7	9064.871	9068.482
						607093	5893	GPS	109 30 47	12311.868	12316.759
						995365	6910	GPS	113 36 39	9107.191	9110.810
						531079	6902	GPS	141 4 42	5530.615	5532.813
						528505	92H0579	GPS	175 23 22	2882.265	2883.410
						991802	88H4194	GPS	177 35 22	5234.649	5236.728
						549881	80H1344	TERR	180 37 8	695.182	695.458
						703199	6846	GPS	206 57 50	7501.959	7504.937
						546150	84H0346	GPS	207 23 38	5546.190	5548.393
						737197	84H0431	GPS	212 4 7	3701.207	3702.677
						865956	80H1299	TERR	217 11 56	455.976	456.157
						80101	02H2443	GPS	253 58 57	3458.285	3459.658
						869792	NO MARKING	GPS	258 6 50	7290.341	7293.241
						51441	02H2453	GPS	274 4 15	3026.204	3027.406
						918169	14H2752	GPS	290 55 52	1495.161	1495.755
						174268	V-2982	GPS	318 37 24	15296.258	15302.331
						619213	94H1624	GPS	320 57 36	4876.798	4878.735
						237198	V-3426	GPS	331 59 41	18091.616	18098.806
						832238	02H2457	GPS	334 26 29	3324.146	3325.467
859470	80H1301	E	497445.342	0.9996030	1.0000029	167072	6803	TERR	0 28 5	573.798	574.026
		N	5439897.208			682492	92H0571	TERR	270 36 23	808.123	808.445
		El	1.089								
855452	80H1302	E	497498.692	0.9996026	1.0000025	468819	6804	TERR	180 15 51	793.220	793.536
		N	5442513.393			243790	86H2446	TERR	240 12 28	830.906	831.237
		El	3.544								
424499	80H1308	E	504755.447	0.9996031	1.0000028	535740	6911	TERR	0 14 42	606.306	606.547
		N	5436864.136			970434	6913	TERR	179 42 17	660.401	660.663
		El	1.655								
997031	80H1309	E	503133.387	0.9996030	1.0000029	105122	88H4200	TERR	179 46 36	687.670	687.943
		N	5436523.935			269191	88H4201	TERR	359 53 13	522.783	522.990
		El	.949								

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER ----- GCM-NO	IDENTIFIERS ----- TABLET MARKING	UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS ----- GCM-NO		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
308171	80H1310	E 499874.488 N 5436602.308 El 1.747	0.9996028	1.0000028	MARKER DESTROYED					
246082	80H1312	E 498859.391 N 5436613.144 El 1.401	0.9996029	1.0000029	441519 73643	88H4198 88H4197	TERR TERR	90 22 8 270 10 40	407.272 620.883	407.434 621.130
736926	80H1314	E 499915.995 N 5443780.910 El 3.529	0.9996025	1.0000025	556043 552760	80H1315 84H0391	TERR TERR	51 28 5 229 28 42	395.443 128.497	395.600 128.549
556043	80H1315	E 500225.335 N 5444027.251 El 3.546	0.9996025	1.0000025	112987 736926	80H1316 80H1314	TERR TERR	63 57 1 231 28 5	339.782 395.443	339.917 395.600
112987	80H1316	E 500530.600 N 5444176.466 El 3.592	0.9996025	1.0000025	944306 556043	80H1317 80H1315	TERR TERR	69 46 10 243 57 1	395.972 339.782	396.129 339.917
944306	80H1317	E 500902.144 N 5444313.392 El 3.670	0.9996025	1.0000025	477596 112987	80H1318 80H1316	TERR TERR	70 49 53 249 46 10	475.436 395.972	475.625 396.129
477596	80H1318	E 501351.220 N 5444469.502 El 3.687	0.9996025	1.0000025	13037 944306	80H1319 80H1317	TERR TERR	73 42 48 250 49 53	453.366 475.436	453.546 475.625
13037	80H1319	E 501786.392 N 5444596.646 El 3.697	0.9996025	1.0000025	910687 195156 477596	92H0557 80H1320 80H1318	TERR TERR TERR	16 20 48 80 25 33 253 42 48	861.880 408.420 453.366	862.222 408.582 453.546

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
195156	80H1320	E 502189.123 N 5444664.577 El 3.019		0.9996026	1.0000026	838037 177238 841734 732727 815746 675850 13037 829762 274696 47092	02H2423 88H4212 6966 87H3188 84H9508 84H0394 80H1319 02H2412 78H8518 02H2454	GPS GPS GPS TERR GPS GPS TERR GPS GPS GPS	7 34 45 38 5 33 77 57 5 93 58 52 106 7 37 242 59 35 260 25 33 269 27 32 288 29 14 324 41 59	2470.008 2426.113 4548.969 214.904 3202.893 3176.532 408.420 3139.051 5889.455 5404.860	2470.989 2427.079 4550.809 214.989 3204.174 3177.795 408.582 3140.299 5891.795 5407.008
780379	80H1321	E 502788.866 N 5444532.010 El 3.786		0.9996025	1.0000024		MARKER DESTROYED				
929323	80H1322	E 503037.823 N 5444500.277 El 3.966		0.9996025	1.0000024	252932	80H1325	TERR	103 21 12	398.000	398.158
252932	80H1325	E 503425.063 N 5444408.357 El 4.062		0.9996025	1.0000024	583807 929323	80H1326 80H1322	TERR TERR	78 36 28 283 21 12	179.036 398.000	179.108 398.158
583807	80H1326	E 503600.572 N 5444443.721 El 3.805		0.9996026	1.0000024	252932	80H1325	TERR	258 36 28	179.036	179.108
559419	80H1327	E 499729.233 N 5443591.272 El 3.301		0.9996025	1.0000025		MARKER DESTROYED				
781567	80H1328	E 504274.259 N 5444847.240 El 5.745		0.9996023	1.0000021		MARKER DESTROYED				
304998	80H1329	E 504650.861 N 5445287.599 El 16.876		0.9996006	1.0000004		MARKER DESTROYED				

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
756890	80H1330	E N El	504737.248 5445321.459 16.657	0.9996007	1.0000004		MARKER ISOLATED				
250423	80H1331	E N El	505231.773 5445799.115 30.223	0.9995986	0.9999983		MARKER ISOLATED				
539650	80H1332	E N El	505486.112 5445872.568 37.767	0.9995975	0.9999971		MARKER DESTROYED				
826677	80H1333	E N El	505934.713 5445920.815 43.428	0.9995966	0.9999962	937177	80H1334	TERR	52 56 16	122.836	122.887
937177	80H1334	E N El	506032.734 5445994.846 52.848	0.9995952	0.9999947	370767 984492 826677	82H5510 79H9847 80H1333	TERR TERR TERR	29 53 21 128 21 39 232 56 16	96.735 201.499 122.836	96.774 201.581 122.887
901645	80H1335	E N El	506188.456 5445717.241 70.369	0.9995925	0.9999920	577890	79H9913	TERR	217 59 26	113.522	113.568
600775	80H1336	E N El	506783.222 5444600.114 99.227	0.9995880	0.9999875	554402 883462	92H0572 79H9880	TERR TERR	0 11 33 88 10 7	198.659 99.033	198.741 99.073
504571	80H1337	E N El	506782.945 5444381.206 95.341	0.9995886	0.9999881		MARKER DESTROYED				
907782	80H1338	E N El	505582.582 5443512.458 40.643	0.9995970	0.9999967	916619 677567 453779	79H9857 87H2621 78H8582	TERR TERR TERR	85 21 50 150 44 15 336 32 25	96.267 211.321 58.814	96.306 211.406 58.838

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
36517	80H1339	E	506981.476	0.9995912	0.9999906	406025	6927	TERR	0 36 6	190.721	190.799
		N	5443373.216					TERR	180 38 4	337.002	337.139
		El	79.520					TERR	268 28 35	399.336	399.499
			CVD28GVRD2018				82H5448				
377028	80H1340	E	507054.456	0.9995892	0.9999886	181982	80H1341	TERR	175 0 22	135.886	135.942
		N	5441079.688					TERR	343 47 4	203.412	203.496
		El	92.282								
			CVD28GVRD2018				9341				
181982	80H1341	E	507066.285	0.9995900	0.9999894	377028	80H1340	TERR	355 0 22	135.886	135.942
		N	5440944.318								
		El	87.316								
			CVD28GVRD2018								
585950	80H1342	E	506702.229	0.9995928	0.9999922	230300	80H1343	TERR	1 19 5	214.957	215.044
		N	5446773.955					TERR	94 14 48	91.732	91.769
		El	68.676					TERR	307 22 22	100.185	100.226
			CVD28GVRD2018				82H5616				
230300	80H1343	E	506707.173	0.9995935	0.9999929	585950	80H1342	TERR	181 19 5	214.957	215.044
		N	5446988.855					TERR	270 15 24	71.669	71.698
		El	64.210								
			CVD28GVRD2018				78H8572				
549881	80H1344	E	496390.892	0.9996030	1.0000029	839639	80H1300	TERR	0 37 8	695.182	695.458
		N	5441069.262					TERR	96 51 39	256.240	256.341
		El	1.292					TERR	182 11 30	1023.967	1024.374
			CVD28GVRD2018				80H1345				
744615	80H1345	E	496351.731	0.9996029	1.0000027	549881	80H1344	TERR	2 11 30	1023.967	1024.374
		N	5440046.044					TERR	214 14 21	766.140	766.445
		El	2.296					TERR	247 45 39	256.176	256.277
			CVD28GVRD2018				80H1285				
949073	80H1346	E	488447.368	0.9996045	1.0000029	941930	6852	TERR	121 45 41	854.387	854.725
		N	5437727.868					TERR	284 27 16	580.110	580.339
		El	1.372								
			CVD28GVRD2018				88H4213				
882969	80H1347	E	507891.506	0.9995923	0.9999915	161182	78H8591	TERR	219 50 50	116.303	116.349
		N	5441637.746					TERR	331 38 5	158.595	158.659
		El	73.615								
			CVD28GVRD2018				87H3497				

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
345975	80H1348	E N El	506379.538 5445483.786 82.448	0.9995906	0.9999901		MARKER DESTROYED				
49585	80H1349	E N El	493792.148 5427948.680 63.876	0.9995936	0.9999931	137448 251918	6975 6868	TERR TERR	89 27 2 271 37 35	483.237 328.342	483.433 328.476
849349	82H5376	E N El	507803.589 5439930.776 61.084	0.9995942	0.9999935	425348	82H5377	TERR	271 59 50	207.395	207.479
425348	82H5377	E N El	507596.320 5439938.004 55.744	0.9995950	0.9999943	849349 136739	82H5376 82H5378	TERR TERR	91 59 50 316 19 43	207.395 89.136	207.479 89.171
136739	82H5378	E N El	507534.770 5440002.477 56.122	0.9995950	0.9999943	425348	82H5377	TERR	136 19 43	89.136	89.171
976886	82H5379	E N El	507529.281 5440185.787 59.534	0.9995944	0.9999937	599100	82H5381	TERR	90 9 35	197.979	198.059
599100	82H5381	E N El	507727.259 5440185.235 64.168	0.9995937	0.9999930	17145 297903 976886	82H5382 82H5467 82H5379	TERR TERR TERR	28 5 53 181 7 34 270 9 35	159.395 124.372 197.979	159.459 124.423 198.059
17145	82H5382	E N El	507802.331 5440325.844 66.285	0.9995934	0.9999927	599100 843292	82H5381 82H5383	TERR TERR	208 5 53 347 3 17	159.395 157.694	159.459 157.758
843292	82H5383	E N El	507767.004 5440479.530 67.444	0.9995932	0.9999925	292227 17145 242362	79H9919 82H5382 79H9917	TERR TERR TERR	5 4 40 167 3 17 253 54 23	152.945 157.694 158.716	153.007 157.758 158.781

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- UTM Coordinates Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
212654	82H5384	E N El	507787.508 5440742.336 77.086	0.9995917	0.9999910		MARKER DESTROYED				
385088	82H5385	E N El	507589.609 5440727.527 75.715	0.9995919	0.9999912	150680 81836 169375	82H5386 92H0592 82H5393	TERR TERR TERR	0 10 37 86 13 25 275 13 19	259.570 197.458 198.263	259.676 197.538 198.343
150680	82H5386	E N El	507590.410 5440987.096 82.117	0.9995909	0.9999902	385088 301721 32516	82H5385 84H9467 82H5387	TERR TERR TERR	180 10 37 267 29 28 359 20 6	259.570 92.859 221.999	259.676 92.897 222.090
32516	82H5387	E N El	507587.833 5441209.080 84.751	0.9995905	0.9999898	150680	82H5386	TERR	179 20 6	221.999	222.090
734731	82H5388	E N El	507657.531 5441267.479 85.598	0.9995903	0.9999896		MARKER DESTROYED				
488692	82H5389	E N El	507837.050 5441267.794 87.102	0.9995901	0.9999894	860387 363069	82H5390 82H5391	TERR TERR	91 39 58 356 50 7	155.634 144.802	155.698 144.861
860387	82H5390	E N El	507992.618 5441263.269 92.088	0.9995894	0.9999886	518555 488692	79H9915 82H5389	TERR TERR	180 54 10 271 39 58	227.579 155.634	227.673 155.698
363069	82H5391	E N El	507829.056 5441412.375 86.328	0.9995903	0.9999895	488692 161182	82H5389 78H8591	TERR TERR	176 50 7 354 55 52	144.802 136.613	144.861 136.670
810853	82H5392	E N El	499245.428 5443044.791 2.236	0.9996027	1.0000027	423475	82H5433	TERR	207 47 37	187.390	187.464

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
169375	82H5393	E 507392.169 N 5440745.572 El 79.162		0.9995913	0.9999906	385088 151597	82H5385 82H5394	TERR TERR	95 13 19 271 45 53	198.263 196.677	198.343 196.758
					CVD28GVRD2018						
151597	82H5394	E 507195.585 N 5440751.629 El 77.396		0.9995916	0.9999909	169375 329508	82H5393 84H9469	TERR TERR	91 45 53 357 58 38	196.677 232.045	196.758 232.139
					CVD28GVRD2018						
692715	82H5395	E 506915.656 N 5440963.848 El 80.236		0.9995911	0.9999905	386284	82H5396	TERR	318 29 25	106.377	106.420
					CVD28GVRD2018						
386284	82H5396	E 506845.155 N 5441043.508 El 78.296		0.9995914	0.9999908	692715 304527	82H5395 82H5397	TERR TERR	138 29 25 348 21 21	106.377 254.913	106.420 255.018
					CVD28GVRD2018						
304527	82H5397	E 506793.705 N 5441293.175 El 79.364		0.9995912	0.9999906	278101 386284	9341 82H5396	TERR TERR	95 5 25 168 21 21	204.756 254.913	204.839 255.018
					CVD28GVRD2018						
509489	82H5398	E 506191.745 N 5446269.910 El 55.412		0.9995948	0.9999943	491159	82H5625	TERR	348 26 8	169.309	169.377
					CVD28GVRD2018						
947432	82H5399	E 506463.341 N 5440956.836 El 47.058		0.9995962	0.9999957	959890 307629 114728	78H8564 84H9459 82H5400	TERR TERR TERR	151 21 23 238 19 6 334 45 54	129.853 113.473 123.695	129.904 113.519 123.745
					CVD28GVRD2018						
114728	82H5400	E 506410.606 N 5441068.726 El 47.319		0.9995961	0.9999956	947432	82H5399	TERR	154 45 54	123.695	123.745
					CVD28GVRD2018						
664540	82H5401	E 506606.358 N 5441309.337 El 61.298		0.9995940	0.9999934	205203 523746	78H8550 9334	TERR TERR	4 15 20 182 20 52	138.213 132.988	138.270 133.042
					CVD28GVRD2018						

Scale Factor at Reference Central Meridian = 0.9996

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
761924		82H5402	E	506658.089	0.9995934	0.9999928	496281	78H8562	TERR	14	18	6	231.742	231.836	
			N	5441596.003			225896	82H5403	TERR	109	50	26	184.423	184.499	
			E1	65.050	CVD28GVRD2018										
225896		82H5403	E	506831.565	0.9995931	0.9999926	80929	82H5405	TERR	59	38	15	89.240	89.276	
			N	5441533.409			761924	82H5402	TERR	289	50	26	184.423	184.499	
			E1	66.798	CVD28GVRD2018										
515189		82H5404	E	506818.916	0.9995935	0.9999929	308429	90H6222	GPS	3	32	41	2804.620	2805.769	
			N	5441624.860			420521	92H0871	GPS	20	15	43	3428.179	3429.582	
			E1	64.766	CVD28GVRD2018		298497	79H9835	TERR	28	7	8	159.496	159.561	
							182428	92H0872	GPS	35	36	46	2025.962	2026.791	
							80929	82H5405	TERR	117	20	10	100.919	100.960	
							102970	92H0875	GPS	126	28	18	1490.075	1490.683	
80929		82H5405	E	506908.565	0.9995933	0.9999927	225896	82H5403	TERR	239	38	15	89.240	89.276	
			N	5441578.517			515189	82H5404	TERR	297	20	10	100.919	100.960	
			E1	65.902	CVD28GVRD2018										
668707		82H5406	E	506474.839	0.9995940	0.9999935	779769	82H5407	TERR	36	10	30	126.241	126.292	
			N	5441863.778											
			E1	60.779	CVD28GVRD2018										
779769		82H5407	E	506549.353	0.9995946	0.9999941	668707	82H5406	TERR	216	10	30	126.241	126.292	
			N	5441965.682											
			E1	57.066	CVD28GVRD2018										
446682		82H5408	E	506682.589	0.9995939	0.9999933	331603	82H5436	TERR	1	56	48	196.743	196.823	
			N	5442338.687			361725	9299	TERR	89	12	6	292.633	292.752	
			E1	61.979	CVD28GVRD2018										
303396		82H5409	E	507328.925	0.9995921	0.9999914	115501	6971	TERR	91	57	35	132.355	132.410	
			N	5442362.430			669762	82H5410	TERR	180	8	31	152.172	152.233	
			E1	74.166	CVD28GVRD2018										
669762		82H5410	E	507328.548	0.9995916	0.9999909	303396	82H5409	TERR	0	8	31	152.172	152.233	
			N	5442210.259			814624	82H5414	TERR	136	24	16	152.901	152.964	
			E1	77.372	CVD28GVRD2018										

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET		MARKING					
877084		82H5411	E N El	507288.348 5442146.674 76.807	0.9995917	0.9999910	579888		82H5412	TERR	139	1	34	141.095	141.153
					CVD28GVRD2018										
579888		82H5412	E N El	507380.866 5442040.146 80.624	0.9995911	0.9999904	814624 877084		82H5414 82H5411	TERR TERR	41 319	48 1	52 34	79.669 141.095	79.702 141.153
					CVD28GVRD2018										
639864		82H5413	E N El	505765.410 5443181.873 27.538	0.9995991	0.9999987	852020 677567		79H9851 87H2621	TERR TERR	156 331	27 27	11 33	461.833 166.460	462.018 166.527
					CVD28GVRD2018										
814624		82H5414	E N El	507433.983 5442099.524 82.390	0.9995908	0.9999901	579888 669762		82H5412 82H5410	TERR TERR	221 316	48 24	52 16	79.669 152.901	79.702 152.964
					CVD28GVRD2018										
562405		82H5415	E N El	507588.647 5441981.201 82.870	0.9995908	0.9999900	600858		82H5416	TERR	61	19	53	88.962	88.999
					CVD28GVRD2018										
600858		82H5416	E N El	507666.703 5442023.880 80.506	0.9995911	0.9999904	219683 562405		82H5417 82H5415	TERR TERR	0 241	25 19	12 53	244.543 88.962	244.642 88.999
					CVD28GVRD2018										
219683		82H5417	E N El	507668.496 5442268.416 77.375	0.9995916	0.9999909	600858 794677		82H5416 82H5418	TERR TERR	180 268	25 59	12 6	244.543 79.710	244.642 79.743
					CVD28GVRD2018										
794677		82H5418	E N El	507588.799 5442267.004 78.070	0.9995915	0.9999908	219683		82H5417	TERR	88	59	6	79.710	79.743
					CVD28GVRD2018										
254318		82H5419	E N El	507764.282 5442281.193 76.925	0.9995917	0.9999910	870584 819516		82H5420 79H9837	TERR TERR	181 351	53 59	21 9	328.038 89.937	328.172 89.974
					CVD28GVRD2018										

Issued: 2021-MAY-03

Datum: NAD83 (CSRS)

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						Metres	Metres
870584	82H5420	E	507753.468	0.9995916	0.9999909	254318	82H5419	TERR	1	53	21	328.038	328.172		
		N	5441953.333			353490	82H5421	TERR	92	45	60	233.341	233.436		
		E1	77.397	CVD28GVRD2018		588889	79H9870	TERR	180	14	18	88.694	88.730		
353490	82H5421	E	507986.537	0.9995923	0.9999916	870584	82H5420	TERR	272	45	60	233.341	233.436		
		N	5441942.070												
		E1	73.211	CVD28GVRD2018											
386177	82H5422	E	507587.186	0.9995917	0.9999910	934851	82H5423	TERR	90	2	36	217.529	217.619		
		N	5442456.738			749184	82H5426	TERR	359	48	50	166.019	166.086		
		E1	76.742	CVD28GVRD2018											
934851	82H5423	E	507804.715	0.9995914	0.9999907	386177	82H5422	TERR	270	2	36	217.529	217.619		
		N	5442456.573			276543	82H5424	TERR	359	53	37	162.042	162.109		
		E1	78.911	CVD28GVRD2018											
521435	82H5425	E	507706.393	0.9995910	0.9999902	276543	82H5424	TERR	93	40	5	98.222	98.263		
		N	5442624.899			749184	82H5426	TERR	268	58	29	119.765	119.814		
		E1	81.649	CVD28GVRD2018											
749184	82H5426	E	507586.647	0.9995916	0.9999909	521435	82H5425	TERR	88	58	29	119.765	119.814		
		N	5442622.756			386177	82H5422	TERR	179	48	50	166.019	166.086		
		E1	77.626	CVD28GVRD2018		663385	82H5445	TERR	268	25	60	391.901	392.060		
192179	82H5427	E	507539.700	0.9995915	0.9999908	120519	82H5429	TERR	18	43	1	170.591	170.661		
		N	5442747.722			820399	9350	TERR	269	47	7	358.398	358.544		
		E1	78.191	CVD28GVRD2018											
177774	82H5428	E	499032.116	0.9996027	1.0000027	423475	82H5433	TERR	78	45	49	128.395	128.446		
		N	5442854.001			64196	82H5461	TERR	182	45	45	320.816	320.943		
		E1	2.387	CVD28GVRD2018		134981	84H0393	TERR	354	42	4	171.356	171.424		
120519	82H5429	E	507594.441	0.9995905	0.9999898	192179	82H5427	TERR	198	43	1	170.591	170.661		
		N	5442909.291			245324	82H5430	TERR	274	4	4	215.087	215.175		
		E1	84.263	CVD28GVRD2018		430116	79H9903	TERR	358	25	3	132.928	132.982		

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER ----- GCM-NO	IDENTIFIERS ----- TABLET MARKING	UTM Coordinates Metres	Station Scale Factor		TO MARKER ----- GCM-NO	IDENTIFIERS ----- TABLET MARKING	Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
245324	82H5430	E 507379.896 N 5442924.549 El 77.760	0.9995915	0.9999908	590133 120519	6924 82H5429	TERR TERR	2 39 42 94 4 4	116.047 215.087	116.095 215.175
3061	82H5431	E 507753.644 N 5442794.609 El 84.821	0.9995905	0.9999897	MARKER ISOLATED					
643510	82H5432	E 507887.714 N 5442787.109 El 84.963	0.9995905	0.9999897	MARKER DESTROYED					
423475	82H5433	E 499158.050 N 5442879.020 El 2.405	0.9996027	1.0000027	810853 177774	82H5392 82H5428	TERR TERR	27 47 37 258 45 49	187.390 128.395	187.464 128.446
811851	82H5434	E 499631.360 N 5442923.721 El 2.260	0.9996027	1.0000027	MARKER ISOLATED					
331603	82H5436	E 506689.272 N 5442535.316 El 62.199	0.9995938	0.9999933	446682 789206	82H5408 82H5437	TERR TERR	181 56 48 353 15 2	196.743 119.459	196.823 119.507
789206	82H5437	E 506675.232 N 5442653.947 El 62.312	0.9995938	0.9999933	331603 497545	82H5436 82H5438	TERR TERR	173 15 2 344 26 19	119.459 125.336	119.507 125.387
497545	82H5438	E 506641.608 N 5442774.689 El 61.308	0.9995940	0.9999934	56705 887349 789206	82H5442 82H5439 82H5437	TERR TERR TERR	2 23 1 90 43 21 164 26 19	175.744 99.206 125.336	175.815 99.247 125.387
887349	82H5439	E 506740.806 N 5442773.438 El 63.325	0.9995937	0.9999931	439596 497545	82H5440 82H5438	TERR TERR	0 40 59 270 43 21	95.059 99.206	95.097 99.247

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
439596	82H5440	E N El	506741.939 5442868.490 63.644	0.9995936	0.9999931	887349	82H5439	TERR	180 40 59	95.059	95.097
			CVD28GVRD2018								
744680	82H5441	E N El	506971.772 5442858.015 67.657	0.9995930	0.9999924		MARKER DESTROYED				
			CVD28GVRD2018								
56705	82H5442	E N El	506648.917 5442950.281 62.792	0.9995937	0.9999932	497545	82H5438	TERR	182 23 1	175.744	175.815
			CVD28GVRD2018								
437947	82H5443	E N El	506727.909 5443030.787 65.259	0.9995934	0.9999928	234930	82H5444	TERR	81 16 13	109.814	109.859
			CVD28GVRD2018								
234930	82H5444	E N El	506836.451 5443047.454 66.754	0.9995931	0.9999926	746990 437947 74914	6925 82H5443 82H5447	TERR TERR TERR	94 32 24 261 16 13 357 46 42	141.739 109.814 226.940	141.797 109.859 227.032
			CVD28GVRD2018								
663385	82H5445	E N El	507194.893 5442612.041 69.721	0.9995927	0.9999921	749184 302257 820399	82H5426 9298 9350	TERR TERR TERR	88 25 60 181 48 37 354 13 27	391.901 266.449 135.023	392.060 266.558 135.079
			CVD28GVRD2018								
449660	82H5446	E N El	499297.308 5442642.580 2.498	0.9996027	1.0000027		MARKER DESTROYED				
			CVD28GVRD2018								
74914	82H5447	E N El	506827.653 5443274.223 71.095	0.9995925	0.9999919	234930	82H5444	TERR	177 46 42	226.940	227.032
			CVD28GVRD2018								
585976	82H5448	E N El	506582.281 5443362.599 71.218	0.9995924	0.9999919	398735 36517 401224	82H5449 80H1339 78H8574	TERR TERR TERR	25 10 38 88 28 35 270 50 34	278.470 399.336 202.456	278.583 399.499 202.539
			CVD28GVRD2018								

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER ----- GCM-NO	IDENTIFIERS ----- TABLET MARKING	UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS ----- GCM-NO		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
398735	82H5449	E 506700.747 N 5443614.613 El 80.974	0.9995909	0.9999903	724542	82H5450 82H5448 82H5480	TERR TERR TERR	17 42 45 205 10 38 274 10 51	144.977 278.470 167.342	145.036 278.583 167.411
724542	82H5450	E 506744.855 N 5443752.717 El 83.715	0.9995905	0.9999899	398735	82H5449	TERR	197 42 45	144.977	145.036
94920	82H5451	E 506660.721 N 5443884.701 El 84.628	0.9995903	0.9999898	671800 792564	82H5454 82H5452	TERR TERR	90 54 23 348 5 2	228.328 92.870	228.421 92.908
792564	82H5452	E 506641.545 N 5443975.570 El 85.484	0.9995902	0.9999896	515841 94920 516666	82H5453 82H5451 82H5485	TERR TERR TERR	89 36 2 168 5 2 280 17 20	139.980 92.870 96.925	140.037 92.908 96.965
515841	82H5453	E 506781.522 N 5443976.546 El 89.499	0.9995896	0.9999890	966812 143115 792564	82H5492 6928 82H5452	TERR TERR TERR	0 25 6 88 18 1 269 36 2	203.681 206.374 139.980	203.765 206.459 140.037
671800	82H5454	E 506889.020 N 5443881.089 El 90.929	0.9995894	0.9999888	94920	82H5451	TERR	270 54 23	228.328	228.421
846774	82H5455	E 506980.835 N 5443797.144 El 91.747	0.9995892	0.9999886	MARKER DESTROYED					
127126	82H5456	E 507100.712 N 5443564.017 El 86.708	0.9995901	0.9999894	683136 406025	82H5457 6927	TERR TERR	181 2 5 269 57 20	78.798 117.233	78.831 117.281
683136	82H5457	E 507099.289 N 5443485.232 El 85.174	0.9995903	0.9999897	127126	82H5456	TERR	1 2 5	78.798	78.831

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
981266	82H5458	E 507192.637 N 5443843.127 El 94.418		0.9995889	0.9999882	750083	9324	TERR	0 12 32	150.769	150.831
					CVD28GVRD2018						
497933	82H5459	E 507180.349 N 5443252.935 El 81.721		0.9995909	0.9999902	182378	82H5460	TERR	95 22 31	199.602	199.683
					CVD28GVRD2018						
182378	82H5460	E 507379.073 N 5443234.237 El 86.722		0.9995901	0.9999894	30908	6926	TERR	1 34 38	279.697	279.812
						590133	6924	TERR	178 9 50	193.866	193.944
					CVD28GVRD2018	497933	82H5459	TERR	275 22 31	199.602	199.683
64196	82H5461	E 499016.654 N 5442533.558 El 2.159		0.9996027	1.0000027	177774	82H5428	TERR	2 45 45	320.816	320.943
					CVD28GVRD2018	715060	9332	TERR	252 46 38	210.820	210.904
535203	82H5463	E 507390.540 N 5443879.859 El 97.326		0.9995884	0.9999878	842682	82H5465	TERR	92 19 9	193.959	194.038
					CVD28GVRD2018	30908	6926	TERR	180 35 24	366.050	366.201
						242818	82H5464	TERR	354 22 16	91.115	91.153
242818	82H5464	E 507381.603 N 5443970.535 El 98.804		0.9995882	0.9999875	898734	NO MARKING	GPS	30 7 56	5605.373	5607.683
					CVD28GVRD2018	632240	78H8551	TERR	85 31 41	210.517	210.603
						6544	13H2686	GPS	165 30 21	2512.457	2513.489
						535203	82H5463	TERR	174 22 16	91.115	91.153
						750083	9324	TERR	277 4 3	189.859	189.937
842682	82H5465	E 507584.340 N 5443872.010 El 100.310		0.9995880	0.9999873	632240	78H8551	TERR	3 33 15	115.161	115.208
					CVD28GVRD2018	907907	82H5466	TERR	176 52 33	196.834	196.914
						535203	82H5463	TERR	272 19 9	193.959	194.038
907907	82H5466	E 507595.067 N 5443675.469 El 97.665		0.9995884	0.9999877	423509	82H5475	TERR	91 15 1	150.008	150.070
					CVD28GVRD2018	993402	78H8552	TERR	179 16 6	167.018	167.087
						842682	82H5465	TERR	356 52 33	196.834	196.914
297903	82H5467	E 507724.815 N 5440060.887 El 63.110		0.9995939	0.9999932	599100	82H5381	TERR	1 7 34	124.372	124.423
					CVD28GVRD2018						

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
750919	82H5468	E 507675.141 N 5443459.845 El 97.244		0.9995885	0.9999878	186478	82H5473	TERR	79 49 1	214.639	214.727
				CVD28GVRD2018							
969949	82H5469	E 507992.455 N 5443045.291 El 90.066		0.9995897	0.9999889	44099	6923	TERR	269 31 12	261.603	261.710
				CVD28GVRD2018							
328245	82H5470	E 507884.852 N 5443220.212 El 91.075		0.9995895	0.9999888		MARKER DESTROYED				
				CVD28GVRD2018							
703363	82H5471	E 507887.414 N 5443375.153 El 92.607		0.9995893	0.9999885	186478	82H5473	TERR	359 31 33	122.643	122.694
				CVD28GVRD2018							
777128	82H5472	E 506380.792 N 5443514.670 El 78.154		0.9995913	0.9999908		MARKER DESTROYED				
				CVD28GVRD2018							
186478	82H5473	E 507886.399 N 5443497.792 El 93.558		0.9995891	0.9999884	755884 703363 750919	82H5474 82H5471 82H5468	TERR TERR TERR	3 3 35 179 31 33 259 49 1	177.640 122.643 214.639	177.713 122.694 214.727
				CVD28GVRD2018							
755884	82H5474	E 507895.881 N 5443675.179 El 96.214		0.9995887	0.9999879	186478 423509 625889	82H5473 82H5475 82H5476	TERR TERR TERR	183 3 35 268 52 2 357 20 34	177.640 150.872 100.153	177.713 150.933 100.193
				CVD28GVRD2018							
423509	82H5475	E 507745.039 N 5443672.196 El 98.417		0.9995883	0.9999876	755884 907907	82H5474 82H5466	TERR TERR	88 52 2 271 15 1	150.872 150.008	150.933 150.070
				CVD28GVRD2018							
625889	82H5476	E 507891.238 N 5443775.224 El 97.357		0.9995885	0.9999878	755884	82H5474	TERR	177 20 34	100.153	100.193
				CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
694133	82H5477	E	505891.669	0.9995915	0.9999911	190868	82H5487	TERR	89 59 33	77.431	77.462
		N	5444379.220					TERR	272 13 9	306.995	307.121
		E1	76.280					CVD28GVRD2018	575993	82H5509	TERR
797589	82H5478	E	506055.915	0.9995916	0.9999911	233916	78H8573	TERR	84 58 11	111.941	111.987
		N	5443509.321					TERR	158 31 20	162.098	162.164
		E1	76.085					CVD28GVRD2018	547976	79H9843	TERR
183046	82H5480	E	506533.850	0.9995911	0.9999905	398735	82H5449	TERR	94 10 51	167.342	167.411
		N	5443626.813					TERR	263 57 48	159.733	159.798
		E1	79.765					CVD28GVRD2018			
483966	82H5481	E	506381.880	0.9995907	0.9999902	577940	6932	TERR	185 2 45	78.191	78.222
		N	5443687.903					TERR	270 53 44	207.073	207.158
		E1	81.879					CVD28GVRD2018	74229	6933	TERR
64378	82H5482	E	506174.832	0.9995906	0.9999901	662296	82H5483	TERR	2 0 47	117.860	117.908
		N	5443691.139					TERR	90 53 44	207.073	207.158
		E1	82.428					CVD28GVRD2018			
662296	82H5483	E	506178.972	0.9995902	0.9999897	800979	82H5484	TERR	0 27 13	170.894	170.964
		N	5443808.926					TERR	182 0 47	117.860	117.908
		E1	84.801					CVD28GVRD2018	64378	82H5482	
800979	82H5484	E	506180.325	0.9995903	0.9999898	74229	6933	TERR	88 39 24	197.637	197.719
		N	5443979.815					TERR	180 27 13	170.894	170.964
		E1	84.289					CVD28GVRD2018	519405	9313	TERR
516666	82H5485	E	506546.179	0.9995905	0.9999900	792564	82H5452	TERR	100 17 20	96.925	96.965
		N	5443992.882					TERR	267 7 50	168.482	168.551
		E1	83.258					CVD28GVRD2018	394783	82H5490	TERR
891762	82H5486	E	498851.301	0.9996027	1.0000027	MARKER DESTROYED					
		N	5442053.176								
		E1	2.277								

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						Metres	Metres
190868	82H5487	E	505969.100	0.9995914	0.9999909	551606 694133	82H5488 82H5477	TERR	89 57 58	333.845 77.431		333.982 77.462			
		N	5444379.230												
		E1	77.228	CVD28GVRD2018											
551606	82H5488	E	506302.945	0.9995909	0.9999904	635789 190868	6934 82H5487	TERR	88 54 38	80.936 333.845		80.968 333.982			
		N	5444379.428												
		E1	80.738	CVD28GVRD2018											
11924	82H5489	E	506544.752	0.9995898	0.9999893	394783	82H5490	TERR	185 3 44	108.321		108.365			
		N	5444291.183												
		E1	87.453	CVD28GVRD2018											
394783	82H5490	E	506535.194	0.9995902	0.9999896	11924 33720 516666	82H5489 82H5491 82H5485	TERR	5 3 44	108.321 79.277 190.720		108.365 79.309 190.798			
		N	5444183.285												
		E1	85.342	CVD28GVRD2018											
33720	82H5491	E	506614.257	0.9995897	0.9999892	966812 394783	82H5492 82H5490	TERR	93 0 45	168.986 79.277		169.055 79.309			
		N	5444189.103												
		E1	88.146	CVD28GVRD2018											
966812	82H5492	E	506783.009	0.9995890	0.9999884	515841 33720	82H5453 82H5491	TERR	180 25 6	203.681 168.986		203.765 169.055			
		N	5444180.222												
		E1	93.020	CVD28GVRD2018											
879361	82H5493	E N E1	507190.772 5444167.410 100.532	0.9995879	0.9999873	MARKER DESTROYED									
297465	82H5494	E	507590.047	0.9995879	0.9999872	152140 924316 868331	82H5495 78H8580 82H5497	TERR	89 46 48	286.018 96.837 149.751		286.135 96.877 149.812			
		N	5444475.773												
		E1	100.769	CVD28GVRD2018											
152140	82H5495	E N E1	507876.063 5444476.871 98.970	0.9995883	0.9999875	297465	82H5494	TERR	269 46 48	286.018		286.135			

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- UTM Coordinates Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
681148	82H5496	E N El	508004.444 5444568.309 97.551	0.9995885	0.9999877	295287	78H8546	TERR	187 25 26	172.032	172.103
			CVD28GVRD2018								
868331	82H5497	E N El	507588.724 5444625.518 101.882	0.9995878	0.9999871	297465 477448	82H5494 82H5499	TERR TERR	179 29 38 271 23 34	149.751 237.901	149.812 238.000
			CVD28GVRD2018								
138206	82H5498	E N El	507528.915 5444702.612 101.720	0.9995878	0.9999871	301341	78H8553	TERR	359 49 53	98.614	98.655
			CVD28GVRD2018								
477448	82H5499	E N El	507350.893 5444631.300 103.732	0.9995874	0.9999868	868331	82H5497	TERR	91 23 34	237.901	238.000
			CVD28GVRD2018								
40162	82H5500	E N El	507289.486 5444593.463 103.876	0.9995874	0.9999867		MARKER ISOLATED				
			CVD28GVRD2018								
717223	82H5501	E N El	506574.468 5444609.370 93.147	0.9995890	0.9999884		MARKER DESTROYED				
			CVD28GVRD2018								
498758	82H5502	E N El	506396.249 5444613.110 83.927	0.9995904	0.9999899		MARKER DESTROYED				
			CVD28GVRD2018								
508218	82H5503	E N El	506308.385 5444555.239 80.976	0.9995908	0.9999903		MARKER DESTROYED				
			CVD28GVRD2018								
330373	82H5504	E N El	506235.580 5444730.086 77.355	0.9995914	0.9999909		MARKER ISOLATED				
			CVD28GVRD2018								

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
675777	82H5505	E N El	506091.791 5444552.766 76.714	0.9995915	0.9999910		MARKER ISOLATED				
154484	82H5506	E N El	505969.427 5444515.945 76.537	0.9995915	0.9999910		MARKER DESTROYED				
238279	82H5507	E N El	505981.444 5444715.522 73.361	0.9995920	0.9999915		MARKER DESTROYED				
379552	82H5508	E N El	505902.984 5444715.092 73.760	0.9995919	0.9999915		MARKER DESTROYED				
575993	82H5509	E N El	505888.930 5444579.279 75.227	0.9995917	0.9999912	694133	82H5477	TERR	179 12 56	200.078	200.159
370767	82H5510	E N El	506080.939 5446078.714 56.823	0.9995946	0.9999941	937177	80H1334	TERR	209 53 21	96.735	96.774
626283	82H5511	E N El	505589.456 5445082.548 66.870	0.9995929	0.9999925		MARKER DESTROYED				
943431	82H5512	E N El	506062.116 5444799.669 73.250	0.9995920	0.9999915	785394 84293 981936	92H0583 9300 82H5513	TERR TERR TERR	87 22 12 279 33 34 348 38 53	318.247 86.360 164.341	318.378 86.395 164.408
981936	82H5513	E N El	506029.768 5444960.795 71.717	0.9995922	0.9999918	996926 943431	82H5514 82H5512	TERR TERR	89 43 3 168 38 53	152.517 164.341	152.578 164.408

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
996926	82H5514	E 506182.283 N 5444961.547 El 74.242		0.9995919	0.9999914	549873 981936	82H5515 82H5513	TERR TERR	84 53 14 269 43 3	139.569 152.517	139.627 152.578
				CVD28GVRD2018							
549873	82H5515	E 506321.297 N 5444973.985 El 82.271		0.9995906	0.9999901	443192 996926	82H5516 82H5514	TERR TERR	87 58 9 264 53 14	73.709 139.569	73.740 139.627
				CVD28GVRD2018							
443192	82H5516	E 506394.960 N 5444976.597 El 84.488		0.9995903	0.9999898	785394 549873 698191	92H0583 82H5515 6936	TERR TERR TERR	185 15 21 267 58 9 358 32 30	163.010 73.709 233.088	163.077 73.740 233.183
				CVD28GVRD2018							
256453	82H5517	E 506716.284 N 5445038.508 El 100.233		0.9995879	0.9999873	253872 754127	82H5518 82H5519	TERR TERR	9 38 40 91 42 14	81.412 195.025	81.445 195.106
				CVD28GVRD2018							
253872	82H5518	E 506729.923 N 5445118.769 El 99.648		0.9995880	0.9999874	256453	82H5517	TERR	189 38 40	81.412	81.445
				CVD28GVRD2018							
754127	82H5519	E 506911.223 N 5445032.709 El 105.641		0.9995871	0.9999865	256453	82H5517	TERR	271 42 14	195.025	195.106
				CVD28GVRD2018							
285221	82H5520	E 507282.785 N 5444785.087 El 105.806		0.9995871	0.9999864	301341 7930 473009	78H8553 92H0574 82H5521	TERR TERR TERR	86 14 38 268 36 16 356 29 54	246.369 94.022 103.848	246.471 94.060 103.891
				CVD28GVRD2018							
473009	82H5521	E 507276.442 N 5444888.741 El 105.730		0.9995871	0.9999864	856013 285221	82H5522 82H5520	TERR TERR	89 55 6 176 29 54	213.614 103.848	213.703 103.891
				CVD28GVRD2018							
856013	82H5522	E 507490.056 N 5444889.045 El 101.575		0.9995878	0.9999871	630731 473009 604249	82H5523 82H5521 82H5526	TERR TERR TERR	90 29 57 269 55 6 358 24 29	233.752 213.614 141.637	233.847 213.703 141.695
				CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
630731	82H5523	E 507723.799 N 5444887.008 El 101.827		0.9995878	0.9999871	928127 856013	78H8561 82H5522	TERR TERR	175 49 13 270 29 57	96.824 233.752	96.863 233.847
668269	82H5524	E 507899.012 N 5445145.779 El 96.799		0.9995886	0.9999878	692749	82H5525	TERR	239 51 11	201.609	201.692
692749	82H5525	E 507724.673 N 5445044.527 El 102.371		0.9995877	0.9999870	668269 604249	82H5524 82H5526	TERR TERR	59 51 11 266 39 55	201.609 238.957	201.692 239.055
604249	82H5526	E 507486.121 N 5445030.627 El 102.970		0.9995876	0.9999869	566406 692749 856013	82H5527 82H5525 82H5522	TERR TERR TERR	1 59 39 86 39 55 178 24 29	91.125 238.957 141.637	91.163 239.055 141.695
566406	82H5527	E 507489.292 N 5445121.697 El 103.419		0.9995875	0.9999868	604249	82H5526	TERR	181 59 39	91.125	91.163
318170	82H5528	E 507439.565 N 5445201.558 El 105.174		0.9995872	0.9999865	MARKER ISOLATED					
519082	82H5529	E 498852.361 N 5442322.738 El 2.265		0.9996027	1.0000027	715060	9332	TERR	345 58 23	152.960	153.020
360123	82H5530	E 506637.832 N 5445209.865 El 96.607		0.9995884	0.9999879	698191 803932	6936 82H5551	TERR TERR	269 56 28 359 28 18	248.804 163.145	248.906 163.212
426650	82H5531	E 505720.383 N 5445278.587 El 63.044		0.9995935	0.9999931	MARKER DESTROYED					

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING					
252254	82H5532	E	505707.359	0.9995941	0.9999937	52712	82H5536	TERR	52 37 53	111.135	111.179
		N	5445450.824			57562	82H5533	TERR	319 47 23	190.993	191.071
		E1	59.681	CVD28GVRD2018							
57562	82H5533	E	505584.055	0.9995952	0.9999949	252254	82H5532	TERR	139 47 23	190.993	191.071
		N	5445596.682								
		E1	52.104	CVD28GVRD2018							
217828	82H5534	E	505633.425	0.9995973	0.9999969	790600	82H5535	TERR	140 49 3	156.945	157.009
		N	5445834.760								
		E1	39.066	CVD28GVRD2018							
790600	82H5535	E	505732.582	0.9995953	0.9999949	217828	82H5534	TERR	320 49 3	156.945	157.009
		N	5445713.106								
		E1	52.000	CVD28GVRD2018							
52712	82H5536	E	505795.683	0.9995942	0.9999937	252254	82H5532	TERR	232 37 53	111.135	111.179
		N	5445518.276								
		E1	59.161	CVD28GVRD2018							
621888	82H5537	E	505508.483	0.9995944	0.9999941	831248	9327	TERR	226 19 15	178.610	178.682
		N	5445393.867			64469	82H5538	TERR	319 43 60	114.801	114.847
		E1	57.192	CVD28GVRD2018							
64469	82H5538	E	505434.282	0.9995949	0.9999946	621888	82H5537	TERR	139 43 60	114.801	114.847
		N	5445481.465			64923	82H5539	TERR	276 49 52	89.488	89.525
		E1	53.887	CVD28GVRD2018							
64923	82H5539	E	505345.429	0.9995952	0.9999948	64469	82H5538	TERR	96 49 52	89.488	89.525
		N	5445492.109			35063	82H5540	TERR	250 26 3	146.210	146.268
		E1	52.339	CVD28GVRD2018							
35063	82H5540	E	505207.662	0.9995959	0.9999956	64923	82H5539	TERR	70 26 3	146.210	146.268
		N	5445443.145			609024	82H5541	TERR	309 42 38	100.036	100.077
		E1	47.390	CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
609024	82H5541	E 505130.706 N 5445507.059 El 41.146		0.9995969	0.9999966	35063	82H5540	TERR	129 42 38	100.036	100.077
951384	82H5542	E 505014.075 N 5445376.291 El 35.586		0.9995978	0.9999974		MARKER ISOLATED				
394627	82H5543	E 504644.739 N 5445035.937 El 29.163		0.9995987	0.9999985	27078 587022	9362 82H5544	TERR TERR	42 2 50 141 34 10	225.116 149.193	225.207 149.253
587022	82H5544	E 504737.472 N 5444919.065 El 33.750		0.9995980	0.9999977	394627	82H5543	TERR	321 34 10	149.193	149.253
539932	82H5545	E 505284.494 N 5444793.460 El 62.857		0.9995935	0.9999932		MARKER DESTROYED				
863738	82H5546	E 506026.771 N 5445436.883 El 63.341		0.9995935	0.9999931		MARKER DESTROYED				
513259	82H5547	E 506299.482 N 5445289.189 El 78.895		0.9995911	0.9999907	47969	79H9926	TERR	269 30 31	124.271	124.321
951442	82H5548	E 506383.500 N 5445324.116 El 83.247		0.9995905	0.9999900	698191 857847	6936 90H6236	TERR TERR	177 14 10 358 37 18	114.640 131.859	114.687 131.914
924787	82H5549	E 506383.073 N 5445493.917 El 82.514		0.9995906	0.9999901		MARKER DESTROYED				

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
473496	82H5550	E N El	506301.801 5445537.549 77.372	0.9995914	0.9999909	225177	79H9928	TERR	271 5 16	187.249	187.326
			CVD28GVRD2018								
803932	82H5551	E N El	506636.328 5445373.003 96.673	0.9995884	0.9999879	360123	82H5530	TERR	179 28 18	163.145	163.212
			CVD28GVRD2018								
214338	82H5552	E N El	507143.188 5445366.850 108.735	0.9995866	0.9999860		MARKER DESTROYED				
			CVD28GVRD2018								
742775	82H5553	E N El	507814.955 5445613.600 100.105	0.9995881	0.9999873	834168	82H5554	TERR	264 39 59	138.089	138.146
			CVD28GVRD2018								
834168	82H5554	E N El	507677.464 5445600.764 101.067	0.9995879	0.9999872	115444 742775 892414	82H5555 82H5553 6968	TERR TERR TERR	0 53 59 84 39 59 271 47 14	250.756 138.089 201.476	250.859 138.146 201.559
			CVD28GVRD2018								
115444	82H5555	E N El	507681.401 5445851.489 99.604	0.9995881	0.9999874	672030 834168	82H5556 82H5554	TERR TERR	94 34 57 180 53 59	110.946 250.756	110.992 250.859
			CVD28GVRD2018								
672030	82H5556	E N El	507791.992 5445842.625 98.757	0.9995883	0.9999875	115444	82H5555	TERR	274 34 57	110.946	110.992
			CVD28GVRD2018								
457614	82H5557	E N El	507488.050 5445840.608 103.361	0.9995875	0.9999868		MARKER DESTROYED				
			CVD28GVRD2018								
416123	82H5558	E N El	507476.970 5445697.884 103.170	0.9995875	0.9999868	892414 727701	6968 82H5559	TERR TERR	180 33 27 271 59 10	90.840 247.791	90.878 247.893
			CVD28GVRD2018								

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Scale Factor at Reference Central Meridian = 0.9996

Datum: NAD83 (CSRS)

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						Metres	Metres
727701	82H5559	E	507229.328	0.9995872	0.9999866	416123	82H5558	TERR	91	59	10	247.791	247.893		
		N	5445706.472												
		E1	104.933	CVD28GVRD2018				941450	82H5560	TERR	356	38	20	130.483	130.537
941450	82H5560	E	507221.678	0.9995874	0.9999868	218735	82H5561	TERR	39	57	38	107.128	107.172		
		N	5445836.731												
		E1	103.529	CVD28GVRD2018				727701	82H5559	TERR	176	38	20	130.483	130.537
218735	82H5561	E	507290.482	0.9995878	0.9999871	161422	82H5562	TERR	3	11	49	84.887	84.922		
		N	5445918.843												
		E1	101.476	CVD28GVRD2018				941450	82H5560	TERR	219	57	38	107.128	107.172
161422	82H5562	E	507295.216	0.9995878	0.9999871	218735	82H5561	TERR	183	11	49	84.887	84.922		
		N	5446003.598												
		E1	101.272	CVD28GVRD2018				757872	9345	TERR	275	54	49	151.422	151.485
903153	82H5563	E	507035.524	0.9995872	0.9999866	291104	82H5564	TERR	2	9	47	196.025	196.105		
		N	5445607.509												
		E1	104.895	CVD28GVRD2018				657387	90H6228	TERR	83	37	34	88.060	88.097
						247221	6967	TERR	271	32	6	152.750	152.813		
291104	82H5564	E	507042.923	0.9995873	0.9999867	903153	82H5563	TERR	182	9	47	196.025	196.105		
		N	5445803.394												
		E1	103.893	CVD28GVRD2018				314765	82H5565	TERR	271	48	59	155.160	155.224
314765	82H5565	E	506887.841	0.9995879	0.9999874	291104	82H5564	TERR	91	48	59	155.160	155.224		
		N	5445808.312												
		E1	99.929	CVD28GVRD2018				287359	82H5566	TERR	273	35	31	199.311	199.393
287359	82H5566	E	506688.922	0.9995891	0.9999885	314765	82H5565	TERR	93	35	31	199.311	199.393		
		N	5445820.799												
		E1	92.512	CVD28GVRD2018				238402	82H5568	TERR	267	55	7	211.511	211.597
109595	82H5567	E	506481.932	0.9995903	0.9999898	238402	82H5568	TERR	357	21	27	95.026	95.065		
		N	5445718.192												
		E1	84.499	CVD28GVRD2018											

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
238402	82H5568	E 506477.551 N 5445813.117 El 83.358		0.9995905	0.9999899	287359 109595	82H5566 82H5567	TERR TERR	87 55 7 177 21 27	211.511 95.026	211.597 95.065
				CVD28GVRD2018							
394981	82H5569	E 506383.590 N 5445901.203 El 79.590		0.9995910	0.9999905	610592 381186	9361 6937	TERR TERR	0 8 21 179 0 52	114.509 285.886	114.557 286.003
				CVD28GVRD2018							
323105	82H5570	E 506272.125 N 5445916.815 El 72.751		0.9995921	0.9999916	984492	79H9847	TERR	239 59 2	93.999	94.037
				CVD28GVRD2018							
612507	82H5571	E 506647.853 N 5446091.674 El 87.434		0.9995899	0.9999893	766170	82H5572	TERR	87 7 48	172.872	172.942
				CVD28GVRD2018							
766170	82H5572	E 506820.508 N 5446100.330 El 93.024		0.9995890	0.9999884	612507	82H5571	TERR	267 7 48	172.872	172.942
				CVD28GVRD2018							
491795	82H5574	E 507438.750 N 5446205.488 El 102.131		0.9995877	0.9999870	279323	82H5575	TERR	80 50 12	82.820	82.854
				CVD28GVRD2018							
279323	82H5575	E 507520.513 N 5446218.677 El 101.747		0.9995878	0.9999871	826529 491795	82H5576 82H5574	TERR TERR	108 51 45 260 50 12	163.514 82.820	163.582 82.854
				CVD28GVRD2018							
826529	82H5576	E 507675.246 N 5446165.813 El 98.889		0.9995882	0.9999875	691311 284026 279323	82H5580 82H5577 82H5575	TERR TERR TERR	122 58 18 211 36 58 288 51 45	88.135 99.505 163.514	88.171 99.545 163.582
				CVD28GVRD2018							
284026	82H5577	E 507623.083 N 5446081.077 El 99.845		0.9995881	0.9999874	826529 200667	82H5576 82H5578	TERR TERR	31 36 58 203 23 43	99.505 71.609	99.545 71.639
				CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
200667	82H5578	E	507594.649	0.9995879	0.9999872	284026	82H5577	TERR	23 23 43	71.609	71.639
		N	5446015.355			757112	82H5579	TERR	90 35 4	132.933	132.987
		El	100.896	CVD28GVRD2018		915694	6940	TERR	267 30 21	93.432	93.471
757112	82H5579	E	507727.575	0.9995883	0.9999875	200667	82H5578	TERR	270 35 4	132.933	132.987
		N	5446013.999								
		El	98.708	CVD28GVRD2018							
691311	82H5580	E	507749.186	0.9995884	0.9999877	100701	82H5581	TERR	88 47 23	87.738	87.773
		N	5446117.848			826529	82H5576	TERR	302 58 18	88.135	88.171
		El	97.884	CVD28GVRD2018							
100701	82H5581	E	507836.904	0.9995885	0.9999877	691311	82H5580	TERR	268 47 23	87.738	87.773
		N	5446119.701								
		El	97.574	CVD28GVRD2018							
211177	82H5582	E	508008.873	0.9995876	0.9999868		MARKER ISOLATED				
		N	5446094.335								
		El	103.102	CVD28GVRD2018							
601658	82H5583	E	507858.645	0.9995887	0.9999879		MARKER DESTROYED				
		N	5446405.645								
		El	96.074	CVD28GVRD2018							
658120	82H5584	E	507869.522	0.9995889	0.9999881	747071	82H5591	TERR	272 25 32	157.906	157.970
		N	5446513.791			902809	82H5585	TERR	346 39 11	175.438	175.510
		El	94.976	CVD28GVRD2018							
902809	82H5585	E	507829.023	0.9995889	0.9999882	658120	82H5584	TERR	166 39 11	175.438	175.510
		N	5446684.490			135525	82H5586	TERR	347 52 32	171.166	171.237
		El	94.676	CVD28GVRD2018							
135525	82H5586	E	507793.072	0.9995891	0.9999883	902809	82H5585	TERR	167 52 32	171.166	171.237
		N	5446851.838			352153	82H5588	TERR	270 16 15	85.487	85.522
		El	93.506	CVD28GVRD2018		844993	82H5587	TERR	346 20 37	203.673	203.756

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
844993	82H5587	E N El	507744.985 5447049.753 90.690	0.9995895	0.9999888	135525	82H5586	TERR	166 20 37	203.673	203.756
			CVD28GVRD2018								
352153	82H5588	E N El	507707.586 5446852.242 96.291	0.9995886	0.9999879	135525 733287	82H5586 82H5589	TERR TERR	90 16 15 178 5 22	85.487 115.268	85.522 115.315
			CVD28GVRD2018								
733287	82H5589	E N El	507711.429 5446737.038 96.707	0.9995886	0.9999878	904920 121608 352153	82H5590 82H5593 82H5588	TERR TERR TERR	180 18 15 270 12 10 358 5 22	70.467 109.901 115.268	70.496 109.946 115.315
			CVD28GVRD2018								
904920	82H5590	E N El	507711.055 5446666.572 97.783	0.9995884	0.9999877	733287 747071	82H5589 82H5591	TERR TERR	0 18 15 179 43 27	70.467 146.100	70.496 146.160
			CVD28GVRD2018								
747071	82H5591	E N El	507711.758 5446520.474 97.389	0.9995885	0.9999877	658120 904920	82H5584 82H5590	TERR TERR	92 25 32 359 43 27	157.906 146.100	157.970 146.160
			CVD28GVRD2018								
87429	82H5592	E N El	507600.297 5446566.085 102.736	0.9995876	0.9999869	121608	82H5593	TERR	0 24 43	171.346	171.416
			CVD28GVRD2018								
121608	82H5593	E N El	507601.529 5446737.427 98.827	0.9995882	0.9999875	772178 733287 87429	78H8593 82H5589 82H5592	TERR TERR TERR	1 24 19 90 12 10 180 24 43	241.718 109.901 171.346	241.818 109.946 171.416
			CVD28GVRD2018								
98079	82H5594	E N El	507527.205 5447040.404 93.782	0.9995890	0.9999883	103291 574368	82H5595 82H5602	TERR TERR	183 16 14 273 14 42	204.510 176.568	204.595 176.641
			CVD28GVRD2018								
103291	82H5595	E N El	507515.538 5446836.227 96.664	0.9995886	0.9999879	98079 643916	82H5594 82H5600	TERR TERR	3 16 14 265 26 32	204.510 204.577	204.595 204.662
			CVD28GVRD2018								

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
195818	82H5596	E N El	507509.829 5446732.109 98.971	0.9995882	0.9999875		MARKER DESTROYED				
568139	82H5597	E N El	507404.044 5446737.301 96.935	0.9995885	0.9999878	871129 826644	82H5598 82H5599	TERR TERR	182 42 43 273 23 48	237.969 109.268	238.067 109.312
871129	82H5598	E N El	507392.785 5446499.599 99.800	0.9995880	0.9999874	568139	82H5597	TERR	2 42 43	237.969	238.067
826644	82H5599	E N El	507294.968 5446743.775 97.292	0.9995884	0.9999878	568139	82H5597	TERR	93 23 48	109.268	109.312
643916	82H5600	E N El	507311.608 5446819.970 94.758	0.9995888	0.9999882	103291 410951	82H5595 82H5601	TERR TERR	85 26 32 349 6 2	204.577 193.108	204.662 193.187
410951	82H5601	E N El	507275.094 5447009.594 93.488	0.9995890	0.9999884	643916	82H5600	TERR	169 6 2	193.108	193.187
574368	82H5602	E N El	507350.920 5447050.399 92.610	0.9995892	0.9999885	98079	82H5594	TERR	93 14 42	176.568	176.641
666065	82H5603	E N El	507209.776 5446993.080 91.374	0.9995893	0.9999887	592675	6947	TERR	182 11 20	223.570	223.663
352963	82H5604	E N El	507095.411 5446960.281 83.390	0.9995906	0.9999899	55947 865311	82H5605 82H5615	TERR TERR	179 59 57 269 50 32	190.693 301.577	190.771 301.700

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER ----- GCM-NO	IDENTIFIERS ----- TABLET MARKING	UTM Coordinates Metres	Station Scale Factor		TO MARKER ----- GCM-NO	IDENTIFIERS ----- TABLET MARKING	Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
55947	82H5605	E	507095.414	0.9995900	0.9999894	592675	6947	TERR	89 57 14	105.823	105.866
		N	5446769.588			456905	82H5606	TERR	270 50 26	115.061	115.109
		E1	86.929	CVD28GVRD2018		352963	82H5604	TERR	359 59 57	190.693	190.771
456905	82H5606	E	506980.365	0.9995911	0.9999905	55947	82H5605	TERR	90 50 26	115.061	115.109
		N	5446771.276			719781	82H5607	TERR	181 12 22	92.781	92.818
		E1	79.741	CVD28GVRD2018		429092	6948	TERR	268 44 15	186.701	186.777
719781	82H5607	E	506978.412	0.9995908	0.9999902	456905	82H5606	TERR	1 12 22	92.781	92.818
		N	5446678.516			492447	82H5608	TERR	85 8 35	110.951	110.997
		E1	81.977	CVD28GVRD2018							
492447	82H5608	E	507088.965	0.9995899	0.9999893	414458	82H5609	TERR	178 9 27	172.558	172.630
		N	5446687.910			719781	82H5607	TERR	265 8 35	110.951	110.997
		E1	87.526	CVD28GVRD2018							
414458	82H5609	E	507094.513	0.9995893	0.9999887	1859	82H5610	TERR	266 11 36	132.958	133.012
		N	5446515.441			492447	82H5608	TERR	358 9 27	172.558	172.630
		E1	91.187	CVD28GVRD2018							
1859	82H5610	E	506961.848	0.9995901	0.9999895	414458	82H5609	TERR	86 11 36	132.958	133.012
		N	5446506.614			889113	82H5611	TERR	276 55 18	131.056	131.110
		E1	86.342	CVD28GVRD2018							
889113	82H5611	E	506831.747	0.9995911	0.9999905	1859	82H5610	TERR	96 55 18	131.056	131.110
		N	5446522.408			721357	82H5613	TERR	266 56 51	87.415	87.451
		E1	79.798	CVD28GVRD2018							
695965	82H5612	E	506881.382	0.9995911	0.9999905	MARKER DESTROYED					
		N	5446673.414								
		E1	79.654	CVD28GVRD2018							
721357	82H5613	E	506744.456	0.9995916	0.9999910	216044	82H5614	TERR	14 18 6	127.182	127.233
		N	5446517.753			889113	82H5611	TERR	86 56 51	87.415	87.451
		E1	76.311	CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
216044	82H5614	E 506775.873 N 5446640.993 El 75.328		0.9995918	0.9999912	429092 721357	6948 82H5613	TERR TERR	8 2 47 194 18 6	127.424 127.182	127.476 127.233
					CVD28GVRD2018						
865311	82H5615	E 506793.835 N 5446959.451 El 70.807		0.9995925	0.9999919	352963 429092	82H5604 6948	TERR TERR	89 50 32 180 2 15	301.577 192.289	301.700 192.367
					CVD28GVRD2018						
183418	82H5616	E 506622.612 N 5446834.767 El 61.947		0.9995938	0.9999933	585950	80H1342	TERR	127 22 22	100.185	100.226
					CVD28GVRD2018						
879841	82H5617	E 506544.158 N 5446689.164 El 62.048		0.9995938	0.9999933	15578	82H5618	TERR	336 8 37	140.969	141.026
					CVD28GVRD2018						
15578	82H5618	E 506487.144 N 5446818.089 El 55.221		0.9995949	0.9999944	668459 770800 737213 420521 879841 308429	5373 5296 92H0877 92H0871 82H5617 90H6222	GPS GPS GPS GPS TERR GPS	52 33 34 77 4 10 119 40 36 142 27 59 156 8 37 168 5 3	895.868 1501.519 2423.718 2493.321 140.969 2446.696	896.232 1502.131 2424.707 2494.339 141.026 2447.697
44354	82H5619	E 506308.445 N 5446583.358 El 58.371		0.9995944	0.9999939	141572	83H6500	TERR	101 40 18	188.921	188.998
					CVD28GVRD2018						
555789	82H5620	E 506141.161 N 5446614.889 El 35.951		0.9995978	0.9999974		MARKER DESTROYED				
					CVD28GVRD2018						
674077	82H5621	E 506119.792 N 5446753.379 El 26.482		0.9995993	0.9999989		MARKER DESTROYED				
					CVD28GVRD2018						
199844	82H5622	E 506172.761 N 5446919.211 El 13.901		0.9996013	1.0000008		MARKER DESTROYED				
					CVD28GVRD2018						

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres		
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
396143		82H5623	E N El	506268.066 5446936.703 22.251	0.9996000	0.9999995	7724	82H5624	TERR	108	15	48	77.649	77.680			
7724		82H5624	E N El	506341.803 5446912.369 34.553	0.9995981	0.9999976	396143	82H5623	TERR	288	15	48	77.649	77.680			
491159		82H5625	E N El	506157.804 5446435.782 47.686	0.9995960	0.9999955	509489 540765	82H5398 87H3490	TERR TERR	168	26	8 300	169.309 1106.344	169.377 1106.787			
985655		83H6495	E N El	489756.657 5433900.985 3.210	0.9996039	1.0000026	25247 832469	80H1273 80H1274	TERR TERR	126	27	56 301	394.496 393.827	394.653 393.983			
773929		83H6496	E N El	504760.987 5436006.791 3.411	0.9996028	1.0000025	895623 533059 970434	80H1253 80H1255 6913	TERR TERR TERR	66	20	3 250 359	660.679 435.021 196.965	660.942 435.193 197.042			
472092		83H6497	E N El	493214.770 5436726.771 1.067	0.9996035	1.0000029	741066	84H0412	TERR	358	37	2	119.958	120.006			
705764		83H6498	E N El	493224.673 5436923.317 .593	0.9996035	1.0000030	258921 741066 365783	84H0413 84H0412 84H0409	TERR TERR TERR	84	56	20 189 279	127.378 77.684 97.348	127.427 77.715 97.387			
489443		83H6499	E N El	494407.796 5436699.576 1.171	0.9996033	1.0000029	MARKER DESTROYED										
141572		83H6500	E N El	506493.460 5446545.139 66.624	0.9995931	0.9999926	174912 44354	9357 82H5619	TERR TERR	192	56	51 281	435.025 188.921	435.202 188.998			

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
998294	83H6501	E 493060.276 N 5436879.853 El 1.286		0.9996035	1.0000029	701284 981944 338939	84H0403 84H0400 84H0405	TERR TERR TERR	188 9 53 269 52 55 357 59 19	117.161 91.767 211.191	117.207 91.804 211.275
434969	83H6502	E 493773.522 N 5437745.398 El 1.954		0.9996032	1.0000028	27631	80H1290	TERR	136 1 38	107.612	107.655
504175	83H6503	E 505668.206 N 5443664.549 El 62.264		0.9995937	0.9999933	327619 916619	83H6504 79H9857	TERR TERR	3 37 39 175 54 23	223.741 144.679	223.832 144.738
327619	83H6504	E 505682.362 N 5443887.842 El 72.115		0.9995921	0.9999917	682351 504175	84H9500 83H6503	TERR TERR	96 58 52 183 37 39	137.178 223.741	137.234 223.832
612895	83H6505	E 505838.359 N 5441302.747 El 29.718		0.9995988	0.9999984	694794 405308	84H9466 79H9884	TERR TERR	50 49 22 348 28 43	144.653 139.425	144.710 139.482
193771	83H6506	E 495224.782 N 5437242.315 El 1.479		0.9996031	1.0000028	MARKER DESTROYED					
514711	83H6507	E 493136.739 N 5437093.558 El .710		0.9996035	1.0000030	288019 365783	84H0414 84H0409	TERR TERR	94 18 12 183 0 51	182.652 154.740	182.724 154.802
735647	83H6508	E 494969.747 N 5436950.393 El .921		0.9996032	1.0000029	942359 449355 23549	84H0444 79H9925 83H6509	TERR TERR TERR	1 25 28 85 52 3 273 2 33	382.406 110.295 263.497	382.558 110.338 263.603
23549	83H6509	E 494706.621 N 5436964.379 El .779		0.9996033	1.0000030	207381 735647 674572	87H3179 83H6508 79H9922	TERR TERR TERR	2 12 13 93 2 33 177 49 28	83.384 263.497 166.564	83.417 263.603 166.631

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
368860	83H6510	E 495226.301 N 5436806.282 El 1.155		0.9996032	1.0000029		MARKER DESTROYED				
630038	83H6511	E 505723.688 N 5445321.375 El 62.760		0.9995936	0.9999932		MARKER DESTROYED				
633677	83H6512	E 493732.549 N 5437571.721 El 1.412		0.9996033	1.0000029		MARKER DESTROYED				
938217	83H6513	E 506000.458 N 5443207.333 El 63.841		0.9995935	0.9999930	709030 128561	83H6514 84H9494	TERR TERR	5 37 23 95 45 43	142.822 178.380	142.881 178.453
709030	83H6514	E 506014.452 N 5443349.468 El 69.940		0.9995925	0.9999921	938217	83H6513	TERR	185 37 23	142.822	142.881
882670	83H6515	E 494170.403 N 5438112.100 El 1.310		0.9996033	1.0000029		MARKER DESTROYED				
635458	83H6516	E 494996.344 N 5437765.836 El 1.070		0.9996032	1.0000029	941096 53629	83H6517 84H0441	TERR TERR	1 37 49 180 33 24	265.127 287.186	265.233 287.300
941096	83H6517	E 495003.887 N 5438030.856 El 1.291		0.9996032	1.0000029	247791 635458 13821	84H0438 83H6516 86H2439	TERR TERR TERR	89 51 5 181 37 49 268 25 48	243.899 265.127 246.186	243.995 265.233 246.284
397083	83H6518	E 495235.424 N 5438327.590 El 1.548		0.9996031	1.0000028		MARKER DESTROYED				

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
712869	83H6519	E N El	506022.057 5445438.857 63.816	0.9995935	0.9999930		MARKER DESTROYED				
822338	84H0336	E N El	496026.758 5437891.156 1.021	0.9996031	1.0000029	81497 873067 525048	79H9898 90H6226 84H0337	TERR TERR TERR	2 9 45 106 56 9 296 30 59	109.792 259.119 211.689	109.835 259.222 211.774
525048	84H0337	E N El	495837.337 5437985.665 1.037	0.9996031	1.0000029	822338 455410	84H0336 79H9897	TERR TERR	116 30 59 358 29 11	211.689 88.436	211.774 88.471
280420	84H0338	E N El	494283.822 5436464.364 .720	0.9996034	1.0000030	300665 396929	84H0345 84H0388	TERR TERR	7 7 45 195 49 7	234.237 343.007	234.330 343.143
474205	84H0339	E N El	495880.384 5437853.415 .913	0.9996031	1.0000029	562710 242446	79H9896 79H9892	TERR TERR	109 16 47 178 38 48	230.000 99.157	230.091 99.196
171314	84H0340	E N El	493641.318 5436926.195 .704	0.9996035	1.0000030	470492 13029 857128	90H6227 6844 6823	TERR TERR TERR	2 13 47 90 22 48 270 18 50	357.427 326.914 120.979	357.568 327.044 121.027
189241	84H0341	E N El	493794.068 5437273.235 1.097	0.9996034	1.0000029	925180 470492 92247	84H0342 90H6227 86H2449	TERR TERR TERR	89 15 47 274 10 2 359 31 27	177.497 139.212 108.369	177.566 139.267 108.412
925180	84H0342	E N El	493971.550 5437275.518 1.105	0.9996033	1.0000029	275495 13029 189241	6845 6844 84H0341	TERR TERR TERR	90 44 58 180 32 31 269 15 47	181.545 351.507 177.497	181.617 351.647 177.566
218024	84H0343	E N El	494098.821 5436919.745 1.067	0.9996033	1.0000029	805895 13029	84H0344 6844	TERR TERR	86 8 5 271 52 41	119.637 130.666	119.685 130.718

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates		Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres				GCM-NO	TABLET MARKING				
805895	84H0344	E	494218.186	0.9996033	1.0000029	203596	92H0566	TERR	1 15 50	209.770	209.853
		N	5436927.810					TERR	157 42 32	249.679	249.778
		El	.960					TERR	266 8 5	119.637	119.685
			CVD28GVRD2018								
300665	84H0345	E	494312.892	0.9996033	1.0000029	617167	92H0580	TERR	88 5 20	94.761	94.798
		N	5436696.790					TERR	187 7 45	234.237	234.330
		El	1.338					TERR	337 42 32	249.679	249.778
			CVD28GVRD2018								
546150	84H0346	E	493846.563	0.9996034	1.0000030	297440	92H0972	GPS	2 41 27	11146.891	11151.321
		N	5436840.141					GPS	12 17 18	12888.273	12893.387
		El	.673					GPS	18 10 9	1881.631	1882.378
			CVD28GVRD2018					GPS	27 23 38	5546.190	5548.393
								GPS	53 36 41	3457.732	3459.104
								GPS	96 17 39	2788.828	2789.936
								TERR	182 30 37	170.411	170.478
								GPS	205 44 39	1956.368	1957.144
								GPS	306 45 29	5719.378	5721.652
								GPS	348 59 35	4044.416	4046.021
							NO MARKING				
528885	84H0347	E	493983.120	0.9996034	1.0000030	261172	6955	TERR	87 25 8	229.300	229.391
		N	5436668.661					TERR	270 29 26	144.026	144.083
		El	.499								
			CVD28GVRD2018								
832295	84H0348	E	493912.412	0.9996034	1.0000029	553123	84H0349	TERR	91 10 34	241.983	242.079
		N	5436555.522								
		El	.869								
			CVD28GVRD2018								
553123	84H0349	E	494154.344	0.9996034	1.0000029	832295	84H0348	TERR	271 10 34	241.983	242.079
		N	5436550.555								
		El	.921								
			CVD28GVRD2018								
839068	84H0350	E	493912.059	0.9996034	1.0000029	MARKER DESTROYED					
		N	5436459.876								
		El	.873								
			CVD28GVRD2018								
872606	84H0351	E	494168.720	0.9996033	1.0000029	MARKER ISOLATED					
		N	5436457.414								
		El	1.180								
			CVD28GVRD2018								

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS			UTM		Station Scale Factor		TO MARKER IDENTIFIERS			Obs. Type	UTM Grid			UTM Grid Distance Metres	Ground Distance Metres
-----	-----		Coordinates		Combined	Ellipsoidal	-----	-----			Bearing				
GCM-NO	TABLET MARKING		Metres						GCM-NO	TABLET MARKING					
887745	84H0354	E N El	494979.553 5439473.756 3.055		0.9996029	1.0000026		MARKER DESTROYED							
678698	84H0355	E N El	494327.573 5434806.452 1.354		0.9996033	1.0000029		MARKER DESTROYED							
977447	84H0357	E N El	495435.733 5437912.173 1.017		0.9996032	1.0000029	774158 838532	84H0359 84H0364	TERR TERR	102 3 38 181 7 28			154.543 366.608	154.605 366.754	
2881	84H0358	E N El	495518.196 5437988.905 .910		0.9996032	1.0000029	690594	84H0361	TERR	282 7 36			165.634	165.700	
774158	84H0359	E N El	495586.865 5437879.882 .895		0.9996032	1.0000029	608166 977447	84H0365 84H0357	TERR TERR	180 7 19 282 3 38			157.050 154.543	157.113 154.605	
648964	84H0360	E N El	495358.084 5438113.746 .898		0.9996032	1.0000029		MARKER DESTROYED							
690594	84H0361	E N El	495356.258 5438023.700 .888		0.9996032	1.0000029	2881 599589 247791 570655	84H0358 84H0362 84H0438 92H0590	TERR TERR TERR TERR	102 7 36 181 0 45 274 6 26 357 56 27			165.634 194.458 108.752 88.506	165.700 194.536 108.795 88.541	
599589	84H0362	E N El	495352.822 5437829.272 1.036		0.9996032	1.0000029	690594 943449 173062	84H0361 84H0363 92H0589	TERR TERR TERR	1 0 45 180 25 53 268 54 33			194.458 208.138 122.546	194.536 208.221 122.595	
943449	84H0363	E N El	495351.255 5437621.140 .884		0.9996032	1.0000029	599589 16980 43802	84H0362 87H3181 80H1295	TERR TERR TERR	0 25 53 180 22 51 270 26 57			208.138 146.887 121.451	208.221 146.946 121.498	

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
838532	84H0364	E 495428.538 N 5437545.636 El .978		0.9996032	1.0000029	977447 294678	84H0357 84H0434	TERR TERR	1 7 28 87 34 11	366.608 234.153	366.754 234.246
					CVD28GVRD2018						
608166	84H0365	E 495586.531 N 5437722.832 El .970		0.9996032	1.0000029	774158 832550	84H0359 84H0366	TERR TERR	0 7 19 90 45 21	157.050 84.386	157.113 84.420
					CVD28GVRD2018						
832550	84H0366	E 495670.910 N 5437721.719 El .737		0.9996032	1.0000030	106310 6064 608166	84H0367 6815 84H0365	TERR TERR TERR	0 3 27 88 11 13 270 45 21	449.897 80.920 84.386	450.075 80.951 84.420
					CVD28GVRD2018						
106310	84H0367	E 495671.362 N 5438171.616 El 1.020		0.9996031	1.0000029	679423 832550 693242	6814 84H0366 84H0368	TERR TERR TERR	119 24 37 180 3 27 298 39 59	92.675 449.897 100.651	92.712 450.075 100.691
					CVD28GVRD2018						
693242	84H0368	E 495583.048 N 5438219.899 El 1.315		0.9996031	1.0000029	106310 827758 658849	84H0367 84H0369 6813	TERR TERR TERR	118 39 59 179 47 30 298 19 57	100.651 155.999 207.549	100.691 156.061 207.631
					CVD28GVRD2018						
827758	84H0369	E 495583.615 N 5438063.901 El 1.263		0.9996031	1.0000029	570655 693242	92H0590 84H0368	TERR TERR	281 49 14 359 47 30	235.532 155.999	235.626 156.061
					CVD28GVRD2018						
518118	84H0370	E 494757.670 N 5437796.796 El .941		0.9996033	1.0000029	663443 99184	84H0442 84H0371	TERR TERR	178 16 21 330 24 37	317.041 129.761	317.168 129.812
					CVD28GVRD2018						
99184	84H0371	E 494693.596 N 5437909.634 El 1.157		0.9996032	1.0000029	518118	84H0370	TERR	150 24 37	129.761	129.812
					CVD28GVRD2018						
498345	84H0372	E 493319.884 N 5437481.954 El 1.087		0.9996035	1.0000029	358242 279786	6822 86H2440	TERR TERR	90 2 24 180 28 13	204.424 98.545	204.504 98.584
					CVD28GVRD2018						

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
144501	84H0373	E 495284.043 N 5439949.801 El 2.766		0.9996029	1.0000026	460840	80H1297	TERR	46 57 20	120.563	120.610
				CVD28GVRD2018							
784488	84H0374	E 492805.943 N 5437110.900 El .627		0.9996036	1.0000030		MARKER DESTROYED				
				CVD28GVRD2018							
82651	84H0375	E 494322.695 N 5435383.762 El 1.664		0.9996032	1.0000028	6361 67306	6839 6840	TERR TERR	180 0 38 343 58 20	310.799 331.585	310.922 331.716
				CVD28GVRD2018							
658856	84H0376	E 494986.697 N 5433446.820 El 1.583		0.9996031	1.0000028	737585 960112 919548	6835 88H4188 6833	TERR TERR TERR	91 29 32 180 30 56 270 16 6	381.944 778.024 605.363	382.095 778.333 605.603
				CVD28GVRD2018							
203349	84H0377	E 504403.625 N 5444983.937 El 7.317		0.9996021	1.0000019		MARKER DESTROYED				
				CVD28GVRD2018							
931402	84H0378	E 499885.685 N 5443539.904 El 2.019		0.9996027	1.0000027		MARKER ISOLATED				
				CVD28GVRD2018							
338335	84H0379	E 492762.763 N 5437198.442 El .911		0.9996036	1.0000029	851576 200063 208041	6825 90H6225 84H0389	TERR TERR TERR	64 36 57 155 8 38 244 14 34	334.423 95.142 144.209	334.556 95.180 144.267
				CVD28GVRD2018							
15420	84H0380	E 493970.864 N 5438076.902 El 2.771		0.9996031	1.0000026		MARKER DESTROYED				
				CVD28GVRD2018							
221341	84H0381	E 499885.285 N 5443307.316 El 1.870		0.9996027	1.0000027		MARKER DESTROYED				
				CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
157594	84H0382	E 497451.187 N 5441384.374 El 1.137		0.9996030	1.0000029	468819 167072	6804 6803	TERR TERR	7 26 21 180 4 21	338.658 913.388	338.793 913.750
6551	84H0383	E 494032.322 N 5437712.068 El 1.031		0.9996033	1.0000029		MARKER DESTROYED				
668822	84H0384	E 494986.859 N 5428583.316 El 8.013		0.9996022	1.0000018	268219 557025 664607 723304	6977 88H4211 9364 6983	TERR TERR TERR TERR	180 27 23 183 25 9 270 3 14 359 20 9	626.443 299.465 417.333 400.564	626.694 299.584 417.500 400.723
569277	84H0385	E 492675.586 N 5437047.693 El .841		0.9996036	1.0000029	200063 208041	90H6225 84H0389	TERR TERR	63 8 5 334 8 6	142.555 97.888	142.612 97.927
820266	84H0386	E 499886.137 N 5443038.140 El 1.580		0.9996028	1.0000028		MARKER DESTROYED				
801738	84H0387	E 494190.118 N 5438403.819 El 2.342		0.9996031	1.0000027		MARKER DESTROYED				
396929	84H0388	E 494190.320 N 5436134.347 El 1.203		0.9996033	1.0000029	280420 67306	84H0338 6840	TERR TERR	15 49 7 174 36 1	343.007 433.815	343.143 433.987
208041	84H0389	E 492632.882 N 5437135.775 El 1.208		0.9996036	1.0000029	338335 569277 145946	84H0379 84H0385 9310	TERR TERR TERR	64 14 34 154 8 6 241 8 60	144.209 97.888 143.228	144.267 97.927 143.284
113415	84H0390	E 498593.220 N 5442876.186 El 3.224		0.9996026	1.0000025	134981	84H0393	TERR	70 39 58	448.356	448.535

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
552760	84H0391	E 499818.317 N 5443697.421 El 3.461		0.9996025	1.0000025	736926 75135	80H1314 84H0392	TERR TERR	49 28 42 215 30 4	128.497 298.707	128.549 298.825
					CVD28GVRD2018						
75135	84H0392	E 499644.852 N 5443454.243 El 2.789		0.9996026	1.0000026	552760 675850	84H0391 84H0394	TERR TERR	35 30 4 230 55 25	298.707 368.239	298.825 368.386
					CVD28GVRD2018						
134981	84H0393	E 499016.291 N 5443024.625 El 3.058		0.9996026	1.0000026	675850 177774 113415	84H0394 82H5428 84H0390	TERR TERR TERR	60 2 42 174 42 4 250 39 58	395.531 171.356 448.356	395.688 171.424 448.535
					CVD28GVRD2018						
675850	84H0394	E 499358.986 N 5443222.121 El 3.416		0.9996025	1.0000025	838037 75135 898734 195156 252569 607093 995365 531079 394825 134981 839639 394437 869792 51441 49908 436808 274696 829762 47092	02H2423 84H0392 NO MARKING 80H1320 92H0596 5893 6910 6902 81 84H0393 80H1300 77H4671 NO MARKING 02H2453 02H2413 V-3235 78H8518 02H2412 02H2454	GPS TERR GPS GPS GPS GPS GPS GPS GPS TERR GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS	39 2 45 50 55 25 62 41 12 62 59 35 112 30 53 122 47 50 133 28 38 174 54 2 219 12 2 240 2 42 243 47 8 250 45 5 253 39 40 258 15 26 281 7 56 318 52 17 320 13 27 347 40 18 357 7 59	5009.871 368.239 12196.256 3176.532 6542.208 10283.387 7419.869 5783.457 17643.270 395.531 3300.002 9893.963 10519.440 6106.970 2802.329 16519.074 4306.742 1446.157 5860.878	5011.862 368.386 12201.194 3177.795 6544.814 10287.472 7422.817 5785.755 17650.269 395.688 3301.314 9897.891 10523.626 6109.396 2803.443 16525.665 4308.454 1446.733 5863.208
334540	84H0396	E 492484.036 N 5436985.933 El 1.286		0.9996036	1.0000029	859215	84H0397	TERR	115 22 32	217.819	217.905
					CVD28GVRD2018						
859215	84H0397	E 492680.839 N 5436892.587 El 1.045		0.9996036	1.0000029	127100 334540	84H0398 84H0396	TERR TERR	88 45 55 295 22 32	129.333 217.819	129.384 217.905
					CVD28GVRD2018						

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
127100	84H0398	E	492810.142	0.9996035	1.0000029	235374	84H0399	TERR	5 26 16	129.572	129.623
		N	5436895.374					TERR	95 39 55	159.144	159.208
		El	1.065					TERR	170 50 1	69.598	69.625
			CVD28GVRD2018					TERR	268 45 55	129.333	129.384
235374	84H0399	E	492822.421	0.9996035	1.0000029	127100	84H0398	TERR	185 26 16	129.572	129.623
		N	5437024.363								
		El	1.154								
			CVD28GVRD2018								
981944	84H0400	E	492968.509	0.9996035	1.0000029	998294 127100	83H6501	TERR	89 52 55	91.767	91.804
		N	5436879.664					TERR	275 39 55	159.144	159.208
		El	1.021								
			CVD28GVRD2018								
153247	84H0401	E	492821.229	0.9996036	1.0000029	770321 127100	84H0402	TERR	114 27 49	110.923	110.968
		N	5436826.665					TERR	350 50 1	69.598	69.625
		El	.907								
			CVD28GVRD2018								
770321	84H0402	E	492922.194	0.9996035	1.0000029	701284 153247	84H0403	TERR	97 53 57	122.606	122.655
		N	5436780.730					TERR	294 27 49	110.923	110.968
		El	.928								
			CVD28GVRD2018								
701284	84H0403	E	493043.637	0.9996035	1.0000029	998294 770321	83H6501	TERR	8 9 53	117.161	117.207
		N	5436763.880					TERR	277 53 57	122.606	122.655
		El	1.215								
			CVD28GVRD2018								
162248	84H0404	E	492893.785	0.9996035	1.0000029	338939	84H0405	TERR	92 3 1	159.181	159.244
		N	5437096.609								
		El	.928								
			CVD28GVRD2018								
338939	84H0405	E	493052.864	0.9996035	1.0000029	738930 998294 162248	84H0406	TERR	6 33 53	158.995	159.058
		N	5437090.914					TERR	177 59 19	211.191	211.275
		El	1.231					TERR	272 3 1	159.181	159.244
			CVD28GVRD2018								
738930	84H0406	E	493071.041	0.9996035	1.0000029	338939 200063 851576	84H0405	TERR	186 33 53	158.995	159.058
		N	5437248.866					TERR	242 59 27	301.129	301.249
		El	1.191					TERR	356 13 8	93.141	93.178
			CVD28GVRD2018								

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
357657	84H0407	E 493145.455 N 5437161.594 El 1.196		0.9996035	1.0000029	485656	84H0408	TERR	3 3 28	229.547	229.638
					CVD28GVRD2018						
485656	84H0408	E 493157.700 N 5437390.814 El 1.395		0.9996034	1.0000029	279786 357657	86H2440 84H0407	TERR TERR	92 37 34 183 3 28	161.545 229.547	161.609 229.638
					CVD28GVRD2018						
365783	84H0409	E 493128.602 N 5436939.032 El .861		0.9996035	1.0000029	514711 705764	83H6507 83H6498	TERR TERR	3 0 51 99 17 24	154.740 97.348	154.802 97.387
					CVD28GVRD2018						
429548	84H0410	E 493122.976 N 5436742.281 El 1.086		0.9996035	1.0000029		MARKER DESTROYED				
					CVD28GVRD2018						
156117	84H0411	E 493357.938 N 5436752.743 El .871		0.9996035	1.0000029	966663	80H1291	TERR	86 5 12	161.652	161.716
					CVD28GVRD2018						
741066	84H0412	E 493211.875 N 5436846.694 El .756		0.9996035	1.0000030	705764 472092	83H6498 83H6497	TERR TERR	9 28 56 178 37 2	77.684 119.958	77.715 120.006
					CVD28GVRD2018						
258921	84H0413	E 493351.554 N 5436934.554 El .677		0.9996035	1.0000030	857128 705764	6823 83H6498	TERR TERR	92 36 38 264 56 20	168.962 127.378	169.030 127.427
					CVD28GVRD2018						
288019	84H0414	E 493318.876 N 5437079.852 El .613		0.9996035	1.0000030	991950 514711	6824 83H6507	TERR TERR	0 25 46 274 18 12	201.046 182.652	201.126 182.724
					CVD28GVRD2018						
205120	84H0415	E 493515.699 N 5437374.486 El 1.001		0.9996034	1.0000029	358242 279786	6822 86H2440	TERR TERR	4 35 10 272 35 57	107.670 196.827	107.713 196.904
					CVD28GVRD2018						

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- UTM Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
677278	84H0416	E N El	493659.836 5437390.188 1.054	0.9996034	1.0000029		MARKER DESTROYED				
47175	84H0417	E N El	493972.731 5437389.474 1.500	0.9996033	1.0000028		MARKER DESTROYED				
163139	84H0418	E N El	493798.732 5437486.314 1.384	0.9996033	1.0000029		MARKER DESTROYED				
613786	84H0419	E N El	493681.092 5437642.833 1.513	0.9996033	1.0000028		MARKER DESTROYED				
936823	84H0420	E N El	493632.804 5437746.095 1.635	0.9996033	1.0000028		MARKER DESTROYED				
378034	84H0421	E N El	493839.099 5436669.894 .921	0.9996034	1.0000029	546150 528885 546689	84H0346 84H0347 84H0422	TERR TERR TERR	2 30 37 90 29 26 272 58 45	170.411 144.026 243.147	170.478 144.083 243.243
546689	84H0422	E N El	493596.281 5436682.531 .679	0.9996035	1.0000030	378034 842872	84H0421 84H0423	TERR TERR	92 58 45 180 50 15	243.147 171.452	243.243 171.521
842872	84H0423	E N El	493593.775 5436511.097 .878	0.9996034	1.0000029	546689	84H0422	TERR	0 50 15	171.452	171.521
854869	84H0424	E N El	493644.722 5436361.943 .690	0.9996035	1.0000030	617258	9321	TERR	266 17 37	132.047	132.100

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid			UTM Grid	Ground
GCM-NO	TABLET	MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING		Bearing	Distance Metres		Distance Metres	
711556		84H0425	E N El	494211.436 5437148.062 1.503	0.9996033	1.0000028		MARKER DESTROYED						
148114		84H0426	E N El	494713.126 5439050.799 3.213	0.9996029	1.0000026		MARKER DESTROYED						
840447		84H0427	E N El	494075.233 5437980.690 1.249	0.9996033	1.0000029	995605	6809	TERR	215	6	57	294.632	294.749
787085		84H0428	E N El	494606.962 5438653.445 1.297	0.9996032	1.0000029	809087 899047	90H6223 84H0429	TERR TERR	218	58	11	527.119 106.034	527.329 106.075
899047		84H0429	E N El	494538.607 5438734.505 1.217	0.9996032	1.0000029	751297 787085 737197	84H0430 84H0428 84H0431	TERR TERR TERR	44	59	1	189.590 106.034 149.810	189.665 106.075 149.870
751297		84H0430	E N El	494672.629 5438868.604 1.197	0.9996032	1.0000029	899047	84H0429	TERR	224	59	1	189.590	189.665

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground
-----	-----	Coordinates				-----	-----	Type	Bearing			Distance	Distance
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				Metres	Metres	
737197	84H0431	E	494433.297	0.9996033	1.0000029	839639	80H1300	GPS	32	4	7	3701.207	3702.677
		N	5438627.955			899047	84H0429	TERR	44	39	53	149.810	149.870
		E1	1.225	CVD28GVRD2018		898734	NO MARKING	GPS	57	7	0	18769.465	18777.059
						909333	NO MARKING	GPS	70	57	51	41436.901	41453.424
						252569	92H0596	GPS	79	13	3	11166.403	11170.849
						528505	92H0579	GPS	83	9	36	2212.533	2213.411
						991802	88H4194	GPS	133	46	20	3026.300	3027.501
						546150	84H0346	GPS	198	10	9	1881.631	1882.378
						703199	6846	GPS	202	1	50	3829.619	3831.139
						983908	84H0432	TERR	209	42	10	141.070	141.125
						989624	80H1275	GPS	233	49	33	7036.613	7039.403
						234419	6901	GPS	243	14	11	4587.917	4589.737
						855890	6855	GPS	251	38	2	5919.887	5922.233
						406991	77C032	GPS	265	41	9	7364.657	7367.574
						394437	77H4671	GPS	286	47	35	4611.844	4613.673
						537563	77H4827	GPS	295	15	29	7545.178	7548.167
						258442	77H4686	GPS	315	21	11	7118.117	7120.938
						80101	02H2443	GPS	328	5	18	2570.735	2571.755
						247494	78H8494	GPS	349	58	9	10995.616	10999.978
				875864	NO MARKING	GPS	357	15	55	19509.530	19517.310		
983908	84H0432	E	494363.397	0.9996033	1.0000029	737197	84H0431	TERR	29	42	10	141.070	141.125
		N	5438505.421										
		E1	1.038	CVD28GVRD2018									
123406	84H0433	E	494108.280	0.9996032	1.0000028		MARKER DESTROYED						
		N	5437634.574										
		E1	1.655	CVD28GVRD2018									
294678	84H0434	E	495662.480	0.9996031	1.0000028	838532	84H0364	TERR	267	34	11	234.153	234.246
		N	5437555.565										
		E1	1.632	CVD28GVRD2018									
165399	84H0435	E	494928.818	0.9996031	1.0000028	623900	6812	TERR	91	31	16	249.634	249.733
		N	5438328.617										
		E1	1.637	CVD28GVRD2018	434100								
829242	84H0436	E	495059.575	0.9996031	1.0000028	311324	84H0437	TERR	176	46	30	130.010	130.062
		N	5438244.233										
		E1	1.799	CVD28GVRD2018									

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
311324	84H0437	E 495066.889 N 5438114.429 El 1.484		0.9996031	1.0000028	829242	84H0436	TERR	356 46 30	130.010	130.062
					CVD28GVRD2018						
247791	84H0438	E 495247.785 N 5438031.489 El 1.396		0.9996031	1.0000029	690594 173062 941096 974980	84H0361 92H0589 83H6517 92H0565	TERR TERR TERR TERR	94 6 26 184 53 11 269 51 5 357 41 29	108.752 205.296 243.899 297.961	108.795 205.377 243.995 298.079
683276	84H0439	E 495229.754 N 5437826.996 El 1.564		0.9996031	1.0000028		MARKER DESTROYED				
					CVD28GVRD2018						
742825	84H0440	E 494465.021 N 5438016.072 El 1.257		0.9996033	1.0000029	500272 295600	92H0594 86H2436	TERR TERR	180 20 52 285 50 39	526.043 156.493	526.251 156.555
					CVD28GVRD2018						
53629	84H0441	E 494993.554 N 5437478.664 El 1.868		0.9996031	1.0000028	635458 121343 663443	83H6516 6819 84H0442	TERR TERR TERR	0 33 24 87 41 42 270 18 46	287.186 240.936 226.329	287.300 241.032 226.419
					CVD28GVRD2018						
663443	84H0442	E 494767.228 N 5437479.899 El 1.986		0.9996031	1.0000028	53629 500272 518118	84H0441 92H0594 84H0370	TERR TERR TERR	90 18 46 271 54 6 358 16 21	226.329 305.568 317.041	226.419 305.690 317.168
					CVD28GVRD2018						
514901	84H0443	E 494275.002 N 5437499.839 El 1.926		0.9996032	1.0000028		MARKER DESTROYED				
					CVD28GVRD2018						
942359	84H0444	E 494979.254 N 5437332.681 El 1.086		0.9996032	1.0000029	735647	83H6508	TERR	181 25 28	382.406	382.558
					CVD28GVRD2018						
680223	84H0445	E 494353.617 N 5436941.382 El .970		0.9996033	1.0000029	617167	92H0580	TERR	167 23 47	247.394	247.492
					CVD28GVRD2018						

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
470815	84H0446	E 494517.000 N 5436805.920 El .907		0.9996033	1.0000029	674572 591024 469718	79H9922 92H0581 87H3178	TERR TERR TERR	92 20 1 177 44 60 319 43 28	196.107 108.070 95.639	196.185 108.113 95.677
815019	84H0447	E 494520.656 N 5436698.283 El .868		0.9996033	1.0000029		MARKER DESTROYED				
717611	84H0448	E 495095.998 N 5436725.237 El .985		0.9996032	1.0000029	479238	92H0582	TERR	269 55 39	197.645	197.724
142471	84H0449	E 495233.310 N 5436946.180 El 1.121		0.9996032	1.0000029		MARKER DESTROYED				
551408	84H9449	E 495651.216 N 5436888.077 El 1.171		0.9996031	1.0000029		MARKER DESTROYED				
52225	84H9450	E 507993.878 N 5439384.530 El 53.204		0.9995955	0.9999947		MARKER DESTROYED				
36269	84H9451	E 507995.290 N 5439161.826 El 48.665		0.9995962	0.9999954	853168	84H9452	TERR	270 19 47	268.574	268.683
853168	84H9452	E 507726.720 N 5439163.371 El 37.700		0.9995979	0.9999971	102970 898734 275420 850214 36269 801928 864868 711085	92H0875 NO MARKING 92H0907 92H0908 84H9451 92H0911 5640 84H9453	GPS GPS GPS GPS TERR GPS GPS TERR	10 26 37 14 20 35 72 25 13 79 59 19 90 19 47 91 2 16 125 12 23 359 47 14	1602.297 9965.708 1136.554 1936.233 268.574 4594.998 2917.339 190.575	1602.946 9969.764 1137.014 1937.018 268.683 4596.855 2918.506 190.652
711085	84H9453	E 507726.012 N 5439353.945 El 44.569		0.9995968	0.9999961	853168	84H9452	TERR	179 47 14	190.575	190.652

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- UTM Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
121558	84H9454	E N El	507990.037 5440007.513 64.547	0.9995937	0.9999929		MARKER ISOLATED				
303891	84H9455	E N El	505840.915 5440708.127 18.211	0.9996006	1.0000002	130211	78H8560	TERR	85 3 40	188.845	188.920
785618	84H9456	E N El	505935.069 5441253.964 31.399	0.9995986	0.9999981	382457 738864	84H9465 84H9461	TERR TERR	50 37 26 180 8 0	99.031 151.243	99.071 151.304
363986	84H9457	E N El	506037.532 5441204.403 38.719	0.9995974	0.9999970	382457	84H9465	TERR	347 1 0	115.336	115.382
959361	84H9458	E N El	506280.474 5440819.302 37.686	0.9995976	0.9999971	307629 295485	84H9459 9333	TERR TERR	47 54 57 275 32 33	116.287 127.912	116.334 127.963
307629	84H9459	E N El	506366.778 5440897.240 40.427	0.9995972	0.9999967	947432 959361	82H5399 84H9458	TERR TERR	58 19 6 227 54 57	113.473 116.287	113.519 116.334
251900	84H9460	E N El	505833.259 5441093.996 25.141	0.9995995	0.9999991		MARKER DESTROYED				
738864	84H9461	E N El	505934.717 5441102.721 28.895	0.9995989	0.9999985	785618	84H9456	TERR	0 8 0	151.243	151.304
741462	84H9462	E N El	506227.326 5441236.033 50.821	0.9995956	0.9999951	220558	84H9464	TERR	347 57 51	130.811	130.864

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
747915	84H9463	E 506314.129 N 5441369.490 El 55.327		0.9995949	0.9999944	406413 220558	78H8571 84H9464	TERR TERR	15 15 12 267 13 44	166.044 114.214	166.112 114.260
					CVD28GVRD2018						
220558	84H9464	E 506200.049 N 5441363.968 El 47.823		0.9995960	0.9999955	747915 741462 593293	84H9463 84H9462 9312	TERR TERR TERR	87 13 44 167 57 51 326 58 19	114.214 130.811 179.856	114.260 130.864 179.929
					CVD28GVRD2018						
382457	84H9465	E 506011.620 N 5441316.790 El 36.023		0.9995978	0.9999974	363986 785618 694794	84H9457 84H9456 84H9466	TERR TERR TERR	167 1 0 230 37 26 321 40 38	115.336 99.031 98.578	115.382 99.071 98.617
					CVD28GVRD2018						
694794	84H9466	E 505950.493 N 5441394.127 El 33.179		0.9995983	0.9999978	593293 382457 612895	9312 84H9465 83H6505	TERR TERR TERR	51 28 33 141 40 38 230 49 22	193.681 98.578 144.653	193.758 98.617 144.710
					CVD28GVRD2018						
301721	84H9467	E 507497.640 N 5440983.031 El 85.190		0.9995904	0.9999897	40899 150680 489286	84H9472 82H5386 84H9468	TERR TERR TERR	2 18 49 87 29 28 274 45 1	228.218 92.859 147.949	228.312 92.897 148.010
					CVD28GVRD2018						
489286	84H9468	E 507350.199 N 5440995.283 El 88.369		0.9995899	0.9999892	301721 329508	84H9467 84H9469	TERR TERR	94 45 1 265 52 14	147.949 163.228	148.010 163.295
					CVD28GVRD2018						
329508	84H9469	E 507187.395 N 5440983.529 El 87.552		0.9995900	0.9999893	489286 151597 398990	84H9468 82H5394 84H9470	TERR TERR TERR	85 52 14 177 58 38 336 37 50	163.228 232.045 85.132	163.295 232.139 85.167
					CVD28GVRD2018						
398990	84H9470	E 507153.627 N 5441061.677 El 90.596		0.9995895	0.9999888	375675 329508	84H9471 84H9469	TERR TERR	59 2 52 156 37 50	102.749 85.132	102.791 85.167
					CVD28GVRD2018						
375675	84H9471	E 507241.744 N 5441114.523 El 89.529		0.9995897	0.9999890	760157 398990	79H9929 84H9470	TERR TERR	51 48 54 239 2 52	141.415 102.749	141.473 102.791
					CVD28GVRD2018						

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
40899	84H9472	E 507506.853 N 5441211.063 El 86.071		0.9995902	0.9999896	301721 760157	84H9467 79H9929	TERR TERR	182 18 49 266 36 39	228.218 154.224	228.312 154.287
					CVD28GVRD2018						
359125	84H9473	E 505970.741 N 5441772.919 El 27.152		0.9995992	0.9999988	382119	79H9862	TERR	256 30 53	85.928	85.963
					CVD28GVRD2018						
623769	84H9474	E 506049.687 N 5441808.374 El 31.642		0.9995985	0.9999981		MARKER DESTROYED				
					CVD28GVRD2018						
147926	84H9475	E 506095.611 N 5441921.701 El 33.431		0.9995983	0.9999978	33647	84H9476	TERR	326 4 23	97.989	98.027
					CVD28GVRD2018						
33647	84H9476	E 506040.920 N 5442003.007 El 28.153		0.9995991	0.9999986	147926 796789	84H9475 79H9860	TERR TERR	146 4 23 271 21 54	97.989 102.270	98.027 102.311
					CVD28GVRD2018						
378067	84H9477	E 506379.094 N 5442426.515 El 52.573		0.9995953	0.9999948	506907 880914	84H9478 87H2622	TERR TERR	277 10 58 357 6 27	92.437 240.048	92.475 240.145
					CVD28GVRD2018						
506907	84H9478	E 506287.382 N 5442438.073 El 45.481		0.9995964	0.9999959	456251 378067	84H9479 84H9477	TERR TERR	4 17 3 97 10 58	140.272 92.437	140.329 92.475
					CVD28GVRD2018						
456251	84H9479	E 506297.861 N 5442577.953 El 48.674		0.9995959	0.9999954	506907 609685	84H9478 84H9480	TERR TERR	184 17 3 244 10 11	140.272 218.376	140.329 218.464
					CVD28GVRD2018						
609685	84H9480	E 506101.303 N 5442482.805 El 32.959		0.9995983	0.9999979	456251	84H9479	TERR	64 10 11	218.376	218.464
					CVD28GVRD2018						

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
540633	84H9481	E N El	506377.748 5442830.591 55.992	0.9995948	0.9999943		MARKER DESTROYED				
227637	84H9482	E N El	506287.889 5442761.739 52.580	0.9995953	0.9999948	825851 790956	84H9483 84H9484	TERR TERR	0 5 23 237 38 15	83.769 154.668	83.803 154.730
825851	84H9483	E N El	506288.020 5442845.508 55.513	0.9995948	0.9999943	565192 227637	84H9486 84H9482	TERR TERR	1 17 20 180 5 23	195.240 83.769	195.319 83.803
790956	84H9484	E N El	506157.244 5442678.949 42.539	0.9995968	0.9999964	227637 417790	84H9482 84H9485	TERR TERR	57 38 15 317 52 35	154.668 81.529	154.730 81.562
417790	84H9485	E N El	506102.560 5442739.419 43.082	0.9995967	0.9999963	701433 790956 74153	84H9488 84H9484 79H9840	TERR TERR TERR	2 49 24 137 52 35 261 9 44	211.725 81.529 73.537	211.811 81.562 73.567
565192	84H9486	E N El	506292.412 5443040.699 61.245	0.9995939	0.9999934	825851	84H9483	TERR	181 17 20	195.240	195.319
20966	84H9487	E N El	506187.242 5442970.885 56.405	0.9995947	0.9999942	701433	84H9488	TERR	254 55 36	76.899	76.930
701433	84H9488	E N El	506112.989 5442950.887 52.799	0.9995952	0.9999948	20966 417790	84H9487 84H9485	TERR TERR	74 55 36 182 49 24	76.899 211.725	76.930 211.811
337394	84H9489	E N El	506177.838 5443114.165 62.204	0.9995938	0.9999933	128561 102921	84H9494 84H9493	TERR TERR	0 4 31 272 12 48	75.259 163.199	75.290 163.265

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres	
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET		MARKING					Metres	Metres
668343		84H9490	E N El	506030.297 5443045.511 54.090	0.9995950	0.9999946	343368		84H9491	TERR	245	9	8	107.904	107.947	
						CVD28GVRD2018										
343368		84H9491	E N El	505932.382 5443000.169 44.252	0.9995965	0.9999961	668343 731257 694059		84H9490 78H8589 78H8576	TERR TERR TERR	65 160 332	9 1 7	8 59 18	107.904 162.187 177.518	107.947 162.252 177.590	
						CVD28GVRD2018										
561498		84H9492	E N El	505567.981 5444246.095 76.260	0.9995915	0.9999911	253674 591933 457473		9323 79H9916 84H9510	TERR TERR TERR	6 180 242	39 58 5	23 2 25	145.997 274.051 114.068	146.057 274.163 114.114	
						CVD28GVRD2018										
102921		84H9493	E N El	506014.761 5443120.468 57.360	0.9995945	0.9999940	337394		84H9489	TERR	92	12	48	163.199	163.265	
						CVD28GVRD2018										
128561		84H9494	E N El	506177.937 5443189.424 65.465	0.9995932	0.9999928	935932 337394 938217		84H9495 84H9489 83H6513	TERR TERR TERR	81 180 275	57 4	53 31 43	119.249 75.259 178.380	119.297 75.290 178.453	
						CVD28GVRD2018										
935932		84H9495	E N El	506296.015 5443206.093 67.714	0.9995929	0.9999924	128561		84H9494	TERR	261	57	53	119.249	119.297	
						CVD28GVRD2018										
979740		84H9496	E N El	506261.029 5443352.312 73.045	0.9995921	0.9999916	374967		84H9497	TERR	272	25	22	145.893	145.953	
						CVD28GVRD2018										
374967		84H9497	E N El	506115.266 5443358.479 72.886	0.9995921	0.9999916	979740 797589		84H9496 82H5478	TERR TERR	92 338	25 31	22 20	145.893 162.098	145.953 162.164	
						CVD28GVRD2018										
675256		84H9498	E N El	506007.844 5443591.716 79.505	0.9995910	0.9999906	565283 356634		84H9501 84H9499	TERR TERR	0 274	37 21	49 12	290.504 178.272	290.623 178.345	
						CVD28GVRD2018										

Integrated Survey Area No:13 Corporation of the District of Delta
 Order in Council No. 783/73
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
356634	84H9499	E	505830.086	0.9995924	0.9999920	675256 682351	84H9498 84H9500	TERR	94 21 12	178.272	178.345
		N	5443605.248					TERR	357 30 37	266.172	266.282
		El	70.192								
682351	84H9500	E	505818.523	0.9995913	0.9999909	565283 356634 327619	84H9501 84H9499 83H6504	TERR	86 43 12	192.832	192.911
		N	5443871.169					TERR	177 30 37	266.172	266.282
		El	77.454					TERR	276 58 52	137.178	137.234
565283	84H9501	E	506011.039	0.9995903	0.9999899	675256 682351	84H9498 84H9500	TERR	180 37 49	290.504	290.623
		N	5443882.202					TERR	266 43 12	192.832	192.911
		El	83.998								
791079	84H9502	E	505574.368	0.9995943	0.9999940	453779 733733	78H8582 78H8577	TERR	186 59 4	125.000	125.050
		N	5443690.482					TERR	359 52 7	126.996	127.048
		El	57.922								
857524	84H9503	E	505472.518	0.9995973	0.9999969	453779 728170	78H8582 84H9504	TERR	117 31 22	97.708	97.748
		N	5443611.561					TERR	358 4 18	98.184	98.223
		El	38.912								
728170	84H9504	E	505469.214	0.9995956	0.9999952	342345 857524	84H9506 84H9503	TERR	4 14 3	156.315	156.378
		N	5443709.689					TERR	178 4 18	98.184	98.223
		El	49.961								
417048	84H9505	E	505369.225	0.9995976	0.9999972	815746	84H9508	TERR	305 55 13	127.493	127.543
		N	5443700.122								
		El	36.991								
342345	84H9506	E	505480.755	0.9995933	0.9999929	728170	84H9504	TERR	184 14 3	156.315	156.378
		N	5443865.577								
		El	64.740								
238337	84H9507	E	505325.963	0.9995956	0.9999953	748384	84H9509	TERR	307 14 14	139.958	140.014
		N	5443866.065								
		El	49.564								

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
815746	84H9508	E	505265.977	0.9995983	0.9999979	447193	78H6975	GPS	4 14 37	12712.948	12718.097
		N	5443774.917			841734	6966	GPS	36 43 11	2294.530	2295.463
		El	32.436			898734	NO MARKING	GPS	44 20 42	7052.467	7055.337
						904904	NO MARKING	GPS	103 27 1	20300.465	20308.542
						417048	84H9505	TERR	125 55 13	127.493	127.543
						901199	5620	GPS	134 5 54	8171.947	8175.206
						102970	92H0875	GPS	137 48 56	4096.958	4098.618
						799270	9352	GPS	151 27 38	1621.019	1621.669
						607093	5893	GPS	155 54 50	6706.912	6709.590
						252569	92H0596	GPS	177 26 34	3060.995	3062.221
						995365	6910	GPS	185 16 44	5682.261	5684.530
						869792	NO MARKING	GPS	257 37 15	16382.494	16389.050
						51649	77H4983	GPS	270 35 37	14010.685	14016.279
						195156	80H1320	GPS	286 7 37	3202.893	3204.174
						669101	78H8547	TERR	318 51 25	234.367	234.461
						838037	02H2423	GPS	320 30 23	4325.649	4327.378
						177238	88H4212	GPS	330 33 17	3214.255	3215.541
						137695	92H0576	GPS	353 39 27	3234.898	3236.191
748384	84H9509	E	505214.537	0.9995975	0.9999972	238337	84H9507	TERR	127 14 14	139.958	140.014
		N	5443950.756			669101	78H8547	TERR	270 21 55	102.762	102.803
		El	37.487								
457473	84H9510	E	505467.181	0.9995920	0.9999916	561498	84H9492	TERR	62 5 25	114.068	114.114
		N	5444192.702								
		El	72.980								
205658	84H9944	E	506971.087	0.9995931	0.9999925		MARKER DESTROYED				
		N	5442528.595								
		El	66.951								
218842	86H2435	E	495489.489	0.9996028	1.0000026		MARKER DESTROYED				
		N	5440210.166								
		El	3.078								
295600	86H2436	E	494314.474	0.9996032	1.0000029	742825	84H0440	TERR	105 50 39	156.493	156.555
		N	5438058.798								
		El	1.424								
832667	86H2437	E	491041.793	0.9996039	1.0000029	531830	6952	TERR	74 59 55	675.851	676.119
		N	5436687.178			568352	6951	TERR	232 29 21	158.450	158.513
		El	1.026								

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
530063	86H2438	E N El	493522.787 5437279.174 .979	0.9996034	1.0000029		MARKER DESTROYED				
13821	86H2439	E N El	494757.793 5438024.111 1.138	0.9996032	1.0000029	941096	83H6517	TERR	88 25 48	246.186	246.284
279786	86H2440	E N El	493319.075 5437383.412 1.348	0.9996034	1.0000029	498345 205120 991950 485656	84H0372 84H0415 6824 84H0408	TERR TERR TERR TERR	0 28 13 92 35 57 179 16 9 272 37 34	98.545 196.827 102.528 161.545	98.584 196.904 102.569 161.609
434100	86H2441	E N El	494718.880 5438324.893 1.259	0.9996032	1.0000029	842484 165399	86H2447 84H0435	TERR TERR	41 19 16 88 59 2	342.818 209.971	342.954 210.054
944819	86H2442	E N El	494302.398 5438547.651 2.135	0.9996031	1.0000027		MARKER DESTROYED				
168005	86H2443	E N El	494487.187 5438773.334 2.315	0.9996031	1.0000027		MARKER DESTROYED				
892471	86H2444	E N El	494638.599 5438444.850 1.246	0.9996032	1.0000029	107953	86H2448	TERR	40 19 34	319.639	319.766
454124	86H2445	E N El	494636.109 5438919.116 2.303	0.9996031	1.0000027		MARKER DESTROYED				
243790	86H2446	E N El	496777.605 5442100.552 3.318	0.9996027	1.0000025	855452 839639	80H1302 80H1300	TERR TERR	60 12 28 228 26 40	830.906 506.747	831.237 506.949

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
179564	8755	E N El	507985.419 5445857.421 103.547	0.9995876	0.9999868	564153	8754	TERR	3 34 2	364.278	364.428
			CVD28GVRD2018								
9365	87H2618	E N El	497079.326 5428845.509 1.804	0.9996029	1.0000028	980920 233106	87H3192 87H2619	TERR TERR	71 2 26 163 12 29	77.236 205.714	77.267 205.796
			CVD28GVRD2018								
233106	87H2619	E N El	497138.756 5428648.567 1.657	0.9996029	1.0000028	9365	87H2618	TERR	343 12 29	205.714	205.796
			CVD28GVRD2018								
677567	87H2621	E N El	505685.878 5443328.104 32.907	0.9995983	0.9999979	639864 907782	82H5413 80H1338	TERR TERR	151 27 33 330 44 15	166.460 211.321	166.527 211.406
			CVD28GVRD2018								
880914	87H2622	E N El	506366.981 5442666.257 54.258	0.9995950	0.9999945	378067	84H9477	TERR	177 6 27	240.048	240.145
			CVD28GVRD2018								
809491	87H2623	E N El	505245.314 5445143.224 54.889	0.9995948	0.9999944	831248 44818	9327 79H9839	TERR TERR	46 28 10 225 48 47	184.819 335.307	184.894 335.443
			CVD28GVRD2018								
862789	87H3144	E N El	495200.448 5429122.462 5.262	0.9996026	1.0000023	677724 631929	87H3209 87H3145	TERR TERR	66 41 53 185 49 44	81.451 126.117	81.483 126.167
			CVD28GVRD2018								
631929	87H3145	E N El	495187.640 5428996.997 3.042	0.9996029	1.0000026	862789 723304	87H3144 6983	TERR TERR	5 49 44 266 20 20	126.117 205.844	126.167 205.926
			CVD28GVRD2018								
833277	87H3146	E N El	493789.777 5428152.169 60.186	0.9995941	0.9999937	545046 629329	9376 87H3147	TERR TERR	87 0 30 273 44 8	271.344 211.436	271.454 211.522
			CVD28GVRD2018								

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
629329	87H3147	E 493578.790 N 5428165.944 El 61.800		0.9995939	0.9999934	833277	87H3146	TERR	93 44 8	211.436	211.522
					CVD28GVRD2018						
790543	87H3148	E 493422.967 N 5428955.781 El 56.775		0.9995947	0.9999942	482935 226464	87H3149 6987	TERR TERR	88 56 21 271 4 15	181.860 123.920	181.933 123.970
					CVD28GVRD2018						
482935	87H3149	E 493604.796 N 5428959.148 El 54.573		0.9995951	0.9999945	537621 766196 790543	87H3164 6986 87H3148	TERR TERR TERR	12 33 4 87 12 54 268 56 21	153.981 139.741 181.860	154.044 139.798 181.933
					CVD28GVRD2018						
56499	87H3150	E 492741.110 N 5430053.425 El 53.770		0.9995953	0.9999947	273383 351007	87H3151 87H3156	TERR TERR	1 8 59 155 12 5	182.407 182.536	182.480 182.610
					CVD28GVRD2018						
273383	87H3151	E 492744.770 N 5430235.795 El 58.380		0.9995946	0.9999939	329599 56499	87H3152 87H3150	TERR TERR	52 43 17 181 8 59	98.317 182.407	98.357 182.480
					CVD28GVRD2018						
329599	87H3152	E 492823.001 N 5430295.345 El 59.493		0.9995944	0.9999938	186114 273383	87H3153 87H3151	TERR TERR	94 25 51 232 43 17	168.113 98.317	168.181 98.357
					CVD28GVRD2018						
186114	87H3153	E 492990.611 N 5430282.357 El 62.890		0.9995938	0.9999932	352500 329599	87H3154 87H3152	TERR TERR	70 35 20 274 25 51	115.874 168.113	115.921 168.181
					CVD28GVRD2018						
352500	87H3154	E 493099.899 N 5430320.867 El 51.399		0.9995956	0.9999950	437277 186114	87H3155 87H3153	TERR TERR	80 9 50 250 35 20	179.138 115.874	179.211 115.921
					CVD28GVRD2018						
437277	87H3155	E 493276.404 N 5430351.469 El 33.575		0.9995984	0.9999978	352500	87H3154	TERR	260 9 50	179.138	179.211
					CVD28GVRD2018						

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates		Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres				GCM-NO	TABLET MARKING				
351007	87H3156	E 492817.671 N 5429887.721 El 53.442		0.9995954	0.9999947	56499	87H3150	TERR	335 12 5	182.536	182.610
					CVD28GVRD2018						
305805	87H3157	E 492994.173 N 5429739.076 El 53.474		0.9995953	0.9999947	641498	87H3158	TERR	143 35 11	284.715	284.830
					CVD28GVRD2018						
641498	87H3158	E 493163.183 N 5429509.951 El 52.444		0.9995955	0.9999949	315903 305805	87H3159 87H3157	TERR TERR	88 59 33 323 35 11	122.164 284.715	122.213 284.830
					CVD28GVRD2018						
315903	87H3159	E 493285.328 N 5429512.099 El 55.303		0.9995950	0.9999944	641498	87H3158	TERR	268 59 33	122.164	122.213
					CVD28GVRD2018						
782433	87H3160	E 493487.283 N 5429466.447 El 53.825		0.9995952	0.9999947	49908 528505 898734 446658 629147 430900 630830 647321 394825 989624 869792	02H2413 92H0579 NO MARKING 80H1267 6988 87H3190 87H3184 77C010 81 80H1275 NO MARKING	GPS GPS GPS GPS TERR GPS GPS GPS GPS GPS GPS	12 19 8 18 26 28 40 48 24 46 9 1 89 51 30 113 12 47 142 14 37 264 7 13 270 54 11 316 36 41 338 38 15	14633.659 9935.198 25566.855 5135.603 266.869 3759.289 1904.976 2019.199 5280.142 6891.595 11592.882	14639.528 9939.182 25577.297 5137.664 266.977 3760.796 1905.747 2020.009 5282.256 6894.355 11597.536
228106	87H3161	E 493701.609 N 5429926.250 El 25.578		0.9995996	0.9999991	866012 376608	6994 6995	TERR TERR	92 40 22 237 34 33	216.572 192.790	216.658 192.867
					CVD28GVRD2018						
961649	87H3162	E 493821.122 N 5429349.530 El 35.226		0.9995980	0.9999976	457317	87H3163	TERR	182 40 14	221.511	221.600
					CVD28GVRD2018						
457317	87H3163	E 493810.801 N 5429128.260 El 49.841		0.9995958	0.9999953	961649 537621	87H3162 87H3164	TERR TERR	2 40 14 263 46 41	221.511 173.565	221.600 173.636
					CVD28GVRD2018						

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
537621	87H3164	E 493638.258 N 5429109.449 El 53.178		0.9995953	0.9999948	457317 482935	87H3163 87H3149	TERR TERR	83 46 41 192 33 4	173.565 153.981	173.636 154.044
				CVD28GVRD2018							
882027	87H3165	E 494249.315 N 5430697.016 El 27.817		0.9995991	0.9999987		MARKER ISOLATED				
				CVD28GVRD2018							
299321	87H3166	E 494372.453 N 5430814.590 El 27.333		0.9995992	0.9999988		MARKER DESTROYED				
				CVD28GVRD2018							
977785	87H3167	E 494379.469 N 5430573.413 El 23.982		0.9995997	0.9999993	932863	88H4272	TERR	105 11 47	111.446	111.491
				CVD28GVRD2018							
124586	87H3168	E 494446.113 N 5430952.090 El 23.406		0.9995998	0.9999994		MARKER ISOLATED				
				CVD28GVRD2018							
313841	87H3169	E 494723.821 N 5430763.957 El 19.758		0.9996003	1.0000000	804278 234997	87H3170 87H3201	TERR TERR	90 54 26 179 9 40	153.987 191.406	154.049 191.482
				CVD28GVRD2018							
804278	87H3170	E 494877.789 N 5430761.519 El 17.407		0.9996007	1.0000004	313841	87H3169	TERR	270 54 26	153.987	154.049
				CVD28GVRD2018							
18291	87H3171	E 495229.419 N 5429857.110 El 12.571		0.9996014	1.0000011	823708	87H3172	TERR	180 24 42	174.262	174.331
				CVD28GVRD2018							
823708	87H3172	E 495228.167 N 5429682.853 El 15.110		0.9996010	1.0000007	18291 637405	87H3171 87H3173	TERR TERR	0 24 42 268 54 9	174.262 193.609	174.331 193.685
				CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
637405	87H3173	E N El	495034.594 5429679.145 13.911	0.9996012	1.0000009	823708	87H3172	TERR	88 54 9	193.609	193.685
					CVD28GVRD2018						
54726	87H3174	E N El	496068.295 5436901.654 1.682	0.9996030	1.0000028	859868 154088 612762	79H9887 87H3175 79H9885	TERR TERR TERR	4 42 4 89 28 22 175 10 2	112.544 202.508 113.152	112.589 202.588 113.197
154088	87H3175	E N El	496270.794 5436903.517 1.611	0.9996030	1.0000028	689869 135376 54726	88H4210 88H4174 87H3174	TERR TERR TERR	0 27 10 179 48 23 269 28 22	334.285 180.742 202.508	334.418 180.813 202.588
224287	87H3176	E N El	494898.870 5436725.146 .803	0.9996033	1.0000030		MARKER DESTROYED				
					CVD28GVRD2018						
970053	87H3177	E N El	494746.047 5436727.226 .972	0.9996033	1.0000029	479238 675900	92H0582 9316	TERR TERR	90 50 32 257 25 16	152.323 102.656	152.384 102.696
					CVD28GVRD2018						
469718	87H3178	E N El	494455.173 5436878.887 1.065	0.9996033	1.0000029	729699 470815	6953 84H0446	TERR TERR	1 15 35 139 43 28	125.666 95.639	125.716 95.677
					CVD28GVRD2018						
207381	87H3179	E N El	494709.827 5437047.701 .783	0.9996033	1.0000030	63396 23549	9339 83H6509	TERR TERR	0 27 57 182 12 13	193.602 83.384	193.679 83.417
					CVD28GVRD2018						
431395	87H3180	E N El	494709.650 5438429.114 1.086	0.9996032	1.0000029	346551	86H2451	TERR	222 53 11	96.130	96.168
					CVD28GVRD2018						
16980	87H3181	E N El	495350.279 5437474.256 1.934	0.9996030	1.0000028	943449 295709 121343	84H0363 87H3182 6819	TERR TERR TERR	0 22 51 90 24 17 276 55 49	146.887 226.913 116.838	146.946 227.003 116.884
					CVD28GVRD2018						

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
295709	87H3182	E 495577.186 N 5437472.653 El 1.964		0.9996030	1.0000028	16980	87H3181	TERR	270 24 17	226.913	227.003
				CVD28GVRD2018							
840215	87H3183	E 495662.686 N 5437472.904 El 1.859		0.9996030	1.0000028		MARKER DESTROYED				
				CVD28GVRD2018							
630830	87H3184	E 494653.707 N 5427960.330 El 52.948		0.9995952	0.9999948	446658 898734 914127 762716 430900 268219 234179 782433 869792	80H1267 NO MARKING 80H1262 80H1257 87H3190 6977 6976 87H3160 NO MARKING	GPS GPS GPS GPS GPS TERR TERR GPS GPS	26 36 44 36 41 26 36 43 42 48 40 1 89 23 22 90 36 0 267 40 15 322 14 37 336 20 36	5663.952 26011.691 8334.226 11288.477 2288.662 328.181 166.097 1904.976 13431.176	5666.224 26022.312 8337.570 11293.006 2289.580 328.314 166.165 1905.747 13436.568
341875	87H3185	E 493984.566 N 5428593.349 El 53.908		0.9995951	0.9999947	211383 285627	6980 87H3186	TERR TERR	94 13 4 288 5 60	186.305 117.824	186.380 117.872
				CVD28GVRD2018							
285627	87H3186	E 493872.572 N 5428629.954 El 53.737		0.9995951	0.9999947	341875 159749	87H3185 9368	TERR TERR	108 5 60 315 40 46	117.824 127.764	117.872 127.816
				CVD28GVRD2018							
332759	87H3187	E 495154.376 N 5430110.665 El 9.468		0.9996019	1.0000016		MARKER DESTROYED				
				CVD28GVRD2018							
732727	87H3188	E 502403.508 N 5444649.657 El 3.346		0.9996026	1.0000025	195156	80H1320	TERR	273 58 52	214.904	214.989
				CVD28GVRD2018							
183806	87H3189	E 497184.005 N 5427983.613 El 2.013		0.9996029	1.0000028	430900 626564	87H3190 80H1287	TERR TERR	270 15 40 354 51 25	241.769 419.310	241.865 419.477
				CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
430900	87H3190	E	496942.239	0.9996029	1.0000028	564781	92H0547	TERR	0 28 47	403.028	403.189		
		N	5427984.715			446658	80H1267	GPS	2 49 28	5045.652	5047.657		
		El	1.951 CVD28GVRD2018			531079	6902	GPS	17 11 5	9919.687	9923.626		
						914127	80H1262	GPS	22 2 55	7180.477	7183.330		
						898734	NO MARKING	GPS	32 27 44	24691.963	24701.948		
						607093	5893	GPS	48 50 47	14690.100	14695.932		
						942870	86H1263	GPS	77 40 44	14694.751	14700.687		
						183806	87H3189	TERR	90 15 40	241.769	241.865		
						630830	87H3184	GPS	269 23 22	2288.662	2289.580		
						394825	81	GPS	280 9 29	8873.531	8877.051		
						782433	87H3160	GPS	293 12 47	3759.289	3760.796		
						869792	NO MARKING	GPS	327 58 52	14481.084	14486.842		
						274696	78H8518	GPS	358 57 14	18550.461	18557.824		
442301	87H3191	E	496944.545	0.9996030	1.0000028	MARKER DESTROYED							
		N	5428395.331										
		El	1.651									CVD28GVRD2018	
980920	87H3192	E	497152.372	0.9996029	1.0000028	248005	92H0569	TERR	163 3 6	317.232	317.358		
		N	5428870.603			9365	87H2618	TERR	251 2 26	77.236	77.267		
		El	1.996			CVD28GVRD2018							
948364	87H3193	E	497245.988	0.9996028	1.0000027	MARKER DESTROYED							
		N	5428570.523										
		El	2.338									CVD28GVRD2018	
640797	87H3194	E	497272.593	0.9996028	1.0000027	MARKER DESTROYED							
		N	5428386.359										
		El	2.370									CVD28GVRD2018	
581645	87H3195	E	495240.733	0.9996031	1.0000029	MARKER DESTROYED							
		N	5431283.533										
		El	1.478									CVD28GVRD2018	
464404	87H3196	E	495560.444	0.9996031	1.0000029	379990	92H0585	TERR	270 50 4	320.579	320.706		
		N	5431278.977										
		El	1.265			CVD28GVRD2018							
928770	87H3197	E	494626.990	0.9996032	1.0000028	445353	87H3198	TERR	187 32 50	136.026	136.081		
		N	5431389.079										
		El	1.763			CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
445353	87H3198	E 494609.124 N 5431254.231 El 8.078		0.9996022	1.0000018	928770	87H3197	TERR	7 32 50	136.026	136.081
					CVD28GVRD2018						
723197	87H3199	E 494494.386 N 5431194.897 El 12.819		0.9996015	1.0000011		MARKER ISOLATED				
					CVD28GVRD2018						
824565	87H3200	E 494618.495 N 5430564.834 El 21.044		0.9996002	0.9999998	234997	87H3201	TERR	85 54 24	108.405	108.449
					CVD28GVRD2018						
234997	87H3201	E 494726.623 N 5430572.572 El 22.352		0.9995999	0.9999996	824565 313841	87H3200 87H3169	TERR TERR	265 54 24 359 9 40	108.405 191.406	108.449 191.482
					CVD28GVRD2018						
292086	87H3202	E 494483.486 N 5430365.616 El 20.202		0.9996003	0.9999999	932863 771220	88H4272 9276	TERR TERR	1 7 59 177 32 35	178.619 158.858	178.690 158.921
					CVD28GVRD2018						
308858	87H3203	E 494818.962 N 5431010.426 El 9.624		0.9996019	1.0000016		MARKER ISOLATED				
					CVD28GVRD2018						
381053	87H3204	E 494168.876 N 5430197.390 El 20.735		0.9996003	0.9999998		MARKER DESTROYED				
					CVD28GVRD2018						
504514	87H3205	E 494793.796 N 5429426.056 El 13.924		0.9996013	1.0000009		MARKER DESTROYED				
					CVD28GVRD2018						
356253	87H3206	E 494589.117 N 5429450.852 El 15.172		0.9996011	1.0000007	320531	87H3207	TERR	276 33 20	207.289	207.372
					CVD28GVRD2018						

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
320531	87H3207	E 494383.183 N 5429474.517 El 16.889		0.9996008	1.0000005	356253 460550	87H3206 6990	TERR TERR	96 33 20 268 8 24	207.289 209.990	207.372 210.073
987883	87H3208	E 495292.696 N 5429272.855 El 11.383		0.9996016	1.0000013	677724	87H3209	TERR	188 23 44	119.453	119.501
677724	87H3209	E 495275.255 N 5429154.682 El 6.696		0.9996023	1.0000021	987883 862789	87H3208 87H3144	TERR TERR	8 23 44 246 41 53	119.453 81.451	119.501 81.483
179960	87H3481	E 505173.887 N 5447706.727 El 4.390		0.9996026	1.0000023	248187 214973	87H3482 87H3485	TERR TERR	189 23 20 238 33 14	129.201 434.813	129.253 434.987
248187	87H3482	E 505152.810 N 5447579.257 El 4.194		0.9996027	1.0000023	179960 199406	87H3481 87H3483	TERR TERR	9 23 20 199 40 57	129.201 387.150	129.253 387.304
199406	87H3483	E 505022.414 N 5447214.727 El 3.377		0.9996028	1.0000025	248187 137695 147520	87H3482 92H0576 87H3484	TERR TERR TERR	19 40 57 206 51 33 290 34 31	387.150 251.886 71.429	387.304 251.986 71.458
147520	87H3484	E 504955.541 N 5447239.830 El 3.280		0.9996028	1.0000025	199406 214973	87H3483 87H3485	TERR TERR	110 34 31 327 33 19	71.429 284.458	71.458 284.571
214973	87H3485	E 504802.934 N 5447479.887 El 3.432		0.9996028	1.0000025	179960 147520 360859	87H3481 87H3484 87H3486	TERR TERR TERR	58 33 14 147 33 19 237 18 25	434.813 284.458 267.815	434.987 284.571 267.922
360859	87H3486	E 504577.547 N 5447335.230 El 2.876		0.9996028	1.0000026	214973 462960	87H3485 92H0577	TERR TERR	57 18 25 147 47 21	267.815 237.350	267.922 237.444

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
270140	87H3487	E N El	504704.071 5447134.444 2.788	0.9996028	1.0000026		MARKER DESTROYED				
480343	87H3488	E N El	504908.601 5446989.947 2.879	0.9996029	1.0000026		MARKER DESTROYED				
350017	87H3489	E N El	505127.467 5446881.315 3.991	0.9996027	1.0000024		MARKER DESTROYED				
540765	87H3490	E N El	505206.864 5447001.211 3.952	0.9996027	1.0000024	491159 123505	82H5625 92H0575	TERR TERR	120 44 9 213 31 24	1106.344 143.846	1106.787 143.904
896043	87H3491	E N El	504773.482 5446730.107 3.690	0.9996027	1.0000024	137695	92H0576	TERR	27 28 14	292.937	293.053
11742	87H3492	E N El	504676.960 5446466.636 4.323	0.9996026	1.0000023		MARKER DESTROYED				
738518	87H3493	E N El	504480.897 5446406.909 3.515	0.9996027	1.0000025		MARKER DESTROYED				
420562	87H3494	E N El	504742.837 5447077.664 2.895	0.9996028	1.0000026	137695 462960	92H0576 92H0577	TERR TERR	117 51 59 325 39 20	187.520 68.728	187.594 68.755
396838	87H3495	E N El	504376.658 5446892.647 3.895	0.9996026	1.0000024	462960 863753	92H0577 87H3496	TERR TERR	53 33 25 232 58 5	406.993 418.519	407.155 418.685

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
863753	87H3496	E 504042.555 N 5446640.589 El 3.517		0.9996027	1.0000025	396838 177238	87H3495 88H4212	TERR TERR	52 58 5 259 25 14	418.519 362.854	418.685 362.999
				CVD28GVRD2018							
206920	87H3497	E 507816.159 N 5441777.299 El 73.856		0.9995922	0.9999915	882969 861062 588889	80H1347 79H9905 79H9870	TERR TERR TERR	151 38 5 233 57 2 324 10 15	158.595 185.742 107.727	158.659 185.818 107.770
715631	87H3498	E 503826.094 N 5446368.873 El 3.625		0.9996026	1.0000024	595637	90H6221	TERR	137 35 30	431.067	431.239
				CVD28GVRD2018							
683672	87H3499	E 504117.149 N 5446050.164 El 3.781		0.9996026	1.0000024		MARKER DESTROYED				
				CVD28GVRD2018							
63081	87H3500	E 504052.127 N 5445900.042 El 3.658		0.9996026	1.0000024	595637 80333	90H6221 87H3501	TERR TERR	23 15 1 230 28 50	163.856 702.212	163.921 702.491
				CVD28GVRD2018							
80333	87H3501	E 503510.434 N 5445453.197 El 3.548		0.9996026	1.0000025	63081 843136	87H3500 87H3502	TERR TERR	50 28 50 258 39 26	702.212 142.955	702.491 143.012
				CVD28GVRD2018							
843136	87H3502	E 503370.271 N 5445425.081 El 3.614		0.9996026	1.0000025	80333	87H3501	TERR	78 39 26	142.955	143.012
				CVD28GVRD2018							
135376	88H4174	E 496271.405 N 5436722.776 El 1.447		0.9996030	1.0000029	154088	87H3175	TERR	359 48 23	180.742	180.813
				CVD28GVRD2018							
636811	88H4175	E 496414.544 N 5436809.251 El 1.413		0.9996030	1.0000029	323832	88H4216	TERR	92 55 26	199.427	199.506
				CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
943175	88H4176	E 495920.663 N 5439412.679 El 7.936		0.9996020	1.0000018	744615 528505 460840	80H1345 92H0579 80H1297	TERR TERR TERR	34 14 21 126 18 18 318 28 27	766.140 880.306 827.368	766.445 880.657 827.697
773176	88H4177	E 490469.127 N 5435188.832 El 1.268		0.9996040	1.0000029	213967 101428	6850 6848	TERR TERR	0 50 22 180 34 19	554.873 612.551	555.093 612.793
785998	88H4178	E 490465.346 N 5434076.130 El 1.236		0.9996040	1.0000029	115840 101428	80H1272 6848	TERR TERR	180 33 15 359 43 57	618.074 500.188	618.320 500.385
241000	88H4179	E 491282.567 N 5434535.185 El 1.253		0.9996038	1.0000029	773077 101428	6828 6848	TERR TERR	92 29 54 272 52 22	711.045 820.587	711.326 820.913
873125	88H4180	E 491391.901 N 5433347.988 El 2.135		0.9996037	1.0000027		MARKER ISOLATED				
827477	88H4181	E 491971.595 N 5433964.018 El 1.817		0.9996036	1.0000028		MARKER DESTROYED				
284364	88H4182	E 492009.063 N 5435083.528 El 1.126		0.9996037	1.0000029	137364 773077	6827 6828	TERR TERR	2 16 29 181 35 40	433.537 579.561	433.709 579.791
215509	88H4183	E 492044.100 N 5436133.429 El 1.058		0.9996037	1.0000029	915090 137364	6826 6827	TERR TERR	2 14 21 181 39 22	728.478 616.964	728.768 617.208
710731	88H4184	E 493009.478 N 5435560.043 El 1.235		0.9996035	1.0000029		MARKER DESTROYED				

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs.	UTM Grid			UTM Grid	Ground
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Type	Bearing			Distance Metres	Distance Metres
929257		88H4185	E	493644.104	0.9996034	1.0000030	6361	6839	TERR	90	1	27	678.533	678.802
			N	5435073.250			703199	6846	TERR	270	24	60	647.310	647.567
			E1	.852	CVD28GVRD2018									
399188		88H4186	E	494381.604	0.9996032	1.0000028	MARKER DESTROYED							
			N	5433961.980										
			E1	1.699	CVD28GVRD2018									
57968		88H4187	E	494177.876	0.9996033	1.0000029	MARKER DESTROYED							
			N	5432646.135										
			E1	1.434	CVD28GVRD2018									
960112		88H4188	E	494979.698	0.9996031	1.0000028	658856	84H0376	TERR	0	30	56	778.024	778.333
			N	5432668.828			150003	88H4189	TERR	179	54	26	651.515	651.774
			E1	1.954	CVD28GVRD2018		153528	137000	TERR	266	23	53	466.886	467.072
150003		88H4189	E	494980.753	0.9996031	1.0000028	448001	80H1269	TERR	90	4	28	1304.445	1304.963
			N	5432017.314			960112	88H4188	TERR	359	54	26	651.515	651.774
			E1	1.908	CVD28GVRD2018									
784272		88H4190	E	495842.945	0.9996031	1.0000029	MARKER DESTROYED							
			N	5433430.835										
			E1	1.494	CVD28GVRD2018									
685982		88H4191	E	496058.658	0.9996031	1.0000029	MARKER DESTROYED							
			N	5434792.809										
			E1	1.395	CVD28GVRD2018									
641316		88H4192	E	496608.496	0.9996029	1.0000028	MARKER DESTROYED							
			N	5434048.140										
			E1	2.077	CVD28GVRD2018									
667139		88H4193	E	496614.366	0.9996030	1.0000029	991802	88H4194	TERR	0	18	41	775.419	775.726
			N	5435758.980			671693	6894	TERR	180	0	35	707.553	707.834
			E1	1.324	CVD28GVRD2018									

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
991802	88H4194	E	496618.580	0.9996030	1.0000029	528505	92H0579	GPS	0 16 47	2357.106	2358.042		
		N	5436534.387			898734	NO MARKING	GPS	47 51 43	18309.303	18316.712		
		E1	1.316 CVD28GVRD2018			909333	NO MARKING	GPS	67 7 9	40144.312	40160.315		
						531079	6902	GPS	74 5 54	3383.968	3385.311		
						904904	NO MARKING	GPS	84 55 50	28502.551	28513.836		
						172312	6905	GPS	98 4 39	4921.500	4923.454		
						762716	80H1257	GPS	99 44 56	6606.870	6609.495		
						914127	80H1262	GPS	122 6 20	3564.251	3565.668		
						446658	80H1267	GPS	170 44 24	3556.495	3557.909		
						667139	88H4193	TERR	180 18 41	775.419	775.726		
						373472	NO MARKING	TERR	209 23 46	7286.700	7289.641		
						703199	6846	GPS	248 5 36	3903.640	3905.189		
						546150	84H0346	GPS	276 17 39	2788.828	2789.936		
						869792	NO MARKING	GPS	296 53 3	8245.343	8248.622		
						737197	84H0431	GPS	313 46 20	3026.300	3027.501		
						80101	02H2443	GPS	320 20 40	5553.702	5555.907		
						752949	88H4209	GPS	347 32 5	638.699	638.953		
						297440	92H0972	GPS	348 52 47	11659.265	11663.901		
						875864	NO MARKING	GPS	351 47 2	21804.689	21813.385		
						839639	80H1300	GPS	357 35 22	5234.649	5236.728		
						323832	88H4216	TERR	358 56 46	264.736	264.841		
969857	88H4195	E	497414.348	0.9996029	1.0000028	428581	6896	TERR	90 12 23	815.475	815.799		
		N	5435043.920			671693	6894	TERR	270 32 15	800.137	800.455		
		E1	1.957			CVD28GVRD2018							
741249	88H4196	E	498235.972	0.9996029	1.0000028	982868	6897	TERR	0 11 48	813.748	814.072		
		N	5435518.808			428581	6896	TERR	180 44 16	477.867	478.057		
		E1	1.618			CVD28GVRD2018							
73643	88H4197	E	498238.511	0.9996028	1.0000028	352666	6898	TERR	0 18 10	856.407	856.747		
		N	5436615.069			246082	80H1312	TERR	90 10 40	620.883	621.130		
		E1	1.704			CVD28GVRD2018	982868	6897	TERR	179 56 53	282.518	282.631	
441519	88H4198	E	499266.655	0.9996028	1.0000028	246082	80H1312	TERR	270 22 8	407.272	407.434		
		N	5436610.522										
		E1	1.584			CVD28GVRD2018							
694943	88H4199	E	501497.111	0.9996029	1.0000028	172312	6905	TERR	180 24 30	821.625	821.951		
		N	5436664.467										
		E1	1.456			CVD28GVRD2018							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
105122	88H4200	E 503136.068 N 5435836.270 El 1.173		0.9996030	1.0000029	762716 997031	80H1257 80H1309	TERR TERR	180 49 16 359 46 36	420.684 687.670	420.852 687.943
				CVD28GVRD2018							
269191	88H4201	E 503132.356 N 5437046.717 El .904		0.9996031	1.0000029	997031 167627	80H1309 6907	TERR TERR	179 53 13 359 26 11	522.783 421.654	522.990 421.822
				CVD28GVRD2018							
995951	88H4202	E 503935.091 N 5437472.812 El 1.724		0.9996030	1.0000028	535740 167627	6911 6907	TERR TERR	90 9 56 269 40 60	822.951 806.894	823.279 807.215
				CVD28GVRD2018							
614107	88H4203	E 506378.562 N 5439471.487 El 2.769		0.9996031	1.0000026	491241	88H4204	TERR	284 3 47	836.585	836.916
				CVD28GVRD2018							
491241	88H4204	E 505567.051 N 5439674.769 El 1.103		0.9996033	1.0000029	614107	88H4203	TERR	104 3 47	836.585	836.916
				CVD28GVRD2018							
812883	88H4205	E 504749.869 N 5439669.270 El .764		0.9996032	1.0000029		MARKER DESTROYED				
				CVD28GVRD2018							
464735	88H4206	E 504754.478 N 5440718.837 El 3.050		0.9996028	1.0000026		MARKER ISOLATED				
				CVD28GVRD2018							
881201	88H4207	E 505402.569 N 5440716.979 El 14.948		0.9996011	1.0000007		MARKER DESTROYED				
				CVD28GVRD2018							
655555	88H4208	E 494994.070 N 5431373.482 El 2.090		0.9996031	1.0000028		MARKER DESTROYED				
				CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
752949	88H4209	E	496480.718	0.9996030	1.0000028	528505	92H0579	GPS	4 55 29	1739.858	1740.549
		N	5437158.030			684209	88H4217	TERR	101 55 29	143.654	143.711
		El	1.632			914127	80H1262	GPS	128 34 30	4038.200	4039.805
						991802	88H4194	GPS	167 32 5	638.699	638.953
						689869	88H4210	TERR	291 2 48	222.099	222.187
689869	88H4210	E	496273.436	0.9996030	1.0000029	752949	88H4209	TERR	111 2 48	222.099	222.187
		N	5437237.792			154088	87H3175	TERR	180 27 10	334.285	334.418
		El	1.375			973974	88H4222	TERR	357 53 56	247.646	247.744
557025	88H4211	E	494968.999	0.9995999	0.9999996	668822	84H0384	TERR	3 25 9	299.465	299.584
		N	5428284.384			268219	6977	TERR	177 44 58	327.744	327.876
		El	22.601								
177238	88H4212	E	503685.869	0.9996021	1.0000019	898734	NO MARKING	GPS	70 58 34	6885.697	6888.486
		N	5446573.969			137695	92H0576	GPS	71 12 32	1291.586	1292.100
		El	7.120			863753	87H3496	TERR	79 25 14	362.854	362.999
						841734	6966	GPS	108 0 42	3104.134	3105.390
						147819	91H9962	GPS	117 55 38	39974.490	39990.185
						815746	84H9508	GPS	150 33 17	3214.255	3215.541
						195156	80H1320	GPS	218 5 33	2426.113	2427.079
						394825	81	GPS	222 16 35	23008.640	23017.773
						989624	80H1275	GPS	230 59 1	19219.245	19226.878
						234419	6901	GPS	233 7 46	16686.397	16693.025
						171868	90H6233	TERR	234 12 6	148.937	148.996
						838037	02H2423	GPS	294 43 6	1289.077	1289.590
						875864	NO MARKING	GPS	318 34 36	15391.651	15397.803
974378	88H4213	E	487885.621	0.9996047	1.0000029	949073	80H1346	TERR	104 27 16	580.110	580.339
		N	5437872.670			964197	6854	TERR	359 48 28	418.418	418.583
		El	1.056								
818930	88H4214	E	489002.611	0.9996043	1.0000029	941930	6852	TERR	42 11 14	254.926	255.026
		N	5437089.245			855890	6855	TERR	209 52 56	376.653	376.802
		El	1.344								
402412	88H4215	E	490133.138	0.9996041	1.0000029	213967	6850	TERR	46 36 29	473.552	473.740
		N	5435418.322			431460	80H1279	TERR	245 21 2	355.176	355.317
		El	1.258								

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
699710	88H4270	E N El	495490.600 5440209.866 2.939	0.9996029	1.0000026		MARKER DESTROYED				
932863	88H4272	E N El	494487.018 5430544.200 22.681	0.9995999	0.9999995	292086 977785 711721	87H3202 87H3167 9290	TERR TERR TERR	181 7 59 285 11 47 359 53 38	178.619 111.446 261.855	178.690 111.491 261.960
554618	88H4273	E N El	488519.756 5434947.244 3.043	0.9996042	1.0000026	989624	80H1275	TERR	153 42 59	527.085	527.294
308692	88H4274	E N El	494273.247 5438250.173 1.609	0.9996032	1.0000028		MARKER DESTROYED				
820860	88H4275	E N El	506299.672 5436764.802 2.723	0.9996031	1.0000026	496018	80H1252	TERR	242 58 42	463.333	463.517
973446	89H5681	E N El	505737.640 5445102.235 67.704	0.9995928	0.9999924		MARKER ISOLATED				
641829	89H5682	E N El	505728.718 5445317.440 62.917	0.9995936	0.9999932		MARKER DESTROYED				
912345	89H5683	E N El	494263.298 5437501.581 2.004	0.9996032	1.0000028	500272	92H0594	TERR	93 19 38	198.865	198.945
527945	89H5689	E N El	505462.766 5448455.842 3.504	0.9996028	1.0000024	531988	89H5690	TERR	39 20 40	470.848	471.036

Issued: 2021-MAY-03

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid		Ground Distance Metres
-----	-----	Coordinates				-----	-----		Bearing			Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
531988	89H5690	E	505761.275	0.9996028	1.0000024	104018	89H5537	TERR	14	40	59	679.488	679.757	
		N	5448819.971			527945	89H5689	TERR	219	20	40	470.848	471.036	
		El	3.746	CVD28GVRD2018										
595637	90H6221	E	504116.809	0.9996026	1.0000024	63081	87H3500	TERR	203	15	1	163.856	163.921	
		N	5446050.591			715631	87H3498	TERR	317	35	30	431.067	431.239	
		El	3.777	CVD28GVRD2018										
308429	90H6222	E	506992.321	0.9995870	0.9999864	821058	84H9889	GPS	4	24	10	13479.739	13485.330	
		N	5444424.114			996132	73H0413	GPS	15	26	49	11404.787	11409.526	
		El	105.883	1928 Canadian Vertical		985606	86H1304	GPS	54	13	6	7798.169	7801.387	
						420521	92H0871	GPS	67	39	9	1096.152	1096.604	
						546473	85H0764	GPS	73	38	43	28016.769	28028.151	
						825034	3340	GPS	100	49	41	51271.956	51293.680	
						182428	92H0872	GPS	138	51	59	1529.788	1530.419	
						515189	82H5404	GPS	183	32	41	2804.620	2805.769	
						258020	19713	GPS	263	1	42	21413.664	21422.328	
						670653	432	GPS	309	53	12	11084.888	11089.464	
						681239	677011	GPS	329	12	32	21852.685	21861.750	
						15578	82H5618	GPS	348	5	3	2446.696	2447.697	
						709113	90H6573	GPS	358	50	59	8562.730	8566.281	
809087	90H6223	E	494275.451	0.9996033	1.0000029	787085	84H0428	TERR	38	58	11	527.119	527.329	
		N	5438243.622											
		El	1.405	CVD28GVRD2018										
200063	90H6225	E	492802.755	0.9996035	1.0000029	738930	84H0406	TERR	62	59	27	301.129	301.249	
		N	5437112.113			569277	84H0385	TERR	243	8	5	142.555	142.612	
		El	1.162	CVD28GVRD2018		338335	84H0379	TERR	335	8	38	95.142	95.180	
873067	90H6226	E	496274.639	0.9996030	1.0000028	402628	88H4220	TERR	92	11	28	350.773	350.911	
		N	5437815.674			973974	88H4222	TERR	181	46	57	330.563	330.695	
		El	1.556	CVD28GVRD2018		822338	84H0336	TERR	286	56	9	259.119	259.222	
470492	90H6227	E	493655.224	0.9996034	1.0000029	189241	84H0341	TERR	94	10	2	139.212	139.267	
		N	5437283.351			171314	84H0340	TERR	182	13	47	357.427	357.568	
		El	.916	CVD28GVRD2018										
657387	90H6228	E	507123.040	0.9995870	0.9999864	757872	9345	TERR	3	4	14	402.492	402.658	
		N	5445617.285			944637	78H8588	TERR	91	6	26	103.392	103.435	
		El	106.225	CVD28GVRD2018		903153	82H5563	TERR	263	37	34	88.060	88.097	

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
99580	90H6229	E N El	494991.440 5430193.756 12.138	0.9996015	1.0000012		MARKER DESTROYED				
313478	90H6230	E N El	495177.552 5430209.251 8.835	0.9996020	1.0000017	423608	90H6231	TERR	96 20 54	222.665	222.754
423608	90H6231	E N El	495398.852 5430184.630 1.825	0.9996031	1.0000028	155200 706291 313478	9280 92H0549 90H6230	TERR TERR TERR	89 14 17 158 0 29 276 20 54	324.888 181.956 222.665	325.016 182.028 222.754
171868	90H6233	E N El	503565.069 5446486.851 13.357	0.9996011	1.0000009	177238 327882	88H4212 90H6234	TERR TERR	54 12 6 222 59 42	148.937 73.325	148.996 73.354
327882	90H6234	E N El	503515.066 5446433.220 13.199	0.9996011	1.0000009	171868 979955 330811	90H6233 92H0551 90H6235	TERR TERR TERR	42 59 42 245 5 55 330 7 22	73.325 354.909 488.629	73.354 355.051 488.824
330811	90H6235	E N El	503271.658 5446856.907 13.357	0.9996011	1.0000009	327882 536144	90H6234 89H6011	TERR TERR	150 7 22 327 9 54	488.629 373.691	488.824 373.840
857847	90H6236	E N El	506380.328 5445455.937 82.459	0.9995906	0.9999901	381186 951442	6937 82H5548	TERR TERR	2 56 13 178 37 18	159.632 131.859	159.697 131.914
746446	9271	E N El	495783.380 5429551.758 2.444	0.9996029	1.0000027	72264 155200	9272 9280	TERR TERR	259 41 2 354 39 1	116.246 639.980	116.292 640.234
72264	9272	E N El	495669.013 5429530.941 .803	0.9996032	1.0000030	746446 266114 678409	9271 9273 92H0548	TERR TERR TERR	79 41 2 262 21 26 332 9 22	116.246 318.969 396.716	116.292 319.096 396.874

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- UTM Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
266114	9273	E N El	495352.878 5429488.519 1.219	0.9996032	1.0000029	72264	9272	TERR	82 21 26	318.969	319.096
			CVD28GVRD2018								
252577	9274	E N El	495482.014 5429900.613 1.195	0.9996032	1.0000029		MARKER DESTROYED				
			CVD28GVRD2018								
865014	9275	E N El	495141.621 5429931.938 11.461	0.9996016	1.0000013		MARKER DESTROYED				
			CVD28GVRD2018								
771220	9276	E N El	494490.296 5430206.904 17.929	0.9996007	1.0000003	941419 62919 43026 292086	6861 6992 92H0584 87H3202	TERR TERR TERR TERR	91 1 44 179 49 23 268 18 25 357 32 35	236.025 291.494 321.431 158.858	236.119 291.612 321.560 158.921
391540	9277	E N El	494978.698 5430621.857 14.812	0.9996011	1.0000008		MARKER DESTROYED				
			CVD28GVRD2018								
701664	9278	E N El	495163.153 5430203.987 9.005	0.9996020	1.0000017		MARKER DESTROYED				
			CVD28GVRD2018								
280255	9279	E N El	495402.460 5430199.289 1.679	0.9996031	1.0000028		MARKER DESTROYED				
			CVD28GVRD2018								
155200	9280	E N El	495723.711 5430188.950 3.046	0.9996028	1.0000026	15834 746446 423608	9281 9271 90H6231	TERR TERR TERR	9 9 7 174 39 1 269 14 17	282.539 639.980 324.888	282.651 640.234 325.016
15834	9281	E N El	495768.650 5430467.892 2.683	0.9996029	1.0000027	505057 155200	9283 9280	TERR TERR	19 54 32 189 9 7	213.717 282.539	213.802 282.651
			CVD28GVRD2018								

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
219253	9282	E 495442.294 N 5430459.307 El 2.853		0.9996029	1.0000027	254862	9285	TERR	0 40 37	327.363	327.492
					CVD28GVRD2018						
505057	9283	E 495841.426 N 5430668.836 El 2.577		0.9996029	1.0000027	15834 604595	9281 9284	TERR TERR	199 54 32 293 52 18	213.717 255.097	213.802 255.199
					CVD28GVRD2018						
604595	9284	E 495608.151 N 5430772.071 El 2.414		0.9996030	1.0000027	575068 505057	9287 9283	TERR TERR	14 51 31 113 52 18	245.571 255.097	245.667 255.199
					CVD28GVRD2018						
254862	9285	E 495446.161 N 5430786.647 El 2.204		0.9996030	1.0000028	221101 219253	9288 9282	TERR TERR	1 3 32 180 40 37	225.507 327.363	225.596 327.492
					CVD28GVRD2018						
645416	9286	E 495956.145 N 5431004.517 El 2.272		0.9996029	1.0000027	MARKER DESTROYED					
					CVD28GVRD2018						
575068	9287	E 495671.124 N 5431009.430 El 2.482		0.9996029	1.0000027	604595 221101	9284 9288	TERR TERR	194 51 31 270 41 48	245.571 220.812	245.667 220.900
					CVD28GVRD2018						
221101	9288	E 495450.328 N 5431012.115 El 2.214		0.9996030	1.0000028	575068 254862 310276	9287 9285 9289	TERR TERR TERR	90 41 48 181 3 32 270 28 48	220.812 225.507 262.467	220.900 225.596 262.572
					CVD28GVRD2018						
310276	9289	E 495187.870 N 5431014.314 El 1.771		0.9996031	1.0000028	379990 221101	92H0585 9288	TERR TERR	10 56 1 90 28 48	274.311 262.467	274.420 262.572
					CVD28GVRD2018						
711721	9290	E 494486.533 N 5430806.055 El 25.564		0.9995995	0.9999991	932863	88H4272	TERR	179 53 38	261.855	261.960
					CVD28GVRD2018						

Issued: 2021-MAY-03

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
188722		9291	E N E1	494493.353 5431018.493 20.474	0.9996003	0.9999999		MARKER DESTROYED							
603712		9292	E N E1	493715.968 5428528.766 59.292	0.9995943	0.9999938	864397		9367	TERR	356	58	5	153.855	153.918
777169		9293	E N E1	495238.475 5431277.617 1.254	0.9996032	1.0000029		MARKER DESTROYED							
131227		9294	E N E1	495767.744 5431312.675 2.169	0.9996030	1.0000028		MARKER DESTROYED							
981449		9295	E N E1	496044.579 5431308.341 1.992	0.9996030	1.0000028		MARKER DESTROYED							
44164		9296	E N E1	507188.469 5444781.926 107.042	0.9995869	0.9999862		MARKER DESTROYED							
425587		9297	E N E1	505776.597 5444800.089 72.459	0.9995921	0.9999917	84293 96834		9300 79H9910	TERR TERR	86 272	1 4	31 29	200.841 190.920	200.924 190.998
302257		9298	E N E1	507186.476 5442345.725 71.052	0.9995925	0.9999919	663385 361725		82H5445 9299	TERR TERR	1 269	48 11	37 50	266.449 211.303	266.558 211.389
361725		9299	E N E1	506975.194 5442342.765 68.028	0.9995930	0.9999924	302257 446682		9298 82H5408	TERR TERR	89 269	11 12	50 6	211.303 292.633	211.389 292.752

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
564781	92H0547	E 496945.614 N 5428387.729 El 1.660		0.9996030	1.0000028	626564 430900 657890	80H1287 87H3190 6883	TERR TERR TERR	86 9 8 180 28 47 271 13 43	201.257 403.028 346.583	201.337 403.189 346.721
678409	92H0548	E 495483.721 N 5429881.726 El 1.398		0.9996031	1.0000029	72264 706291	9272 92H0549	TERR TERR	152 9 22 352 53 34	396.716 135.227	396.874 135.281
706291	92H0549	E 495466.990 N 5430015.914 El 1.565		0.9996031	1.0000029	678409 423608	92H0548 90H6231	TERR TERR	172 53 34 338 0 29	135.227 181.956	135.281 182.028
100925	92H0550	E 495142.145 N 5429931.948 El 11.472		0.9996016	1.0000013	MARKER ISOLATED					
979955	92H0551	E 503193.151 N 5446283.783 El 3.572		0.9996026	1.0000025	327882 321166	90H6234 92H0552	TERR TERR	65 5 55 245 23 49	354.909 564.386	355.051 564.610
321166	92H0552	E 502680.003 N 5446048.813 El 3.597		0.9996025	1.0000025	979955 295808	92H0551 92H0553	TERR TERR	65 23 49 220 13 52	564.386 190.205	564.610 190.280
295808	92H0553	E 502557.155 N 5445903.602 El 3.338		0.9996026	1.0000025	321166 269134 390385	92H0552 92H0563 92H0554	TERR TERR TERR	40 13 52 142 19 2 227 4 32	190.205 222.511 109.359	190.280 222.600 109.402
390385	92H0554	E 502477.077 N 5445829.125 El 3.560		0.9996025	1.0000025	295808 701508	92H0553 92H0555	TERR TERR	47 4 32 248 20 5	109.359 125.715	109.402 125.765
701508	92H0555	E 502360.243 N 5445782.713 El 3.577		0.9996025	1.0000025	390385 764258	92H0554 92H0556	TERR TERR	68 20 5 247 19 36	125.715 327.730	125.765 327.860

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
764258	92H0556	E 502057.841 N 5445656.380 El 3.475		0.9996025	1.0000025	701508 910687	92H0555 92H0557	TERR TERR	67 19 36 187 4 25	327.730 234.479	327.860 234.572
				CVD28GVRD2018							
910687	92H0557	E 502028.966 N 5445423.686 El 3.647		0.9996025	1.0000025	764258 959106 13037	92H0556 92H0558 80H1319	TERR TERR TERR	7 4 25 92 8 45 196 20 48	234.479 471.678 861.880	234.572 471.866 862.222
959106	92H0558	E 502500.313 N 5445406.024 El 3.343		0.9996026	1.0000025	972471 910687	92H0559 92H0557	TERR TERR	63 9 29 272 8 45	211.178 471.678	211.262 471.866
				CVD28GVRD2018							
972471	92H0559	E 502688.738 N 5445501.377 El 3.698		0.9996025	1.0000024	959106	92H0558	TERR	243 9 29	211.178	211.262
				CVD28GVRD2018							
169458	92H0560	E 502788.418 N 5445505.780 El 3.491		0.9996026	1.0000025		MARKER DESTROYED				
				CVD28GVRD2018							
82040	92H0561	E 503034.164 N 5445474.588 El 3.361		0.9996026	1.0000025		MARKER DESTROYED				
				CVD28GVRD2018							
248914	92H0562	E 502786.628 N 5445618.699 El 3.640		0.9996025	1.0000025	269134	92H0563	TERR	319 20 26	143.431	143.488
				CVD28GVRD2018							
269134	92H0563	E 502693.174 N 5445727.505 El 3.767		0.9996025	1.0000024	248914 295808	92H0562 92H0553	TERR TERR	139 20 26 322 19 2	143.431 222.511	143.488 222.600
				CVD28GVRD2018							
974980	92H0565	E 495235.782 N 5438329.208 El 1.278		0.9996032	1.0000029	658849 247791 623900	6813 84H0438 6812	TERR TERR TERR	93 45 27 177 41 29 262 50 9	164.935 297.961 57.870	165.000 298.079 57.893
				CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
203596	92H0566	E	494222.813	0.9996032	1.0000028	805895	84H0344	TERR	181 15 50	209.770	209.853
		N	5437137.529			275495	6845	TERR	332 47 14	152.493	152.553
		El	1.732	CVD28GVRD2018							
824557	92H0567	E	495224.985	0.9996031	1.0000028	121343	6819	TERR	2 11 11	244.046	244.143
		N	5437244.486			656157	9303	TERR	93 41 57	165.914	165.979
		El	1.535	CVD28GVRD2018							
977868	92H0568	E	497275.171	0.9996028	1.0000027	626564	80H1287	TERR	277 32 47	129.879	129.931
		N	5428384.178			248005	92H0569	TERR	350 35 25	185.467	185.540
		El	2.353	CVD28GVRD2018							
248005	92H0569	E	497244.848	0.9996028	1.0000027	977868	92H0568	TERR	170 35 25	185.467	185.540
		N	5428567.149			980920	87H3192	TERR	343 3 6	317.232	317.358
		El	2.371	CVD28GVRD2018							
682492	92H0571	E	496637.264	0.9996030	1.0000029	857276	6806	TERR	0 24 23	1132.922	1133.372
		N	5439905.759			859470	80H1301	TERR	90 36 23	808.123	808.445
		El	1.314	CVD28GVRD2018		236174	80H1285	TERR	274 44 21	524.445	524.653
554402	92H0572	E	506783.889	0.9995876	0.9999870	7930	92H0574	TERR	92 15 34	405.217	405.385
		N	5444798.772			600775	80H1336	TERR	180 11 33	198.659	198.741
		El	101.937	CVD28GVRD2018							
809277	92H0573	E	507191.361	0.9995875	0.9999869		MARKER DESTROYED				
		N	5444391.073								
		El	102.877	CVD28GVRD2018							
7930	92H0574	E	507188.791	0.9995869	0.9999862	285221	82H5520	TERR	88 36 16	94.022	94.060
		N	5444782.797			554402	92H0572	TERR	272 15 34	405.217	405.385
		El	107.010	CVD28GVRD2018							
123505	92H0575	E	505127.421	0.9996027	1.0000024	540765	87H3490	TERR	33 31 24	143.846	143.904
		N	5446881.292			137695	92H0576	TERR	296 25 20	244.332	244.429
		El	3.921	CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
137695	92H0576	E	504908.612	0.9996029	1.0000026	277665	89H6112	GPS	0 56 44	3210.672	3211.953
		N	5446990.015			199406	87H3483	TERR	26 51 33	251.886	251.986
		E1	2.794			21139	92H0904	GPS	45 6 46	3317.385	3318.702
						898734	NO MARKING	GPS	70 55 21	5594.124	5596.388
						770800	5296	GPS	86 54 46	3046.396	3047.627
						123505	92H0575	TERR	116 25 20	244.332	244.429
						841734	6966	GPS	128 30 26	2209.842	2210.735
						815746	84H9508	GPS	173 39 27	3234.898	3236.191
						896043	87H3491	TERR	207 28 14	292.937	293.053
						177238	88H4212	GPS	251 12 32	1291.586	1292.100
						838037	02H2423	GPS	272 56 29	2396.866	2397.818
						537829	02H2479	GPS	280 17 13	19916.379	19924.276
						420562	87H3494	TERR	297 51 59	187.520	187.594
						875864	NO MARKING	GPS	314 17 9	15933.330	15939.694
						32219	94H1708	GPS	322 10 5	2652.627	2653.681
						583880	89H6028	GPS	344 46 24	2057.203	2058.020
462960	92H0577	E	504704.063	0.9996029	1.0000026	420562	87H3494	TERR	145 39 20	68.728	68.755
		N	5447134.410			396838	87H3495	TERR	233 33 25	406.993	407.155
		E1	2.731			360859	87H3486	TERR	327 47 21	237.350	237.444
56663	92H0578	E	496611.868	0.9996029	1.0000028	235929	80H1268	TERR	179 51 49	444.148	444.325
		N	5433428.106								
		E1	1.845								
528505	92H0579	E	496630.082	0.9996029	1.0000028	995365	6910	GPS	95 27 16	8150.017	8153.254
		N	5438891.465			147819	91H9962	GPS	104 36 8	43789.366	43806.574
		E1	1.713			991802	88H4194	GPS	180 16 47	2357.106	2358.042
						159855	6817	TERR	180 31 52	607.914	608.155
						752949	88H4209	GPS	184 55 29	1739.858	1740.549
						782433	87H3160	GPS	198 26 28	9935.198	9939.182
						394825	81	GPS	222 2 13	12577.919	12582.906
						703199	6846	GPS	223 36 49	5267.211	5269.301
						546150	84H0346	GPS	233 36 41	3457.732	3459.104
						737197	84H0431	GPS	263 9 36	2212.533	2213.411
						869792	NO MARKING	GPS	280 32 48	7492.285	7495.265
						80101	02H2443	GPS	298 21 6	4040.351	4041.956
						943175	88H4176	TERR	306 18 18	880.306	880.657
						839639	80H1300	GPS	355 23 22	2882.265	2883.410
						49908	02H2413	GPS	359 45 24	4871.755	4873.691
617167	92H0580	E	494407.600	0.9996033	1.0000029	591024	92H0581	TERR	91 1 1	113.661	113.706
		N	5436699.950			300665	84H0345	TERR	268 5 20	94.761	94.798
		E1	1.161			680223	84H0445	TERR	347 23 47	247.394	247.492

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
591024	92H0581	E 494521.243 N 5436697.933 El .891		0.9996033	1.0000029	675900 617167 470815	9316 92H0580 84H0446	TERR TERR TERR	86 48 51 271 1 1 357 44 60	124.805 113.661 108.070	124.855 113.706 108.113
479238	92H0582	E 494898.353 N 5436724.987 El .774		0.9996033	1.0000030	717611 970053	84H0448 87H3177	TERR TERR	89 55 39 270 50 32	197.645 152.323	197.724 152.384
785394	92H0583	E 506380.028 N 5444814.272 El 82.859		0.9995905	0.9999900	443192 943431	82H5516 82H5512	TERR TERR	5 15 21 267 22 12	163.010 318.247	163.077 318.378
43026	92H0584	E 494169.005 N 5430197.408 El 20.747		0.9996003	0.9999998	771220 810275	9276 6862	TERR TERR	88 18 25 271 46 47	321.431 253.198	321.560 253.299
379990	92H0585	E 495239.899 N 5431283.646 El 1.465		0.9996031	1.0000029	464404 310276	87H3196 9289	TERR TERR	90 50 4 190 56 1	320.579 274.311	320.706 274.420
666016	92H0586	E 495848.140 N 5434793.468 El 9.197		0.9996019	1.0000016	229385 133975	6893 6836	TERR TERR	90 17 9 270 51 27	765.309 473.856	765.613 474.045
719377	92H0587	E 495650.483 N 5436888.682 El 1.234		0.9996031	1.0000029		MARKER DESTROYED				
714733	92H0588	E 494107.182 N 5437633.243 El 1.565		0.9996033	1.0000028		MARKER DESTROYED				
173062	92H0589	E 495230.298 N 5437826.939 El 1.575		0.9996031	1.0000028	247791 599589 43802	84H0438 84H0362 80H1295	TERR TERR TERR	4 53 11 88 54 33 180 8 13	205.296 122.546 204.848	205.377 122.595 204.929

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

FROM MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
570655	92H0590	E	495353.078	0.9996031	1.0000029	827758	84H0369	TERR	101	49	14	235.532	235.626	
		N	5438112.149			690594	84H0361	TERR	177	56	27	88.506	88.541	
		E1	1.365	CVD28GVRD2018										
288688	92H0591	E	495968.458	0.9996029	1.0000027	973974	88H4222	TERR	88	36	29	295.985	296.103	
		N	5437478.081			671636	79H9932	TERR	180	55	16	465.499	465.684	
		E1	2.109	CVD28GVRD2018										
81836	92H0592	E	507786.638	0.9995917	0.9999910	949743	79H9911	TERR	13	54	47	191.225	191.303	
		N	5440740.532			292227	79H9919	TERR	183	12	42	108.828	108.873	
		E1	76.943	CVD28GVRD2018		385088	82H5385	TERR	266	13	25	197.458	197.538	
500272	92H0594	E	494461.828	0.9996032	1.0000028	742825	84H0440	TERR	0	20	52	526.043	526.251	
		N	5437490.039			663443	84H0442	TERR	91	54	6	305.568	305.690	
		E1	1.892	CVD28GVRD2018		729699	6953	TERR	180	27	33	485.532	485.725	
						912345	89H5683	TERR	273	19	38	198.865	198.945	
252569	92H0596	E	505402.553	0.9996011	1.0000007	841734	6966	GPS	14	9	28	5050.576	5052.623	
		N	5440716.970			799270	9352	GPS	21	19	34	1754.007	1754.709	
		E1	14.920	CVD28GVRD2018		898734	NO MARKING	GPS	30	36	33	9413.085	9416.903	
						102970	92H0875	GPS	89	30	52	2614.704	2615.760	
						901199	5620	GPS	114	38	14	6306.150	6308.656	
						607093	5893	GPS	139	41	11	4019.618	4021.218	
						995365	6910	GPS	194	13	45	2682.511	2683.579	
						531079	6902	GPS	239	30	47	6416.626	6419.181	
						737197	84H0431	GPS	259	13	3	11166.403	11170.849	
						869792	NO MARKING	GPS	268	23	17	16144.570	16151.009	
						839639	80H1300	GPS	276	38	7	9064.871	9068.482	
						675850	84H0394	GPS	292	30	53	6542.208	6544.814	
						815746	84H9508	GPS	357	26	34	3060.995	3062.221	
84293	9300	E	505976.955	0.9995921	0.9999917	943431	82H5512	TERR	99	33	34	86.360	86.395	
		N	5444814.011			425587	9297	TERR	266	1	31	200.841	200.924	
		E1	72.523	CVD28GVRD2018										
6387	9301	E	505378.978	0.9995978	0.9999975	MARKER DESTROYED								
		N	5445828.737											
		E1	35.242	CVD28GVRD2018										
759027	9302	E	493479.364	0.9996034	1.0000028	MARKER ISOLATED								
		N	5437646.797											
		E1	1.457	CVD28GVRD2018										

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
656157	9303	E 495390.553 N 5437233.782 El 1.531		0.9996031	1.0000028	792465 824557	9304 92H0567	TERR TERR	90 16 49 273 41 57	234.554 165.914	234.647 165.979
				CVD28GVRD2018							
792465	9304	E 495625.104 N 5437232.635 El 1.405		0.9996031	1.0000029	656157	9303	TERR	270 16 49	234.554	234.647
				CVD28GVRD2018							
240929	9305	E 493722.805 N 5437799.245 El 2.139		0.9996032	1.0000027		MARKER DESTROYED				
				CVD28GVRD2018							
863951	9306	E 495296.205 N 5436891.287 El 1.277		0.9996031	1.0000029	565390	79H9930	TERR	12 46 23	170.466	170.534
				CVD28GVRD2018							
241059	9307	E 507211.107 N 5447134.938 El 86.667		0.9995901	0.9999894		MARKER DESTROYED				
				CVD28GVRD2018							
866327	9308	E 492546.326 N 5436990.639 El 1.215		0.9996036	1.0000029		MARKER DESTROYED				
				CVD28GVRD2018							
145946	9310	E 492507.431 N 5437066.665 El 1.583		0.9996035	1.0000028	208041 915090	84H0389 6826	TERR TERR	61 8 60 244 43 36	143.228 480.898	143.284 481.090
				CVD28GVRD2018							
276444	9311	E 506343.292 N 5441159.898 El 49.438		0.9995958	0.9999953	117945 832220	9335 9359	TERR TERR	83 19 27 258 19 27	141.833 181.673	141.890 181.746
				CVD28GVRD2018							
593293	9312	E 506102.018 N 5441514.760 El 41.422		0.9995970	0.9999965	387852 220558 694794	79H9914 84H9464 84H9466	TERR TERR TERR	46 48 57 146 58 19 231 28 33	137.241 179.856 193.681	137.296 179.929 193.758
				CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
519405	9313	E	506040.303	0.9995902	0.9999897	800979	82H5484	TERR	80 59 46	141.769	141.826
		N	5443957.628			732685	79H9873	TERR	268 37 59	224.791	224.883
		El	84.942	CVD28GVRD2018							
530535	9314	E	493658.971	0.9996033	1.0000028	358242	6822	TERR	266 51 30	134.866	134.920
		N	5437489.202								
		El	1.439	CVD28GVRD2018							
675900	9316	E	494645.855	0.9996033	1.0000029	970053	87H3177	TERR	77 25 16	102.656	102.696
		N	5436704.869			591024	92H0581	TERR	266 48 51	124.805	124.855
		El	1.092	CVD28GVRD2018							
211102	9319	E	506265.325	0.9995953	0.9999948	406413	78H8571	TERR	103 15 57	95.024	95.062
		N	5441551.490			387852	79H9914	TERR	312 7 32	85.262	85.296
		El	52.550	CVD28GVRD2018							
681700	9320	E	493521.350	0.9996035	1.0000029	617258	9321	TERR	181 57 58	244.807	244.904
		N	5436598.070			966663	80H1291	TERR	359 15 40	165.719	165.784
		El	.886	CVD28GVRD2018							
617258	9321	E	493512.951	0.9996035	1.0000030	681700	9320	TERR	1 57 58	244.807	244.904
		N	5436353.407			854869	84H0424	TERR	86 17 37	132.047	132.100
		El	.670	CVD28GVRD2018							
842971	9322	E	505006.452	0.9995968	0.9999965	28878	9366	TERR	260 46 26	92.971	93.009
		N	5445176.738								
		El	41.400	CVD28GVRD2018							
253674	9323	E	505584.904	0.9995913	0.9999909	694133	82H5477	TERR	92 13 9	306.995	307.121
		N	5444391.108			561498	84H9492	TERR	186 39 23	145.997	146.057
		El	77.159	CVD28GVRD2018							
750083	9324	E	507193.187	0.9995884	0.9999877	242818	82H5464	TERR	97 4 3	189.859	189.937
		N	5443993.895			981266	82H5458	TERR	180 12 32	150.769	150.831
		El	97.681	CVD28GVRD2018		143115	6928	TERR	266 52 15	205.689	205.773

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
453712	9325	E 498617.553 N 5442384.268 El 2.196		0.9996027	1.0000027	715060	9332 9340	TERR TERR	66 16 59 251 19 34	215.974 338.945	216.061 339.080
				CVD28GVRD2018							
784355	9326	E 506784.490 N 5444805.705 El 101.857		0.9995876	0.9999871		MARKER DESTROYED				
				CVD28GVRD2018							
831248	9327	E 505379.309 N 5445270.516 El 57.234		0.9995944	0.9999940	621888 809491	82H5537 87H2623	TERR TERR	46 19 15 226 28 10	178.610 184.819	178.682 184.894
				CVD28GVRD2018							
495606	9328	E 505119.183 N 5445254.042 El 45.761		0.9995962	0.9999958		MARKER DESTROYED				
				CVD28GVRD2018							
148502	9329	E 507189.873 N 5444392.647 El 102.833		0.9995875	0.9999869		MARKER DESTROYED				
				CVD28GVRD2018							
877886	9330	E 504905.585 N 5445471.478 El 25.934		0.9995992	0.9999990		MARKER DESTROYED				
				CVD28GVRD2018							
295196	9331	E 505244.316 N 5445142.922 El 54.885		0.9995948	0.9999944		MARKER DESTROYED				
				CVD28GVRD2018							
715060	9332	E 498815.287 N 5442471.137 El 2.251		0.9996027	1.0000027	64196 519082 453712	82H5461 82H5529 9325	TERR TERR TERR	72 46 38 165 58 23 246 16 59	210.820 152.960 215.974	210.904 153.020 216.061
				CVD28GVRD2018							
295485	9333	E 506153.160 N 5440831.656 El 30.762		0.9995987	0.9999982	959361	84H9458	TERR	95 32 33	127.912	127.963
				CVD28GVRD2018							

Integrated Survey Area No:13 Corporation of the District of Delta
 Order in Council No. 783/73
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
523746	9334	E 506600.910 N 5441176.461 El 59.409		0.9995943	0.9999937	664540 117945	82H5401 9335	TERR TERR	2 20 52 269 57 47	132.988 116.747	133.042 116.795
					CVD28GVRD2018						
117945	9335	E 506484.163 N 5441176.386 El 54.758		0.9995950	0.9999945	523746 291815 276444	9334 9336 9311	TERR TERR TERR	89 57 47 159 12 2 263 19 27	116.747 169.843 141.833	116.795 169.912 141.890
					CVD28GVRD2018						
291815	9336	E 506544.474 N 5441017.612 El 54.943		0.9995950	0.9999944	117945	9335	TERR	339 12 2	169.843	169.912
					CVD28GVRD2018						
676825	9337	E 506594.580 N 5440909.744 El 55.819		0.9995948	0.9999943						
					CVD28GVRD2018		MARKER DESTROYED				
546929	9338	E 506762.313 N 5440842.300 El 59.435		0.9995943	0.9999937						
					CVD28GVRD2018		MARKER ISOLATED				
63396	9339	E 494711.401 N 5437241.297 El 1.023		0.9996033	1.0000029	207381	87H3179	TERR	180 27 57	193.602	193.679
					CVD28GVRD2018						
34876	9340	E 498296.451 N 5442275.744 El 2.227		0.9996027	1.0000027	453712	9325	TERR	71 19 34	338.945	339.080
					CVD28GVRD2018						
278101	9341	E 506997.653 N 5441275.008 El 96.957		0.9995885	0.9999878	377028 304527	80H1340 82H5397	TERR TERR	163 47 4 275 5 25	203.412 204.756	203.496 204.839
					CVD28GVRD2018						
531749	9342	E 504863.846 N 5444279.506 El 38.180		0.9995973	0.9999970	6429 222471	9347 9351	TERR TERR	91 26 34 159 42 24	262.411 162.909	262.517 162.974
					CVD28GVRD2018						

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
153205	9343	E 507199.071 N 5443046.237 El 74.872		0.9995919	0.9999913		MARKER DESTROYED				
722918	9344	E 507371.616 N 5441482.792 El 73.661		0.9995922	0.9999915	345025 445866	79H9852 79H9869	TERR TERR	105 38 37 303 38 53	217.856 165.551	217.944 165.619
757872	9345	E 507144.600 N 5446019.199 El 102.252		0.9995876	0.9999870	622985 915694 161422 657387 831511	9348 6940 82H5562 90H6228 78H8568	TERR TERR TERR TERR TERR	21 25 26 91 16 13 95 54 49 183 4 14 270 11 40	151.781 356.794 151.422 402.492 266.867	151.843 356.941 151.485 402.658 266.976
168344	9346	E 505457.861 N 5443952.126 El 69.271		0.9995925	0.9999922	591933 234559	79H9916 79H9853	TERR TERR	79 17 15 330 23 11	107.365 107.193	107.409 107.237
6429	9347	E 505126.174 N 5444272.899 El 52.209		0.9995952	0.9999948	531749	9342	TERR	271 26 34	262.411	262.517
622985	9348	E 507200.040 N 5446160.492 El 98.649		0.9995882	0.9999875	757872 958603	9345 6946	TERR TERR	201 25 26 359 21 29	151.781 259.747	151.843 259.854
524801	9349	E 507194.442 N 5443469.097 El 87.993		0.9995899	0.9999892		MARKER DESTROYED				
820399	9350	E 507181.305 N 5442746.379 El 70.818		0.9995926	0.9999919	192179 663385	82H5427 82H5445	TERR TERR	89 47 7 174 13 27	358.398 135.023	358.544 135.079
222471	9351	E 504920.347 N 5444126.709 El 24.287		0.9995995	0.9999992	669101 531749	78H8547 9342	TERR TERR	132 28 52 339 42 24	259.567 162.909	259.671 162.974

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
799270	9352	E	506040.443	0.9995989	0.9999985	841734	6966	GPS	10 22 29	3317.508	3318.856
		N	5442350.872			898734	NO MARKING	GPS	32 43 6	7687.258	7690.384
		El	29.164			546390	5025	GPS	97 41 28	8554.351	8557.765
						686790	92H0898	GPS	122 31 56	9069.646	9073.257
						102970	92H0875	GPS	129 11 33	2550.520	2551.553
						607093	5893	GPS	157 19 49	5092.343	5094.375
						995365	6910	GPS	197 2 2	4428.385	4430.152
						252569	92H0596	GPS	201 19 34	1754.007	1754.709
						446658	80H1267	GPS	223 29 48	12856.947	12862.081
						511071	80H1284	TERR	241 11 16	111.091	111.135
						815746	84H9508	GPS	331 27 38	1621.019	1621.669
						598474	9353	TERR	340 26 12	94.042	94.079
598474	9353	E	506008.953	0.9995994	0.9999990	799270	9352	TERR	160 26 12	94.042	94.079
		N	5442439.485			487009	9354	TERR	329 23 26	115.259	115.306
		El	25.855								
487009	9354	E	505950.265	0.9996014	1.0000010	598474	9353	TERR	149 23 26	115.259	115.306
		N	5442538.684			749515	79H9927	TERR	346 57 4	94.848	94.886
		El	13.022								
646083	9355	E	506826.191	0.9995944	0.9999938	MARKER DESTROYED					
		N	5440739.889								
		El	59.097								
864934	9356	E	506254.469	0.9995982	0.9999977	61390	78H8565	TERR	89 17 42	294.883	295.003
		N	5440728.487			130211	78H8560	TERR	268 57 27	225.447	225.538
		El	34.106								
174912	9357	E	506395.988	0.9995918	0.9999913	141572	83H6500	TERR	12 56 51	435.025	435.202
		N	5446121.174			610592	9361	TERR	186 33 21	106.156	106.199
		El	74.998								
832220	9359	E	506165.378	0.9995962	0.9999958	276444	9311	TERR	78 19 27	181.673	181.746
		N	5441123.132								
		El	46.467								
246728	9360	E	506152.690	0.9995972	0.9999968	MARKER DESTROYED					
		N	5440968.979								
		El	40.036								

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
610592	9361	E	506383.868	0.9995913	0.9999908	174912	9357	TERR	6 33 21	106.156	106.199
		N	5446015.712					TERR	88 24 20	199.650	199.731
		El	77.867					TERR	180 8 21	114.509	114.557
			CVD28GVRD2018								
27078	9362	E	504795.509	0.9995986	0.9999983	28878	9366	TERR	109 6 11	126.120	126.170
		N	5445203.107					TERR	222 2 50	225.116	225.207
		El	30.069								
			CVD28GVRD2018				82H5543				
417063	9363	E	507124.646	0.9995867	0.9999861	861195	78H8549	TERR	270 19 30	285.373	285.490
		N	5445206.210								
		El	108.075								
			CVD28GVRD2018								
664607	9364	E	494569.526	0.9995972	0.9999969	668822	84H0384	TERR	90 3 14	417.333	417.500
		N	5428583.708					TERR	269 25 2	399.181	399.343
		El	39.690								
			CVD28GVRD2018				6980				
283622	9365	E	507124.484	0.9995869	0.9999863	MARKER DESTROYED					
		N	5445039.014								
		El	106.566								
			CVD28GVRD2018								
28878	9366	E	504914.684	0.9995981	0.9999978	842971	9322	TERR	80 46 26	92.971	93.009
		N	5445161.832					TERR	289 6 11	126.120	126.170
		El	33.243								
			CVD28GVRD2018			27078					
864397	9367	E	493707.830	0.9995948	0.9999943	159749	9368	TERR	62 42 1	84.937	84.971
		N	5428682.406					TERR	176 58 5	153.855	153.918
		El	56.251								
			CVD28GVRD2018			603712	9292				
159749	9368	E	493783.307	0.9995952	0.9999947	285627	87H3186	TERR	135 40 46	127.764	127.816
		N	5428721.362					TERR	242 42 1	84.937	84.971
		El	53.597					TERR	346 55 47	158.102	158.166
			CVD28GVRD2018			901819	9371				
263673	9369	E	493865.817	0.9995952	0.9999947	MARKER DESTROYED					
		N	5428625.053								
		El	53.684								
			CVD28GVRD2018								

Integrated Survey Area No:13 Corporation of the District of Delta
Order in Council No. 783/73
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
660308		9370	E N El	494009.633 5428888.570 51.417	0.9995955	0.9999950	901819		9371	TERR	267	6	58	262.412	262.518
901819		9371	E N El	493747.553 5428875.368 53.267	0.9995952	0.9999948	660308 159749 766196		9370 9368 6986	TERR TERR TERR	87 166 357	6 55 59	58 47 19	262.412 158.102 90.626	262.518 158.166 90.663
657122		9372	E N El	493934.761 5428964.003 51.436	0.9995955	0.9999950	881680 766196		6985 6986	TERR TERR	88 270	2 34	48 56	238.079 190.399	238.176 190.476
649814		9373	E N El	494369.851 5428171.317 55.038	0.9995949	0.9999945	971184 474676		6978 6979	TERR TERR	91 268	40 12	31 37	214.378 208.246	214.464 208.331
163204		9374	E N El	493749.124 5430215.147 25.721	0.9995995	0.9999991	810275 624478		6862 6998	TERR TERR	93 352	23 56	17 19	167.097 279.824	167.164 279.936
673939		9375	E N El	494076.648 5428497.520 56.940	0.9995946	0.9999942	211383 545046		6980 9376	TERR TERR	48 182	46 44	17 53	124.611 331.570	124.661 331.705
545046		9376	E N El	494060.751 5428166.331 57.556	0.9995945	0.9999941	673939 474676 833277		9375 6979 87H3146	TERR TERR TERR	2 90 267	44 51 0	53 41 30	331.570 100.967 271.344	331.705 101.008 271.454
695932		9377	E N El	494970.342 5431026.382 4.778	0.9996027	1.0000023		MARKER DESTROYED							
957605		9378	E N El	494969.720 5430613.233 15.00 (APPROX. ONLY)	0.9996011	1.0000007		MARKER DESTROYED							

Order in Council No. 783/73

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
403014	9379	E	494990.103	0.9996015	1.0000012		MARKER DESTROYED				
		N	5430190.704								
		El	12.346	CVD28GVRD2018							
386136	9380	E	494969.847	0.9996013	1.0000010	644187		6875	TERR	179 0 3	473.595 473.785
		N	5429932.219								
		El	13.169	CVD28GVRD2018							

END OF REPORT