

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at:
<http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address:
<http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
853283	10-1	E 474662.901 N 5363277.325 El 51.120		0.9996028	0.9999949		MARKER DESTROYED				
726851	10-10	E 474928.425 N 5363293.852 El 50.323		0.9996028	0.9999950	445932 418632	10-011 10-113	TERR TERR	96 6 14 179 44 58	118.148 88.276	118.195 88.310
510511	10-101	E 476039.721 N 5362329.669 El 57.558		0.9996010	0.9999939	341529 871954	10-112 NO MARKING	TERR TERR	42 26 50 263 4 46	99.954 109.166	99.994 109.211
564559	10-102	E 475666.510 N 5362272.606 El 14.590		0.9996079	1.0000006		MARKER DESTROYED				
668244	10-105	E 475459.444 N 5362275.668 El 13.553		0.9996082	1.0000008		MARKER DESTROYED				
652222	10-107	E 475906.970 N 5362555.957 El 30.954		0.9996052	0.9999981	563338 685065	10-57 10-93	TERR TERR	82 52 39 262 36 38	98.992 149.703	99.032 149.762
918375	10-110	E 475224.482 N 5362913.290 El 22.551		0.9996069	0.9999994	522706 712711	10-64 10-65	TERR TERR	69 28 41 253 19 7	190.586 218.635	190.661 218.721
418632	10-113	E 474928.811 N 5363205.577 El 47.604		0.9996032	0.9999955	937730 726851	10-12 10-10	TERR TERR	102 47 49 359 44 58	93.297 88.276	93.334 88.310
231167	10-114	E 475023.686 N 5362718.818 El 15.460		0.9996082	1.0000005		MARKER DESTROYED				

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING					
855353	10-115	E 474857.949 N 5362430.353 El 8.861	0.9996093	1.0000015		MARKER DESTROYED					
969865	10-116	E 474653.420 N 5363013.091 El 49.082	0.9996031	0.9999952	243683 891945 419291	10-3 10-5 9-30	TERR TERR TERR	2 28 41 72 6 34 251 34 29	76.906 61.155 77.775	76.936 61.179 77.806	
861864	10-117	E 474662.907 N 5363277.328 El 51.129	0.9996028	0.9999949	934018 961375	10-2 9-8	TERR TERR	181 41 23 307 45 18	93.674 76.143	93.711 76.173	
234823	10-118	E 474865.899 N 5363029.282 El 42.875	0.9996040	0.9999962	891945 706168	10-5 10-8	TERR TERR	270 57 50 343 23 16	154.303 232.757	154.365 232.849	
774851	10-119	E 474929.089 N 5363027.165 El 40.852	0.9996042	0.9999965		MARKER DESTROYED					
937730	10-12	E 475019.791 N 5363184.912 El 48.280	0.9996030	0.9999954	418632	10-113	TERR	282 47 49	93.297	93.334	
233023	10-120	E 475213.322 N 5363159.194 El 43.631	0.9996036	0.9999961	957118 687525	10-21 10-18	TERR TERR	29 7 39 235 33 45	166.059 92.653	166.126 92.690	
385476	10-121	E 475043.981 N 5362423.696 El 8.908	0.9996092	1.0000015		MARKER DESTROYED					
270157	10-122	E 475043.967 N 5362423.693 El 8.864	0.9996092	1.0000015	379057 459818	3-30 10-128	TERR TERR	176 8 14 272 2 60	244.643 186.136	244.738 186.210	

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
54346	10-123	E 476023.271 N 5363206.415 El 17.802		0.9996072	1.0000001	34280 977769	10-42 10-51	TERR TERR	274 46 1 358 27 32	66.855 177.363	66.882 177.433
				CVD28BC							
940650	10-124	E 475023.692 N 5362718.822 El 15.471		0.9996082	1.0000005	712711	10-65	TERR	356 14 42	131.992	132.043
				CVD28BC							
172577	10-125	E 475666.509 N 5362272.603 El 14.497		0.9996079	1.0000007	407577 369777	10-92 3-15	TERR TERR	0 31 44 173 8 21	274.031 99.383	274.137 99.422
				CVD28BC							
564575	10-126	E 474800.018 N 5363384.333 El 51.105		0.9996027	0.9999949	706168 912170	10-8 15-44	TERR TERR	180 17 14 330 34 42	132.011 221.066	132.063 221.154
				CVD28BC							
459818	10-128	E 474857.950 N 5362430.351 El 8.846		0.9996093	1.0000015	270157 598615 986547	10-122 3-4 10-85A	TERR TERR TERR	92 2 60 181 58 30 272 7 48	186.136 239.697 110.661	186.210 239.791 110.703
				CVD28BC							
90365	10-14	E 474929.091 N 5363027.160 El 40.754		0.9996043	0.9999965			MARKER DESTROYED			
				CVD28BC							
687525	10-18	E 475136.907 N 5363106.798 El 43.816		0.9996036	0.9999961	233023 522706	10-120 10-64	TERR TERR	55 33 45 115 27 46	92.653 294.691	92.690 294.807
				CVD28BC							
593848	10-19	E 475213.322 N 5363159.196 El 43.537		0.9996036	0.9999961			MARKER DESTROYED			
				CVD28BC							
934018	10-2	E 474660.145 N 5363183.695 El 50.755		0.9996029	0.9999950	861864 243683 616268	10-117 10-3 9-10	TERR TERR TERR	1 41 23 182 4 36 286 47 22	93.674 93.832 142.313	93.711 93.869 142.370
				CVD28BC							

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING		Bearing				
458737	10-35	E N El	475763.376 5363347.859 20.232	0.9996070	0.9999998	136465 543595	10-37 15-123	TERR TERR	179 8 17 358 19 48			143.326 144.469	143.382 144.526
136465	10-37	E N El	475765.532 5363204.549 18.484	0.9996072	1.0000000	468652 58131 992776 458737	10-41 10-38 10-33 10-35	TERR TERR TERR TERR	128 5 30 203 11 59 286 42 18 359 8 17			116.512 169.482 80.506 143.326	116.558 169.549 80.538 143.382
58131	10-38	E N El	475698.767 5363048.772 16.866	0.9996075	1.0000003	136465 793158	10-37 10-39	TERR TERR	23 11 59 210 5 50			169.482 108.009	169.549 108.052
793158	10-39	E N El	475644.604 5362955.325 15.969	0.9996077	1.0000004	58131 691402 733592	10-38 10-40 10-61	TERR TERR TERR	30 5 50 75 56 13 201 1 1			108.009 139.639 88.196	108.052 139.694 88.230
879858	10-4	E N El	474653.421 5363013.208 49.047	0.9996031	0.9999952	MARKER DESTROYED							
691402	10-40	E N El	475780.058 5362989.256 19.618	0.9996071	0.9999999	468652 470666 793158	10-41 10-44 10-39	TERR TERR TERR	28 17 6 66 36 22 255 56 13			162.859 186.727 139.639	162.923 186.801 139.694
468652	10-41	E N El	475857.230 5363132.670 16.465	0.9996075	1.0000003	807669 691402 136465	10-43 10-40 10-37	TERR TERR TERR	98 27 34 208 17 6 308 5 30			107.416 162.859 116.512	107.458 162.923 116.558
34280	10-42	E N El	475956.647 5363211.971 17.283	0.9996073	1.0000002	54346 807669	10-123 10-43	TERR TERR	94 46 1 175 53 32			66.855 95.348	66.882 95.386
807669	10-43	E N El	475963.477 5363116.868 16.990	0.9996074	1.0000003	446278 468652 34280	10-46 10-41 10-42	TERR TERR TERR	84 2 40 278 27 34 355 53 32			106.441 107.416 95.348	106.482 107.458 95.386

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid	Ground
GCM-NO	TABLET MARKING	Coordinates	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING		Bearing	Distance		Distance	Distance
										Metres		Metres	
470666	10-44	E	475951.435	0.9996073	1.0000002	60830	10-52	TERR	90 23 14	128.849	128.899		
		N	5363063.396			691402	10-40	TERR	246 36 22	186.727	186.801		
		E1	17.140	CVD28BC									
446278	10-46	E	476069.343	0.9996067	0.9999997	60830	10-52	TERR	170 30 12	66.296	66.322		
		N	5363127.912			606137	10-48	TERR	182 35 15	132.800	132.852		
		E1	20.721	CVD28BC	807669	10-43	TERR	264 2 40	106.441	106.482			
184606	10-47	E	476023.706	0.9996072	1.0000001	MARKER DESTROYED							
		N	5363206.969										
		E1	17.778	CVD28BC									
606137	10-48	E	476063.348	0.9996070	1.0000000	446278	10-46	TERR	2 35 15	132.800	132.852		
		N	5362995.247			60830	10-52	TERR	14 7 38	69.376	69.402		
		E1	18.973	CVD28BC	227926	10-50	TERR	217 54 54	166.896	166.962			
138727	10-49	E	476078.415	0.9996071	1.0000000	977769	10-51	TERR	270 16 21	59.915	59.938		
		N	5363383.429			472670	15-118	TERR	356 36 51	123.110	123.158		
		E1	18.528	CVD28BC									
891945	10-5	E	474711.618	0.9996032	0.9999954	234823	10-118	TERR	90 57 50	154.303	154.365		
		N	5363031.878			969865	10-116	TERR	252 6 34	61.155	61.179		
		E1	48.130	CVD28BC									
227926	10-50	E	475960.792	0.9996062	0.9999991	606137	10-48	TERR	37 54 54	166.896	166.962		
		N	5362863.579			865824	10-58	TERR	253 12 25	94.284	94.321		
		E1	24.266	CVD28BC									
977769	10-51	E	476018.501	0.9996069	0.9999999	138727	10-49	TERR	90 16 21	59.915	59.938		
		N	5363383.714			54346	10-123	TERR	178 27 32	177.363	177.433		
		E1	19.451	CVD28BC	325589	15-133	TERR	358 25 23	101.789	101.829			
60830	10-52	E	476080.281	0.9996067	0.9999997	854067	80H3719	TERR	91 42 37	142.544	142.600		
		N	5363062.525			606137	10-48	TERR	194 7 38	69.376	69.402		
		E1	20.852	CVD28BC	470666	10-44	TERR	270 23 14	128.849	128.899			
					446278	10-46	TERR	350 30 12	66.296	66.322			

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
563338	10-57	E	476005.198	0.9996043	0.9999972	315440	80H3676	TERR	111	41	22	82.157	82.189		
		N	5362568.231			652222	10-107	TERR	262	52	39	98.992	99.032		
		E1	36.401	CVD28BC											
865824	10-58	E	475870.529	0.9996057	0.9999985	227926	10-50	TERR	73	12	25	94.284	94.321		
		N	5362836.339			243410	10-60	TERR	249	53	40	99.765	99.804		
		E1	27.933	CVD28BC											
179416	10-6	E	474865.902	0.9996040	0.9999962	MARKER DESTROYED									
		N	5363029.283												
		E1	42.772	CVD28BC											
243410	10-60	E	475776.844	0.9996067	0.9999995	865824	10-58	TERR	69	53	40	99.765	99.804		
		N	5362802.045			677849	10-79	TERR	188	7	5	134.561	134.614		
		E1	21.986	CVD28BC		733592	10-61	TERR	293	24	40	178.571	178.641		
733592	10-61	E	475612.973	0.9996080	1.0000007	793158	10-39	TERR	21	1	1	88.196	88.230		
		N	5362872.996			243410	10-60	TERR	113	24	40	178.571	178.641		
		E1	14.148	CVD28BC		732495	10-62	TERR	295	20	50	121.104	121.151		
732495	10-62	E	475503.528	0.9996080	1.0000006	177030	10-63	TERR	25	14	38	111.149	111.192		
		N	5362924.841			733592	10-61	TERR	115	20	50	121.104	121.151		
		E1	14.687	CVD28BC		522706	10-64	TERR	298	47	31	114.740	114.785		
177030	10-63	E	475550.930	0.9996072	0.9999999	958405	10-32	TERR	39	0	22	120.473	120.521		
		N	5363025.375			732495	10-62	TERR	205	14	38	111.149	111.192		
		E1	19.455	CVD28BC											
522706	10-64	E	475402.973	0.9996071	0.9999997	887075	10-26	TERR	13	37	31	121.352	121.400		
		N	5362980.103			732495	10-62	TERR	118	47	31	114.740	114.785		
		E1	20.480	CVD28BC		639245	10-70	TERR	159	58	26	228.958	229.047		
						918375	10-110	TERR	249	28	41	190.586	190.661		
						687525	10-18	TERR	295	27	46	294.691	294.807		
712711	10-65	E	475015.048	0.9996066	0.9999990	918375	10-110	TERR	73	19	7	218.635	218.721		
		N	5362850.531			940650	10-124	TERR	176	14	42	131.992	132.043		
		E1	25.304	CVD28BC											

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- UTM Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
429068	10-66	E N El	475023.986 5362718.730 15.546	0.9996081	1.0000005		MARKER DESTROYED				
639245	10-70	E N El	475481.379 5362764.989 11.452	0.9996085	1.0000011	833061 169680 522706	10-78 10-71 10-64	TERR TERR TERR	169 11 0 246 6 13 339 58 26	98.489 234.584 228.958	98.527 234.676 229.047
169680	10-71	E N El	475266.904 5362669.963 10.568	0.9996088	1.0000013	639245	10-70	TERR	66 6 13	234.584	234.676
716910	10-72	E N El	475031.305 5362610.785 12.324	0.9996086	1.0000010		MARKER DESTROYED				
467621	10-74	E N El	474754.211 5362621.220 13.942	0.9996086	1.0000007	986547 185108	10-85A 9-60	TERR TERR	182 5 57 279 33 35	186.881 202.385	186.954 202.463
833061	10-78	E N El	475499.862 5362668.250 11.067	0.9996086	1.0000012	187989 639245	10-91 10-70	TERR TERR	158 46 29 349 11 0	134.443 98.489	134.496 98.527
677849	10-79	E N El	475757.842 5362668.832 20.546	0.9996069	0.9999997	243410 685065	10-60 10-93	TERR TERR	8 7 5 179 42 37	134.561 132.131	134.614 132.182
706168	10-8	E N El	474799.356 5363252.324 49.383	0.9996030	0.9999952	564575 234823	10-126 10-118	TERR TERR	0 17 14 163 23 16	132.011 232.757	132.063 232.849
199141	10-82A	E N El	475044.000 5362423.696 8.939	0.9996092	1.0000015		MARKER DESTROYED				

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
163378	10-84	E N E1	474858.228 5362430.475 8.784	0.9996093	1.0000015		MARKER DESTROYED							
986547	10-85A	E N E1	474747.366 5362434.464 9.178	0.9996093	1.0000015	467621 459818 995548	10-74 10-128 3-3	TERR TERR TERR	2 5 57 92 7 48 182 5 59		186.881 110.661 291.034	186.954 110.703 291.148		
850172	10-9	E N E1	474799.397 5363390.689 51.098	0.9996027	0.9999949		MARKER DESTROYED							
684126	10-90	E N E1	475421.569 5362488.593 14.363	0.9996081	1.0000007	187989 205450	10-91 3-9	TERR TERR	66 49 55 212 45 42		138.103 250.744	138.157 250.842		
187989	10-91	E N E1	475548.535 5362542.927 14.606	0.9996080	1.0000006	407577 684126 833061	10-92 10-90 10-78	TERR TERR TERR	88 14 37 246 49 55 338 46 29		120.560 138.103 134.443	120.607 138.157 134.496		
407577	10-92	E N E1	475669.038 5362546.622 16.632	0.9996076	1.0000003	685065 172577 187989	10-93 10-125 10-91	TERR TERR TERR	96 19 34 180 31 44 268 14 37		90.020 274.031 120.560	90.056 274.137 120.607		
685065	10-93	E N E1	475758.510 5362536.703 21.513	0.9996068	0.9999996	652222 186916 407577 677849	10-107 10-98 10-92 10-79	TERR TERR TERR TERR	82 36 38 186 59 28 276 19 34 359 42 37		149.703 156.323 90.020 132.131	149.762 156.386 90.056 132.182		
186916	10-98	E N E1	475739.483 5362381.542 20.130	0.9996070	0.9999998	685065 920140	10-93 10-99	TERR TERR	6 59 28 161 46 45		156.323 106.680	156.386 106.722		
920140	10-99	E N E1	475772.840 5362280.211 20.403	0.9996069	0.9999997	871954 985465 186916	NO MARKING 3-14 10-98	TERR TERR TERR	77 5 60 155 18 51 341 46 45		162.614 153.459 106.680	162.678 153.519 106.722		

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Scale Factor at Reference Central Meridian = 0.9996

Datum: NAD83 (CSRS)

MARKER	IDENTIFIERS	UTM	Station	Scale	Factor	TO MARKER	IDENTIFIERS	Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates				-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
526707	15-1	E	475047.283	0.9996075	0.9999999	438937	15-160	TERR	95 0 39	91.513	91.549
		N	5364614.863			1875	26-64	TERR	274 8 57	85.804	85.837
		E1	19.562	CVD28BC							
606756	15-10	E	475621.822	0.9996067	0.9999994	982744	15-9A	TERR	8 11 44	169.023	169.090
		N	5364394.485			398	15-12A	TERR	190 4 47	80.570	80.602
		E1	22.430	CVD28BC		573436	15-7	TERR	277 51 45	258.827	258.929
128496	15-106	E	475574.504	0.9996062	0.9999988	410449	15-92A	TERR	0 14 32	219.459	219.546
		N	5363744.924			92106	15-108	TERR	90 30 39	102.940	102.980
		E1	26.035	CVD28BC		140848	15-125A	TERR	178 13 29	235.515	235.608
						481101	15-151	TERR	270 23 36	153.784	153.845
141606	15-107	E	475420.726	0.9996055	0.9999981	MARKER DESTROYED					
		N	5363745.984								
		E1	30.645	CVD28BC							
92106	15-108	E	475677.440	0.9996064	0.9999991	983619	15-109	TERR	90 5 18	82.954	82.987
		N	5363744.006			128496	15-106	TERR	270 30 39	102.940	102.980
		E1	24.400	CVD28BC							
983619	15-109	E	475760.394	0.9996066	0.9999994	628412	15-94	TERR	0 24 44	219.017	219.103
		N	5363743.878			508390	15-146	TERR	90 36 36	130.724	130.776
		E1	22.506	CVD28BC		92106	15-108	TERR	270 5 18	82.954	82.987
15719	15-114	E	476064.915	0.9996070	0.9999999	507400	15-115	TERR	90 37 33	67.398	67.424
		N	5363741.791			472670	15-118	TERR	178 29 5	235.549	235.642
		E1	19.112	CVD28BC		508390	15-146	TERR	270 13 45	173.805	173.875
472670	15-118	E	476071.144	0.9996064	0.9999993	138727	10-49	TERR	176 36 51	123.110	123.158
		N	5363506.324			325589	15-133	TERR	249 22 55	59.238	59.261
		E1	23.040	CVD28BC		15719	15-114	TERR	358 29 5	235.549	235.642
664383	15-121	E	475897.848	0.9996067	0.9999996	325589	15-133	TERR	102 9 25	120.556	120.602
		N	5363510.852			543595	15-123	TERR	262 22 2	139.922	139.977
		E1	21.197	CVD28BC		508390	15-146	TERR	358 20 3	231.732	231.824

Order in Council No. 448/89

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Scale Factor at Reference Central Meridian = 0.9996

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						Metres	Metres
543595	15-123	E	475759.166	0.9996068	0.9999995	664383	15-121	TERR	82	22	2	139.922	139.977		
		N	5363492.267			458737	10-35	TERR	178	19	48	144.469	144.526		
		E1	21.642	CVD28BC		766931	15-124	TERR	272	15	16	93.144	93.181		
766931	15-124	E	475666.094	0.9996067	0.9999994	543595	15-123	TERR	92	15	16	93.144	93.181		
		N	5363495.931			336842	10-34	TERR	178	15	41	147.655	147.714		
		E1	22.322	CVD28BC		140848	15-125A	TERR	279	9	33	85.383	85.416		
140848	15-125A	E	475581.800	0.9996062	0.9999989	766931	15-124	TERR	99	9	33	85.383	85.416		
		N	5363509.522			565291	10-29A	TERR	177	53	5	107.726	107.769		
		E1	25.795	CVD28BC		128496	15-106	TERR	358	13	29	235.515	235.608		
398	15-12A	E	475607.721	0.9996070	0.9999997	606756	15-10	TERR	10	4	47	80.570	80.602		
		N	5364315.159			361469	15-76A	TERR	175	36	56	71.813	71.841		
		E1	20.403	CVD28BC		836064	15-11	TERR	274	35	34	224.199	224.287		
915900	15-13	E	475312.787	0.9996069	0.9999994	547331	26-52	TERR	10	19	22	93.954	93.991		
		N	5364500.162			227199	15-14	TERR	93	5	24	153.834	153.894		
		E1	22.334	CVD28BC		573436	15-7	TERR	143	9	45	87.801	87.836		
257808	15-130	E	475398.549	0.9996043	0.9999969	MARKER DESTROYED									
		N	5363546.611												
		E1	38.469	CVD28BC											
30114	15-131A	E	475386.787	0.9996043	0.9999968	841668	15-152	TERR	7	31	45	89.743	89.778		
		N	5363457.633			575753	10-23	TERR	190	31	16	83.610	83.643		
		E1	38.993	CVD28BC											
325589	15-133	E	476015.700	0.9996068	0.9999997	472670	15-118	TERR	69	22	55	59.238	59.261		
		N	5363485.464			977769	10-51	TERR	178	25	23	101.789	101.829		
		E1	20.351	CVD28BC		664383	15-121	TERR	282	9	25	120.556	120.602		
138289	15-134	E	475239.266	0.9996035	0.9999960	978122	15-135	TERR	198	10	41	70.490	70.519		
		N	5363691.377			809608	15-149	TERR	336	40	20	66.861	66.887		
		E1	44.363	CVD28BC											

MARKER	IDENTIFIERS	UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates				-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
978122	15-135	E	475217.275	0.9996019	0.9999944	138289	15-134	TERR	18 10 41	70.490	70.519
		N	5363624.405			177089	15-136	TERR	178 26 36	61.510	61.534
		E1	54.619	CVD28BC							
177089	15-136	E	475218.946	0.9996014	0.9999939	337568	15-137	TERR	192 47 44	99.164	99.203
		N	5363562.918			625822	15-139	TERR	271 54 44	122.965	123.014
		E1	57.603	CVD28BC		978122	15-135	TERR	358 26 36	61.510	61.534
337568	15-137	E	475196.984	0.9996018	0.9999942	177089	15-136	TERR	12 47 44	99.164	99.203
		N	5363466.217			436220	15-138	TERR	147 48 22	72.586	72.615
		E1	55.578	CVD28BC							
436220	15-138	E	475235.657	0.9996017	0.9999942	957118	10-21	TERR	149 48 30	116.317	116.363
		N	5363404.791			337568	15-137	TERR	327 48 22	72.586	72.615
		E1	55.585	CVD28BC							
625822	15-139	E	475096.050	0.9996003	0.9999927	177089	15-136	TERR	91 54 44	122.965	123.014
		N	5363567.021			512640	15-60	TERR	277 56 48	108.419	108.461
		E1	65.117	CVD28BC							
227199	15-14	E	475466.397	0.9996070	0.9999996	393926	15-8	TERR	5 37 54	84.162	84.195
		N	5364491.870			915900	15-13	TERR	273 5 24	153.834	153.894
		E1	21.452	CVD28BC							
34454	15-140	E	474736.228	0.9996056	0.9999978	388173	15-141	TERR	62 37 23	113.846	113.890
		N	5363873.551			681932	15-49	TERR	165 5 18	89.497	89.533
		E1	32.746	CVD28BC		438333	15-41	TERR	221 11 59	101.747	101.787
388173	15-141	E	474837.323	0.9996055	0.9999977	273854	15-38	TERR	62 45 19	128.086	128.137
		N	5363925.902			34454	15-140	TERR	242 37 23	113.846	113.890
		E1	33.434	CVD28BC							
762898	15-142	E	475022.288	0.9996038	0.9999961	756288	15-37	TERR	62 13 42	97.700	97.739
		N	5364024.420			273854	15-38	TERR	240 42 27	81.512	81.544
		E1	43.367	CVD28BC							

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
608406	15-143	E 475126.455 N 5364170.205 El 35.473		0.9996050	0.9999974	623066 74104	15-28 15-153	TERR TERR	88 16 11 272 36 37	185.207 206.556	185.280 206.638
				CVD28BC							
297374	15-144	E 474750.456 N 5364459.750 El 22.653		0.9996072	0.9999994	735738 289173 915116	15-21 15-23 16-14	TERR TERR TERR	94 19 29 181 32 52 266 24 60	127.159 79.420 130.044	127.209 79.452 130.096
				CVD28BC							
204446	15-145	E 474899.232 N 5363666.142 El 43.324		0.9996039	0.9999961	711457 770859 36079	15-62 15-148 15-48	TERR TERR TERR	58 29 17 170 7 2 248 26 57	119.803 154.776 152.082	119.851 154.837 152.142
				CVD28BC							
508390	15-146	E 475891.111 N 5363742.486 El 19.229		0.9996071	0.9999999	15719 664383 983619	15-114 15-121 15-109	TERR TERR TERR	90 13 45 178 20 3 270 36 36	173.805 231.732 130.724	173.875 231.824 130.776
				CVD28BC							
632984	15-147	E 476033.116 N 5364359.520 El 15.837		0.9996075	1.0000004	495846 196170	15-83 15-162	TERR TERR	73 33 56 245 10 9	128.681 138.524	128.732 138.579
				CVD28BC							
770859	15-148	E 474925.797 N 5363513.663 El 47.995		0.9996031	0.9999954	455147 204446	15-56A 15-145	TERR TERR	178 36 6 350 7 2	102.901 154.776	102.941 154.837
				CVD28BC							
809608	15-149	E 475212.790 N 5363752.772 El 38.176		0.9996045	0.9999969	481101 138289 791533	15-151 15-134 15-67	TERR TERR TERR	91 52 15 156 40 20 280 47 42	208.045 66.861 107.589	208.127 66.887 107.631
				CVD28BC							
292458	15-150	E 475445.736 N 5364005.016 El 26.904		0.9996061	0.9999987	419580 108191 623066	15-74 15-71 15-28	TERR TERR TERR	58 55 49 240 26 25 321 50 54	153.141 79.286 217.174	153.201 79.316 217.260
				CVD28BC							
481101	15-151	E 475420.724 N 5363745.980 El 30.653		0.9996055	0.9999981	128496 841668 809608	15-106 15-152 15-149	TERR TERR TERR	90 23 36 186 20 50 271 52 15	153.784 200.608 208.045	153.845 200.687 208.127
				CVD28BC							

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
841668	15-152	E 475398.546 N 5363546.602 El 38.650		0.9996043	0.9999969	481101 30114	15-151 15-131A	TERR TERR	6 20 50 187 31 45	200.608 89.743	200.687 89.778
74104	15-153	E 474920.113 N 5364179.612 El 38.804		0.9996046	0.9999968	962142 608406 911842 938241	15-25 15-143 15-33 16-140	TERR TERR TERR TERR	4 17 55 92 36 37 173 42 24 272 13 4	101.821 206.556 102.974 225.001	101.861 206.638 103.015 225.089
139873	15-154	E 475680.342 N 5364151.799 El 20.758		0.9996069	0.9999997	300343 419580	15-155 15-74	TERR TERR	49 7 57 236 46 31	91.796 123.648	91.831 123.697
300343	15-155	E 475749.760 N 5364211.862 El 19.282		0.9996071	0.9999999	722264 139873	15-80 15-154	TERR TERR	43 32 32 229 7 57	114.373 91.796	114.418 91.831
333500	15-156	E 475927.466 N 5364531.101 El 15.650		0.9996076	1.0000005	196170	15-162	TERR	184 59 31	230.628	230.719
422311	15-157	E 476039.184 N 5364527.484 El 14.230		0.9996078	1.0000007						
							MARKER DESTROYED				
815753	15-16	E 475172.576 N 5364271.065 El 26.836		0.9996063	0.9999987	550194 860726 912907	15-18 15-29 16-271	TERR TERR TERR	2 25 34 92 13 43 272 40 54	166.678 90.215 117.279	166.744 90.252 117.325
438937	15-160	E 475138.446 N 5364606.870 El 20.710		0.9996073	0.9999997	455048 526707	15-161 15-1	TERR TERR	94 3 58 275 0 39	70.400 91.513	70.428 91.549
455048	15-161	E 475208.669 N 5364601.878 El 20.902		0.9996072	0.9999996	18762 547331 438937	26-43 26-52 15-160	TERR TERR TERR	1 20 49 94 23 19 274 3 58	216.030 121.310 70.400	216.114 121.357 70.428

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
196170	15-162	E	475907.398	0.9996071	1.0000000	333500	15-156	TERR	4 59 31	230.628	230.719
		N	5364301.348			632984	15-147	TERR	65 10 9	138.524	138.579
		El	18.789			185462	15-90	TERR	180 32 3	141.374	141.430
						722264	15-80	TERR	265 13 44	79.122	79.153
453761	15-17	E	475270.268	0.9996070	0.9999995	573436	15-7	TERR	95 52 9	95.662	95.699
		N	5364439.673			860726	15-29	TERR	182 30 36	172.281	172.350
		El	22.123			550194	15-18	TERR	268 41 10	90.660	90.696
550194	15-18	E	475179.632	0.9996070	0.9999994	453761	15-17	TERR	88 41 10	90.660	90.696
		N	5364437.594			815753	15-16	TERR	182 25 34	166.678	166.744
		El	22.190			273201	15-19	TERR	274 50 18	117.044	117.090
273201	15-19	E	475063.005	0.9996071	0.9999994	550194	15-18	TERR	94 50 18	117.044	117.090
		N	5364447.466			912907	16-271	TERR	182 32 22	171.082	171.149
		El	22.375			970160	15-20	TERR	272 19 23	83.706	83.738
515783	15-2	E	475138.453	0.9996073	0.9999997	MARKER DESTROYED					
		N	5364606.867								
		El	20.690								
970160	15-20	E	474979.368	0.9996071	0.9999994	273201	15-19	TERR	92 19 23	83.706	83.738
		N	5364450.859			735738	15-21	TERR	269 36 30	102.117	102.158
		El	22.559								
735738	15-21	E	474877.253	0.9996071	0.9999993	643478	15-6	TERR	6 9 59	86.897	86.931
		N	5364450.161			970160	15-20	TERR	89 36 30	102.117	102.158
		El	22.853			192187	15-24	TERR	187 0 52	156.684	156.745
						297374	15-144	TERR	274 19 29	127.159	127.209
642553	15-22	E	474699.754	0.9996064	0.9999985	192187	15-24	TERR	92 11 16	158.481	158.543
		N	5364300.700			938241	16-140	TERR	182 16 45	112.470	112.514
		El	27.937								
289173	15-23	E	474748.311	0.9996067	0.9999989	297374	15-144	TERR	1 32 52	79.420	79.452
		N	5364380.359			730317	16-15	TERR	267 55 4	129.851	129.902
		El	25.828								

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
192187	15-24	E	474858.119	0.9996057	0.9999979	735738	15-21	TERR	7 0 52	156.684	156.745
		N	5364294.650			962142	15-25	TERR	100 58 32	70.923	70.952
		El	31.901			642553	15-22	TERR	272 11 16	158.481	158.543
962142	15-25	E	474927.745	0.9996051	0.9999974	912907	16-271	TERR	92 3 40	127.763	127.813
		N	5364281.147			74104	15-153	TERR	184 17 55	101.821	101.861
		El	35.185			192187	15-24	TERR	280 58 32	70.923	70.952
623066	15-28	E	475311.578	0.9996064	0.9999990	8474	15-35	TERR	38 13 58	110.402	110.446
		N	5364175.797			433318	15-36	TERR	63 12 35	178.620	178.691
		El	25.311			292458	15-150	TERR	141 50 54	217.174	217.260
						208462	15-47	TERR	242 6 29	117.106	117.152
						608406	15-143	TERR	268 16 11	185.207	185.280
860726	15-29	E	475262.723	0.9996066	0.9999991	453761	15-17	TERR	2 30 36	172.281	172.350
		N	5364267.557			8474	15-35	TERR	92 27 45	117.286	117.332
		El	24.389			815753	15-16	TERR	272 13 43	90.215	90.252
234187	15-30	E	474920.107	0.9996046	0.9999968	MARKER DESTROYED					
		N	5364179.610								
		El	38.856								
911842	15-33	E	474931.401	0.9996046	0.9999969	756288	15-37	TERR	92 21 45	177.484	177.554
		N	5364077.259			74104	15-153	TERR	353 42 24	102.974	103.015
		El	38.397								
8474	15-35	E	475379.901	0.9996067	0.9999993	836064	15-11	TERR	3 31 8	70.726	70.754
		N	5364262.518			433318	15-36	TERR	93 53 60	91.336	91.372
		El	23.297			623066	15-28	TERR	218 13 58	110.402	110.446
						860726	15-29	TERR	272 27 45	117.286	117.332
433318	15-36	E	475471.025	0.9996069	0.9999995	361469	15-76A	TERR	95 7 27	142.757	142.813
		N	5364256.306			623066	15-28	TERR	243 12 35	178.620	178.691
		El	22.062			8474	15-35	TERR	273 53 60	91.336	91.372
756288	15-37	E	475108.734	0.9996043	0.9999967	208462	15-47	TERR	62 47 33	111.701	111.745
		N	5364069.943			762898	15-142	TERR	242 13 42	97.700	97.739
		El	39.946			911842	15-33	TERR	272 21 45	177.484	177.554

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
273854	15-38	E 474951.199 N 5363984.539 El 41.377		0.9996041	0.9999964	762898 403618 388173	15-142 15-63A 15-141	TERR TERR TERR	60 42 27 169 44 7 242 45 19	81.512 229.429 128.086	81.544 229.520 128.137
984062	15-4	E 475208.665 N 5364601.881 El 20.873		0.9996072	0.9999996	MARKER DESTROYED					
438333	15-41	E 474669.209 N 5363796.995 El 34.869		0.9996053	0.9999975	34454 27052 608034	15-140 15-42 16-83	TERR TERR TERR	41 11 59 190 54 53 274 7 48	101.747 73.247 90.098	101.787 73.277 90.134
27052	15-42	E 474655.340 N 5363725.073 El 38.691		0.9996047	0.9999969	438333 847079	15-41 16-84-1	TERR TERR	10 54 53 230 13 23	73.247 106.904	73.277 106.946
912170	15-44	E 474691.423 N 5363576.888 El 46.191		0.9996035	0.9999957	36079 564575 840793	15-48 10-126 16-117	TERR TERR TERR	63 17 23 150 34 42 242 57 52	74.286 221.066 79.203	74.315 221.154 79.234
208462	15-47	E 475208.076 N 5364121.014 El 32.547		0.9996054	0.9999978	623066 756288	15-28 15-37	TERR TERR	62 6 29 242 47 33	117.106 111.701	117.152 111.745
36079	15-48	E 474757.782 N 5363610.278 El 44.613		0.9996038	0.9999959	681932 204446 912170	15-49 15-145 15-44	TERR TERR TERR	0 28 42 68 26 57 243 17 23	176.796 152.082 74.286	176.866 152.142 74.315
681932	15-49	E 474759.258 N 5363787.068 El 39.036		0.9996046	0.9999968	544874 36079 34454	15-50 15-48 15-140	TERR TERR TERR	97 6 12 180 28 42 345 5 18	95.319 176.796 89.497	95.356 176.866 89.533
544874	15-50	E 474853.845 N 5363775.281 El 40.352		0.9996044	0.9999966	403618 681932	15-63A 15-49	TERR TERR	96 48 22 277 6 12	139.218 95.319	139.273 95.356

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
455147	15-56A	E 474928.308 N 5363410.793 El 49.567		0.9996029	0.9999951	179655 770859	15-58 15-148	TERR TERR	87 59 41 358 36 6	132.432 102.901	132.484 102.941
403352	15-57	E 474998.306 N 5363456.865 El 52.269		0.9996024	0.9999947	179655 512640	15-58 15-60	TERR TERR	123 36 25 355 35 52	74.867 125.515	74.897 125.565
179655	15-58	E 475060.659 N 5363415.427 El 57.251		0.9996016	0.9999939	455147 403352	15-56A 15-57	TERR TERR	267 59 41 303 36 25	132.432 74.867	132.484 74.897
643478	15-6	E 474886.587 N 5364536.555 El 18.657		0.9996077	1.0000000	735738 609933	15-21 26-54A	TERR TERR	186 9 59 350 43 35	86.897 93.149	86.931 93.185
512640	15-60	E 474988.672 N 5363582.010 El 50.559		0.9996027	0.9999950	625822 403352 864645	15-139 15-57 15-61	TERR TERR TERR	97 56 48 175 35 52 359 44 28	108.419 125.515 58.876	108.461 125.565 58.898
864645	15-61	E 474988.406 N 5363640.885 El 50.110		0.9996028	0.9999951	711457 512640	15-62 15-60	TERR TERR	8 23 27 179 44 28	88.826 58.876	88.861 58.898
711457	15-62	E 475001.368 N 5363728.760 El 42.415		0.9996039	0.9999963	864645 204446 403618	15-61 15-145 15-63A	TERR TERR TERR	188 23 27 238 29 17 342 48 46	88.826 119.803 31.425	88.861 119.851 31.438
403618	15-63A	E 474992.082 N 5363758.782 El 40.871		0.9996042	0.9999965	791533 711457 544874 273854	15-67 15-62 15-50 15-38	TERR TERR TERR TERR	82 59 28 162 48 46 276 48 22 349 44 7	115.889 31.425 139.218 229.429	115.935 31.438 139.273 229.520
791533	15-67	E 475107.105 N 5363772.923 El 40.053		0.9996043	0.9999966	72363 809608 403618	15-69 15-149 15-63A	TERR TERR TERR	50 30 29 100 47 42 262 59 28	203.488 107.589 115.889	203.569 107.631 115.935

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- UTM Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
72363	15-69	E N El	475264.140 5363902.335 34.083	0.9996051	0.9999976	108191 791533	15-71 15-67	TERR TERR	60 33 37 230 30 29	129.330 203.488	129.381 203.569
573436	15-7	E N El	475365.428 5364429.891 22.122	0.9996069	0.9999995	606756 836064 453761 915900	15-10 15-11 15-17 15-13	TERR TERR TERR TERR	97 51 45 168 59 56 275 52 9 323 9 45	258.827 98.592 95.662 87.801	258.929 98.630 95.699 87.836
108191	15-71	E N El	475376.770 5363965.902 29.165	0.9996058	0.9999984	292458 145052 72363	15-150 15-91A 15-69	TERR TERR TERR	60 26 25 90 52 33 240 33 37	79.286 87.274 129.330	79.316 87.308 129.381
175141	15-72	E N El	475445.738 5364005.016 26.845	0.9996061	0.9999987	MARKER DESTROYED					
419580	15-74	E N El	475576.907 5364084.049 23.384	0.9996066	0.9999993	361469 139873 410449 292458	15-76A 15-154 15-92A 15-150	TERR TERR TERR TERR	12 49 20 56 46 31 180 42 22 238 55 49	163.586 123.648 119.677 153.141	163.651 123.697 119.724 153.201
361469	15-76A	E N El	475613.211 5364243.556 20.980	0.9996069	0.9999996	419580 433318 398	15-74 15-36 15-12A	TERR TERR TERR	192 49 20 275 7 27 355 36 56	163.586 142.757 71.813	163.651 142.813 71.841
800722	15-77	E N El	475680.344 5364151.797 20.734	0.9996069	0.9999997	MARKER DESTROYED					
550590	15-79	E N El	475749.761 5364211.859 19.273	0.9996071	0.9999999	MARKER DESTROYED					
393926	15-8	E N El	475474.656 5364575.626 21.457	0.9996070	0.9999996	982744 227199 547331	15-9A 15-14 26-52	TERR TERR TERR	94 37 17 185 37 54 276 40 24	171.820 84.162 146.022	171.887 84.195 146.080

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
722264	15-80	E 475828.550 N 5364294.767 El 18.833		0.9996072	1.0000000	196170 300343	15-162 15-155	TERR TERR	85 13 44 223 32 32	79.122 114.373	79.153 114.418
981845	15-81	E 475907.277 N 5364320.054 El 18.542		0.9996072	1.0000000		MARKER DESTROYED				
604900	15-85	E 476039.146 N 5364526.415 El 14.284		0.9996077	1.0000007		MARKER DESTROYED				
912535	15-86	E 475927.465 N 5364531.101 El 15.722		0.9996076	1.0000005		MARKER DESTROYED				
976225	15-88	E 476063.108 N 5364158.925 El 16.919		0.9996073	1.0000003	142695 883702 185462	15-87 15-99 15-90	TERR TERR TERR	90 23 14 186 28 36 270 23 6	84.470 198.929 157.032	84.503 199.007 157.094
185462	15-90	E 475906.080 N 5364159.980 El 17.288		0.9996073	1.0000002	196170 976225 292490	15-162 15-88 15-97	TERR TERR TERR	0 32 3 90 23 6 180 17 52	141.374 157.032 197.937	141.430 157.094 198.014
145052	15-91A	E 475464.034 N 5363964.568 El 27.089		0.9996061	0.9999987	410449 108191	15-92A 15-71	TERR TERR	90 5 46 270 52 33	111.398 87.274	111.442 87.308
410449	15-92A	E 475575.432 N 5363964.381 El 25.244		0.9996063	0.9999990	419580 628412 128496 145052	15-74 15-94 15-106 15-91A	TERR TERR TERR TERR	0 42 22 90 27 30 180 14 32 270 5 46	119.677 186.544 219.459 111.398	119.724 186.618 219.546 111.442
628412	15-94	E 475761.970 N 5363962.889 El 21.557		0.9996068	0.9999995	292490 983619 410449	15-97 15-109 15-92A	TERR TERR TERR	90 20 15 180 24 44 270 27 30	143.084 219.017 186.544	143.139 219.103 186.618

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station Scale Factor		TO MARKER -----	IDENTIFIERS -----	Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance		
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres		
292490	15-97	E	475905.051	0.9996071	1.0000000	185462	15-90	TERR	0 17 52	197.937	198.014	
		N	5363962.046			883702	15-99	TERR	90 19 46	135.620	135.674	
		E1	18.821	CVD28BC		628412	15-94	TERR	270 20 15	143.084	143.139	
883702	15-99	E	476040.669	0.9996071	1.0000001	976225	15-88	TERR	6 28 36	198.929	199.007	
		N	5363961.266			194019	15-100	TERR	90 29 30	99.625	99.664	
		E1	18.342	CVD28BC		292490	15-97	TERR	270 19 46	135.620	135.674	
982744	15-9A	E	475645.917	0.9996066	0.9999993	714261	26-50	TERR	8 8 27	88.655	88.690	
		N	5364561.782			606756	15-10	TERR	188 11 44	169.023	169.090	
		E1	22.864	CVD28BC		393926	15-8	TERR	274 37 17	171.820	171.887	
687293	16-10	E	474295.495	0.9996067	0.9999986	99572	16-24	TERR	2 36 48	88.494	88.529	
		N	5364474.743			514935	16-11	TERR	98 41 23	96.468	96.506	
		E1	27.391	CVD28BC		54809	16-22	TERR	184 25 1	141.170	141.225	
731406	16-101	E	473444.250	0.9996081	0.9999995	MARKER DESTROYED						
		N	5363766.452									
		E1	21.875	CVD28BC								
32359	16-102	E	473655.517	0.9996078	0.9999992	341891	16-96	TERR	99 33 37	214.336	214.420	
		N	5363730.848			694190	16-76	TERR	355 16 9	142.944	143.000	
		E1	23.481	CVD28BC								
352484	16-104	E	474481.715	0.9996081	1.0000001	459412	25-94	TERR	5 47 27	106.149	106.190	
		N	5364553.282			975755	16-136	TERR	89 19 17	143.123	143.179	
		E1	17.961		CVD28BC		77735	16-12	TERR	178 59 41	87.330	87.365
						99572	16-24	TERR	273 5 56	182.452	182.524	
585208	16-108	E	474672.322	0.9996060	0.9999981	MARKER DESTROYED						
		N	5363898.738									
		E1	30.605	CVD28BC								
514935	16-11	E	474390.856	0.9996071	0.9999990	77735	16-12	TERR	86 24 35	92.573	92.609	
		N	5364460.168			790782	16-21	TERR	185 24 20	138.679	138.733	
		E1	25.003	CVD28BC		687293	16-10	TERR	278 41 23	96.468	96.506	

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER ----- GCM-NO	IDENTIFIERS ----- TABLET MARKING	UTM Coordinates Metres	Station Scale Factor Combined Ellipsoidal	TO MARKER IDENTIFIERS ----- GCM-NO	TABLET MARKING ----- TABLET MARKING	Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
50005	16-111	E 473229.026 N 5363723.777 El 18.917	0.9996087 0.9999999		MARKER DESTROYED				
286336	16-114	E 473192.947 N 5363514.009 El 21.084	0.9996084 0.9999996	403998	8-14	TERR	189 50 13	257.921	258.021
792499	16-115	E 473394.921 N 5363479.897 El 21.341	0.9996083 0.9999996		MARKER DESTROYED				
783597	16-116	E 473607.119 N 5363444.060 El 18.801	0.9996085 1.0000000	58883 366419 227348	16-144 9-1A 9-20A	TERR TERR TERR	9 9 1 99 33 3 190 0 55	93.689 214.259 145.832	93.725 214.343 145.890
840793	16-117	E 474620.875 N 5363540.887 El 46.824	0.9996035 0.9999956	912170 932616	15-44 16-85A	TERR TERR	62 57 52 233 54 43	79.203 64.720	79.234 64.746
337196	16-119A	E 473621.567 N 5363537.006 El 17.310	0.9996087 1.0000002		MARKER DESTROYED				
77735	16-12	E 474483.247 N 5364465.965 El 20.900	0.9996076 0.9999996	915116 539023 514935 352484	16-14 16-18 16-11 16-104	TERR TERR TERR TERR	95 57 31 182 16 22 266 24 35 358 59 41	138.166 156.877 92.573 87.330	138.219 156.939 92.609 87.365
617746	16-120	E 473642.199 N 5363654.303 El 20.696	0.9996082 0.9999997		MARKER DESTROYED				
962399	16-121	E 473852.891 N 5363618.750 El 21.308	0.9996080 0.9999996		MARKER DESTROYED				

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
907923	16-124	E 474145.072	0.9996061	0.9999979	555284	16-89	TERR	92 51 56	141.021	141.077
		N 5363572.692			526368	9-3	TERR	188 58 18	216.534	216.619
		E1 32.074	CVD28BC	278168	16-146	TERR	266 24 24	117.117	117.163	
310672	16-129	E 474219.672	0.9996060	0.9999978	54809	16-22	TERR	29 53 15	130.345	130.397
		N 5364220.982			994343	16-41	TERR	92 50 59	242.319	242.414
		E1 32.640	CVD28BC	612119	16-39	TERR	285 34 48	107.795	107.837	
771170	16-130	E 473282.017	0.9996082	0.9999995	27797	25-123	TERR	5 43 41	109.460	109.503
		N 5364510.425			30411	16-143	TERR	95 17 17	206.551	206.632
		E1 21.867	CVD28BC	706523	16-281	TERR	184 29 52	91.125	91.160	
454462	16-131	E 474152.108	0.9996080	0.9999998	622381	16-137	TERR	189 43 51	109.560	109.603
		N 5364539.602			7732	16-30	TERR	357 14 28	62.018	62.043
		E1 19.627	CVD28BC							
35345	16-132	E 473905.646	0.9996069	0.9999986	MARKER DESTROYED					
		N 5364199.524								
		E1 27.685	CVD28BC							
368316	16-134	E 473218.659	0.9996081	0.9999992	377770	16-53	TERR	167 19 21	113.451	113.495
		N 5364198.260			854679	17-98	TERR	269 3 8	167.062	167.127
		E1 23.325	CVD28BC							
831610	16-135	E 473497.706	0.9996086	0.9999999	684522	25-141	TERR	5 10 18	80.154	80.186
		N 5364600.053			588921	16-31	TERR	95 13 41	213.092	213.176
		E1 18.963	CVD28BC	30411	16-143	TERR	185 16 1	109.125	109.167	
				150318	25-133	TERR	275 18 54	94.633	94.669	
975755	16-136	E 474624.828	0.9996084	1.0000005	915116	16-14	TERR	182 18 22	103.439	103.479
		N 5364554.977			352484	16-104	TERR	269 19 17	143.123	143.179
		E1 15.416	CVD28BC	390377	25-95	TERR	333 16 22	107.368	107.411	
622381	16-137	E 474133.590	0.9996074	0.9999992	454462	16-131	TERR	9 43 51	109.560	109.603
		N 5364431.618			237693	16-23	TERR	185 43 25	82.080	82.113
		E1 23.766	CVD28BC	78899	16-5	TERR	275 22 17	205.606	205.686	

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
180893	16-138	E 473658.635 N 5364033.106 El 28.171		0.9996070	0.9999985	942730 989798 598896	16-36 16-66A 16-54	TERR TERR TERR	5 30 40 185 31 4 275 2 53	187.515 58.789 213.378	187.588 58.813 213.461
843888	16-139	E 474005.892 N 5363590.008 El 24.420		0.9996074	0.9999991	MARKER DESTROYED					
915116	16-14	E 474620.666 N 5364451.622 El 19.716		0.9996077	0.9999998	975755 297374 730317 77735	16-136 15-144 16-15 16-12	TERR TERR TERR TERR	2 18 22 86 24 60 181 35 54 275 57 31	103.439 130.044 76.011 138.166	103.479 130.096 76.041 138.219
938241	16-140	E 474695.281 N 5364188.319 El 29.649		0.9996061	0.9999983	642553 74104 994343	15-22 15-153 16-41	TERR TERR TERR	2 16 45 92 13 4 275 2 37	112.470 225.001 234.498	112.514 225.089 234.591
512541	16-141	E 474493.471 N 5363458.971 El 43.640		0.9996041	0.9999961	932616 415018 113407 296350	16-85A 9-7 9-6 16-87	TERR TERR TERR TERR	59 45 10 128 48 13 180 49 8 242 31 30	86.939 114.829 98.653 73.639	86.973 114.874 98.692 73.668
659607	16-142	E 473259.458 N 5364256.318 El 23.141		0.9996081	0.9999993	706523 924233 72835 533885	16-281 16-148 16-52 17-119	TERR TERR TERR TERR	5 23 35 91 50 26 185 22 47 293 18 53	163.989 225.803 97.229 46.008	164.053 225.891 97.267 46.026
30411	16-143	E 473487.689 N 5364491.389 El 21.366		0.9996082	0.9999996	831610 406892 771170	16-135 16-27 16-130	TERR TERR TERR	5 16 1 185 56 40 275 17 17	109.125 91.221 206.551	109.167 91.256 206.632
58883	16-144	E 473622.018 N 5363536.557 El 17.200		0.9996088	1.0000002	783597	16-116	TERR	189 9 1	93.689	93.725
302703	16-145	E 473444.244 N 5363766.454 El 21.848		0.9996081	0.9999995	841247	16-112	TERR	188 51 5	77.819	77.849

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
278168	16-146	E	474028.185	0.9996071	0.9999989	907923	16-124	TERR	86 24 24	117.117	117.163
		N	5363565.352			220491	16-147	TERR	286 56 24	183.245	183.317
		El	25.862	CVD28BC							
220491	16-147	E	473852.891	0.9996080	0.9999996	341891	16-96	TERR	10 21 33	77.774	77.805
		N	5363618.744			278168	16-146	TERR	106 56 24	183.245	183.317
		El	21.329	CVD28BC		366419	9-1A	TERR	189 18 53	213.043	213.126
924233	16-148	E	473485.144	0.9996076	0.9999989	942730	16-36	TERR	98 42 9	193.730	193.807
		N	5364249.066			598896	16-54	TERR	191 12 15	201.016	201.094
		El	25.436	CVD28BC		659607	16-142	TERR	271 50 26	225.803	225.891
						406892	16-27	TERR	357 23 35	151.750	151.810
730317	16-15	E	474618.546	0.9996068	0.9999989	915116	16-14	TERR	1 35 54	76.011	76.041
		N	5364375.641			289173	15-23	TERR	87 55 4	129.851	129.902
		El	25.530	CVD28BC							
113571	16-16	E	474614.604	0.9996066	0.9999987	MARKER DESTROYED					
		N	5364293.276								
		El	27.043	CVD28BC							
539023	16-18	E	474477.026	0.9996070	0.9999990	77735	16-12	TERR	2 16 22	156.877	156.939
		N	5364309.211			994343	16-41	TERR	188 41 41	101.442	101.481
		El	24.805	CVD28BC		54809	16-22	TERR	277 20 21	193.992	194.069
						790782	16-21	TERR	277 24 14	100.068	100.108
790782	16-21	E	474377.792	0.9996068	0.9999987	514935	16-11	TERR	5 24 20	138.679	138.733
		N	5364322.106			539023	16-18	TERR	97 24 14	100.068	100.108
		El	26.602	CVD28BC		54809	16-22	TERR	277 16 13	93.924	93.961
54809	16-22	E	474284.623	0.9996062	0.9999980	687293	16-10	TERR	4 25 1	141.170	141.225
		N	5364333.992			790782	16-21	TERR	97 16 13	93.924	93.961
		El	31.153	CVD28BC		539023	16-18	TERR	97 20 21	193.992	194.069
						310672	16-129	TERR	209 53 15	130.345	130.397
						237693	16-23	TERR	275 43 21	160.016	160.079
237693	16-23	E	474125.404	0.9996069	0.9999986	622381	16-137	TERR	5 43 25	82.080	82.113
		N	5364349.947			54809	16-22	TERR	95 43 21	160.016	160.079
		El	27.251	CVD28BC		93013	16-38	TERR	185 11 28	171.724	171.791
						612119	16-39	TERR	185 27 49	100.469	100.509
						4929	16-25	TERR	272 40 38	205.195	205.275

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING		Bearing				
99572	16-24	E	474299.530	0.9996079	0.9999998	352484	16-104	TERR	93 5 56			182.452	182.524
		N	5364563.145			687293	16-10	TERR	182 36 48			88.494	88.529
		El	19.926			7732	16-30	TERR	284 19 23			155.232	155.293
4929	16-25	E	473920.433	0.9996074	0.9999990	78899	16-5	TERR	5 17 18			91.723	91.759
		N	5364359.532			237693	16-23	TERR	92 40 38			205.195	205.275
		El	24.911			525642	16-26	TERR	275 18 47			230.217	230.308
525642	16-26	E	473691.205	0.9996079	0.9999994	248492	16-4	TERR	4 53 20			91.726	91.762
		N	5364380.849			958520	25-85	TERR	5 17 36			355.074	355.214
		El	22.431			4929	16-25	TERR	95 18 47			230.217	230.308
						942730	16-36	TERR	185 9 53			161.752	161.815
						406892	16-27	TERR	275 18 52			213.882	213.967
406892	16-27	E	473478.242	0.9996079	0.9999993	85266	25-82	TERR	5 30 49			353.950	354.088
		N	5364400.659			30411	16-143	TERR	5 56 40			91.221	91.256
		El	22.961			525642	16-26	TERR	95 18 52			213.882	213.967
						924233	16-148	TERR	177 23 35			151.750	151.810
						254201	16-33	TERR	185 15 60			162.741	162.805
912907	16-271	E	475055.425	0.9996058	0.9999982	273201	15-19	TERR	2 32 22			171.082	171.149
		N	5364276.552			815753	15-16	TERR	92 40 54			117.279	117.325
		El	30.416			962142	15-25	TERR	272 3 40			127.763	127.813
706523	16-281	E	473274.871	0.9996080	0.9999992	771170	16-130	TERR	4 29 52			91.125	91.160
		N	5364419.581			659607	16-142	TERR	185 23 35			163.989	164.053
		El	23.658			208744	17-5	TERR	229 11 7			78.603	78.634
						109496	17-4	TERR	302 48 59			77.714	77.745
414797	16-3	E	473487.688	0.9996082	0.9999996	MARKER DESTROYED							
		N	5364491.388										
		El	21.390										
7732	16-30	E	474149.123	0.9996082	1.0000000	953356	25-90	TERR	4 37 34			95.234	95.271
		N	5364601.548			99572	16-24	TERR	104 19 23			155.232	155.293
		El	18.732			454462	16-131	TERR	177 14 28			62.018	62.043
588921	16-31	E	473709.911	0.9996083	0.9999998	263954	25-110	TERR	5 33 38			80.293	80.325
		N	5364580.636			248492	16-4	TERR	185 44 11			108.941	108.983
		El	19.510			831610	16-135	TERR	275 13 41			213.092	213.176

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
437467	16-32	E N El	473259.465 5364256.316 22.994	0.9996081	0.9999993		MARKER DESTROYED				
254201	16-33	E N El	473463.304 5364238.605 25.169	0.9996076	0.9999990	406892 465575 526442 611566 942730 151068 259275 855999 842088 671339	16-27 99H2279 LEGAL 1 88H3797 16-36 4-70 16-51 M5 1954 285 2251 25-1	TERR GPS GPS GPS TERR GPS TERR GPS GPS GPS	5 15 60 5 41 35 44 31 14 87 40 22 95 2 59 167 17 57 185 16 15 228 13 6 276 20 25 351 16 10	162.741 3957.212 2688.151 4025.660 214.171 3139.490 100.466 2623.305 1731.388 1474.301	162.805 3958.771 2689.209 4027.238 214.255 3140.718 100.505 2624.329 1732.066 1474.880
942730	16-36	E N El	473676.644 5364219.754 26.328	0.9996073	0.9999988	525642 180893 254201 924233	16-26 16-138 16-33 16-148	TERR TERR TERR TERR	5 9 53 185 30 40 275 2 59 278 42 9	161.752 187.515 214.171 193.730	161.815 187.588 214.255 193.807
93013	16-38	E N El	474109.867 5364178.927 30.189	0.9996064	0.9999982	612119 237693 179143	16-39 16-23 16-50	TERR TERR TERR	4 48 24 5 11 28 179 58 13	71.258 171.724 100.530	71.285 171.791 100.570
612119	16-39	E N El	474115.838 5364249.934 30.355	0.9996064	0.9999982	237693 310672 93013	16-23 16-129 16-38	TERR TERR TERR	5 27 49 105 34 48 184 48 24	100.469 107.795 71.258	100.509 107.837 71.285
248492	16-4	E N El	473699.022 5364472.241 21.185	0.9996081	0.9999996	588921 78899 525642	16-31 16-5 16-26	TERR TERR TERR	5 44 11 95 18 46 184 53 20	108.941 230.857 91.726	108.983 230.948 91.762
994343	16-41	E N El	474461.691 5364208.935 29.584	0.9996063	0.9999983	539023 938241 606327 310672	16-18 16-140 16-43 16-129	TERR TERR TERR TERR	8 41 41 95 2 37 175 22 23 272 50 59	101.442 234.498 101.550 242.319	101.481 234.591 101.590 242.414
249599	16-42	E N El	474695.284 5364188.321 29.714	0.9996061	0.9999983		MARKER DESTROYED				

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
606327	16-43	E 474469.883 N 5364107.716 El 32.761		0.9996058	0.9999978	683979 994343	16-45 16-41	TERR TERR	190 43 34 355 22 23	102.866 101.550	102.907 101.590
981308	16-44	E 474692.222 N 5364088.230 El 26.818		0.9996066	0.9999987	MARKER DESTROYED					
683979	16-45	E 474450.738 N 5364006.647 El 36.364		0.9996052	0.9999972	606327 286187	16-43 16-61	TERR TERR	10 43 34 174 56 25	102.866 111.779	102.907 111.823
385906	16-46	E 474675.302 N 5363998.363 El 27.404		0.9996065	0.9999986	MARKER DESTROYED					
731810	16-49A	E 473896.330 N 5364098.575 El 27.931		0.9996069	0.9999985	179143 606921	16-50 16-541	TERR TERR	95 23 48 185 16 27	214.540 53.133	214.624 53.153
78899	16-5	E 473928.887 N 5364450.865 El 23.432		0.9996076	0.9999992	309435 622381 4929 248492	25-111 16-137 16-25 16-4	TERR TERR TERR TERR	5 17 17 95 22 17 185 17 18 275 18 46	109.122 205.606 91.723 230.857	109.165 205.686 91.759 230.948
179143	16-50	E 474109.919 N 5364078.397 El 30.888		0.9996063	0.9999981	448209 731810 93013	16-59 16-49A 16-38	TERR TERR TERR	190 22 59 275 23 48 359 58 13	107.004 214.540 100.530	107.045 214.624 100.570
259275	16-51	E 473454.075 N 5364138.564 El 26.441		0.9996074	0.9999988	254201 155929	16-33 16-70	TERR TERR	5 16 15 185 16 3	100.466 137.727	100.505 137.781
72835	16-52	E 473250.342 N 5364159.517 El 23.559		0.9996080	0.9999992	659607 377770	16-142 16-53	TERR TERR	5 22 47 185 23 16	97.229 72.261	97.267 72.289

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
377770	16-53	E	473243.557	0.9996082	0.9999994	72835	16-52	TERR	5 23 16	72.261			72.289		
		N	5364087.575					TERR	185 23 15	66.908			66.934		
		E1	22.285					CVD28BC	368316	16-134	TERR	347 19 21	113.451		
598896	16-54	E	473446.085	0.9996075	0.9999988	924233	16-148	TERR	11 12 15	201.016			201.094		
		N	5364051.881					TERR	95 2 53	213.378			213.461		
		E1	26.042					CVD28BC	155929	16-70	TERR	185 16 10	50.676		
606921	16-541	E	473891.446	0.9996069	0.9999985	731810	16-49A	TERR	5 16 27	53.133			53.153		
		N	5364045.667					TERR	184 45 4	53.314			53.335		
		E1	27.900					CVD28BC							
427179	16-56A	E	473887.030	0.9996070	0.9999986	606921	16-541	TERR	4 45 4	53.314			53.335		
		N	5363992.536					TERR	95 26 25	204.525			204.606		
		E1	27.578					CVD28BC	874990	16-65A	TERR	186 30 37	40.316		
448209	16-59	E	474090.634	0.9996064	0.9999981	179143	16-50	TERR	10 22 59	107.004			107.045		
		N	5363973.145					TERR	184 51 43	93.576			93.613		
		E1	30.456					CVD28BC	427179	16-56A	TERR	275 26 25	204.525		
286187	16-61	E	474460.596	0.9996050	0.9999970	969154	16-82	TERR	181 59 48	87.195			87.229		
		N	5363895.304					TERR	354 56 25	111.779			111.823		
		E1	37.792					CVD28BC							
358416	16-62	E	474082.703	0.9996054	0.9999972	448209	16-59	TERR	4 51 43	93.576			93.613		
		N	5363879.906					TERR	185 11 9	38.635			38.650		
		E1	36.494					CVD28BC	232769	16-63	TERR	275 24 58	99.101		
232769	16-63	E	473984.044	0.9996065	0.9999982	358416	16-62	TERR	95 24 58	99.101			99.141		
		N	5363889.260					TERR	185 16 55	48.067			48.085		
		E1	30.351					CVD28BC	678235	16-64A	TERR	275 24 56	105.965		
678235	16-64A	E	473878.552	0.9996070	0.9999986	874990	16-65A	TERR	4 11 56	53.362			53.383		
		N	5363899.261					TERR	95 24 56	105.965			106.006		
		E1	27.355					CVD28BC	40766	16-77A	TERR	183 57 44	48.900		

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance	
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET	MARKING					Metres	Metres
874990	16-65A	E	473882.459	0.9996070	0.9999986	427179	16-56A	TERR	6	30	37	40.316	40.332		
		N	5363952.480		678235	16-64A		TERR	184	11	56	53.362	53.383		
		E1	27.601	CVD28BC	989798	16-66A		TERR	275	30	11	230.540	230.630		
989798	16-66A	E	473652.982	0.9996071	0.9999986	180893	16-138	TERR	5	31	4	58.789	58.813		
		N	5363974.589		874990	16-65A		TERR	95	30	11	230.540	230.630		
		E1	27.573	CVD28BC	694190	16-76		TERR	185	13	14	101.706	101.746		
253120	16-68	E	473436.140	0.9996077	0.9999991	155929	16-70	TERR	5	16	13	57.604	57.626		
		N	5363944.059		732222	16-75		TERR	185	16	6	50.807	50.826		
		E1	24.495	CVD28BC											
155929	16-70	E	473441.431	0.9996074	0.9999987	259275	16-51	TERR	5	16	3	137.727	137.781		
		N	5364001.419		598896	16-54		TERR	5	16	10	50.676	50.696		
		E1	26.585	CVD28BC	732222	16-75		TERR	185	16	9	108.410	108.452		
					253120	16-68		TERR	185	16	13	57.604	57.626		
					42770	16-72		TERR	275	28	6	205.089	205.170		
					330852	16-71A		TERR	275	28	9	91.376	91.412		
330852	16-71A	E	473350.471	0.9996080	0.9999993	155929	16-70	TERR	95	28	9	91.376	91.412		
		N	5364010.128		752147	16-74		TERR	185	27	56	108.477	108.519		
		E1	23.001	CVD28BC	42770	16-72		TERR	275	28	3	113.713	113.758		
42770	16-72	E	473237.275	0.9996084	0.9999996	377770	16-53	TERR	5	23	15	66.908	66.934		
		N	5364020.963		330852	16-71A		TERR	95	28	3	113.713	113.758		
		E1	21.293	CVD28BC	155929	16-70		TERR	95	28	6	205.089	205.170		
					649301	16-73		TERR	170	35	9	130.091	130.142		
649301	16-73	E	473258.554	0.9996086	0.9999998	752147	16-74	TERR	83	20	40	82.139	82.170		
		N	5363892.624		732222	16-75		TERR	89	43	14	172.923	172.991		
		E1	19.860	CVD28BC	167619	17-21		TERR	279	37	58	212.973	213.056		
					42770	16-72		TERR	350	35	9	130.091	130.142		
752147	16-74	E	473340.139	0.9996084	0.9999996	330852	16-71A	TERR	5	27	56	108.477	108.519		
		N	5363902.144		732222	16-75		TERR	95	25	37	91.747	91.783		
		E1	20.828	CVD28BC	649301	16-73		TERR	263	20	40	82.139	82.170		
732222	16-75	E	473431.475	0.9996081	0.9999994	253120	16-68	TERR	5	16	6	50.807	50.826		
		N	5363893.467		155929	16-70		TERR	5	16	9	108.410	108.452		
		E1	22.491	CVD28BC	694190	16-76		TERR	95	25	35	213.208	213.293		
					649301	16-73		TERR	269	43	14	172.923	172.991		
					752147	16-74		TERR	275	25	37	91.747	91.783		

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
694190	16-76	E	473643.728	0.9996074	0.9999988	989798	16-66A	TERR	5 13 14	101.706	101.746
		N	5363873.305			40766	16-77A	TERR	95 37 58	232.568	232.659
		El	25.906			32359	16-102	TERR	175 16 9	142.944	143.000
						732222	16-75	TERR	275 25 35	213.208	213.293
40766	16-77A	E	473875.173	0.9996070	0.9999986	678235	16-64A	TERR	3 57 44	48.900	48.919
		N	5363850.478			666313	16-78	TERR	94 58 9	104.840	104.881
		El	27.400			694190	16-76	TERR	275 37 58	232.568	232.659
666313	16-78	E	473979.619	0.9996067	0.9999984	232769	16-63	TERR	5 16 55	48.067	48.085
		N	5363841.397			40766	16-77A	TERR	274 58 9	104.840	104.881
		El	28.760								
816801	16-79	E	474079.211	0.9996056	0.9999973	358416	16-62	TERR	5 11 9	38.635	38.650
		N	5363841.429								
		El	35.758								
32920	16-81	E	474307.688	0.9996057	0.9999975	969154	16-82	TERR	95 1 32	150.448	150.508
		N	5363821.341								
		El	34.275								
969154	16-82	E	474457.558	0.9996050	0.9999970	286187	16-61	TERR	1 59 48	87.195	87.229
		N	5363808.162			608034	16-83	TERR	92 11 59	121.877	121.925
		El	37.560			627406	16-91	TERR	182 46 28	168.944	169.011
						32920	16-81	TERR	275 1 32	150.448	150.508
608034	16-83	E	474579.345	0.9996055	0.9999976	438333	15-41	TERR	94 7 48	90.098	90.134
		N	5363803.484			969154	16-82	TERR	272 11 59	121.877	121.925
		El	34.019								
847079	16-84-1	E	474573.180	0.9996043	0.9999963	27052	15-42	TERR	50 13 23	106.904	106.946
		N	5363656.676			932616	16-85A	TERR	181 42 51	153.980	154.041
		El	41.906			627406	16-91	TERR	262 3 47	124.997	125.047
932616	16-85A	E	474568.574	0.9996037	0.9999958	847079	16-84-1	TERR	1 42 51	153.980	154.041
		N	5363502.765			840793	16-117	TERR	53 54 43	64.720	64.746
		El	45.617			512541	16-141	TERR	239 45 10	86.939	86.973

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
108308	16-86	E 474492.829 N 5363458.038 El 43.759		0.9996041	0.9999961		MARKER DESTROYED				
296350	16-87	E 474428.138 N 5363424.997 El 41.368		0.9996045	0.9999964	140491 512541 458026	16-88 16-141 9-5	TERR TERR TERR	7 29 6 62 31 30 250 13 36	131.906 73.639 94.640	131.958 73.668 94.678
140491	16-88	E 474445.321 N 5363555.779 El 41.598		0.9996044	0.9999964	627406 296350 555284	16-91 16-87 16-89	TERR TERR TERR	2 46 42 187 29 6 273 32 26	83.735 131.906 159.709	83.768 131.958 159.772
555284	16-89	E 474285.917 N 5363565.642 El 37.222		0.9996052	0.9999971	669564 140491 907923	16-90 16-88 16-124	TERR TERR TERR	4 51 51 93 32 26 272 51 56	79.167 159.709 141.021	79.199 159.772 141.077
669564	16-90	E 474292.630 N 5363644.524 El 34.476		0.9996056	0.9999975	555284 379800	16-89 16-95	TERR TERR	184 51 51 274 53 47	79.167 254.573	79.199 254.673
627406	16-91	E 474449.380 N 5363639.416 El 42.475		0.9996043	0.9999963	969154 847079 140491	16-82 16-84-1 16-88	TERR TERR TERR	2 46 28 82 3 47 182 46 42	168.944 124.997 83.735	169.011 125.047 83.768
379800	16-95	E 474038.986 N 5363666.253 El 26.151		0.9996071	0.9999988	669564 341891	16-90 16-96	TERR TERR	94 53 47 279 33 48	254.573 174.536	254.673 174.604
341891	16-96	E 473866.876 N 5363695.250 El 22.584		0.9996078	0.9999994	379800 220491 32359	16-95 16-147 16-102	TERR TERR TERR	99 33 48 190 21 33 279 33 37	174.536 77.774 214.336	174.604 77.805 214.420
24380	17-1	E 472659.144 N 5364450.157 El 7.425		0.9996109	1.0000017	802421 915025	17-101 17-104	TERR TERR	88 57 30 179 12 45	166.800 91.103	166.865 91.138

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
577197	17-10	E 472830.256 N 5364267.920 El 8.849		0.9996106	1.0000015		MARKER DESTROYED				
645408	17-100	E 472828.045 N 5364361.800 El 6.397		0.9996110	1.0000019		MARKER DESTROYED				
802421	17-101	E 472825.916 N 5364453.189 El 3.274		0.9996115	1.0000024	567230 865220 24380	17-54 17-106 17-1	TERR TERR TERR	13 28 30 178 39 55 268 57 30	99.987 91.409 166.800	100.025 91.444 166.865
912121	17-103	E 473046.878 N 5364365.662 El 9.600		0.9996103	1.0000014	208744 381350 865220 499483	17-5 17-97 17-106 17-3	TERR TERR TERR TERR	89 8 7 179 21 26 268 59 25 359 4 53	168.523 93.954 218.867 93.122	168.589 93.991 218.952 93.158
915025	17-104	E 472660.396 N 5364359.063 El 9.023		0.9996107	1.0000015	839571 24380	17-107 17-1	TERR TERR	178 18 7 359 12 45	94.051 91.103	94.088 91.138
359562	17-105	E 472088.228 N 5363978.476 El 10.089		0.9996109	1.0000013	36954 504795 748772	17-77 17-111 17-82	TERR TERR TERR	99 13 11 186 25 18 306 56 13	241.396 115.635 193.120	241.489 115.679 193.195
865220	17-106	E 472828.045 N 5364361.805 El 6.386		0.9996110	1.0000019	912121 548453 802421	17-103 17-99 17-101	TERR TERR TERR	88 59 25 178 46 5 358 39 55	218.867 93.906 91.409	218.952 93.943 91.444
839571	17-107	E 472663.183 N 5364265.053 El 8.571		0.9996107	1.0000016	548453 567966 915025	17-99 17-16 17-104	TERR TERR TERR	89 0 56 178 44 9 358 18 7	166.906 76.293 94.051	166.970 76.322 94.088
983189	17-108	E 471533.031 N 5364200.693 El 15.118		0.9996105	1.0000005	326769 78691 562611	17-67 17-109 18-19	TERR TERR TERR	90 9 57 174 49 47 270 32 50	121.251 107.064 90.063	121.297 107.106 90.099

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
78691	17-109	E 471542.679 N 5364094.065 El 10.399		0.9996112	1.0000013	137505 983189	17-115 17-108	TERR TERR	110 33 7 354 49 47	198.071 107.064	198.148 107.106
83238	17-11	E 473047.929 N 5364271.718 El 12.730		0.9996098	1.0000009	MARKER DESTROYED					
617910	17-110	E 472321.646 N 5363828.034 El 2.628		0.9996119	1.0000025	36954 414086 504795	17-77 17-114 17-111	TERR TERR TERR	2 29 22 218 34 19 278 12 27	111.871 186.009 248.900	111.914 186.081 248.997
504795	17-111	E 472075.295 N 5363863.567 El 8.770		0.9996111	1.0000015	359562 36954 617910 310771	17-105 17-77 17-110 17-112	TERR TERR TERR TERR	6 25 18 73 7 9 98 12 27 271 6 38	115.635 262.522 248.900 184.199	115.679 262.624 248.997 184.270
310771	17-112	E 471891.131 N 5363867.137 El 8.337		0.9996113	1.0000016	504795 734913 137505	17-111 17-113 17-115	TERR TERR TERR	91 6 38 186 15 27 313 59 60	184.199 135.609 226.578	184.270 135.662 226.666
734913	17-113	E 471876.350 N 5363732.336 El 2.879		0.9996122	1.0000024	310771 414086	17-112 17-114	TERR TERR	6 15 27 98 35 13	135.609 333.053	135.662 333.183
414086	17-114	E 472205.670 N 5363682.608 El 8.065		0.9996111	1.0000016	617910 734913	17-110 17-113	TERR TERR	38 34 19 278 35 13	186.009 333.053	186.081 333.183
137505	17-115	E 471728.144 N 5364024.531 El 9.714		0.9996112	1.0000014	310771 78691	17-112 17-109	TERR TERR	133 59 60 290 33 7	226.578 198.071	226.666 198.148
533885	17-119	E 473217.207 N 5364274.527 El 21.983		0.9996083	0.9999995	659607 381350 208744	16-142 17-97 17-5	TERR TERR TERR	113 18 53 269 2 53 358 53 2	46.008 169.298 93.696	46.026 169.364 93.732

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- UTM Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
450353	17-12	E N El	473217.212 5364274.534 21.721	0.9996083	0.9999995		MARKER DESTROYED				
39206	17-13	E N El	473218.655 5364198.419 23.113	0.9996081	0.9999993		MARKER DESTROYED				
808972	17-14	E N El	473049.644 5364195.464 16.118	0.9996093	1.0000004		MARKER DESTROYED				
567966	17-16	E N El	472664.866 5364188.779 10.193	0.9996105	1.0000013	486621 646265 839571	17-96 17-17A 17-107	TERR TERR TERR	88 54 20 179 23 7 358 44 9	167.434 110.379 76.293	167.499 110.422 76.322
646265	17-17A	E N El	472666.050 5364078.406 11.012	0.9996103	1.0000012	567966	17-16	TERR	359 23 7	110.379	110.422
478594	17-18A	E N El	472833.737 5364080.805 14.079	0.9996098	1.0000007	808287 486621	17-23 17-96	TERR TERR	178 25 48 359 14 36	75.631 111.182	75.661 111.225
392068	17-19	E N El	473053.417 5364085.215 18.300	0.9996090	1.0000000		MARKER DESTROYED				
741223	17-2	E N El	472825.915 5364453.190 3.277	0.9996115	1.0000024		MARKER DESTROYED				
521609	17-20	E N El	473055.061 5364008.916 17.353	0.9996091	1.0000002		MARKER DESTROYED				

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
167619	17-21	E	473048.584	0.9996091	1.0000002	649301	16-73	TERR	99 37 58	212.973	213.056
		N	5363928.261			497693	17-34	TERR	189 53 54	171.651	171.718
		El	17.303			863449	17-35	TERR	279 42 7	213.994	214.077
						384487	17-22	TERR	279 42 9	103.523	103.564
384487	17-22	E	472946.542	0.9996094	1.0000004	167619	17-21	TERR	99 42 9	103.523	103.564
		N	5363945.708			996629	17-33	TERR	189 23 14	176.424	176.492
		El	16.053			863449	17-35	TERR	279 42 5	110.471	110.514
808287	17-23	E	472835.809	0.9996098	1.0000008	863449	17-35	TERR	177 25 12	40.920	40.935
		N	5364005.202			478594	17-18A	TERR	358 25 48	75.631	75.661
		El	13.567								
565952	17-24	E	472668.931	0.9996106	1.0000014	MARKER DESTROYED					
		N	5364002.177								
		El	9.312								
596361	17-27	E	472822.429	0.9996098	1.0000007	863449	17-35	TERR	9 22 56	93.374	93.410
		N	5363872.199			710566	17-32	TERR	189 24 3	97.589	97.627
		El	13.781			611996	17-28	TERR	280 10 47	153.681	153.741
611996	17-28	E	472671.167	0.9996106	1.0000014	596361	17-27	TERR	100 10 47	153.681	153.741
		N	5363899.360			687103	17-29	TERR	280 10 54	86.401	86.434
		El	9.344								
687103	17-29	E	472586.127	0.9996108	1.0000016	611996	17-28	TERR	100 10 54	86.401	86.434
		N	5363914.633			426098	17-30	TERR	165 13 11	112.594	112.637
		El	8.326								
499483	17-3	E	473045.385	0.9996106	1.0000016	109496	17-4	TERR	88 58 44	164.200	164.264
		N	5364458.772			912121	17-103	TERR	179 4 53	93.122	93.158
		El	7.987			69484	17-53	TERR	359 2 45	90.627	90.662
426098	17-30	E	472614.851	0.9996106	1.0000014	62018	17-31	TERR	98 51 2	137.100	137.153
		N	5363805.765			168658	17-40	TERR	165 13 7	108.876	108.918
		El	9.443			687103	17-29	TERR	345 13 11	112.594	112.637

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
62018	17-31	E	472750.318	0.9996098	1.0000007	710566	17-32	TERR	98 51 15	56.848	56.870
		N	5363784.671			426098	17-30	TERR	278 51 2	137.100	137.153
		El	13.850								
710566	17-32	E	472806.489	0.9996096	1.0000005	863449	17-35	TERR	9 23 30	190.963	191.037
		N	5363775.921			596361	17-27	TERR	9 24 3	97.589	97.627
		El	15.523			996629	17-33	TERR	92 11 58	111.359	111.403
						532168	17-38	TERR	189 25 50	102.501	102.542
						62018	17-31	TERR	278 51 15	56.848	56.870
996629	17-33	E	472917.766	0.9996091	1.0000001	384487	17-22	TERR	9 23 14	176.424	176.492
		N	5363771.647			710566	17-32	TERR	272 11 58	111.359	111.403
		El	17.884								
497693	17-34	E	473019.077	0.9996089	0.9999999	167619	17-21	TERR	9 53 54	171.651	171.718
		N	5363759.165			639757	17-93	TERR	189 53 54	209.771	209.853
		El	19.084								
863449	17-35	E	472837.651	0.9996099	1.0000008	384487	17-22	TERR	99 42 5	110.471	110.514
		N	5363964.324			167619	17-21	TERR	99 42 7	213.994	214.077
		El	13.341			596361	17-27	TERR	189 22 56	93.374	93.410
						710566	17-32	TERR	189 23 30	190.963	191.037
						808287	17-23	TERR	357 25 12	40.920	40.935
532168	17-38	E	472789.694	0.9996095	1.0000004	710566	17-32	TERR	9 25 50	102.501	102.542
		N	5363674.805			452383	17-43	TERR	189 23 6	89.808	89.843
		El	15.950								
109496	17-4	E	473209.559	0.9996083	0.9999995	706523	16-281	TERR	122 48 59	77.714	77.745
		N	5364461.698			208744	17-5	TERR	176 26 10	93.674	93.710
		El	21.511			499483	17-3	TERR	268 58 44	164.200	164.264
						138040	24-71	TERR	344 59 27	160.745	160.808
						930131	17-52	TERR	344 59 28	76.530	76.560
168658	17-40	E	472642.629	0.9996106	1.0000015	682468	17-41	TERR	174 26 20	94.823	94.861
		N	5363700.492			426098	17-30	TERR	345 13 7	108.876	108.918
		El	9.227								
682468	17-41	E	472651.818	0.9996107	1.0000015	452383	17-43	TERR	99 10 50	124.830	124.879
		N	5363606.115			337055	17-51	TERR	175 32 47	103.176	103.216
		El	9.011			168658	17-40	TERR	354 26 20	94.823	94.861

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
452383	17-43	E	472775.049	0.9996097	1.0000006	532168	17-38	TERR	9 23 6	89.808	89.843
		N	5363586.199					TERR	99 11 59	210.678	210.760
		El	14.622					TERR	279 10 50	124.830	124.879
208744	17-5	E	473215.382	0.9996084	0.9999996	706523	16-281	TERR	49 11 7	78.603	78.634
		N	5364368.205					TERR	178 53 2	93.696	93.732
		El	20.881					TERR	269 8 7	168.523	168.589
								TERR	356 26 10	93.674	93.710
337055	17-51	E	472659.830	0.9996107	1.0000015	60459	8-9	TERR	161 9 15	93.520	93.556
		N	5363503.251					TERR	355 32 47	103.176	103.216
		El	9.088								
930131	17-52	E	473189.740	0.9996087	0.9999998	109496	17-4	TERR	164 59 28	76.530	76.560
		N	5364535.617					TERR	275 23 33	146.512	146.569
		El	19.522					TERR	344 59 26	84.215	84.248
69484	17-53	E	473043.876	0.9996102	1.0000012	930131	17-52	TERR	95 23 33	146.512	146.569
		N	5364549.386					TERR	179 2 45	90.627	90.662
		El	10.654					TERR	270 18 19	194.664	194.740
								TERR	359 31 11	79.196	79.227
567230	17-54	E	472849.215	0.9996113	1.0000023	69484	17-53	TERR	90 18 19	194.664	194.740
		N	5364550.423					TERR	193 28 30	99.987	100.025
		El	4.072					TERR	357 50 33	76.791	76.821
171116	17-56	E	471845.058	0.9996107	1.0000010	167304	17-80	TERR	137 21 5	114.112	114.156
		N	5364602.527					TERR	228 32 5	169.998	170.064
		El	12.369								
991935	17-57	E	471647.209	0.9996084	0.9999985	648899	17-95	TERR	181 16 30	109.747	109.790
		N	5364585.844					TERR	270 9 2	108.059	108.101
		El	27.717					TERR	359 59 12	98.789	98.827
151381	17-58	E	471539.150	0.9996082	0.9999983	991935	17-57	TERR	90 9 2	108.059	108.101
		N	5364586.128					TERR	184 43 22	109.139	109.180
		El	29.462					TERR	270 39 47	92.308	92.345
								TERR	359 34 48	100.543	100.582

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance	
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres	
261727	17-59	E 471530.164	0.9996093	0.9999993	151381	17-58	TERR	4 43 22	109.139	109.180	
		N 5364477.360			648899	17-95	TERR	90 37 4	114.610	114.655	
		E1 22.892	CVD28BC	870964	17-64	TERR	172 0 4	73.436	73.465		
208710	17-6	E 473047.028	0.9996103	1.0000014	MARKER DESTROYED						
		N 5364365.755									
		E1 9.520	CVD28BC								
711101	17-61	E 471717.669	0.9996097	0.9999999	171116	17-56	TERR	48 32 5	169.998	170.064	
		N 5364489.960			192260	17-62	TERR	128 39 8	159.616	159.678	
		E1 19.013	CVD28BC	648899	17-95	TERR	259 15 13	74.203	74.232		
192260	17-62	E 471842.321	0.9996102	1.0000004	739144	17-66	TERR	125 24 41	169.157	169.222	
		N 5364390.265			337766	17-69	TERR	188 23 57	202.408	202.486	
		E1 15.579	CVD28BC	711101	17-61	TERR	308 39 8	159.616	159.678		
645325	17-63	E 471653.518	0.9996098	0.9999999	326769	17-67	TERR	179 46 6	188.673	188.746	
		N 5364389.013			648899	17-95	TERR	354 15 48	87.550	87.584	
		E1 18.844	CVD28BC								
870964	17-64	E 471540.383	0.9996097	0.9999997	564427	17-65	TERR	184 33 50	110.821	110.865	
		N 5364404.639			156331	18-15	TERR	270 40 11	92.229	92.265	
		E1 20.164	CVD28BC	261727	17-59	TERR	352 0 4	73.436	73.465		
564427	17-65	E 471531.565	0.9996099	1.0000000	870964	17-64	TERR	4 33 50	110.821	110.865	
		N 5364294.169									
		E1 18.532	CVD28BC								
739144	17-66	E 471980.186	0.9996108	1.0000012	931915	17-84	TERR	154 36 43	203.218	203.296	
		N 5364292.248			192260	17-62	TERR	305 24 41	169.157	169.222	
		E1 10.958	CVD28BC								
326769	17-67	E 471654.281	0.9996105	1.0000007	337766	17-69	TERR	93 43 25	158.810	158.872	
		N 5364200.342			983189	17-108	TERR	270 9 57	121.251	121.297	
		E1 14.257	CVD28BC	645325	17-63	TERR	359 46 6	188.673	188.746		

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
337766	17-69	E 471812.756 N 5364190.028 El 15.440		0.9996102	1.0000005	192260 748772 326769	17-62 17-82 17-67	TERR TERR TERR	8 23 57 128 15 23 273 43 25	202.408 154.234 158.810	202.486 154.295 158.872
460808	17-7	E 472828.021 N 5364361.852 El 6.299		0.9996110	1.0000019			MARKER DESTROYED			
840058	17-70	E 471533.031 N 5364200.695 El 15.319		0.9996104	1.0000005			MARKER DESTROYED			
593558	17-71	E 471533.779 N 5364100.817 El 10.069		0.9996113	1.0000013			MARKER DESTROYED			
803809	17-72	E 471801.308 N 5363928.734 El 7.267		0.9996115	1.0000017	631515	17-74	TERR	123 12 30	179.262	179.332
631515	17-74	E 471951.294 N 5363830.555 El 9.477		0.9996111	1.0000014	803809	17-72	TERR	303 12 30	179.262	179.332
83758	17-75	E 472085.634 N 5363795.332 El 9.961		0.9996109	1.0000013	566448	17-76	TERR	82 36 58	146.049	146.106
566448	17-76	E 472230.472 N 5363814.102 El 4.238		0.9996117	1.0000022	36954 83758	17-77 17-75	TERR TERR	37 22 48 262 36 58	158.184 146.049	158.245 146.106
36954	17-77	E 472326.505 N 5363939.799 El 8.754		0.9996109	1.0000015	617910 566448 504795 359562	17-110 17-76 17-111 17-105	TERR TERR TERR TERR	182 29 22 217 22 48 253 7 9 279 13 11	111.871 158.184 262.522 241.396	111.914 158.245 262.624 241.489

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
420661	17-78	E N El	472247.311 5364081.896 4.618	0.9996116	1.0000022		MARKER DESTROYED				
722298	17-79	E N El	472056.426 5364380.586 2.989	0.9996120	1.0000024		MARKER DESTROYED				
383851	17-8	E N El	472660.307 5364359.060 8.960	0.9996107	1.0000015		MARKER DESTROYED				
167304	17-80	E N El	471922.369 5364518.595 12.695	0.9996106	1.0000009	171116	17-56	TERR	317 21 5	114.112	114.156
752121	17-81	E N El	472111.181 5363974.310 8.855	0.9996111	1.0000015		MARKER DESTROYED				
748772	17-82	E N El	471933.868 5364094.529 18.073	0.9996097	1.0000001	359562 337766	17-105 17-69	TERR TERR	126 56 13 308 15 23	193.120 154.234	193.195 154.295
931915	17-84	E N El	472067.315 5364108.656 12.543	0.9996105	1.0000009	739144	17-66	TERR	334 36 43	203.218	203.296
249888	17-9	E N El	472663.180 5364265.048 8.440	0.9996108	1.0000016		MARKER DESTROYED				
639757	17-93	E N El	472983.017 5363552.517 18.275	0.9996090	1.0000000	497693 358432 452383	17-34 8-1 17-43	TERR TERR TERR	9 53 54 189 54 7 279 11 59	209.771 75.743 210.678	209.853 75.772 210.760

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
648899	17-95	E	471644.767	0.9996096	0.9999998	991935	17-57	TERR	1 16 30	109.747	109.790
		N	5364476.124			711101	17-61	TERR	79 15 13	74.203	74.232
		El	19.996			645325	17-63	TERR	174 15 48	87.550	87.584
						261727	17-59	TERR	270 37 4	114.610	114.655
486621	17-96	E	472832.269	0.9996101	1.0000011	854679	17-98	TERR	89 4 50	219.379	219.464
		N	5364191.977			478594	17-18A	TERR	179 14 36	111.182	111.225
		El	11.662			567966	17-16	TERR	268 54 20	167.434	167.499
						548453	17-99	TERR	358 20 13	75.976	76.005
381350	17-97	E	473047.932	0.9996098	1.0000009	533885	17-119	TERR	89 2 53	169.298	169.364
		N	5364271.714			854679	17-98	TERR	177 13 47	76.306	76.336
		El	12.751			548453	17-99	TERR	269 0 9	217.901	217.986
						912121	17-103	TERR	359 21 26	93.954	93.991
854679	17-98	E	473051.620	0.9996093	1.0000004	368316	16-134	TERR	89 3 8	167.062	167.127
		N	5364195.497			486621	17-96	TERR	269 4 50	219.379	219.464
		El	16.245			381350	17-97	TERR	357 13 47	76.306	76.336
548453	17-99	E	472830.064	0.9996106	1.0000015	381350	17-97	TERR	89 0 9	217.901	217.986
		N	5364267.921			486621	17-96	TERR	178 20 13	75.976	76.005
		El	8.899			839571	17-107	TERR	269 0 56	166.906	166.970
						865220	17-106	TERR	358 46 5	93.906	93.943
483842	18-11	E	471359.646	0.9996094	0.9999994	952978	18-12	TERR	90 37 51	87.207	87.241
		N	5364588.156			736603	23-52	TERR	359 35 9	100.568	100.607
		El	22.448								
952978	18-12	E	471446.848	0.9996087	0.9999987	151381	17-58	TERR	90 39 47	92.308	92.345
		N	5364587.196			302943	18-13	TERR	179 35 9	100.457	100.496
		El	26.587			483842	18-11	TERR	270 37 51	87.207	87.241
						766980	23-51	TERR	359 35 8	100.527	100.566
302943	18-13	E	471447.574	0.9996085	0.9999985	156331	18-15	TERR	179 35 8	81.027	81.059
		N	5364486.742			952978	18-12	TERR	359 35 9	100.457	100.496
		El	27.991								
156331	18-15	E	471448.160	0.9996090	0.9999990	870964	17-64	TERR	90 40 11	92.229	92.265
		N	5364405.717			108472	18-17	TERR	179 35 28	97.968	98.005
		El	24.737			87197	18-16	TERR	270 40 12	87.221	87.254
						302943	18-13	TERR	359 35 8	81.027	81.059

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
87197	18-16	E	471360.945	0.9996105	1.0000004	156331	18-15	TERR	90 40 12	87.221	87.254
		N	5364406.737			390732	18-18	TERR	179 37 11	97.954	97.992
		El	15.729								
108472	18-17	E	471448.859	0.9996100	1.0000000	562611	18-19	TERR	183 10 22	106.362	106.404
		N	5364307.752			390732	18-18	TERR	270 40 42	87.270	87.304
		El	18.704			156331	18-15	TERR	359 35 28	97.968	98.005
390732	18-18	E	471361.595	0.9996107	1.0000006	108472	18-17	TERR	90 40 42	87.270	87.304
		N	5364308.785			102202	18-20	TERR	179 39 43	106.087	106.128
		El	14.311			87197	18-16	TERR	359 37 11	97.954	97.992
562611	18-19	E	471442.972	0.9996106	1.0000006	108472	18-17	TERR	3 10 22	106.362	106.404
		N	5364201.553			983189	17-108	TERR	90 32 50	90.063	90.099
		El	14.543			102202	18-20	TERR	270 48 50	80.759	80.791
185504	18-2	E	470881.958	0.9996106	1.0000002	171306	23-56	TERR	1 11 7	205.170	205.249
		N	5364495.867			622233	18-3	TERR	112 27 19	75.298	75.327
		El	16.997			809939	18-29	TERR	175 52 30	173.556	173.624
						641639	84H0235	TERR	270 10 37	356.098	356.237
102202	18-20	E	471362.221	0.9996109	1.0000008	562611	18-19	TERR	90 48 50	80.759	80.791
		N	5364202.700			117770	18-23	TERR	279 32 19	125.060	125.108
		El	13.378			755736	18-21	TERR	306 49 24	97.434	97.472
						390732	18-18	TERR	359 39 43	106.087	106.128
755736	18-21	E	471284.226	0.9996109	1.0000008	102202	18-20	TERR	126 49 24	97.434	97.472
		N	5364261.097			73353	18-22	TERR	324 34 43	91.733	91.769
		El	13.361								
73353	18-22	E	471231.059	0.9996113	1.0000011	666990	18-39	TERR	2 35 41	106.939	106.980
		N	5364335.851			755736	18-21	TERR	144 34 43	91.733	91.769
		El	11.481								
117770	18-23	E	471238.890	0.9996111	1.0000010	102202	18-20	TERR	99 32 19	125.060	125.108
		N	5364223.424			405431	18-34	TERR	178 18 32	106.426	106.467
		El	12.194			229070	18-24	TERR	281 57 59	170.365	170.432

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						Metres	Metres
229070	18-24	E	471072.227	0.9996116	1.0000013	200592	18-25	TERR	7 10 1	105.595	105.637				
		N	5364258.747		117770	18-23	TERR	101 57 59	170.365	170.432					
		E1	10.045	CVD28BC											
200592	18-25	E	471085.401	0.9996108	1.0000005	874131	18-5	TERR	0 40 36	101.707	101.746				
		N	5364363.517		229070	18-24	TERR	187 10 1	105.595	105.637					
		E1	15.003	CVD28BC											
900324	18-28	E	470910.364	0.9996125	1.0000021	253435	18-33	TERR	96 10 39	220.074	220.159				
		N	5364143.081		809939	18-29	TERR	354 56 10	180.384	180.454					
		E1	5.170	CVD28BC											
809939	18-29	E	470894.442	0.9996108	1.0000004	900324	18-28	TERR	174 56 10	180.384	180.454				
		N	5364322.761		231084	84H0200	TERR	299 8 18	122.772	122.820					
		E1	15.729	CVD28BC	185504	18-2	TERR	355 52 30	173.556	173.624					
622233	18-3	E	470951.547	0.9996105	1.0000002	874131	18-5	TERR	90 48 5	135.068	135.121				
		N	5364467.106		185504	18-2	TERR	292 27 19	75.298	75.327					
		E1	17.246	CVD28BC											
253435	18-33	E	471129.160	0.9996118	1.0000016	405431	18-34	TERR	91 11 43	112.896	112.939				
		N	5364119.399		900324	18-28	TERR	276 10 39	220.074	220.159					
		E1	8.213	CVD28BC											
405431	18-34	E	471242.031	0.9996114	1.0000013	987974	18-37	TERR	181 31 23	148.754	148.811				
		N	5364117.044		253435	18-33	TERR	271 11 43	112.896	112.939					
		E1	10.263	CVD28BC	117770	18-23	TERR	358 18 32	106.426	106.467					
206136	18-35	E	471451.069	0.9996118	1.0000018	938183	18-36	TERR	257 40 33	89.162	89.196				
		N	5363996.255												
		E1	6.892	CVD28BC											
938183	18-36	E	471363.962	0.9996114	1.0000013	206136	18-35	TERR	77 40 33	89.162	89.196				
		N	5363977.224												
		E1	9.963	CVD28BC											

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
987974	18-37	E 471238.077 N 5363968.343 El 6.290		0.9996121	1.0000019	405431	18-34	TERR	1 31 23	148.754	148.811
					CVD28BC						
987537	18-38	E 471364.218 N 5364477.243 El 21.770		0.9996095	0.9999995	666990	18-39	TERR	254 55 30	132.891	132.942
					CVD28BC						
666990	18-39	E 471235.900 N 5364442.680 El 9.486		0.9996116	1.0000014	987537 73353 874131	18-38 18-22 18-5	TERR TERR TERR	74 55 30 182 35 41 278 35 3	132.891 106.939 150.989	132.942 106.980 151.048
					CVD28BC						
874131	18-5	E 471086.602 N 5364465.217 El 16.472		0.9996106	1.0000003	506816 666990 200592 622233	23-45 18-39 18-25 18-3	TERR TERR TERR TERR	24 52 4 98 35 3 180 40 36 270 48 5	268.676 150.989 101.707 135.068	268.781 151.048 101.746 135.121
					CVD28BC						
161794	18-7	E 471230.340 N 5364443.399 El 9.204		0.9996116	1.0000014	MARKER DESTROYED					
					CVD28BC						
842088	2251	E 471742.506 N 5364429.805 El 21.892		0.9996093	0.9999995	254201 151068 855999 222869 600411 917278	16-33 4-70 M5 1954 285 84H0154 79H8752	GPS GPS GPS GPS GPS GPS	96 20 25 143 27 45 186 55 15 261 12 10 264 33 53 339 15 12	1731.388 4049.790 1953.322 2884.568 3470.405 1804.270	1732.066 4051.371 1954.083 2885.691 3471.763 1804.975
					CVD28BC						
146894	23-1	E 471135.611 N 5365721.687 El 20.422		0.9996099	0.9999997	833202 355925	23-2 23-8	TERR TERR	99 22 14 220 52 20	190.735 91.380	190.809 91.416
					CVD28BC						
689448	23-12	E 471084.093 N 5365351.381 El 14.335		0.9996109	1.0000006	15529 13292	23-13 23-63	TERR TERR	142 20 20 290 6 10	105.829 93.467	105.869 93.504
					CVD28BC						
15529	23-13	E 471148.753 N 5365267.603 El 14.210		0.9996109	1.0000007	207837 972364 689448	23-14 23-16 23-12	TERR TERR TERR	123 59 8 223 41 25 322 20 20	82.648 59.617 105.829	82.680 59.641 105.869
					CVD28BC						

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
86207	23-23	E	471039.688	0.9996103	1.0000000	972364	23-16	TERR	44 30 54	96.826	96.863
		N	5365155.452					TERR	117 38 12	68.561	68.589
		El	18.431					TERR	297 38 11	119.536	119.582
823930	23-24	E	471100.427	0.9996104	1.0000002	243337	23-60	TERR	117 51 57	98.994	99.032
		N	5365123.649					TERR	208 19 41	77.993	78.024
		El	17.253					TERR	297 38 12	68.561	68.589
37309	23-27	E	470895.536	0.9996104	0.9999999	540245	23-21	TERR	10 51 6	130.575	130.625
		N	5365003.996					TERR	72 34 51	108.140	108.183
		El	18.733					TERR	198 32 23	97.475	97.512
180778	23-28	E	470998.717	0.9996101	0.9999998	715029	23-30	TERR	162 33 3	78.826	78.858
		N	5365036.369					TERR	252 34 51	108.140	108.183
		El	19.634								
821587	23-3	E	471425.068	0.9996097	0.9999997	587485	33-46	TERR	28 51 42	172.984	173.051
		N	5365675.449					TERR	99 6 12	94.978	95.015
		El	20.459					TERR	278 31 37	102.399	102.439
715029	23-30	E	471022.354	0.9996103	1.0000000	6841	23-29	TERR	252 33 19	165.419	165.483
		N	5364961.170					TERR	342 33 3	78.826	78.858
		El	18.669								
75432	23-31	E	470870.002	0.9996122	1.0000017	655068	23-33	TERR	72 32 50	123.917	123.965
		N	5364846.366					TERR	173 38 29	146.273	146.330
		El	7.318					TERR	248 30 27	85.897	85.930
655068	23-33	E	470988.214	0.9996108	1.0000004	853259	23-34	TERR	72 53 45	135.027	135.080
		N	5364883.531					TERR	252 32 50	123.917	123.965
		El	15.545								
853259	23-34	E	471117.269	0.9996100	0.9999997	678078	23-62	TERR	72 17 15	131.760	131.811
		N	5364923.244					TERR	252 53 45	135.027	135.080
		El	20.127								

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs.	UTM Grid			UTM Grid	Ground
GCM-NO	TABLET MARKING	Coordinates				GCM-NO	TABLET MARKING	Type	Bearing			Distance	Distance
		Metres			Ellipsoidal						Metres	Metres	
340646	23-38	E	471444.676	0.9996094	0.9999994	981258	24-88	TERR	90	39	7	92.294	92.329
		N	5364888.852			941625	23-50	TERR	179	35	13	100.561	100.600
		E1	22.489	CVD28BC		520502	23-64	TERR	268	24	55	148.108	148.166
412684	23-42	E	471198.646	0.9996103	1.0000001	520502	23-64	TERR	72	5	36	102.967	103.007
		N	5364853.097			506816	23-45	TERR	179	37	33	144.119	144.175
		E1	17.509	CVD28BC									
825000	23-43	E	471028.493	0.9996119	1.0000015	506816	23-45	TERR	89	35	24	171.098	171.165
		N	5364707.757			171306	23-56	TERR	267	16	42	142.452	142.506
		E1	8.521	CVD28BC									
506816	23-45	E	471199.587	0.9996108	1.0000006	874131	18-5	TERR	204	52	4	268.676	268.781
		N	5364708.981			825000	23-43	TERR	269	35	24	171.098	171.165
		E1	14.597	CVD28BC		412684	23-42	TERR	359	37	33	144.119	144.175
408559	23-48	E	471358.132	0.9996102	1.0000001	941625	23-50	TERR	95	36	54	87.690	87.724
		N	5364796.874			736603	23-52	TERR	179	34	59	108.156	108.198
		E1	17.553	CVD28BC		520502	23-64	TERR	325	0	45	107.268	107.310
941625	23-50	E	471445.401	0.9996093	0.9999993	764712	24-83	TERR	90	39	29	92.299	92.335
		N	5364788.294			766980	23-51	TERR	179	35	23	100.577	100.616
		E1	22.679	CVD28BC		408559	23-48	TERR	275	36	54	87.690	87.724
						340646	23-38	TERR	359	35	13	100.561	100.600
766980	23-51	E	471446.121	0.9996092	0.9999991	307181	24-82	TERR	90	39	11	92.298	92.334
		N	5364687.720			952978	18-12	TERR	179	35	8	100.527	100.566
		E1	23.870	CVD28BC		736603	23-52	TERR	270	39	28	87.208	87.242
						941625	23-50	TERR	359	35	23	100.577	100.616
736603	23-52	E	471358.919	0.9996098	0.9999997	766980	23-51	TERR	90	39	28	87.208	87.242
		N	5364688.721			483842	18-11	TERR	179	35	9	100.568	100.607
		E1	20.041	CVD28BC		408559	23-48	TERR	359	34	59	108.156	108.198
171306	23-56	E	470886.202	0.9996119	1.0000015	825000	23-43	TERR	87	16	42	142.452	142.506
		N	5364700.993			185504	18-2	TERR	181	11	7	205.170	205.249
		E1	8.928	CVD28BC		75432	23-31	TERR	353	38	29	146.273	146.330

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
243337	23-60	E	471187.942	0.9996102	1.0000000	184788	23-15	TERR	44 47 50	117.535	117.580
		N	5365077.379					TERR	297 51 57	98.994	99.032
		El	18.408								
301846	23-61	E	470923.516	0.9996109	1.0000005	622720	23-66	TERR	19 44 23	97.481	97.519
		N	5365409.098					TERR	109 22 3	77.171	77.200
		El	15.086					TERR	200 33 51	70.040	70.067
								TERR	293 12 48	210.100	210.182
678078	23-62	E	471242.783	0.9996102	1.0000000	520502	23-64	TERR	145 34 48	95.252	95.289
		N	5364963.331					TERR	252 17 15	131.760	131.811
		El	18.271								
13292	23-63	E	470996.320	0.9996107	1.0000004	689448	23-12	TERR	110 6 10	93.467	93.504
		N	5365383.506					TERR	200 17 29	90.085	90.120
		El	15.923					TERR	289 22 3	77.171	77.200
520502	23-64	E	471296.625	0.9996106	1.0000005	340646	23-38	TERR	88 24 55	148.108	148.166
		N	5364884.756					TERR	145 0 45	107.268	107.310
		El	15.098					TERR	252 5 36	102.967	103.007
								TERR	325 34 48	95.252	95.289
531186	23-65	E	470898.914	0.9996103	0.9999999	301846	23-61	TERR	20 33 51	70.040	70.067
		N	5365343.521					TERR	199 34 9	102.325	102.365
		El	19.103								
622720	23-66	E	470956.440	0.9996113	1.0000010	355925	23-8	TERR	38 11 34	193.066	193.141
		N	5365500.851					TERR	199 44 23	97.481	97.519
		El	12.311								
355925	23-8	E	471075.814	0.9996111	1.0000008	146894	23-1	TERR	40 52 20	91.380	91.416
		N	5365652.588					TERR	125 28 41	179.981	180.051
		El	13.354					TERR	218 11 34	193.066	193.141
222372	23-9	E	471222.379	0.9996101	0.9999999	833202	23-2	TERR	35 26 25	174.910	174.979
		N	5365548.129					TERR	305 28 41	179.981	180.051
		El	18.726								

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing			UTM Grid Distance		Ground Distance
----- GCM-NO	----- TABLET MARKING		Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING					Metres	Metres	
866244	24-1	E	471518.850	0.9996102	1.0000002	29108	24-99	TERR	26	19	23	154.644	154.705	
		N	5365660.422			247379	24-2	TERR	99	40	8	93.288	93.325	
		El	16.944	CVD28BC		821587	23-3	TERR	279	6	12	94.978	95.015	
264903	24-10	E	472274.735	0.9996093	0.9999998	714071	24-108	TERR	42	5	6	88.568	88.603	
		N	5365676.013			778324	24-6	TERR	200	47	41	71.094	71.122	
		El	19.669	CVD28BC										
57976	24-100	E	472587.086	0.9996098	1.0000006	MARKER DESTROYED								
		N	5365466.338											
		El	14.891	CVD28BC										
217794	24-101	E	472302.968	0.9996099	1.0000005	822122	24-12	TERR	79	48	34	139.299	139.353	
		N	5365517.066											
		El	15.167	CVD28BC										
83055	24-102	E	473073.300	0.9996082	0.9999993	646331	24-53	TERR	169	52	13	129.942	129.992	
		N	5365376.826			315226	24-23	TERR	344	4	28	103.831	103.872	
		El	23.041	CVD28BC										
955310	24-103	E	471666.579	0.9996121	1.0000023	280818	24-90	TERR	179	15	14	323.209	323.336	
		N	5365419.912			184788	23-15	TERR	236	47	19	473.100	473.284	
		El	3.895	CVD28BC										
369231	24-104	E	472137.735	0.9996093	0.9999998	778324	24-6	TERR	126	10	9	138.441	138.495	
		N	5365691.254											
		El	19.661	CVD28BC										
934760	24-105	E	472425.897	0.9996104	1.0000010	598177	24-116	TERR	81	23	40	317.132	317.256	
		N	5365332.464			185413	24-111	TERR	120	9	13	247.669	247.765	
		El	11.941	CVD28BC										
648329	24-106	E	472290.528	0.9996107	1.0000012	MARKER DESTROYED								
		N	5365411.398											
		El	10.654	CVD28BC										

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs.	UTM Grid			UTM Grid	Ground	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING		Type	Bearing			Distance Metres	Distance Metres
737940		24-107	E N El	472161.861 5365487.518 10.892	0.9996107	1.0000012		MARKER DESTROYED							
714071		24-108	E N El	472334.096 5365741.744 16.501	0.9996097	1.0000003	365635 264903 68460	24-91 24-10 33-9	TERR TERR TERR	126 222 306	2 5 8	43 6 32	157.041 88.568 180.028	157.102 88.603 180.099	
848739		24-109	E N El	472846.324 5364627.160 4.970	0.9996112	1.0000021	567230 525238	17-54 24-65	TERR TERR	177 351	50 41	33 46	76.791 189.538	76.821 189.612	
41509		24-110	E N El	471639.950 5364894.683 17.262	0.9996101	1.0000002	280818 442731 981258	24-90 24-84 24-88	TERR TERR TERR	8 173 266	40 25 10	41 7 39	204.387 99.527 103.216	204.466 99.566 103.257	
185413		24-111	E N El	472640.052 5365208.055 13.746	0.9996099	1.0000007	458505 459370 934760	24-33 24-37 24-105	TERR TERR TERR	120 254 300	44 12 9	48 21 13	132.012 233.188 247.669	132.064 233.278 247.765	
117432		24-112	E N El	472671.391 5365569.218 15.792	0.9996096	1.0000004	487066	24-121	TERR	159	38	18	105.109	105.150	
632067		24-113	E N El	472678.841 5364934.972 10.905	0.9996104	1.0000012	703 75002 822924 91538	24-59 24-123 24-61 24-45	TERR TERR TERR TERR	73 163 254 343	54 42 8 44	60 23 59 57	142.964 115.615 102.444 76.954	143.020 115.660 102.483 76.984	
546200		24-114	E N El	472419.377 5364861.416 4.413	0.9996115	1.0000022	822924 557694	24-61 24-124	TERR TERR	74 343	11 59	11 56	167.245 76.320	167.310 76.350	
226498		24-115	E N El	472841.407 5365180.471 15.351	0.9996096	1.0000005	144337 598177	24-55 24-116	TERR TERR	70 332	1 55	48 33	122.622 223.991	122.670 224.079	

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
598177	24-116	E 472739.459	0.9996100	1.0000009		226498	24-115	TERR	152 55 33	223.991	224.079
		N 5365379.917				934760	24-105	TERR	261 23 40	317.132	317.256
		El 12.729 CVD28BC				487066	24-121	TERR	340 51 43	96.070	96.107
25924	24-117	E 472587.113	0.9996098	1.0000006		487066	24-121	TERR	88 12 7	120.910	120.957
		N 5365466.883				543157	24-120	TERR	259 15 53	130.351	130.401
		El 14.908 CVD28BC									
464529	24-118	E 472352.235	0.9996119	1.0000025		557694	24-124	TERR	153 46 22	104.324	104.364
		N 5365028.363				943126	24-41	TERR	250 42 27	131.626	131.677
		El 2.604 CVD28BC									
741934	24-119	E 472444.506	0.9996111	1.0000018		MARKER DESTROYED					
		N 5364774.825									
		El 7.196 CVD28BC									
822122	24-12	E 472440.069	0.9996098	1.0000004		610410	24-13	TERR	79 22 6	136.808	136.861
		N 5365541.711				543157	24-120	TERR	169 9 44	100.909	100.948
		El 15.698 CVD28BC				217794	24-101	TERR	259 48 34	139.299	139.353
543157	24-120	E 472459.043	0.9996103	1.0000009		25924	24-117	TERR	79 15 53	130.351	130.401
		N 5365442.602				822122	24-12	TERR	349 9 44	100.909	100.948
		El 12.467 CVD28BC									
487066	24-121	E 472707.963	0.9996096	1.0000005		935262	24-25	TERR	97 22 30	183.233	183.305
		N 5365470.677				598177	24-116	TERR	160 51 43	96.070	96.107
		El 15.603 CVD28BC				25924	24-117	TERR	268 12 7	120.910	120.957
						610410	24-13	TERR	305 48 38	164.541	164.605
						117432	24-112	TERR	339 38 18	105.109	105.150
75002	24-123	E 472711.278	0.9996105	1.0000013		525238	24-65	TERR	94 55 53	108.072	108.114
		N 5364824.001				522367	24-63	TERR	274 27 40	109.883	109.926
		El 9.983 CVD28BC				632067	24-113	TERR	343 42 23	115.615	115.660
557694	24-124	E 472398.339	0.9996118	1.0000024		970012	24-93	TERR	74 6 31	129.339	129.390
		N 5364934.779				546200	24-114	TERR	163 59 56	76.320	76.350
		El 3.067 CVD28BC				576066	24-43	TERR	255 38 37	156.703	156.764
						464529	24-118	TERR	333 46 22	104.324	104.364

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
750935	24-29	E N El	472458.686 5365442.533 12.402	0.9996103	1.0000010		MARKER DESTROYED				
458505	24-33	E N El	472753.508 5365140.565 16.309	0.9996095	1.0000003	638015 185413	24-34 24-111	TERR TERR	250 45 50 300 44 48	128.022 132.012	128.071 132.064
638015	24-34	E N El	472632.634 5365098.387 12.486	0.9996101	1.0000009	458505 91538	24-33 24-45	TERR TERR	70 45 50 164 35 39	128.022 92.873	128.071 92.909
358036	24-35	E N El	472373.443 5365024.210 2.634	0.9996119	1.0000025		MARKER DESTROYED				
459370	24-37	E N El	472415.668 5365144.585 3.159	0.9996117	1.0000024	185413 203885	24-111 24-94	TERR TERR	74 12 21 285 44 46	233.188 136.846	233.278 136.900
470161	24-39	E N El	472265.788 5365301.268 6.610	0.9996113	1.0000019	203885 552877	24-94 24-95	TERR TERR	171 21 29 263 35 25	120.919 157.495	120.966 157.556
272583	24-3A	E N El	471768.358 5365630.398 16.061	0.9996102	1.0000004	243063 592204	24-96 24-4	TERR TERR	21 12 55 103 35 24	84.770 261.520	84.803 261.622
592204	24-4	E N El	472022.556 5365568.948 13.706	0.9996104	1.0000007	272583	24-3A	TERR	283 35 24	261.520	261.622
542191	24-40	E N El	472120.649 5364954.820 4.745	0.9996117	1.0000021	943126 552877	24-41 24-95	TERR TERR	74 21 34 358 1 11	111.480 329.063	111.523 329.191

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
943126	24-41	E 472228.001	0.9996115	1.0000021		464529	24-118	TERR	70 42 27	131.626	131.677
		N 5364984.875				576066	24-43	TERR	168 13 60	90.860	90.896
		El 5.278 CVD28BC				542191	24-40	TERR	254 21 34	111.480	111.523
576066	24-43	E 472246.530	0.9996106	1.0000011		557694	24-124	TERR	75 38 37	156.703	156.764
		N 5364895.924				155416	24-76	TERR	158 41 52	78.703	78.733
		El 11.519 CVD28BC				943126	24-41	TERR	348 13 60	90.860	90.896
574640	24-44	E 472398.335	0.9996118	1.0000024		MARKER DESTROYED					
		N 5364934.778									
		El 3.037 CVD28BC									
91538	24-45	E 472657.306	0.9996100	1.0000008		452821	24-46	TERR	74 19 1	163.333	163.396
		N 5365008.851				632067	24-113	TERR	163 44 57	76.954	76.984
		El 13.134 CVD28BC				970012	24-93	TERR	253 58 22	140.013	140.067
						638015	24-34	TERR	344 35 39	92.873	92.909
452821	24-46	E 472814.558	0.9996095	1.0000004		703	24-59	TERR	178 47 38	78.441	78.472
		N 5365053.002				91538	24-45	TERR	254 19 1	163.333	163.396
		El 15.957 CVD28BC									
780536	24-47	E 472882.598	0.9996095	1.0000004		MARKER DESTROYED					
		N 5365069.744									
		El 15.739 CVD28BC									
891408	24-48	E 473000.598	0.9996092	1.0000003		292755	24-49	TERR	79 33 1	118.994	119.040
		N 5365112.636									
		El 16.785 CVD28BC									
292755	24-49	E 473117.618	0.9996090	1.0000001		484253	25-138	TERR	79 10 56	210.897	210.980
		N 5365134.218				444190	25-139	TERR	169 17 19	103.966	104.007
		El 17.722 CVD28BC				891408	24-48	TERR	259 33 1	118.994	119.040
						646331	24-53	TERR	349 24 0	116.683	116.729
867333	24-51	E 473157.131	0.9996096	1.0000008		444190	25-139	TERR	349 30 50	110.935	110.978
		N 5364922.982									
		El 13.659 CVD28BC									

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
646331	24-53	E 473096.154 N 5365248.910 El 19.765		0.9996087	0.9999998	292755 144337 83055	24-49 24-55 24-102	TERR TERR TERR	169 24 0 259 13 12 349 52 13	116.683 142.004 129.942	116.729 142.060 129.992
144337	24-55	E 472956.656 N 5365222.350 El 11.454		0.9996101	1.0000011	646331 226498	24-53 24-115	TERR TERR	79 13 12 250 1 48	142.004 122.622	142.060 122.670
42	24-57	E 472841.388 N 5365180.466 El 15.397		0.9996095	1.0000005	MARKER DESTROYED					
703	24-59	E 472816.209 N 5364974.578 El 14.819		0.9996097	1.0000006	525238 632067 452821	24-65 24-113 24-46	TERR TERR TERR	179 1 4 253 54 60 358 47 38	159.891 142.964 78.441	159.953 143.020 78.472
778324	24-6	E 472249.495 N 5365609.550 El 18.851		0.9996094	0.9999999	264903 369231	24-10 24-104	TERR TERR	20 47 41 306 10 9	71.094 138.441	71.122 138.495
106781	24-60	E 472678.911 N 5364934.975 El 10.952		0.9996104	1.0000012	MARKER DESTROYED					
822924	24-61	E 472580.292 N 5364906.992 El 5.298		0.9996113	1.0000021	632067 522367 546200	24-113 24-63 24-114	TERR TERR TERR	74 8 59 163 56 11 254 11 11	102.444 77.469 167.245	102.483 77.500 167.310
921452	24-62	E 472419.382 N 5364861.425 El 4.430		0.9996115	1.0000022	MARKER DESTROYED					
522367	24-63	E 472601.728 N 5364832.548 El 7.276		0.9996110	1.0000018	75002 822924	24-123 24-61	TERR TERR	94 27 40 343 56 11	109.883 77.469	109.926 77.500

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER ----- GCM-NO	IDENTIFIERS ----- TABLET MARKING	UTM Coordinates Metres	Station Scale Factor Combined Ellipsoidal	TO MARKER IDENTIFIERS ----- GCM-NO	TABLET MARKING ----- TABLET MARKING	Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
68775	24-64	E 472711.298 N 5364823.966 El 9.785	0.9996105 1.0000014		MARKER DESTROYED				
525238	24-65	E 472818.950 N 5364814.711 El 9.735	0.9996104 1.0000014	848739 75002 703	24-109 24-123 24-59	TERR TERR TERR	171 41 46 274 55 53 359 1 4	189.538 108.072 159.891	189.612 108.114 159.953
769745	24-66	E 472980.597 N 5364800.551 El 12.938	0.9996098 1.0000009		MARKER DESTROYED				
721985	24-67	E 472957.226 N 5364864.754 El 13.229	0.9996098 1.0000008		MARKER ISOLATED				
679589	24-68	E 473070.588 N 5364792.707 El 12.520	0.9996098 1.0000009		MARKER ISOLATED				
69021	24-69	E 473156.587 N 5364785.210 El 13.365	0.9996097 1.0000008		MARKER DESTROYED				
49817	24-7	E 472033.109 N 5365785.955 El 13.903	0.9996103 1.0000007		MARKER ISOLATED				
111773	24-70	E 473016.866 N 5364700.937 El 12.634	0.9996099 1.0000009	273847	24-72	TERR	159 59 35	77.005	77.035
138040	24-71	E 473167.930 N 5364616.959 El 15.871	0.9996093 1.0000004	27797 930131 109496 273847	25-123 17-52 17-4 24-72	TERR TERR TERR TERR	88 54 35 164 59 26 164 59 27 275 19 22	125.035 84.215 160.745 125.258	125.084 84.248 160.808 125.307

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
273847	24-72	E	473043.212	0.9996099	1.0000009	138040	24-71	TERR	95 19 22	125.258	125.307
		N	5364628.579					TERR	179 31 11	79.196	79.227
		El	12.451					TERR	339 59 35	77.005	77.035
				CVD28BC							
11916	24-74	E	472444.514	0.9996111	1.0000018	MARKER DESTROYED					
		N	5364774.829								
		El	7.288								
				CVD28BC							
32748	24-75	E	472298.603	0.9996109	1.0000015	403584	24-78	TERR	255 2 10	149.383	149.440
		N	5364734.300					TERR	345 6 29	91.367	91.403
		El	8.853								
				CVD28BC							
155416	24-76	E	472275.122	0.9996105	1.0000010	32748	24-75	TERR	165 6 29	91.367	91.403
		N	5364822.598					TERR	338 41 52	78.703	78.733
		El	11.781								
				CVD28BC							
403584	24-78	E	472154.286	0.9996112	1.0000017	32748	24-75	TERR	75 2 10	149.383	149.440
		N	5364695.728								
		El	7.799								
				CVD28BC							
454710	24-79	E	471762.545	0.9996101	1.0000003	442731	24-84	TERR	318 53 60	169.139	169.205
		N	5364668.355								
		El	16.302								
				CVD28BC							
976340	24-81	E	471647.186	0.9996089	0.9999990	442731	24-84	TERR	2 8 55	111.257	111.301
		N	5364684.633					TERR	179 59 12	98.789	98.827
		El	24.572					TERR	271 4 18	108.792	108.834
				CVD28BC							
307181	24-82	E	471538.413	0.9996083	0.9999984	976340	24-81	TERR	91 4 18	108.792	108.834
		N	5364686.668					TERR	179 34 48	100.543	100.582
		El	28.680					TERR	270 39 11	92.298	92.334
				CVD28BC				TERR	359 35 25	100.569	100.608
						764712					
764712	24-83	E	471537.694	0.9996084	0.9999985	442731	24-84	TERR	85 41 3	113.986	114.031
		N	5364787.234					TERR	179 35 25	100.569	100.608
		El	28.298					TERR	270 39 29	92.299	92.335
				CVD28BC				TERR	359 35 3	100.571	100.610
						981258					

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
442731	24-84	E	471651.357	0.9996093	0.9999994	454710	24-79	TERR	138 53 60	169.139	169.205
		N	5364795.812					TERR	182 8 55	111.257	111.301
		El	22.250					TERR	265 41 3	113.986	114.031
								TERR	353 25 7	99.527	99.566
981258	24-88	E	471536.964	0.9996086	0.9999986	41509	24-110	TERR	86 10 39	103.216	103.257
		N	5364887.802					TERR	179 35 3	100.571	100.610
		El	27.050					TERR	270 39 7	92.294	92.329
280818	24-90	E	471670.788	0.9996120	1.0000022	41509	24-110	TERR	188 40 41	204.387	204.466
		N	5365096.730					TERR	359 15 14	323.209	323.336
		El	4.638								
365635	24-91	E	472461.072	0.9996089	0.9999996	610410	24-13	TERR	125 59 7	140.213	140.268
		N	5365649.337					TERR	306 2 43	157.041	157.102
		El	21.224								
970012	24-93	E	472522.735	0.9996116	1.0000023	91538	24-45	TERR	73 58 22	140.013	140.067
		N	5364970.194					TERR	254 6 31	129.339	129.390
		El	3.770								
203885	24-94	E	472283.957	0.9996113	1.0000019	459370	24-37	TERR	105 44 46	136.846	136.900
		N	5365181.722					TERR	351 21 29	120.919	120.966
		El	6.287								
552877	24-95	E	472109.278	0.9996108	1.0000012	470161	24-39	TERR	83 35 25	157.495	157.556
		N	5365283.686					TERR	178 1 11	329.063	329.191
		El	10.602								
243063	24-96	E	471799.034	0.9996093	0.9999996	272583	24-3A	TERR	201 12 55	84.770	84.803
		N	5365709.423								
		El	21.265								
987719	24-98	E	471659.821	0.9996094	0.9999995	834960	33-44	TERR	23 16 40	123.872	123.921
		N	5365755.824					TERR	203 48 32	121.402	121.448
		El	21.589								

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
29108	24-99	E 471587.424 N 5365799.031 El 24.510		0.9996090	0.9999990	866244	24-1	TERR	206 19 23	154.644	154.705
671339	25-1	E 473239.525 N 5365695.824 El 24.654	CVD28BC	0.9996078	0.9999990	241869	11703	GPS	11 48 3	5585.533	5587.813
						465575	99H2279	GPS	13 57 14	2555.898	2556.905
						512921	669	GPS	62 1 55	3043.506	3044.726
						526442	LEGAL 1	GPS	77 42 30	2158.085	2158.934
						354514	80H3866	GPS	97 4 39	4986.191	4988.148
						871954	NO MARKING	GPS	141 27 38	4320.376	4322.089
						254201	16-33	GPS	171 16 10	1474.301	1474.880
						362608	84H0238	GPS	233 25 26	4596.794	4598.586
						320366	24-21	TERR	256 48 40	270.525	270.631
						853721	86H1398	GPS	267 30 23	8521.368	8524.711
						917278	79H8752	GPS	281 9 21	2177.297	2178.149
						519819	79H8880	GPS	325 39 12	2748.776	2749.850
						396804	21710	GPS	334 55 45	9192.092	9195.808
						544908	PIER 5	GPS	341 29 24	5515.702	5517.866
771311	25-10	E 474010.894 N 5365658.529 El 56.348	CVD28BC	0.9996024	0.9999941	954024	25-35	TERR	168 30 19	79.252	79.284
						199851	25-148	TERR	266 1 56	116.209	116.254
						944371	25-11	TERR	346 30 4	95.713	95.751
703504	25-101	E 473263.041 N 5364942.494 El 15.714	CVD28BC	0.9996092	1.0000004	385922	25-102	TERR	79 13 1	118.677	118.723
						866905	25-80A	TERR	165 40 54	177.151	177.220
385922	25-102	E 473379.622 N 5364964.697 El 14.731	CVD28BC	0.9996093	1.0000006	866921	25-77	TERR	79 44 10	91.445	91.481
						703504	25-101	TERR	259 13 1	118.677	118.723
424226	25-104	E 473946.300 N 5364639.042 El 18.386	CVD28BC	0.9996084	1.0000000	309435	25-111	TERR	185 17 7	79.859	79.890
						263954	25-110	TERR	275 22 30	229.619	229.709
						785865	25-88	TERR	351 20 40	77.790	77.821
631523	25-105	E 473571.262 N 5365001.232 El 14.130	CVD28BC	0.9996093	1.0000007	347831	25-144	TERR	80 28 45	55.005	55.026
						320796	25-83	TERR	169 1 49	262.312	262.415
						866921	25-77	TERR	258 44 21	103.654	103.694
						651265	25-119	TERR	348 57 17	234.854	234.946

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
825745	25-106	E 473668.342 N 5365018.759 El 14.649		0.9996091	1.0000006	182261 347831 417345	25-113 25-144 25-120	TERR TERR TERR	79 15 28 258 52 2 349 25 8	100.456 43.655 235.480	100.495 43.672 235.572
324335	25-109	E 473504.931 N 5364679.881 El 21.302		0.9996082	0.9999996		MARKER DESTROYED				
944371	25-11	E 473988.552 N 5365751.598 El 66.034		0.9996009	0.9999926	568329 771311	32-48 25-10	TERR TERR	19 47 37 166 30 4	74.110 95.713	74.139 95.751
263954	25-110	E 473717.691 N 5364660.551 El 19.205		0.9996084	0.9999999	958520 424226 588921	25-85 25-104 16-31	TERR TERR TERR	4 51 11 95 22 30 185 33 38	74.124 229.619 80.293	74.153 229.709 80.325
309435	25-111	E 473938.944 N 5364559.523 El 21.543		0.9996079	0.9999995	424226 78899	25-104 16-5	TERR TERR	5 17 7 185 17 17	79.859 109.122	79.890 109.165
30080	25-112	E 473563.850 N 5365575.727 El 25.690		0.9996075	0.9999989	766840 43919 748012 540252	25-74 25-121 25-76 25-4	TERR TERR TERR TERR	79 24 1 169 15 34 259 23 30 349 26 19	100.800 174.805 100.269 170.589	100.840 174.874 100.307 170.657
182261	25-113	E 473767.038 N 5365037.483 El 12.933		0.9996093	1.0000009	601435 825745 896506	25-70 25-106 25-126	TERR TERR TERR	79 38 3 259 15 28 349 34 38	100.909 100.456 123.737	100.948 100.495 123.784
74385	25-114	E 473136.823 N 5365032.098 El 17.420		0.9996090	1.0000002		MARKER DESTROYED				
655951	25-116	E 473325.197 N 5365173.468 El 15.378		0.9996092	1.0000005		MARKER DESTROYED				

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET				Metres	Metres	
810481	25-117	E	473304.295	0.9996088	1.0000000	928218	25-118	TERR	79	21	42	107.459	107.500	
		N	5365284.598		484253	25-138		TERR	169	31	54	112.673	112.717	
		E1	18.233	CVD28BC										
928218	25-118	E	473409.907	0.9996091	1.0000005	207605	25-134	TERR	169	51	49	114.362	114.406	
		N	5365304.436		810481	25-117		TERR	259	21	42	107.459	107.500	
		E1	15.628	CVD28BC										
651265	25-119	E	473526.268	0.9996093	1.0000006	417345	25-120	TERR	79	23	54	100.549	100.589	
		N	5365231.736		631523	25-105		TERR	168	57	17	234.854	234.946	
		E1	14.456	CVD28BC	207605			25-134	TERR	247	29	32	104.169	104.210
417345	25-120	E	473625.101	0.9996089	1.0000003	340752	25-72		TERR	79	13	46	100.495	100.534
		N	5365250.235		825745	25-106		TERR	169	25	8	235.480	235.572	
		E1	16.542	CVD28BC	651265			25-119	TERR	259	23	54	100.549	100.589
43919	25-121	E	473596.427	0.9996086	1.0000000	43919	25-121		TERR	349	26	9	156.400	156.461
		N	5365403.984		221911	25-73		TERR	79	6	48	100.542	100.581	
		E1	18.226	CVD28BC	417345			25-120	TERR	169	26	9	156.400	156.461
58651	25-122	E	473497.380	0.9996091	1.0000005	58651	25-122		TERR	259	45	3	100.653	100.692
		N	5365386.075		30080	25-112		TERR	349	15	34	174.805	174.874	
		E1	15.241	CVD28BC										
27797	25-123	E	473292.942	0.9996087	1.0000000	866905	25-80A	TERR	5	14	44	152.145	152.205	
		N	5364619.338		150318	25-133		TERR	95	26	10	111.037	111.081	
		E1	18.794	CVD28BC	771170			16-130	TERR	185	43	41	109.460	109.503
425942	25-124	E	474681.893	0.9996067	0.9999989	138040	24-71		TERR	268	54	35	125.035	125.084
		N	5364962.009		170746	25-52		TERR	1	13	60	94.783	94.820	
		E1	25.878	CVD28BC	421164			25-98	TERR	181	20	9	131.470	131.521
394957	25-125	E	473845.768	0.9996075	0.9999991	601435	25-70		TERR	169	22	29	111.354	111.398
		N	5365165.085		575886	25-39		TERR	349	32	3	123.735	123.783	
		E1	24.530	CVD28BC										

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
896506	25-126	E 473744.653 N 5365159.178 El 20.190		0.9996082	0.9999997	182261 340752	25-113 25-72	TERR TERR	169 34 38 349 15 48	123.737 111.794	123.784 111.838
278143	25-127	E 473887.853 N 5365644.594 El 50.405		0.9996034	0.9999950	MARKER DESTROYED					
443770	25-129	E 474671.426 N 5364643.983 El 16.633		0.9996082	1.0000003	769109 390377	26-95 25-95	TERR TERR	94 26 17 274 9 14	113.863 95.136	113.908 95.173
265017	25-13	E 474204.504 N 5365710.686 El 46.607		0.9996038	0.9999956	MARKER DESTROYED					
778795	25-130	E 473979.507 N 5365078.257 El 27.036		0.9996070	0.9999987	352450 886168 601435	25-131 25-65 25-70	TERR TERR TERR	3 44 41 77 17 47 258 42 7	110.902 82.916 115.444	110.946 82.949 115.489
352450	25-131	E 473986.750 N 5365188.922 El 34.307		0.9996058	0.9999975	778795 772970	25-130 25-40A	TERR TERR	183 44 41 357 4 27	110.902 126.579	110.946 126.629
832865	25-132	E 474163.941 N 5365345.579 El 32.867		0.9996060	0.9999978	517011 772970 559690	25-30 25-40A 25-42	TERR TERR TERR	72 49 56 260 38 55 357 46 56	170.827 186.126 89.981	170.895 186.199 90.017
150318	25-133	E 473403.480 N 5364608.819 El 19.110		0.9996086	0.9999999	831610 27797	16-135 25-123	TERR TERR	95 18 54 275 26 10	94.633 111.037	94.669 111.081
207605	25-134	E 473430.034 N 5365191.859 El 15.360		0.9996092	1.0000005	651265 866921 484253 928218	25-119 25-77 25-138 25-118	TERR TERR TERR TERR	67 29 32 169 22 19 260 15 56 349 51 49	104.169 214.549 106.805 114.362	104.210 214.633 106.846 114.406

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
403394	25-135	E 473365.157 N 5365538.514 El 16.369		0.9996091	1.0000003	748012	25-76	TERR	79 23 33	101.879	101.919
569319	25-136	E 474497.849 N 5365472.226 El 36.740		0.9996051	0.9999972	788265 338111	25-26 25-142	TERR TERR	147 32 25 309 44 45	86.895 113.426	86.928 113.472
70359	25-137	E 474197.842 N 5365569.007 El 48.019		0.9996036	0.9999954	357467 371468 757716	25-140 25-14 25-33A	TERR TERR TERR	3 2 53 36 56 56 218 39 14	152.429 129.474 79.819	152.489 129.525 79.850
484253	25-138	E 473324.767 N 5365173.800 El 15.515		0.9996092	1.0000005	207605 292755 810481	25-134 24-49 25-117	TERR TERR TERR	80 15 56 259 10 56 349 31 54	106.805 210.897 112.673	106.846 210.980 112.717
444190	25-139	E 473136.941 N 5365032.064 El 17.414		0.9996090	1.0000002	867333 292755	24-51 24-49	TERR TERR	169 30 50 349 17 19	110.935 103.966	110.978 104.007
371468	25-14	E 474275.669 N 5365672.479 El 39.423		0.9996049	0.9999967	93054 449652 70359	32-68 25-143 25-137	TERR TERR TERR	34 34 12 135 54 30 216 56 56	184.900 105.177 129.474	184.974 105.218 129.525
357467	25-140	E 474205.947 N 5365721.220 El 46.691		0.9996038	0.9999956	70359 186130	25-137 32-71	TERR TERR	183 2 53 350 39 13	152.429 132.479	152.489 132.532
684522	25-141	E 473504.931 N 5364679.881 El 21.436		0.9996082	0.9999995	85266 831610	25-82 16-135	TERR TERR	5 43 6 185 10 18	73.456 80.154	73.484 80.186
338111	25-142	E 474410.637 N 5365544.749 El 36.646		0.9996052	0.9999972	636217 569319 449652	25-22 25-136 25-143	TERR TERR TERR	42 56 57 129 44 45 310 11 14	114.429 113.426 80.877	114.474 113.472 80.909

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
449652	25-143	E	474348.852	0.9996051	0.9999970	338111	25-142	TERR	130 11 14	80.877			80.909		
		N	5365596.938			370916	25-31	TERR	191 34 30	84.694			84.729		
		El	37.507	CVD28BC		371468	25-14	TERR	315 54 30	105.177			105.218		
347831	25-144	E	473625.509	0.9996091	1.0000005	825745	25-106	TERR	78 52 2	43.655			43.672		
		N	5365010.330			631523	25-105	TERR	260 28 45	55.005			55.026		
		El	15.156	CVD28BC											
37366	25-145	E	474031.695	0.9996084	1.0000001	344911	25-146	TERR	4 12 52	143.928			143.984		
		N	5364707.443			953356	25-90	TERR	95 0 42	125.589			125.638		
		El	17.998	CVD28BC		785865	25-88	TERR	275 0 16	97.474			97.511		
344911	25-146	E	474042.272	0.9996089	1.0000007	98749	25-62	TERR	94 48 25	109.665			109.707		
		N	5364850.982			37366	25-145	TERR	184 12 52	143.928			143.984		
		El	14.361	CVD28BC		150722	25-67	TERR	274 48 14	79.350			79.382		
867150	25-147	E	473772.565	0.9996051	0.9999967	199851	25-148	TERR	79 35 2	124.450			124.499		
		N	5365627.988			501965	25-37	TERR	173 13 30	187.909			187.984		
		El	39.932			766840	25-74	TERR	252 54 16	114.703			114.748		
						393629	25-6	TERR	348 52 44	152.683			152.743		
199851	25-148	E	473894.964	0.9996032	0.9999948	771311	25-10	TERR	86 1 56	116.209			116.254		
		N	5365650.488			867150	25-147	TERR	259 35 2	124.450			124.499		
		El	51.477	CVD28BC											
105098	25-16	E	474348.855	0.9996051	0.9999970	MARKER DESTROYED									
		N	5365596.939												
		El	37.512	CVD28BC											
328351	25-18	E	474545.281	0.9996060	0.9999980	347179	32-42	TERR	51 57 37	93.448			93.485		
		N	5365746.756			247361	32-43	TERR	330 27 22	204.667			204.747		
		El	31.306	CVD28BC											
439273	25-19	E	474664.918	0.9996062	0.9999983	913590	26-62	TERR	61 11 19	128.854			128.904		
		N	5365721.179			636217	25-22	TERR	242 16 23	199.187			199.265		
		El	29.578	CVD28BC		347179	32-42	TERR	331 1 49	95.054			95.091		

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
538991	25-2	E 473333.662 N 5365707.009 El 24.327		0.9996078	0.9999991		MARKER DESTROYED				
83899	25-20	E 474700.774 N 5365649.038 El 28.617		0.9996063	0.9999984		MARKER DESTROYED				
636217	25-22	E 474488.603 N 5365628.506 El 32.337		0.9996058	0.9999978	439273 338111	25-19 25-142	TERR TERR	62 16 23 222 56 57	199.187 114.429	199.265 114.474
630350	25-23	E 474410.642 N 5365544.748 El 36.748		0.9996052	0.9999972		MARKER DESTROYED				
788265	25-26	E 474544.486 N 5365398.907 El 38.361		0.9996049	0.9999969	628453 76190 517011 569319	25-27 25-49 25-30 25-136	TERR TERR TERR TERR	59 12 30 196 36 58 269 14 3 327 32 25	134.160 132.772 217.348 86.895	134.213 132.825 217.434 86.928
628453	25-27	E 474659.734 N 5365467.586 El 29.852		0.9996061	0.9999982	945220 297473 788265	26-13 25-29 25-26	TERR TERR TERR	59 28 53 149 20 11 239 12 30	119.848 101.426 134.160	119.895 101.466 134.213
297473	25-29	E 474711.461 N 5365380.342 El 30.136		0.9996061	0.9999982	987701 628453	26-16 25-27	TERR TERR	90 27 51 329 20 11	224.896 101.426	224.985 101.466
227181	25-3	E 473433.893 N 5365725.584 El 28.085		0.9996072	0.9999985	540252 748012 384974	25-4 25-76 32-65	TERR TERR TERR	79 45 8 169 25 55 349 8 49	100.290 171.220 129.500	100.330 171.288 129.552
517011	25-30	E 474327.157 N 5365396.002 El 34.731		0.9996056	0.9999975	788265 832865	25-26 25-132	TERR TERR	89 14 3 252 49 56	217.348 170.827	217.434 170.895

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
52779	25-41A	E	474054.695	0.9996061	0.9999979	757716	25-33A	TERR	45 36 50	130.542	130.594
		N	5365415.361			772970	25-40A	TERR	216 38 41	124.665	124.714
		El	32.154			882159	25-38A	TERR	259 40 55	251.248	251.347
						203471	25-34	TERR	350 33 5	73.263	73.292
559690	25-42	E	474160.459	0.9996057	0.9999975	832865	25-132	TERR	177 46 56	89.981	90.017
		N	5365435.493			757716	25-33A	TERR	350 3 40	72.266	72.294
		El	34.389								
666370	25-46	E	474287.983	0.9996043	0.9999962	762435	25-47	TERR	183 47 30	89.538	89.573
		N	5365296.041								
		El	43.040								
762435	25-47	E	474282.062	0.9996044	0.9999963	666370	25-46	TERR	3 47 30	89.538	89.573
		N	5365206.699			755223	25-48	TERR	106 46 3	172.448	172.516
		El	42.390			162792	25-58	TERR	183 47 29	103.197	103.237
755223	25-48	E	474447.178	0.9996045	0.9999965	76190	25-49	TERR	27 20 57	129.167	129.218
		N	5365156.950			403097	25-57	TERR	201 51 59	100.961	101.000
		El	41.217			762435	25-47	TERR	286 46 3	172.448	172.516
76190	25-49	E	474506.519	0.9996042	0.9999962	788265	25-26	TERR	16 36 58	132.772	132.825
		N	5365271.679			154435	25-50	TERR	93 7 31	84.262	84.296
		El	42.634			667600	25-55	TERR	181 28 18	221.889	221.977
						755223	25-48	TERR	207 20 57	129.167	129.218
						29777	25-63	TERR	286 3 10	76.453	76.483
489302	25-5	E	473631.231	0.9996046	0.9999960	393629	25-6	TERR	82 1 7	112.978	113.023
		N	5365762.117			766840	25-74	TERR	169 18 19	170.815	170.882
		El	43.806			540252	25-4	TERR	259 16 17	100.403	100.443
154435	25-50	E	474590.656	0.9996043	0.9999964	454603	25-51	TERR	86 38 43	99.065	99.104
		N	5365267.085			76190	25-49	TERR	273 7 31	84.262	84.296
		El	41.768								
454603	25-51	E	474689.551	0.9996045	0.9999966	742346	26-18	TERR	95 4 54	108.212	108.255
		N	5365272.882			170746	25-52	TERR	181 29 21	216.185	216.271
		El	40.171			154435	25-50	TERR	266 38 43	99.065	99.104

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING					Metres	Metres
170746	25-52	E	474683.933	0.9996062	0.9999983		454603	25-51	TERR	1	29	21	216.185	216.271
		N	5365056.770				495457	26-36	TERR	91	11	30	195.201	195.278
		E1	29.245	CVD28BC		425942	25-124	TERR	181	13	60	94.783	94.820	
730549	25-54	E	474496.447	0.9996080	1.0000000		667600	25-55	TERR	1	9	44	215.584	215.669
		N	5364834.323				421164	25-98	TERR	91	10	38	182.420	182.491
		E1	18.604	CVD28BC		459412	25-94	TERR	181	18	48	175.480	175.549	
						674473	25-56	TERR	271	14	10	162.087	162.151	
667600	25-55	E	474500.820	0.9996049	0.9999969		76190	25-49	TERR	1	28	18	221.889	221.977
		N	5365049.863				730549	25-54	TERR	181	9	44	215.584	215.669
		E1	38.206	CVD28BC		403097	25-57	TERR	278	20	55	92.221	92.257	
674473	25-56	E	474334.398	0.9996082	1.0000001		403097	25-57	TERR	18	26	34	237.638	237.732
		N	5364837.820				730549	25-54	TERR	91	14	10	162.087	162.151
		E1	18.215	CVD28BC		127720	25-92	TERR	197	36	27	166.811	166.876	
						267153	25-59	TERR	271	8	35	76.692	76.722	
403097	25-57	E	474409.576	0.9996056	0.9999975		755223	25-48	TERR	21	51	59	100.961	101.000
		N	5365063.253				667600	25-55	TERR	98	20	55	92.221	92.257
		E1	34.456	CVD28BC		674473	25-56	TERR	198	26	34	237.638	237.732	
						162792	25-58	TERR	286	46	2	140.303	140.358	
267153	25-59	E	474257.721	0.9996088	1.0000006		674473	25-56	TERR	91	8	35	76.692	76.722
		N	5364839.350				653220	25-60	TERR	200	51	47	78.555	78.586
		E1	14.469	CVD28BC		98749	25-62	TERR	271	19	3	106.198	106.240	
393629	25-6	E	473743.115	0.9996031	0.9999947		867150	25-147	TERR	168	52	44	152.683	152.743
		N	5365777.804				489302	25-5	TERR	262	1	7	112.978	113.023
		E1	52.540	CVD28BC										
653220	25-60	E	474229.745	0.9996083	1.0000001		267153	25-59	TERR	20	51	47	78.555	78.586
		N	5364765.946				584359	25-61	TERR	278	20	3	83.804	83.836
		E1	17.641	CVD28BC										
584359	25-61	E	474146.826	0.9996087	1.0000005		98749	25-62	TERR	4	14	32	63.874	63.899
		N	5364778.093				653220	25-60	TERR	98	20	3	83.804	83.836
		E1	15.437	CVD28BC										

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
98749	25-62	E 474151.551	0.9996090	1.0000008		267153	25-59	TERR	91 19 3	106.198	106.240
		N 5364841.792				584359	25-61	TERR	184 14 32	63.874	63.899
		El 13.785 CVD28BC				344911	25-146	TERR	274 48 25	109.665	109.707
29777	25-63	E 474433.047	0.9996038	0.9999957		76190	25-49	TERR	106 3 10	76.453	76.483
		N 5365292.820									
		El 45.872 CVD28BC									
455469	25-64	E 474172.489	0.9996052	0.9999970		886168	25-65	TERR	259 31 9	113.998	114.043
		N 5365117.228									
		El 37.510 CVD28BC									
886168	25-65	E 474060.393	0.9996056	0.9999973		455469	25-64	TERR	79 31 9	113.998	114.043
		N 5365096.491				778795	25-130	TERR	257 17 47	82.916	82.949
		El 35.480 CVD28BC									
670299	25-66A	E 474042.278	0.9996089	1.0000007		MARKER DESTROYED					
		N 5364850.982									
		El 14.402 CVD28BC									
150722	25-67	E 473963.201	0.9996089	1.0000006		344911	25-146	TERR	94 48 14	79.350	79.382
		N 5364857.627				360313	25-68	TERR	274 47 42	56.347	56.369
		El 14.837 CVD28BC									
360313	25-68	E 473907.051	0.9996088	1.0000004		150722	25-67	TERR	94 47 42	56.347	56.369
		N 5364862.337				785865	25-88	TERR	169 20 42	148.959	149.018
		El 15.816 CVD28BC									
601435	25-70	E 473866.300	0.9996084	1.0000000		778795	25-130	TERR	78 42 7	115.444	115.489
		N 5365055.640				182261	25-113	TERR	259 38 3	100.909	100.948
		El 18.611 CVD28BC				394957	25-125	TERR	349 22 29	111.354	111.398
340752	25-72	E 473723.826	0.9996082	0.9999997		575886	25-39	TERR	79 53 3	101.037	101.077
		N 5365269.015				896506	25-126	TERR	169 15 48	111.794	111.838
		El 20.388 CVD28BC				417345	25-120	TERR	259 13 46	100.495	100.534
						221911	25-73	TERR	349 27 8	156.604	156.666

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
221911	25-73	E	473695.159	0.9996079	0.9999994	501965	25-37	TERR	79 31 14	101.263	101.303
		N	5365422.973			340752	25-72	TERR	169 27 8	156.604	156.666
		El	22.360			43919	25-121	TERR	259 6 48	100.542	100.581
						766840	25-74	TERR	349 20 40	174.302	174.370
766840	25-74	E	473662.930	0.9996067	0.9999981	867150	25-147	TERR	72 54 16	114.703	114.748
		N	5365594.269			221911	25-73	TERR	169 20 40	174.302	174.370
		El	30.402			30080	25-112	TERR	259 24 1	100.800	100.840
						489302	25-5	TERR	349 18 19	170.815	170.882
501270	25-75	E	473625.508	0.9996091	1.0000005	MARKER DESTROYED					
		N	5365010.329								
		El	15.063								
748012	25-76	E	473465.295	0.9996088	1.0000002	30080	25-112	TERR	79 23 30	100.269	100.307
		N	5365557.268			403394	25-135	TERR	259 23 33	101.879	101.919
		El	17.571			227181	25-3	TERR	349 25 55	171.220	171.288
866921	25-77	E	473469.604	0.9996096	1.0000010	631523	25-105	TERR	78 44 21	103.654	103.694
		N	5364980.991			85266	25-82	TERR	169 24 23	231.974	232.064
		El	12.369			385922	25-102	TERR	259 44 10	91.445	91.481
						207605	25-134	TERR	349 22 19	214.549	214.633
379131	25-78	E	473272.694	0.9996079	0.9999991	MARKER DESTROYED					
		N	5365521.148								
		El	23.996								
866905	25-80A	E	473306.852	0.9996094	1.0000007	892745	25-81	TERR	94 57 45	111.338	111.381
		N	5364770.846			27797	25-123	TERR	185 14 44	152.145	152.205
		El	14.119			703504	25-101	TERR	345 40 54	177.151	177.220
892745	25-81	E	473417.773	0.9996087	1.0000000	85266	25-82	TERR	94 59 13	94.836	94.873
		N	5364761.215			866905	25-80A	TERR	274 57 45	111.338	111.381
		El	18.237								
85266	25-82	E	473512.250	0.9996080	0.9999994	320796	25-83	TERR	94 51 29	109.320	109.363
		N	5364752.971			958520	25-85	TERR	95 0 38	212.524	212.608
		El	22.283			406892	16-27	TERR	185 30 49	353.950	354.088
						684522	25-141	TERR	185 43 6	73.456	73.484
						892745	25-81	TERR	274 59 13	94.836	94.873
						866921	25-77	TERR	349 24 23	231.974	232.064

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
320796	25-83	E	473621.177	0.9996083	0.9999997	958520	25-85	TERR	95 10 20	103.205	103.245
		N	5364743.713			85266	25-82	TERR	274 51 29	109.320	109.363
		E1	20.175			631523	25-105	TERR	349 1 49	262.312	262.415
958520	25-85	E	473723.962	0.9996085	1.0000000	785865	25-88	TERR	95 0 34	211.439	211.522
		N	5364734.409			263954	25-110	TERR	184 51 11	74.124	74.153
		E1	18.459			525642	16-26	TERR	185 17 36	355.074	355.214
						85266	25-82	TERR	275 0 38	212.524	212.608
						320796	25-83	TERR	275 10 20	103.205	103.245
785865	25-88	E	473934.593	0.9996085	1.0000002	37366	25-145	TERR	95 0 16	97.474	97.511
		N	5364715.946			424226	25-104	TERR	171 20 40	77.790	77.821
		E1	17.308			958520	25-85	TERR	275 0 34	211.439	211.522
						360313	25-68	TERR	349 20 42	148.959	149.018
646976	25-89	E	474031.692	0.9996084	1.0000001	MARKER DESTROYED					
		N	5364707.438								
		E1	17.889								
51474	25-9	E	473771.515	0.9996051	0.9999967	MARKER DESTROYED					
		N	5365627.516								
		E1	39.857								
953356	25-90	E	474156.804	0.9996083	1.0000001	7732	16-30	TERR	184 37 34	95.234	95.271
		N	5364696.472			37366	25-145	TERR	275 0 42	125.589	125.638
		E1	18.161								
127720	25-92	E	474283.939	0.9996080	0.9999999	674473	25-56	TERR	17 36 27	166.811	166.876
		N	5364678.824			459412	25-94	TERR	95 27 43	209.437	209.519
		E1	19.321								
459412	25-94	E	474492.425	0.9996084	1.0000004	730549	25-54	TERR	1 18 48	175.480	175.549
		N	5364658.889			390377	25-95	TERR	95 26 35	84.496	84.529
		E1	15.969			352484	16-104	TERR	185 47 27	106.149	106.190
						127720	25-92	TERR	275 27 43	209.437	209.519
390377	25-95	E	474576.540	0.9996084	1.0000004	443770	25-129	TERR	94 9 14	95.136	95.173
		N	5364650.874			975755	16-136	TERR	153 16 22	107.368	107.411
		E1	15.865			459412	25-94	TERR	275 26 35	84.496	84.529

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
421164	25-98	E	474678.828	0.9996081	1.0000002	425942	25-124	TERR	1 20 9	131.470	131.521
		N	5364830.575					TERR	91 36 56	196.495	196.572
		El	17.336					TERR	271 10 38	182.420	182.491
831826	26-1	E	474931.816	0.9996072	0.9999995	900571	26-11	TERR	152 48 57	120.379	120.426
		N	5365768.235					TERR	332 28 38	93.877	93.914
		El	21.741								
789222	26-10	E	475022.419	0.9996073	0.9999996	371344	26-3	TERR	59 20 24	167.321	167.387
		N	5365598.855					TERR	148 45 23	134.799	134.852
		El	21.203					TERR	330 14 56	71.756	71.785
900571	26-11	E	474986.811	0.9996073	0.9999996	459842	26-2	TERR	59 16 54	211.377	211.460
		N	5365661.153					TERR	150 14 56	71.756	71.785
		El	21.240					TERR	239 14 4	128.025	128.075
198291	26-12	E	474876.803	0.9996069	0.9999991	900571	26-11	TERR	59 14 4	128.025	128.075
		N	5365595.665					TERR	150 5 11	124.559	124.608
		El	24.360					TERR	239 26 11	132.190	132.242
945220	26-13	E	474762.979	0.9996065	0.9999987	198291	26-12	TERR	59 26 11	132.190	132.242
		N	5365528.447					TERR	239 28 53	119.848	119.895
		El	26.863								
987941	26-15	E	474938.920	0.9996064	0.9999987	843912	26-9	TERR	91 31 43	153.471	153.531
		N	5365487.700					TERR	181 20 54	109.210	109.253
		El	26.843					TERR	330 5 11	124.559	124.608
987701	26-16	E	474936.350	0.9996066	0.9999989	987941	26-15	TERR	1 20 54	109.210	109.253
		N	5365378.520					TERR	161 20 45	123.987	124.036
		El	25.562					TERR	270 27 51	224.896	224.985
742346	26-18	E	474797.338	0.9996063	0.9999985	975094	26-19A	TERR	91 4 4	88.003	88.038
		N	5365263.297					TERR	275 4 54	108.212	108.255
		El	27.924								

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid		Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING		Bearing		Distance Metres			
975094	26-19A	E	474885.326	0.9996067	0.9999989	73007	26-21	TERR	90 23 7		90.684	90.720		
		N	5365261.657			495457	26-36	TERR	181 42 32		209.040	209.123		
		El	25.556	CVD28BC		742346	26-18	TERR	271 4 4		88.003	88.038		
459842	26-2	E	475168.530	0.9996070	0.9999994	385633	31-13	TERR	59 21 18		81.580	81.613		
		N	5365769.128			371344	26-3	TERR	181 28 12		84.977	85.011		
		El	22.383	CVD28BC		900571	26-11	TERR	239 16 54		211.377	211.460		
73007	26-21	E	474976.008	0.9996068	0.9999991	31476	26-22	TERR	91 25 14		88.339	88.373		
		N	5365261.047			975094	26-19A	TERR	270 23 7		90.684	90.720		
		El	24.580	CVD28BC		987701	26-16	TERR	341 20 45		123.987	124.036		
31476	26-22	E	475064.320	0.9996068	0.9999991	844787	26-26	TERR	91 6 48		90.676	90.712		
		N	5365258.857			472647	26-93	TERR	181 23 19		218.031	218.117		
		El	24.295	CVD28BC		73007	26-21	TERR	271 25 14		88.339	88.373		
342154	26-25	E	475158.457	0.9996072	0.9999997	993113	26-8	TERR	1 43 42		89.289	89.323		
		N	5365392.530			844787	26-26	TERR	181 28 16		135.480	135.533		
		El	20.763	CVD28BC										
844787	26-26	E	475154.979	0.9996072	0.9999996	342154	26-25	TERR	1 28 16		135.480	135.533		
		N	5365257.095			87031	26-27	TERR	91 16 38		68.551	68.578		
		El	21.239	CVD28BC		31476	26-22	TERR	271 6 48		90.676	90.712		
87031	26-27	E	475223.513	0.9996074	0.9999999	866251	26-91	TERR	1 34 25		235.472	235.565		
		N	5365255.567			981795	26-28	TERR	83 19 52		121.545	121.593		
		El	19.408	CVD28BC	637926	26-33	TERR	181 12 44		211.045	211.128			
					844787	26-26	TERR	271 16 38		68.551	68.578			
981795	26-28	E	475344.236	0.9996075	1.0000001	576926	26-6	TERR	1 35 26		218.054	218.140		
		N	5365269.682			226357	26-92	TERR	181 6 36		120.185	120.232		
		El	18.311	CVD28BC		87031	26-27	TERR	263 19 52		121.545	121.593		
322347	26-29A	E	475341.868	0.9996076	1.0000001	MARKER DESTROYED								
		N	5365149.514											
		El	17.996	CVD28BC										

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
371344	26-3	E	475166.350	0.9996072	0.9999996	459842	26-2	TERR	1 28 12	84.977	85.011
		N	5365684.179			865477	26-4	TERR	92 19 45	68.896	68.923
		El	21.312			993113	26-8	TERR	181 28 18	202.468	202.547
						789222	26-10	TERR	239 20 24	167.321	167.387
737387	26-30	E	475727.122	0.9996072	0.9999999	965541	80H2434	TERR	11 19 10	191.881	191.957
		N	5365116.000			272732	80H1683	TERR	91 34 24	255.015	255.116
		El	19.069			378422	26-61	TERR	277 46 17	210.937	211.019
540674	26-31	E	475713.081	0.9996073	1.0000001	MARKER DESTROYED					
		N	5365022.638								
		El	18.144								
749747	26-32	E	475339.110	0.9996077	1.0000002	226357	26-92	TERR	1 24 36	113.705	113.750
		N	5365035.849			99366	26-60	TERR	91 54 33	184.481	184.554
		El	17.501			279216	26-46	TERR	181 9 12	123.664	123.713
						637926	26-33	TERR	274 9 15	120.378	120.426
637926	26-33	E	475219.048	0.9996077	1.0000001	87031	26-27	TERR	1 12 44	211.045	211.128
		N	5365044.569			749747	26-32	TERR	94 9 15	120.378	120.426
		El	17.832			18762	26-43	TERR	181 20 22	226.783	226.872
						472647	26-93	TERR	268 40 58	160.054	160.117
611608	26-34	E	475059.038	0.9996078	1.0000001	MARKER DESTROYED					
		N	5365040.887								
		El	17.773								
495457	26-36	E	474879.092	0.9996076	0.9999998	975094	26-19A	TERR	1 42 32	209.040	209.123
		N	5365052.710			472647	26-93	TERR	93 45 30	180.332	180.403
		El	19.766			745505	26-63	TERR	180 58 5	227.708	227.797
						170746	25-52	TERR	271 11 30	195.201	195.278
865477	26-4	E	475235.189	0.9996072	0.9999997	385633	31-13	TERR	1 33 45	129.380	129.431
		N	5365681.379			116178	26-5	TERR	91 29 29	120.463	120.510
		El	20.746			866251	26-91	TERR	181 34 2	190.500	190.575
						371344	26-3	TERR	272 19 45	68.896	68.923
827212	26-41	E	475052.231	0.9996079	1.0000003	472647	26-93	TERR	1 46 45	219.168	219.253
		N	5364821.828			18762	26-43	TERR	91 24 42	161.565	161.629
		El	17.030			745505	26-63	TERR	271 2 17	177.015	177.084

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
18762	26-43	E	475213.747	0.9996077	1.0000001	637926	26-33	TERR	1 20 22	226.783	226.872
		N	5364817.848			51284	26-44	TERR	89 1 22	121.487	121.534
		El	17.768			455048	15-161	TERR	181 20 49	216.030	216.114
						827212	26-41	TERR	271 24 42	161.565	161.629
51284	26-44	E	475335.216	0.9996073	0.9999998	279216	26-46	TERR	0 52 20	92.301	92.337
		N	5364819.920			452243	26-45	TERR	91 43 51	185.341	185.413
		El	19.897			455808	26-56	TERR	181 9 38	81.967	81.999
						18762	26-43	TERR	269 1 22	121.487	121.534
452243	26-45	E	475520.472	0.9996072	0.9999998	478586	26-48	TERR	91 29 51	162.356	162.419
		N	5364814.322			51284	26-44	TERR	271 43 51	185.341	185.413
		El	19.617								
279216	26-46	E	475336.621	0.9996075	1.0000000	749747	26-32	TERR	1 9 12	123.664	123.713
		N	5364912.210			215707	26-59	TERR	90 11 12	121.590	121.638
		El	18.712			51284	26-44	TERR	180 52 20	92.301	92.337
972091	26-47	E	475696.310	0.9996071	0.9999999	MARKER DESTROYED					
		N	5364904.630								
		El	19.470								
478586	26-48	E	475682.772	0.9996072	0.9999999	684381	26-49	TERR	188 23 51	84.962	84.996
		N	5364810.079			452243	26-45	TERR	271 29 51	162.356	162.419
		El	19.030								
684381	26-49	E	475670.364	0.9996072	0.9999999	478586	26-48	TERR	8 23 51	84.962	84.996
		N	5364726.028			714261	26-50	TERR	188 50 19	77.403	77.433
		El	19.407								
116178	26-5	E	475355.611	0.9996071	0.9999997	389171	31-12	TERR	1 45 33	205.545	205.625
		N	5365678.244			576926	26-6	TERR	181 35 59	190.666	190.741
		El	20.734			865477	26-4	TERR	271 29 29	120.463	120.510
714261	26-50	E	475658.471	0.9996069	0.9999996	684381	26-49	TERR	8 50 19	77.403	77.433
		N	5364649.544			982744	15-9A	TERR	188 8 27	88.655	88.690
		El	21.087			360669	26-57	TERR	271 37 24	204.614	204.694

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- UTM Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
322503	26-51	E	475331.098	0.9996071	0.9999996	455808	26-56	TERR	1 33 10	90.711	90.747
		N	5364647.292			360669	26-57	TERR	86 15 6	123.104	123.153
		El	21.335			547331	26-52	TERR	181 32 41	54.717	54.738
547331	26-52	E	475329.623	0.9996071	0.9999996	322503	26-51	TERR	1 32 41	54.717	54.738
		N	5364592.595			393926	15-8	TERR	96 40 24	146.022	146.080
		El	20.884			915900	15-13	TERR	190 19 22	93.954	93.991
						455048	15-161	TERR	274 23 19	121.310	121.357
609933	26-54A	E	474871.576	0.9996078	1.0000000	1875	26-64	TERR	94 42 12	90.433	90.468
		N	5364628.486			643478	15-6	TERR	170 43 35	93.149	93.185
		El	18.659			769109	26-95	TERR	274 24 48	86.886	86.920
303032	26-55	E	474784.950	0.9996080	1.0000002	MARKER DESTROYED					
		N	5364635.170								
		El	17.590								
455808	26-56	E	475333.556	0.9996071	0.9999996	51284	26-44	TERR	1 9 38	81.967	81.999
		N	5364737.970			322503	26-51	TERR	181 33 10	90.711	90.747
		El	21.142								
360669	26-57	E	475453.939	0.9996070	0.9999996	714261	26-50	TERR	91 37 24	204.614	204.694
		N	5364655.340			322503	26-51	TERR	266 15 6	123.104	123.153
		El	21.324								
681783	26-58	E	475469.407	0.9996070	0.9999996	MARKER DESTROYED					
		N	5364731.725								
		El	21.032								
215707	26-59	E	475458.210	0.9996074	1.0000000	279216	26-46	TERR	270 11 12	121.590	121.638
		N	5364911.814								
		El	18.481								
576926	26-6	E	475350.288	0.9996074	0.9999999	116178	26-5	TERR	1 35 59	190.666	190.741
		N	5365487.652			981795	26-28	TERR	181 35 26	218.054	218.140
		El	18.986			866251	26-91	TERR	271 34 13	120.354	120.402

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
99366	26-60	E N El	475523.489 5365029.703 18.287	0.9996074	1.0000001	749747	26-32	TERR	271 54 33	184.481	184.554	
378422	26-61	E N El	475518.122 5365144.523 18.132	0.9996074	1.0000001	737387 226357	26-30 26-92	TERR TERR	97 46 17 271 37 28	210.937 176.285	211.019 176.354	
913590	26-62	E N El	474777.821 5365783.277 29.514	0.9996061	0.9999983	733030 439273	31-9 25-19	TERR TERR	58 20 23 241 11 19	129.955 128.854	130.006 128.904	
745505	26-63	E N El	474875.245 5364825.035 16.756	0.9996080	1.0000003	495457 827212 421164	26-36 26-41 25-98	TERR TERR TERR	0 58 5 91 2 17 271 36 56	227.708 177.015 196.495	227.797 177.084 196.572	
1875	26-64	E N El	474961.704 5364621.071 20.002	0.9996075	0.9999998	526707 609933	15-1 26-54A	TERR TERR	94 8 57 274 42 12	85.804 90.433	85.837 90.468	
993113	26-8	E N El	475161.150 5365481.778 19.459	0.9996075	0.9999999	371344 866251 342154 843912	26-3 26-91 26-25 26-9	TERR TERR TERR TERR	1 28 18 82 24 35 181 43 42 271 31 18	202.468 69.437 89.289 68.838	202.547 69.464 89.323 68.866	
843912	26-9	E N El	475092.336 5365483.606 21.042	0.9996072	0.9999996	993113 987941 789222	26-8 26-15 26-10	TERR TERR TERR	91 31 18 271 31 43 328 45 23	68.838 153.471 134.799	68.866 153.531 134.852	
866251	26-91	E N El	475229.979 5365490.950 19.127	0.9996075	0.9999999	865477 576926 87031 993113	26-4 26-6 26-27 26-8	TERR TERR TERR TERR	1 34 2 91 34 13 181 34 25 262 24 35	190.500 120.354 235.472 69.437	190.575 120.402 235.565 69.464	
226357	26-92	E N El	475341.908 5365149.520 17.968	0.9996076	1.0000001	981795 378422 749747	26-28 26-61 26-32	TERR TERR TERR	1 6 36 91 37 28 181 24 36	120.185 176.285 113.705	120.232 176.354 113.750	

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
472647	26-93	E	475059.036	0.9996078	1.0000002	31476	26-22	TERR	1 23 19	218.031	218.117
		N	5365040.890			637926	26-33	TERR	88 40 58	160.054	160.117
		El	17.629			827212	26-41	TERR	181 46 45	219.168	219.253
						495457	26-36	TERR	273 45 30	180.332	180.403
769109	26-95	E	474784.948	0.9996080	1.0000002	609933	26-54A	TERR	94 24 48	86.886	86.920
		N	5364635.172			443770	25-129	TERR	274 26 17	113.863	113.908
		El	17.483								
963009	3-1	E	474685.649	0.9996103	1.0000024	MARKER DESTROYED					
		N	5361898.838								
		El	3.136								
634790	3-12	E	475123.365	0.9996087	1.0000011	455352	3-7	TERR	0 35 10	160.416	160.478
		N	5362010.903			249516	3-19	TERR	90 11 17	158.767	158.830
		El	11.691			854539	3-22	TERR	189 33 51	113.112	113.157
985465	3-14	E	475836.931	0.9996081	1.0000009	796037	81H4670	TERR	19 11 19	155.483	155.544
		N	5362140.776			422147	81H4102	TERR	125 55 40	142.987	143.043
		El	12.932			369777	3-15	TERR	281 48 41	161.980	162.043
						920140	10-99	TERR	335 18 51	153.459	153.519
369777	3-15	E	475678.381	0.9996082	1.0000010	985465	3-14	TERR	101 48 41	161.980	162.043
		N	5362173.932			932921	3-16	TERR	249 22 31	152.450	152.510
		El	12.504			172577	10-125	TERR	353 8 21	99.383	99.422
932921	3-16	E	475535.702	0.9996083	1.0000009	871954	NO MARKING	TERR	63 36 50	441.661	441.836
		N	5362120.232			369777	3-15	TERR	69 22 31	152.450	152.510
		El	12.781			188573	3-17	TERR	229 54 44	102.654	102.694
188573	3-17	E	475457.166	0.9996083	1.0000009	932921	3-16	TERR	49 54 44	102.654	102.694
		N	5362054.127			819607	3-24A	TERR	174 11 15	122.244	122.291
		El	12.646			747667	3-18	TERR	240 53 21	87.745	87.779
747667	3-18	E	475380.505	0.9996083	1.0000009	188573	3-17	TERR	60 53 21	87.745	87.779
		N	5362011.439			249516	3-19	TERR	269 23 4	98.380	98.418
		El	12.974								

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
249516	3-19	E	475282.131	0.9996086	1.0000011	205450		TERR	0 48 12	267.379	267.484
		N	5362010.382					TERR	89 23 4	98.380	98.418
		El	11.708					TERR	180 48 4	217.899	217.985
			CVD28BC					TERR	270 11 17	158.767	158.830
345454	3-2	E	474885.731	0.9996102	1.0000024	854539		TERR	104 51 23	226.409	226.497
		N	5361957.414								
		El	3.072								
			CVD28BC								
854539	3-22	E	475104.571	0.9996093	1.0000017	634790		TERR	9 33 51	113.112	113.157
		N	5361899.363					TERR	131 20 3	115.537	115.581
		El	8.018					TERR	284 51 23	226.409	226.497
			CVD28BC								
819607	3-24A	E	475469.546	0.9996084	1.0000010	964676		TERR	180 40 14	147.655	147.713
		N	5361932.512					TERR	354 11 15	122.244	122.291
		El	12.476								
			CVD28BC								
964676	3-26	E	475467.818	0.9996090	1.0000017	819607	3-24A	TERR	0 40 14	147.655	147.713
		N	5361784.867								
		El	8.083								
			CVD28BC								
355669	3-28	E	475279.084	0.9996091	1.0000016	249516		TERR	0 48 4	217.899	217.985
		N	5361792.504					TERR	289 11 43	92.926	92.963
		El	8.250								
			CVD28BC								
494237	3-29	E	475191.324	0.9996093	1.0000017	355669		TERR	109 11 43	92.926	92.963
		N	5361823.057					TERR	269 23 57	701.163	701.436
		El	7.795					TERR	311 20 3	115.537	115.581
			CVD28BC								
995548	3-3	E	474736.703	0.9996091	1.0000012	986547	10-85A	TERR	2 5 59	291.034	291.148
		N	5362143.625					TERR	67 20 23	122.438	122.485
		El	10.872								
			CVD28BC								
379057	3-30	E	475060.448	0.9996088	1.0000011	455352		TERR	97 19 18	65.089	65.114
		N	5362179.606					TERR	273 2 21	211.056	211.138
		El	11.369					TERR	356 8 14	244.643	244.738
			CVD28BC								

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER ----- GCM-NO	IDENTIFIERS ----- TABLET MARKING	UTM Coordinates Metres	Station Scale Factor Combined Ellipsoidal	TO MARKER IDENTIFIERS ----- GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
598615	3-4	E 474849.689 N 5362190.796 El 11.459	0.9996089 1.0000011	459818 379057 995548	10-128 3-30 3-3	TERR TERR TERR	1 58 30 93 2 21 247 20 23	239.697 211.056 122.438	239.791 211.138 122.485
151233	3-6	E 475061.111 N 5362170.421 El 11.582	0.9996087 1.0000011	MARKER DESTROYED					
455352	3-7	E 475125.006 N 5362171.311 El 12.576	0.9996085 1.0000009	634790 379057	3-12 3-30	TERR TERR	180 35 10 277 19 18	160.416 65.089	160.478 65.114
45302	3-8	E 475197.346 N 5362201.799 El 13.939	0.9996083 1.0000007	205450	3-9	TERR	49 22 49	116.639	116.685
205450	3-9	E 475285.880 N 5362277.735 El 13.744	0.9996083 1.0000008	684126 249516 45302	10-90 3-19 3-8	TERR TERR TERR	32 45 42 180 48 12 229 22 49	250.744 267.379 116.639	250.842 267.484 116.685
345272	31-10	E 475080.826 N 5365950.217 El 21.840	0.9996071 0.9999995	733030 11817	31-9 31-8	TERR TERR	242 50 4 332 32 12	216.245 96.932	216.330 96.970
586107	31-11	E 475369.488 N 5366156.272 El 28.963	0.9996058 0.9999984	MARKER DESTROYED					
389171	31-12	E 475361.921 N 5365883.692 El 23.126	0.9996068 0.9999993	13664 196535 116178 385633	31-14 85H0818 26-5 31-13	TERR TERR TERR TERR	1 7 37 56 9 11 181 45 33 239 21 33	161.881 108.949 205.545 143.197	161.945 108.992 205.625 143.253
385633	31-13	E 475238.717 N 5365810.711 El 22.621	0.9996069 0.9999994	389171 865477 459842	31-12 26-4 26-2	TERR TERR TERR	59 21 33 181 33 45 239 21 18	143.197 129.380 81.580	143.253 129.431 81.613

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING		Bearing				
13664	31-14	E N El	475365.105 5366045.542 26.087	0.9996063	0.9999988	389171 526442	31-12 LEGAL 1	TERR TERR	181 7 37 351 12 34			161.881 111.018	161.945 111.062
513572	31-141	E N El	475185.164 5366166.745 27.362	0.9996062	0.9999986	526442 444232	LEGAL 1 31-4A	TERR TERR	94 1 57 270 36 11			163.380 217.623	163.444 217.708
478297	31-15	E N El	474727.942 5365861.927 28.098	0.9996064	0.9999985	411959 347179	31-7 32-42	TERR TERR	56 59 37 242 9 53			138.275 123.333	138.330 123.382
801761	31-16	E N El	474723.036 5366175.523 22.945	0.9996072	0.9999993	854968 535583 669408	31-2A 31-3 32-61	TERR TERR TERR	91 9 30 152 55 10 272 53 23			106.749 83.689 154.101	106.791 83.722 154.162
854968	31-2A	E N El	474829.763 5366173.365 23.211	0.9996071	0.9999993	708875 444232 801761	80H2420 31-4A 31-16	TERR TERR TERR	2 22 25 91 47 58 271 9 30			268.112 137.858 106.749	268.218 137.913 106.791
535583	31-3	E N El	474761.135 5366101.009 22.324	0.9996072	0.9999994	825471 801761	32-40 31-16	TERR TERR	242 43 48 332 55 10			262.348 83.689	262.451 83.722
444232	31-4A	E N El	474967.553 5366169.036 24.167	0.9996068	0.9999991	513572 598342 854968	31-141 31-6 31-2A	TERR TERR TERR	90 36 11 153 17 56 271 47 58			217.623 64.760 137.858	217.708 64.785 137.913
459263	31-5	E N El	474804.797 5366012.399 22.151	0.9996072	0.9999994		MARKER DESTROYED						
598342	31-6	E N El	474996.652 5366111.182 24.015	0.9996068	0.9999992	11817 444232	31-8 31-4A	TERR TERR	152 13 46 333 17 56			84.714 64.760	84.747 64.785

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
411959	31-7	E	474843.901	0.9996073	0.9999996	11817	31-8	TERR	62 45 22	216.207	216.292
		N	5365937.250			733030	31-9	TERR	152 33 30	96.635	96.673
		El	21.488			478297	31-15	TERR	236 59 37	138.275	138.330
11817	31-8	E	475036.123	0.9996071	0.9999994	345272	31-10	TERR	152 32 12	96.932	96.970
		N	5366036.225			411959	31-7	TERR	242 45 22	216.207	216.292
		El	22.226			598342	31-6	TERR	332 13 46	84.714	84.747
733030	31-9	E	474888.435	0.9996074	0.9999996	345272	31-10	TERR	62 50 4	216.245	216.330
		N	5365851.488			831826	26-1	TERR	152 28 38	93.877	93.914
		El	21.108			913590	26-62	TERR	238 20 23	129.955	130.006
						411959	31-7	TERR	332 33 30	96.635	96.673
705459	32-10	E	473864.586	0.9996043	0.9999959	517458	32-58	TERR	78 29 5	133.803	133.855
		N	5366265.276								
		El	44.721								
870378	32-12	E	474072.923	0.9996048	0.9999966	MARKER DESTROYED					
		N	5366392.018								
		El	40.594								
905190	32-15	E	474104.568	0.9996047	0.9999964	MARKER DESTROYED					
		N	5366221.126								
		El	41.236								
268607	32-16	E	474122.025	0.9996054	0.9999971	MARKER DESTROYED					
		N	5366111.625								
		El	36.838								
892752	32-17	E	474320.692	0.9996053	0.9999972	912741	32-51	TERR	57 50 21	98.338	98.377
		N	5366148.442			335778	32-52	TERR	259 57 36	93.321	93.358
		El	36.588								
763540	32-18	E	473886.193	0.9996056	0.9999973	750075	32-19	TERR	165 52 13	100.295	100.335
		N	5366170.034								
		El	36.058								

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
750075	32-19	E	473910.677	0.9996052	0.9999969	917229	32-53	TERR	79 9 22	97.596	97.635
		N	5366072.773			749994	32-33	TERR	176 57 43	78.079	78.110
		El	38.665			49627	32-20	TERR	259 40 34	72.473	72.502
						763540	32-18	TERR	345 52 13	100.295	100.335
484030	32-2	E	473231.839	0.9996082	0.9999994	882985	79H8982	TERR	12 42 28	157.396	157.458
		N	5366256.514			999706	32-50	TERR	169 21 20	156.319	156.380
		El	22.175			542720	33-34	TERR	260 42 49	167.645	167.711
49627	32-20	E	473839.377	0.9996050	0.9999966	750075	32-19	TERR	79 40 34	72.473	72.502
		N	5366059.785			348284	32-21	TERR	259 25 8	84.628	84.661
		El	40.382			155358	32-63	TERR	351 26 25	129.516	129.567
348284	32-21	E	473756.188	0.9996052	0.9999967	49627	32-20	TERR	79 25 8	84.628	84.661
		N	5366044.245			845628	32-25	TERR	259 32 30	74.718	74.749
		El	39.577			314906	32-22	TERR	354 29 50	112.322	112.366
314906	32-22	E	473745.417	0.9996061	0.9999977	348284	32-21	TERR	174 29 50	112.322	112.366
		N	5366156.049								
		El	33.430								
621607	32-23	E	473717.191	0.9996062	0.9999978	856492	32-24	TERR	259 29 55	74.735	74.763
		N	5366254.742								
		El	32.870								
856492	32-24	E	473643.708	0.9996069	0.9999983	621607	32-23	TERR	79 29 55	74.735	74.763
		N	5366241.121			845628	32-25	TERR	169 29 60	214.023	214.107
		El	29.253								
845628	32-25	E	473682.711	0.9996053	0.9999968	348284	32-21	TERR	79 32 30	74.718	74.749
		N	5366030.682			482141	32-26	TERR	259 32 20	59.427	59.450
		El	38.826			856492	32-24	TERR	349 29 60	214.023	214.107
482141	32-26	E	473624.272	0.9996055	0.9999969	845628	32-25	TERR	79 32 20	59.427	59.450
		N	5366019.892			232355	32-27	TERR	259 32 25	113.119	113.164
		El	38.164			378687	32-57	TERR	349 48 45	148.860	148.919

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
232355	32-27	E 473513.033	0.9996057	0.9999971		482141	32-26	TERR	79 32 25	113.119	113.164
		N 5365999.356				904870	32-67	TERR	259 40 51	127.604	127.654
		El 37.304 CVD28BC				261826	32-55	TERR	354 13 34	159.243	159.306
831354	32-29	E 473287.215	0.9996068	0.9999980		904870	32-67	TERR	79 21 8	102.035	102.075
		N 5365957.645				416925	32-49	TERR	169 18 21	135.989	136.042
		El 31.240 CVD28BC				708412	32-30	TERR	270 22 12	90.433	90.469
						999706	32-50	TERR	349 39 32	147.638	147.697
531889	32-3	E 473332.465	0.9996080	0.9999993		MARKER DESTROYED					
		N 5366273.678									
		El 22.964 CVD28BC									
708412	32-30	E 473196.784	0.9996072	0.9999983		831354	32-29	TERR	90 22 12	90.433	90.469
		N 5365958.229				792614	33-40	TERR	259 12 24	80.570	80.602
		El 29.220 CVD28BC				3970	32-31	TERR	349 52 13	187.313	187.386
3970	32-31	E 473163.840	0.9996078	0.9999989		708412	32-30	TERR	169 52 13	187.313	187.386
		N 5366142.622				770313	33-39	TERR	230 10 13	92.800	92.837
		El 25.456 CVD28BC									
749994	32-33	E 473914.815	0.9996048	0.9999965		14753	32-66	TERR	78 26 41	119.877	119.924
		N 5365994.804				750075	32-19	TERR	356 57 43	78.079	78.110
		El 41.035 CVD28BC									
491720	32-34	E 474143.900	0.9996060	0.9999978		535195	32-35	TERR	84 52 52	107.753	107.796
		N 5366040.472				582510	32-70	TERR	164 45 37	104.037	104.077
		El 32.779 CVD28BC				14753	32-66	TERR	259 1 21	113.719	113.763
						484709	32-69	TERR	343 15 3	75.102	75.132
535195	32-35	E 474251.223	0.9996053	0.9999972		385104	32-36	TERR	92 7 40	258.937	259.038
		N 5366050.086				491720	32-34	TERR	264 52 52	107.753	107.796
		El 36.728 CVD28BC									
385104	32-36	E 474509.981	0.9996063	0.9999983		669408	32-61	TERR	22 29 50	154.584	154.645
		N 5366040.472				825471	32-40	TERR	163 14 40	62.313	62.338
		El 29.247 CVD28BC				247361	32-43	TERR	209 34 5	132.978	133.031
						535195	32-35	TERR	272 7 40	258.937	259.038

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
847889	32-4	E 473471.605 N 5366297.829 El 27.380		0.9996073	0.9999986	742189	32-5	TERR	78 12 5	100.786	100.826
825471	32-40	E 474527.945 N 5365980.805 El 31.387		0.9996060	0.9999980	535583 45005 385104	31-3 32-41 32-36	TERR TERR TERR	62 43 48 152 51 39 343 14 40	262.348 98.763 62.313	262.451 98.802 62.338
45005	32-41	E 474572.996 N 5365892.916 El 31.271		0.9996060	0.9999980	347179 825471	32-42 32-40	TERR TERR	152 36 57 332 51 39	99.755 98.763	99.795 98.802
347179	32-42	E 474618.879 N 5365804.339 El 31.080		0.9996060	0.9999980	478297 439273 328351 45005	31-15 25-19 25-18 32-41	TERR TERR TERR TERR	62 9 53 151 1 49 231 57 37 332 36 57	123.333 95.054 93.448 99.755	123.382 95.091 93.485 99.795
247361	32-43	E 474444.362 N 5365924.812 El 33.133		0.9996057	0.9999977	385104 328351 93054	32-36 25-18 32-68	TERR TERR TERR	29 34 5 150 27 22 212 30 29	132.978 204.667 118.675	133.031 204.747 118.721
239707	32-44	E 474380.584 N 5365824.745 El 35.447		0.9996054	0.9999974		MARKER DESTROYED				
43885	32-46	E 474170.093 N 5365946.445 El 33.993		0.9996058	0.9999976		MARKER DESTROYED				
555599	32-47	E 474051.424 N 5365921.204 El 40.151		0.9996049	0.9999966	582510 14753	32-70 32-66	TERR TERR	81 2 28 348 53 37	121.303 99.476	121.351 99.515
568329	32-48	E 474013.648 N 5365821.329 El 65.954		0.9996009	0.9999926	186130 944371	32-71 25-11	TERR TERR	79 50 18 199 47 37	173.506 74.110	173.575 74.139

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
416925	32-49	E N El	473312.450 5365824.018 29.433	0.9996070	0.9999983	831354	32-29	TERR	349 18 21	135.989	136.042
742189	32-5	E N El	473570.262 5366318.437 29.775	0.9996068	0.9999982	182337 847889	32-56 32-4	TERR TERR	81 55 8 258 12 5	142.626 100.786	142.682 100.826
999706	32-50	E N El	473260.713 5366102.885 29.593	0.9996071	0.9999983	831354 484030	32-29 32-2	TERR TERR	169 39 32 349 21 20	147.638 156.319	147.697 156.380
912741	32-51	E N El	474403.941 5366200.787 28.195	0.9996065	0.9999985	669408 892752	32-61 32-17	TERR TERR	96 2 44 237 50 21	166.114 98.338	166.179 98.377
335778	32-52	E N El	474228.800 5366132.173 40.974	0.9996047	0.9999965	892752 484709	32-17 32-69	TERR TERR	79 57 36 259 28 48	93.321 108.365	93.358 108.407
917229	32-53	E N El	474006.530 5366091.134 35.203	0.9996057	0.9999974	484709 750075	32-69 32-19	TERR TERR	79 35 36 259 9 22	117.663 97.596	117.709 97.635
844712	32-54	E N El	473365.013 5366098.006 31.536	0.9996067	0.9999980	904870	32-67	TERR	169 31 6	123.570	123.619
261826	32-55	E N El	473497.013 5366157.791 30.439	0.9996068	0.9999981	232355	32-27	TERR	174 13 34	159.243	159.306
182337	32-56	E N El	473711.472 5366338.487 43.837	0.9996045	0.9999960	404467 382960 742189	79H0655 32-6 32-5	TERR TERR TERR	21 9 53 78 45 4 261 55 8	105.503 78.120 142.626	105.545 78.151 142.682

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
378687	32-57	E 473597.943 N 5366166.405 El 33.502		0.9996062	0.9999977	482141	32-26	TERR	169 48 45	148.860	148.919
					CVD28BC						
517458	32-58	E 473995.696 N 5366291.987 El 45.783		0.9996040	0.9999957	705459	32-10	TERR	258 29 5	133.803	133.855
					CVD28BC						
382960	32-6	E 473788.091 N 5366353.726 El 56.499		0.9996025	0.9999941	560136 182337	2255 32-56	TERR TERR	74 20 56 258 45 4	100.619 78.120	100.658 78.151
					CVD28BC						
669408	32-61	E 474569.131 N 5366183.292 El 24.448		0.9996070	0.9999991	779116 801761 385104 912741	80H2468 31-16 32-36 32-51	TERR TERR TERR TERR	9 25 18 92 53 23 202 29 50 276 2 44	427.594 154.101 154.584 166.114	427.763 154.162 154.645 166.179
155358	32-63	E 473820.100 N 5366187.858 El 35.029		0.9996058	0.9999974	49627	32-20	TERR	171 26 25	129.516	129.567
					CVD28BC						
384974	32-65	E 473409.509 N 5365852.768 El 31.774		0.9996066	0.9999979	227181 904870	25-3 32-67	TERR TERR	169 8 49 349 54 38	129.500 125.674	129.552 125.722
					CVD28BC						
14753	32-66	E 474032.262 N 5366018.817 El 36.532		0.9996055	0.9999972	491720 555599 749994	32-34 32-47 32-33	TERR TERR TERR	79 1 21 168 53 37 258 26 41	113.719 99.476 119.877	113.763 99.515 119.924
904870	32-67	E 473387.493 N 5365976.498 El 31.899		0.9996066	0.9999979	232355 384974 831354 844712	32-27 32-65 32-29 32-54	TERR TERR TERR TERR	79 40 51 169 54 38 259 21 8 349 31 6	127.604 125.674 102.035 123.570	127.654 125.722 102.075 123.619
93054	32-68	E 474380.584 N 5365824.732 El 35.388		0.9996054	0.9999974	247361 371468	32-43 25-14	TERR TERR	32 30 29 214 34 12	118.675 184.900	118.721 184.974
					CVD28BC						

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Scale Factor at Reference Central Meridian = 0.9996

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station	Scale	Factor	TO MARKER -----	IDENTIFIERS -----	Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal		GCM-NO	TABLET MARKING			Metres	Metres
484709	32-69	E	474122.257	0.9996053	0.9999971	335778	32-52	TERR	79 28 48	108.365	108.407
		N	5366112.388			491720	32-34	TERR	163 15 3	75.102	75.132
		E1	37.044	CVD28BC		917229	32-53	TERR	259 35 36	117.663	117.709
582510	32-70	E	474171.247	0.9996057	0.9999976	186130	32-71	TERR	171 29 36	89.135	89.169
		N	5365940.094			555599	32-47	TERR	261 2 28	121.303	121.351
		E1	34.208	CVD28BC		491720	32-34	TERR	344 45 37	104.037	104.077
186130	32-71	E	474184.432	0.9996050	0.9999968	357467	25-140	TERR	170 39 13	132.479	132.532
		N	5365851.940			568329	32-48	TERR	259 50 18	173.506	173.575
		E1	38.893	CVD28BC		582510	32-70	TERR	351 29 36	89.135	89.169
203083	32-9	E	474097.268	0.9996047	0.9999964	MARKER DESTROYED					
		N	5366311.990								
		E1	41.392	CVD28BC							
920082	33-1	E	471560.458	0.9996088	0.9999989	241869	11703	TERR	30 12 36	5607.157	5609.444
		N	5366317.676			76356	33-3	TERR	127 29 48	191.626	191.701
		E1	25.546	CVD28BC		834440	33-2	TERR	127 34 32	98.090	98.128
						507863	34-6	TERR	215 29 26	149.812	149.871
						445965	79H8700	TERR	307 27 30	119.729	119.776
74989	33-10	E	471579.679	0.9996091	0.9999991	509331	33-45	TERR	28 40 4	143.506	143.562
		N	5365957.302			665588	34-2	TERR	306 46 52	102.594	102.634
		E1	23.969	CVD28BC							
805788	33-11	E	471662.995	0.9996093	0.9999994	936914	33-12	TERR	67 52 13	86.269	86.303
		N	5365952.471								
		E1	22.102	CVD28BC							
936914	33-12	E	471742.909	0.9996095	0.9999997	436428	33-4	TERR	24 16 13	157.337	157.399
		N	5365984.969			805788	33-11	TERR	247 52 13	86.269	86.303
		E1	20.355	CVD28BC							
224311	33-13	E	471870.014	0.9996100	1.0000003	MARKER DESTROYED					
		N	5365891.096								
		E1	16.712	CVD28BC							

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
577569	33-14	E 472148.174 N 5366024.494 El 7.855		0.9996112	1.0000017	224519 314153	33-17 33-7	TERR TERR	73 50 51 216 9 50	117.877 118.732	117.923 118.778
224519	33-17	E 472261.398 N 5366057.287 El 8.162		0.9996111	1.0000016	577569	33-14	TERR	253 50 51	117.877	117.923
557769	33-19	E 472289.722 N 5365986.143 El 7.749		0.9996111	1.0000017	68460	33-9	TERR	216 9 31	171.195	171.261
834440	33-2	E 471638.199 N 5366257.860 El 24.905		0.9996089	0.9999990	76356 920082	33-3 33-1	TERR TERR	127 24 50 307 34 32	93.537 98.090	93.574 98.128
868802	33-28	E 472695.598 N 5365846.721 El 10.234		0.9996105	1.0000013	MARKER DESTROYED					
76356	33-3	E 471712.492 N 5366201.030 El 23.530		0.9996090	0.9999992	436428 509331 834440 920082	33-4 33-45 33-2 33-1	TERR TERR TERR TERR	127 22 23 208 30 2 307 24 50 307 29 48	119.654 134.060 93.537 191.626	119.700 134.113 93.574 191.701
366484	33-30	E 472918.794 N 5365877.511 El 13.916		0.9996097	1.0000007	792614 320366	33-40 24-21	TERR TERR	71 44 3 166 44 39	209.396 250.073	209.478 250.171
280735	33-31	E 472766.635 N 5366194.085 El 15.137		0.9996096	1.0000005	451559 365825	33-51 33-43	TERR TERR	87 17 15 258 59 8	133.440 117.515	133.492 117.561
632331	33-32	E 472899.928 N 5366200.397 El 18.068		0.9996091	1.0000001	MARKER DESTROYED					

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Coordinates Metres			----- GCM-NO	----- TABLET MARKING		Bearing				
542720	33-34	E	473066.391	0.9996083	0.9999993	992099	79H0595	TERR	18	2	60	105.924	105.966
		N	5366229.461			484030	32-2	TERR	80	42	49	167.645	167.711
		El	22.712			770313	33-39	TERR	169	51	7	148.603	148.662
						451559	33-51	TERR	260	5	50	168.984	169.049
497990	33-37	E	472934.290	0.9996096	1.0000006	913566	33-38	TERR	88	33	34	82.025	82.058
		N	5366004.439			451559	33-51	TERR	350	3	12	198.951	199.029
		El	14.947										
913566	33-38	E	473016.289	0.9996092	1.0000003	770313	33-39	TERR	44	51	5	108.164	108.206
		N	5366006.501			497990	33-37	TERR	268	33	34	82.025	82.058
		El	16.651										
770313	33-39	E	473092.574	0.9996085	0.9999996	3970	32-31	TERR	50	10	13	92.800	92.837
		N	5366083.183			792614	33-40	TERR	169	51	9	142.267	142.322
		El	20.820			913566	33-38	TERR	224	51	5	108.164	108.206
						542720	33-34	TERR	349	51	7	148.603	148.662
436428	33-4	E	471807.581	0.9996094	0.9999996	839910	33-52	TERR	126	36	60	138.404	138.458
		N	5366128.400			936914	33-12	TERR	204	16	13	157.337	157.399
		El	20.879			76356	33-3	TERR	307	22	23	119.654	119.700
792614	33-40	E	473117.639	0.9996080	0.9999991	708412	32-30	TERR	79	12	24	80.570	80.602
		N	5365943.141			366484	33-30	TERR	251	44	3	209.396	209.478
		El	24.296			770313	33-39	TERR	349	51	9	142.267	142.322
365825	33-43	E	472651.285	0.9996096	1.0000004	280735	33-31	TERR	78	59	8	117.515	117.561
		N	5366171.633			841593	33-47	TERR	258	11	55	204.299	204.379
		El	15.861										
834960	33-44	E	471708.774	0.9996090	0.9999992	987719	24-98	TERR	203	16	40	123.872	123.921
		N	5365869.613										
		El	23.516										
509331	33-45	E	471648.523	0.9996087	0.9999988	76356	33-3	TERR	28	30	2	134.060	134.113
		N	5366083.216			74989	33-10	TERR	208	40	4	143.506	143.562
		El	25.907										

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
587485	33-46	E 471508.567 N 5365826.946 El 28.301		0.9996084	0.9999985	821587	23-3	TERR	208 51 42	172.984	173.051
841593	33-47	E 472451.304 N 5366129.850 El 9.727		0.9996107	1.0000014	365825 593954	33-43 79H8868	TERR TERR	78 11 55 338 15 32	204.299 182.084	204.379 182.155
41970	33-48	E 472505.588 N 5365993.430 El 6.854		0.9996111	1.0000018		MARKER DESTROYED				
272179	33-49	E 472567.403 N 5365836.030 El 9.118		0.9996107	1.0000015		MARKER DESTROYED				
537084	33-5	E 471918.660 N 5366045.845 El 18.642		0.9996097	1.0000000		MARKER DESTROYED				
103564	33-50	E 472695.600 N 5365846.731 El 9.910		0.9996105	1.0000013		MARKER DESTROYED				
451559	33-51	E 472899.925 N 5366200.400 El 18.022		0.9996091	1.0000001	542720 497990 280735	33-34 33-37 33-31	TERR TERR TERR	80 5 50 170 3 12 267 17 15	168.984 198.951 133.440	169.049 199.029 133.492
839910	33-52	E 471918.670 N 5366045.848 El 18.714		0.9996096	1.0000000	314153 436428	33-7 33-4	TERR TERR	126 19 15 306 36 60	197.888 138.404	197.965 138.458
314153	33-7	E 472078.111 N 5365928.638 El 9.291		0.9996110	1.0000014	577569 68460 839910	33-14 33-9 33-52	TERR TERR TERR	36 9 50 126 7 16 306 19 15	118.732 136.922 197.888	118.778 136.975 197.965

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates	Station Scale Factor		TO MARKER -----	IDENTIFIERS -----	Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
68460	33-9	E	472188.713	0.9996107	1.0000012	557769	33-19	TERR	36 9 31	171.195	171.261
		N	5365847.923			714071	24-108	TERR	126 8 32	180.028	180.099
		El	10.858	CVD28BC		314153	33-7	TERR	306 7 16	136.922	136.975
537555	34-1	E	471399.797	0.9996084	0.9999984	507863	34-6	TERR	35 28 5	126.989	127.039
		N	5366092.272			665588	34-2	TERR	126 57 58	122.294	122.342
		El	28.780	CVD28BC		581264	79H8778	TERR	309 13 34	111.199	111.242
665588	34-2	E	471497.509	0.9996088	0.9999988	74989	33-10	TERR	126 46 52	102.594	102.634
		N	5366018.731			537555	34-1	TERR	306 57 58	122.294	122.342
		El	26.165	CVD28BC							
779579	34-4	E	471251.935	0.9996087	0.9999985	MARKER DESTROYED					
		N	5365884.465								
		El	27.744	CVD28BC							
507863	34-6	E	471473.482	0.9996080	0.9999980	920082	33-1	TERR	35 29 26	149.812	149.871
		N	5366195.697			537555	34-1	TERR	215 28 5	126.989	127.039
		El	31.472	CVD28BC							
383018	4-10A	E	473877.104	0.9996107	1.0000023	817031	9-108	TERR	9 40 19	104.377	104.417
		N	5362332.157			772160	4-77	TERR	99 32 17	200.321	200.400
		El	4.034	CVD28BC		1438	9-124	TERR	189 6 22	105.121	105.161
						622514	9-103	TERR	279 31 58	92.396	92.433
140905	4-11	E	474074.658	0.9996105	1.0000023	MARKER DESTROYED					
		N	5362298.965								
		El	4.170	CVD28BC							
259044	4-12	E	474159.142	0.9996101	1.0000019	127985	9-110	TERR	9 22 41	104.124	104.165
		N	5362284.773			403899	4-8A	TERR	189 48 45	109.193	109.235
		El	6.530	CVD28BC		772160	4-77	TERR	279 32 3	85.669	85.703
127829	4-13	E	474255.795	0.9996084	1.0000003	269803	9-113	TERR	32 47 35	78.275	78.305
		N	5362155.618			403899	4-8A	TERR	280 35 40	117.261	117.306
		El	16.742	CVD28BC							

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
133751	4-14	E	474637.148	0.9996091	1.0000012	478461	9-117	TERR	1 42 4	142.890	142.946
		N	5362126.779			663682	4-48	TERR	215 17 40	215.078	215.161
		El	11.215			445452	9-118	TERR	319 56 42	154.470	154.530
857938	4-16	E	474359.438	0.9996104	1.0000023	663682	4-48	TERR	51 11 57	196.891	196.969
		N	5361827.859			652735	4-21	TERR	155 6 10	94.025	94.062
		El	3.796			99648	4-17	TERR	231 35 18	136.703	136.756
99648	4-17	E	474252.322	0.9996102	1.0000021	789230	4-71	TERR	9 30 21	176.788	176.857
		N	5361742.924			857938	4-16	TERR	51 35 18	136.703	136.756
		El	5.149			205211	4-18	TERR	230 29 60	76.454	76.484
205211	4-18	E	474193.328	0.9996100	1.0000018	99648	4-17	TERR	50 29 60	76.454	76.484
		N	5361694.293			79020	4-20	TERR	180 25 33	116.664	116.710
		El	7.159			44107	4-43	TERR	279 33 57	131.605	131.656
606103	4-2	E	473413.464	0.9996103	1.0000016	942805	9-91	TERR	1 20 3	113.162	113.206
		N	5362370.099			744904	4-5	TERR	181 20 15	116.113	116.158
		El	8.067			370353	4-3	TERR	271 20 42	88.653	88.688
79020	4-20	E	474192.461	0.9996094	1.0000012	205211	4-18	TERR	0 25 33	116.664	116.710
		N	5361577.632			652735	4-21	TERR	51 23 33	264.334	264.437
		El	10.783			442772	4-52	TERR	209 24 52	126.754	126.804
652735	4-21	E	474399.022	0.9996103	1.0000022	690784	4-49A	TERR	51 16 5	116.883	116.928
		N	5361742.572			79020	4-20	TERR	231 23 33	264.334	264.437
		El	4.262			857938	4-16	TERR	335 6 10	94.025	94.062
2196	4-23	E	474515.878	0.9996100	1.0000020	663682	4-48	TERR	182 48 17	61.249	61.272
		N	5362012.410			281667	4-24	TERR	279 31 12	123.517	123.565
281667	4-24	E	474394.062	0.9996095	1.0000015	2196	4-23	TERR	99 31 12	123.517	123.565
		N	5362032.839			715839	4-73	TERR	279 48 54	91.355	91.391
		El	9.215								

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
637942	4-28	E 474038.245	0.9996105	1.0000022		228940	4-9	TERR	10 20 44	105.673	105.714
		N 5362091.044				811240	4-75	TERR	98 29 32	87.117	87.152
		El 4.213 CVD28BC				601450	4-76	TERR	279 30 25	90.546	90.580
918029	4-29	E 473948.941	0.9996106	1.0000023		MARKER DESTROYED					
		N 5362106.002									
		El 3.828 CVD28BC									
370353	4-3	E 473324.835	0.9996100	1.0000013		957852	9-90	TERR	1 20 2	212.803	212.886
		N 5362372.180				606103	4-2	TERR	91 20 42	88.653	88.688
		El 10.487 CVD28BC				906602	4-4	TERR	181 20 7	116.119	116.163
541508	4-30	E 473842.174	0.9996107	1.0000023		1438	9-124	TERR	9 55 56	106.057	106.099
		N 5362123.894				601450	4-76	TERR	99 30 53	108.258	108.300
		El 3.777 CVD28BC				957332	4-37	TERR	189 30 20	209.954	210.035
502245	4-31	E 473768.148	0.9996107	1.0000023		502245	4-31	TERR	279 30 25	75.057	75.086
		N 5362136.291				541508	4-30	TERR	99 30 25	75.057	75.086
		El 3.959 CVD28BC				659854	4-33	TERR	189 29 44	105.733	105.775
905778	4-32	E 473567.525	0.9996105	1.0000020		772871	4-32	TERR	279 30 34	203.418	203.498
		N 5362169.898				502245	4-31	TERR	99 30 34	203.418	203.498
		El 6.084 CVD28BC				48090	4-34A	TERR	184 47 9	106.098	106.139
659854	4-33	E 473750.705	0.9996102	1.0000018		502245	4-31	TERR	9 29 44	105.733	105.775
		N 5362032.007				48090	4-34A	TERR	279 30 29	194.707	194.783
		El 7.300 CVD28BC									
48090	4-34A	E 473558.673	0.9996102	1.0000016		905778	4-32	TERR	4 47 9	106.098	106.139
		N 5362064.170				659854	4-33	TERR	99 30 29	194.707	194.783
		El 8.527 CVD28BC				692970	4-35	TERR	184 47 1	104.565	104.607
692970	4-35	E 473549.953	0.9996098	1.0000013		48090	4-34A	TERR	4 47 1	104.565	104.607
		N 5361959.969				879023	4-36	TERR	99 30 37	177.944	178.014
		El 10.553 CVD28BC				298190	4-79	TERR	184 46 59	105.060	105.101

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
879023	4-36	E	473725.451	0.9996098	1.0000013	957332	4-37	TERR	99 30 35	83.194	83.227
		N	5361930.568			513390	4-44	TERR	189 34 57	104.525	104.566
		El	10.085	CVD28BC		692970	4-35	TERR	279 30 37	177.944	178.014
957332	4-37	E	473807.502	0.9996097	1.0000012	541508	4-30	TERR	9 30 20	209.954	210.035
		N	5361916.823			344283	4-38	TERR	99 22 34	108.113	108.155
		El	10.654	CVD28BC		872101	4-56	TERR	189 30 41	267.731	267.835
						879023	4-36	TERR	279 30 35	83.194	83.227
344283	4-38	E	473914.171	0.9996096	1.0000012	601450	4-76	TERR	9 32 42	209.692	209.775
		N	5361899.210			785444	4-39	TERR	99 39 53	90.797	90.832
		El	10.725	CVD28BC		957332	4-37	TERR	279 22 34	108.113	108.155
785444	4-39	E	474003.679	0.9996095	1.0000012	786129	4-40	TERR	99 30 25	86.864	86.898
		N	5361883.967			341040	4-72	TERR	189 36 56	168.712	168.778
		El	10.861	CVD28BC		344283	4-38	TERR	279 39 53	90.797	90.832
906602	4-4	E	473322.129	0.9996094	1.0000006	370353	4-3	TERR	1 20 7	116.119	116.163
		N	5362256.093			744904	4-5	TERR	91 20 28	88.649	88.684
		El	14.554	CVD28BC		736116	4-67	TERR	199 50 25	109.741	109.785
786129	4-40	E	474089.350	0.9996096	1.0000014	811240	4-75	TERR	9 32 30	211.485	211.568
		N	5361869.620			44107	4-43	TERR	189 32 33	155.610	155.671
		El	9.691	CVD28BC		785444	4-39	TERR	279 30 25	86.864	86.898
772087	4-41	E	474034.954	0.9996091	1.0000009	814392	4-42	TERR	9 32 39	88.451	88.487
		N	5361546.078			468769	4-53	TERR	189 32 35	50.347	50.366
		El	13.037	CVD28BC							
814392	4-42	E	474049.620	0.9996095	1.0000013	44107	4-43	TERR	9 32 43	84.021	84.053
		N	5361633.305			772087	4-41	TERR	189 32 39	88.451	88.487
		El	10.531	CVD28BC							
44107	4-43	E	474063.553	0.9996097	1.0000014	786129	4-40	TERR	9 32 33	155.610	155.671
		N	5361716.163			205211	4-18	TERR	99 33 57	131.605	131.656
		El	9.601	CVD28BC		814392	4-42	TERR	189 32 43	84.021	84.053

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
513390	4-44	E	473708.051	0.9996094	1.0000009	879023	4-36	TERR	9 34 57	104.525	104.566
		N	5361827.501			481218	4-57	TERR	189 16 12	147.535	147.592
		El	12.633	CVD28BC		936104	4-45	TERR	279 39 26	82.341	82.373
936104	4-45	E	473626.877	0.9996097	1.0000011	513390	4-44	TERR	99 39 26	82.341	82.373
		N	5361841.314			82834	4-58	TERR	189 29 13	138.750	138.804
		El	11.324	CVD28BC		298190	4-79	TERR	279 15 15	86.814	86.848
663682	4-48	E	474512.881	0.9996102	1.0000023	2196	4-23	TERR	2 48 17	61.249	61.272
		N	5361951.234			133751	4-14	TERR	35 17 40	215.078	215.161
		El	4.155	CVD28BC		690784	4-49A	TERR	189 30 1	137.416	137.470
					857938	4-16	TERR	231 11 57	196.891	196.969	
690784	4-49A	E	474490.200	0.9996104	1.0000024	663682	4-48	TERR	9 30 1	137.416	137.470
		N	5361815.703			494237	3-29	TERR	89 23 57	701.163	701.436
		El	3.217	CVD28BC		652735	4-21	TERR	231 16 5	116.883	116.928
744904	4-5	E	473410.754	0.9996100	1.0000013	606103	4-2	TERR	1 20 15	116.113	116.158
		N	5362254.018			772871	4-6	TERR	91 20 28	164.099	164.163
		El	10.292	CVD28BC		906602	4-4	TERR	271 20 28	88.649	88.684
442772	4-52	E	474130.209	0.9996091	1.0000009	79020	4-20	TERR	29 24 52	126.754	126.804
		N	5361467.218			151068	4-70	TERR	175 25 9	292.218	292.332
		El	13.134	CVD28BC		468769	4-53	TERR	285 44 44	107.641	107.684
468769	4-53	E	474026.607	0.9996091	1.0000008	772087	4-41	TERR	9 32 35	50.347	50.366
		N	5361496.428			442772	4-52	TERR	105 44 44	107.641	107.684
		El	13.406	CVD28BC		151068	4-70	TERR	158 23 34	344.718	344.854
					872101	4-56	TERR	300 41 49	306.260	306.379	
					824805	4-54	TERR	301 45 56	93.753	93.790	
824805	4-54	E	473946.897	0.9996089	1.0000005	341040	4-72	TERR	9 26 59	174.205	174.273
		N	5361545.784			468769	4-53	TERR	121 45 56	93.753	93.790
		El	15.161	CVD28BC		287318	4-55	TERR	301 45 16	97.701	97.739
287318	4-55	E	473863.821	0.9996088	1.0000004	824805	4-54	TERR	121 45 16	97.701	97.739
		N	5361597.202			872101	4-56	TERR	298 55 33	114.893	114.938
		El	15.827	CVD28BC							

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
872101	4-56	E	473763.261	0.9996089	1.0000004	957332	4-37	TERR	9 30 41	267.731	267.835	
		N	5361652.773			287318	4-55	TERR	118 55 33	114.893	114.938	
		E1	15.763	CVD28BC		468769	4-53	TERR	120 41 49	306.260	306.379	
						481218	4-57	TERR	290 14 24	84.174	84.207	
481218	4-57	E	473684.285	0.9996090	1.0000005	513390	4-44	TERR	9 16 12	147.535	147.592	
		N	5361681.893			872101	4-56	TERR	110 14 24	84.174	84.207	
		E1	15.606	CVD28BC		82834	4-58	TERR	285 42 10	83.389	83.421	
82834	4-58	E	473604.008	0.9996091	1.0000006	936104	4-45	TERR	9 29 13	138.750	138.804	
		N	5361704.462			481218	4-57	TERR	105 42 10	83.389	83.421	
		E1	14.877	CVD28BC		425785	4-59	TERR	274 54 57	75.188	75.217	
425785	4-59	E	473529.097	0.9996094	1.0000008	298190	4-79	TERR	4 47 22	144.876	144.933	
		N	5361710.905			82834	4-58	TERR	94 54 57	75.188	75.217	
		E1	13.688	CVD28BC		225599	5-39	TERR	248 20 16	144.620	144.677	
772871	4-6	E	473574.808	0.9996106	1.0000021	553610	4-7	TERR	17 40 18	25.758	25.768	
		N	5362250.177			905778	4-32	TERR	185 11 1	80.609	80.640	
		E1	5.316	CVD28BC		744904	4-5	TERR	271 20 28	164.099	164.163	
189944	4-60	E	473541.187	0.9996098	1.0000012	MARKER DESTROYED						
		N	5361855.279									
		E1	11.027	CVD28BC								
65870	4-63	E	473044.760	0.9996091	1.0000001	225599	5-39	TERR	85 11 19	351.168	351.306	
		N	5361628.067			377374	5-37	TERR	354 22 6	148.924	148.981	
		E1	17.693	CVD28BC								
88807	4-64	E	473242.482	0.9996086	0.9999998	634824	4-65	TERR	14 27 46	173.433	173.501	
		N	5361792.579			225599	5-39	TERR	131 34 60	203.490	203.570	
		E1	19.727	CVD28BC		377374	5-37	TERR	265 36 30	212.961	213.044	
634824	4-65	E	473285.797	0.9996090	1.0000002	88807	4-64	TERR	194 27 46	173.433	173.501	
		N	5361960.516			822635	4-68	TERR	322 21 1	187.563	187.637	
		E1	17.260	CVD28BC								

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
736116	4-67	E	473284.883	0.9996091	1.0000003	906602	4-4	TERR	19 50 25	109.741	109.785
		N	5362152.866			822635	4-68	TERR	248 54 18	121.820	121.867
		El	16.469			842740	4-69	TERR	315 11 36	147.990	148.047
822635	4-68	E	473171.227	0.9996085	0.9999996	736116	4-67	TERR	68 54 18	121.820	121.867
		N	5362109.021			634824	4-65	TERR	142 21 1	187.563	187.637
		El	20.909			953844	5-33	TERR	302 17 3	141.910	141.965
842740	4-69	E	473180.592	0.9996083	0.9999995	736116	4-67	TERR	135 11 36	147.990	148.047
		N	5362257.863			420281	8-89	TERR	316 50 42	158.964	159.026
		El	21.846								
553610	4-7	E	473582.627	0.9996107	1.0000021	837096	9-122	TERR	17 14 10	106.389	106.430
		N	5362274.719			1438	9-124	TERR	99 28 21	281.681	281.790
		El	4.904			772871	4-6	TERR	197 40 18	25.758	25.768
151068	4-70	E	474153.547	0.9996102	1.0000019	394205	2267	TERR	13 2 22	999.952	1000.345
		N	5361175.933			871954	NO MARKING	TERR	57 19 1	2112.229	2113.064
		El	6.148			336859	72C023	GPS	75 2 16	3610.092	3611.505
						855999	M5 1954 285	GPS	296 25 8	2955.025	2956.175
						842088	2251	GPS	323 27 45	4049.790	4051.371
						468769	4-53	TERR	338 23 34	344.718	344.854
						254201	16-33	GPS	347 17 57	3139.490	3140.718
						442772	4-52	TERR	355 25 9	292.218	292.332
789230	4-71	E	474281.518	0.9996103	1.0000022	715839	4-73	TERR	9 44 51	133.049	133.100
		N	5361917.284			99648	4-17	TERR	189 30 21	176.788	176.857
		El	4.470								
341040	4-72	E	473975.498	0.9996095	1.0000012	785444	4-39	TERR	9 36 56	168.712	168.778
		N	5361717.625			824805	4-54	TERR	189 26 59	174.205	174.273
		El	10.722								
715839	4-73	E	474304.044	0.9996095	1.0000014	281667	4-24	TERR	99 48 54	91.355	91.391
		N	5362048.412			789230	4-71	TERR	189 44 51	133.049	133.100
		El	9.839			93823	4-74	TERR	279 37 18	91.408	91.443
93823	4-74	E	474213.922	0.9996097	1.0000016	715839	4-73	TERR	99 37 18	91.408	91.443
		N	5362063.690			811240	4-75	TERR	279 11 39	90.680	90.715
		El	8.547								

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
811240	4-75	E	474124.407	0.9996104	1.0000022	403899	4-8A	TERR	9 15 6	100.303	100.342
		N	5362078.179					TERR	99 11 39	90.680	90.715
		El	4.619					TERR	189 32 30	211.485	211.568
			CVD28BC					TERR	278 29 32	87.117	87.152
601450	4-76	E	473948.943	0.9996106	1.0000023	637942	4-28	TERR	99 30 25	90.546	90.580
		N	5362105.999					TERR	189 32 42	209.692	209.775
		El	4.012					TERR	279 30 53	108.258	108.300
			CVD28BC								
772160	4-77	E	474074.656	0.9996105	1.0000022	259044	4-12	TERR	99 32 3	85.669	85.703
		N	5362298.963					TERR	189 31 10	105.416	105.457
		El	4.403					TERR	279 32 17	200.321	200.400
			CVD28BC								
298190	4-79	E	473541.193	0.9996098	1.0000012	692970	4-35	TERR	4 46 59	105.060	105.101
		N	5361855.275					TERR	99 15 15	86.814	86.848
		El	11.178					TERR	184 47 22	144.876	144.933
			CVD28BC								
403899	4-8A	E	474140.533	0.9996104	1.0000022	259044	4-12	TERR	9 48 45	109.193	109.235
		N	5362177.177					TERR	100 35 40	117.261	117.306
		El	4.713					TERR	189 15 6	100.303	100.342
			CVD28BC								
228940	4-9	E	474057.222	0.9996107	1.0000024	772160	4-77	TERR	9 31 10	105.416	105.457
		N	5362194.999					TERR	190 20 44	105.673	105.714
		El	3.191					TERR	279 37 25	199.563	199.641
			CVD28BC								
801233	5-14	E	472704.656	0.9996081	0.9999989	517953	5-4	TERR	18 5 52	230.710	230.801
		N	5361998.657					TERR	193 17 41	58.154	58.176
		El	25.341					TERR	305 50 12	186.752	186.825
			CVD28BC								
62489	5-15	E	472476.382	0.9996095	1.0000002	163295	5-2	TERR	35 32 5	219.485	219.571
		N	5362164.441					TERR	126 17 15	95.373	95.411
		El	17.107					TERR	216 13 58	236.098	236.190
			CVD28BC					TERR	306 32 5	174.125	174.193
163295	5-2	E	472603.946	0.9996098	1.0000006	107557	8-64	TERR	23 8 2	251.098	251.196
		N	5362343.050					TERR	125 58 8	212.987	213.070
		El	14.790					TERR	215 32 5	219.485	219.571
			CVD28BC					TERR	306 5 17	171.527	171.593

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
75424	5-20	E	472691.283	0.9996078	0.9999987	801233	5-14	TERR	13 17 41	58.154	58.176
		N	5361942.062			657049	5-38	TERR	131 34 10	159.543	159.606
		El	26.938			331207	5-21	TERR	194 8 39	151.562	151.622
331207	5-21	E	472654.247	0.9996088	0.9999996	75424	5-20	TERR	14 8 39	151.562	151.622
		N	5361795.095			657049	5-38	TERR	75 16 27	161.710	161.773
		El	20.951			713016	5-22	TERR	291 56 6	168.532	168.599
713016	5-22	E	472497.915	0.9996094	1.0000002	331207	5-21	TERR	111 56 6	168.532	168.599
		N	5361858.051			132548	5-30	TERR	305 44 47	198.473	198.551
		El	17.512								
217273	5-24	E	472336.830	0.9996097	1.0000003	MARKER DESTROYED					
		N	5361973.993								
		El	16.325								
87064	5-26	E	472060.349	0.9996108	1.0000012	947994	8-102	TERR	36 0 44	247.652	247.747
		N	5362171.060			132548	5-30	TERR	125 28 45	339.523	339.655
		El	10.581			951145	8-88	TERR	305 51 46	210.646	210.727
132548	5-30	E	472336.832	0.9996097	1.0000003	62489	5-15	TERR	36 13 58	236.098	236.190
		N	5361973.999			713016	5-22	TERR	125 44 47	198.473	198.551
		El	16.502			87064	5-26	TERR	305 28 45	339.523	339.655
864470	5-32	E	472959.121	0.9996079	0.9999989	420281	8-89	TERR	39 49 54	176.016	176.085
		N	5362238.660			953844	5-33	TERR	120 18 5	106.713	106.755
		El	25.278			517953	5-4	TERR	263 32 14	183.966	184.038
953844	5-33	E	473051.255	0.9996082	0.9999993	822635	4-68	TERR	122 17 3	141.910	141.965
		N	5362184.818			864470	5-32	TERR	300 18 5	106.713	106.755
		El	23.270								
377374	5-37	E	473030.146	0.9996086	0.9999996	88807	4-64	TERR	85 36 30	212.961	213.044
		N	5361776.272			65870	4-63	TERR	174 22 6	148.924	148.981
		El	20.956			657049	5-38	TERR	285 16 15	227.535	227.624

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
657049	5-38	E	472810.645	0.9996084	0.9999993	377374	5-37	TERR	105 16 15	227.535	227.624
		N	5361836.201			331207	5-21	TERR	255 16 27	161.710	161.773
		El	22.727	CVD28BC		75424	5-20	TERR	311 34 10	159.543	159.606
225599	5-39	E	473394.691	0.9996093	1.0000006	425785	4-59	TERR	68 20 16	144.620	144.677
		N	5361657.521			65870	4-63	TERR	265 11 19	351.168	351.306
		El	14.507	CVD28BC		88807	4-64	TERR	311 34 60	203.490	203.570
517953	5-4	E	472776.324	0.9996087	0.9999996	85290	8-107	TERR	23 48 9	116.493	116.538
		N	5362217.953			864470	5-32	TERR	83 32 14	183.966	184.038
		El	21.228	CVD28BC		801233	5-14	TERR	198 5 52	230.710	230.801
						163295	5-2	TERR	305 58 8	212.987	213.070
129684	5-8	E	472553.258	0.9996091	0.9999999	801233	5-14	TERR	125 50 12	186.752	186.825
		N	5362107.996			62489	5-15	TERR	306 17 15	95.373	95.411
		El	19.225	CVD28BC							
792879	5-9	E	472476.382	0.9996095	1.0000002		MARKER DESTROYED				
		N	5362164.437								
		El	17.152	CVD28BC							
949933	7-1	E	471561.357	0.9996116	1.0000017	241869	11703	TERR	19 39 11	8386.144	8389.552
		N	5363265.685			409623	7-2	TERR	126 17 45	203.547	203.626
		El	7.730	CVD28BC		203604	7-5A	TERR	216 4 37	134.393	134.446
						852780	677019	TERR	279 19 29	13748.055	13753.776
						892406	7-4	TERR	279 42 53	92.852	92.888
775940	7-10	E	471370.317	0.9996119	1.0000018		MARKER DESTROYED				
		N	5363397.410								
		El	6.787	CVD28BC							
130500	7-11	E	471538.097	0.9996120	1.0000021	503409	8-43	TERR	35 35 31	196.887	196.964
		N	5362600.868			929315	8-99	TERR	134 59 23	97.673	97.712
		El	5.132	CVD28BC		473868	7-9	TERR	349 29 47	258.033	258.133
409623	7-2	E	471725.410	0.9996119	1.0000021	905455	8-37	TERR	36 4 22	149.517	149.575
		N	5363145.194			414201	7-6	TERR	223 53 49	134.612	134.665
		El	5.341	CVD28BC		949933	7-1	TERR	306 17 45	203.547	203.626

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
892406	7-4	E N El	471469.837 5363281.353 4.951	0.9996121	1.0000021	949933	7-1	TERR	99 42 53	92.852	92.888
			CVD28BC								
203604	7-5A	E N El	471482.217 5363157.065 6.843	0.9996118	1.0000018	949933 414201 148619	7-1 7-6 7-7	TERR TERR TERR	36 4 37 125 59 54 216 4 51	134.393 185.230 48.390	134.446 185.303 48.409
414201	7-6	E N El	471632.075 5363048.194 6.524	0.9996118	1.0000019	409623 37754 473868 203604	7-2 8-56A 7-9 7-5A	TERR TERR TERR TERR	43 53 49 125 56 16 216 4 1 305 59 54	134.612 185.284 239.527 185.230	134.665 185.355 239.620 185.303
148619	7-7	E N El	471453.719 5363117.957 3.947	0.9996123	1.0000023	203604	7-5A	TERR	36 4 51	48.390	48.409
			CVD28BC								
473868	7-9	E N El	471491.058 5362854.577 4.066	0.9996122	1.0000022	414201 130500	7-6 7-11	TERR TERR	36 4 1 169 29 47	239.527 258.033	239.620 258.133
			CVD28BC								
358432	8-1	E N El	472969.992 5363477.902 16.886	0.9996092	1.0000003	639757 891457	17-93 8-12	TERR TERR	9 54 7 189 54 28	75.743 194.313	75.772 194.389
			CVD28BC								
247148	8-10	E N El	472742.472 5363389.009 9.050	0.9996106	1.0000015	891457 677229 60459	8-12 8-23 8-9	TERR TERR TERR	117 50 40 185 21 10 296 8 36	219.500 273.778 58.409	219.585 273.884 58.431
			CVD28BC								
947994	8-102	E N El	472205.958 5362371.383 10.732	0.9996107	1.0000012	779074 944538 87064 321414	8-60 8-77 5-26 8-80	TERR TERR TERR TERR	36 58 27 128 21 24 216 0 44 305 49 45	210.861 166.438 247.652 134.433	210.944 166.503 247.747 134.485
			CVD28BC								
673145	8-104	E N El	471964.942 5362398.316 6.581	0.9996115	1.0000019	768507 951145	8-81 8-88	TERR TERR	35 35 44 215 56 50	119.441 128.280	119.488 128.329
			CVD28BC								

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
85290	8-107	E 472823.339 N 5362324.537 El 21.891		0.9996085	0.9999995	279760 517953	8-68 5-4	TERR TERR	25 23 29 203 48 9	143.127 116.493	143.184 116.538
				CVD28BC							
90829	8-108	E 471808.994 N 5362513.049 El 7.562		0.9996115	1.0000017	266932	8-86	TERR	218 18 39	129.181	129.231
				CVD28BC							
134940	8-109	E 472221.210 N 5362621.237 El 14.024		0.9996102	1.0000007	779074 321414 149385	8-60 8-80 8-57	TERR TERR TERR	126 6 45 215 58 33 305 52 52	138.107 211.502 268.750	138.160 211.585 268.855
				CVD28BC							
532911	8-110	E 472567.034 N 5362561.464 El 10.267		0.9996105	1.0000013	394213 107557 779074	8-111 8-64 8-60	TERR TERR TERR	1 57 57 84 44 5 264 43 34	152.004 136.137 235.249	152.063 136.191 235.340
				CVD28BC							
394213	8-111	E 472572.248 N 5362713.378 El 7.957		0.9996109	1.0000016	60145 532911 716480	8-118 8-110 8-51	TERR TERR TERR	84 44 26 181 57 57 264 33 6	143.933 152.004 170.914	143.989 152.063 170.981
				CVD28BC							
942698	8-112	E 471731.188 N 5362703.406 El 9.474		0.9996112	1.0000014		MARKER DESTROYED				
				CVD28BC							
891077	8-113	E 472231.693 N 5363283.948 El 6.316		0.9996114	1.0000019	429704 655522	8-25 8-27	TERR TERR	126 46 2 240 44 17	110.238 83.539	110.281 83.572
				CVD28BC							
60145	8-118	E 472715.575 N 5362726.572 El 11.710		0.9996102	1.0000011	109439 432047 107557 394213	8-41 8-45 8-64 8-111	TERR TERR TERR TERR	1 30 56 84 28 36 184 51 38 264 44 26	139.549 214.259 153.166 143.933	139.603 214.342 153.226 143.989
				CVD28BC							
891457	8-12	E 472936.558 N 5363286.487 El 8.637		0.9996105	1.0000015	358432 403998 703587 409359 247148	8-1 8-14 8-13 8-17 8-10	TERR TERR TERR TERR TERR	9 54 28 97 8 34 103 43 28 144 32 18 297 50 40	194.313 213.986 119.316 122.306 219.500	194.389 214.070 119.362 122.354 219.585
				CVD28BC							

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER ----- GCM-NO	IDENTIFIERS ----- TABLET MARKING	UTM Coordinates Metres	Station Scale Factor		TO MARKER ----- GCM-NO	IDENTIFIERS ----- TABLET MARKING	Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
703587	8-13	E	473052.467	0.9996096	1.0000006	878405	8-15	TERR	133 17 32	145.336	145.393
		N	5363258.179					TERR	283 43 28	119.316	119.362
		E1	14.449					CVD28BC			
403998	8-14	E	473148.883	0.9996082	0.9999993	286336	16-114	TERR	9 50 13	257.921	258.021
		N	5363259.880					TERR	277 8 34	213.986	214.070
		E1	22.772					CVD28BC			
878405	8-15	E	473158.252	0.9996094	1.0000005	200154	9-41	TERR	99 44 5	101.120	101.160
		N	5363158.519					TERR	243 21 56	89.320	89.354
		E1	15.309					TERR	313 17 32	145.336	145.393
		CVD28BC		703587	8-13						
409359	8-17	E	473007.515	0.9996108	1.0000018	845925	8-18	TERR	133 58 12	98.506	98.545
		N	5363186.868					TERR	324 32 18	122.306	122.354
		E1	6.736					CVD28BC			
845925	8-18	E	473078.410	0.9996104	1.0000014	878405	8-15	TERR	63 21 56	89.320	89.354
		N	5363118.477					TERR	134 0 51	263.962	264.064
		E1	9.266					TERR	313 58 12	98.506	98.545
		CVD28BC		409359	8-17						
343889	8-19	E	472970.361	0.9996099	1.0000009	MARKER DESTROYED					
		N	5362954.987								
		E1	12.696								
		CVD28BC									
268359	8-21A	E	473019.267	0.9996109	1.0000020	MARKER DESTROYED					
		N	5363028.990								
		E1	5.994								
		CVD28BC									
18226	8-22	E	472905.596	0.9996111	1.0000020	MARKER DESTROYED					
		N	5363061.866								
		E1	5.518								
		CVD28BC									
677229	8-23	E	472716.932	0.9996112	1.0000020	247148	8-10	TERR	5 21 10	273.778	273.884
		N	5363116.425					TERR	178 59 30	145.469	145.526
		E1	5.580					TERR	275 10 31	173.141	173.208
		CVD28BC		480749	8-7						
				5132	8-24						

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
5132	8-24	E	472544.497	0.9996112	1.0000019	677229	8-23	TERR	95 10 31	173.141	173.208	
		N	5363132.043			729368	8-4	TERR	199 56 31	76.806	76.836	
		E1	6.246	CVD28BC	429704	8-25	TERR	290 56 35	240.375	240.469		
429704	8-25	E	472320.002	0.9996115	1.0000021	5132	8-24	TERR	110 56 35	240.375	240.469	
		N	5363217.963			978643	8-31	TERR	214 2 13	75.171	75.199	
		E1	5.260	CVD28BC	891077	8-113	TERR	306 46 2	110.238	110.281		
707935	8-26	E	472231.694	0.9996114	1.0000019	MARKER DESTROYED						
		N	5363283.952									
		E1	6.327	CVD28BC								
655522	8-27	E	472158.814	0.9996112	1.0000017	891077	8-113	TERR	60 44 17	83.539	83.572	
		N	5363243.114			978643	8-31	TERR	126 16 59	147.764	147.821	
		E1	7.485	CVD28BC	732966	8-29	TERR	306 31 7	127.516	127.566		
732966	8-29	E	472056.334	0.9996113	1.0000018	655522	8-27	TERR	126 31 7	127.516	127.566	
		N	5363318.997			413658	8-38	TERR	215 50 54	186.553	186.626	
		E1	7.237	CVD28BC								
978643	8-31	E	472277.927	0.9996113	1.0000019	429704	8-25	TERR	34 2 13	75.171	75.199	
		N	5363155.671			745752	8-39A	TERR	216 18 2	186.028	186.101	
		E1	6.497	CVD28BC	655522	8-27	TERR	306 16 59	147.764	147.821		
862557	8-33	E	471881.576	0.9996121	1.0000024	413658	8-38	TERR	36 0 50	111.407	111.449	
		N	5363077.669			108753	8-52	TERR	126 8 46	274.820	274.926	
		E1	3.016	CVD28BC	37754	8-56A	TERR	215 44 42	170.299	170.366		
905455	8-37	E	471813.447	0.9996116	1.0000019	413658	8-38	TERR	126 19 37	165.871	165.936	
		N	5363266.044			409623	7-2	TERR	216 4 22	149.517	149.575	
		E1	6.442	CVD28BC								
413658	8-38	E	471947.081	0.9996118	1.0000022	732966	8-29	TERR	35 50 54	186.553	186.626	
		N	5363167.783			862557	8-33	TERR	216 0 50	111.407	111.449	
		E1	4.710	CVD28BC	905455	8-37	TERR	306 19 37	165.871	165.936		

Order in Council No. 448/89

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Scale Factor at Reference Central Meridian = 0.9996

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER	IDENTIFIERS	UTM	Station	Scale	Factor	TO MARKER	IDENTIFIERS	Obs.	UTM Grid	UTM Grid	Ground
-----	-----	Coordinates				-----	-----	Type	Bearing	Distance	Distance
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres
745752	8-39A	E	472167.795	0.9996120	1.0000024	978643	8-31	TERR	36 18 2	186.028	186.101
		N	5363005.747			755454	8-40	TERR	121 57 10	316.440	316.562
		E1	2.910	CVD28BC		108753	8-52	TERR	215 29 19	110.755	110.797
729368	8-4	E	472518.301	0.9996109	1.0000016	5132	8-24	TERR	19 56 31	76.806	76.836
		N	5363059.842			755454	8-40	TERR	200 18 44	236.253	236.346
		E1	8.130	CVD28BC							
755454	8-40	E	472436.289	0.9996111	1.0000017	729368	8-4	TERR	20 18 44	236.253	236.346
		N	5362838.280			109439	8-41	TERR	84 23 27	284.339	284.450
		E1	7.419	CVD28BC		716480	8-51	TERR	193 36 55	145.211	145.267
						745752	8-39A	TERR	301 57 10	316.440	316.562
109439	8-41	E	472719.266	0.9996103	1.0000012	480749	8-7	TERR	0 7 24	104.907	104.948
		N	5362866.072			60145	8-118	TERR	181 30 56	139.549	139.603
		E1	10.876	CVD28BC		755454	8-40	TERR	264 23 27	284.339	284.450
568287	8-42	E	472933.578	0.9996097	1.0000007	724799	8-93	TERR	110 16 16	182.346	182.417
		N	5362899.333			432047	8-45	TERR	181 47 3	152.212	152.271
		E1	14.171	CVD28BC							
503409	8-43	E	471652.687	0.9996115	1.0000016	37754	8-56A	TERR	35 56 38	220.453	220.538
		N	5362760.973			130500	7-11	TERR	215 35 31	196.887	196.964
		E1	8.288	CVD28BC							
432047	8-45	E	472928.839	0.9996092	1.0000002	568287	8-42	TERR	1 47 3	152.212	152.271
		N	5362747.195			305912	8-67	TERR	181 38 27	152.919	152.978
		E1	17.301	CVD28BC		60145	8-118	TERR	264 28 36	214.259	214.342
866772	8-47	E	472715.578	0.9996102	1.0000011	MARKER DESTROYED					
		N	5362726.570								
		E1	11.702	CVD28BC							
515353	8-49	E	472572.244	0.9996109	1.0000017	MARKER DESTROYED					
		N	5362713.391								
		E1	7.842	CVD28BC							

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
716480	8-51	E	472402.106	0.9996109	1.0000015	755454	8-40	TERR	13 36 55	145.211	145.267
		N	5362697.150			394213	8-111	TERR	84 33 6	170.914	170.981
		El	8.864			779074	8-60	TERR	203 46 58	171.907	171.973
						782573	8-8	TERR	306 4 38	192.594	192.669
108753	8-52	E	472103.497	0.9996115	1.0000019	745752	8-39A	TERR	35 29 19	110.755	110.797
		N	5362915.567			782573	8-8	TERR	126 17 56	177.371	177.440
		El	6.032			149385	8-57	TERR	216 10 26	169.486	169.552
						862557	8-33	TERR	306 8 46	274.820	274.926
37754	8-56A	E	471782.091	0.9996116	1.0000018	862557	8-33	TERR	35 44 42	170.299	170.366
		N	5362939.450			149385	8-57	TERR	125 58 36	273.547	273.652
		El	6.730			503409	8-43	TERR	215 56 38	220.453	220.538
						414201	7-6	TERR	305 56 16	185.284	185.355
149385	8-57	E	472003.460	0.9996114	1.0000017	108753	8-52	TERR	36 10 26	169.486	169.552
		N	5362778.753			134940	8-109	TERR	125 52 52	268.750	268.855
		El	7.365			978981	8-96	TERR	225 10 3	94.647	94.684
						37754	8-56A	TERR	305 58 36	273.547	273.652
779074	8-60	E	472332.781	0.9996100	1.0000006	716480	8-51	TERR	23 46 58	171.907	171.973
		N	5362539.841			532911	8-110	TERR	84 43 34	235.249	235.340
		El	14.402			81083	8-76	TERR	125 50 41	163.522	163.586
						947994	8-102	TERR	216 58 27	210.861	210.944
						134940	8-109	TERR	306 6 45	138.107	138.160
107557	8-64	E	472702.597	0.9996104	1.0000012	60145	8-118	TERR	4 51 38	153.166	153.226
		N	5362573.957			305912	8-67	TERR	84 45 4	222.797	222.885
		El	10.844			163295	5-2	TERR	203 8 2	251.098	251.196
						532911	8-110	TERR	264 44 5	136.137	136.191
305912	8-67	E	472924.460	0.9996089	0.9999999	432047	8-45	TERR	1 38 27	152.919	152.978
		N	5362594.339			279760	8-68	TERR	195 47 47	146.015	146.072
		El	19.317			107557	8-64	TERR	264 45 4	222.797	222.885
279760	8-68	E	472884.712	0.9996090	1.0000000	305912	8-67	TERR	15 47 47	146.015	146.072
		N	5362453.838			85290	8-107	TERR	205 23 29	143.127	143.184
		El	18.576								
324970	8-6A	E	472750.168	0.9996103	1.0000012	MARKER DESTROYED					
		N	5363435.603								
		El	11.134								

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station Scale Factor		TO MARKER -----	IDENTIFIERS -----	Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance			
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING			Metres	Metres			
480749	8-7	E	472719.492	0.9996105	1.0000014	109439	8-41	TERR	180 7 24	104.907	104.948		
		N	5362970.979					677229	8-23	TERR	358 59 30	145.469	145.526
		El	9.699					CVD28BC					
81083	8-76	E	472465.333	0.9996100	1.0000007	163295	5-2	TERR	126 5 17	171.527	171.593		
		N	5362444.084					944538	8-77	TERR	216 12 45	218.118	218.204
		El	14.281					CVD28BC	779074	8-60	TERR	305 50 41	163.522
944538	8-77	E	472336.473	0.9996101	1.0000007	81083	8-76	TERR	36 12 45	218.118	218.204		
		N	5362268.099					62489	5-15	TERR	126 32 5	174.125	174.193
		El	14.110					CVD28BC	947994	8-102	TERR	308 21 24	166.438
782573	8-8	E	472246.447	0.9996108	1.0000014	716480	8-51	TERR	126 4 38	192.594	192.669		
		N	5362810.564					108753	8-52	TERR	306 17 56	177.371	177.440
		El	9.661					CVD28BC					
321414	8-80	E	472096.964	0.9996113	1.0000018	134940	8-109	TERR	35 58 33	211.502	211.585		
		N	5362450.076					947994	8-102	TERR	125 49 45	134.433	134.485
		El	7.204					CVD28BC	768507	8-81	TERR	305 58 21	77.227
768507	8-81	E	472034.464	0.9996116	1.0000020	321414	8-80	TERR	125 58 21	77.227	77.258		
		N	5362495.439					673145	8-104	TERR	215 35 44	119.441	119.488
		El	5.868					CVD28BC					
244434	8-83	E	471878.325	0.9996118	1.0000020	MARKER DESTROYED							
		N	5362609.112										
		El	5.439	CVD28BC									
266932	8-86	E	471728.911	0.9996118	1.0000020	90829	8-108	TERR	38 18 39	129.181	129.231		
		N	5362411.686					951145	8-88	TERR	126 6 14	198.931	199.008
		El	5.498					CVD28BC	929315	8-99	TERR	314 37 10	171.028
951145	8-88	E	471889.637	0.9996115	1.0000018	673145	8-104	TERR	35 56 50	128.280	128.329		
		N	5362294.466					87064	5-26	TERR	125 51 46	210.646	210.727
		El	7.061					CVD28BC	266932	8-86	TERR	306 6 14	198.931

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
420281	8-89	E	473071.865	0.9996083	0.9999994	807305	8-91	TERR	20	23	36	136.879	136.932		
		N	5362373.828			842740	4-69	TERR	136	50	42	158.964	159.026		
		E1	22.190	CVD28BC	864470	5-32	TERR	219	49	54	176.016	176.085			
60459	8-9	E	472690.039	0.9996107	1.0000015	247148	8-10	TERR	116	8	36	58.409	58.431		
		N	5363414.745			337055	17-51	TERR	341	9	15	93.520	93.556		
		E1	8.722	CVD28BC											
807305	8-91	E	473119.562	0.9996089	1.0000000	82685	8-92	TERR	0	57	54	166.098	166.163		
		N	5362502.128			420281	8-89	TERR	200	23	36	136.879	136.932		
		E1	18.394	CVD28BC											
82685	8-92	E	473122.359	0.9996093	1.0000004	628313	9-87	TERR	22	58	32	135.034	135.088		
		N	5362668.202			807305	8-91	TERR	180	57	54	166.098	166.163		
		E1	15.986	CVD28BC											
724799	8-93	E	473104.630	0.9996089	1.0000000	628313	9-87	TERR	121	46	35	82.857	82.890		
		N	5362836.157			568287	8-42	TERR	290	16	16	182.346	182.417		
		E1	18.531	CVD28BC											
999938	8-94	E	471731.187	0.9996112	1.0000014	MARKER DESTROYED									
		N	5362703.407												
		E1	9.473	CVD28BC											
978981	8-96	E	471936.339	0.9996116	1.0000020	149385	8-57	TERR	45	10	3	94.647	94.684		
		N	5362712.023												
		E1	5.891	CVD28BC											
929315	8-99	E	471607.175	0.9996119	1.0000020	266932	8-86	TERR	134	37	10	171.028	171.094		
		N	5362531.815			130500	7-11	TERR	314	59	23	97.673	97.712		
		E1	5.567	CVD28BC											
616268	9-10	E	474523.898	0.9996032	0.9999952	934018	10-2	TERR	106	47	22	142.313	142.370		
		N	5363224.803			369488	9-11	TERR	183	7	45	109.161	109.204		
		E1	49.102	CVD28BC	677468	9-9A	TERR	264	39	24	55.582	55.604			

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres							
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING											
935429	9-100	E	473646.846	0.9996107	1.0000022	228684	9-99A	TERR	17 39 33	68.085	68.111							
		N	5362476.411					845040	9-104	TERR	99 25 52	158.829	158.891					
		E1	4.797					CVD28BC	956995	9-101A	TERR	197 39 47	32.912	32.924				
956995	9-101A	E	473636.860	0.9996108	1.0000022	935429	9-100	TERR	17 39 47	32.912	32.924							
		N	5362445.051					837096	9-122	TERR	198 17 10	72.376	72.404					
		E1	4.367					CVD28BC	942805	9-91	TERR	279 48 43	224.038	224.125				
114082	9-102	E	473859.980	0.9996108	1.0000024	MARKER DESTROYED												
N	5362228.433																	
E1	3.374	CVD28BC																
622514	9-103	E	473785.984	0.9996108	1.0000024	845040	9-104	TERR	9 40 24	104.411	104.451							
		N	5362347.459					383018	4-10A	TERR	99 31 58	92.396	92.433					
		E1	3.519					CVD28BC	837096	9-122	TERR	279 32 15	174.242	174.309				
845040	9-104	E	473803.528	0.9996105	1.0000021	652818	9-105	TERR	9 22 22	106.027	106.068							
		N	5362450.385					817031	9-108	TERR	99 33 14	92.394	92.429					
		E1	5.269					CVD28BC	622514	9-103	TERR	189 40 24	104.411	104.451				
								935429	9-100	TERR	279 25 52	158.829	158.891					
652818	9-105	E	473820.795	0.9996102	1.0000017	860874	9-136	TERR	99 32 27	92.387	92.422							
		N	5362554.996					845040	9-104	TERR	189 22 22	106.027	106.068					
		E1	7.409					CVD28BC	742882	9-106	TERR	279 51 19	67.399	67.425				
742882	9-106	E	473754.391	0.9996104	1.0000019	446161	9-133	TERR	9 31 51	108.330	108.373							
		N	5362566.532					652818	9-105	TERR	99 51 19	67.399	67.425					
		E1	6.440					CVD28BC	291237	9-98	TERR	279 15 37	75.952	75.981				
637231	9-107	E	473930.225	0.9996095	1.0000011	MARKER DESTROYED												
N	5362647.158																	
E1	11.370	CVD28BC																
817031	9-108	E	473894.640	0.9996103	1.0000019	860874	9-136	TERR	9 22 9	106.048	106.090							
		N	5362435.050					383018	4-10A	TERR	189 40 19	104.377	104.417					
		E1	6.454					CVD28BC	845040	9-104	TERR	279 33 14	92.394	92.429				

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
243881	9-109A	E N El	473911.905 5362539.686 9.152	0.9996098	1.0000015		MARKER DESTROYED				
369488	9-11	E N El	474517.939 5363115.805 46.381	0.9996036	0.9999956	616268 243683	9-10 10-3	TERR TERR	3 7 45 100 33 41	109.161 141.198	109.204 141.254
127985	9-110	E N El	474176.109 5362387.505 9.739	0.9996096	1.0000014	645572 259044	9-132 4-12	TERR TERR	9 42 14 189 22 41	106.291 104.124	106.332 104.165
269803	9-113	E N El	474298.189 5362221.418 21.522	0.9996077	0.9999995	878587 127829	9-114 4-13	TERR TERR	6 34 22 212 47 35	89.007 78.275	89.042 78.305
878587	9-114	E N El	474308.377 5362309.840 22.496	0.9996075	0.9999994	222968 269803	9-115 9-113	TERR TERR	93 9 27 186 34 22	63.377 89.007	63.402 89.042
222968	9-115	E N El	474371.658 5362306.349 23.662	0.9996073	0.9999992	544809 878587	9-70 9-114	TERR TERR	4 36 56 273 9 27	116.377 63.377	116.423 63.402
478461	9-117	E N El	474641.390 5362269.606 10.870	0.9996091	1.0000012	133751 845032	4-14 9-65	TERR TERR	181 42 4 318 28 16	142.890 190.508	142.946 190.582
445452	9-118	E N El	474537.743 5362245.014 14.076	0.9996087	1.0000007	133751 977090	4-14 9-68	TERR TERR	139 56 42 318 31 4	154.470 140.320	154.530 140.375
885178	9-119	E N El	474054.194 5362759.828 17.550	0.9996084	1.0000002	903500 494229	9-50 9-74	TERR TERR	9 32 50 189 34 60	179.976 106.283	180.046 106.325

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
799072	9-120	E	473418.402	0.9996106	1.0000019	228684	9-99A	TERR	99 28 33	252.544	252.642			
		N	5362582.865						9-91	TERR	181 19 27	99.662	99.700	
		El	6.139					CVD28BC	9-90	TERR	271 19 54	88.637	88.672	
									9-93	TERR	353 8 52	87.479	87.512	
565820	9-121	E	474330.544	0.9996047	0.9999966	458026	9-5	TERR	5 43 54	85.451	85.484			
		N	5363307.956						9-27	TERR	189 18 20	186.736	186.811	
		El	40.526					CVD28BC						
837096	9-122	E	473614.151	0.9996108	1.0000022	956995	9-101A	TERR	18 17 10	72.376	72.404			
		N	5362376.330						9-103	TERR	99 32 15	174.242	174.309	
		El	4.258					CVD28BC		4-7	TERR	197 14 10	106.389	106.430
785055	9-123	E	474012.514	0.9996076	0.9999993	435545	9-129	TERR	9 19 7	82.705	82.737			
		N	5363134.661						9-36	TERR	189 53 35	91.053	91.089	
		El	22.989					CVD28BC		9-38	TERR	279 34 50	236.512	236.605
1438	9-124	E	473860.467	0.9996108	1.0000024	383018	4-10A	TERR	9 6 22	105.121	105.161			
		N	5362228.361						4-9	TERR	99 37 25	199.563	199.641	
		El	3.358					CVD28BC		4-30	TERR	189 55 56	106.057	106.099
										4-7	TERR	279 28 21	281.681	281.790
166421	9-125	E	474281.370	0.9996069	0.9999988	105973	9-27	TERR	9 49 20	111.253	111.296			
		N	5363014.055						9-52	TERR	189 21 5	108.591	108.634	
		El	26.427					CVD28BC						
178137	9-126	E	474434.789	0.9996090	1.0000010	283002	9-55	TERR	9 24 36	169.213	169.278			
		N	5362502.997						9-65	TERR	138 30 18	121.190	121.238	
		El	12.316					CVD28BC		9-66	TERR	318 19 12	149.445	149.502
261586	9-127	E	473889.281	0.9996086	1.0000002	MARKER DESTROYED								
N	5362970.530													
El	17.208	CVD28BC												
271189	9-128	E	473982.021	0.9996084	1.0000001	908681	9-36	TERR	9 17 42	91.935	91.971			
		N	5362954.234						9-50	TERR	99 25 5	103.418	103.459	
		El	17.822					CVD28BC		9-134	TERR	279 58 4	94.162	94.200

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
435545	9-129	E	474025.906	0.9996073	0.9999990	127647	9-25	TERR	121 57 13	120.433	120.480
		N	5363216.274			785055	9-123	TERR	189 19 7	82.705	82.737
		El	24.838			950170	9-22	TERR	291 9 37	122.326	122.374
145730	9-13	E	474218.214	0.9996057	0.9999976	828699	9-131	TERR	9 27 56	55.978	56.000
		N	5363317.595			142208	9-14	TERR	225 22 30	104.994	105.035
		El	34.023								
363234	9-130	E	473930.228	0.9996095	1.0000011	61523	9-75	TERR	9 15 59	64.152	64.177
		N	5362647.153			860874	9-136	TERR	189 40 34	109.021	109.064
		El	11.402			446161	9-133	TERR	279 25 34	160.061	160.124
828699	9-131	E	474227.420	0.9996055	0.9999974	458026	9-5	TERR	79 45 39	113.465	113.509
		N	5363372.811			145730	9-13	TERR	189 27 56	55.978	56.000
		El	35.333			526368	9-3	TERR	263 7 23	116.957	117.003
645572	9-132	E	474194.025	0.9996089	1.0000007	884379	9-67	TERR	9 19 50	144.080	144.137
		N	5362492.275			137414	9-135	TERR	117 58 48	75.012	75.042
		El	14.102			127985	9-110	TERR	189 42 14	106.291	106.332
446161	9-133	E	473772.328	0.9996099	1.0000014	255265	9-73A	TERR	324 34 27	125.861	125.910
		N	5362673.367			363234	9-130	TERR	99 25 34	160.061	160.124
		El	9.369			742882	9-106	TERR	189 31 51	108.330	108.373
991893	9-134	E	473889.280	0.9996086	1.0000002	723700	9-96A	TERR	279 49 36	76.184	76.214
		N	5362970.533			271189	9-128	TERR	99 58 4	94.162	94.200
		El	17.209			683185	9-80	TERR	189 37 45	93.244	93.281
137414	9-135	E	474260.269	0.9996081	0.9999999	988725	9-47	TERR	279 15 8	142.232	142.288
		N	5362457.082			19125	9-137	TERR	94 58 44	64.225	64.250
		El	19.132			645572	9-132	TERR	297 58 48	75.012	75.042
860874	9-136	E	473911.904	0.9996098	1.0000015						
		N	5362539.683			363234	9-130	TERR	9 40 34	109.021	109.064
		El	9.160			817031	9-108	TERR	189 22 9	106.048	106.090
						652818	9-105	TERR	279 32 27	92.387	92.422

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
19125	9-137	E 474324.252 N 5362451.508 El 21.137		0.9996077	0.9999996	544809 137414	9-70 9-135	TERR TERR	117 11 10 274 58 44	63.822 64.225	63.847 64.250
				CVD28BC							
142208	9-14	E 474143.488 N 5363243.841 El 31.229		0.9996062	0.9999980	145730 127647	9-13 9-25	TERR TERR	45 22 30 189 34 21	104.994 92.593	105.035 92.629
				CVD28BC							
366419	9-1A	E 473818.408 N 5363408.510 El 20.534		0.9996081	0.9999997	220491 722595 961847 783597	16-147 9-2 9-21A 16-116	TERR TERR TERR TERR	9 18 53 99 34 56 189 47 12 279 33 3	213.043 236.911 145.790 214.259	213.126 237.004 145.847 214.343
722595	9-2	E 474052.013 N 5363369.073 El 29.684		0.9996065	0.9999983	526368 366419	9-3 9-1A	TERR TERR	99 49 23 279 34 56	60.173 236.911	60.197 237.004
				CVD28BC							
227348	9-20A	E 473581.757 N 5363300.450 El 22.103		0.9996080	0.9999994	783597 961847 708313	16-116 9-21A 9-39	TERR TERR TERR	10 0 55 99 32 25 188 52 30	145.832 214.841 91.951	145.890 214.926 91.987
961847	9-21A	E 473793.627 N 5363264.842 El 20.075		0.9996082	0.9999998	366419 950170 137877 227348	9-1A 9-22 9-38 9-20A	TERR TERR TERR TERR	9 47 12 92 8 14 188 57 51 279 32 25	145.790 118.283 91.940 214.841	145.847 118.329 91.975 214.926
950170	9-22	E 473911.828 N 5363260.431 El 22.578		0.9996077	0.9999994	435545 961847	9-129 9-21A	TERR TERR	111 9 37 272 8 14	122.326 118.283	122.374 118.329
				CVD28BC							
910778	9-23	E 474025.907 N 5363216.280 El 25.026		0.9996073	0.9999990		MARKER DESTROYED				
				CVD28BC							
127647	9-25	E 474128.090 N 5363152.537 El 27.199		0.9996069	0.9999986	142208 105973 435545	9-14 9-27 9-129	TERR TERR TERR	9 34 21 99 30 39 301 57 13	92.593 174.660 120.433	92.629 174.729 120.480
				CVD28BC							

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
105973	9-27	E	474300.349	0.9996056	0.9999975	565820	9-121	TERR	9 18 20	186.736	186.811
		N	5363123.677			342485	9-28	TERR	99 47 30	97.843	97.882
		El	34.664			166421	9-125	TERR	189 49 20	111.253	111.296
						127647	9-25	TERR	279 30 39	174.660	174.729
342485	9-28	E	474396.767	0.9996049	0.9999969	499756	9-29	TERR	137 52 50	112.294	112.338
		N	5363107.037			105973	9-27	TERR	279 47 30	97.843	97.882
		El	38.557								
499756	9-29	E	474472.080	0.9996045	0.9999965	419291	9-30	TERR	108 8 20	113.176	113.222
		N	5363023.743			260042	9-32	TERR	203 55 13	75.432	75.462
		El	40.985			342485	9-28	TERR	317 52 50	112.294	112.338
526368	9-3	E	474111.304	0.9996063	0.9999980	907923	16-124	TERR	8 58 18	216.534	216.619
		N	5363358.807			828699	9-131	TERR	83 7 23	116.957	117.003
		El	31.114			722595	9-2	TERR	279 49 23	60.173	60.197
419291	9-30	E	474579.632	0.9996034	0.9999954	969865	10-116	TERR	71 34 29	77.775	77.806
		N	5362988.509			499756	9-29	TERR	288 8 20	113.176	113.222
		El	47.725								
260042	9-32	E	474441.495	0.9996053	0.9999973	499756	9-29	TERR	23 55 13	75.432	75.462
		N	5362954.790			189498	9-53	TERR	227 38 5	98.999	99.038
		El	35.697								
95000	9-34	E	474281.499	0.9996069	0.9999988	MARKER DESTROYED					
		N	5363014.043								
		El	26.447								
908681	9-36	E	473996.870	0.9996080	0.9999996	785055	9-123	TERR	9 53 35	91.053	91.089
		N	5363044.962			271189	9-128	TERR	189 17 42	91.935	91.971
		El	20.804			847814	9-44	TERR	279 34 3	236.512	236.604
137877	9-38	E	473779.301	0.9996083	0.9999999	961847	9-21A	TERR	8 57 51	91.940	91.975
		N	5363174.025			785055	9-123	TERR	99 34 50	236.512	236.605
		El	19.188			847814	9-44	TERR	189 53 35	91.108	91.144
						708313	9-39	TERR	279 32 16	214.698	214.782

Order in Council No. 448/89

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Scale Factor at Reference Central Meridian = 0.9996

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
708313	9-39	E 473567.571	0.9996078	0.9999992	227348	9-20A	TERR	8 52 30	91.951	91.987
		N 5363209.600			137877	9-38	TERR	99 32 16	214.698	214.782
		E1 23.661	CVD28BC	759324	9-43	TERR	189 34 14	119.557	119.605	
661694	9-4	E 474227.422	0.9996055	0.9999974	MARKER DESTROYED					
		N 5363372.812								
		E1 35.442	CVD28BC							
98582	9-40	E 473350.781	0.9996074	0.9999987	200154	9-41	TERR	228 6 42	124.744	124.793
		N 5363224.710								
		E1 26.892	CVD28BC							
200154	9-41	E 473257.916	0.9996087	1.0000000	98582	9-40	TERR	48 6 42	124.744	124.793
		N 5363141.421			3624	9-42	TERR	99 44 5	108.679	108.721
		E1 18.795	CVD28BC	878405	8-15	TERR	279 44 5	101.120	101.160	
3624	9-42	E 473365.030	0.9996086	0.9999999	759324	9-43	TERR	99 44 6	185.332	185.404
		N 5363123.045			357269	9-83	TERR	189 44 42	79.780	79.811
		E1 19.176	CVD28BC	200154	9-41	TERR	279 44 5	108.679	108.721	
759324	9-43	E 473547.693	0.9996085	0.9999999	708313	9-39	TERR	9 34 14	119.557	119.605
		N 5363091.707			605162	9-46	TERR	189 34 14	63.671	63.696
		E1 18.864	CVD28BC	3624	9-42	TERR	279 44 6	185.332	185.404	
847814	9-44	E 473763.648	0.9996085	1.0000001	137877	9-38	TERR	9 53 35	91.108	91.144
		N 5363084.272			908681	9-36	TERR	99 34 3	236.512	236.604
		E1 18.000	CVD28BC	988725	9-47	TERR	189 13 11	92.060	92.096	
169771	9-45	E 473733.303	0.9996088	1.0000003	988725	9-47	TERR	9 42 2	92.551	92.587
		N 5362902.173			683185	9-80	TERR	99 31 52	142.345	142.400
		E1 16.392	CVD28BC	796425	9-78	TERR	189 23 1	74.729	74.758	
605162	9-46	E 473537.107	0.9996087	1.0000001	759324	9-43	TERR	9 34 14	63.671	63.696
		N 5363028.922			126904	9-82	TERR	189 34 9	86.760	86.794
		E1 17.690	CVD28BC							

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
988725	9-47	E 473748.898 N 5362993.401 El 16.611		0.9996088	1.0000003	847814 991893 169771	9-44 9-134 9-45	TERR TERR TERR	9 13 11 99 15 8 189 42 2	92.060 142.232 92.551	92.096 142.288 92.587
986042	9-48	E 473889.280 N 5362970.531 El 17.181		0.9996086	1.0000002		MARKER DESTROYED				
898320	9-49	E 473982.021 N 5362954.236 El 17.783		0.9996084	1.0000001		MARKER DESTROYED				
458026	9-5	E 474339.078 N 5363392.980 El 39.205		0.9996049	0.9999968	296350 565820 828699	16-87 9-121 9-131	TERR TERR TERR	70 13 36 185 43 54 259 45 39	94.640 85.451 113.465	94.678 85.484 113.509
903500	9-50	E 474084.045 N 5362937.311 El 17.378		0.9996084	1.0000002	390641 885178 271189	9-51A 9-119 9-128	TERR TERR TERR	99 20 3 189 32 50 279 25 5	92.958 179.976 103.418	92.994 180.046 103.459
390641	9-51A	E 474175.772 N 5362922.234 El 17.183		0.9996084	1.0000002	835967 706275 903500	9-52 9-58A 9-50	TERR TERR TERR	99 53 7 189 21 57 279 20 3	89.279 200.218 92.958	89.313 200.296 92.994
835967	9-52	E 474263.725 N 5362906.907 El 17.764		0.9996083	1.0000001	166421 189498 61010 390641	9-125 9-53 9-56 9-51A	TERR TERR TERR TERR	9 21 5 100 12 6 189 42 15 279 53 7	108.591 106.304 90.288 89.279	108.634 106.346 90.324 89.313
189498	9-53	E 474368.348 N 5362888.079 El 21.375		0.9996076	0.9999996	260042 294694 835967	9-32 9-54 9-52	TERR TERR TERR	47 38 5 153 24 29 280 12 6	98.999 110.535 106.304	99.038 110.578 106.346
294694	9-54	E 474417.827 N 5362789.237 El 17.614		0.9996082	1.0000002	283002 61010 189498	9-55 9-56 9-53	TERR TERR TERR	159 29 27 279 36 42 333 24 29	127.378 171.732 110.535	127.428 171.799 110.578

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
283002	9-55	E	474462.455	0.9996090	1.0000010	185108	9-60	TERR	99 18 14	93.411	93.447
		N	5362669.933			178137	9-126	TERR	189 24 36	169.213	169.278
		El	12.295			124891	9-57	TERR	279 39 50	235.265	235.358
						294694	9-54	TERR	339 29 27	127.378	127.428
61010	9-56	E	474248.506	0.9996086	1.0000005	835967	9-52	TERR	9 42 15	90.288	90.324
		N	5362817.911			294694	9-54	TERR	99 36 42	171.732	171.799
		El	15.506			124891	9-57	TERR	189 24 34	109.965	110.008
124891	9-57	E	474230.528	0.9996088	1.0000006	61010	9-56	TERR	9 24 34	109.965	110.008
		N	5362709.426			283002	9-55	TERR	99 39 50	235.265	235.358
		El	14.560			884379	9-67	TERR	189 56 33	76.120	76.150
						706275	9-58A	TERR	279 54 36	88.662	88.697
706275	9-58A	E	474143.189	0.9996087	1.0000005	390641	9-51A	TERR	9 21 57	200.218	200.296
		N	5362724.685			124891	9-57	TERR	99 54 36	88.662	88.697
		El	15.483			255265	9-73A	TERR	189 40 2	131.720	131.772
113407	9-6	E	474492.061	0.9996033	0.9999953	512541	16-141	TERR	0 49 8	98.653	98.692
		N	5363360.328			677468	9-9A	TERR	189 28 60	142.651	142.707
		El	48.310								
185108	9-60	E	474554.637	0.9996090	1.0000010	467621	10-74	TERR	99 33 35	202.385	202.463
		N	5362654.831			255653	9-61	TERR	189 19 23	108.907	108.950
		El	12.222			283002	9-55	TERR	279 18 14	93.411	93.447
255653	9-61	E	474536.994	0.9996093	1.0000014	185108	9-60	TERR	9 19 23	108.907	108.950
		N	5362547.363			845032	9-65	TERR	189 12 33	136.904	136.956
		El	9.905								
612747	9-64	E	474434.771	0.9996090	1.0000010		MARKER DESTROYED				
		N	5362502.915								
		El	12.334								
845032	9-65	E	474515.084	0.9996091	1.0000011	255653	9-61	TERR	9 12 33	136.904	136.956
		N	5362412.224			478461	9-117	TERR	138 28 16	190.508	190.582
		El	11.554			977090	9-68	TERR	228 32 39	93.783	93.819
						178137	9-126	TERR	318 30 18	121.190	121.238

Order in Council No. 448/89

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Scale Factor at Reference Central Meridian = 0.9996

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						Metres	Metres
321273	9-66	E	474335.413	0.9996090	1.0000009	178137	9-126	TERR	138 19 12				149.445	149.502	
		N	5362614.613			884379	9-67	TERR	279 32 24				119.683	119.730	
		E1	13.017	CVD28BC											
884379	9-67	E	474217.385	0.9996088	1.0000006	124891	9-57	TERR	9 56 33				76.120	76.150	
		N	5362634.449			321273	9-66	TERR	99 32 24				119.683	119.730	
		E1	14.658	CVD28BC		645572	9-132	TERR	189 19 50				144.080	144.137	
977090	9-68	E	474444.797	0.9996085	1.0000004	845032	9-65	TERR	48 32 39				93.783	93.819	
		N	5362350.136			445452	9-118	TERR	138 31 4				140.320	140.375	
		E1	15.742	CVD28BC		544809	9-70	TERR	318 33 4				96.342	96.380	
415018	9-7	E	474582.957	0.9996026	0.9999946	961375	9-8	TERR	162 36 42				66.084	66.110	
		N	5363387.013			512541	16-141	TERR	308 48 13				114.829	114.874	
		E1	52.738	CVD28BC											
544809	9-70	E	474381.023	0.9996079	0.9999999	977090	9-68	TERR	138 33 4				96.342	96.380	
		N	5362422.349			222968	9-115	TERR	184 36 56				116.377	116.423	
		E1	19.421	CVD28BC		19125	9-137	TERR	297 11 10				63.822	63.847	
67074	9-71	E	474270.546	0.9996080	0.9999998	MARKER DESTROYED									
		N	5362454.811												
		E1	19.744	CVD28BC											
31179	9-72	E	474197.971	0.9996089	1.0000007	MARKER DESTROYED									
		N	5362515.734												
		E1	14.231	CVD28BC											
255265	9-73A	E	474121.070	0.9996088	1.0000006	706275	9-58A	TERR	9 40 2				131.720	131.772	
		N	5362594.835			645572	9-132	TERR	144 34 27				125.861	125.910	
		E1	14.966	CVD28BC		494229	9-74	TERR	305 26 29				103.804	103.845	
494229	9-74	E	474036.500	0.9996087	1.0000004	885178	9-119	TERR	9 34 60				106.283	106.325	
		N	5362655.028			255265	9-73A	TERR	125 26 29				103.804	103.845	
		E1	15.841	CVD28BC		61523	9-75	TERR	300 1 17				110.808	110.852	

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
61523	9-75	E	473940.558	0.9996089	1.0000005	494229	9-74	TERR	120	1	17	110.808	110.852		
		N	5362710.468			363234	9-130	TERR	189	15	59	64.152	64.177		
		El	15.094	CVD28BC		628404	9-76	TERR	300	12	38	99.772	99.811		
628404	9-76	E	473854.337	0.9996091	1.0000007	683185	9-80	TERR	9	18	58	119.508	119.555		
		N	5362760.671			61523	9-75	TERR	120	12	38	99.772	99.811		
		El	14.279	CVD28BC		796425	9-78	TERR	296	57	51	149.466	149.525		
796425	9-78	E	473721.119	0.9996091	1.0000006	169771	9-45	TERR	9	23	1	74.729	74.758		
		N	5362828.444			628404	9-76	TERR	116	57	51	149.466	149.525		
		El	14.720	CVD28BC		723700	9-96A	TERR	189	31	56	144.064	144.120		
283101	9-79	E	473509.292	0.9996090	1.0000004	126904	9-82	TERR	9	34	13	80.551	80.583		
		N	5362863.939			117077	9-94	TERR	189	34	4	108.956	108.998		
		El	16.131	CVD28BC											
961375	9-8	E	474602.706	0.9996022	0.9999942	861864	10-117	TERR	127	45	18	76.143	76.173		
		N	5363323.949			415018	9-7	TERR	342	36	42	66.084	66.110		
		El	55.441	CVD28BC											
683185	9-80	E	473873.683	0.9996087	1.0000003	991893	9-134	TERR	9	37	45	93.244	93.281		
		N	5362878.603			628404	9-76	TERR	189	18	58	119.508	119.555		
		El	16.644	CVD28BC		169771	9-45	TERR	279	31	52	142.345	142.400		
948646	9-81	E	473772.333	0.9996099	1.0000014	MARKER DESTROYED									
		N	5362673.372												
		El	9.361	CVD28BC											
126904	9-82	E	473522.684	0.9996086	1.0000000	605162	9-46	TERR	9	34	9	86.760	86.794		
		N	5362943.369			283101	9-79	TERR	189	34	13	80.551	80.583		
		El	18.543	CVD28BC		357269	9-83	TERR	300	33	23	198.760	198.838		
357269	9-83	E	473351.526	0.9996093	1.0000006	3624	9-42	TERR	9	44	42	79.780	79.811		
		N	5363044.416			126904	9-82	TERR	120	33	23	198.760	198.838		
		El	14.625	CVD28BC		130369	9-85	TERR	217	17	38	137.453	137.507		

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
130369	9-85	E	473268.243	0.9996102	1.0000015	357269	9-83	TERR	37 17 38	137.453	137.507
		N	5362935.067			628313	9-87	TERR	213 10 16	170.294	170.360
		El	9.133			845925	8-18	TERR	314 0 51	263.962	264.064
628313	9-87	E	473175.068	0.9996101	1.0000012	130369	9-85	TERR	33 10 16	170.294	170.360
		N	5362792.524			175273	9-89	TERR	123 6 25	187.635	187.709
		El	10.649			82685	8-92	TERR	202 58 32	135.034	135.088
						724799	8-93	TERR	301 46 35	82.857	82.890
175273	9-89	E	473332.241	0.9996105	1.0000018	63487	9-93	TERR	105 1 11	78.403	78.432
		N	5362690.037			957852	9-90	TERR	181 20 11	105.141	105.181
		El	7.010			628313	9-87	TERR	303 6 25	187.635	187.709
957852	9-90	E	473329.789	0.9996104	1.0000017	175273	9-89	TERR	1 20 11	105.141	105.181
		N	5362584.925			799072	9-120	TERR	91 19 54	88.637	88.672
		El	7.892			370353	4-3	TERR	181 20 2	212.803	212.886
942805	9-91	E	473416.099	0.9996106	1.0000019	799072	9-120	TERR	1 19 27	99.662	99.700
		N	5362483.230			956995	9-101A	TERR	99 48 43	224.038	224.125
		El	6.269			606103	4-2	TERR	181 20 3	113.162	113.206
63487	9-93	E	473407.965	0.9996106	1.0000019	117077	9-94	TERR	43 47 57	120.232	120.280
		N	5362669.719			881185	9-97	TERR	99 27 13	282.554	282.665
		El	6.547			799072	9-120	TERR	173 8 52	87.479	87.512
						175273	9-89	TERR	285 1 11	78.403	78.432
117077	9-94	E	473491.182	0.9996098	1.0000012	283101	9-79	TERR	9 34 4	108.956	108.998
		N	5362756.499			63487	9-93	TERR	223 47 57	120.232	120.280
723700	9-96A	E	473697.262	0.9996100	1.0000015	796425	9-78	TERR	9 31 56	144.064	144.120
		N	5362686.369			446161	9-133	TERR	99 49 36	76.184	76.214
		El	9.248			881185	9-97	TERR	189 31 28	63.940	63.966
881185	9-97	E	473686.682	0.9996103	1.0000018	723700	9-96A	TERR	9 31 28	63.940	63.966
		N	5362623.310			291237	9-98	TERR	189 14 45	45.143	45.159
		El	6.944			63487	9-93	TERR	279 27 13	282.554	282.665

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
291237	9-98	E	473679.429	0.9996105	1.0000020	881185	9-97	TERR	9 14 45	45.143	45.159
		N	5362578.754			742882	9-106	TERR	99 15 37	75.952	75.981
		El	5.705			228684	9-99A	TERR	197 39 40	39.319	39.335
228684	9-99A	E	473667.500	0.9996106	1.0000021	291237	9-98	TERR	17 39 40	39.319	39.335
		N	5362541.288			935429	9-100	TERR	197 39 33	68.085	68.111
		El	5.193			799072	9-120	TERR	279 28 33	252.544	252.642
677468	9-9A	E	474468.558	0.9996034	0.9999954	113407	9-6	TERR	9 28 60	142.651	142.707
		N	5363219.627			616268	9-10	TERR	84 39 24	55.582	55.604
		El	48.223								
526442	LEGAL 1	E	475348.139	0.9996058	0.9999984	972828	80H1659	GPS	6 34 4	1899.498	1900.249
		N	5366155.256			512921	669	TERR	30 54 25	1128.093	1128.546
		El	29.180			775817	80H1677	GPS	44 46 7	2812.598	2813.715
						565044	99H2272	GPS	87 38 41	2755.766	2756.849
						611566	88H3797	GPS	129 21 31	2764.521	2765.607
						13664	31-14	TERR	171 12 34	111.018	111.062
						254201	16-33	GPS	224 31 14	2688.151	2689.209
						671339	25-1	GPS	257 42 30	2158.085	2158.934
						513572	31-141	TERR	274 1 57	163.380	163.444
						560136	2255	TERR	278 45 57	1480.452	1481.041
						465575	99H2279	GPS	323 33 32	2512.273	2513.265
855999	M5 1954 285	E	471507.131	0.9996120	1.0000020	842088	2251	GPS	6 55 15	1953.322	1954.083
		N	5362490.716			254201	16-33	GPS	48 13 6	2623.305	2624.329
		El	5.733			151068	4-70	GPS	116 25 8	2955.025	2956.175
						432716	907001	GPS	249 48 10	8051.587	8054.713
						362608	84H0238	GPS	283 22 39	2013.769	2014.549
						600411		GPS	296 34 28	3599.719	3601.121
						222869	84H0154	GPS	299 48 9	3013.862	3015.031

Integrated Survey Area No:17 The Corporation of the City of Victoria
Order in Council No. 448/89
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid		Ground
-----	-----	Coordinates				-----	-----	Type	Bearing			Distance		Distance
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING					Metres	Metres	
871954	NO MARKING	E	475931.350	0.9995996	0.9999925	482398	NO MARKING	GPS	26	48	7	46027.683	46046.020	
		N	5362316.515			418541	16-1965	GPS	33	11	22	6667.357	6670.000	
		E1	66.521			CVD28BC	354514	80H3866	GPS	39	13	0	3568.770	3570.186
		103234	NO MARKING			TERR	79	53	43	7398.288	7401.244			
		510511	10-101			TERR	83	4	46	109.166	109.211			
		336859	72C023			GPS	96	57	10	1722.559	1723.242			
		796037	81H4670			TERR	236	17	39	52.068	52.089			
		151068	4-70			TERR	237	19	1	2112.229	2113.064			
		466433	99H2270			GPS	243	28	38	18093.638	18100.700			
		200840	10			GPS	243	30	29	18079.581	18086.635			
		932921	3-16			TERR	243	36	50	441.661	441.836			
		240887	2278			TERR	254	22	53	21975.600	21984.603			
		920140	10-99			TERR	257	5	60	162.614	162.678			
		534933	927000			GPS	257	53	35	12291.849	12296.703			
		492603	99H2268			GPS	259	19	59	31377.024	31389.037			
		394205	2267			TERR	263	52	50	1561.087	1561.709			
		362608	84H0238			GPS	275	43	35	6415.363	6417.889			
		852780	677019			TERR	280	2	37	18215.530	18223.220			
		368605	877025			GPS	281	56	18	81022.972	81050.739			
		600411				GPS	283	8	29	7849.203	7852.310			
		853721	86H1398			GPS	285	1	46	11601.993	11606.591			
		20727	NO MARKING			GPS	302	53	58	3482.733	3484.118			
		671339	25-1			GPS	321	27	38	4320.376	4322.089			
		396804	21710			TERR	330	37	57	13431.395	13436.879			
		544908	PIER 5			GPS	332	42	17	9688.437	9692.279			
		560136	2255			TERR	333	16	30	4550.453	4552.273			
		399220	897152			GPS	334	5	16	62793.624	62817.578			
		937227	NO MARKING			GPS	340	43	37	27716.520	27727.419			
		241869	11703			TERR	350	3	55	8981.464	8985.167			
		512921	669			TERR	359	57	18	4806.649	4808.595			
495762		GPS												
934364		GPS												
816868		GPS												

END OF REPORT