

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
774455	657017	E	342335.627	0.9997743	0.9998690	615153	NO MARKING	TERR	190 25 46	11677.980	11680.447	
		N	5575983.424			227272	75H3462	TERR	190 30 45	11763.859	11766.348	
		E1	852.255			732156	76H3278	TERR	200 50 48	5533.167	5534.246	
						369678	89H5456	TERR	203 58 17	1311.810	1312.083	
						724732	1939	TERR	210 48 29	11970.147	11972.551	
						560300	75H3463	TERR	210 48 36	11973.343	11975.749	
						274902	657016	TERR	217 20 49	22509.819	22514.496	
						156190	76H3282	GPS	224 7 25	7105.028	7106.328	
						475137	75H3108	TERR	224 38 51	3886.407	3887.134	
						336875	76H3270	TERR	224 45 15	6826.232	6827.482	
						780502		TERR	232 18 3	38088.663	38097.979	
						670992		NO MARKING	TERR	241 45 47	15022.852	15025.824
						27250		NO MARKING	TERR	241 56 31	8284.336	8286.051
						621342		NO MARKING	TERR	270 14 44	6630.407	6631.761
						416131	657018	TERR	301 24 59	12964.098	12967.146	
						916973		NO MARKING	TERR	310 53 42	10445.355	10447.432
						584664	PIER 7	GPS	334 42 31	4988.960	4989.903	
		122473		NO MARKING	TERR	339 4 24	5993.362	5994.501				
		437251	1936	TERR	347 14 23	15459.052	15462.582					
		492256	657019	TERR	349 9 15	15325.162	15328.665					
		457218	79C324	GPS	359 12 40	8677.574	8679.256					
308726	75H2901	E	338703.203	0.9998609	0.9999414		MARKER DESTROYED					
		N	5568653.424									
		E1	389.904		CVD28BC							
386490	75H2902	E	338558.496	0.9998608	0.9999407	795518	75H2903	TERR	202 51 36	185.249	185.275	
		N	5568468.646									
		E1	394.705		CVD28BC							
795518	75H2903	E	338486.530	0.9998601	0.9999398	386490	75H2902	TERR	22 51 36	185.249	185.275	
		N	5568297.947			884171	75H2904	TERR	188 24 20	233.852	233.885	
		E1	400.488		CVD28BC							
884171	75H2904	E	338452.346	0.9998601	0.9999395	795518	75H2903	TERR	8 24 20	233.852	233.885	
		N	5568066.607			951608	76H3254	TERR	189 11 12	485.377	485.444	
		E1	401.888		CVD28BC							
440305	75H2905	E	338316.572	0.9998621	0.9999411	951608	76H3254	TERR	9 18 6	360.592	360.641	
		N	5567231.606			900027	82H5092	TERR	76 31 53	603.058	603.149	
		E1	392.079		CVD28BC							

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
939496	75H2906	E	338219.193	0.9998623	0.9999409		MARKER DESTROYED				
		N	5566873.195								
		E1	393.247	CVD28BC							
336594	75H2909	E	333459.416	0.9998886	0.9999480	442954	75H3202	TERR	19 2 5	1899.713	1899.940
		N	5567947.309			625053	75H2908	TERR	52 28 0	832.460	832.553
		E1	348.110	CVD28BC		176990	75H2910	TERR	257 35 3	373.192	373.233
176990	75H2910	E	333094.952	0.9998903	0.9999482	336594	75H2909	TERR	77 35 3	373.192	373.233
		N	5567867.070			44255	75H3101	TERR	338 9 25	599.002	599.068
		E1	346.965	CVD28BC							
161240	75H2911	E	337393.108	0.9998647	0.9999400	336875	76H3270	TERR	123 8 46	162.903	162.925
		N	5571224.958			733816	75H2937	TERR	193 32 49	147.347	147.366
		E1	399.267	CVD28BC		178129	75H3090	TERR	270 5 25	181.612	181.637
909853	75H2912	E	337862.399	0.9998659	0.9999430		MARKER DESTROYED				
		N	5570837.185								
		E1	379.714	CVD28BC							
400044	75H2913	E	337581.698	0.9998667	0.9999427	387266	76H3269	TERR	92 7 56	154.604	154.624
		N	5570846.083			914416	76H3276	TERR	182 34 43	220.690	220.718
		E1	381.547	CVD28BC							
452292	75H2914	E	338073.726	0.9998646	0.9999426	535161	75H3081	TERR	1 41 34	147.570	147.591
		N	5570836.448			646398	75H2918	TERR	93 1 18	174.205	174.229
		E1	382.338	CVD28BC		721514	76H3281	TERR	181 31 50	225.022	225.053
511865	75H2915	E	338284.668	0.9998639	0.9999427	520726	75H3024	TERR	183 53 53	163.886	163.909
		N	5570597.302			646398	75H2918	TERR	350 51 53	232.917	232.949
		E1	381.856	CVD28BC							
600072	75H2916	E	338169.614	0.9998651	0.9999434		MARKER DESTROYED				
		N	5570136.828								
		E1	377.155	CVD28BC							

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
720912	75H2917	E	337929.066	0.9998665	0.9999439		MARKER DESTROYED				
		N	5570114.447								
		E1	374.286	CVD28BC							
646398	75H2918	E	338247.689	0.9998635	0.9999422	511865	75H2915	TERR	170 51 53	232.917	232.949
		N	5570827.265			452292	75H2914	TERR	273 1 18	174.205	174.229
		E1	384.884	CVD28BC		855338	75H3019	TERR	355 4 52	159.183	159.205
813204	75H2919	E	337748.530	0.9998676	0.9999443	85357	76H3290	TERR	77 25 59	204.596	204.623
		N	5570089.789			680439	75H2961	TERR	268 21 21	207.890	207.917
		E1	371.461	CVD28BC		556670	75H2920	TERR	345 44 16	153.451	153.471
556670	75H2920	E	337710.726	0.9998676	0.9999441	813204	75H2919	TERR	165 44 16	153.451	153.471
		N	5570238.510			265686	76H3340	TERR	279 42 3	174.828	174.851
		E1	372.717	CVD28BC		300699	75H3022	TERR	359 55 50	212.857	212.886
842344	75H2921	E	338520.319	0.9998602	0.9999400	141549	75H3044	TERR	2 55 13	460.421	460.486
		N	5572443.153			929588	75H2936	TERR	92 24 49	300.998	301.041
		E1	399.197	CVD28BC							
696807	75H2922	E	338459.509	0.9998619	0.9999414	416032	75H3155	TERR	91 30 48	166.638	166.662
		N	5570418.797			340539	75H2974	TERR	181 12 10	173.697	173.721
		E1	389.955	CVD28BC							
619973	75H2923	E	338505.093	0.9998600	0.9999397		MARKER DESTROYED				
		N	5571977.866								
		E1	400.832	CVD28BC							
558312	75H2924	E	338512.131	0.9998600	0.9999397		MARKER DESTROYED				
		N	5572218.405								
		E1	401.010	CVD28BC							
325175	75H2925	E	338485.981	0.9998610	0.9999406		MARKER DESTROYED				
		N	5571380.358								
		E1	394.857	CVD28BC							

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
242743	75H2926	E	338469.801	0.9998616	0.9999412		MARKER DESTROYED				
		N	5570820.808								
		E1	391.442	CVD28BC							
316497	75H2927	E	338498.774	0.9998600	0.9999397		MARKER DESTROYED				
		N	5571796.473								
		E1	400.817	CVD28BC							
694166	75H2928	E	338485.650	0.9998632	0.9999428	228171	75H3161	TERR	90 51 26	232.905	232.937
		N	5569097.824								
		E1	381.281	CVD28BC							
202663	75H2929	E	338493.623	0.9998604	0.9999400		MARKER DESTROYED				
		N	5571635.745								
		E1	399.008	CVD28BC							
395210	75H2930	E	338475.669	0.9998615	0.9999411	205898	75H3156	TERR	91 20 49	164.599	164.621
		N	5570978.086			855338	75H3019	TERR	271 50 36	241.754	241.787
		E1	392.079	CVD28BC							
617621	75H2931	E	339354.002	0.9998542	0.9999373	70904	76H3297	TERR	35 31 52	137.804	137.825
		N	5572279.692			773093	75H2999	TERR	183 6 15	261.096	261.134
		E1	416.388	CVD28BC							
393777	75H2932	E	339095.920	0.9998567	0.9999387	70904	76H3297	TERR	95 2 6	339.476	339.526
		N	5572421.631			580795	75H3001	TERR	181 51 5	216.606	216.637
		E1	407.319	CVD28BC		929588	75H2936	TERR	271 50 36	275.012	275.051
978692	75H2933	E	337715.100	0.9998632	0.9999398		MARKER DESTROYED				
		N	5571345.629								
		E1	400.579	CVD28BC							
703736	75H2934	E	337645.886	0.9998635	0.9999398		MARKER DESTROYED				
		N	5571293.400								
		E1	400.573	CVD28BC							

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
401992	75H2935	E	337514.774	0.9998646	0.9999404		MARKER DESTROYED				
		N	5571478.186								
		E1	396.558	CVD28BC							
929588	75H2936	E	338821.050	0.9998581	0.9999391	393777	75H2932	TERR	91 50 36	275.012	275.051
		N	5572430.477			842344	75H2921	TERR	272 24 49	300.998	301.041
		E1	404.813	CVD28BC							
733816	75H2937	E	337358.593	0.9998637	0.9999388	161240	75H2911	TERR	13 32 49	147.347	147.366
		N	5571081.711			156190	76H3282	TERR	171 16 46	200.883	200.911
		E1	406.641	CVD28BC							
923623	75H2938	E	337186.824	0.9998682	0.9999426	477562	75H3099	TERR	176 1 40	126.612	126.628
		N	5570766.972			171843	75H2940	TERR	358 24 18	178.784	178.809
		E1	382.427	CVD28BC							
624262	75H2939	E	337449.142	0.9998643	0.9999398		MARKER DESTROYED				
		N	5571303.171								
		E1	400.062	CVD28BC							
171843	75H2940	E	337181.848	0.9998670	0.9999414	956409	75H3089	TERR	0 59 52	186.955	186.980
		N	5570945.687			923623	75H2938	TERR	178 24 18	178.784	178.809
		E1	390.213	CVD28BC							
980581	75H2941	E	337851.968	0.9998644	0.9999414		MARKER DESTROYED				
		N	5572048.875								
		E1	389.785	CVD28BC							
270769	75H2942	E	338412.417	0.9998616	0.9999409	451419	75H2948	TERR	3 11 22	164.433	164.456
		N	5572961.376			357491	75H2946	TERR	222 15 57	199.617	199.645
		E1	393.109	CVD28BC							
577924	75H2943	E	337865.661	0.9998643	0.9999414		MARKER DESTROYED				
		N	5572462.298								
		E1	389.783	CVD28BC							

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
414680	75H2944	E	338238.366	0.9998620	0.9999407		MARKER DESTROYED				
		N	5572448.918								
		E1	394.717	CVD28BC							
673376	75H2945	E	338224.359	0.9998624	0.9999410	357491	75H2946	TERR	24 56 20	127.596	127.614
		N	5572697.954								
		E1	392.512	CVD28BC							
357491	75H2946	E	338278.160	0.9998622	0.9999410	270769	75H2942	TERR	42 15 57	199.617	199.645
		N	5572813.653			673376	75H2945	TERR	204 56 20	127.596	127.614
		E1	392.779	CVD28BC							
451419	75H2948	E	338421.566	0.9998619	0.9999412	270769	75H2942	TERR	183 11 22	164.433	164.456
		N	5573125.554								
		E1	391.034	CVD28BC							
710905	75H2949	E	338154.620	0.9998626	0.9999409		MARKER DESTROYED				
		N	5572461.158								
		E1	393.409	CVD28BC							
384750	75H2950	E	338363.355	0.9998613	0.9999404		MARKER DESTROYED				
		N	5572444.026								
		E1	396.485	CVD28BC							
796797	75H2951	E	340562.150	0.9998459	0.9999337	427096	75H2970	TERR	1 42 6	330.403	330.454
		N	5569544.753			273193	75H2957	TERR	267 6 7	269.822	269.863
		E1	438.928	CVD28BC							
743302	75H2952	E	339977.179	0.9998505	0.9999360	273193	75H2957	TERR	91 40 7	315.628	315.675
		N	5569540.302			258624	75H2955	TERR	282 14 25	110.618	110.634
		E1	424.600	CVD28BC							
787689	75H2953	E	338173.781	0.9998625	0.9999409	159905	75H2960	TERR	202 16 58	275.217	275.256
		N	5572242.125								
		E1	393.527	CVD28BC							

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
523407	75H2954	E	339733.105	0.9998521	0.9999366	258624	75H2955	TERR	95 22 33	136.572	136.592				
		N	5569576.549					75H2989				TERR	259 25 1	192.132	192.161
		E1	420.557					CVD28BC							
258624	75H2955	E	339869.076	0.9998515	0.9999366	743302	75H2952	TERR	102 14 25	110.618	110.634				
		N	5569563.754					75H2954				TERR	275 22 33	136.572	136.592
		E1	420.749					CVD28BC							
273193	75H2957	E	340292.673	0.9998480	0.9999347	796797	75H2951	TERR	87 6 7	269.822	269.863				
		N	5569531.111					75H2952				TERR	271 40 7	315.628	315.675
		E1	432.514					CVD28BC							
241877	75H2958	E	338270.261	0.9998609	0.9999397			MARKER DESTROYED							
		N	5572145.439												
		E1	400.902					CVD28BC							
286427	75H2959	E	338040.602	0.9998632	0.9999410	159905	75H2960	TERR	11 19 50	146.705	146.725				
		N	5571843.614												
		E1	392.516					CVD28BC							
159905	75H2960	E	338069.425	0.9998629	0.9999408	787689	75H2953	TERR	22 16 58	275.217	275.256				
		N	5571987.460					75H2959				TERR	191 19 50	146.705	146.725
		E1	393.688					CVD28BC							
680439	75H2961	E	337540.726	0.9998686	0.9999445	813204	75H2919	TERR	88 21 21	207.890	207.917				
		N	5570083.824					75H2963				TERR	267 9 4	354.461	354.507
		E1	370.302					76H3340				TERR	359 16 33	184.160	184.184
309476	75H2962	E	339824.863	0.9998475	0.9999324			MARKER DESTROYED							
		N	5570162.618												
		E1	447.168					CVD28BC							
141747	75H2963	E	337186.703	0.9998704	0.9999448	734434	75H3173	TERR	5 51 11	151.973	151.993				
		N	5570066.207					75H2961				TERR	87 9 4	354.461	354.507
		E1	368.280					76H3292				TERR	260 38 27	259.972	260.005

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
542209	75H2965	E	337766.123	0.9998633	0.9999400	978833	76H3336	TERR	274 32 16	329.695	329.739
		N	5571639.756								
		El	398.831	CVD28BC							
606376	75H2967	E	339749.475	0.9998488	0.9999334	119990	76H3255	TERR	180 3 28	236.045	236.081
		N	5571833.127								
		El	440.885	CVD28BC							
640268	75H2968	E	340225.255	0.9998469	0.9999334	599134	76H3246	TERR	272 19 29	309.702	309.749
		N	5569941.978								
		El	441.071	CVD28BC							
880161	75H2969	E	340603.612	0.9998414	0.9999294	269308	75H3011	TERR	183 28 24	245.368	245.406
		N	5570729.396			732156	76H3278	TERR	289 18 51	251.193	251.234
		El	466.742	CVD28BC							
427096	75H2970	E	340571.962	0.9998441	0.9999319	530121	76H3314	TERR	1 44 57	323.399	323.449
		N	5569875.010			796797	75H2951	TERR	181 42 6	330.403	330.454
		El	450.691	CVD28BC							
625517	75H2971	E	336159.440	0.9998751	0.9999455			MARKER DESTROYED			
		N	5570180.981								
		El	364.137	CVD28BC							
991919	75H2973	E	335960.013	0.9998735	0.9999430	478115	75H2976	TERR	278 48 41	300.130	300.168
		N	5570366.200								
		El	379.605	CVD28BC							
340539	75H2974	E	338455.863	0.9998617	0.9999412	696807	75H2922	TERR	1 12 10	173.697	173.721
		N	5570245.138			840546	75H3153	TERR	91 57 5	164.409	164.432
		El	391.568	CVD28BC		461640	75H3129	TERR	181 33 36	233.639	233.671
						57380	76H3288	TERR	265 7 12	83.967	83.979
717785	75H2975	E	336385.679	0.9998722	0.9999434	341032	75H3198	TERR	107 59 18	160.038	160.058
		N	5570432.803								
		El	376.996	CVD28BC							

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
478115	75H2976	E	335663.425	0.9998721	0.9999404	991919	75H2973	TERR	98 48 41	300.130	300.168					
		N	5570412.174					940445				75H3118	TERR	249 29 53	209.716	209.742
		El	396.549					CVD28BC								
394296	75H2977	E	338529.010	0.9998584	0.9999382	501379	75H2985	TERR	110 56 20	208.625	208.655					
		N	5569827.654													
		El	410.321					CVD28BC								
402735	75H2978	E	336227.802	0.9998724	0.9999430	MARKER DESTROYED										
		N	5570413.411													
		El	379.800			CVD28BC										
844829	75H2979	E	338710.974	0.9998615	0.9999420	228171	75H3161	TERR	1 40 19	258.944	258.980					
		N	5568835.506					865121				77H3357	TERR	94 42 14	199.005	199.034
		El	386.404					CVD28BC								
544551	75H2980	E	335960.954	0.9998758	0.9999454	MARKER ISOLATED										
		N	5570043.041													
		El	364.806			CVD28BC										
781559	75H2981	E	338762.487	0.9998560	0.9999367	717512	76H3304	TERR	4 50 36	180.619	180.645					
		N	5570409.912					169805				75H2982	TERR	181 27 58	173.547	173.572
		El	420.064					CVD28BC				416032	75H3155	TERR	271 52 58	136.472
169805	75H2982	E	338758.047	0.9998538	0.9999345	781559	75H2981	TERR	1 27 58	173.547	173.572					
		N	5570236.422					375022				75H2984	TERR	181 5 1	233.874	233.908
		El	434.025					CVD28BC								
914788	75H2983	E	338766.404	0.9998582	0.9999389	MARKER DESTROYED										
		N	5570583.358													
		El	406.089			CVD28BC										
375022	75H2984	E	338753.624	0.9998548	0.9999354	169805	75H2982	TERR	1 5 1	233.874	233.908					
		N	5570002.590					178293				75H3123	TERR	92 21 4	106.256	106.272
		El	428.118					CVD28BC				274688	75H3008	TERR	271 32 43	138.654

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
501379	75H2985	E	338723.858	0.9998559	0.9999364	733329	75H2986	TERR	91 49 17	278.822	278.862
		N	5569753.097			394296	75H2977	TERR	290 56 20	208.625	208.655
		El	421.667	CVD28BC							
733329	75H2986	E	339002.539	0.9998540	0.9999357	984195	75H2988	TERR	91 40 25	241.815	241.850
		N	5569744.235			432708	77H3346	TERR	179 1 1	168.211	168.236
		El	426.508	CVD28BC		501379	75H2985	TERR	271 49 17	278.822	278.862
788786	75H2987	E	339390.001	0.9998545	0.9999376						
		N	5569489.247								
		El	413.948	CVD28BC							
984195	75H2988	E	339244.251	0.9998531	0.9999358	883330	75H3127	TERR	2 3 49	249.072	249.108
		N	5569737.173			85951	77H3345	TERR	184 38 43	168.019	168.043
		El	426.006	CVD28BC		733329	75H2986	TERR	271 40 25	241.815	241.850
854885	75H2989	E	339544.241	0.9998533	0.9999371	523407	75H2954	TERR	79 25 1	192.132	192.161
		N	5569541.262			263475	76H3332	TERR	182 21 1	363.757	363.810
		El	417.210	CVD28BC		822544	76H3306	TERR	248 58 5	176.871	176.896
						776641	89H5491	TERR	359 59 21	423.111	423.174
600247	75H2990	E	339243.228	0.9998559	0.9999385						
		N	5569432.021								
		El	408.425	CVD28BC							
178210	75H2991	E	339540.832	0.9998526	0.9999364						
		N	5571804.005								
		El	422.242	CVD28BC							
186007	75H2992	E	339409.119	0.9998539	0.9999371	567305	76H3302	TERR	129 20 49	226.814	226.848
		N	5571905.365			773093	75H2999	TERR	328 38 5	133.058	133.078
		El	417.377	CVD28BC							
536177	75H2993	E	338903.507	0.9998563	0.9999376	818625	75H3111	TERR	27 40 38	170.493	170.517
		N	5570962.947			294322	75H2994	TERR	216 2 11	229.941	229.974
		El	414.427	CVD28BC							

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
294322	75H2994	E	338768.233	0.9998582	0.9999390	733774	75H3007	TERR	0 59 20	194.591	194.619			
		N	5570777.007					536177	75H2993	TERR	36 2 11	229.941	229.974	
		E1	405.521					CVD28BC	717512	76H3304	TERR	177 5 33	187.362	187.388
118984	75H2995	E	339550.145	0.9998527	0.9999366	567305	76H3302	TERR	12 11 21	162.803	162.828			
		N	5571602.428					432070	89H5461	TERR	94 19 16	103.152	103.167	
		E1	420.924					CVD28BC	438564	76H3303	TERR	195 10 9	149.816	149.838
									407650	76H3262	TERR	272 34 20	158.742	158.766
562751	75H2996	E	339059.278	0.9998552	0.9999370	699918	75H3005	TERR	1 43 44	253.425	253.462			
		N	5571175.763					451567	75H2998	TERR	63 49 2	211.857	211.888	
		E1	417.836					CVD28BC	818625	75H3111	TERR	231 4 56	98.425	98.438
390526	75H2997	E	339515.454	0.9998529	0.9999366			MARKER DESTROYED						
		N	5571474.226											
		E1	420.849					CVD28BC						
451567	75H2998	E	339249.396	0.9998544	0.9999371	376780	75H3000	TERR	61 36 19	160.671	160.694			
		N	5571269.242					562751	75H2996	TERR	243 49 2	211.857	211.888	
		E1	417.765					CVD28BC						
773093	75H2999	E	339339.863	0.9998545	0.9999375	617621	75H2931	TERR	3 6 15	261.096	261.134			
		N	5572018.979					919621	89H5464	TERR	83 13 17	66.541	66.551	
		E1	414.716					CVD28BC	4275	76H3277	TERR	83 30 2	66.630	66.640
									186007	75H2992	TERR	148 38 5	133.058	133.078
									928051	89H5500	TERR	271 59 3	133.465	133.484
376780	75H3000	E	339390.737	0.9998538	0.9999369	438564	76H3303	TERR	46 58 37	164.422	164.447			
		N	5571345.648					451567	75H2998	TERR	241 36 19	160.671	160.694	
		E1	418.427					CVD28BC						
580795	75H3001	E	339088.922	0.9998561	0.9999381	393777	75H2932	TERR	1 51 5	216.606	216.637			
		N	5572205.138											
		E1	410.987					CVD28BC						
605253	75H3002	E	339081.648	0.9998567	0.9999387	813766	89H5466	TERR	358 44 5	154.201	154.223			
		N	5571800.360											
		E1	407.293					CVD28BC						

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
346833	75H3003	E	338773.984	0.9998586	0.9999394	818625	75H3111	TERR	89 45 21	208.717	208.747		
		N	5571113.043					733774	75H3007	TERR	180 58 9	141.494	141.514
		E1	402.884	CVD28BC				523803	76H3296	TERR	275 8 48	136.812	136.831
222851	75H3004	E	339225.332	0.9998555	0.9999380	MARKER DESTROYED							
		N	5572027.653										
		E1	411.795	CVD28BC									
699918	75H3005	E	339066.924	0.9998577	0.9999396	562751	75H2996	TERR	181 43 44	253.425	253.462		
		N	5571429.073										
		E1	401.576	CVD28BC									
448324	75H3006	E	339084.953	0.9998564	0.9999384	MARKER DESTROYED							
		N	5571960.145										
		E1	409.459	CVD28BC									
733774	75H3007	E	338771.591	0.9998583	0.9999390	346833	75H3003	TERR	0 58 9	141.494	141.514		
		N	5570971.569					294322	75H2994	TERR	180 59 20	194.591	194.619
		E1	405.107	CVD28BC				205898	75H3156	TERR	271 9 17	131.396	131.414
274688	75H3008	E	338615.020	0.9998572	0.9999373	840546	75H3153	TERR	1 16 0	233.268	233.301		
		N	5570006.329					375022	75H2984	TERR	91 32 43	138.654	138.675
		E1	416.345	CVD28BC				461640	75H3129	TERR	271 49 9	165.601	165.624
551143	75H3009	E	339072.239	0.9998573	0.9999393	MARKER DESTROYED							
		N	5571617.408										
		E1	403.650	CVD28BC									
269308	75H3011	E	340588.747	0.9998420	0.9999299	880161	75H2969	TERR	3 28 24	245.368	245.406		
		N	5570484.479					530121	76H3314	TERR	181 23 2	286.305	286.350
		E1	463.250	CVD28BC									
491761	75H3012	E	338463.273	0.9998617	0.9999412	MARKER DESTROYED							
		N	5570592.064										
		E1	391.062	CVD28BC									

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
605725	75H3013	E	338479.380	0.9998614	0.9999410		MARKER DESTROYED				
		N	5571122.578								
		E1	392.550	CVD28BC							
319574	75H3014	E	340581.831	0.9998425	0.9999304		MARKER DESTROYED				
		N	5570198.253								
		E1	460.417	CVD28BC							
940122	75H3015	E	340025.739	0.9998417	0.9999274	732156	76H3278	TERR	138 29 11	514.209	514.291
		N	5571197.515			663856	75H3140	TERR	181 49 16	119.645	119.665
		E1	479.190	CVD28BC		198531	76H3252	TERR	353 28 27	68.579	68.590
786160	75H3016	E	337724.592	0.9998669	0.9999435		MARKER DESTROYED				
		N	5570620.860								
		E1	376.926	CVD28BC							
480137	75H3017	E	338362.845	0.9998634	0.9999425		MARKER DESTROYED				
		N	5570245.799								
		E1	383.136	CVD28BC							
335513	75H3018	E	338253.754	0.9998617	0.9999404	556464	75H3043	TERR	1 43 56	166.170	166.193
		N	5571639.869			790980	89H5492	TERR	275 37 2	257.869	257.905
		E1	396.224	CVD28BC							
855338	75H3019	E	338234.040	0.9998633	0.9999419	395210	75H2930	TERR	91 50 36	241.754	241.787
		N	5570985.862			646398	75H2918	TERR	175 4 52	159.183	159.205
		E1	386.799	CVD28BC		535161	75H3081	TERR	269 17 57	155.967	155.989
584805	75H3020	E	339454.920	0.9998524	0.9999358	70904	76H3297	TERR	184 53 25	244.392	244.428
		N	5572635.339			304634	75H3110	TERR	354 4 16	242.233	242.268
		E1	425.572	CVD28BC							
873737	75H3021	E	338150.407	0.9998651	0.9999434		MARKER DESTROYED				
		N	5570244.434								
		E1	377.340	CVD28BC							

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
300699	75H3022	E	337710.468	0.9998672	0.9999437	352583 556670	76H3331 75H2920	TERR	99 14 1	150.654	150.675
		N	5570451.367					TERR	179 55 50	212.857	212.886
		E1	375.432	CVD28BC							
195933	75H3023	E	337924.685	0.9998664	0.9999438	345629 85357 678334	76H3334 76H3290 75H3028	TERR	1 47 5	296.480	296.520
		N	5569954.939					TERR	7 28 35	180.904	180.929
		E1	374.706	CVD28BC					TERR	181 40 54	124.029
520726	75H3024	E	338273.527	0.9998643	0.9999431	511865 829945	75H2915 75H3096	TERR	3 53 53	163.886	163.909
		N	5570433.795					TERR	271 39 33	101.880	101.893
		E1	379.348	CVD28BC							
17590	75H3025	E	337865.214	0.9998661	0.9999432	MARKER DESTROYED					
		N	5570617.737								
		E1	378.307	CVD28BC							
309914	75H3026	E	337916.059	0.9998635	0.9999408	678334 65011 21543 388041	75H3028 75H3114 75H3030 75H3055	TERR	1 46 19	161.248	161.270
		N	5569669.792					TERR	94 31 4	181.442	181.466
		E1	393.641	CVD28BC				TERR	181 32 4	162.448	162.470
								TERR	268 39 32	164.273	164.295
529990	75H3027	E	337922.874	0.9998602	0.9999376	165308 114918 21543	76H3319 76H3295 75H3030	TERR	189 30 35	117.709	117.725
		N	5569337.255					TERR	273 22 27	175.999	176.024
		E1	414.282	CVD28BC					TERR	356 14 44	170.513
678334	75H3028	E	337921.045	0.9998653	0.9999427	195933 309914	75H3023 75H3026	TERR	1 40 54	124.029	124.046
		N	5569830.963					TERR	181 46 19	161.248	161.270
		E1	381.716	CVD28BC							
592550	75H3029	E	337903.017	0.9998596	0.9999369	MARKER DESTROYED					
		N	5569221.163								
		E1	418.934	CVD28BC							
21543	75H3030	E	337911.709	0.9998619	0.9999392	309914 529990	75H3026 75H3027	TERR	1 32 4	162.448	162.470
		N	5569507.402					TERR	176 14 44	170.513	170.537
		E1	403.990	CVD28BC							

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
147785	75H3031	E	339371.362	0.9998497	0.9999328		MARKER DESTROYED				
		N	5570795.497								
		E1	444.613	CVD28BC							
899484	75H3032	E	339274.064	0.9998517	0.9999345	71423	76H3250	TERR	91 43 40	326.736	326.784
		N	5571099.519			818625	75H3111	TERR	272 49 55	291.721	291.764
		E1	434.241	CVD28BC							
727685	75H3033	E	339179.389	0.9998523	0.9999347	716548	75H3034	TERR	181 17 57	155.682	155.705
		N	5570957.795								
		E1	432.751	CVD28BC							
716548	75H3034	E	339175.859	0.9998517	0.9999340	727685	75H3033	TERR	1 17 57	155.682	155.705
		N	5570802.153								
		E1	436.991	CVD28BC							
826776	75H3036	E	339817.413	0.9998450	0.9999299	301770	76H3247	TERR	1 21 31	134.588	134.608
		N	5570781.152			264549	75H3132	TERR	92 25 26	193.809	193.840
		E1	463.491	CVD28BC							
968248	75H3037	E	339574.903	0.9998476	0.9999315		MARKER DESTROYED				
		N	5570789.685								
		E1	453.162	CVD28BC							
967646	75H3038	E	339567.663	0.9998484	0.9999322	680199	75H3122	TERR	272 23 23	165.410	165.434
		N	5570559.085								
		E1	448.433	CVD28BC							
281386	75H3039	E	339556.808	0.9998507	0.9999346		MARKER DESTROYED				
		N	5570173.444								
		E1	433.635	CVD28BC							
902742	75H3040	E	339551.445	0.9998518	0.9999356		MARKER DESTROYED				
		N	5569971.235								
		E1	426.722	CVD28BC							

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
820522	75H3041	E	336991.631	0.9998711	0.9999448	553115 943530	75H3084 75H3179	TERR	96 14 35	110.938	110.952
		N	5570464.774					TERR	181 30 33	242.523	242.554
		El	368.603	CVD28BC							
392597	75H3042	E	338615.677	0.9998605	0.9999407	MARKER DESTROYED					
		N	5573076.737								
		El	394.718	CVD28BC							
556464	75H3043	E	338258.777	0.9998617	0.9999404	335513	75H3018	TERR	181 43 56	166.170	166.193
		N	5571805.963								
		El	396.332	CVD28BC							
141549	75H3044	E	338543.776	0.9998606	0.9999405	842344	75H2921	TERR	182 55 13	460.421	460.486
		N	5572902.976								
		El	395.940	CVD28BC							
300814	75H3045	E	337183.633	0.9998680	0.9999425	361675 271114	75H3183 76H3241	TERR	93 40 47	136.831	136.849
		N	5569744.858					TERR	253 58 10	304.307	304.347
		El	383.281	CVD28BC							
286708	75H3046	E	337607.563	0.9998663	0.9999424	904367 281485	75H3053 75H3047	TERR	65 30 54	166.105	166.127
		N	5569741.911					TERR	263 14 13	130.577	130.594
		El	383.770	CVD28BC							
281485	75H3047	E	337477.895	0.9998672	0.9999428	286708 472720 361675	75H3046 75H3184 75H3183	TERR	83 14 13	130.577	130.594
		N	5569726.534					TERR	185 4 59	147.582	147.602
		El	381.226	CVD28BC					TERR	273 27 44	158.001
197145	75H3048	E	336696.209	0.9998729	0.9999454	138602 69369	75H3187 76H3272	TERR	80 55 18	224.014	224.043
		N	5569888.447					TERR	258 56 18	224.079	224.107
		El	364.581	CVD28BC							
418590	75H3049	E	336303.699	0.9998747	0.9999456	69369 405399 958801	76H3272 75H3141 75H3185	TERR	88 8 19	172.685	172.707
		N	5569839.845					TERR	218 37 51	145.880	145.897
		El	363.560	CVD28BC					TERR	359 39 10	95.852

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
900076	75H3050	E	337570.413	0.9998598	0.9999357	27946	75H3052	TERR	30 33 13	130.032	130.049
		N	5569224.094			672147	89H5488	TERR	221 20 11	133.350	133.369
		E1	426.164	CVD28BC		157511	76H3243	TERR	272 28 9	168.144	168.168
761619	75H3051	E	337727.413	0.9998631	0.9999397	388041	75H3055	TERR	11 56 11	118.061	118.077
		N	5569550.439			929885	75H3056	TERR	194 52 17	106.281	106.295
		E1	401.017	CVD28BC							
27946	75H3052	E	337636.514	0.9998609	0.9999371	929885	75H3056	TERR	29 40 36	128.502	128.521
		N	5569336.071			114918	76H3295	TERR	84 2 43	111.266	111.281
		E1	417.480	CVD28BC		900076	75H3050	TERR	210 33 13	130.032	130.049
						477208	75H3189	TERR	292 45 45	175.683	175.708
904367	75H3053	E	337758.730	0.9998664	0.9999431	388041	75H3055	TERR	182 43 40	144.971	144.990
		N	5569810.754			286708	75H3046	TERR	245 30 54	166.105	166.127
		E1	378.938	CVD28BC							
45047	75H3054	E	337757.908	0.9998673	0.9999440		MARKER DESTROYED				
		N	5569951.020								
		E1	373.137	CVD28BC							
388041	75H3055	E	337751.831	0.9998649	0.9999416	904367	75H3053	TERR	2 43 40	144.971	144.990
		N	5569665.947			309914	75H3026	TERR	88 39 32	164.273	164.295
		E1	388.937	CVD28BC		761619	75H3051	TERR	191 56 11	118.061	118.077
929885	75H3056	E	337700.136	0.9998617	0.9999382	761619	75H3051	TERR	14 52 17	106.281	106.295
		N	5569447.718			27946	75H3052	TERR	209 40 36	128.502	128.521
		E1	410.479	CVD28BC							
580837	75H3057	E	335647.547	0.9998782	0.9999464	376434	75H3058	TERR	53 30 21	296.981	297.018
		N	5569663.610			204594	77H3348	TERR	105 27 7	212.291	212.316
		E1	358.062	CVD28BC		490037	75H3059	TERR	232 0 6	234.325	234.354
376434	75H3058	E	335886.295	0.9998769	0.9999461	958801	75H3185	TERR	77 6 3	427.614	427.667
		N	5569840.237			580837	75H3057	TERR	233 30 21	296.981	297.018
		E1	359.931	CVD28BC							

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
490037	75H3059	E	335462.892	0.9998791	0.9999466	580837	75H3057	TERR	52 0 6	234.325	234.354
		N	5569519.351			525410	75H3060	TERR	231 58 19	216.616	216.642
		El	357.172	CVD28BC							
525410	75H3060	E	335292.262	0.9998798	0.9999466	995167	75H3064	TERR	5 36 52	164.963	164.983
		N	5569385.905			490037	75H3059	TERR	51 58 19	216.616	216.642
		El	356.687	CVD28BC		898767	94H1186	TERR	230 8 18	350.299	350.341
						953513	75H2907	TERR	231 36 2	807.290	807.386
81646	75H3062	E	335593.025	0.9998780	0.9999460		MARKER DESTROYED				
		N	5569847.392								
		El	360.486	CVD28BC							
775395	75H3063	E	335473.632	0.9998790	0.9999465	942078	76H3313	TERR	47 17 55	223.045	223.071
		N	5569727.552			995167	75H3064	TERR	222 57 14	242.484	242.514
		El	357.522	CVD28BC		887992	77H3353	TERR	321 45 1	140.511	140.528
995167	75H3064	E	335308.401	0.9998798	0.9999467	775395	75H3063	TERR	42 57 14	242.484	242.514
		N	5569550.077			525410	75H3060	TERR	185 36 52	164.963	164.983
		El	356.263	CVD28BC		332924	89H5452	TERR	355 33 54	197.274	197.297
58479	75H3065	E	339112.295	0.9998583	0.9999404		MARKER DESTROYED				
		N	5572993.486								
		El	396.490	CVD28BC							
902163	75H3066	E	335763.620	0.9998769	0.9999456		MARKER DESTROYED				
		N	5569948.305								
		El	363.312	CVD28BC							
978387	75H3067	E	339924.601	0.9998503	0.9999356	745604	75H3070	TERR	287 15 7	197.824	197.854
		N	5572035.576								
		El	426.888	CVD28BC							
37523	75H3068	E	339103.977	0.9998576	0.9999396		MARKER DESTROYED				
		N	5572715.147								
		El	401.390	CVD28BC							

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING						
753905	75H3069	E	339575.154	0.9998528	0.9999367	745604	75H3070	TERR	94 4 29	160.930	160.953		
		N	5572105.680					919621	89H5464	TERR	245 0 59	186.683	186.711
		E1	419.730	CVD28BC				171496	76H3322	TERR	245 52 30	91.929	91.943
745604	75H3070	E	339735.677	0.9998518	0.9999363	978387 753905	75H3067 75H3069	TERR	107 15 7	197.824	197.854		
		N	5572094.245							TERR	274 4 29	160.930	160.953
		E1	422.377	CVD28BC									
777029	75H3072	E	338257.976	0.9998643	0.9999430	MARKER DESTROYED							
		N	5569955.571										
		E1	379.844	CVD28BC									
765586	75H3074	E	337713.344	0.9998655	0.9999421	747212 336875	75H3085 76H3270	TERR	95 32 1	155.151	155.171		
		N	5571150.253							TERR	265 31 54	184.402	184.427
		E1	385.835	CVD28BC									
811620	75H3075	E	338061.488	0.9998640	0.9999419	MARKER DESTROYED							
		N	5571136.166										
		E1	386.726	CVD28BC									
361105	75H3076	E	338238.827	0.9998630	0.9999416	MARKER DESTROYED							
		N	5571128.309										
		E1	388.616	CVD28BC									
364240	75H3077	E	338245.663	0.9998623	0.9999410	MARKER DESTROYED							
		N	5571387.012										
		E1	392.898	CVD28BC									
945923	75H3078	E	337909.847	0.9998639	0.9999412	MARKER DESTROYED							
		N	5571465.602										
		E1	391.138	CVD28BC									
83964	75H3079	E	338068.040	0.9998634	0.9999413	275487	76H3321	TERR	182 56 22	247.306	247.341		
		N	5571391.952										
		E1	390.491	CVD28BC									

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
502377	75H3080	E	337721.335	0.9998633	0.9999399		MARKER ISOLATED				
		N	5571472.721								
		E1	399.619	CVD28BC							
535161	75H3081	E	338078.085	0.9998642	0.9999422	855338	75H3019	TERR	89 17 57	155.967	155.989
		N	5570983.954			452292	75H2914	TERR	181 41 34	147.570	147.591
		E1	384.743	CVD28BC		770263	75H3082	TERR	271 48 21	215.846	215.875
						275487	76H3321	TERR	351 57 57	162.613	162.635
770263	75H3082	E	337862.346	0.9998655	0.9999427	747212	75H3085	TERR	2 8 60	144.638	144.657
		N	5570990.756			535161	75H3081	TERR	91 48 21	215.846	215.875
		E1	381.869	CVD28BC							
241356	75H3083	E	337337.742	0.9998691	0.9999442		MARKER DESTROYED				
		N	5570445.572								
		E1	372.333	CVD28BC							
553115	75H3084	E	337101.911	0.9998705	0.9999446	639526	75H3191	TERR	0 10 22	156.125	156.145
		N	5570452.710			418434	75H3088	TERR	91 45 4	94.344	94.356
		E1	369.694	CVD28BC		820522	75H3041	TERR	276 14 35	110.938	110.952
747212	75H3085	E	337867.772	0.9998651	0.9999423	275487	76H3321	TERR	87 2 47	187.836	187.861
		N	5571135.292			770263	75H3082	TERR	182 8 60	144.638	144.657
		E1	384.550	CVD28BC		765586	75H3074	TERR	275 32 1	155.151	155.171
989673	75H3086	E	337522.433	0.9998681	0.9999439		MARKER DESTROYED				
		N	5570440.148								
		E1	374.342	CVD28BC							
105718	75H3087	E	337344.175	0.9998654	0.9999405		MARKER DESTROYED				
		N	5571525.338								
		E1	395.718	CVD28BC							
418434	75H3088	E	337196.211	0.9998700	0.9999445	553115	75H3084	TERR	271 45 4	94.344	94.356
		N	5570449.827			477562	75H3099	TERR	359 48 54	190.838	190.863
		E1	370.475	CVD28BC							

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
956409	75H3089	E	337185.104	0.9998655	0.9999399	178129	75H3090	TERR	15 54 12	96.316	96.329		
		N	5571132.614					171843	75H2940	TERR	180 59 52	186.955	186.980
		El	399.473					CVD28BC					
178129	75H3090	E	337211.496	0.9998655	0.9999400	83048	76H3264	TERR	23 51 45	327.838	327.882		
		N	5571225.244					161240	75H2911	TERR	90 5 25	181.612	181.637
		El	398.872					CVD28BC		956409	75H3089	TERR	195 54 12
919944	75H3091	E	338182.628	0.9998644	0.9999428	MARKER DESTROYED							
		N	5570607.274										
		El	380.944			CVD28BC							
442426	75H3092	E	338067.646	0.9998650	0.9999430	MARKER DESTROYED							
		N	5570611.714										
		El	380.115			CVD28BC							
888941	75H3093	E	338062.374	0.9998654	0.9999433	MARKER DESTROYED							
		N	5570440.402										
		El	377.949			CVD28BC							
500207	75H3094	E	337860.038	0.9998664	0.9999435	MARKER DESTROYED							
		N	5570445.941										
		El	376.704			CVD28BC							
834457	75H3095	E	337011.137	0.9998660	0.9999397	219642	75H3097	TERR	62 13 47	171.867	171.890		
		N	5569451.299					36277	75H3165	TERR	239 22 24	115.242	115.258
		El	400.884					CVD28BC					
829945	75H3096	E	338171.690	0.9998648	0.9999432	520726	75H3024	TERR	91 39 33	101.880	101.893		
		N	5570436.745					197277	76H3333	TERR	186 9 3	193.574	193.600
		El	378.715					CVD28BC					
219642	75H3097	E	337163.209	0.9998644	0.9999387	581587	75H3098	TERR	105 17 57	165.888	165.910		
		N	5569531.377					834457	75H3095	TERR	242 13 47	171.867	171.890
		El	407.259					CVD28BC					

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
581587	75H3098	E	337323.218	0.9998627	0.9999376	105171	75H3190	TERR	121 21 17	76.128	76.139				
		N	5569487.606					219642	75H3097			TERR	285 17 57	165.888	165.910
		El	414.066					CVD28BC							
477562	75H3099	E	337195.595	0.9998689	0.9999434	418434	75H3088	TERR	179 48 54	190.838	190.863				
		N	5570640.664					639526	75H3191			TERR	251 8 46	98.498	98.510
		El	377.483					CVD28BC				923623	75H2938	TERR	356 1 40
421560	75H3100	E	338020.234	0.9998658	0.9999436	MARKER DESTROYED									
		N	5570248.425												
		El	376.010			CVD28BC									
44255	75H3101	E	332872.084	0.9998918	0.9999487	176990	75H2910	TERR	158 9 25	599.002	599.068				
		N	5568423.068					201293	75H3102			TERR	329 45 55	275.328	275.358
		El	343.464					CVD28BC							
201293	75H3102	E	332733.445	0.9998922	0.9999486	203497	75H3201	TERR	25 34 15	946.009	946.118				
		N	5568660.943					44255	75H3101			TERR	149 45 55	275.328	275.358
		El	343.945					CVD28BC							
469452	75H3103	E	334973.660	0.9998722	0.9999378	652594	77H3354	TERR	61 24 51	424.938	424.993				
		N	5570129.523					442954	75H3202			TERR	246 38 32	974.537	974.661
		El	413.233					CVD28BC							
677047	75H3104	E	339588.641	0.9998505	0.9999344	171496	76H3322	TERR	277 56 24	98.330	98.345				
		N	5572054.523												
		El	434.427					CVD28BC							
299347	75H3105	E	340000.143	0.9998463	0.9999318	MARKER DESTROYED									
		N	5572393.901												
		El	450.975			CVD28BC									
816488	75H3106	E	340013.489	0.9998473	0.9999329	375717	75H3107	TERR	1 35 46	373.277	373.334				
		N	5572835.979					908830	89H5507			TERR	182 28 5	437.221	437.287
		El	444.030					CVD28BC							

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
375717	75H3107	E	340023.887	0.9998467	0.9999324	816488	75H3106	TERR	181 35 46	373.277	373.334
		N	5573209.111			475137	75H3108	TERR	271 16 42	419.515	419.579
		El	447.755	CVD28BC							
475137	75H3108	E	339604.476	0.9998514	0.9999354	774455	657017	TERR	44 38 51	3886.407	3887.134
		N	5573218.470			375717	75H3107	TERR	91 16 42	419.515	419.579
		El	428.285	CVD28BC		232736	75H3109	TERR	271 32 21	149.962	149.984
232736	75H3109	E	339454.568	0.9998534	0.9999368	475137	75H3108	TERR	91 32 21	149.962	149.984
		N	5573222.498			304634	75H3110	TERR	184 4 32	347.100	347.152
		El	419.087	CVD28BC							
304634	75H3110	E	339429.899	0.9998525	0.9999358	232736	75H3109	TERR	4 4 32	347.100	347.152
		N	5572876.276			584805	75H3020	TERR	174 4 16	242.233	242.268
		El	425.599	CVD28BC							
818625	75H3111	E	338982.699	0.9998556	0.9999372	562751	75H2996	TERR	51 4 56	98.425	98.438
		N	5571113.932			899484	75H3032	TERR	92 49 55	291.721	291.764
		El	416.838	CVD28BC		536177	75H2993	TERR	207 40 38	170.493	170.517
						346833	75H3003	TERR	269 45 21	208.717	208.747
891747	75H3113	E	339564.045	0.9998491	0.9999329		MARKER DESTROYED				
		N	5570385.415								
		El	444.088	CVD28BC							
65011	75H3114	E	338096.937	0.9998615	0.9999396	319434	75H3120	TERR	180 54 26	169.055	169.079
		N	5569655.500			309914	75H3026	TERR	274 31 4	181.442	181.466
		El	401.577	CVD28BC							
125203	75H3115	E	336537.199	0.9998735	0.9999454		MARKER DESTROYED				
		N	5570234.597								
		El	364.717	CVD28BC							
12245	75H3116	E	339268.521	0.9998508	0.9999335	680199	75H3122	TERR	91 16 26	133.909	133.929
		N	5570568.959			407601	76H3337	TERR	179 18 0	162.671	162.695
		El	440.275	CVD28BC		732800	75H3119	TERR	271 40 58	197.500	197.529

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
865667	75H3117	E	338090.817	0.9998604	0.9999384	319434	75H3120	TERR	1 45 47	111.915	111.930
		N	5569374.604			128082	75H3162	TERR	91 40 45	174.788	174.813
		E1	409.168	CVD28BC		780155	75H3164	TERR	181 55 55	163.065	163.088
940445	75H3118	E	335466.993	0.9998719	0.9999394	478115	75H2976	TERR	69 29 53	209.716	209.742
		N	5570338.723			732156	76H3278	TERR	84 28 37	4922.414	4923.133
		E1	402.705	CVD28BC		454561	77H3344	TERR	138 51 33	366.949	366.994
						227272	75H3462	TERR	141 25 45	7574.073	7575.305
						652594	77H3354	TERR	267 12 1	120.338	120.353
732800	75H3119	E	339071.106	0.9998535	0.9999354	12245	75H3116	TERR	91 40 58	197.500	197.529
		N	5570574.759			254334	75H3125	TERR	181 3 20	174.903	174.928
		E1	428.260	CVD28BC		717512	76H3304	TERR	272 57 6	293.759	293.801
319434	75H3120	E	338094.260	0.9998611	0.9999391	65011	75H3114	TERR	0 54 26	169.055	169.079
		N	5569486.466			865667	75H3117	TERR	181 45 47	111.915	111.930
		E1	404.414	CVD28BC							
65615	75H3121	E	339062.021	0.9998506	0.9999325	254334	75H3125	TERR	1 36 55	207.995	208.026
		N	5570191.974								
		E1	446.727	CVD28BC							
680199	75H3122	E	339402.397	0.9998493	0.9999326	967646	75H3038	TERR	92 23 23	165.410	165.434
		N	5570565.982			12245	75H3116	TERR	271 16 26	133.909	133.929
		E1	446.485	CVD28BC							
178293	75H3123	E	338859.791	0.9998532	0.9999343	264556	75H3128	TERR	91 47 40	194.989	195.018
		N	5569998.231			375022	75H2984	TERR	272 21 4	106.256	106.272
		E1	435.356	CVD28BC							
157040	75H3124	E	339256.738	0.9998503	0.9999330		MARKER DESTROYED				
		N	5570223.763								
		E1	443.590	CVD28BC							
254334	75H3125	E	339067.884	0.9998527	0.9999346	732800	75H3119	TERR	1 3 20	174.903	174.928
		N	5570399.886			65615	75H3121	TERR	181 36 55	207.995	208.026
		E1	433.590	CVD28BC							

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
227033	75H3126	E N E1	338804.065 5571967.237 405.645	0.9998581	0.9999390		MARKER DESTROYED				
883330	75H3127	E N E1	339253.220 5569986.083 437.228	0.9998514	0.9999340	658401 984195	76H3338 75H2988	TERR TERR	2 48 59 182 3 49	244.035 249.072	244.072 249.108
264556	75H3128	E N E1	339054.684 5569992.125 442.364	0.9998513	0.9999332	178293	75H3123	TERR	271 47 40	194.989	195.018
461640	75H3129	E N E1	338449.503 5570011.586 401.854	0.9998601	0.9999395	340539 274688	75H2974 75H3008	TERR TERR	1 33 36 91 49 9	233.639 165.601	233.671 165.624
226779	75H3130	E N E1	339262.692 5570397.075 440.785	0.9998508	0.9999334		MARKER DESTROYED				
264549	75H3132	E N E1	340011.049 5570772.955 480.588	0.9998416	0.9999272	732156 826776	76H3278 75H3036	TERR TERR	83 39 23 272 25 26	357.697 193.809	357.755 193.840
756668	75H3133	E N E1	339738.529 5570371.384 449.965	0.9998474	0.9999320		MARKER ISOLATED				
680728	75H3134	E N E1	340371.750 5570348.290 461.283	0.9998432	0.9999302	830612	76H3242	TERR	271 53 18	405.707	405.771
350645	75H3138	E N E1	339434.557 5572047.404 416.609	0.9998539	0.9999372		MARKER DESTROYED				

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
197343	75H3139	E	339960.599	0.9998472	0.9999326	830612	76H3242	TERR	1 36 5	202.665	202.695
		N	5570159.072								
		E1	445.950	CVD28BC							
663856	75H3140	E	340021.937	0.9998417	0.9999274	940122	75H3015	TERR	1 49 16	119.645	119.665
		N	5571077.930			18697	76H3256	TERR	272 2 10	198.448	198.479
		E1	479.338	CVD28BC							
405399	75H3141	E	336212.626	0.9998755	0.9999460	418590	75H3049	TERR	38 37 51	145.880	145.897
		N	5569725.886			391227	75H3145	TERR	220 59 45	176.848	176.870
		E1	360.586	CVD28BC							
24455	75H3142	E	335973.310	0.9998760	0.9999455						
		N	5569194.372								
		E1	363.650	CVD28BC							
											MARKER DESTROYED
368498	75H3143	E	335844.726	0.9998773	0.9999463	538546	75H3150	TERR	41 13 16	221.291	221.318
		N	5569302.943			537720	77H3343	TERR	221 55 57	158.185	158.205
		E1	358.559	CVD28BC		226100	75H3149	TERR	311 15 23	199.274	199.298
156836	75H3144	E	336735.720	0.9998709	0.9999435						
		N	5569653.734								
		E1	376.435	CVD28BC							
											MARKER DESTROYED
391227	75H3145	E	336096.613	0.9998760	0.9999460	405399	75H3141	TERR	40 59 45	176.848	176.870
		N	5569592.409			538546	75H3150	TERR	220 46 3	162.428	162.448
		E1	360.531	CVD28BC							
180091	75H3148	E	336116.609	0.9998749	0.9999450	892380	89H5483	TERR	217 37 40	405.811	405.862
		N	5569384.538			538546	75H3150	TERR	303 56 44	151.958	151.977
		E1	366.980	CVD28BC							
226100	75H3149	E	335694.918	0.9998781	0.9999465	204594	77H3348	TERR	42 19 7	233.562	233.590
		N	5569434.350			368498	75H3143	TERR	131 15 23	199.274	199.298
		E1	357.574	CVD28BC							

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
538546	75H3150	E	335990.549	0.9998765	0.9999462	391227	75H3145	TERR	40 46 3	162.428	162.448		
		N	5569469.392					180091	75H3148	TERR	123 56 44	151.958	151.977
		E1	359.729	CVD28BC				368498	75H3143	TERR	221 13 16	221.291	221.318
980052	75H3151	E	338629.824	0.9998598	0.9999400	717512	76H3304	TERR	89 0 25	147.935	147.955		
		N	5570587.322					416032	75H3155	TERR	181 14 14	172.966	172.991
		E1	399.132	CVD28BC									
958298	75H3152	E	338637.902	0.9998598	0.9999401	MARKER DESTROYED							
		N	5570818.196										
		E1	398.594	CVD28BC									
840546	75H3153	E	338620.177	0.9998583	0.9999384	416032	75H3155	TERR	1 56 11	174.956	174.980		
		N	5570239.540					274688	75H3008	TERR	181 16 0	233.268	233.301
		E1	408.923	CVD28BC				340539	75H2974	TERR	271 57 5	164.409	164.432
767343	75H3154	E	338652.023	0.9998601	0.9999404	523803	76H3296	TERR	182 57 40	276.808	276.846		
		N	5571401.754										
		E1	396.609	CVD28BC									
416032	75H3155	E	338626.089	0.9998596	0.9999398	980052	75H3151	TERR	1 14 14	172.966	172.991		
		N	5570414.396					781559	75H2981	TERR	91 52 58	136.472	136.490
		E1	400.456	CVD28BC				840546	75H3153	TERR	181 56 11	174.956	174.980
								696807	75H2922	TERR	271 30 48	166.638	166.662
205898	75H3156	E	338640.222	0.9998597	0.9999399	733774	75H3007	TERR	91 9 17	131.396	131.414		
		N	5570974.217					395210	75H2930	TERR	271 20 49	164.599	164.621
		E1	399.408	CVD28BC				523803	76H3296	TERR	359 3 10	151.120	151.140
290429	75H3157	E	338646.044	0.9998599	0.9999401	MARKER DESTROYED							
		N	5571118.933										
		E1	398.243	CVD28BC									
288787	75H3158	E	338660.815	0.9998595	0.9999398	MARKER DESTROYED							
		N	5571632.458										
		E1	399.964	CVD28BC									

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
469049	75H3159	E N E1	338669.212 5571970.787 403.110	0.9998590	0.9999394		MARKER DESTROYED				
238840	75H3160	E N E1	338663.464 5571792.896 402.147	0.9998592	0.9999395		MARKER DESTROYED				
228171	75H3161	E N E1	338718.529 5569094.340 385.376	0.9998616	0.9999421	844829 694166 180026	75H2979 75H2928 76H3320	TERR TERR TERR	181 40 19 270 51 26 359 32 50	258.944 232.905 198.519	258.980 232.937 198.546
128082	75H3162	E N E1	338265.530 5569369.482 412.077	0.9998592	0.9999379	785063 865667	75H3163 75H3117	TERR TERR	182 46 31 271 40 45	159.997 174.788	160.019 174.813
785063	75H3163	E N E1	338257.783 5569209.673 415.666	0.9998587	0.9999374	128082 780155	75H3162 75H3164	TERR TERR	2 46 31 270 39 3	159.997 172.474	160.019 172.498
780155	75H3164	E N E1	338085.320 5569211.632 415.414	0.9998594	0.9999374	865667 785063 165308	75H3117 75H3163 76H3319	TERR TERR TERR	1 55 55 90 39 3 272 59 59	163.065 172.474 182.143	163.088 172.498 182.168
36277	75H3165	E N E1	336911.971 5569392.590 408.024	0.9998653	0.9999386	834457 418871	75H3095 75H3166	TERR TERR	59 22 24 301 55 31	115.242 93.090	115.258 93.102
418871	75H3166	E N E1	336832.962 5569441.817 406.501	0.9998658	0.9999388	36277 519512	75H3165 75H3168	TERR TERR	121 55 31 248 8 56	93.090 109.983	93.102 109.997
743294	75H3167	E N E1	336775.367 5569315.180 424.701	0.9998632	0.9999360	141697 519512	77H3341 75H3168	TERR TERR	148 47 18 332 34 2	101.671 96.560	101.685 96.573

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
519512	75H3168	E	336730.881	0.9998651	0.9999377	418871	75H3166	TERR	68 8 56	109.983	109.997					
		N	5569400.882					743294				75H3167	TERR	152 34 2	96.560	96.573
		El	413.589					CVD28BC								
777524	75H3169	E	336623.012	0.9998671	0.9999392	127118	75H3170	TERR	26 16 47	103.911	103.925					
		N	5569460.328					344358				77H3342	TERR	234 43 22	156.448	156.469
		El	403.839					CVD28BC								
127118	75H3170	E	336669.019	0.9998688	0.9999411	780759	76H3335	TERR	38 49 59	117.585	117.601					
		N	5569553.499					777524				75H3169	TERR	206 16 47	103.911	103.925
		El	391.817					CVD28BC								
259150	75H3171	E	337545.687	0.9998683	0.9999442	MARKER DESTROYED										
		N	5570270.054													
		El	372.415			CVD28BC										
137026	75H3172	E	336661.811	0.9998729	0.9999452	MARKER DESTROYED										
		N	5570231.135													
		El	365.533			CVD28BC										
734434	75H3173	E	337202.201	0.9998701	0.9999446	605618	75H3177	TERR	91 57 40	162.205	162.226					
		N	5570217.388					141747				75H2963	TERR	185 51 11	151.973	151.993
		El	369.674					CVD28BC				249250	75H3174	TERR	271 18 58	119.462
249250	75H3174	E	337082.771	0.9998707	0.9999448	734434	75H3173	TERR	91 18 58	119.462	119.477					
		N	5570220.132					943530				75H3179	TERR	271 17 38	97.552	97.564
		El	368.589					CVD28BC								
296228	75H3175	E	337135.978	0.9998709	0.9999451	285999	75H3176	TERR	86 41 18	190.713	190.737					
		N	5569937.593					138602				75H3187	TERR	266 23 14	218.996	219.024
		El	366.282					CVD28BC								
285999	75H3176	E	337326.372	0.9998700	0.9999449	936195	75H3178	TERR	91 26 36	162.958	162.979					
		N	5569948.610					296228				75H3175	TERR	266 41 18	190.713	190.737
		El	367.420					CVD28BC								

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
605618	75H3177	E	337364.311	0.9998693	0.9999444	734434	75H3173	TERR	271 57 40	162.205	162.226
		N	5570211.837								
		El	370.755	CVD28BC							
936195	75H3178	E	337489.278	0.9998692	0.9999448	693838	75H3182	TERR	90 38 58	146.992	147.011
		N	5569944.505			285999	75H3176	TERR	271 26 36	162.958	162.979
		El	368.380	CVD28BC							
943530	75H3179	E	336985.244	0.9998713	0.9999449	820522	75H3041	TERR	1 30 33	242.523	242.554
		N	5570222.335			249250	75H3174	TERR	91 17 38	97.552	97.564
		El	367.841	CVD28BC		630426	75H3180	TERR	272 7 31	183.125	183.149
630426	75H3180	E	336802.245	0.9998722	0.9999451	900274	75H3195	TERR	2 8 56	218.340	218.368
		N	5570229.126			943530	75H3179	TERR	92 7 31	183.125	183.149
		El	366.497	CVD28BC		105379	76H3289	TERR	274 42 9	137.138	137.156
840959	75H3181	E	336651.205	0.9998731	0.9999454			MARKER DESTROYED			
		N	5569987.697								
		El	364.626	CVD28BC							
693838	75H3182	E	337636.261	0.9998685	0.9999447	936195	75H3178	TERR	270 38 58	146.992	147.011
		N	5569942.839								
		El	368.775	CVD28BC							
361675	75H3183	E	337320.182	0.9998675	0.9999425	281485	75H3047	TERR	93 27 44	158.001	158.023
		N	5569736.076			300814	75H3045	TERR	273 40 47	136.831	136.849
		El	382.978	CVD28BC							
472720	75H3184	E	337464.819	0.9998648	0.9999403	281485	75H3047	TERR	5 4 59	147.582	147.602
		N	5569579.532			105171	75H3190	TERR	210 12 40	152.212	152.232
		El	396.858	CVD28BC							
958801	75H3185	E	336303.118	0.9998748	0.9999457	473728	75H3186	TERR	80 21 9	149.546	149.565
		N	5569935.695			418590	75H3049	TERR	179 39 10	95.852	95.864
		El	362.520	CVD28BC		376434	75H3058	TERR	257 6 3	427.614	427.667

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
473728	75H3186	E N E1	336450.549 5569960.757 363.473	0.9998741	0.9999456	958801	75H3185	TERR	260 21 9	149.546	149.565
138602	75H3187	E N E1	336917.417 5569923.793 365.177	0.9998719	0.9999453	905364 296228 271114 197145	76H3292 75H3175 76H3241 75H3048	TERR TERR TERR TERR	7 16 13 86 23 14 185 42 8 260 55 18	100.949 218.996 264.278 224.014	100.961 219.024 264.312 224.043
49197	75H3188	E N E1	336920.919 5570027.693 366.406	0.9998717	0.9999451	MARKER DESTROYED					
477208	75H3189	E N E1	337474.514 5569404.045 417.596	0.9998615	0.9999371	27946 157511 105171	75H3052 76H3243 75H3190	TERR TERR TERR	112 45 45 202 39 21 296 59 30	175.683 187.148 96.834	175.708 187.175 96.847
105171	75H3190	E N E1	337388.228 5569447.994 414.178	0.9998624	0.9999376	472720 477208 581587	75H3184 75H3189 75H3098	TERR TERR TERR	30 12 40 116 59 30 301 21 17	152.212 96.834 76.128	152.232 96.847 76.139
639526	75H3191	E N E1	337102.382 5570608.834 373.762	0.9998699	0.9999440	477562 553115	75H3099 75H3084	TERR TERR	71 8 46 180 10 22	98.498 156.125	98.510 156.145
693507	75H3193	E N E1	338264.110 5571985.207 396.393	0.9998617	0.9999404	MARKER DESTROYED					
949669	75H3194	E N E1	337422.470 5571675.928 394.875	0.9998653	0.9999406	MARKER DESTROYED					
900274	75H3195	E N E1	336810.432 5570447.312 367.092	0.9998721	0.9999450	630426 567453	75H3180 75H3196	TERR TERR	182 8 56 237 38 42	218.340 170.204	218.368 170.226

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
567453	75H3196	E	336666.653	0.9998726	0.9999450	900274	75H3195	TERR	57 38 42	170.204	170.226
		N	5570356.225			105379	76H3289	TERR	180 32 10	115.861	115.877
		E1	367.355	CVD28BC		341032	75H3198	TERR	281 54 33	131.591	131.608
505081	75H3197	E	337360.790	0.9998689	0.9999440		MARKER DESTROYED				
		N	5570542.818								
		E1	373.355	CVD28BC							
341032	75H3198	E	336537.894	0.9998723	0.9999442	567453	75H3196	TERR	101 54 33	131.591	131.608
		N	5570383.380			757518	76H3273	TERR	179 18 56	157.879	157.900
		E1	372.416	CVD28BC		717785	75H2975	TERR	287 59 18	160.038	160.058
233411	75H3199	E	337916.367	0.9998632	0.9999405		MARKER DESTROYED				
		N	5571655.354								
		E1	395.575	CVD28BC							
203497	75H3201	E	333141.769	0.9998767	0.9999348	442954	75H3202	TERR	76 16 40	964.757	964.878
		N	5569514.292			201293	75H3102	TERR	205 34 15	946.009	946.118
		E1	432.497	CVD28BC							
442954	75H3202	E	334078.989	0.9998721	0.9999340	469452	75H3103	TERR	66 38 32	974.537	974.661
		N	5569743.148			156190	76H3282	GPS	70 59 46	3500.873	3501.341
		E1	437.513	CVD28BC		732156	76H3278	GPS	80 20 53	6377.849	6378.781
						900027	82H5092	GPS	116 10 29	5375.272	5376.054
						493924	89H5474	GPS	124 45 29	3282.945	3283.413
						560300	75H3463	GPS	152 17 11	4567.226	4567.920
						259200	76H3327	TERR	173 16 36	3442.043	3442.524
						336594	75H2909	TERR	199 2 5	1899.713	1899.940
						203497	75H3201	TERR	256 16 40	964.757	964.878
925750	75H3203	E	336800.645	0.9998516	0.9999245	874958	82H5091	TERR	62 57 58	2412.957	2413.321
		N	5565696.326								
		E1	498.073	CVD28BC							
952465	75H3204	E	339439.951	0.9998524	0.9999358		MARKER DESTROYED				
		N	5572407.478								
		E1	425.967	CVD28BC							

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
269746	75H3205	E	338931.803	0.9998468	0.9999282		MARKER DESTROYED				
		N	5566710.594								
		El	474.091	CVD28BC							
271114	76H3241	E	336891.159	0.9998708	0.9999440	138602	75H3187	TERR	5 42 8	264.278	264.312
		N	5569660.823			300814	75H3045	TERR	73 58 10	304.307	304.347
		El	373.390	CVD28BC		780759	76H3335	TERR	263 57 2	149.239	149.258
830612	76H3242	E	339966.263	0.9998464	0.9999319	732156	76H3278	TERR	41 36 10	602.887	602.983
		N	5570361.658			680728	75H3134	TERR	91 53 18	405.707	405.771
		El	450.919	CVD28BC		197343	75H3139	TERR	181 36 5	202.665	202.695
157511	76H3243	E	337402.425	0.9998599	0.9999352	477208	75H3189	TERR	22 39 21	187.148	187.175
		N	5569231.338			900076	75H3050	TERR	92 28 9	168.144	168.168
		El	429.780	CVD28BC		312116	76H3244	TERR	271 20 16	153.442	153.463
312116	76H3244	E	337249.025	0.9998604	0.9999351	157511	76H3243	TERR	91 20 16	153.442	153.463
		N	5569234.920			627976	76H3245	TERR	272 6 53	141.161	141.181
		El	430.381	CVD28BC							
627976	76H3245	E	337107.960	0.9998614	0.9999355	312116	76H3244	TERR	92 6 53	141.161	141.181
		N	5569240.129			141697	77H3341	TERR	267 33 53	280.160	280.198
		El	427.520	CVD28BC							
599134	76H3246	E	339915.808	0.9998481	0.9999334	490904	76H3248	TERR	1 48 7	89.615	89.629
		N	5569954.540			640268	75H2968	TERR	92 19 29	309.702	309.749
		El	441.055	CVD28BC		776641	89H5491	TERR	271 30 56	371.776	371.832
301770	76H3247	E	339820.604	0.9998449	0.9999298	18697	76H3256	TERR	1 1 7	169.306	169.332
		N	5570915.702			826776	75H3036	TERR	181 21 31	134.588	134.608
		El	463.891	CVD28BC							
490904	76H3248	E	339918.626	0.9998469	0.9999322	599134	76H3246	TERR	181 48 7	89.615	89.629
		N	5570044.111			997247	76H3249	TERR	276 56 9	91.323	91.338
		El	448.942	CVD28BC							

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
997247	76H3249	E	339827.971	0.9998474	0.9999323	490904	76H3248	TERR	96 56 9	91.323	91.338
		N	5570055.139								
		E1	448.197	CVD28BC							
71423	76H3250	E	339600.651	0.9998480	0.9999320	18697	76H3256	TERR	91 12 14	223.012	223.047
		N	5571089.667			899484	75H3032	TERR	271 43 40	326.736	326.784
		E1	450.073	CVD28BC							
32581	76H3251	E	339809.221	0.9998474	0.9999323	22244	76H3253	TERR	181 45 2	153.404	153.427
		N	5571491.491								
		E1	448.186	CVD28BC							
198531	76H3252	E	340017.945	0.9998408	0.9999265	940122	75H3015	TERR	173 28 27	68.579	68.590
		N	5571265.650			22244	76H3253	TERR	288 45 57	225.392	225.426
		E1	485.373	CVD28BC							
22244	76H3253	E	339804.535	0.9998465	0.9999314	32581	76H3251	TERR	1 45 2	153.404	153.427
		N	5571338.159			198531	76H3252	TERR	108 45 57	225.392	225.426
		E1	454.100	CVD28BC							
951608	76H3254	E	338374.856	0.9998620	0.9999412	884171	75H2904	TERR	9 11 12	485.377	485.444
		N	5567587.456			440305	75H2905	TERR	189 18 6	360.592	360.641
		E1	391.232	CVD28BC							
119990	76H3255	E	339749.237	0.9998489	0.9999335	606376	75H2967	TERR	0 3 28	236.045	236.081
		N	5571597.082			453035	89H5465	TERR	90 31 4	142.506	142.528
		E1	440.149	CVD28BC		432070	89H5461	TERR	268 33 21	96.264	96.278
18697	76H3256	E	339823.614	0.9998454	0.9999303	663856	75H3140	TERR	92 2 10	198.448	198.479
		N	5571084.981			301770	76H3247	TERR	181 1 7	169.306	169.332
		E1	460.686	CVD28BC		71423	76H3250	TERR	271 12 14	223.012	223.047
634352	76H3257	E	338853.877	0.9998585	0.9999395		MARKER DESTROYED				
		N	5571626.337								
		E1	401.865	CVD28BC							

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
31690	76H3258	E	337742.356	0.9998502	0.9999268		MARKER DESTROYED				
		N	5567588.679								
		E1	482.907	CVD28BC							
159939	76H3259	E	339261.723	0.9998563	0.9999390		MARKER DESTROYED				
		N	5571613.892								
		E1	405.181	CVD28BC							
407650	76H3262	E	339391.563	0.9998550	0.9999382	118984	75H2995	TERR	92 34 20	158.742	158.766
		N	5571609.552								
		E1	410.281	CVD28BC							
532705	76H3263	E	339531.438	0.9998534	0.9999371		MARKER DESTROYED				
		N	5569253.804								
		E1	417.362	CVD28BC							
83048	76H3264	E	337344.121	0.9998654	0.9999405	978833	76H3336	TERR	33 32 42	168.915	168.938
		N	5571525.058			178129	75H3090	TERR	203 51 45	327.838	327.882
		E1	395.705	CVD28BC							
120212	76H3265	E	338474.111	0.9998611	0.9999407		MARKER DESTROYED				
		N	5571372.544								
		E1	394.691	CVD28BC							
898551	76H3266	E	337354.442	0.9998689	0.9999440		MARKER DESTROYED				
		N	5570547.634								
		E1	373.283	CVD28BC							
387266	76H3269	E	337736.195	0.9998667	0.9999434	400044	75H2913	TERR	272 7 56	154.604	154.624
		N	5570840.331								
		E1	377.514	CVD28BC							
336875	76H3270	E	337529.503	0.9998596	0.9999354	774455	657017	TERR	44 45 15	6826.232	6827.482
		N	5571135.887			765586	75H3074	TERR	85 31 54	184.402	184.427
		E1	428.260	CVD28BC		161240	75H2911	TERR	303 8 46	162.903	162.925

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
69369	76H3272	E	336476.293	0.9998739	0.9999455	197145	75H3048	TERR	78 56 18	224.079	224.107
		N	5569845.454			418590	75H3049	TERR	268 8 19	172.685	172.707
		E1	363.885	CVD28BC							
757518	76H3273	E	336539.780	0.9998735	0.9999454	105379	76H3289	TERR	83 15 50	126.663	126.679
		N	5570225.512			793687	77H3347	TERR	269 38 12	161.154	161.174
		E1	364.764	CVD28BC		341032	75H3198	TERR	359 18 56	157.879	157.900
229856	76H3274	E	338182.526	0.9998644	0.9999428		MARKER DESTROYED				
		N	5570607.662								
		E1	380.936	CVD28BC							
414	76H3275	E	338314.353	0.9998626	0.9999415	250613	76H3324	TERR	117 14 1	473.494	473.559
		N	5569804.603			680272	89H5489	TERR	337 30 39	374.065	374.116
		E1	389.093	CVD28BC							
4275	76H3277	E	339406.065	0.9998541	0.9999373	171496	76H3322	TERR	63 58 50	94.797	94.810
		N	5572026.521			773093	75H2999	TERR	263 30 2	66.630	66.640
		E1	416.154	CVD28BC							
732156	76H3278	E	340366.556	0.9998357	0.9999227	457218	79C324	GPS	7 36 28	13970.678	13972.954
		N	5570812.477			774455	657017	TERR	20 50 48	5533.167	5534.246
		E1	509.085	CVD28BC		880161	75H2969	TERR	109 18 51	251.193	251.234
						717892	PIER 8	GPS	149 11 53	5209.896	5210.773
						227272	75H3462	TERR	181 35 16	6397.909	6399.067
						900027	82H5092	GPS	203 2 40	3738.756	3739.368
						560300	75H3463	TERR	219 9 30	6593.493	6594.616
						830612	76H3242	TERR	221 36 10	602.887	602.983
						493924	89H5474	GPS	230 40 42	4641.155	4641.900
						442954	75H3202	GPS	260 20 53	6377.849	6378.781
						264549	75H3132	TERR	263 39 23	357.697	357.755
						940445	75H3118	TERR	264 28 37	4922.414	4923.133
						156190	76H3282	GPS	271 21 35	2978.345	2978.798
						940122	75H3015	TERR	318 29 11	514.209	514.291
				584664	PIER 7	GPS	359 2 22	9683.059	9684.588		
17848	76H3280	E	340090.130	0.9998422	0.9999281	20149	76H3283	TERR	21 20 17	82.801	82.815
		N	5571826.210			691550	89H5493	TERR	176 6 51	131.554	131.575
		E1	474.874	CVD28BC							

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
721514	76H3281	E	338067.716	0.9998650	0.9999430	452292	75H2914	TERR	1 31 50	225.022	225.053
		N	5570611.506								
		E1	380.029	CVD28BC							
156190	76H3282	E	337389.050	0.9998599	0.9999352	457218	79C324	GPS	19 18 33	14598.203	14600.404
		N	5570883.150			774455	657017	GPS	44 7 25	7105.028	7106.328
		E1	429.697	CVD28BC		732156	76H3278	GPS	91 21 35	2978.345	2978.798
						717892	PIER 8	GPS	128 50 28	7247.975	7249.107
						900027	82H5092	GPS	156 40 27	3823.598	3824.177
						493924	89H5474	GPS	191 30 11	3073.377	3073.833
						442954	75H3202	GPS	250 59 46	3500.873	3501.341
						733816	75H2937	TERR	351 16 46	200.883	200.911
20149	76H3283	E	340120.259	0.9998422	0.9999282	17848	76H3280	TERR	201 20 17	82.801	82.815
		N	5571903.335			386466	89H5460	TERR	279 55 50	60.584	60.594
		E1	474.158	CVD28BC							
60053	76H3287	E	339529.068	0.9998517	0.9999354	263475	76H3332	TERR	0 3 39	240.319	240.355
		N	5568937.492			592055	89H5482	TERR	186 54 47	390.197	390.255
		E1	428.299	CVD28BC		737	77H3360	TERR	209 11 5	157.440	157.463
						241125	76H3323	TERR	281 8 54	419.515	419.577
57380	76H3288	E	338372.200	0.9998632	0.9999424	340539	75H2974	TERR	85 7 12	83.967	83.979
		N	5570237.995			197277	76H3333	TERR	271 37 42	221.340	221.371
		E1	383.961	CVD28BC							
105379	76H3289	E	336665.569	0.9998729	0.9999452	567453	75H3196	TERR	0 32 10	115.861	115.877
		N	5570240.369			630426	75H3180	TERR	94 42 9	137.138	137.156
		E1	365.751	CVD28BC		9811	76H3293	TERR	183 26 34	265.751	265.784
						757518	76H3273	TERR	263 15 50	126.663	126.679
85357	76H3290	E	337948.224	0.9998663	0.9999438	680272	89H5489	TERR	85 55 6	223.613	223.643
		N	5570134.305			195933	75H3023	TERR	187 28 35	180.904	180.929
		E1	374.680	CVD28BC		813204	75H2919	TERR	257 25 59	204.596	204.623
						345629	76H3334	TERR	353 1 39	117.842	117.857
94144	76H3291	E	339746.288	0.9998499	0.9999345		MARKER DESTROYED				
		N	5571727.230								
		E1	434.012	CVD28BC							
905364	76H3292	E	336930.192	0.9998717	0.9999451	141747	75H2963	TERR	80 38 27	259.972	260.005
		N	5570023.930			138602	75H3187	TERR	187 16 13	100.949	100.961
		E1	366.584	CVD28BC		9811	76H3293	TERR	260 7 38	284.800	284.836

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
9811	76H3293	E	336649.610	0.9998731	0.9999454	105379	76H3289	TERR	3 26 34	265.751	265.784
		N	5569975.098			905364	76H3292	TERR	80 7 38	284.800	284.836
		El	364.762	CVD28BC							
114918	76H3295	E	337747.180	0.9998604	0.9999371	529990	75H3027	TERR	93 22 27	175.999	176.024
		N	5569347.614			27946	75H3052	TERR	264 2 43	111.266	111.281
		El	417.641	CVD28BC							
523803	76H3296	E	338637.724	0.9998599	0.9999401	767343	75H3154	TERR	2 57 40	276.808	276.846
		N	5571125.316			346833	75H3003	TERR	95 8 48	136.812	136.831
		El	398.091	CVD28BC		205898	75H3156	TERR	179 3 10	151.120	151.140
70904	76H3297	E	339434.086	0.9998524	0.9999358	584805	75H3020	TERR	4 53 25	244.392	244.428
		N	5572391.837			908830	89H5507	TERR	89 15 4	560.624	560.708
		El	425.906	CVD28BC		617621	75H2931	TERR	215 31 52	137.804	137.825
						393777	75H2932	TERR	275 2 6	339.476	339.526
589572	76H3299	E	337864.933	0.9998661	0.9999432		MARKER DESTROYED				
		N	5570617.552								
		El	378.244	CVD28BC							
567305	76H3302	E	339584.519	0.9998523	0.9999362	118984	75H2995	TERR	192 11 21	162.803	162.828
		N	5571761.561			186007	75H2992	TERR	309 20 49	226.814	226.848
		El	423.052	CVD28BC							
438564	76H3303	E	339510.943	0.9998529	0.9999366	118984	75H2995	TERR	15 10 9	149.816	149.838
		N	5571457.832			376780	75H3000	TERR	226 58 37	164.422	164.447
		El	420.665	CVD28BC							
717512	76H3304	E	338777.737	0.9998580	0.9999388	732800	75H3119	TERR	92 57 6	293.759	293.801
		N	5570589.886			781559	75H2981	TERR	184 50 36	180.619	180.645
		El	406.730	CVD28BC		980052	75H3151	TERR	269 0 25	147.935	147.955
						294322	75H2994	TERR	357 5 33	187.362	187.388
974113	76H3305	E	338489.590	0.9998613	0.9999410		MARKER DESTROYED				
		N	5571129.347								
		El	392.825	CVD28BC							

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
822544	76H3306	E	339379.153	0.9998545	0.9999377	854885	75H2989	TERR	68 58 5	176.871	176.896						
		N	5569477.785					680553				76H3307	TERR	249 5 16	146.594	146.616	
		El	413.677					CVD28BC									
680553	76H3307	E	339242.215	0.9998559	0.9999385	822544	76H3306	TERR	69 5 16	146.594	146.616						
		N	5569425.460					565473				76H3308	TERR	241 34 58	152.044	152.065	
		El	408.350					CVD28BC				85951	77H3345	TERR	355 24 49	144.709	144.730
565473	76H3308	E	339108.492	0.9998573	0.9999394	680553	76H3307	TERR	61 34 58	152.044	152.065						
		N	5569353.104					329292				76H3315	TERR	255 58 31	164.503	164.527	
		El	403.063					CVD28BC									
723353	76H3309	E	338717.237	0.9998616	0.9999421	MARKER DESTROYED											
		N	5569292.806														
		El	385.673			CVD28BC											
829549	76H3311	E	336530.406	0.9998711	0.9999429	803023	76H3312	TERR	252 25 18	135.009	135.027						
		N	5569637.383														
		El	380.729					CVD28BC									
803023	76H3312	E	336401.701	0.9998726	0.9999439	829549	76H3311	TERR	72 25 18	135.009	135.027						
		N	5569596.609														
		El	374.198					CVD28BC									
942078	76H3313	E	335637.547	0.9998775	0.9999457	775395	75H3063	TERR	227 17 55	223.045	223.071						
		N	5569878.816														
		El	362.478					CVD28BC									
530121	76H3314	E	340581.833	0.9998425	0.9999304	269308	75H3011	TERR	1 23 2	286.305	286.350						
		N	5570198.258					427096				75H2970	TERR	181 44 57	323.399	323.449	
		El	460.413					CVD28BC									
329292	76H3315	E	338948.893	0.9998587	0.9999402	565473	76H3308	TERR	75 58 31	164.503	164.527						
		N	5569313.238					251835				76H3325	TERR	165 17 4	220.228	220.260	
		El	397.990					CVD28BC				180026	76H3320	TERR	264 58 37	232.827	232.859
												250613	76H3324	TERR	322 8 21	347.920	347.968

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
144279	76H3316	E	339961.478	0.9998457	0.9999311	386466	89H5460	TERR	39 59 25	154.211	154.235
		N	5571795.634			589614	89H5481	TERR	241 30 42	81.085	81.098
		El	455.719	CVD28BC							
165308	76H3319	E	337903.427	0.9998596	0.9999369	529990	75H3027	TERR	9 30 35	117.709	117.725
		N	5569221.164			780155	75H3164	TERR	92 59 59	182.143	182.168
		El	418.929	CVD28BC		558890	89H5479	TERR	181 52 32	201.927	201.956
180026	76H3320	E	338716.960	0.9998615	0.9999421	250613	76H3324	TERR	3 34 5	295.642	295.684
		N	5569292.853			329292	76H3315	TERR	84 58 37	232.827	232.859
		El	385.810	CVD28BC		228171	75H3161	TERR	179 32 50	198.519	198.546
275487	76H3321	E	338055.358	0.9998640	0.9999419	83964	75H3079	TERR	2 56 22	247.306	247.341
		N	5571144.971			535161	75H3081	TERR	171 57 57	162.613	162.635
		El	386.742	CVD28BC		747212	75H3085	TERR	267 2 47	187.836	187.861
171496	76H3322	E	339491.254	0.9998534	0.9999370	753905	75H3069	TERR	65 52 30	91.929	91.943
		N	5572068.106			677047	75H3104	TERR	97 56 24	98.330	98.345
		El	417.908	CVD28BC		4275	76H3277	TERR	243 58 50	94.797	94.810
241125	76H3323	E	339117.469	0.9998554	0.9999375	60053	76H3287	TERR	101 8 54	419.515	419.577
		N	5569018.605			283523	77H3359	TERR	178 42 5	117.857	117.875
		El	415.133	CVD28BC		251835	76H3325	TERR	305 55 55	139.103	139.123
250613	76H3324	E	338735.359	0.9998609	0.9999414	329292	76H3315	TERR	142 8 21	347.920	347.968
		N	5569587.922			180026	76H3320	TERR	183 34 5	295.642	295.684
		El	389.706	CVD28BC		414	76H3275	TERR	297 14 1	473.494	473.559
251835	76H3325	E	339004.835	0.9998568	0.9999385	241125	76H3323	TERR	125 55 55	139.103	139.123
		N	5569100.234			329292	76H3315	TERR	345 17 4	220.228	220.260
		El	408.453	CVD28BC							
259200	76H3327	E	334481.963	0.9998489	0.9999124	546747	89H5477	TERR	54 25 2	944.120	944.261
		N	5566324.775			875443	89H5505	TERR	80 7 32	1099.855	1100.033
		El	574.947	CVD28BC		442954	75H3202	TERR	353 16 36	3442.043	3442.524

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
841536	76H3330	E	339563.239	0.9998507	0.9999346	776641	89H5491	TERR	185 24 17	202.534	202.565
		N	5570166.007								
		E1	433.430	CVD28BC							
352583	76H3331	E	337859.170	0.9998664	0.9999435	300699	75H3022	TERR	279 14 1	150.654	150.675
		N	5570427.193								
		E1	376.467	CVD28BC							
263475	76H3332	E	339529.323	0.9998531	0.9999368	854885	75H2989	TERR	2 21 1	363.757	363.810
		N	5569177.811			60053	76H3287	TERR	180 3 39	240.319	240.355
		E1	419.176	CVD28BC		737	77H3360	TERR	191 31 28	385.545	385.601
197277	76H3333	E	338150.949	0.9998651	0.9999434	829945	75H3096	TERR	6 9 3	193.574	193.600
		N	5570244.285			57380	76H3288	TERR	91 37 42	221.340	221.371
		E1	377.310	CVD28BC		680272	89H5489	TERR	167 48 34	96.234	96.247
						345629	76H3334	TERR	271 50 41	217.143	217.171
345629	76H3334	E	337933.919	0.9998663	0.9999437	197277	76H3333	TERR	91 50 41	217.143	217.171
		N	5570251.275			85357	76H3290	TERR	173 1 39	117.842	117.857
		E1	375.305	CVD28BC		195933	75H3023	TERR	181 47 5	296.480	296.520
780759	76H3335	E	336742.751	0.9998709	0.9999435	271114	76H3241	TERR	83 57 2	149.239	149.258
		N	5569645.095			127118	75H3170	TERR	218 49 59	117.585	117.601
		E1	376.523	CVD28BC							
978833	76H3336	E	337437.462	0.9998652	0.9999407	542209	75H2965	TERR	94 32 16	329.695	329.739
		N	5571665.841			83048	76H3264	TERR	213 32 42	168.915	168.938
		E1	394.628	CVD28BC							
407601	76H3337	E	339270.508	0.9998507	0.9999334	658401	76H3338	TERR	181 43 9	176.557	176.583
		N	5570406.300			12245	75H3116	TERR	359 18 0	162.671	162.695
		E1	440.831	CVD28BC							
658401	76H3338	E	339265.211	0.9998503	0.9999330	407601	76H3337	TERR	1 43 9	176.557	176.583
		N	5570229.823			883330	75H3127	TERR	182 48 59	244.035	244.072
		E1	443.524	CVD28BC							

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
778753	76H3339	E	338697.971	0.9998603	0.9999407		MARKER DESTROYED				
		N	5573179.153								
		E1	394.250	CVD28BC							
265686	76H3340	E	337538.398	0.9998683	0.9999442	556670	75H2920	TERR	99 42 3	174.828	174.851
		N	5570267.969			680439	75H2961	TERR	179 16 33	184.160	184.184
		E1	372.493	CVD28BC							
141697	77H3341	E	336828.053	0.9998614	0.9999344	627976	76H3245	TERR	87 33 53	280.160	280.198
		N	5569228.225			743294	75H3167	TERR	328 47 18	101.671	101.685
		E1	434.749	CVD28BC							
344358	77H3342	E	336495.293	0.9998661	0.9999378	777524	75H3169	TERR	54 43 22	156.448	156.469
		N	5569369.974								
		E1	413.094	CVD28BC							
537720	77H3343	E	335739.018	0.9998779	0.9999465	368498	75H3143	TERR	41 55 57	158.185	158.205
		N	5569185.264			879379	89H5503	TERR	217 8 50	143.700	143.716
		E1	357.440	CVD28BC							
454561	77H3344	E	335708.413	0.9998753	0.9999438	418798	77H3349	TERR	266 4 7	205.655	205.681
		N	5570062.376			940445	75H3118	TERR	318 51 33	366.949	366.994
		E1	374.899	CVD28BC							
85951	77H3345	E	339230.644	0.9998547	0.9999373	984195	75H2988	TERR	4 38 43	168.019	168.043
		N	5569569.706			680553	76H3307	TERR	175 24 49	144.709	144.730
		E1	416.362	CVD28BC		432708	77H3346	TERR	271 36 48	225.308	225.341
432708	77H3346	E	339005.425	0.9998553	0.9999369	85951	77H3345	TERR	91 36 48	225.308	225.341
		N	5569576.049			733329	75H2986	TERR	359 1 1	168.211	168.236
		E1	418.554	CVD28BC							
793687	77H3347	E	336378.629	0.9998743	0.9999455	757518	76H3273	TERR	89 38 12	161.154	161.174
		N	5570224.490								
		E1	364.088	CVD28BC							

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
204594	77H3348	E	335852.164	0.9998775	0.9999466	226100	75H3149	TERR	222 19 7	233.562	233.590
		N	5569607.049			580837	75H3057	TERR	285 27 7	212.291	212.316
		El	357.142	CVD28BC							
418798	77H3349	E	335503.242	0.9998763	0.9999440	454561	77H3344	TERR	86 4 7	205.655	205.681
		N	5570048.276			979237	77H3350	TERR	235 49 15	177.269	177.291
		El	373.448	CVD28BC		645713	77H3351	TERR	314 52 38	102.660	102.672
979237	77H3350	E	335356.590	0.9998762	0.9999433	418798	77H3349	TERR	55 49 15	177.269	177.291
		N	5569948.689			887992	77H3353	TERR	164 49 24	114.795	114.809
		El	378.195	CVD28BC		840504	89H5498	TERR	252 27 41	68.569	68.577
645713	77H3351	E	335430.495	0.9998750	0.9999424	418798	77H3349	TERR	134 52 38	102.660	102.672
		N	5570120.712								
		El	383.941	CVD28BC							
214924	77H3352	E	335322.057	0.9998738	0.9999407	652594	77H3354	TERR	9 22 26	151.908	151.927
		N	5570182.966								
		El	394.300	CVD28BC							
887992	77H3353	E	335386.643	0.9998788	0.9999460	775395	75H3063	TERR	141 45 1	140.511	140.528
		N	5569837.898			979237	77H3350	TERR	344 49 24	114.795	114.809
		El	360.558	CVD28BC							
652594	77H3354	E	335346.799	0.9998720	0.9999390	940445	75H3118	TERR	87 12 1	120.338	120.353
		N	5570332.845			214924	77H3352	TERR	189 22 26	151.908	151.927
		El	405.141	CVD28BC		469452	75H3103	TERR	241 24 51	424.938	424.993
178590	77H3355	E	338899.317	0.9998535	0.9999347	317024	77H3356	TERR	35 30 56	215.988	216.018
		N	5568435.149								
		El	432.724	CVD28BC							
317024	77H3356	E	339024.789	0.9998545	0.9999362	198036	77H3358	TERR	38 10 32	106.939	106.955
		N	5568610.954			178590	77H3355	TERR	215 30 56	215.988	216.018
		El	422.996	CVD28BC		865121	77H3357	TERR	330 59 18	238.110	238.143

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
865121	77H3357	E	338909.309	0.9998582	0.9999395	317024	77H3356	TERR	150 59 18	238.110	238.143
		N	5568819.186			844829	75H2979	TERR	274 42 14	199.005	199.034
		E1	402.142	CVD28BC							
198036	77H3358	E	339090.885	0.9998544	0.9999364	283523	77H3359	TERR	8 5 32	207.826	207.857
		N	5568695.021			900027	82H5092	TERR	188 4 52	1336.225	1336.430
		E1	421.948	CVD28BC		317024	77H3356	TERR	218 10 32	106.939	106.955
283523	77H3359	E	339120.140	0.9998550	0.9999372	737	77H3360	TERR	106 52 19	347.097	347.147
		N	5568900.778			198036	77H3358	TERR	188 5 32	207.826	207.857
		E1	417.023	CVD28BC		560300	75H3463	TERR	222 20 40	4330.780	4331.475
						241125	76H3323	TERR	358 42 5	117.857	117.875
737	77H3360	E	339452.296	0.9998514	0.9999349	263475	76H3332	TERR	11 31 28	385.545	385.601
		N	5568800.039			60053	76H3287	TERR	29 11 5	157.440	157.463
		E1	431.721	CVD28BC		283523	77H3359	TERR	286 52 19	347.097	347.147
495630	77H3361	E	337474.156	0.9998637	0.9999393						
		N	5570579.247								
		E1	403.521	CVD28BC							
770586	77H3362	E	338043.636	0.9998632	0.9999410						
		N	5571644.385								
		E1	392.510	CVD28BC							
874958	82H5091	E	338949.954	0.9998467	0.9999281	925750	75H3203	TERR	242 57 58	2412.957	2413.321
		N	5566793.062			900027	82H5092	TERR	355 22 5	580.900	580.992
		E1	474.655	CVD28BC							
900027	82H5092	E	338903.045	0.9998372	0.9999185	198036	77H3358	TERR	8 4 52	1336.225	1336.430
		N	5567372.065			732156	76H3278	GPS	23 2 40	3738.756	3739.368
		E1	536.224	CVD28BC		717892	PIER 8	GPS	104 3 33	4258.931	4259.644
						874958	82H5091	TERR	175 22 5	580.900	580.992
						436444	PIER 1	GPS	225 50 16	6440.435	6441.392
						560300	75H3463	GPS	238 13 45	3175.937	3176.476
						440305	75H2905	TERR	256 31 53	603.058	603.149
						493924	89H5474	GPS	283 12 54	2184.747	2185.096
						442954	75H3202	GPS	296 10 29	5375.272	5376.054
						156190	76H3282	GPS	336 40 27	3823.598	3824.177

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
274464	89H5448	E	337032.869	0.9998520	0.9999258	735613	89H5496	TERR	20 37 60	641.430	641.525
		N	5566999.850			560300	75H3463	TERR	212 33 11	1542.296	1542.546
		E1	489.787	CVD28BC							
763623	89H5449	E	337981.608	0.9998634	0.9999411	790980	89H5492	TERR	176 0 11	222.592	222.622
		N	5571887.161			344937	89H5494	TERR	318 57 55	199.954	199.981
		E1	392.275	CVD28BC							
274498	89H5450	E	335730.260	0.9998529	0.9999215	606475	89H5484	TERR	38 17 50	337.305	337.355
		N	5567382.481			534339	89H5476	TERR	217 12 2	392.322	392.379
		E1	517.062	CVD28BC							
317875	89H5451	E	341047.632	0.9998370	0.9999267	499764	89H5469	TERR	44 36 30	321.767	321.819
		N	5572543.318			904995	89H5506	TERR	251 10 12	198.507	198.539
		E1	483.768	CVD28BC							
332924	89H5452	E	335293.146	0.9998789	0.9999458	995167	75H3064	TERR	175 33 54	197.274	197.297
		N	5569746.760			840504	89H5498	TERR	359 23 16	181.276	181.299
		E1	362.215	CVD28BC							
367441	89H5454	E	341770.964	0.9998196	0.9999122	841304	89H5499	TERR	29 46 5	160.336	160.365
		N	5574421.608			370122	89H5458	TERR	181 24 52	462.296	462.377
		E1	576.570	CVD28BC							
368894	89H5455	E	341924.410	0.9998127	0.9999058	615534	89H5485	TERR	102 50 39	69.932	69.945
		N	5574711.862			369678	89H5456	TERR	300 54 43	141.899	141.925
		E1	617.094	CVD28BC							
369678	89H5456	E	341802.667	0.9998110	0.9999037	774455	657017	TERR	23 58 17	1311.810	1312.083
		N	5574784.758			368894	89H5455	TERR	120 54 43	141.899	141.925
		E1	630.862	CVD28BC							
370122	89H5458	E	341759.553	0.9998251	0.9999176	367441	89H5454	TERR	1 24 52	462.296	462.377
		N	5573959.453			491357	89H5468	TERR	186 35 51	608.105	608.211
		E1	541.990	CVD28BC							

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
118786	89H5459	E	335660.625	0.9998783	0.9999466	966226	94H1182	TERR	132 50 14	115.427	115.442		
		N	5568981.819					879379	89H5503	TERR	354 36 50	89.298	89.309
		E1	357.053					CVD28BC					
386466	89H5460	E	340060.583	0.9998431	0.9999289	20149	76H3283	TERR	99 55 50	60.584	60.594		
		N	5571913.783					144279	76H3316	TERR	219 59 25	154.211	154.235
		E1	469.530					CVD28BC					
432070	89H5461	E	339653.004	0.9998504	0.9999346	119990	76H3255	TERR	88 33 21	96.264	96.278		
		N	5571594.656					118984	75H2995	TERR	274 19 16	103.152	103.167
		E1	433.355					CVD28BC					
435982	89H5462	E	340096.642	0.9998421	0.9999281	691550	89H5493	TERR	1 18 13	105.630	105.648		
		N	5571589.355					453035	89H5465	TERR	271 47 60	205.006	205.038
		E1	474.809					CVD28BC					
919621	89H5464	E	339405.939	0.9998541	0.9999373	753905	75H3069	TERR	65 0 59	186.683	186.711		
		N	5572026.833					773093	75H2999	TERR	263 13 17	66.541	66.551
		E1	416.124					CVD28BC					
453035	89H5465	E	339891.737	0.9998467	0.9999319	435982	89H5462	TERR	91 47 60	205.006	205.038		
		N	5571595.794					119990	76H3255	TERR	270 31 4	142.506	142.528
		E1	450.760					CVD28BC		589614	89H5481	TERR	359 27 27
813766	89H5466	E	339078.243	0.9998564	0.9999383	605253	75H3002	TERR	178 44 5	154.201	154.223		
		N	5571954.523										
		E1	409.602					CVD28BC					
489161	89H5467	E	340272.024	0.9998435	0.9999301	516815	89H5473	TERR	89 33 44	353.456	353.512		
		N	5572383.618					908830	89H5507	TERR	273 12 29	277.797	277.840
		E1	461.915					CVD28BC					
491357	89H5468	E	341689.685	0.9998292	0.9999214	370122	89H5458	TERR	6 35 51	608.105	608.211		
		N	5573355.375					865519	89H5502	TERR	215 32 34	235.134	235.174
		E1	517.854					CVD28BC					

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres							
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING											
499764	89H5469	E	341273.595	0.9998344	0.9999249	865519	89H5502	TERR	35 30 12	481.107	481.188							
		N	5572772.391					317875				89H5451	TERR	224 36 30	321.767	321.819		
		E1	495.050					CVD28BC										
502625	89H5470	E	339150.647	0.9998532	0.9999354	633065	89H5487	TERR	105 5 19	81.025	81.038							
		N	5568524.146															
		E1	428.239					CVD28BC										
502856	89H5471	E	337890.218	0.9998567	0.9999339	558890	89H5479	TERR	1 19 17	286.206	286.246							
		N	5568733.215					547778				89H5478	TERR	233 40 36	491.670	491.741		
		E1	437.596					CVD28BC										
508432	89H5472	E	340763.578	0.9998393	0.9999279	904995	89H5506	TERR	58 28 45	112.817	112.836							
		N	5572420.266					516815				89H5473	TERR	256 11 24	142.219	142.242		
		E1	476.205					CVD28BC										
516815	89H5473	E	340625.470	0.9998403	0.9999284	508432	89H5472	TERR	76 11 24	142.219	142.242							
		N	5572386.318					489161				89H5467	TERR	269 33 44	353.456	353.512		
		E1	473.201					CVD28BC										
493924	89H5474	E	336776.151	0.9998430	0.9999158	156190	76H3282	GPS	11 30 11	3073.377	3073.833							
		N	5567871.506					732156				76H3278	GPS	50 40 42	4641.155	4641.900		
		E1	553.584					CVD28BC				900027	82H5092	GPS	103 12 54	2184.747	2185.096	
												735613	89H5496	TERR	119 20 31	553.794	553.878	
												560300	75H3463	GPS	194 47 6	2246.010	2246.385	
												442954	75H3202	GPS	304 45 29	3282.945	3283.413	
												527010	89H5475	TERR	318 49 42	462.268	462.339	
527010	89H5475	E	336471.832	0.9998527	0.9999242	705285	89H5495	TERR	48 29 17	305.638	305.683							
		N	5568219.474					493924				89H5474	TERR	138 49 42	462.268	462.339		
		E1	499.661					CVD28BC				791145	89H5497	TERR	222 48 44	443.444	443.509	
534339	89H5476	E	335493.060	0.9998541	0.9999217	274498	89H5450	TERR	37 12 2	392.322	392.379							
		N	5567069.987					546747				89H5477	TERR	231 9 48	312.307	312.352		
		E1	515.946					CVD28BC										
546747	89H5477	E	335249.793	0.9998535	0.9999201	534339	89H5476	TERR	51 9 48	312.307	312.352							
		N	5566874.138					259200				76H3327	TERR	234 25 2	944.120	944.261		
		E1	525.868					CVD28BC										

Integrated Survey Area No:19 The Corporation of the City of Vernon
 Order in Council No. 851/79
 Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
547778	89H5478	E	337494.086	0.9998560	0.9999316	502856	89H5471	TERR	53 40 36	491.670	491.741
		N	5568441.978			866640	89H5504	TERR	197 34 9	507.477	507.552
		El	452.332	CVD28BC							
558890	89H5479	E	337896.818	0.9998579	0.9999352	165308	76H3319	TERR	1 52 32	201.927	201.956
		N	5569019.345			502856	89H5471	TERR	181 19 17	286.206	286.246
		El	429.853	CVD28BC							
583484	89H5480	E	335732.166	0.9998768	0.9999454		MARKER DESTROYED				
		N	5568910.905								
		El	364.313	CVD28BC							
589614	89H5481	E	339890.211	0.9998471	0.9999322	144279	76H3316	TERR	61 30 42	81.085	81.098
		N	5571756.958			453035	89H5465	TERR	179 27 27	161.171	161.196
		El	448.607	CVD28BC							
592055	89H5482	E	339482.102	0.9998474	0.9999309	60053	76H3287	TERR	6 54 47	390.197	390.255
		N	5568550.132			859843	89H5501	TERR	269 58 59	163.280	163.305
		El	456.858	CVD28BC							
892380	89H5483	E	335868.850	0.9998763	0.9999454	180091	75H3148	TERR	37 37 40	405.811	405.862
		N	5569063.138			966226	94H1182	TERR	217 43 2	202.013	202.037
		El	364.542	CVD28BC							
606475	89H5484	E	335939.302	0.9998531	0.9999226	791145	89H5497	TERR	43 6 25	338.279	338.328
		N	5567647.200			274498	89H5450	TERR	218 17 50	337.305	337.355
		El	510.244	CVD28BC							
615534	89H5485	E	341992.592	0.9998135	0.9999069	624718	89H5486	TERR	146 59 2	71.972	71.986
		N	5574696.316			368894	89H5455	TERR	282 50 39	69.932	69.945
		El	610.438	CVD28BC							
624718	89H5486	E	342031.808	0.9998142	0.9999077	841304	89H5499	TERR	247 28 15	196.213	196.249
		N	5574635.966			615534	89H5485	TERR	326 59 2	71.972	71.986
		El	605.166	CVD28BC							

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
633065	89H5487	E	339228.879	0.9998517	0.9999343	859843	89H5501	TERR	62 23 44	101.497	101.511				
		N	5568503.054					502625	89H5470			TERR	285 5 19	81.025	81.038
		El	435.441					CVD28BC							
672147	89H5488	E	337482.338	0.9998589	0.9999345	900076	75H3050	TERR	41 20 11	133.350	133.369				
		N	5569123.969					683839	89H5490			TERR	227 25 50	573.379	573.460
		El	434.242					CVD28BC							
680272	89H5489	E	338171.270	0.9998650	0.9999433	414	76H3275	TERR	157 30 39	374.065	374.116				
		N	5570150.221					85357	76H3290			TERR	265 55 6	223.613	223.643
		El	377.678					CVD28BC				197277	76H3333	TERR	347 48 34
683839	89H5490	E	337060.068	0.9998557	0.9999296	672147	89H5488	TERR	47 25 50	573.379	573.460				
		N	5568736.089					705285	89H5495			TERR	228 51 1	477.254	477.323
		El	465.129					CVD28BC							
776641	89H5491	E	339544.162	0.9998519	0.9999357	841536	76H3330	TERR	5 24 17	202.534	202.565				
		N	5569964.373					599134	76H3246			TERR	91 30 56	371.776	371.832
		El	426.581					CVD28BC				854885	75H2989	TERR	179 59 21
790980	89H5492	E	337997.123	0.9998633	0.9999410	335513	75H3018	TERR	95 37 2	257.869	257.905				
		N	5571665.110					763623	89H5449			TERR	356 0 11	222.592	222.622
		El	392.654					CVD28BC							
691550	89H5493	E	340099.045	0.9998418	0.9999278	435982	89H5462	TERR	181 18 13	105.630	105.648				
		N	5571694.958					17848	76H3280			TERR	356 6 51	131.554	131.575
		El	476.982					CVD28BC							
344937	89H5494	E	337850.335	0.9998641	0.9999412	763623	89H5449	TERR	138 57 55	199.954	199.981				
		N	5572037.988												
		El	391.565					CVD28BC							
705285	89H5495	E	336700.699	0.9998531	0.9999256	683839	89H5490	TERR	48 51 1	477.254	477.323				
		N	5568422.043					527010	89H5475			TERR	228 29 17	305.638	305.683
		El	491.220					CVD28BC							

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
735613	89H5496	E	337258.899	0.9998517	0.9999264	866640	89H5504	TERR	12 53 60	367.307	367.361
		N	5567600.136			274464	89H5448	TERR	200 37 60	641.430	641.525
		E1	485.840	CVD28BC		493924	89H5474	TERR	299 20 31	553.794	553.878
791145	89H5497	E	336170.469	0.9998534	0.9999238	527010	89H5475	TERR	42 48 44	443.444	443.509
		N	5567894.170			606475	89H5484	TERR	223 6 25	338.279	338.328
		E1	502.437	CVD28BC							
840504	89H5498	E	335291.209	0.9998770	0.9999438	979237	77H3350	TERR	72 27 41	68.569	68.577
		N	5569928.026			332924	89H5452	TERR	179 23 16	181.276	181.299
		E1	374.505	CVD28BC							
841304	89H5499	E	341850.569	0.9998173	0.9999101	624718	89H5486	TERR	67 28 15	196.213	196.249
		N	5574560.786			367441	89H5454	TERR	209 46 5	160.336	160.365
		E1	589.537	CVD28BC							
928051	89H5500	E	339206.478	0.9998556	0.9999380	773093	75H2999	TERR	91 59 3	133.465	133.484
		N	5572023.600								
		E1	411.460	CVD28BC							
859843	89H5501	E	339318.822	0.9998501	0.9999330	592055	89H5482	TERR	89 58 59	163.280	163.305
		N	5568550.084			633065	89H5487	TERR	242 23 44	101.497	101.511
		E1	443.784	CVD28BC							
865519	89H5502	E	341552.999	0.9998308	0.9999225	491357	89H5468	TERR	35 32 34	235.134	235.174
		N	5573164.051			499764	89H5469	TERR	215 30 12	481.107	481.188
		E1	510.767	CVD28BC							
879379	89H5503	E	335652.243	0.9998784	0.9999467	537720	77H3343	TERR	37 8 50	143.700	143.716
		N	5569070.723			118786	89H5459	TERR	174 36 50	89.298	89.309
		E1	356.480	CVD28BC							
866640	89H5504	E	337340.900	0.9998531	0.9999281	547778	89H5478	TERR	17 34 9	507.477	507.552
		N	5567958.173			735613	89H5496	TERR	192 53 60	367.307	367.361
		E1	474.613	CVD28BC							

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
875443	89H5505	E	335565.524	0.9998270	0.9998949	560300	75H3463	TERR	141 55 7	1033.534	1033.715
		N	5566513.391			259200	76H3327	TERR	260 7 32	1099.855	1100.033
		El	686.539	CVD28BC							
904995	89H5506	E	340859.749	0.9998386	0.9999276	317875	89H5451	TERR	71 10 12	198.507	198.539
		N	5572479.248			508432	89H5472	TERR	238 28 45	112.817	112.836
		El	478.017	CVD28BC							
908830	89H5507	E	339994.662	0.9998463	0.9999319	816488	75H3106	TERR	2 28 5	437.221	437.287
		N	5572399.164			489161	89H5467	TERR	93 12 29	277.797	277.840
		El	450.607	CVD28BC			70904	76H3297	TERR	269 15 4	560.624
966226	94H1182	E	335745.266	0.9998763	0.9999449	892380	89H5483	TERR	37 43 2	202.013	202.037
		N	5568903.338			30627	94H1188	TERR	220 54 35	357.671	357.714
		El	367.447	CVD28BC			118786	89H5459	TERR	312 50 14	115.427
898767	94H1186	E	335023.374	0.9998812	0.9999469	525410	75H3060	TERR	50 8 18	350.299	350.341
		N	5569161.386			625699	94H1187	TERR	140 59 14	492.342	492.401
		El	354.970	CVD28BC							
625699	94H1187	E	335333.300	0.9998800	0.9999470	30627	94H1188	TERR	129 21 45	229.890	229.918
		N	5568778.833			437020	94H1342	TERR	231 44 13	231.622	231.650
		El	354.208	CVD28BC			898767	94H1186	TERR	320 59 14	492.342
30627	94H1188	E	335511.039	0.9998778	0.9999455	966226	94H1182	TERR	40 54 35	357.671	357.714
		N	5568633.031			730408	94H1340	TERR	209 7 6	142.396	142.412
		El	363.597	CVD28BC			625699	94H1187	TERR	309 21 45	229.890
730408	94H1340	E	335441.747	0.9998781	0.9999455	30627	94H1188	TERR	29 7 6	142.396	142.412
		N	5568508.632			142760	94H1341	TERR	237 17 26	98.716	98.729
		El	363.912	CVD28BC							
142760	94H1341	E	335358.685	0.9998790	0.9999461	730408	94H1340	TERR	57 17 26	98.716	98.729
		N	5568455.288			437020	94H1342	TERR	310 59 31	274.574	274.607
		El	360.357	CVD28BC							

Order in Council No. 851/79

Universal Transverse Mercator Coordinates: Zone:11, Central Meridian 117.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----						
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING						
437020	94H1342	E	335151.436	0.9998812	0.9999474	625699	94H1187	TERR	51 44 13	231.622	231.650		
		N	5568635.396					142760	94H1341	TERR	130 59 31	274.574	274.607
		E1	351.613					CVD28BC					

END OF REPORT