

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at:
<http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address:
<http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Coordinates Metres			----- GCM-NO	----- TABLET MARKING		Bearing				
186817	03SG078	E	424731.696	0.9996570	0.9999874	263871	82H5724	GPS	18 11 0			485.728	485.895
		N	5453542.141			906230	79H9408	GPS	97 33 21			241.887	241.970
		El	97.677			482349	98SG019	GPS	171 31 59			341.094	341.212
						913210	98SG037	GPS	193 3 45			478.271	478.436
						399675	03SG079	GPS	232 28 21			302.185	302.289
						102194	96H2088	GPS	241 29 9			1546.457	1546.986
						893701	03SG080	GPS	293 57 50			254.277	254.364
399675	03SG079	E	424492.045	0.9996548	0.9999848	893701	03SG080	GPS	1 27 13			287.444	287.543
		N	5453358.067			186817	03SG078	GPS	52 28 21			302.185	302.289
		El	113.941			482349	98SG019	GPS	117 52 21			327.915	328.029
						913210	98SG037	GPS	154 58 36			311.014	311.122
893701	03SG080	E	424499.337	0.9996571	0.9999871	906230	79H9408	GPS	105 57 58			491.090	491.258
		N	5453645.418			186817	03SG078	GPS	113 57 50			254.277	254.364
		El	99.388			913210	98SG037	GPS	167 41 3			582.579	582.781
						399675	03SG079	GPS	181 27 13			287.444	287.543
791046	03SG086	E	422965.660	0.9996590	0.9999861	347336	92H0729	GPS	15 22 55			1272.285	1272.717
		N	5453902.788			858100	03SG087	GPS	67 54 13			339.963	340.079
		El	105.750			914846	82H5718	GPS	83 16 15			1131.440	1131.827
						102194	96H2088	GPS	159 40 9			1171.897	1172.297
						211631	94H1617	GPS	173 16 43			531.522	531.703
						622597	94H1618	GPS	175 58 14			676.587	676.817
						452391	96H2090	GPS	217 3 39			649.657	649.878
858100	03SG087	E	423280.653	0.9996578	0.9999855	347336	92H0729	GPS	1 10 20			1099.057	1099.431
		N	5454030.671			914846	82H5718	GPS	89 40 3			808.667	808.944
		El	109.752			102194	96H2088	GPS	175 42 11			1230.231	1230.651
						622597	94H1618	GPS	198 25 31			846.175	846.464
						211631	94H1617	GPS	201 4 51			702.787	703.027
						452391	96H2090	GPS	227 32 54			957.537	957.864
						791046	03SG086	GPS	247 54 13			339.963	340.079
34629	08H2553	E	434238.399	0.9996448	0.9999917	434068	99HA156	GPS	11 49 50			1151.192	1151.596
		N	5440099.477			712356	96H2086	GPS	49 54 0			2902.788	2903.809
		El	70.163			366161	08H2555	GPS	58 44 25			3249.151	3250.300
						916841	79H9385	GPS	303 33 54			1552.417	1552.964
213785	08H2556	E	433190.068	0.9996534	0.9999986	434068	99HA156	GPS	109 35 29			1363.267	1363.740
		N	5441683.331			916841	79H9385	GPS	198 40 31			765.876	766.143
		El	26.135			927830	83H6080	GPS	346 8 11			727.939	728.190

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
60384	08H2557	E	434737.752	0.9996542	1.0000019	366161	08H2555	GPS	114	2	5	2494.361	2495.232		
		N	5442801.453			712356	96H2086	GPS	115	48	23	1911.706	1912.370		
		E1	5.450	CVD28BC		434068	99HA156	GPS	189	29	26	1597.097	1597.652		
						927830	83H6080	GPS	256	33	52	1770.562	1771.171		
						994848	77H5096	GPS	308	58	23	3382.643	3383.808		
862367	13H2697	E	428824.412	0.9996554	0.9999931	872747	82H5680	GPS	92	1	7	785.476	785.745		
		N	5453524.106			127944	13H2703	GPS	128	14	34	277.321	277.417		
		E1	61.082	CVD28BC		331199	13H2702	GPS	132	32	57	1044.671	1045.040		
						471516	79H9358	GPS	208	35	7	382.414	382.548		
						613869	82H5678	GPS	294	12	36	277.262	277.357		
486712	13H2698	E	429534.424	0.9996576	0.9999966	872747	82H5680	GPS	39	5	59	118.884	118.924		
		N	5453404.180			722066	13H2699	GPS	124	46	59	612.887	613.099		
		E1	39.158	CVD28BC		331199	13H2702	GPS	174	11	53	589.523	589.731		
						127944	13H2703	GPS	263	59	60	494.916	495.087		
722066	13H2699	E	430037.799	0.9996545	0.9999944	684530	13H2700	GPS	157	47	43	449.361	449.520		
		N	5453054.545			670182	79H9263	GPS	178	50	6	622.801	623.018		
		E1	53.352	CVD28BC		257725	13H2701	GPS	204	26	30	448.076	448.235		
						331199	13H2702	GPS	241	54	32	503.037	503.215		
						486712	13H2698	GPS	304	46	59	612.887	613.099		
						694612	79H9219	GPS	352	3	39	147.893	147.943		
684530	13H2700	E	430207.621	0.9996419	0.9999820	26005	79H9260	GPS	121	19	50	300.790	300.896		
		N	5452638.509			670182	79H9263	GPS	217	15	19	259.611	259.704		
		E1	132.081	CVD28BC		257725	13H2701	GPS	271	18	31	355.314	355.442		
						722066	13H2699	GPS	337	47	43	449.361	449.520		
257725	13H2701	E	429852.400	0.9996394	0.9999789	722066	13H2699	GPS	24	26	30	448.076	448.235		
		N	5452646.624			684530	13H2700	GPS	91	18	31	355.314	355.442		
		E1	151.934	CVD28BC		670182	79H9263	GPS	137	18	55	292.141	292.244		
						331199	13H2702	GPS	303	30	19	309.870	309.982		
331199	13H2702	E	429594.020	0.9996379	0.9999770	872747	82H5680	GPS	1	17	53	678.937	679.175		
		N	5452817.677			694612	79H9219	GPS	47	50	22	571.121	571.321		
		E1	164.246	CVD28BC		722066	13H2699	GPS	61	54	32	503.037	503.215		
						26005	79H9260	GPS	111	4	50	932.969	933.301		
						257725	13H2701	GPS	123	30	19	309.870	309.982		
						820787	92H0751	GPS	133	23	50	1953.132	1953.824		
						947937	82H5707	GPS	227	59	57	1339.554	1340.031		
						471516	79H9358	GPS	291	15	36	1022.142	1022.510		
						613869	82H5678	GPS	308	43	58	1310.758	1311.218		
						510479	88H4796	GPS	310	20	6	2181.853	2182.619		
						862367	13H2697	GPS	312	32	57	1044.671	1045.040		
						127944	13H2703	GPS	314	6	7	768.415	768.689		
						486712	13H2698	GPS	354	11	53	589.523	589.731		

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Coordinates Metres			----- GCM-NO	----- TABLET MARKING		Bearing				
127944	13H2703	E	429042.219	0.9996493	0.9999875	486712	13H2698	GPS	83 59 60			494.916	495.087
		N	5453352.446			331199	13H2702	GPS	134 6 7			768.415	768.689
		El	97.050			471516	79H9358	GPS	247 43 42			433.089	433.243
						862367	13H2697	GPS	308 14 34			277.321	277.417
13201	14H2725	E	435428.997	0.9996489	0.9999977	168039	79H9348	GPS	14 25 25			304.607	304.713
		N	5443979.965			873513	79H9344	GPS	144 1 7			863.618	863.921
		El	32.378			712356	96H2086	GPS	152 52 50			2259.106	2259.896
						909861	98SG017	GPS	339 33 46			867.852	868.155
265223	14H2754	E	426505.235	0.9996414	0.9999751	583633	14H2758	GPS	0 46 38			585.934	586.144
		N	5452678.046			604108	14H2759	GPS	16 32 57			742.382	742.648
		El	176.211			153114	2284	GPS	98 46 49			367.342	367.476
						527655	79H5592	GPS	246 47 27			402.194	402.337
						406140	14H2755	GPS	280 11 57			361.450	361.579
						875609	14H2760	GPS	335 30 4			460.058	460.223
406140	14H2755	E	426149.497	0.9996456	0.9999786	265223	14H2754	GPS	100 11 57			361.450	361.579
		N	5452742.048			527655	79H5592	GPS	183 34 35			222.936	223.015
		El	153.360			451724	14H2756	GPS	248 6 31			531.881	532.069
						474254	14H2757	GPS	310 56 37			334.360	334.479
451724	14H2756	E	425655.969	0.9996490	0.9999811	474254	14H2757	GPS	29 59 48			481.982	482.152
		N	5452543.736			875609	14H2760	GPS	49 58 45			859.863	860.168
		El	137.281			406140	14H2755	GPS	68 6 31			531.881	532.069
						527655	79H5592	GPS	92 53 14			480.231	480.399
						897348	98SG036	GPS	237 52 42			402.757	402.898
						241398	79H9205	GPS	254 58 43			144.619	144.669
						344416	92H0749	GPS	353 3 26			928.252	928.578
474254	14H2757	E	425896.936	0.9996449	0.9999775	875609	14H2760	GPS	72 1 1			438.970	439.127
		N	5452961.159			406140	14H2755	GPS	130 56 37			334.360	334.479
		El	160.873			451724	14H2756	GPS	209 59 48			481.982	482.152
						585554	92H0736	GPS	345 40 47			416.331	416.478
583633	14H2758	E	426513.184	0.9996423	0.9999759	604108	14H2759	GPS	58 17 17			239.225	239.311
		N	5453263.926			265223	14H2754	GPS	180 46 38			585.934	586.144
		El	170.696			875609	14H2760	GPS	229 55 0			259.731	259.824
						522060	79H9326	GPS	344 34 5			173.137	173.199
604108	14H2759	E	426716.693	0.9996404	0.9999745	153114	2284	GPS	168 49 51			782.523	782.809
		N	5453389.675			265223	14H2754	GPS	196 32 57			742.382	742.648
		El	180.114			875609	14H2760	GPS	233 55 48			497.628	497.806
						583633	14H2758	GPS	238 17 17			239.225	239.311
						522060	79H9326	GPS	279 21 42			252.949	253.040

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING		Bearing				
875609	14H2760	E	426314.461	0.9996428	0.9999761	522060	79H9326	GPS	24	33	13	367.355	367.486
		N	5453096.685			583633	14H2758	GPS	49	55	0	259.731	259.824
		El	169.543			604108	14H2759	GPS	53	55	48	497.628	497.806
						153114	2284	GPS	130	36	8	729.423	729.689
						265223	14H2754	GPS	155	30	4	460.058	460.223
						451724	14H2756	GPS	229	58	45	859.863	860.168
						897348	98SG036	GPS	232	29	49	1260.014	1260.460
						474254	14H2757	GPS	252	1	1	438.970	439.127
						344416	92H0749	GPS	295	33	15	854.261	854.565
						585554	92H0736	GPS	297	13	55	585.385	585.593
897025	15H2761	E	427373.355	0.9996525	0.9999877	745208	79H9293	GPS	7	22	41	132.569	132.615
		N	5448743.145			490326	79H9296	GPS	49	54	33	497.488	497.661
		El	95.240			175562	15H2762	GPS	98	4	36	430.686	430.836
						476226	15H2764	GPS	119	55	28	970.728	971.066
						529636	89H5640	GPS	149	1	53	914.660	914.978
175562	15H2762	E	427799.769	0.9996514	0.9999873	199190	79H9292	GPS	0	48	52	186.620	186.685
		N	5448682.635			891788	15H2763	GPS	133	1	42	253.996	254.084
		El	97.777			476226	15H2764	GPS	135	36	16	593.045	593.251
						897025	15H2761	GPS	278	4	36	430.686	430.836
						490326	79H9296	GPS	353	8	24	383.639	383.773
891788	15H2763	E	427985.444	0.9996519	0.9999882	398123	93H1172	GPS	57	41	7	302.166	302.272
		N	5448509.318			514562	15H2765	GPS	109	1	13	650.053	650.279
		El	92.394			476226	15H2764	GPS	137	31	52	339.498	339.616
						175562	15H2762	GPS	313	1	42	253.996	254.084
						490326	79H9296	GPS	337	19	45	600.616	600.825
476226	15H2764	E	428214.669	0.9996524	0.9999890	820787	92H0751	GPS	41	1	17	4263.807	4265.285
		N	5448258.889			514562	15H2765	GPS	84	16	60	387.263	387.397
		El	86.873			23093	93H1175	GPS	102	47	46	343.596	343.716
						920009	No Marking	GPS	122	33	30	4027.565	4028.960
						837369	77H5295	GPS	138	3	45	793.009	793.283
						298463	16H2775	GPS	201	28	22	2417.562	2418.415
						718304	98H2198	GPS	202	46	18	383.668	383.801
						529636	89H5640	GPS	231	0	45	476.862	477.028
						897025	15H2761	GPS	299	55	28	970.728	971.066
						175562	15H2762	GPS	315	36	16	593.045	593.251
						891788	15H2763	GPS	317	31	52	339.498	339.616
						490326	79H9296	GPS	330	12	19	927.204	927.528
						344416	92H0749	GPS	332	50	29	5851.429	5853.478

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
514562	15H2765	E	428600.006	0.9996512	0.9999886	24810	79H9309	GPS	17 46 17	158.207	158.263
		N	5448297.464			973768	15H2766	GPS	76 33 31	250.161	250.249
		El	89.875			762351	15H2767	GPS	87 59 56	741.103	741.361
						837369	77H5295	GPS	167 2 19	644.904	645.127
						23093	93H1175	GPS	203 40 22	125.211	125.254
						476226	15H2764	GPS	264 16 60	387.263	387.397
						891788	15H2763	GPS	289 1 13	650.053	650.279
973768	15H2766	E	428843.315	0.9996507	0.9999885	762351	15H2767	GPS	93 42 46	498.388	498.562
		N	5448355.614			230268	78H8326	GPS	118 24 45	347.640	347.762
		El	90.163			837369	77H5295	GPS	188 10 37	693.675	693.916
						514562	15H2765	GPS	256 33 31	250.161	250.249
						24810	79H9309	GPS	295 22 38	215.849	215.925
						490326	79H9296	GPS	303 1 2	1299.179	1299.633
762351	15H2767	E	429340.657	0.9996520	0.9999907	263889	77H5280	GPS	72 25 8	333.619	333.736
		N	5448323.341			837369	77H5295	GPS	222 19 42	885.096	885.402
		El	76.619			230268	78H8326	GPS	235 12 7	233.298	233.379
						514562	15H2765	GPS	267 59 56	741.103	741.361
						973768	15H2766	GPS	273 42 46	498.388	498.562
						53488	79H9314	GPS	298 42 30	226.012	226.090
272062	16H2768	E	426222.443	0.9996426	0.9999757	814707	82H5662	GPS	33 59 54	302.992	303.100
		N	5446628.877			879106	79H5529	GPS	91 36 24	551.679	551.876
		El	171.577			826685	79H5533	GPS	92 0 49	283.829	283.930
						699389	16H2769	GPS	131 37 39	201.882	201.954
						469932	96H2100	GPS	229 56 29	632.122	632.349
						735472	90H6399	GPS	304 56 37	858.845	859.150
699389	16H2769	E	426373.346	0.9996424	0.9999758	826685	79H5533	GPS	46 55 16	181.747	181.812
		N	5446494.770			879106	79H5529	GPS	73 30 5	417.760	417.909
		El	170.955			845214	79H5531	GPS	85 30 53	285.229	285.331
						292896	16H2770	GPS	93 1 10	509.867	510.050
						298463	16H2775	GPS	116 55 19	1072.596	1072.980
						272062	16H2768	GPS	311 37 39	201.882	201.954
292896	16H2770	E	426882.505	0.9996405	0.9999749	745901	79H5504	GPS	75 50 16	363.824	363.953
		N	5446467.914			366922	16H2771	GPS	91 51 38	211.524	211.599
		El	177.260			699389	16H2769	GPS	273 1 10	509.867	510.050
						845214	79H5531	GPS	282 20 9	230.117	230.200
						879106	79H5529	GPS	323 15 43	181.557	181.623
366922	16H2771	E	427093.917	0.9996414	0.9999761	745901	79H5504	GPS	55 50 60	170.806	170.867
		N	5446461.046			851006	16H2772	GPS	90 56 11	412.482	412.630
		El	169.473			807230	16H2774	GPS	124 23 26	291.937	292.042
						292896	16H2770	GPS	271 51 38	211.524	211.599
						879106	79H5529	GPS	295 27 36	354.433	354.560

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid		Ground
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING		Bearing	Distance Metres		Distance Metres		
851006	16H2772	E	427506.344	0.9996456	0.9999811	238527	79H5513	GPS	39 58 38	266.255	266.348			
		N	5446454.305			122788	16H2773	GPS	173 50 25	149.265	149.318			
		El	137.750			CVD28BC	298463	16H2775	GPS	201 38 34	478.944	479.115		
							807230	16H2774	GPS	227 19 17	233.306	233.389		
							366922	16H2771	GPS	270 56 11	412.482	412.630		
							745901	79H5504	GPS	290 44 10	289.849	289.952		
122788	16H2773	E	427522.360	0.9996428	0.9999782	322677	98SG065	GPS	118 12 46	284.094	284.195			
		N	5446305.902			298463	16H2775	GPS	212 59 26	353.828	353.954			
		El	155.822			CVD28BC	807230	16H2774	GPS	267 1 25	187.788	187.855		
							851006	16H2772	GPS	353 50 25	149.265	149.318		
807230	16H2774	E	427334.825	0.9996420	0.9999771	851006	16H2772	GPS	47 19 17	233.306	233.389			
		N	5446296.151			122788	16H2773	GPS	87 1 25	187.788	187.855			
		El	162.910			CVD28BC	298463	16H2775	GPS	181 1 23	287.071	287.173		
							366922	16H2771	GPS	304 23 26	291.937	292.042		
298463	16H2775	E	427329.700	0.9996417	0.9999768	807230	16H2774	GPS	1 1 23	287.071	287.173			
		N	5446009.126			476226	15H2764	GPS	21 28 22	2417.562	2418.415			
		El	164.623			CVD28BC	851006	16H2772	GPS	21 38 34	478.944	479.115		
							122788	16H2773	GPS	32 59 26	353.828	353.954		
		837369	77H5295			GPS	40 26 45	2181.111	2181.879					
		322677	98SG065			GPS	69 51 34	471.857	472.026					
		445726	77H5122			GPS	73 43 29	2951.723	2952.766					
		920009	No Marking			GPS	88 53 54	4280.366	4281.872					
		909861	98SG017			GPS	98 51 53	7890.512	7893.293					
		553859	83H6083			GPS	123 37 3	6527.550	6529.841					
		275438	96H2085			GPS	149 25 48	3156.889	3158.018					
		469932	96H2100			GPS	277 37 22	1605.261	1605.836					
		699389	16H2769			GPS	296 55 19	1072.596	1072.980					
879106	79H5529	GPS	317 23 36	821.016	821.310									
770495	2283	E	435264.592	0.9996524	1.0000009	MARKER DESTROYED								
		N	5444322.927											
		El	11.611									CVD28BC		

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----	UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
153114	2284	E	426868.272	0.9996282	0.9999625	947937	82H5707	GPS	112	2	41	1866.756	1867.431	
		N	5452621.973			437442	483	TERR	126	37	9	22959.069	22967.522	
		El	256.670			CVD28BC	183921	2281	TERR	130	6	21	14594.558	14599.832
						828327	3471	TERR	150	35	31	3119.183	3120.307	
						87916	NO MARKING	TERR	161	24	27	7130.889	7133.483	
						490326	79H9296	GPS	166	1	24	3667.009	3668.335	
						301952	82H5634	GPS	188	46	17	2863.592	2864.625	
						252585	78H5416	TERR	195	35	16	2771.165	2772.164	
						801225	11700	TERR	203	26	4	8719.402	8723.140	
						817056	468	TERR	247	24	3	30614.696	30627.784	
						257741	339	TERR	254	55	18	33948.378	33963.417	
						851303	84H9441	TERR	259	47	44	16831.794	16838.531	
						84749	81H4328	TERR	272	32	55	6207.645	6209.952	
						265223	14H2754	GPS	278	46	49	367.342	367.476	
						527721	84C004	GPS	292	21	32	14711.881	14716.892	
						743609	285	TERR	298	3	44	12815.603	12820.219	
						875609	14H2760	GPS	310	36	8	729.423	729.689	
						597088	11707	TERR	339	54	20	37208.018	37223.191	
						604108	14H2759	GPS	348	49	51	782.523	782.809	
798520	30128	E	432862.142	0.9996575	1.0000021	430843	95H2043	TERR	153	10	38	335.677	335.792	
		N	5447205.137			227108	77H5011	TERR	216	14	5	1465.390	1465.892	
		El	3.627			CVD28BC	921171	NO MARKING	TERR	313	4	54	419.958	420.102
900902	3468	E	428888.980	0.9996574	0.9999952	159327	3472	TERR	180	53	14	521.570	521.749	
		N	5450380.817			30270	79H5463	TERR	181	16	17	310.142	310.249	
		El	47.527			CVD28BC	602219	93H1180	TERR	271	30	2	186.930	186.995
828327	3471	E	428399.878	0.9996510	0.9999881	801225	11700	TERR	223	25	12	7273.407	7276.441	
		N	5449904.716			385682	79H5474	TERR	303	40	17	126.746	126.790	
		El	93.220			CVD28BC	153114	2284	TERR	330	35	31	3119.183	3120.307
159327	3472	E	428880.905	0.9996532	0.9999911	30270	79H5463	TERR	0	19	25	211.444	211.517	
		N	5449859.310			900902	3468	TERR	0	53	14	521.570	521.749	
		El	74.015			CVD28BC								
648840	3473	E	429244.500	0.9996545	0.9999930	885251	78H5434	TERR	160	23	25	158.915	158.970	
		N	5449673.662			911990	78H5477	TERR	359	4	44	204.681	204.753	
		El	61.552			CVD28BC								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
905422	3474	E 429133.116 N 5450174.237 El 40.249		0.9996581	0.9999964	525311 324038	78H5479 3478	TERR TERR	78 29 21 182 22 25	121.716 230.643	121.757 230.723
739243	3475	E 429005.606 N 5450009.750 El 56.029		0.9996558	0.9999939		MARKER DESTROYED				
653162	3476	E 429236.915 N 5449880.667 El 49.009		0.9996565	0.9999950		MARKER DESTROYED				
324038	3478	E 429123.564 N 5449943.792 El 52.113		0.9996562	0.9999945	905422 911990	3474 78H5477	TERR TERR	2 22 25 119 5 52	230.643 134.639	230.723 134.685
521559	3479	E 428986.593 N 5450482.251 El 30.957		0.9996598	0.9999978	643304	78H5474	TERR	92 41 8	93.246	93.278
473330	77H4352	E 431243.553 N 5446796.055 El 19.355		0.9996577	0.9999997		MARKER DESTROYED				
570739	77H4353	E 431573.669 N 5446717.187 El 23.760		0.9996565	0.9999990		MARKER DESTROYED				
825570	77H4354	E 431861.316 N 5445933.568 El 15.898		0.9996572	1.0000002	219188 233627	77H4355 77H5017	TERR TERR	187 28 9 356 36 59	125.224 43.037	125.266 43.052
219188	77H4355	E 431845.038 N 5445809.407 El 27.987		0.9996554	0.9999983	825570 556621	77H4354 90H9803	TERR TERR	7 28 9 185 47 49	125.224 115.669	125.266 115.709

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
402750	77H4356	E N El	431830.004 5445694.872 37.080	0.9996540	0.9999969		MARKER DESTROYED				
252288	77H4357	E N El	431816.249 5445590.086 38.726	0.9996537	0.9999966	556621 440743	90H9803 77H4358	TERR TERR	9 19 8 187 28 18	105.638 230.511	105.674 230.591
440743	77H4358	E N El	431786.274 5445361.532 38.990	0.9996537	0.9999966	252288 78089	77H4357 77H5091	TERR TERR	7 28 18 187 28 25	230.511 115.394	230.591 115.434
181065	77H4359	E N El	431754.933 5445122.393 42.691	0.9996532	0.9999960	78089	77H5091	TERR	7 27 36	125.790	125.834
568642	77H4360	E N El	431728.576 5444921.279 42.951	0.9996532	0.9999960		MARKER DESTROYED				
696062	77H5001	E N El	431885.271 5445993.025 10.973	0.9996580	1.0000010		MARKER DESTROYED				
967091	77H5002	E N El	431883.507 5446079.826 8.264	0.9996584	1.0000014		MARKER DESTROYED				
464719	77H5003	E N El	431795.025 5446119.093 7.103	0.9996587	1.0000016		MARKER DESTROYED				
497586	77H5004	E N El	431720.141 5446152.325 7.929	0.9996587	1.0000015		MARKER DESTROYED				

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
227108	77H5011	E	431995.958	0.9996579	1.0000011	48496	77H5010	TERR	35 26 57	181.763	181.826
		N	5446023.150			798520	30128	TERR	36 14 5	1465.390	1465.892
		E1	10.053			430843	95H2043	TERR	49 4 15	1346.958	1347.419
						288415	77H5013	TERR	147 56 24	174.657	174.716
						908210	77H5012	TERR	151 37 37	47.512	47.528
908210	77H5012	E	432018.536	0.9996577	1.0000009	288415	77H5013	TERR	146 33 52	127.280	127.323
		N	5445981.346			227108	77H5011	TERR	331 37 37	47.512	47.528
		E1	11.199								
288415	77H5013	E	432088.667	0.9996573	1.0000006	908210	77H5012	TERR	326 33 52	127.280	127.323
		N	5445875.130			227108	77H5011	TERR	327 56 24	174.657	174.716
		E1	13.102								
25783	77H5014	E	431988.259	0.9996564	0.9999996		MARKER DESTROYED				
		N	5445873.099								
		E1	19.983								
747949	77H5015	E	431887.758	0.9996567	0.9999997		MARKER DESTROYED				
		N	5445871.066								
		E1	18.909								
23085	77H5016	E	431992.746	0.9996558	0.9999990	771303	77H5081	TERR	88 50 49	100.529	100.564
		N	5445652.239			916916	90H9786	TERR	267 59 59	109.100	109.137
		E1	23.367								
233627	77H5017	E	431858.776	0.9996578	1.0000008	985218	90H9795	TERR	28 54 13	36.693	36.705
		N	5445976.530			825570	77H4354	TERR	176 36 59	43.037	43.052
		E1	12.358			602631	77H5018	TERR	333 2 45	43.053	43.067
602631	77H5018	E	431839.261	0.9996581	1.0000010	233627	77H5017	TERR	153 2 45	43.053	43.067
		N	5446014.906								
		E1	10.831								
486597	77H5019	E	431801.981	0.9996583	1.0000012		MARKER DESTROYED				
		N	5446043.056								
		E1	9.760								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
308155	77H5020	E 431682.072 N 5446012.753 El 17.645		0.9996573	0.9999999	257659 623181	82H5674 77H5069	TERR TERR	45 57 2 220 19 18	78.557 125.302	78.584 125.344
				CVD28BC							
800516	77H5021	E 431738.535 N 5446067.370 El 9.175		0.9996585	1.0000013		MARKER DESTROYED				
				CVD28BC							
170977	77H5022	E 431655.760 N 5446136.888 El 13.618		0.9996579	1.0000006	257659	82H5674	TERR	130 1 28	108.093	108.130
				CVD28BC							
344739	77H5023	E 431602.703 N 5446178.316 El 17.686		0.9996574	0.9999999		MARKER DESTROYED				
				CVD28BC							
385328	77H5024	E 431678.886 N 5446179.558 El 7.868		0.9996588	1.0000015		MARKER DESTROYED				
				CVD28BC							
342717	77H5025	E 431625.981 N 5446237.205 El 7.434		0.9996590	1.0000015		MARKER DESTROYED				
				CVD28BC							
774083	77H5026	E 431709.519 N 5446211.618 El 7.652		0.9996588	1.0000015		MARKER DESTROYED				
				CVD28BC							
181578	77H5027	E 431698.794 N 5446287.043 El 9.080		0.9996586	1.0000013		MARKER DESTROYED				
				CVD28BC							
682997	77H5028	E 431759.698 N 5446370.616 El 7.350		0.9996587	1.0000015		MARKER DESTROYED				
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
924118	77H5029	E 431903.636 N 5446304.764 El 2.993		0.9996592	1.0000022	733949 457341	77H5008 77H5030	TERR TERR	77 4 56 294 35 23	102.218 63.705	102.252 63.727
				CVD28BC							
457341	77H5030	E 431845.708 N 5446331.273 El 3.278		0.9996592	1.0000022	924118	77H5029	TERR	114 35 23	63.705	63.727
				CVD28BC							
320283	77H5031	E 431797.462 N 5446403.444 El 7.268		0.9996587	1.0000016		MARKER DESTROYED				
				CVD28BC							
642835	77H5032	E 431771.116 N 5446438.106 El 11.130		0.9996581	1.0000010		MARKER DESTROYED				
				CVD28BC							
445213	77H5033	E 431707.792 N 5446370.907 El 11.907		0.9996581	1.0000008		MARKER DESTROYED				
				CVD28BC							
824763	77H5034	E 431669.787 N 5446293.490 El 11.038		0.9996583	1.0000010	543223 61663	82H5653 77H5035	TERR TERR	102 31 21 334 22 48	29.711 77.327	29.721 77.353
				CVD28BC							
61663	77H5035	E 431636.351 N 5446363.214 El 14.834		0.9996578	1.0000004	824763 719765	77H5034 77H5036	TERR TERR	154 22 48 334 20 8	77.327 36.474	77.353 36.486
				CVD28BC							
719765	77H5036	E 431620.554 N 5446396.090 El 16.037		0.9996576	1.0000002	61663 670778	77H5035 77H5043	TERR TERR	154 20 8 344 42 41	36.474 83.395	36.486 83.424
				CVD28BC							
723056	77H5037	E 431574.252 N 5446342.138 El 7.110		0.9996591	1.0000016		MARKER DESTROYED				
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
781187	77H5038	E 431475.121 N 5446320.546 El 21.477		0.9996570	0.9999993		MARKER DESTROYED				
559641	77H5039	E 431367.911 N 5446452.998 El 21.911		0.9996571	0.9999993		MARKER DESTROYED				
293597	77H5040	E 431466.496 N 5446467.038 El 6.264		0.9996594	1.0000017		MARKER DESTROYED				
187443	77H5041	E 431512.905 N 5446473.642 El 5.808		0.9996594	1.0000018	87650 567875 297820	77H5042 90H9793 88H4771	TERR TERR TERR	81 55 2 150 24 36 335 47 56	29.409 142.814 169.191	29.419 142.863 169.248
87650	77H5042	E 431542.022 N 5446477.777 El 6.095		0.9996593	1.0000017	187443 734103	77H5041 82H5644	TERR TERR	261 55 2 353 47 32	29.409 162.641	29.419 162.696
670778	77H5043	E 431598.564 N 5446476.534 El 18.730		0.9996572	0.9999998	719765 566570	77H5036 77H5047	TERR TERR	164 42 41 349 42 24	83.395 131.597	83.424 131.643
675793	77H5044	E 431678.103 N 5446433.925 El 15.311		0.9996576	1.0000003		MARKER DESTROYED				
771055	77H5045	E 431660.812 N 5446515.976 El 17.241		0.9996574	1.0000000		MARKER DESTROYED				
17368	77H5046	E 431633.106 N 5446575.603 El 21.012		0.9996568	0.9999994		MARKER DESTROYED				

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
566570	77H5047	E 431575.049 N 5446606.013 El 16.133		0.9996577	1.0000002	670778	77H5043	TERR	169 42 24	131.597	131.643
614891	77H5048	E 431524.437 N 5446639.471 El 5.298		0.9996595	1.0000019		MARKER DESTROYED				
60590	77H5049	E 431443.536 N 5446627.964 El 4.499		0.9996597	1.0000020		MARKER DESTROYED				
496984	77H5050	E 431344.948 N 5446613.925 El 17.241		0.9996579	1.0000000		MARKER DESTROYED				
645697	77H5051	E 431419.298 N 5446798.020 El 9.445		0.9996590	1.0000012	228429 297820 741025 901587	77H5052 88H4771 89H5658 77H5340	TERR TERR TERR TERR	86 43 17 171 53 5 266 55 10 341 43 3	96.098 171.777 109.141 424.964	96.131 171.836 109.178 425.109
228429	77H5052	E 431515.239 N 5446803.516 El 6.923		0.9996592	1.0000016	449462 734103 645697	77H5053 82H5644 77H5051	TERR TERR TERR	86 46 29 176 47 30 266 43 17	121.579 164.310 96.098	121.620 164.365 96.131
449462	77H5053	E 431636.625 N 5446810.356 El 13.146		0.9996580	1.0000006	960187 228429	77H5054 77H5052	TERR TERR	167 18 42 266 46 29	63.137 121.579	63.159 121.620
960187	77H5054	E 431650.493 N 5446748.761 El 16.239		0.9996575	1.0000002	921171 963132 907600 449462	NO MARKING 77H5072 89H5659 77H5053	TERR TERR TERR TERR	50 36 12 156 56 36 248 5 31 347 18 42	1171.008 91.213 82.580 63.137	1171.409 91.244 82.609 63.159
706044	77H5055	E 431079.358 N 5446815.053 El 23.337		0.9996574	0.9999990	741025 841999 417279	89H5658 77H5056 77H5214	TERR TERR TERR	95 39 43 171 53 10 268 10 51	232.089 236.570 111.254	232.168 236.652 111.293

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
841999	77H5056	E	431112.748	0.9996562	0.9999979	366583	77H5057	TERR	81 53 20	100.558	100.593
		N	5446580.851			292763	98SG010	TERR	174 48 5	154.422	154.476
		El	30.388	CVD28BC		697342	77H5212	TERR	261 52 21	110.569	110.606
						706044	77H5055	TERR	351 53 10	236.570	236.652
366583	77H5057	E	431212.300	0.9996569	0.9999988	646364	98SG011	TERR	168 24 43	154.481	154.534
		N	5446595.039			841999	77H5056	TERR	261 53 20	100.558	100.593
		El	25.035	CVD28BC							
193342	77H5058	E	431235.251	0.9996560	0.9999980		MARKER DESTROYED				
		N	5446434.085								
		El	30.215	CVD28BC							
874412	77H5059	E	431135.708	0.9996553	0.9999971		MARKER DESTROYED				
		N	5446419.902								
		El	35.772	CVD28BC							
784520	77H5060	E	431026.234	0.9996547	0.9999963		MARKER DESTROYED				
		N	5446404.301								
		El	40.890	CVD28BC							
707471	77H5061	E	431166.093	0.9996542	0.9999960	448548	77H5062	TERR	69 40 19	102.863	102.899
		N	5446206.890			711309	77H5105	TERR	249 40 15	226.307	226.385
		El	42.590	CVD28BC		292763	98SG010	TERR	349 51 58	223.663	223.740
448548	77H5062	E	431262.550	0.9996550	0.9999969	96719	77H5063	TERR	75 4 40	106.699	106.736
		N	5446242.624			809707	77H5067	TERR	147 10 5	237.164	237.246
		El	36.772	CVD28BC		707471	77H5061	TERR	249 40 19	102.863	102.899
						646364	98SG011	TERR	354 32 25	201.999	202.069
96719	77H5063	E	431365.651	0.9996557	0.9999978	380501	77H5066	TERR	147 27 8	204.880	204.951
		N	5446270.100			448548	77H5062	TERR	255 4 40	106.699	106.736
		El	31.309	CVD28BC							
718627	77H5064	E	431422.084	0.9996563	0.9999985		MARKER DESTROYED				
		N	5446301.722								
		El	26.533	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
35634	77H5065	E 431530.316 N 5446132.142 El 24.975		0.9996564	0.9999988	380501	77H5066	TERR	237 27 12	64.581	64.604
				CVD28BC							
380501	77H5066	E 431475.877 N 5446097.398 El 29.605		0.9996557	0.9999981	35634 809707 96719	77H5065 77H5067 77H5063	TERR TERR TERR	57 27 12 237 28 3 327 27 8	64.581 100.514 204.880	64.604 100.547 204.951
				CVD28BC							
809707	77H5067	E 431391.135 N 5446043.344 El 37.257		0.9996547	0.9999969	380501 448548	77H5066 77H5062	TERR TERR	57 28 3 327 10 5	100.514 237.164	100.547 237.246
				CVD28BC							
352179	77H5068	E 431305.012 N 5445988.360 El 38.462		0.9996546	0.9999967		MARKER DESTROYED				
				CVD28BC							
623181	77H5069	E 431600.992 N 5445917.220 El 26.484		0.9996560	0.9999985	308155	77H5020	TERR	40 19 18	125.302	125.344
				CVD28BC							
525758	77H5070	E 431527.138 N 5445830.191 El 31.054		0.9996554	0.9999978		MARKER DESTROYED				
				CVD28BC							
647818	77H5071	E 431457.932 N 5445748.656 El 38.786		0.9996543	0.9999966		MARKER DESTROYED				
				CVD28BC							
963132	77H5072	E 431686.216 N 5446664.834 El 17.665		0.9996573	0.9999999	960187	77H5054	TERR	336 56 36	91.213	91.244
				CVD28BC							
714352	77H5073	E 431678.349 N 5445761.938 El 46.110		0.9996528	0.9999955		MARKER DESTROYED				
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
856047	77H5074	E 431637.356 N 5445669.201 El 47.419	CVD28BC	0.9996527	0.9999953		MARKER DESTROYED				
273516	77H5075	E 431592.628 N 5445568.030 El 45.318	CVD28BC	0.9996531	0.9999956		MARKER DESTROYED				
955955	77H5076	E 431383.086 N 5445660.459 El 48.271	CVD28BC	0.9996530	0.9999951	490185	77H5083	TERR	220 19 18	115.666	115.707
504316	77H5077	E 432097.726 N 5445433.149 El 23.662	CVD28BC	0.9996556	0.9999990	290874 103655 771303	77H5088 90H9769 77H5081	TERR TERR TERR	178 50 16 269 2 42 358 50 30	202.480 103.446 221.158	202.549 103.482 221.234
904276	77H5078	E 431997.223 N 5445431.114 El 28.458	CVD28BC	0.9996550	0.9999982		MARKER DESTROYED				
433607	77H5079	E 431896.725 N 5445429.071 El 32.391	CVD28BC	0.9996546	0.9999976		MARKER DESTROYED				
491027	77H5080	E 431892.225 N 5445650.222 El 32.414	CVD28BC	0.9996546	0.9999976		MARKER DESTROYED				
771303	77H5081	E 432093.255 N 5445654.262 El 16.978	CVD28BC	0.9996567	1.0000000	281113 504316 23085	77H5084 77H5077 77H5016	TERR TERR TERR	88 49 59 178 50 30 268 50 49	100.509 221.158 100.529	100.544 221.234 100.564
771600	77H5082	E 431547.916 N 5445466.885 El 45.404	CVD28BC	0.9996531	0.9999956	251207	77H5092	TERR	203 50 48	110.644	110.682

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
490185	77H5083	E 431308.241 N 5445572.272 El 53.825		0.9996522	0.9999943	955955 915231	77H5076 77H5101	TERR TERR	40 19 18 220 19 11	115.666 230.198	115.707 230.278
				CVD28BC							
281113	77H5084	E 432193.743 N 5445656.309 El 8.708		0.9996578	1.0000013	771303	77H5081	TERR	268 49 59	100.509	100.544
				CVD28BC							
328799	77H5085	E 432275.013 N 5445436.736 El 10.088		0.9996575	1.0000011		MARKER ISOLATED				
				CVD28BC							
92148	77H5086	E 432198.206 N 5445435.181 El 15.912		0.9996567	1.0000002		MARKER DESTROYED				
				CVD28BC							
548172	77H5087	E 432202.306 N 5445232.757 El 13.355		0.9996571	1.0000006		MARKER DESTROYED				
				CVD28BC							
290874	77H5088	E 432101.833 N 5445230.711 El 17.455		0.9996566	1.0000000	994848 382465 504316	77H5096 77H5089 77H5077	TERR TERR TERR	178 50 24 268 50 8 358 50 16	301.792 100.520 202.480	301.896 100.554 202.549
				CVD28BC							
382465	77H5089	E 432001.334 N 5445228.668 El 25.464		0.9996555	0.9999987	290874 204933 227389 103655	77H5088 77H5095 90H9781 90H9769	TERR TERR TERR TERR	88 50 8 178 50 7 264 3 24 358 0 41	100.520 301.798 108.889 202.879	100.554 301.902 108.927 202.949
				CVD28BC							
112003	77H5090	E 431900.843 N 5445226.617 El 33.066		0.9996545	0.9999975		MARKER DESTROYED				
				CVD28BC							
78089	77H5091	E 431771.265 N 5445247.118 El 42.004		0.9996533	0.9999961	440743 227389 181065	77H4358 90H9781 77H4359	TERR TERR TERR	7 28 25 103 43 7 187 27 36	115.394 125.341 125.790	115.434 125.385 125.834
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
251207	77H5092	E 431503.184 N 5445365.687 El 46.167		0.9996531	0.9999955	771600 93559	77H5082 77H5093	TERR TERR	23 50 48 203 51 10	110.644 120.704	110.682 120.746
				CVD28BC							
93559	77H5093	E 431454.373 N 5445255.293 El 52.013		0.9996523	0.9999945	251207	77H5092	TERR	23 51 10	120.704	120.746
				CVD28BC							
870725	77H5094	E 431906.971 N 5444924.903 El 31.889		0.9996547	0.9999977		MARKER DESTROYED				
				CVD28BC							
204933	77H5095	E 432007.468 N 5444926.932 El 24.080		0.9996557	0.9999989	994848 803056 422329 382465	77H5096 77H5097 90H9778 77H5089	TERR TERR TERR TERR	88 49 54 178 50 3 262 47 23 358 50 7	100.496 294.377 110.714 301.798	100.530 294.479 110.753 301.902
				CVD28BC							
994848	77H5096	E 432107.943 N 5444928.981 El 18.594		0.9996564	0.9999998	419655 909861 60384 927830 553859 916841 806596 665885 204933 445726 920009 290874	77H5009 98SG017 08H2557 83H6080 83H6083 79H9385 79H9389 79H9192 77H5095 77H5122 No Marking 77H5088	GPS GPS GPS GPS GPS GPS GPS GPS TERR GPS GPS TERR	0 57 14 92 34 34 128 58 23 160 19 38 165 27 4 168 5 59 178 33 17 230 40 5 268 49 54 314 26 36 336 46 53 358 50 24	1281.615 3021.071 3382.643 2696.298 2617.738 4058.427 4089.091 2325.122 100.496 2724.027 1264.884 301.792	1282.054 3022.113 3383.808 2697.224 2618.636 4059.834 4090.519 2325.930 100.530 2724.968 1265.320 301.896
				CVD28BC							
803056	77H5097	E 432013.457 N 5444632.616 El 22.934		0.9996559	0.9999991	852608 528844 204933	77H5099 90H9776 77H5095	TERR TERR TERR	178 51 33 263 56 19 358 50 3	281.464 108.319 294.377	281.561 108.356 294.479
				CVD28BC							
386110	77H5098	E 431912.967 N 5444630.570 El 30.561		0.9996548	0.9999979		MARKER DESTROYED				
				CVD28BC							
852608	77H5099	E 432019.061 N 5444351.208 El 22.342		0.9996560	0.9999992	814905 45799 803056	77H5763 83H6068 77H5097	TERR TERR TERR	99 4 6 162 27 54 358 51 33	112.745 274.410 281.464	112.784 274.504 281.561
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
1065	77H5100	E 431918.568 N 5444349.170 El 31.387		0.9996547	0.9999978		MARKER DESTROYED				
915231	77H5101	E 431159.291 N 5445396.758 El 41.226		0.9996544	0.9999962	490185	77H5083	TERR	40 19 11	230.198	230.278
677856	77H5102	E 431025.517 N 5445809.923 El 69.808		0.9996502	0.9999917	737908 855916 711309	77H5103 98SG039 77H5105	TERR GPS GPS	57 26 45 304 39 48 347 19 6	110.523 300.680 326.305	110.562 300.785 326.420
737908	77H5103	E 431118.675 N 5445869.395 El 60.923		0.9996514	0.9999931	677856 711309	77H5102 77H5105	TERR TERR	237 26 45 327 31 12	110.523 306.875	110.562 306.981
52118	77H5104	E 431211.810 N 5445928.866 El 46.673		0.9996535	0.9999954		MARKER DESTROYED				
711309	77H5105	E 430953.882 N 5446128.268 El 50.875		0.9996533	0.9999947	707471 737908 677856 855916 895458 788422	77H5061 77H5103 77H5102 98SG039 77H5263 77H5112	TERR TERR GPS GPS GPS TERR	69 40 15 147 31 12 167 19 6 230 0 54 295 0 4 351 27 5	226.307 306.875 326.305 229.280 276.063 263.034	226.385 306.981 326.420 229.359 276.159 263.126
444364	77H5106	E 430847.495 N 5446088.844 El 62.356		0.9996517	0.9999929		MARKER DESTROYED				
153007	77H5107	E 430741.694 N 5446049.644 El 59.969		0.9996522	0.9999933		MARKER DESTROYED				
417196	77H5108	E 430166.540 N 5447022.193 El 60.671		0.9996531	0.9999932	813832 715987	77H5114 77H5109	TERR TERR	127 45 57 307 46 25	121.907 92.224	121.949 92.256

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
715987	77H5109	E 430093.643 N 5447078.684 El 63.656		0.9996527	0.9999927	417196 494930	77H5108 77H5110	TERR TERR	127 46 25 306 8 12	92.224 167.982	92.256 168.040
				CVD28BC							
494930	77H5110	E 429957.979 N 5447177.745 El 67.091		0.9996524	0.9999922	715987 476903	77H5109 92H0721	TERR TERR	126 8 12 181 10 57	167.982 148.465	168.040 148.516
				CVD28BC							
417683	77H5111	E 430805.320 N 5446372.732 El 49.328		0.9996538	0.9999950	788422 740712 272799	77H5112 77H5264 77H5115	TERR TERR TERR	81 51 52 261 52 41 351 52 41	110.575 118.663 162.575	110.613 118.704 162.630
				CVD28BC							
788422	77H5112	E 430914.782 N 5446388.380 El 45.209		0.9996542	0.9999956	739599 711309 417683 571364	98SG009 77H5105 77H5111 77H5211	TERR TERR TERR TERR	85 49 32 171 27 5 261 51 52 351 53 28	121.440 263.034 110.575 162.555	121.483 263.126 110.613 162.611
				CVD28BC							
22525	77H5113	E 430374.118 N 5446832.529 El 55.301		0.9996536	0.9999940	579946	77H5257	TERR	271 2 27	105.479	105.516
				CVD28BC							
813832	77H5114	E 430262.910 N 5446947.533 El 56.558		0.9996536	0.9999938	579946 417196	77H5257 77H5108	TERR TERR	177 5 29 307 45 57	113.234 121.907	113.274 121.949
				CVD28BC							
272799	77H5115	E 430782.351 N 5446533.676 El 45.206		0.9996545	0.9999956	571364 417683 76984 188110	77H5211 77H5111 77H5116 83H6090	TERR TERR TERR TERR	81 52 29 171 52 41 261 52 14 352 16 17	110.612 162.575 118.647 291.846	110.651 162.630 118.689 291.947
				CVD28BC							
76984	77H5116	E 430664.896 N 5446516.898 El 53.778		0.9996533	0.9999943	272799 729210 498980	77H5115 77H5267 77H5117	TERR TERR TERR	81 52 14 171 53 3 351 52 35	118.647 112.824 108.607	118.689 112.863 108.645
				CVD28BC							
498980	77H5117	E 430649.549 N 5446624.415 El 48.981		0.9996541	0.9999950	76984 703298 930172	77H5116 77H5766 77H5118	TERR TERR TERR	171 52 35 272 7 2 351 52 46	108.607 129.311 206.713	108.645 129.357 206.784
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
930172	77H5118	E 430620.349 N 5446829.055 El 37.516		0.9996559	0.9999968	498980	77H5117	TERR	171 52 46	206.713	206.784
884973	77H5119	E 430743.100 N 5446822.871 El 31.146		0.9996567	0.9999978		MARKER DESTROYED				
770073	77H5120	E 429952.005 N 5446840.197 El 64.451		0.9996529	0.9999926	476903 152355 81356	92H0721 77H5121 77H5240	TERR TERR TERR	0 52 54 91 2 39 181 0 55	189.137 105.574 422.552	189.204 105.610 422.698
152355	77H5121	E 430057.561 N 5446838.273 El 62.504		0.9996530	0.9999929	445726 770073	77H5122 77H5120	TERR TERR	91 2 37 271 2 39	105.595 105.574	105.631 105.610
445726	77H5122	E 430163.138 N 5446836.350 El 63.215		0.9996527	0.9999928	579946 419655 920009 994848 665885 801225 298463 152355 837369	77H5257 77H5009 No Marking 77H5096 79H9192 11700 16H2775 77H5121 77H5295	TERR GPS GPS GPS GPS GPS GPS TERR GPS	91 2 3 107 39 33 117 15 14 134 26 36 177 31 17 251 52 4 253 43 29 271 2 37 300 24 46	105.535 2063.369 1626.725 2724.027 3384.227 7115.943 2951.723 105.595 1644.807	105.572 2064.078 1627.288 2724.968 3385.409 7118.905 2952.766 105.631 1645.377
975581	77H5123	E 430708.996 N 5448674.782 El 17.172		0.9996590	1.0000000	535310 817130	78H5366 77H5130	TERR TERR	181 59 55 274 1 3	92.245 129.960	92.277 130.005
28209	77H5124	E 430698.830 N 5448382.284 El 39.035		0.9996556	0.9999966	727966 50252 383232	78H5367 77H5125 77H5127	TERR TERR TERR	1 58 60 181 59 55 276 20 30	100.270 100.156 129.471	100.304 100.190 129.516
50252	77H5125	E 430695.337 N 5448282.189 El 44.469		0.9996547	0.9999957	28209 634923	77H5124 78H5362	TERR TERR	1 59 55 91 38 0	100.156 145.209	100.190 145.259

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
471714	77H5126	E 430565.557 N 5448276.387 El 50.858	CVD28BC	0.9996539	0.9999947	681452	78H5432	TERR	181 53 58	80.137	80.165
383232	77H5127	E 430570.151 N 5448396.585 El 48.857	CVD28BC	0.9996543	0.9999950	493767 28209	77H5128 77H5124	TERR TERR	1 49 34 96 20 30	90.126 129.471	90.157 129.516
493767	77H5128	E 430573.023 N 5448486.665 El 40.953	CVD28BC	0.9996555	0.9999963	727966 383232	78H5367 77H5127	TERR TERR	91 50 53 181 49 34	129.344 90.126	129.389 90.157
693556	77H5129	E 430576.238 N 5448586.820 El 29.369	CVD28BC	0.9996573	0.9999981	MARKER DESTROYED					
817130	77H5130	E 430579.355 N 5448683.887 El 21.878	CVD28BC	0.9996585	0.9999993	212084 975581 866558	78H5421 77H5123 77H5133	TERR TERR TERR	3 15 12 94 1 3 271 19 35	48.547 129.960 148.003	48.564 130.005 148.053
107227	77H5131	E 430425.119 N 5448491.589 El 53.444	CVD28BC	0.9996538	0.9999943	MARKER DESTROYED					
838060	77H5132	E 430428.321 N 5448591.749 El 43.289	CVD28BC	0.9996554	0.9999959	866558 261776	77H5133 78H5377	TERR TERR	1 50 26 272 45 38	95.613 158.680	95.646 158.734
866558	77H5133	E 430431.392 N 5448687.313 El 33.387	CVD28BC	0.9996569	0.9999975	71530 817130 838060	78H5382 77H5130 77H5132	TERR TERR TERR	3 20 52 91 19 35 181 50 26	49.266 148.003 95.613	49.283 148.053 95.646
412262	77H5134	E 429974.814 N 5447764.408 El 66.311	CVD28BC	0.9996525	0.9999923	686113 465807 48181	77H5314 77H5315 77H5309	TERR TERR TERR	1 56 45 91 53 19 181 56 50	180.292 147.863 73.811	180.355 147.915 73.837

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
967331	77H5135	E 430252.318 N 5447755.256 El 66.340		0.9996521	0.9999923	147116 465807	77H5304 77H5315	TERR TERR	91 53 24 271 53 21	148.053 129.792	148.104 129.837
				CVD28BC							
693267	77H5136	E 430261.523 N 5448025.544 El 62.174		0.9996527	0.9999929	806885	78H5427	TERR	271 53 17	129.814	129.859
				CVD28BC							
863159	77H5137	E 429984.003 N 5448034.686 El 70.648		0.9996518	0.9999916	203414 806885 686113	78H5426 78H5427 77H5314	TERR TERR TERR	1 51 30 91 53 8 181 56 59	90.200 147.857 90.142	90.232 147.909 90.174
				CVD28BC							
213306	77H5138	E 430650.419 N 5448921.501 El 8.655		0.9996604	1.0000013	856849	90H9809	TERR	143 43 14	120.929	120.971
				CVD28BC							
353813	77H5139	E 429170.183 N 5449243.821 El 79.079		0.9996519	0.9999903	183434 138446 120527	78H5388 77H5140 79H9165	TERR TERR TERR	1 11 1 181 55 1 271 21 15	70.682 410.206 336.677	70.707 410.348 336.795
				CVD28BC							
138446	77H5140	E 429156.462 N 5448833.845 El 85.029		0.9996510	0.9999894	353813 854141 902007	77H5139 77H5298 77H5143	TERR TERR TERR	1 55 1 182 1 43 271 12 7	410.206 108.643 246.558	410.348 108.681 246.644
				CVD28BC							
661991	77H5141	E 430692.201 N 5448192.054 El 48.273		0.9996541	0.9999951		MARKER DESTROYED				
				CVD28BC							
902007	77H5143	E 428909.958 N 5448839.017 El 92.694		0.9996502	0.9999881	138446 407411	77H5140 79H9312	TERR TERR	91 12 7 271 12 8	246.558 376.841	246.644 376.974
				CVD28BC							
964643	77H5144	E 428431.071 N 5448849.066 El 116.459		0.9996473	0.9999844	407411 77180	79H9312 79H9367	TERR TERR	91 12 7 271 12 20	102.152 114.882	102.188 114.923
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
29413	77H5147	E 428182.186 N 5448854.305 El 105.301		0.9996495	0.9999862	77180 199190	79H9367 79H9292	TERR TERR	91 12 22 272 15 5	134.058 380.057	134.104 380.191
7120	77H5150	E 432402.042 N 5442612.805 El 17.784		0.9996560	0.9999999	244095 209213	77H5151 83H6013	TERR TERR	181 15 53 357 29 1	185.595 143.375	185.660 143.424
244095	77H5151	E 432397.946 N 5442427.255 El 16.130		0.9996563	1.0000002	7120 386508	77H5150 77H5152	TERR TERR	1 15 53 91 14 6	185.595 202.949	185.660 203.019
386508	77H5152	E 432600.848 N 5442422.881 El 12.298		0.9996566	1.0000008	553859 179622 244095	83H6083 77H5153 77H5151	TERR TERR TERR	99 32 45 180 46 57 271 14 6	167.003 220.989 202.949	167.060 221.065 203.019
179622	77H5153	E 432597.830 N 5442201.913 El 9.767		0.9996570	1.0000012	386508	77H5152	TERR	0 46 57	220.989	221.065
98335	77H5154	E 432801.749 N 5442197.191 El 8.236		0.9996569	1.0000014		MARKER DESTROYED				
697169	77H5157	E 432884.650 N 5441837.559 El 17.727		0.9996552	0.9999999		MARKER ISOLATED				
571364	77H5211	E 430891.853 N 5446549.310 El 39.847		0.9996551	0.9999964	697342 788422 272799 732958	77H5212 77H5112 77H5115 77H5213	TERR TERR TERR TERR	81 52 31 171 53 28 261 52 29 352 19 12	112.567 162.555 110.612 270.416	112.606 162.611 110.651 270.509
697342	77H5212	E 431003.290 N 5446565.219 El 35.624		0.9996556	0.9999971	841999 739599 571364 417279	77H5056 98SG009 77H5211 77H5214	TERR TERR TERR TERR	81 52 21 169 0 54 261 52 31 351 52 58	110.569 171.135 112.567 248.795	110.606 171.194 112.606 248.880

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
732958	77H5213	E 430855.714 N 5446817.300 El 27.564		0.9996571	0.9999984	571364	77H5211	TERR	172 19 12	270.416	270.509
				CVD28BC							
417279	77H5214	E 430968.160 N 5446811.521 El 29.101		0.9996567	0.9999981	706044 697342	77H5055 77H5212	TERR TERR	88 10 51 171 52 58	111.254 248.795	111.293 248.880
				CVD28BC							
819169	77H5215	E 430370.161 N 5446621.536 El 56.329		0.9996534	0.9999939	374074	77H5218	TERR	180 56 21	211.140	211.213
				CVD28BC							
502443	77H5216	E 430155.608 N 5446414.074 El 58.117		0.9996535	0.9999936	374074 81356	77H5218 77H5240	TERR TERR	90 59 26 270 59 14	211.124 211.121	211.196 211.194
				CVD28BC							
258616	77H5217	E 430363.009 N 5446199.442 El 50.344		0.9996544	0.9999948	374074 883231	77H5218 77H5219	TERR TERR	1 0 8 181 0 8	211.014 211.340	211.088 211.413
				CVD28BC							
374074	77H5218	E 430366.700 N 5446410.424 El 51.890		0.9996541	0.9999945	819169 258616 502443	77H5215 77H5217 77H5216	TERR TERR TERR	0 56 21 181 0 8 270 59 26	211.140 211.014 211.124	211.213 211.088 211.196
				CVD28BC							
883231	77H5219	E 430359.312 N 5445988.134 El 57.588		0.9996532	0.9999937	258616 855916	77H5217 98SG039	TERR GPS	1 0 8 90 59 4	211.340 418.955	211.413 419.101
				CVD28BC							
270686	77H5220	E 431428.030 N 5444588.594 El 46.915		0.9996531	0.9999953	664623 386318	77H5221 77H5223	TERR TERR	7 26 55 131 32 23	150.821 68.443	150.872 68.467
				CVD28BC							
664623	77H5221	E 431447.582 N 5444738.142 El 49.385		0.9996527	0.9999949	218503 880245 270686	77H5222 77H5224 77H5220	TERR TERR TERR	7 26 49 97 29 58 187 26 55	179.231 56.682 150.821	179.293 56.702 150.872
				CVD28BC							

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
218503		77H5222	E	431470.812	0.9996528	0.9999951	33183	77H5225	TERR	88 47 44	57.330	57.350
			N	5444915.861			664623	77H5221	TERR	187 26 49	179.231	179.293
			E1	48.478	CVD28BC							
386318		77H5223	E	431479.259	0.9996535	0.9999959	880245	77H5224	TERR	7 26 57	189.133	189.199
			N	5444543.207			270686	77H5220	TERR	311 32 23	68.443	68.467
			E1	43.535	CVD28BC							
880245		77H5224	E	431503.779	0.9996532	0.9999956	33183	77H5225	TERR	7 26 44	187.906	187.971
			N	5444730.744			496612	77H5227	TERR	97 30 1	97.435	97.468
			E1	45.234	CVD28BC		386318	77H5223	TERR	187 26 57	189.133	189.199
						664623	77H5221	TERR	277 29 58	56.682	56.702	
33183		77H5225	E	431528.129	0.9996526	0.9999950	863696	77H5229	TERR	88 47 41	98.496	98.530
			N	5444917.066			880245	77H5224	TERR	187 26 44	187.906	187.971
			E1	48.871	CVD28BC		218503	77H5222	TERR	268 47 44	57.330	57.350
965517		77H5226	E	431553.527	0.9996541	0.9999966	496612	77H5227	TERR	11 36 40	232.790	232.870
			N	5444490.000			174797	77H5231	TERR	88 55 22	118.998	119.039
			E1	38.972	CVD28BC							
496612		77H5227	E	431600.380	0.9996535	0.9999960	161877	77H5228	TERR	7 25 59	90.627	90.659
			N	5444718.026			965517	77H5226	TERR	191 36 40	232.790	232.870
			E1	42.788	CVD28BC		880245	77H5224	TERR	277 30 1	97.435	97.468
161877		77H5228	E	431612.104	0.9996530	0.9999956	863696	77H5229	TERR	7 25 32	112.188	112.226
			N	5444807.891			496612	77H5227	TERR	187 25 59	90.627	90.659
			E1	45.422	CVD28BC							
863696		77H5229	E	431626.603	0.9996525	0.9999951	161877	77H5228	TERR	187 25 32	112.188	112.226
			N	5444919.138			33183	77H5225	TERR	268 47 41	98.496	98.530
			E1	48.695	CVD28BC							
33241		77H5230	E	431644.134	0.9996541	0.9999967	MARKER DESTROYED					
			N	5444275.204								
			E1	38.010	CVD28BC							

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Scale Factor at Reference Central Meridian = 0.9996

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station	Scale	Factor	TO MARKER -----	IDENTIFIERS -----	Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal		GCM-NO	TABLET MARKING			Metres	Metres
174797	77H5231	E 431672.504 N 5444492.237 El 29.281	0.9996554	0.9999981		130864	77H5232	TERR	7 26 45	180.389	180.451
							77H5233	TERR	88 55 26	139.664	139.712
			CVD28BC				77H5226	TERR	268 55 22	118.998	119.039
130864	77H5232	E 431695.880 N 5444671.105 El 36.196	0.9996543	0.9999970		174797	77H5231	TERR	187 26 45	180.389	180.451
			CVD28BC								
551242	77H5233	E 431812.143 N 5444494.860 El 32.513	0.9996547	0.9999976		174797	77H5231	TERR	268 55 26	139.664	139.712
						545749	77H5234	TERR	358 49 53	123.611	123.653
			CVD28BC								
545749	77H5234	E 431809.622 N 5444618.445 El 35.793	0.9996542	0.9999971		528844	90H9776	TERR	88 22 17	96.161	96.194
						551242	77H5233	TERR	178 49 53	123.611	123.653
			CVD28BC			597054	90H9780	TERR	358 49 28	311.606	311.713
401778	77H5235	E 431803.413 N 5444922.799 El 39.664	0.9996536	0.9999965		MARKER DESTROYED					
			CVD28BC								
294462	77H5236	E 430148.162 N 5445991.830 El 62.023	0.9996529	0.9999930		MARKER DESTROYED					
			CVD28BC								
494708	77H5237	E 430551.696 N 5445139.711 El 47.213	0.9996545	0.9999953		604454	77H5256	TERR	91 4 36	211.125	211.198
						130062	77H5242	TERR	181 4 7	422.094	422.239
			CVD28BC			522557	77H5238	TERR	271 3 19	211.434	211.507
522557	77H5238	E 430340.298 N 5445143.605 El 57.363	0.9996533	0.9999937		39289	77H5261	TERR	1 9 52	128.137	128.181
						494708	77H5237	TERR	91 3 19	211.434	211.507
			CVD28BC			137539	81H4286	TERR	252 25 56	3672.263	3673.627
						432534	77H5262	TERR	271 8 12	136.294	136.342
127332	77H5239	E 429935.816 N 5445995.833 El 58.134	0.9996539	0.9999936		81356	77H5240	TERR	1 10 54	421.968	422.115
			CVD28BC								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
81356	77H5240	E	429944.518	0.9996526	0.9999924	770073	77H5120	TERR	1 0 55	422.552	422.698
		N	5446417.711			502443	77H5216	TERR	90 59 14	211.121	211.194
		El	65.843			127332	77H5239	TERR	181 10 54	421.968	422.115
						365254	90H6366	TERR	271 31 23	565.417	565.613
166017	77H5241	E	430332.341	0.9996552	0.9999956	130062	77H5242	TERR	91 1 53	211.518	211.592
		N	5444721.497			665885	79H9192	GPS	181 2 2	1266.414	1266.855
		El	45.025			426692	77H5270	TERR	181 2 44	422.040	422.185
						619056	98SG057	GPS	221 14 42	566.365	566.561
130062	77H5242	E	430543.825	0.9996556	0.9999963	494708	77H5237	TERR	1 4 7	422.094	422.239
		N	5444717.690			366781	77H5258	TERR	91 3 49	211.053	211.126
		El	40.700			166017	77H5241	TERR	271 1 53	211.518	211.592
322388	77H5243	E	430731.186	0.9996542	0.9999953	884502	77H5246	TERR	1 5 20	210.598	210.671
		N	5443447.292			303719	83H6006	TERR	180 59 41	122.802	122.844
		El	47.339								
235135	77H5244	E	430739.198	0.9996563	0.9999974	456988	77H5273	TERR	1 3 35	422.709	422.854
		N	5443869.058			815761	77H5277	TERR	91 0 8	421.732	421.877
		El	33.637			884502	77H5246	TERR	181 5 16	211.244	211.317
						660100	77H5276	TERR	271 7 58	210.827	210.900
438705	77H5245	E	430317.131	0.9996518	0.9999922	MARKER DESTROYED					
		N	5443877.419								
		El	66.868								
884502	77H5246	E	430735.188	0.9996555	0.9999966	235135	77H5244	TERR	1 5 16	211.244	211.317
		N	5443657.852			322388	77H5243	TERR	181 5 20	210.598	210.671
		El	38.855								
27417	77H5247	E	430348.768	0.9996533	0.9999937	653816	77H5271	TERR	1 28 33	211.095	211.169
		N	5445566.079			39289	77H5261	TERR	181 8 30	294.422	294.525
		El	57.145			159509	77H5249	TERR	271 5 28	421.665	421.812
856534	77H5248	E	430770.761	0.9996525	0.9999936	604454	77H5256	TERR	181 4 58	422.113	422.260
		N	5445557.782								
		El	57.703								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Coordinates Metres			----- GCM-NO	----- TABLET MARKING		Bearing				
159509	77H5249	E N El	429927.179 5445574.108 66.961	0.9996525	0.9999922	27417	77H5247	TERR	91 5 28			421.665	421.812
216077	77H5250	E N El	429918.221 5445151.903 74.024	0.9996514	0.9999911	432534 43133	77H5262 77H5251	TERR TERR	91 7 17 181 2 51			285.865 267.785	285.963 267.878
43133	77H5251	E N El	429913.326 5444884.163 75.859	0.9996511	0.9999908	216077 551614 619056 106138 718353 369504 655860	77H5250 77H5252 98SG057 77H5260 98SG070 98SG056 98SG058	TERR TERR GPS TERR GPS GPS GPS	1 2 51 47 54 53 175 34 2 181 8 29 192 8 37 195 21 10 225 46 56			267.785 141.762 590.281 155.076 1660.342 978.905 1387.718	267.878 141.811 590.487 155.130 1660.927 979.247 1388.206
551614	77H5252	E N El	430018.534 5444979.177 68.836	0.9996520	0.9999919	432534 43133	77H5262 77H5251	TERR TERR	47 58 53 227 54 53			249.684 141.762	249.771 141.811
838276	77H5253	E N El	430773.554 5445981.032 58.511	0.9996524	0.9999935		MARKER DESTROYED						
990028	77H5254	E N El	431046.879 5445552.724 43.600	0.9996543	0.9999959	491175	77H5265	TERR	271 6 40			151.600	151.653
272021	77H5255	E N El	430718.388 5445610.793 58.357	0.9996525	0.9999935		MARKER ISOLATED						
604454	77H5256	E N El	430762.784 5445135.744 45.481	0.9996544	0.9999956	856534 406801 366781 494708	77H5248 77H5266 77H5258 77H5237	TERR TERR TERR TERR	1 4 58 91 5 34 181 4 42 271 4 36			422.113 422.103 422.047 211.125	422.260 422.249 422.192 211.198
579946	77H5257	E N El	430268.656 5446834.445 62.713	0.9996526	0.9999929	22525 445726 813832	77H5113 77H5122 77H5114	TERR TERR TERR	91 2 27 271 2 3 357 5 29			105.479 105.535 113.234	105.516 105.572 113.274

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid			UTM Grid		Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Bearing		Distance		Metres			
366781	77H5258	E	430754.842	0.9996557	0.9999968	604454	77H5256	TERR	1	4	42	422.047	422.192		
		N	5444713.772					TERR	91	3	47	211.022	211.095		
		E1	37.482					CVD28BC	TERR	181	3	44	422.150	422.295	
								TERR	271	3	49	211.053	211.126		
130773	77H5259	E	431180.982	0.9996551	0.9999969	MARKER DESTROYED									
		N	5444916.575												
		E1	36.633			CVD28BC									
106138	77H5260	E	429910.237	0.9996515	0.9999911	43133	77H5251	TERR	1	8	29	155.076	155.130		
		N	5444729.118												
		E1	73.580					CVD28BC							
39289	77H5261	E	430342.902	0.9996532	0.9999936	27417	77H5247	TERR	1	8	30	294.422	294.525		
		N	5445271.715					TERR	181	9	52	128.137	128.181		
		E1	57.645					CVD28BC							
432534	77H5262	E	430204.031	0.9996529	0.9999931	522557	77H5238	TERR	91	8	12	136.294	136.342		
		N	5445146.309					TERR	227	58	53	249.684	249.771		
		E1	61.126					CVD28BC	TERR	271	7	17	285.865	285.963	
895458	77H5263	E	430703.686	0.9996525	0.9999935	711309	77H5105	GPS	115	0	4	276.063	276.159		
		N	5446244.942					GPS	164	14	15	274.321	274.417		
		E1	58.497					CVD28BC	TERR	351	52	51	112.149	112.188	
740712	77H5264	E	430687.847	0.9996537	0.9999947	417683	77H5111	TERR	81	52	41	118.663	118.704		
		N	5446355.967					TERR	171	52	51	112.149	112.188		
		E1	50.942					CVD28BC	TERR	351	52	56	49.735	49.753	
491175	77H5265	E	430895.308	0.9996535	0.9999948	990028	77H5254	TERR	91	6	40	151.600	151.653		
		N	5445555.664												
		E1	49.995					CVD28BC							
406801	77H5266	E	431184.810	0.9996540	0.9999958	604454	77H5256	TERR	271	5	34	422.103	422.249		
		N	5445127.693												
		E1	43.623					CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
729210	77H5267	E 430680.824 N 5446405.204 El 50.674		0.9996538	0.9999947	740712 76984	77H5264 77H5116	TERR TERR	171 52 56 351 53 3	49.735 112.824	49.753 112.863
				CVD28BC							
365189	77H5268	E 430965.828 N 5444709.857 El 38.509		0.9996552	0.9999966	366781	77H5258	TERR	271 3 47	211.022	211.095
				CVD28BC							
101386	77H5269	E 431176.863 N 5444705.668 El 44.861		0.9996538	0.9999957		MARKER ISOLATED				
				CVD28BC							
426692	77H5270	E 430324.640 N 5444299.527 El 40.872		0.9996559	0.9999963	166017 75754 861534	77H5241 77H5272 79H5598	TERR TERR TERR	1 2 44 91 2 23 181 1 3	422.040 211.243 422.172	422.185 211.316 422.318
				CVD28BC							
653816	77H5271	E 430354.205 N 5445777.104 El 66.683		0.9996518	0.9999922	27417	77H5247	TERR	181 28 33	211.095	211.169
				CVD28BC							
75754	77H5272	E 430535.848 N 5444295.694 El 35.884		0.9996563	0.9999970	456988 426692	77H5273 77H5270	TERR TERR	91 5 6 271 2 23	211.206 211.243	211.278 211.316
				CVD28BC							
456988	77H5273	E 430747.016 N 5444291.695 El 34.604		0.9996562	0.9999973	366781 421081 235135 75754	77H5258 77H5274 77H5244 77H5272	TERR TERR TERR TERR	1 3 44 91 8 32 181 3 35 271 5 6	422.150 210.996 422.709 211.206	422.295 211.068 422.854 211.278
				CVD28BC							
421081	77H5274	E 430957.970 N 5444287.489 El 32.782		0.9996561	0.9999975	456988	77H5273	TERR	271 8 32	210.996	211.068
				CVD28BC							
702720	77H5275	E 431168.520 N 5444283.821 El 31.149		0.9996560	0.9999978		MARKER DESTROYED				
				CVD28BC							

Issued: 2021-MAY-03

Datum: NAD83 (CSRS)

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						Metres	Metres
660100		77H5276	E	430528.412	0.9996550	0.9999957	235135	77H5244	TERR	91	7	58	210.827	210.900	
			N	5443873.226			861534	79H5598	TERR	271	8	16	211.310	211.383	
			E1	44.241			CVD28BC								
815761		77H5277	E	431160.865	0.9996548	0.9999966	825794	83H6005	TERR	181	2	56	420.353	420.499	
			N	5443861.682			235135	77H5244	TERR	271	0	8	421.732	421.877	
			E1	39.057			CVD28BC		801225	11700	TERR	275	35	39	7797.432
813584		77H5278	E	429127.037	0.9996507	0.9999890	MARKER ISOLATED								
N	5447988.968														
E1	87.132	CVD28BC													
690834		77H5279	E	429790.215	0.9996516	0.9999910	636290	77H5281	TERR	20	41	7	153.566	153.619	
			N	5448030.850			307306	77H5301	TERR	203	1	18	247.642	247.728	
			E1	74.509			CVD28BC								
263889		77H5280	E	429658.693	0.9996516	0.9999908	95638	77H5282	TERR	94	46	43	191.161	191.227	
			N	5448424.113			762351	15H2767	GPS	252	25	8	333.619	333.736	
			E1	75.572			CVD28BC	53488	79H9314	GPS	270	51	53	516.325	516.505
								51268	77H5299	TERR	356	48	39	95.248	95.281
636290		77H5281	E	429844.460	0.9996520	0.9999915	95638	77H5282	TERR	1	9	34	233.720	233.801	
			N	5448174.516			690834	77H5279	TERR	200	41	7	153.566	153.619	
			E1	71.432			CVD28BC								
95638		77H5282	E	429849.189	0.9996524	0.9999920	494476	78H5428	TERR	1	10	16	199.221	199.290	
			N	5448408.188			636290	77H5281	TERR	181	9	34	233.720	233.801	
			E1	68.298			CVD28BC		263889	77H5280	TERR	274	46	43	191.161
726869		77H5283	E	428992.898	0.9996539	0.9999920	MARKER DESTROYED								
N	5447772.983														
E1	68.129	CVD28BC													
880369		77H5284	E	429643.876	0.9996524	0.9999916	152991	78H5429	TERR	1	52	45	96.300	96.333	
			N	5448709.105			688036	77H5300	TERR	177	26	42	94.888	94.922	
			E1	70.985			CVD28BC		752436	78H5436	TERR	271	52	22	222.108

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
691733	77H5285	E 429650.194 N 5448901.619 El 72.337		0.9996521	0.9999913	152991	78H5429	TERR	181 52 48	96.318	96.351
858654	77H5286	E 429425.050 N 5448812.616 El 75.944		0.9996520	0.9999908	694026 152991 752436	77H5287 78H5429 78H5436	TERR TERR TERR	1 52 26 91 52 26 181 52 56	190.034 222.103 96.304	190.100 222.180 96.338
694026	77H5287	E 429431.264 N 5449002.548 El 73.279		0.9996524	0.9999912	131920 858654	77H5289 77H5286	TERR TERR	91 51 26 181 52 26	165.076 190.034	165.133 190.100
827600	77H5288	E 429516.237 N 5448075.977 El 70.480		0.9996527	0.9999916	517649 498246	77H5302 77H5292	TERR TERR	144 54 54 234 33 1	179.626 150.310	179.688 150.362
131920	77H5289	E 429596.253 N 5448997.198 El 71.734		0.9996523	0.9999914	694026	77H5287	TERR	271 51 26	165.076	165.133
208652	77H5290	E 428930.436 N 5447526.170 El 67.534		0.9996541	0.9999921	565945	77H5296	TERR	91 27 36	187.849	187.914
577726	77H5291	E 429857.146 N 5448798.460 El 66.708		0.9996527	0.9999922	494476 152991	78H5428 78H5429	TERR TERR	181 9 53 271 52 44	191.133 210.225	191.199 210.298
498246	77H5292	E 429393.791 N 5447988.799 El 79.109		0.9996515	0.9999903	827600 230268	77H5288 78H8326	TERR TERR	54 33 1 309 27 18	150.310 316.933	150.362 317.044
356121	77H5293	E 429131.010 N 5447628.075 El 64.859		0.9996542	0.9999925	565945 948059	77H5296 90H9770	TERR TERR	186 50 2 318 52 25	107.454 199.551	107.492 199.620

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates		Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres				GCM-NO	TABLET MARKING				
356139	77H5294	E 429132.367 N 5447852.129 El 68.360		0.9996537	0.9999920		MARKER DESTROYED				
837369	77H5295	E 428744.653 N 5447668.991 El 66.010		0.9996547	0.9999923	255703 973768 762351 948059 419655 920009 445726 665885 298463 801225 718304 301952 476226 490326 514562 773572	82H5700 15H2766 15H2767 90H9770 77H5009 No Marking 77H5122 79H9192 16H2775 11700 98H2198 82H5634 15H2764 79H9296 15H2765 79H9336	GPS GPS GPS TERR GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS	1 0 16 8 10 37 42 19 42 66 47 20 113 18 48 118 50 31 120 24 46 159 37 36 220 26 45 240 18 29 289 11 22 312 32 42 318 3 45 324 36 33 347 2 19 350 35 35	2575.620 693.675 885.096 277.575 3685.527 3270.289 1644.807 4494.887 2181.111 6151.805 718.403 3139.565 793.009 1710.623 644.904 3227.805	2576.507 693.916 885.402 277.670 3686.792 3271.418 1645.377 4496.453 2181.879 6154.360 718.652 3140.656 793.283 1711.218 645.127 3228.917
565945	77H5296	E 429118.224 N 5447521.384 El 70.269		0.9996534	0.9999917	356121 208652	77H5293 77H5290	TERR TERR	6 50 2 271 27 36	107.454 187.849	107.492 187.914
824524	77H5297	E 429435.229 N 5447839.982 El 75.830		0.9996520	0.9999908		MARKER ISOLATED				
854141	77H5298	E 429152.616 N 5448725.270 El 84.571		0.9996511	0.9999894	138446 752436 202580	77H5140 78H5436 79H9313	TERR TERR TERR	2 1 43 91 53 40 181 59 9	108.643 269.418 194.388	108.681 269.512 194.455
51268	77H5299	E 429653.394 N 5448519.213 El 74.139		0.9996519	0.9999911	263889 688036	77H5280 77H5300	TERR TERR	176 48 39 356 49 2	95.248 95.245	95.281 95.278
688036	77H5300	E 429648.106 N 5448614.311 El 72.433		0.9996521	0.9999913	494476 51268 880369	78H5428 77H5299 77H5284	TERR TERR TERR	91 56 19 176 49 2 357 26 42	205.273 95.245 94.888	205.344 95.278 94.922

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						Metres	Metres
307306	77H5301	E	429693.367	0.9996528	0.9999921	690834	77H5279	TERR	23	1	18	247.642	247.728		
		N	5447802.931			48181	77H5309	TERR	111	55	41	300.693	300.798		
		E1	67.588	CVD28BC	517649	77H5302	TERR	329	37	31	146.114	146.164			
517649	77H5302	E	429619.484	0.9996523	0.9999915	307306	77H5301	TERR	149	37	31	146.114	146.164		
		N	5447928.989			827600	77H5288	TERR	324	54	54	179.626	179.688		
		E1	71.429	CVD28BC											
909895	77H5303	E	430804.578	0.9996557	0.9999968	488460	77H5308	TERR	2	6	20	206.384	206.456		
		N	5447353.272			195321	78H5373	TERR	272	4	18	73.199	73.224		
		E1	37.273	CVD28BC											
147116	77H5304	E	430400.290	0.9996523	0.9999928	238709	77H5306	TERR	1	56	22	180.298	180.361		
		N	5447750.373			853770	77H5307	TERR	91	53	20	275.428	275.523		
		E1	63.284	CVD28BC	967331	77H5135	TERR	271	53	24	148.053	148.104			
360149	77H5305	E	430382.384	0.9996545	0.9999950	1321	77H5312	TERR	3	19	2	206.166	206.237		
		N	5447368.545			195321	78H5373	TERR	92	4	19	349.271	349.392		
		E1	49.352	CVD28BC											
238709	77H5306	E	430406.392	0.9996530	0.9999935	174201	77H5317	TERR	1	56	16	180.064	180.126		
		N	5447930.568			750653	77H5323	TERR	93	33	28	268.659	268.752		
		E1	58.391	CVD28BC	147116	77H5304	TERR	181	56	22	180.298	180.361			
					181552	77H5316	TERR	271	53	20	277.824	277.920			
853770	77H5307	E	430675.568	0.9996538	0.9999948	22111	77H5324	TERR	91	56	28	134.088	134.134		
		N	5447741.295			147116	77H5304	TERR	271	53	20	275.428	275.523		
		E1	50.373	CVD28BC	750653	77H5323	TERR	359	39	23	172.604	172.664			
488460	77H5308	E	430812.161	0.9996548	0.9999960	909895	77H5303	TERR	182	6	20	206.384	206.456		
		N	5447559.517			918482	77H5313	TERR	272	2	8	219.822	219.898		
		E1	42.900	CVD28BC	22111	77H5324	TERR	359	9	55	177.255	177.315			
48181	77H5309	E	429972.306	0.9996526	0.9999924	412262	77H5134	TERR	1	56	50	73.811	73.837		
		N	5447690.640			459933	77H5310	TERR	110	0	40	155.522	155.575		
		E1	65.715	CVD28BC	307306	77H5301	TERR	291	55	41	300.693	300.798			

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
459933	77H5310	E	430118.438	0.9996529	0.9999929	465807	77H5315	TERR	1 57 2	122.186	122.228
		N	5447637.420			159137	77H5311	TERR	110 0 42	192.746	192.814
		El	62.309	CVD28BC		48181	77H5309	TERR	290 0 40	155.522	155.575
159137	77H5311	E	430299.547	0.9996533	0.9999937	1321	77H5312	TERR	88 14 39	94.812	94.844
		N	5447571.460			459933	77H5310	TERR	290 0 42	192.746	192.814
		El	57.537	CVD28BC							
1321	77H5312	E	430394.314	0.9996535	0.9999940	918482	77H5313	TERR	92 2 5	198.289	198.358
		N	5447574.365			360149	77H5305	TERR	183 19 2	206.166	206.237
		El	55.732	CVD28BC		159137	77H5311	TERR	268 14 39	94.812	94.844
918482	77H5313	E	430592.478	0.9996534	0.9999942	488460	77H5308	TERR	92 2 8	219.822	219.898
		N	5447567.325			1321	77H5312	TERR	272 2 5	198.289	198.358
		El	53.914	CVD28BC							
686113	77H5314	E	429980.936	0.9996516	0.9999913	863159	77H5137	TERR	1 56 59	90.142	90.174
		N	5447944.596			181552	77H5316	TERR	91 53 16	147.863	147.915
		El	72.400	CVD28BC		412262	77H5134	TERR	181 56 45	180.292	180.355
465807	77H5315	E	430122.597	0.9996522	0.9999922	181552	77H5316	TERR	1 56 45	180.294	180.356
		N	5447759.535			967331	77H5135	TERR	91 53 21	129.792	129.837
		El	66.787	CVD28BC		459933	77H5310	TERR	181 57 2	122.186	122.228
						412262	77H5134	TERR	271 53 19	147.863	147.915
181552	77H5316	E	430128.719	0.9996519	0.9999919	806885	78H5427	TERR	1 56 45	90.148	90.179
		N	5447939.725			238709	77H5306	TERR	91 53 20	277.824	277.920
		El	68.830	CVD28BC		465807	77H5315	TERR	181 56 45	180.294	180.356
						686113	77H5314	TERR	271 53 16	147.863	147.915
174201	77H5317	E	430412.481	0.9996535	0.9999940	960328	78H8325	TERR	89 50 27	157.007	157.060
		N	5448110.529			238709	77H5306	TERR	181 56 16	180.064	180.126
		El	55.588	CVD28BC		928903	77H5318	TERR	271 55 35	277.916	278.013
928903	77H5318	E	430134.722	0.9996525	0.9999925	477588	77H5319	TERR	1 43 54	180.562	180.624
		N	5448119.871			174201	77H5317	TERR	91 55 35	277.916	278.013
		El	64.900	CVD28BC		806885	78H5427	TERR	181 52 16	90.098	90.130
						203414	78H5426	TERR	271 55 31	147.878	147.929

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
477588	77H5319	E	430140.178	0.9996531	0.9999931	928903	77H5318	TERR	181 43 54	180.562	180.624
		N	5448300.350					TERR	271 51 43	147.606	147.658
		El	61.050					TERR	357 48 29	201.225	201.295
225912	77H5320	E	429992.650	0.9996528	0.9999926	163212	77H5321	TERR	1 53 41	209.657	209.730
		N	5448305.146					TERR	91 51 43	147.606	147.658
		El	64.263					TERR	181 49 4	180.398	180.460
163212	77H5321	E	429999.582	0.9996531	0.9999929	105031	77H5339	TERR	95 41 52	133.560	133.606
		N	5448514.688					TERR	181 53 41	209.657	209.730
		El	62.257								
99804	77H5322	E	430043.749	0.9996531	0.9999930	261776	78H5377	TERR	91 16 47	226.132	226.211
		N	5448604.441					TERR	270 52 48	190.511	190.577
		El	61.987								
750653	77H5323	E	430674.533	0.9996544	0.9999953	853770	77H5307	TERR	179 39 23	172.604	172.664
		N	5447913.896					TERR	273 33 28	268.659	268.752
		El	47.065								
22111	77H5324	E	430809.579	0.9996548	0.9999960	488460	77H5308	TERR	179 9 55	177.255	177.315
		N	5447736.753					TERR	271 56 28	134.088	134.134
		El	42.784								
836072	77H5325	E	429338.053	0.9996561	0.9999947	310656	77H5326	TERR	166 12 20	170.961	171.020
		N	5449755.598								
		El	50.675								
310656	77H5326	E	429378.817	0.9996551	0.9999938	272047	77H5327	TERR	131 30 28	221.862	221.939
		N	5449589.568					TERR	346 12 20	170.961	171.020
		El	56.481								
272047	77H5327	E	429544.962	0.9996550	0.9999940	443127	77H5332	TERR	93 44 22	141.554	141.603
		N	5449442.535					TERR	311 30 28	221.862	221.939
		El	55.375								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
915611	77H5328	E 429900.918 N 5449550.046 El 29.295		0.9996585	0.9999981	217315 609339	77H5334 77H5329	TERR TERR	117 43 51 313 44 48	214.564 109.660	214.637 109.697
				CVD28BC							
609339	77H5329	E 429821.699 N 5449625.873 El 29.709		0.9996585	0.9999980	915611 18960 416891	77H5328 77H5333 77H5330	TERR TERR TERR	133 44 48 240 28 46 307 15 49	109.660 162.695 330.870	109.697 162.751 330.984
				CVD28BC							
416891	77H5330	E 429558.373 N 5449826.209 El 34.335		0.9996583	0.9999973	609339 983817	77H5329 77H5331	TERR TERR	127 15 49 197 19 1	330.870 141.939	330.984 141.987
				CVD28BC							
983817	77H5331	E 429516.124 N 5449690.704 El 42.843		0.9996570	0.9999960	416891	77H5330	TERR	17 19 1	141.939	141.987
				CVD28BC							
443127	77H5332	E 429686.215 N 5449433.303 El 45.665		0.9996563	0.9999955	272047 18960	77H5327 77H5333	TERR TERR	273 44 22 356 53 56	141.554 112.569	141.603 112.608
				CVD28BC							
18960	77H5333	E 429680.125 N 5449545.707 El 41.594		0.9996569	0.9999962	609339 443127	77H5329 77H5332	TERR TERR	60 28 46 176 53 56	162.695 112.569	162.751 112.608
				CVD28BC							
217315	77H5334	E 430090.838 N 5449450.205 El 24.159		0.9996589	0.9999989	915611	77H5328	TERR	297 43 51	214.564	214.637
				CVD28BC							
898759	77H5335	E 429381.811 N 5450244.745 El 2.879		0.9996635	1.0000022	553651 26740	77H5336 77H5337	TERR TERR	160 16 45 267 31 41	120.692 44.305	120.732 44.320
				CVD28BC							
553651	77H5336	E 429422.537 N 5450131.132 El 2.716		0.9996635	1.0000023	898759	77H5335	TERR	340 16 45	120.692	120.732
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
26740	77H5337	E 429337.547 N 5450242.834 El 6.900		0.9996629	1.0000016	898759 208660	77H5335 77H5338	TERR TERR	87 31 41 345 18 27	44.305 152.896	44.320 152.948
				CVD28BC							
208660	77H5338	E 429298.768 N 5450390.730 El 4.264		0.9996634	1.0000020	26740	77H5337	TERR	165 18 27	152.896	152.948
				CVD28BC							
105031	77H5339	E 430132.482 N 5448501.428 El 59.259		0.9996534	0.9999934	477588 163212	77H5319 77H5321	TERR TERR	177 48 29 275 41 52	201.225 133.560	201.295 133.606
				CVD28BC							
901587	77H5340	E 431285.986 N 5447201.532 El 16.099		0.9996582	1.0000002	921171 645697 920603	NO MARKING 77H5051 77H5341	TERR TERR TERR	77 6 44 161 43 3 344 33 26	1302.231 424.964 105.564	1302.676 425.109 105.600
				CVD28BC							
920603	77H5341	E 431257.877 N 5447303.285 El 16.434		0.9996582	1.0000001	901587	77H5340	TERR	164 33 26	105.564	105.600
				CVD28BC							
601989	77H5342	E 431229.755 N 5447405.075 El 16.873		0.9996581	1.0000001		MARKER DESTROYED				
				CVD28BC							
126615	77H5343	E 431160.119 N 5447657.099 El 14.954		0.9996586	1.0000004	805085 684514 778464	78H5375 77H5346 90H9805	TERR TERR TERR	164 33 16 249 18 26 342 9 44	135.749 111.038 300.367	135.796 111.076 300.470
				CVD28BC							
952721	77H5344	E 431073.432 N 5447945.446 El 10.407		0.9996594	1.0000011		MARKER DESTROYED				
				CVD28BC							
412502	77H5345	E 430976.232 N 5447908.793 El 22.229		0.9996577	0.9999992	684514	77H5346	TERR	164 37 21	301.732	301.835
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
684514	77H5346	E 431056.244 N 5447617.863 El 25.477		0.9996571	0.9999987	126615 412502	77H5343 77H5345	TERR TERR	69 18 26 344 37 21	111.038 301.732	111.076 301.835
				CVD28BC							
346478	77H5347	E 431123.184 N 5447375.613 El 22.622		0.9996574	0.9999991		MARKER DESTROYED				
				CVD28BC							
109421	77H5348	E 431151.293 N 5447273.890 El 20.422		0.9996577	0.9999995		MARKER DESTROYED				
				CVD28BC							
399980	77H5349	E 431179.421 N 5447172.088 El 18.738		0.9996579	0.9999998		MARKER DESTROYED				
				CVD28BC							
586149	77H5350	E 430983.174 N 5448092.271 El 21.393		0.9996579	0.9999993		MARKER DESTROYED				
				CVD28BC							
700708	77H5351	E 430986.092 N 5448182.369 El 19.492		0.9996582	0.9999996	583914 732321	90H9779 77H5353	TERR TERR	76 22 56 271 54 6	67.256 147.139	67.279 147.189
				CVD28BC							
606814	77H5352	E 430836.088 N 5448097.110 El 37.492		0.9996556	0.9999968	732321	77H5353	TERR	1 52 19	90.190	90.221
				CVD28BC							
732321	77H5353	E 430839.034 N 5448187.252 El 34.557		0.9996560	0.9999973	634923 700708 606814	78H5362 77H5351 77H5352	TERR TERR TERR	0 55 0 91 54 6 181 52 19	90.810 147.139 90.190	90.840 147.189 90.221
				CVD28BC							
302638	77H5354	E 425257.763 N 5450462.641 El 101.538		0.9996554	0.9999867	510230	77H5355	TERR	188 28 29	124.336	124.378
				CVD28BC							

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
510230	77H5355	E 425239.439	0.9996549	0.9999862	302638	77H5354	TERR	8 28 29	124.336	124.378
		N 5450339.663			669390	77H5356	TERR	149 55 15	80.332	80.360
		E1 104.726	CVD28BC							
669390	77H5356	E 425279.701	0.9996540	0.9999854	554832	77H5357	TERR	66 15 57	149.439	149.491
		N 5450270.149			510230	77H5355	TERR	329 55 15	80.332	80.360
		E1 110.116	CVD28BC							
554832	77H5357	E 425416.501	0.9996526	0.9999843	359646	77H5358	TERR	47 0 34	108.117	108.155
		N 5450330.297			945246	78H5456	TERR	120 30 15	214.722	214.797
		E1 117.132	CVD28BC		669390	77H5356	TERR	246 15 57	149.439	149.491
359646	77H5358	E 425495.585	0.9996535	0.9999853	380030	77H5359	TERR	116 48 12	220.562	220.638
		N 5450404.020			554832	77H5357	TERR	227 0 34	108.117	108.155
		E1 110.780	CVD28BC							
380030	77H5359	E 425692.450	0.9996523	0.9999845	623108	77H5360	TERR	133 14 49	142.213	142.263
		N 5450304.562			359646	77H5358	TERR	296 48 12	220.562	220.638
		E1 116.000	CVD28BC							
623108	77H5360	E 425796.039	0.9996514	0.9999838	42226	78H5361	TERR	130 8 27	173.751	173.812
		N 5450207.126			380030	77H5359	TERR	313 14 49	142.213	142.263
		E1 120.282	CVD28BC							
514521	77H5762	E 431898.953	0.9996551	0.9999981	MARKER DESTROYED					
		N 5445740.290								
		E1 29.387	CVD28BC							
814905	77H5763	E 432130.397	0.9996572	1.0000006	972711	77H5764	TERR	2 32 10	302.372	302.476
		N 5444333.438			852608	77H5099	TERR	279 4 6	112.745	112.784
		E1 13.423	CVD28BC							
972711	77H5764	E 432143.777	0.9996567	1.0000001	814905	77H5763	TERR	182 32 10	302.372	302.476
		N 5444635.514								
		E1 16.416	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
21063	77H5765	E N El	431201.379 5445755.151 60.150	0.9996514	0.9999933		MARKER DESTROYED				
703298	77H5766	E N El	430520.326 5446629.192 57.400	0.9996530	0.9999937	498980	77H5117	TERR	92 7 2	129.311	129.357
42226	78H5361	E N El	425928.865 5450095.114 120.087	0.9996512	0.9999838	533265 623108	78H5455 77H5360	TERR TERR	99 45 9 310 8 27	85.932 173.751	85.962 173.812
634923	78H5362	E N El	430840.487 5448278.050 31.255	0.9996566	0.9999978	340000 732321 50252	78H5363 77H5353 77H5125	TERR TERR TERR	2 12 23 180 55 0 271 38 0	82.103 90.810 145.209	82.131 90.840 145.259
340000	78H5363	E N El	430843.648 5448360.092 25.078	0.9996575	0.9999988	906750 634923	78H5364 78H5362	TERR TERR	2 33 44 182 12 23	116.028 82.103	116.067 82.131
906750	78H5364	E N El	430848.835 5448476.004 10.365	0.9996598	1.0000011	340000 727966 590661	78H5363 78H5367 90H9782	TERR TERR TERR	182 33 44 272 32 9 359 54 8	116.028 146.679 108.324	116.067 146.728 108.361
998724	78H5365	E N El	430853.324 5448576.128 10.237	0.9996598	1.0000011		MARKER DESTROYED				
535310	78H5366	E N El	430705.779 5448582.593 16.414	0.9996591	1.0000001	975581 590661 727966	77H5123 90H9782 78H5367	TERR TERR TERR	1 59 55 89 18 15 181 59 26	92.245 142.882 100.159	92.277 142.930 100.194
727966	78H5367	E N El	430702.300 5448482.494 28.634	0.9996572	0.9999982	535310 906750 28209 493767	78H5366 78H5364 77H5124 77H5128	TERR TERR TERR TERR	1 59 26 92 32 9 181 58 60 271 50 53	100.159 146.679 100.270 129.344	100.194 146.728 100.304 129.389

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
906610	78H5368	E 428788.506 N 5449934.384 El 75.819	CVD28BC	0.9996531	0.9999908		MARKER DESTROYED				
70649	78H5369	E 428783.237 N 5449770.665 El 79.311	CVD28BC	0.9996526	0.9999902		MARKER DESTROYED				
404756	78H5370	E 428712.970 N 5449680.207 El 84.158	CVD28BC	0.9996519	0.9999895	376079 883710 970574	92H0745 78H5371 78H5461	TERR TERR TERR	42 26 3 128 34 1 244 55 4	106.582 289.197 90.173	106.619 289.297 90.205
883710	78H5371	E 428939.087 N 5449499.913 El 79.188	CVD28BC	0.9996523	0.9999903	183434 404756	78H5388 78H5370	TERR TERR	128 33 60 308 34 1	297.430 289.197	297.533 289.297
858274	78H5372	E 429116.646 N 5449504.850 El 75.890	CVD28BC	0.9996525	0.9999908	504373 376079	78H5389 92H0745	TERR TERR	119 28 5 307 26 25	163.664 417.842	163.721 417.987
195321	78H5373	E 430731.427 N 5447355.918 El 38.373	CVD28BC	0.9996556	0.9999967	909895 360149	77H5303 77H5305	TERR TERR	92 4 18 272 4 19	73.199 349.271	73.224 349.392
745018	78H5374	E 430724.596 N 5447081.620 El 18.509	CVD28BC	0.9996587	0.9999998		MARKER DESTROYED				
805085	78H5375	E 431196.272 N 5447526.253 El 16.194	CVD28BC	0.9996583	1.0000002	126615	77H5343	TERR	344 33 16	135.749	135.796
115618	78H5376	E 431089.717 N 5447496.725 El 25.852	CVD28BC	0.9996570	0.9999986		MARKER DESTROYED				

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET		MARKING					
261776	78H5377	E	430269.825	0.9996538	0.9999941	838060	77H5132	TERR	92 45 38	158.680			158.734		
		N	5448599.391			99804	77H5322	TERR	271 16 47	226.132			226.211		
		E1	54.865	CVD28BC	591941	78H5378	TERR	320 43 21	120.704			120.746			
591941	78H5378	E	430193.410	0.9996542	0.9999943	261776	78H5377	TERR	140 43 21	120.704			120.746		
		N	5448692.827			189712	78H5379	TERR	322 49 4	169.496			169.555		
		E1	53.224	CVD28BC											
189712	78H5379	E	430090.975	0.9996546	0.9999946	605931	78H5381	TERR	91 33 2	344.850			344.969		
		N	5448827.867			591941	78H5378	TERR	142 49 4	169.496			169.555		
		E1	51.843	CVD28BC	494690	78H5380	TERR	313 3 9	53.700			53.718			
494690	78H5380	E	430051.735	0.9996545	0.9999944	189712	78H5379	TERR	133 3 9	53.700			53.718		
		N	5448864.526			116749	78H5430	TERR	304 39 19	322.463			322.575		
		E1	52.615	CVD28BC											
605931	78H5381	E	430435.699	0.9996580	0.9999985	885970	78H5385	TERR	89 46 30	70.551			70.575		
		N	5448818.535			71530	78H5382	TERR	180 59 55	82.053			82.080		
		E1	26.622	CVD28BC	189712	78H5379	TERR	271 33 2	344.850			344.969			
71530	78H5382	E	430434.269	0.9996574	0.9999980	605931	78H5381	TERR	0 59 55	82.053			82.080		
		N	5448736.495			212084	78H5421	TERR	91 36 13	147.899			147.949		
		E1	30.250	CVD28BC	866558	77H5133	TERR	183 20 52	49.266			49.283			
545160	78H5383	E N E1	430709.691 5448813.005 9.651	0.9996602	1.0000012	MARKER DESTROYED									
908962	78H5384	E	430585.847	0.9996587	0.9999996	856849	90H9809	TERR	86 51 21	136.334			136.381		
		N	5448816.537			885970	78H5385	TERR	271 38 14	79.631			79.657		
		E1	20.045	CVD28BC											
885970	78H5385	E	430506.249	0.9996582	0.9999989	908962	78H5384	TERR	91 38 14	79.631			79.657		
		N	5448818.812			605931	78H5381	TERR	269 46 30	70.551			70.575		
		E1	24.209	CVD28BC											

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
364034	78H5386	E 431079.109 N 5448088.057 El 10.241		0.9996594	1.0000011		MARKER DESTROYED				
332585	78H5387	E 430760.803 N 5448719.453 El 9.953		0.9996600	1.0000011		MARKER DESTROYED				
183434	78H5388	E 429171.643 N 5449314.488 El 76.295		0.9996524	0.9999907	504373 353813 883710	78H5389 77H5139 78H5371	TERR TERR TERR	38 32 14 181 11 1 308 33 60	140.435 70.682 297.430	140.483 70.707 297.533
504373	78H5389	E 429259.137 N 5449424.337 El 73.489		0.9996526	0.9999912	183434 858274	78H5388 78H5372	TERR TERR	218 32 14 299 28 5	140.435 163.664	140.483 163.721
794933	78H5390	E 430424.067 N 5448974.394 El 20.498		0.9996589	0.9999995	326140	78H5393	TERR	335 45 0	163.962	164.018
800086	78H5391	E 429002.918 N 5450175.586 El 49.124		0.9996569	0.9999950		MARKER ISOLATED				
326140	78H5393	E 430356.725 N 5449123.888 El 15.546		0.9996598	1.0000003	794933 745596	78H5390 78H5394	TERR TERR	155 45 0 318 46 54	163.962 67.030	164.018 67.052
745596	78H5394	E 430312.557 N 5449174.308 El 16.677		0.9996597	1.0000001	326140 777391	78H5393 78H5395	TERR TERR	138 46 54 303 44 44	67.030 74.631	67.052 74.656
777391	78H5395	E 430250.500 N 5449215.766 El 19.665		0.9996594	0.9999996	745596 455923	78H5394 78H5396	TERR TERR	123 44 44 290 58 44	74.631 108.261	74.656 108.299

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
455923	78H5396	E	430149.415	0.9996587	0.9999987	777391	78H5395	TERR	110 58 44	108.261	108.299
		N	5449254.526			951749	78H5403	TERR	178 19 48	90.690	90.721
		El	25.211			310102	78H5397	TERR	273 55 9	170.355	170.414
310102	78H5397	E	429979.458	0.9996573	0.9999971	455923	78H5396	TERR	93 55 9	170.355	170.414
		N	5449266.170			267880	78H5398	TERR	260 55 59	61.153	61.174
		El	35.812								
267880	78H5398	E	429919.069	0.9996565	0.9999962	310102	78H5397	TERR	80 55 59	61.153	61.174
		N	5449256.533			827519	78H5399	TERR	226 54 6	60.793	60.815
		El	41.722								
827519	78H5399	E	429874.679	0.9996556	0.9999952	267880	78H5398	TERR	46 54 6	60.793	60.815
		N	5449214.996			933234	78H5400	TERR	186 11 51	57.747	57.766
		El	48.034								
933234	78H5400	E	429868.445	0.9996548	0.9999944	827519	78H5399	TERR	6 11 51	57.747	57.766
		N	5449157.587			434878	78H5402	TERR	80 2 25	107.055	107.093
		El	53.048			603662	78H5401	TERR	176 29 10	89.869	89.900
603662	78H5401	E	429873.953	0.9996540	0.9999936	116749	78H5430	TERR	257 7 25	89.728	89.760
		N	5449067.887			933234	78H5400	TERR	356 29 10	89.869	89.900
		El	57.890								
434878	78H5402	E	429973.887	0.9996562	0.9999960	951749	78H5403	TERR	93 55 34	178.590	178.651
		N	5449176.103			933234	78H5400	TERR	260 2 25	107.055	107.093
		El	42.801								
951749	78H5403	E	430152.058	0.9996581	0.9999982	927962	78H5424	TERR	177 48 2	107.486	107.523
		N	5449163.875			434878	78H5402	TERR	273 55 34	178.590	178.651
		El	28.736			455923	78H5396	TERR	358 19 48	90.690	90.721
380055	78H5404	E	425781.547	0.9996510	0.9999833	975896	78H5415	TERR	129 26 21	164.744	164.802
		N	5450071.930			812016	78H5405	TERR	219 26 3	131.967	132.013
		El	123.157			945246	78H5456	TERR	309 40 52	233.940	234.022

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
812016	78H5405	E 425697.723 N 5449970.005 El 119.835		0.9996517	0.9999839	380055 549113	78H5404 78H5406	TERR TERR	39 26 3 165 9 14	131.967 127.130	132.013 127.175
				CVD28BC							
549113	78H5406	E 425730.297 N 5449847.119 El 118.490		0.9996518	0.9999841	947242 812016	79H9240 78H5405	TERR TERR	90 51 51 345 9 14	392.010 127.130	392.146 127.175
				CVD28BC							
975896	78H5415	E 425908.779 N 5449967.275 El 119.093		0.9996514	0.9999840	252585 380055	78H5416 78H5404	TERR TERR	93 52 22 309 26 21	215.337 164.744	215.413 164.802
				CVD28BC							
252585	78H5416	E 426123.624 N 5449952.731 El 119.732		0.9996509	0.9999839	282780 153114 947242 975896	78H5459 2284 79H9240 78H5415	TERR TERR TERR TERR	0 39 45 15 35 16 180 41 59 273 52 22	151.467 2771.165 111.533 215.337	151.519 2772.164 111.572 215.413
				CVD28BC							
966135	78H5417	E 431046.506 N 5448190.898 El 10.583		0.9996594	1.0000010		MARKER DESTROYED				
				CVD28BC							
943274	78H5418	E 430964.466 N 5448304.588 El 7.885		0.9996600	1.0000015		MARKER DESTROYED				
				CVD28BC							
258145	78H5419	E 430925.975 N 5448582.895 El 7.107		0.9996602	1.0000016		MARKER DESTROYED				
				CVD28BC							
45690	78H5420	E 430071.168 N 5449030.566 El 42.053		0.9996562	0.9999961	927962	78H5424	TERR	73 3 19	88.873	88.904
				CVD28BC							
212084	78H5421	E 430582.110 N 5448732.356 El 21.145		0.9996586	0.9999994	651448 817130 71530	78H5422 77H5130 78H5382	TERR TERR TERR	91 43 21 183 15 12 271 36 13	81.014 48.547 147.899	81.042 48.564 147.949
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
651448	78H5422	E	430663.087	0.9996589	0.9999998	643783	90H9788	TERR	96 26 23	90.175	90.205	
		N	5448729.921			212084	78H5421	TERR	271 43 21	81.014	81.042	
		El	18.440	CVD28BC								
771717	78H5423	E	430236.794	0.9996578	0.9999981	927962	78H5424	TERR	285 10 16	83.522	83.551	
		N	5449034.610									
		El	29.619	CVD28BC								
927962	78H5424	E	430156.183	0.9996572	0.9999973	771717	78H5423	TERR	105 10 16	83.522	83.551	
		N	5449056.468			45690	78H5420	TERR	253 3 19	88.873	88.904	
		El	34.564	CVD28BC	951749	78H5403	TERR	357 48 2	107.486	107.523		
846147	78H5425	E	429518.894	0.9996520	0.9999909	MARKER DESTROYED						
		N	5447855.691									
		El	74.976	CVD28BC								
203414	78H5426	E	429986.928	0.9996522	0.9999920	225912	77H5320	TERR	1 49 4	180.398	180.460	
		N	5448124.839			928903	77H5318	TERR	91 55 31	147.878	147.929	
		El	68.026	CVD28BC	863159	77H5137	TERR	181 51 30	90.200	90.232		
806885	78H5427	E	430131.780	0.9996524	0.9999924	928903	77H5318	TERR	1 52 16	90.098	90.130	
		N	5448029.821			693267	77H5136	TERR	91 53 17	129.814	129.859	
		El	65.396		181552	77H5316	TERR	181 56 45	90.148	90.179		
					863159	77H5137	TERR	271 53 8	147.857	147.909		
494476	78H5428	E	429853.261	0.9996527	0.9999922	577726	77H5291	TERR	1 9 53	191.133	191.199	
		N	5448607.367			99804	77H5322	TERR	90 52 48	190.511	190.577	
		El	66.626		95638	77H5282	TERR	181 10 16	199.221	199.290		
					688036	77H5300	TERR	271 56 19	205.273	205.344		
152991	78H5429	E	429647.034	0.9996524	0.9999916	691733	77H5285	TERR	1 52 48	96.318	96.351	
		N	5448805.353			577726	77H5291	TERR	91 52 44	210.225	210.298	
		El	70.940		880369	77H5284	TERR	181 52 45	96.300	96.333		
					858654	77H5286	TERR	271 52 26	222.103	222.180		
116749	78H5430	E	429786.481	0.9996536	0.9999930	603662	78H5401	TERR	77 7 25	89.728	89.760	
		N	5449047.891			494690	78H5380	TERR	124 39 19	322.463	322.575	
		El	61.710	CVD28BC								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
742908	78H5431	E N El	429656.052 5449100.240 64.822	0.9996533	0.9999925		MARKER DESTROYED				
681452	78H5432	E N El	430562.901 5448196.294 48.085	0.9996544	0.9999952	471714 960328	77H5126 78H8325	TERR TERR	1 53 58 175 35 11	80.137 85.583	80.165 85.612
885251	78H5434	E N El	429297.834 5449523.964 66.922	0.9996536	0.9999922	746305 648840	78H5435 3473	TERR TERR	134 48 3 340 23 25	307.180 158.915	307.287 158.970
746305	78H5435	E N El	429515.797 5449307.511 68.030	0.9996531	0.9999920	885251	78H5434	TERR	314 48 3	307.180	307.287
752436	78H5436	E N El	429421.887 5448716.364 79.962	0.9996513	0.9999901	858654 880369 854141	77H5286 77H5284 77H5298	TERR TERR TERR	1 52 56 91 52 22 271 53 40	96.304 222.108 269.418	96.338 222.185 269.512
605857	78H5437	E N El	426648.097 5450723.998 116.692	0.9996505	0.9999844	185348 255992	79H5464 78H5438	TERR TERR	98 13 50 285 4 3	498.396 289.283	498.571 289.384
255992	78H5438	E N El	426368.760 5450799.199 114.906	0.9996513	0.9999847	605857 756478 164772	78H5437 82H5635 78H5439	TERR TERR TERR	105 4 3 125 36 58 291 10 15	289.283 215.780 291.272	289.384 215.855 291.373
164772	78H5439	E N El	426097.147 5450904.392 111.899	0.9996522	0.9999851	255992	78H5438	TERR	111 10 15	291.272	291.373
524561	78H5440	E N El	425410.657 5451259.529 109.867	0.9996538	0.9999854	424275 25130	79H5565 78H5441	TERR TERR	98 20 42 315 20 4	305.669 241.398	305.775 241.481

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING							Metres
25130	78H5441	E	425240.962	0.9996539	0.9999853	524561	78H5440	TERR	135	20	4	241.398	241.481		
		N	5451431.217		659516	78H5442	TERR	327	40	55	198.172	198.241			
		E1	111.031	CVD28BC											
659516	78H5442	E	425135.016	0.9996537	0.9999848	25130	78H5441	TERR	147	40	55	198.172	198.241		
		N	5451598.691		859173	78H5443	TERR	330	18	40	312.586	312.694			
		E1	113.871	CVD28BC	749614	79H9325	TERR	341	19	36	223.634	223.711			
859173	78H5443	E	424980.195	0.9996536	0.9999845	749614	79H9325	TERR	125	39	1	102.413	102.449		
		N	5451870.243		659516	78H5442	TERR	150	18	40	312.586	312.694			
		E1	115.915	CVD28BC	165951	79H9163	TERR	301	51	39	219.465	219.541			
647677	78H5444	E	424792.765	0.9996542	0.9999848	859173	78H5443	TERR	149	3	2	364.449	364.576		
		N	5452182.802		379024	78H5445	TERR	332	29	55	254.935	255.022			
		E1	114.217	CVD28BC											
379024	78H5445	E	424675.044	0.9996537	0.9999840	647677	78H5444	TERR	152	29	55	254.935	255.022		
		N	5452408.929												
		E1	119.045	CVD28BC											
871475	78H5446	E	424466.972	0.9996528	0.9999827	982835	82H5663	TERR	220	42	2	255.517	255.605		
		N	5452908.036		116566	78H5447	TERR	340	44	46	132.288	132.335			
		E1	127.542	CVD28BC											
116566	78H5447	E	424423.349	0.9996529	0.9999828	913210	98SG037	GPS	77	47	35	204.883	204.955		
		N	5453032.925		871475	78H5446	TERR	160	44	46	132.288	132.335			
		E1	126.985	CVD28BC	457093	78H5448	TERR	335	32	28	366.743	366.870			
457093	78H5448	E	424271.502	0.9996543	0.9999839	116566	78H5447	TERR	155	32	28	366.743	366.870		
		N	5453366.756		137133	82H5664	TERR	268	8	38	241.454	241.537			
		E1	119.953	CVD28BC	4127	78H5449	TERR	335	35	40	739.616	739.872			
4127	78H5449	E	423965.898	0.9996565	0.9999855	914846	82H5718	TERR	92	16	57	123.506	123.548		
		N	5454040.283		457093	78H5448	TERR	155	35	40	739.616	739.872			
		E1	109.686	CVD28BC											

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
533976	78H5451	E 426581.213 N 5449685.691 El 114.207		0.9996510	0.9999848	522268 261701 49155	79H9249 78H5453 82H5628	TERR TERR TERR	91 14 36 271 13 19 355 52 5	334.920 460.852 104.869	335.036 461.013 104.906
319715	78H5452	E 426687.859 N 5450085.146 El 108.824		0.9996516	0.9999856	MARKER DESTROYED					
261701	78H5453	E 426120.466 N 5449695.519 El 114.615		0.9996517	0.9999847	947242 533976	79H9240 78H5451	TERR TERR	0 42 23 91 13 19	145.698 460.852	145.749 461.013
795708	78H5454	E 426184.028 N 5450097.361 El 114.781		0.9996516	0.9999847	282780	78H5459	TERR	276 38 21	59.049	59.070
533265	78H5455	E 426013.555 N 5450080.558 El 117.687		0.9996515	0.9999842	243311 42226	78H5457 78H5361	TERR TERR	30 42 42 279 45 9	73.624 85.932	73.649 85.962
945246	78H5456	E 425601.504 N 5450221.304 El 122.611		0.9996514	0.9999834	380055 554832	78H5404 77H5357	TERR TERR	129 40 52 300 30 15	233.940 214.722	234.022 214.797
243311	78H5457	E 426051.156 N 5450143.856 El 111.069		0.9996524	0.9999852	282780 533265 523605	78H5459 78H5455 78H5458	TERR TERR TERR	118 7 24 210 42 42 308 8 50	84.155 73.624 194.649	84.184 73.649 194.716
523605	78H5458	E 425898.079 N 5450264.087 El 105.645		0.9996536	0.9999861	243311 493122	78H5457 82H5627	TERR TERR	128 8 50 326 11 33	194.649 88.712	194.716 88.743
282780	78H5459	E 426125.375 N 5450104.188 El 112.690		0.9996520	0.9999850	795708 252585 243311	78H5454 78H5416 78H5457	TERR TERR TERR	96 38 21 180 39 45 298 7 24	59.049 151.467 84.155	59.070 151.519 84.184

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
472035	78H5460	E	428622.580	0.9996504	0.9999878	970574	78H5461	TERR	1 17 49	385.291	385.425
		N	5449256.789					TERR	91 21 38	211.080	211.153
		El	94.687					TERR	271 20 27	125.693	125.737
			CVD28BC					TERR	271 20 34	211.106	211.181
970574	78H5461	E	428631.300	0.9996509	0.9999884	404756	78H5370	TERR	64 55 4	90.173	90.205
		N	5449641.981					TERR	181 17 49	385.291	385.425
		El	91.352								
			CVD28BC								
926881	78H5462	E	428501.077	0.9996508	0.9999880	630434	78H5463	TERR	304 21 10	140.391	140.441
		N	5449748.185								
		El	93.639								
			CVD28BC								
630434	78H5463	E	428385.173	0.9996507	0.9999877	926881	78H5462	TERR	124 21 10	140.391	140.441
		N	5449827.406					TERR	328 24 16	173.265	173.326
		El	95.594								
			CVD28BC								
778704	78H5464	E	428416.024	0.9996503	0.9999873	747865	78H5465	TERR	1 15 34	129.573	129.618
		N	5449464.650					TERR	181 16 5	202.964	203.035
		El	97.953					TERR	271 53 39	205.135	205.208
			CVD28BC								
747865	78H5465	E	428418.872	0.9996507	0.9999877	778704	78H5464	TERR	181 15 34	129.573	129.618
		N	5449594.192								
		El	95.483								
			CVD28BC								
254664	78H5466	E	428211.001	0.9996500	0.9999867	687228	78H5467	TERR	0 9 37	324.758	324.872
		N	5449471.430					TERR	91 53 39	205.135	205.208
		El	101.682								
			CVD28BC								
687228	78H5467	E	428211.909	0.9996507	0.9999874	603787	78H5468	TERR	0 8 59	101.041	101.077
		N	5449796.187					TERR	180 9 37	324.758	324.872
		El	97.620								
			CVD28BC								
603787	78H5468	E	428212.173	0.9996506	0.9999873	385682	79H5474	TERR	46 35 53	113.169	113.208
		N	5449897.228					TERR	180 8 59	101.041	101.077
		El	98.363								
			CVD28BC								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
378166	78H5471	E N El	428893.324 5450483.144 40.204	0.9996585	0.9999964		MARKER DESTROYED				
802835	78H5472	E N El	428897.300 5450627.156 26.815	0.9996606	0.9999985	856153 192070	78H5473 78H5475	TERR TERR	1 34 12 91 34 58	205.655 186.386	205.725 186.449
856153	78H5473	E N El	428902.935 5450832.734 17.761	0.9996620	0.9999999	392563 802835 971325 667220	78H5476 78H5472 82H5703 79H5473	TERR TERR TERR TERR	91 43 38 181 34 12 271 43 27 271 43 37	186.532 205.655 165.224 256.347	186.595 205.725 165.280 256.435
643304	78H5474	E N El	429079.737 5450477.882 21.101	0.9996612	0.9999994	192070 521559	78H5475 3479	TERR TERR	1 32 29 272 41 8	144.178 93.246	144.226 93.278
192070	78H5475	E N El	429083.615 5450622.008 8.440	0.9996631	1.0000014	392563 141366 643304 802835	78H5476 78H5482 78H5474 78H5472	TERR TERR TERR TERR	1 36 38 91 36 19 181 32 29 271 34 58	205.185 233.386 144.178 186.386	205.255 233.464 144.226 186.449
392563	78H5476	E N El	429089.382 5450827.112 4.431	0.9996638	1.0000020	192070 856153	78H5475 78H5473	TERR TERR	181 36 38 271 43 38	205.185 186.532	205.255 186.595
911990	78H5477	E N El	429241.210 5449878.317 48.899	0.9996565	0.9999950	648840 324038 342113	3473 3478 78H5478	TERR TERR TERR	179 4 44 299 5 52 356 44 47	204.681 134.639 108.715	204.753 134.685 108.752
342113	78H5478	E N El	429235.040 5449986.857 45.128	0.9996571	0.9999956	525311 911990	78H5479 78H5477	TERR TERR	4 41 4 176 44 47	212.378 108.715	212.451 108.752
525311	78H5479	E N El	429252.384 5450198.526 29.702	0.9996595	0.9999980	342113 905422 263061	78H5478 3474 78H5480	TERR TERR TERR	184 41 4 258 29 21 345 2 40	212.378 121.716 132.225	212.451 121.757 132.270

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
263061	78H5480	E 429218.261 N 5450326.272 El 22.191		0.9996608	0.9999992	525311	78H5479	TERR	165 2 40	132.225	132.270
				CVD28BC							
636159	78H5481	E 429252.372 N 5450473.006 El 5.142		0.9996634	1.0000019		MARKER DESTROYED				
				CVD28BC							
141366	78H5482	E 429316.909 N 5450615.470 El 3.933		0.9996634	1.0000021	468108 192070	78H5483 78H5475	TERR TERR	13 40 12 271 36 19	209.634 233.386	209.705 233.464
				CVD28BC							
468108	78H5483	E 429366.452 N 5450819.166 El 3.971		0.9996634	1.0000021	141366 226571	78H5482 79H9328	TERR TERR	193 40 12 329 30 32	209.634 92.875	209.705 92.906
				CVD28BC							
960328	78H8325	E 430569.487 N 5448110.965 El 48.560		0.9996543	0.9999951	174201 681452	77H5317 78H5432	TERR TERR	269 50 27 355 35 11	157.007 85.583	157.060 85.612
				CVD28BC							
230268	78H8326	E 429149.080 N 5448190.201 El 84.292		0.9996511	0.9999895	762351 498246 973768 53488	15H2767 77H5292 15H2766 79H9314	GPS TERR GPS TERR	55 12 7 129 27 18 298 24 45 358 25 24	233.298 316.933 347.640 241.797	233.379 317.044 347.762 241.881
162404	79H5462	E 428786.664 N 5450120.364 El 64.993		0.9996548	0.9999925	255703 30270 542688	82H5700 79H5463 92H0734	TERR TERR TERR	1 26 58 117 28 6 177 50 3	123.891 107.561 185.558	123.933 107.598 185.623
				CVD28BC							
30270	79H5463	E 428882.099 N 5450070.751 El 61.041		0.9996552	0.9999931	900902 159327 162404	3468 3472 79H5462	TERR TERR TERR	1 16 17 180 19 25 297 28 6	310.142 211.444 107.561	310.249 211.517 107.598
				CVD28BC							
185348	79H5464	E 427141.360 N 5450652.650 El 117.153		0.9996495	0.9999843	995563 315911 605857 548412	79H9265 79H9369 78H5437 79H9200	TERR TERR TERR TERR	1 1 24 115 14 2 278 13 50 288 20 32	252.837 374.398 498.396 100.190	252.927 374.529 498.571 100.225
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
85571	79H5465	E 429038.390 N 5450947.341 El 22.900		0.9996610	0.9999991	864173	79H5466	TERR	284 26 26	105.435	105.471
					CVD28BC						
864173	79H5466	E 428936.286 N 5450973.634 El 26.100		0.9996606	0.9999986	85571 77701	79H5465 79H5467	TERR TERR	104 26 26 309 2 41	105.435 115.945	105.471 115.984
					CVD28BC						
77701	79H5467	E 428846.237 N 5451046.671 El 32.440		0.9996598	0.9999976	864173 140707	79H5466 79H5468	TERR TERR	129 2 41 322 50 4	115.945 129.478	115.984 129.522
					CVD28BC						
140707	79H5468	E 428768.017 N 5451149.851 El 39.077		0.9996589	0.9999966	77701 690495	79H5467 79H5469	TERR TERR	142 50 4 300 50 48	129.478 68.323	129.522 68.346
					CVD28BC						
690495	79H5469	E 428709.359 N 5451184.883 El 43.318		0.9996583	0.9999959	140707 715813	79H5468 79H5470	TERR TERR	120 50 48 278 8 51	68.323 206.757	68.346 206.828
					CVD28BC						
715813	79H5470	E 428504.689 N 5451214.185 El 50.322		0.9996576	0.9999948	690495 929513	79H5469 79H5478	TERR TERR	98 8 51 295 44 8	206.757 147.424	206.828 147.475
					CVD28BC						
60681	79H5471	E 428358.959 N 5450849.180 El 57.418		0.9996567	0.9999937	929513 76240 773572 988105	79H5478 79H5472 79H9336 79H5481	TERR TERR TERR TERR	1 43 34 91 43 46 271 41 59 277 20 36	429.214 93.433 141.938 379.539	429.361 93.465 141.986 379.670
					CVD28BC						
76240	79H5472	E 428452.349 N 5450846.360 El 53.078		0.9996572	0.9999944	667220 60681	79H5473 79H5471	TERR TERR	91 44 21 271 43 46	194.445 93.433	194.510 93.465
					CVD28BC						
667220	79H5473	E 428646.704 N 5450840.459 El 37.013		0.9996594	0.9999969	856153 971325 612010 76240	78H5473 82H5703 82H5646 79H5472	TERR TERR TERR TERR	91 43 37 91 43 55 167 13 24 271 44 21	256.347 91.124 68.613 194.445	256.435 91.155 68.636 194.510
					CVD28BC						

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
385682	79H5474	E	428294.396	0.9996508	0.9999876	828327	3471	TERR	123 40 17	126.746	126.790				
		N	5449974.988	630434	78H5463	TERR	148 24 16	173.265	173.326						
		El	95.980	CVD28BC	603787	78H5468	TERR	226 35 53	113.169	113.208					
387233	79H5475	E	426885.372	0.9996497	0.9999840	MARKER DESTROYED									
		N	5449909.705												
		El	118.744	CVD28BC											
652644	79H5476	E	427280.133	0.9996484	0.9999835	860056	79H5477	TERR	181 7 43	201.288	201.359				
		N	5451691.964	531459	79H9162	TERR	245 52 50	100.291	100.326						
		El	122.641	CVD28BC	813683	79H5499	TERR	349 3 40	104.657	104.693					
860056	79H5477	E	427276.168	0.9996489	0.9999839	652644	79H5476	TERR	1 7 43	201.288	201.359				
		N	5451490.715	990978	79H5479	TERR	148 35 1	174.751	174.812						
		El	119.574	CVD28BC											
929513	79H5478	E	428371.888	0.9996565	0.9999935	715813	79H5470	TERR	115 44 8	147.424	147.475				
		N	5451278.199	60681	79H5471	TERR	181 43 34	429.214	429.361						
		El	58.783	CVD28BC	582924	79H5488	TERR	271 14 18	244.083	244.167					
990978	79H5479	E	427367.258	0.9996500	0.9999852	420794	79H5498	TERR	181 6 37	170.236	170.296				
		N	5451341.582	860056	79H5477	TERR	328 35 1	174.751	174.812						
		El	111.744	CVD28BC											
154567	79H5480	E	427851.534	0.9996537	0.9999897	988105	79H5481	TERR	95 4 19	131.514	131.559				
		N	5450909.318	640508	79H9289	TERR	255 21 2	83.174	83.202						
		El	82.610	CVD28BC											
988105	79H5481	E	427982.533	0.9996548	0.9999911	448746	79H9168	TERR	22 27 19	183.499	183.563				
		N	5450897.691	60681	79H5471	TERR	97 20 36	379.539	379.670						
		El	73.813			773572	79H9336	TERR	100 41 45	238.698	238.781				
						154567	79H5480	TERR	275 4 19	131.514	131.559				
850982	79H5482	E	426955.582	0.9996452	0.9999796	915181	79H5491	TERR	110 51 28	243.550	243.635				
		N	5451959.383	990200	79H5501	TERR	273 12 58	161.657	161.714						
		El	147.061	CVD28BC											

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
29645	79H5484	E 428874.440 N 5445824.553 El 184.510		0.9996359	0.9999737	24901 31922	79H5485 79H9210	TERR TERR	109 44 18 263 53 48	69.471 129.693	69.496 129.740
24901	79H5485	E 428939.829 N 5445801.091 El 178.675		0.9996367	0.9999747	24083 29645	79H5486 79H5484	TERR TERR	137 2 51 289 44 18	157.370 69.471	157.427 69.496
24083	79H5486	E 429047.060 N 5445685.909 El 167.591		0.9996382	0.9999764	24901	79H5485	TERR	317 2 51	157.370	157.427
305490	79H5487	E 428770.315 N 5446383.823 El 78.611		0.9996527	0.9999903	311597 294942	79H5519 79H9264	TERR TERR	92 42 49 353 59 7	104.873 75.077	104.909 75.104
582924	79H5488	E 428127.862 N 5451283.474 El 70.148		0.9996551	0.9999917	929513 448746 6635	79H5478 79H9168 79H5497	TERR TERR TERR	91 14 18 199 11 19 268 56 48	244.083 228.915 536.523	244.167 228.994 536.709
915181	79H5491	E 427183.171 N 5451872.667 El 139.984		0.9996459	0.9999807	813683 850982	79H5499 79H5482	TERR TERR	135 18 45 290 51 28	109.639 243.550	109.678 243.635
173104	79H5493	E 427456.979 N 5446859.447 El 118.125		0.9996488	0.9999841		MARKER DESTROYED				
665323	79H5494	E 427816.356 N 5446802.790 El 105.523		0.9996501	0.9999861	693895 663377 154419 757740	90H6356 90H6352 79H5512 79H5495	TERR TERR TERR TERR	66 31 56 114 56 5 230 11 20 293 9 15	109.521 125.036 114.666 132.292	109.560 125.080 114.706 132.338
757740	79H5495	E 427694.720 N 5446854.808 El 108.468		0.9996499	0.9999857	665323 632752	79H5494 88H4770	TERR TERR	113 9 15 294 54 6	132.292 254.874	132.338 254.964

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
262279	79H5496	E 427216.628 N 5446864.170 El 117.169		0.9996494	0.9999843	203240 262402	79H5500 82H5659	TERR TERR	182 26 32 268 40 20	211.428 71.121	211.502 71.146
6635	79H5497	E 427591.430 N 5451273.612 El 98.483		0.9996516	0.9999872	234641 582924 987594 420794	79H5560 79H5488 79H9288 79H5498	TERR TERR TERR TERR	2 12 56 88 56 48 187 9 12 245 47 57	398.152 536.523 111.690 249.389	398.291 536.709 111.729 249.476
420794	79H5498	E 427363.959 N 5451171.378 El 109.775		0.9996503	0.9999855	990978 6635 81679	79H5479 79H5497 79H9199	TERR TERR TERR	1 6 37 65 47 57 249 39 17	170.236 249.389 152.562	170.296 249.476 152.615
813683	79H5499	E 427260.273 N 5451794.719 El 134.370		0.9996466	0.9999816	652644 915181	79H5476 79H5491	TERR TERR	169 3 40 315 18 45	104.657 109.639	104.693 109.678
203240	79H5500	E 427207.619 N 5446652.934 El 130.082		0.9996474	0.9999823	262279 745901	79H5496 79H5504	TERR TERR	2 26 32 163 55 55	211.428 99.907	211.502 99.942
990200	79H5501	E 426794.180 N 5451968.452 El 145.583		0.9996457	0.9999799	850982 411918	79H5482 79H5542	TERR TERR	93 12 58 298 4 51	161.657 170.097	161.714 170.158
333310	79H5502	E 426642.344 N 5452049.454 El 150.889		0.9996451	0.9999790	MARKER DESTROYED					
331702	79H5503	E 426210.507 N 5452068.342 El 150.783		0.9996459	0.9999790	439232 411918 785915 315499	79H5551 79H5542 79H9160 79H5541	TERR TERR TERR TERR	92 29 11 92 37 3 192 54 1 272 29 7	237.409 434.052 77.558 135.093	237.492 434.205 77.585 135.141
745901	79H5504	E 427235.271 N 5446556.930 El 143.842		0.9996451	0.9999801	851006 366922 292896 203240	16H2772 16H2771 16H2770 79H5500	GPS GPS GPS TERR	110 44 10 235 50 60 255 50 16 343 55 55	289.849 170.806 363.824 99.907	289.952 170.867 363.953 99.942

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
273656	79H5506	E 427263.190 N 5446462.136 El 154.063	CVD28BC	0.9996435	0.9999785		MARKER DESTROYED				
847202	79H5507	E 427494.926 N 5446457.705 El 138.255	CVD28BC	0.9996456	0.9999810		MARKER DESTROYED				
880468	79H5508	E 427454.901 N 5446718.212 El 121.164	CVD28BC	0.9996483	0.9999837		MARKER ISOLATED				
929844	79H5509	E 427417.515 N 5453936.443 El 45.690	CVD28BC	0.9996602	0.9999955		MARKER DESTROYED				
284612	79H5510	E 428690.874 N 5446481.154 El 75.389	CVD28BC	0.9996533	0.9999908	294942	79H9264	TERR	107 34 22	75.078	75.103
517086	79H5511	E 427422.583 N 5454112.427 El 38.707	CVD28BC	0.9996613	0.9999966	593988	79H5521	TERR	351 28 55	113.157	113.196
154419	79H5512	E 427728.274 N 5446729.374 El 115.520	CVD28BC	0.9996487	0.9999845	665323 238527	79H5494 79H5513	TERR TERR	50 11 20 215 36 15	114.666 87.371	114.706 87.402
238527	79H5513	E 427677.408 N 5446658.336 El 121.876	CVD28BC	0.9996478	0.9999835	154419 398792 851006	79H5512 82H5665 16H2772	TERR TERR GPS	35 36 15 200 24 4 219 58 38	87.371 140.105 266.255	87.402 140.154 266.348
335158	79H5514	E 428867.888 N 5446177.876 El 92.073	CVD28BC	0.9996504	0.9999882	331553 343723	79H5585 79H5535	TERR TERR	109 8 40 303 38 28	84.187 203.575	84.217 203.646

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Scale Factor at Reference Central Meridian = 0.9996

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
354605	79H5515	E 428961.140	0.9996539	0.9999919	331553	79H5585	TERR	183 51 53	203.575	203.646	
		N 5446353.379			311597	79H5519	TERR	286 29 25	89.762	89.794	
		E1 68.801	CVD28BC								
259028	79H5516	E 428629.377	0.9996507	0.9999881	343723	79H5535	TERR	139 8 42	105.527	105.563	
		N 5446370.471			254052	79H5522	TERR	331 3 23	62.759	62.781	
		E1 92.739	CVD28BC								
32953	79H5517	E 428742.554	0.9996344	0.9999720	31922	79H9210	TERR	1 53 54	88.384	88.416	
		N 5445722.429			41582	79H5518	TERR	228 58 7	70.842	70.868	
		E1 195.506	CVD28BC								
41582	79H5518	E 428689.114	0.9996331	0.9999706	32953	79H5517	TERR	48 58 7	70.842	70.868	
		N 5445675.923			58792	79H9269	TERR	318 49 59	83.310	83.341	
		E1 204.464	CVD28BC								
311597	79H5519	E 428875.070	0.9996534	0.9999912	354605	79H5515	TERR	106 29 25	89.762	89.794	
		N 5446378.858			313213	79H9270	TERR	186 29 4	87.796	87.826	
		E1 72.901	CVD28BC		305490	79H5487	TERR	272 42 49	104.873	104.909	
593988	79H5521	E 427405.822	0.9996616	0.9999968	517086	79H5511	TERR	171 28 55	113.157	113.196	
		N 5454224.336			700690	89H5619	TERR	340 28 8	125.069	125.111	
		E1 37.473	CVD28BC								
254052	79H5522	E 428599.005	0.9996516	0.9999890	259028	79H5516	TERR	151 3 23	62.759	62.781	
		N 5446425.391			242727	90H6363	TERR	358 56 18	121.919	121.961	
		E1 87.101	CVD28BC								
795229	79H5524	E 432070.969	0.9996442	0.9999875	806596	79H9389	TERR	94 54 48	140.619	140.668	
		N 5440853.235			97733	79H5596	TERR	341 7 16	71.565	71.589	
		E1 96.628	CVD28BC								
849190	79H5525	E 426866.855	0.9996406	0.9999749	MARKER DESTROYED						
		N 5446473.508									
		E1 177.033	CVD28BC								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance		Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING					Metres			
362574	79H5526	E	427650.217	0.9996642	0.9999999	66639	82H5692	TERR	70	31	40	108.678	108.714		
		N	5454454.816			64956	83H6024	TERR	181	31	51	135.919	135.964		
		E1	17.954			CVD28BC	827972	89H5620	TERR	259	53	18	260.017	260.105	
835801	79H5527	E	428353.443	0.9996621	0.9999990	696740	83H6054	TERR	95	17	10	195.372	195.438		
		N	5454428.309			368159	79H5536	TERR	266	22	44	55.733	55.752		
		E1	23.564			CVD28BC									
858084	79H5528	E	428118.330	0.9996639	1.0000005	951830	88H4791	GPS	105	29	26	589.550	589.750		
		N	5454448.870			946087	90H6393	GPS	134	51	50	360.797	360.920		
		E1	14.194			993808	88H4773	GPS	229	54	16	252.023	252.107		
						292623	79H9252	TERR	280	56	46	214.958	215.030		
879106	79H5529	E	426773.905	0.9996410	0.9999752	875583	82H5658	TERR	33	53	55	113.081	113.121		
		N	5446613.410			366922	16H2771	GPS	115	27	36	354.433	354.560		
		E1	175.392			298463	16H2775	GPS	137	23	36	821.016	821.310		
						292896	16H2770	GPS	143	15	43	181.557	181.623		
						699389	16H2769	GPS	253	30	5	417.760	417.909		
						272062	16H2768	GPS	271	36	24	551.679	551.876		
						735472	90H6399	GPS	292	0	20	1354.123	1354.604		
						811109	90H6395	GPS	321	8	26	604.735	604.949		
						301952	82H5634	GPS	353	51	11	3196.842	3197.974		
790147	79H5530	E	426614.468	0.9996444	0.9999783	584375	82H5660	TERR	91	6	36	291.919	292.022		
		N	5446865.736			810382	82H5661	TERR	274	31	9	100.227	100.262		
		E1	155.456			CVD28BC									
845214	79H5531	E	426657.701	0.9996415	0.9999754	292896	16H2770	GPS	102	20	9	230.117	230.200		
		N	5446517.076			699389	16H2769	GPS	265	30	53	285.229	285.331		
		E1	173.552			CVD28BC	826685	79H5533	TERR	303	53	17	182.627	182.693	
574483	79H5532	E	427086.766	0.9996414	0.9999761	MARKER DESTROYED									
		N	5446466.275												
		E1	169.548	CVD28BC											
826685	79H5533	E	426506.097	0.9996420	0.9999757	845214	79H5531	TERR	123	53	17	182.627	182.693		
		N	5446618.904			699389	16H2769	GPS	226	55	16	181.747	181.812		
		E1	172.110			CVD28BC	272062	16H2768	GPS	272	0	49	283.829	283.930	

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
869040	79H5534	E 426688.548 N 5446795.526 El 160.479		0.9996435	0.9999775	875583	82H5658	TERR	120 44 11	172.682	172.743
343723	79H5535	E 428698.407 N 5446290.654 El 97.858		0.9996498	0.9999873	335158 259028	79H5514 79H5516	TERR TERR	123 38 28 319 8 42	203.575 105.527	203.646 105.563
368159	79H5536	E 428297.821 N 5454424.789 El 22.480		0.9996623	0.9999992	835801	79H5527	TERR	86 22 44	55.733	55.752
661967	79H5537	E 426757.380 N 5452093.253 El 154.712		0.9996443	0.9999784	894402 426882	79H5538 79H5545	TERR TERR	91 25 43 341 53 42	138.099 79.708	138.149 79.736
894402	79H5538	E 426895.436 N 5452089.810 El 152.017		0.9996445	0.9999788	379081 661967	79H5543 79H5537	TERR TERR	92 9 44 271 25 43	176.655 138.099	176.718 138.149
697482	79H5539	E 426624.329 N 5452226.649 El 155.739		0.9996444	0.9999783	426882 586404	79H5545 79H5553	TERR TERR	118 1 31 289 43 1	122.665 165.543	122.707 165.603
166207	79H5540	E 426077.541 N 5452237.807 El 151.539		0.9996460	0.9999789	227520 315499	79H5580 79H5541	TERR TERR	4 6 20 180 42 1	122.606 163.619	122.649 163.677
315499	79H5541	E 426075.541 N 5452074.200 El 145.852		0.9996469	0.9999798	166207 331702 361154	79H5540 79H5503 79H9255	TERR TERR TERR	0 42 1 92 29 7 280 1 24	163.619 135.093 116.156	163.677 135.141 116.198
411918	79H5542	E 426644.106 N 5452048.520 El 150.572		0.9996452	0.9999791	990200 331702 439232 201053	79H5501 79H5503 79H5551 79H5557	TERR TERR TERR TERR	118 4 51 272 37 3 272 46 33 355 19 10	170.097 434.052 196.645 94.916	170.158 434.205 196.715 94.949

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
379081	79H5543	E 427071.965 N 5452083.145 El 135.983		0.9996467	0.9999814	317016 894402	79H5544 79H5538	TERR TERR	118 12 54 272 9 44	100.833 176.655	100.869 176.718
				CVD28BC							
317016	79H5544	E 427160.817 N 5452035.473 El 132.925		0.9996470	0.9999818	902908 379081	79H5546 79H5543	TERR TERR	105 14 35 298 12 54	97.295 100.833	97.329 100.869
				CVD28BC							
426882	79H5545	E 426732.610 N 5452169.014 El 155.108		0.9996443	0.9999784	661967 697482	79H5537 79H5539	TERR TERR	161 53 42 298 1 31	79.708 122.665	79.736 122.707
				CVD28BC							
902908	79H5546	E 427254.689 N 5452009.893 El 128.244		0.9996476	0.9999826	206581 317016	79H5547 79H5544	TERR TERR	114 55 1 285 14 35	111.884 97.295	111.923 97.329
				CVD28BC							
206581	79H5547	E 427356.159 N 5451962.756 El 125.814		0.9996478	0.9999830	28514 902908	79H5548 79H5546	TERR TERR	186 36 3 294 55 1	152.450 111.884	152.503 111.923
				CVD28BC							
28514	79H5548	E 427338.635 N 5451811.317 El 129.295		0.9996473	0.9999824	206581 983742	79H5547 79H5549	TERR TERR	6 36 3 91 34 5	152.450 140.427	152.503 140.476
				CVD28BC							
983742	79H5549	E 427479.009 N 5451807.474 El 118.367		0.9996487	0.9999841	37044 28514	79H5554 79H5548	TERR TERR	51 42 34 271 34 5	154.809 140.427	154.863 140.476
				CVD28BC							
780619	79H5550	E 426449.673 N 5452225.095 El 158.211		0.9996443	0.9999779	586404 833046	79H5553 79H5555	TERR TERR	18 9 3 180 40 56	60.410 73.815	60.431 73.842
				CVD28BC							
439232	79H5551	E 426447.692 N 5452058.043 El 150.690		0.9996455	0.9999791	833046 411918 331702	79H5555 79H5542 79H5503	TERR TERR TERR	0 40 38 92 46 33 272 29 11	93.249 196.645 237.409	93.281 196.715 237.492
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
315358		79H5552	E	426438.916	0.9996452	0.9999787	586404 652826	79H5553 79H5582	TERR	149	52	2	58.916	58.936	
			N	5452333.453					TERR	296	32	18	121.324	121.367	
			E1	152.977					CVD28BC						
586404		79H5553	E	426468.492	0.9996445	0.9999781	697482 780619 315358	79H5539 79H5550 79H5552	TERR	109	43	1	165.543	165.603	
			N	5452282.499					TERR	198	9	3	60.410	60.431	
			E1	157.082					CVD28BC			TERR	329	52	2
37044		79H5554	E	427600.515	0.9996492	0.9999848	983742	79H5549	TERR	231	42	34	154.809	154.863	
			N	5451903.401											
			E1	113.991					CVD28BC						
833046		79H5555	E	426448.794	0.9996452	0.9999787	780619 721035 439232	79H5550 79H5556 79H5551	TERR	0	40	56	73.815	73.842	
			N	5452151.285					TERR	92	29	19	93.869	93.901	
			E1	152.799					CVD28BC			TERR	180	40	38
721035		79H5556	E	426542.574	0.9996443	0.9999780	201053 833046	79H5557 79H5555	TERR	92	29	49	93.876	93.910	
			N	5452147.209					TERR	272	29	19	93.869	93.901	
			E1	157.187					CVD28BC						
201053		79H5557	E	426636.361	0.9996441	0.9999779	411918 721035	79H5542 79H5556	TERR	175	19	10	94.916	94.949	
			N	5452143.119					TERR	272	29	49	93.876	93.910	
			E1	157.867					CVD28BC						
403964		79H5559	E	427479.018	0.9996514	0.9999868	140186	79H9298	TERR	82	15	47	112.202	112.242	
			N	5449055.246											
			E1	101.401					CVD28BC						
234641		79H5560	E	427606.823	0.9996505	0.9999861	879718 6635	79H9291 79H5497	TERR	10	0	47	101.736	101.772	
			N	5451671.466					TERR	182	12	56	398.152	398.291	
			E1	105.541					CVD28BC						
964007		79H5561	E	427381.705	0.9996518	0.9999870	MARKER DESTROYED								
			N	5448943.362											
			E1	99.899						CVD28BC					

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
519249	79H5562	E	424310.020	0.9996584	0.9999880	471748	79H5563	TERR	0 48 21	369.511	369.636	
		N	5454821.119			27367	88H4793	TERR	91 6 58	386.161	386.294	
		El	93.671	CVD28BC	330050	88H4802	TERR	92 19 35	195.411	195.478		
					386458	95H1764	TERR	174 46 18	158.778	158.832		
					999474	89H5652	TERR	271 15 37	214.150	214.223		
471748	79H5563	E	424315.217	0.9996611	0.9999907	474882	79H9225	TERR	89 15 10	192.705	192.770	
		N	5455190.593			519249	79H5562	TERR	180 48 21	369.511	369.636	
		El	76.408	CVD28BC								
424275	79H5565	E	425713.090	0.9996533	0.9999855	76224	79H9166	TERR	127 10 18	193.569	193.636	
		N	5451215.166			524561	78H5440	TERR	278 20 42	305.669	305.775	
		El	109.147	CVD28BC								
463190	79H5566	E	428190.071	0.9996495	0.9999862	241232	79H9157	TERR	91 21 24	221.523	221.600	
		N	5449266.981			134320	79H9174	TERR	181 6 16	109.999	110.038	
		El	105.319	CVD28BC	675652	83H6022	TERR	271 51 59	468.479	468.643		
301986	79H5567	E	429974.630	0.9996491	0.9999888	208280	79H5573	TERR	31 57 54	104.414	104.451	
		N	5451593.648			949354	79H5568	TERR	274 23 48	114.828	114.869	
		El	88.564	CVD28BC								
949354	79H5568	E	429860.140	0.9996502	0.9999897	301986	79H5567	TERR	94 23 48	114.828	114.869	
		N	5451602.451			240622	79H5569	TERR	309 41 59	101.166	101.201	
		El	82.658	CVD28BC								
240622	79H5569	E	429782.303	0.9996491	0.9999885	949354	79H5568	TERR	129 41 59	101.166	101.201	
		N	5451667.072									
		El	90.414	CVD28BC								
437814	79H5570	E	429857.031	0.9996477	0.9999873	819995	79H5571	TERR	348 34 19	79.991	80.019	
		N	5451757.712									
		El	98.478	CVD28BC								
819995	79H5571	E	429841.182	0.9996478	0.9999874	449538	82H5638	TERR	95 5 37	77.964	77.991	
		N	5451836.117			437814	79H5570	TERR	168 34 19	79.991	80.019	
		El	97.793	CVD28BC								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
267641	79H5572	E 429965.212 N 5451745.843 El 116.531		0.9996447	0.9999844	208280	79H5573	TERR	134 31 1	90.731	90.763
				CVD28BC							
208280	79H5573	E 430029.907 N 5451682.230 El 113.282		0.9996451	0.9999850	301986 267641	79H5567 79H5572	TERR TERR	211 57 54 314 31 1	104.414 90.731	104.451 90.763
				CVD28BC							
790204	79H5574	E 425789.898 N 5450869.369 El 114.172		0.9996524	0.9999848	4770 354498	79H5575 98SG028	TERR GPS	225 4 41 294 31 56	165.079 295.628	165.135 295.730
				CVD28BC							
4770	79H5575	E 425673.011 N 5450752.800 El 112.382		0.9996529	0.9999850	790204 209551	79H5574 79H5576	TERR TERR	45 4 41 242 47 36	165.079 145.943	165.135 145.994
				CVD28BC							
209551	79H5576	E 425543.215 N 5450686.075 El 111.244		0.9996533	0.9999852	4770 501841 673988	79H5575 79H5578 79H5577	TERR TERR TERR	62 47 36 115 43 34 295 43 18	145.943 143.519 95.664	145.994 143.568 95.697
				CVD28BC							
673988	79H5577	E 425457.030 N 5450727.593 El 112.201		0.9996533	0.9999851	209551 610600 334474	79H5576 83H6023 89H5633	TERR TERR TERR	115 43 18 180 18 26 295 24 46	95.664 231.069 268.964	95.697 231.149 269.057
				CVD28BC							
501841	79H5578	E 425672.508 N 5450623.778 El 109.111		0.9996534	0.9999856	999144 209551	79H5579 79H5576	TERR TERR	131 54 34 295 43 34	97.248 143.519	97.281 143.568
				CVD28BC							
999144	79H5579	E 425744.880 N 5450558.821 El 107.966		0.9996535	0.9999857	706317 501841	82H5626 79H5578	TERR TERR	146 11 26 311 54 34	94.236 97.248	94.268 97.281
				CVD28BC							
227520	79H5580	E 426086.319 N 5452360.098 El 148.972		0.9996464	0.9999793	181750 166207 455865	79H5581 79H5540 79H5593	TERR TERR TERR	24 11 4 184 6 20 291 12 15	68.100 122.606 93.013	68.124 122.649 93.046
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
536573	79H5591	E 425950.749 N 5452502.703 El 126.042		0.9996503	0.9999829	527655 736066	79H5592 90H6353	TERR TERR	84 47 37 271 0 28	185.607 87.387	185.672 87.418
527655	79H5592	E 426135.590 N 5452519.546 El 125.376		0.9996500	0.9999830	406140 265223 761320 536573 451724	14H2755 14H2754 79H5594 79H5591 14H2756	GPS GPS TERR TERR GPS	3 34 35 66 47 27 101 6 49 264 47 37 272 53 14	222.936 402.194 278.493 185.607 480.231	223.015 402.337 278.590 185.672 480.399
455865	79H5593	E 425999.603 N 5452393.740 El 144.739		0.9996473	0.9999800	227520 482802	79H5580 90H6392	TERR TERR	111 12 15 284 42 15	93.013 89.285	93.046 89.317
761320	79H5594	E 426408.860 N 5452465.865 El 123.723		0.9996498	0.9999833	527655	79H5592	TERR	281 6 49	278.493	278.590
632570	79H5595	E 432652.785 N 5440961.348 El 45.817		0.9996512	0.9999955	803510 848127	79H9398 79H9395	TERR TERR	16 3 34 226 28 15	89.410 106.767	89.441 106.805
97733	79H5596	E 432047.813 N 5440920.950 El 97.374		0.9996441	0.9999874	795229	79H5524	TERR	161 7 16	71.565	71.589
861534	79H5598	E 430317.144 N 5443877.422 El 66.905		0.9996518	0.9999922	426692 660100 436055	77H5270 77H5276 79H9194	TERR TERR TERR	1 1 3 91 8 16 181 2 9	422.172 211.310 342.234	422.318 211.383 342.354
882688	79H5599	E 425063.582 N 5454914.599 El 70.656		0.9996606	0.9999916	232116 525345	79H5583 79H9171	TERR TERR	194 4 20 350 38 15	111.242 145.332	111.280 145.381
215491	79H5600	E 424893.896 N 5454809.583 El 84.951		0.9996587	0.9999894	684415 232116 27029 27367	79H9178 79H5583 89H5610 88H4793	TERR TERR TERR TERR	0 46 36 91 9 36 180 35 21 271 9 47	190.419 142.667 151.162 197.829	190.484 142.716 151.213 197.896

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
282442	79H9151	E 426943.852	0.9996492	0.9999836	383190	79H9161	TERR	49 50 40	218.284	218.361	
		N 5451449.965			55855	79H9152	TERR	282 41 5	171.932	171.993	
		El 121.470	CVD28BC								
55855	79H9152	E 426776.116	0.9996508	0.9999849	282442	79H9151	TERR	102 41 5	171.932	171.993	
		N 5451487.719			237396	79H9153	TERR	293 37 42	103.802	103.838	
		El 113.434	CVD28BC								
237396	79H9153	E 426681.016	0.9996510	0.9999849	55855	79H9152	TERR	113 37 42	103.802	103.838	
		N 5451529.323			532655	79H9154	TERR	305 46 12	352.243	352.366	
		El 113.071	CVD28BC								
532655	79H9154	E 426395.217	0.9996487	0.9999822	237396	79H9153	TERR	125 46 12	352.243	352.366	
		N 5451735.221			262469	79H9155	TERR	329 19 57	116.489	116.530	
		El 130.707	CVD28BC								
262469	79H9155	E 426335.801	0.9996473	0.9999806	532655	79H9154	TERR	149 19 57	116.489	116.530	
		N 5451835.418			728733	79H9156	TERR	303 35 38	106.118	106.155	
		El 140.609	CVD28BC								
728733	79H9156	E 426247.407	0.9996473	0.9999805	262469	79H9155	TERR	123 35 38	106.118	106.155	
		N 5451894.133			414151	79H9159	TERR	283 9 28	74.857	74.883	
		El 141.508	CVD28BC								
241232	79H9157	E 428411.532	0.9996497	0.9999867	778704	78H5464	TERR	1 16 5	202.964	203.035	
		N 5449261.736			472035	78H5460	TERR	91 20 34	211.106	211.181	
		El 101.648	CVD28BC		451716	82H5645	TERR	91 20 45	85.413	85.443	
					463190	79H5566	TERR	271 21 24	221.523	221.600	
414151	79H9159	E 426174.515	0.9996476	0.9999806	785915	79H9160	TERR	12 53 48	83.680	83.709	
		N 5451911.173			728733	79H9156	TERR	103 9 28	74.857	74.883	
		El 140.799	CVD28BC		24422	79H9222	TERR	288 46 33	225.131	225.211	
785915	79H9160	E 426193.192	0.9996462	0.9999793	331702	79H5503	TERR	12 54 1	77.558	77.585	
		N 5451992.742			414151	79H9159	TERR	192 53 48	83.680	83.709	
		El 149.390	CVD28BC								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres								
GCM-NO	TABLET	MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING															
383190		79H9161	E	427110.686	0.9996480	0.9999827	531459	79H9162	TERR	52	17	2	98.492	98.527									
			N	5451590.729					282442	79H9151	TERR	229			50	40	218.284	218.361					
			E1	127.183							CVD28BC												
531459		79H9162	E	427188.598	0.9996484	0.9999833	652644	79H5476	TERR	65	52	50	100.291	100.326									
			N	5451650.981					383190	79H9161	TERR	232			17	2	98.492	98.527					
			E1	123.604							CVD28BC												
165951		79H9163	E	424793.796	0.9996538	0.9999843	859173	78H5443	TERR	121	51	39	219.465	219.541									
			N	5451986.089					420612	79H9164	TERR	300			43	29	319.481	319.592					
			E1	116.961							CVD28BC												
420612		79H9164	E	424519.160	0.9996544	0.9999844	165951	79H9163	TERR	120	43	29	319.481	319.592									
			N	5452149.317					167924	89H5626	TERR	260			20	46	151.030	151.082					
			E1	116.512							CVD28BC				490276	79H9184			TERR	311	18	59	223.803
120527		79H9165	E	428833.600	0.9996511	0.9999889	353813	77H5139	TERR	91	21	15	336.677	336.795									
			N	5449251.777					472035	78H5460	TERR	271			21	38	211.080	211.153					
			E1	88.227							CVD28BC												
76224		79H9166	E	425867.331	0.9996525	0.9999850	575688	79H9180	TERR	37	6	17	158.451	158.505									
			N	5451098.211					424275	79H5565	TERR	307			10	18	193.569	193.636					
			E1	112.877							CVD28BC												
447201		79H9167	E	427862.790	0.9996514	0.9999874	101311	79H9173	TERR	126	5	53	120.122	120.163									
			N	5450642.634					97.280	CVD28BC													
			E1																				
448746		79H9168	E	428052.623	0.9996553	0.9999917	582924	79H5488	TERR	19	11	19	228.915	228.994									
			N	5451067.277					988105	79H5481	TERR	202			27	19	183.499	183.563					
			E1	70.162							CVD28BC												
876235		79H9169	E	423195.043	0.9996641	0.9999916	792457	92H0755	GPS	55	46	56	361.975	362.096									
			N	5455249.328					940551	92H0732	GPS	97			8	52	293.000	293.099					
			E1	70.577							CVD28BC	347336			92H0729	GPS			137	56	51	161.380	161.435
																79H9179			TERR	326	2		

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
525345	79H9171	E 425039.939 N 5455057.995 El 58.442		0.9996625	0.9999935	674481 882688	79H9193 79H5599	TERR TERR	26 16 14 170 38 15	64.533 145.332	64.555 145.381
				CVD28BC							
713206	79H9172	E 424987.425 N 5455200.220 El 49.092		0.9996641	0.9999950	674481 50989 1529	79H9193 79H5584 89H5617	TERR TERR TERR	136 8 9 226 3 23 316 17 13	117.003 46.862 171.977	117.042 46.878 172.035
				CVD28BC							
101311	79H9173	E 427959.850 N 5450571.862 El 93.992		0.9996517	0.9999879	992792 447201	79H9175 79H9167	TERR TERR	64 24 13 306 5 53	127.408 120.122	127.452 120.163
				CVD28BC							
134320	79H9174	E 428187.951 N 5449157.002 El 104.977		0.9996496	0.9999862	463190 776559	79H5566 82H5643	TERR TERR	1 6 16 181 5 21	109.999 140.663	110.038 140.713
				CVD28BC							
992792	79H9175	E 428074.754 N 5450626.906 El 82.506		0.9996533	0.9999897	101311 276477	79H9173 82H5714	TERR TERR	244 24 13 333 17 7	127.408 85.372	127.452 85.402
				CVD28BC							
294801	79H9176	E 423150.803 N 5455472.573 El 46.522		0.9996679	0.9999954	940551 953216	92H0732 79H9179	GPS TERR	127 47 14 236 0 12	423.847 88.017	423.988 88.045
				CVD28BC							
282988	79H9177	E 430361.777 N 5443591.083 El 73.515		0.9996507	0.9999911	290700 436055	79H9191 79H9194	TERR TERR	153 52 46 222 18 19	153.779 75.502	153.833 75.529
				CVD28BC							
684415	79H9178	E 424896.477 N 5454999.984 El 72.294		0.9996606	0.9999913	587170 215491 673616	79H5588 79H5600 88H4803	TERR TERR TERR	91 11 4 180 46 36 271 9 45	54.911 190.419 197.847	54.929 190.484 197.915
				CVD28BC							
953216	79H9179	E 423077.831 N 5455423.359 El 51.111		0.9996673	0.9999947	294801 792457 940551 876235	79H9176 92H0755 92H0732 79H9169	TERR GPS GPS TERR	56 0 12 85 56 45 117 17 35 146 2 21	88.017 417.576 459.039 209.822	88.045 417.715 459.192 209.892
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
575688	79H9180	E 425962.920 N 5451224.581 El 116.465		0.9996517	0.9999844	170902	79H9181 79H9166	TERR TERR	127 10 34 217 6 17	191.050 158.451	191.116 158.505
170902	79H9181	E 426115.145 N 5451109.136 El 116.600		0.9996514	0.9999844	461327	79H9183 79H9182 79H9180	TERR TERR TERR	74 16 9 124 30 37 307 10 34	181.859 109.667 191.050	181.923 109.705 191.116
583534	79H9182	E 426205.513 N 5451047.004 El 116.143		0.9996514	0.9999845	461327 170902	79H9183 79H9181	TERR TERR	37 13 51 304 30 37	139.960 109.667	140.010 109.705
461327	79H9183	E 426290.193 N 5451158.441 El 120.607		0.9996505	0.9999838	583534 170902	79H9182 79H9181	TERR TERR	217 13 51 254 16 9	139.960 181.859	140.010 181.923
490276	79H9184	E 424351.067 N 5452297.075 El 113.196		0.9996552	0.9999849	420612 925057	79H9164 79H9185	TERR TERR	131 18 59 326 42 19	223.803 188.453	223.879 188.519
925057	79H9185	E 424247.616 N 5452454.595 El 107.296		0.9996563	0.9999858	490276 352385	79H9184 79H9186	TERR TERR	146 42 19 336 10 13	188.453 177.333	188.519 177.394
352385	79H9186	E 424175.970 N 5452616.810 El 106.912		0.9996565	0.9999859	982835 925057 345058 690222 102194 977801	82H5663 79H9185 89H5628 94H1536 96H2088 79H9187	TERR TERR GPS GPS GPS TERR	51 54 14 156 10 13 176 21 24 216 27 49 283 6 46 337 42 12	158.045 177.333 849.884 805.077 824.647 152.540	158.100 177.394 850.177 805.351 824.928 152.592
977801	79H9187	E 424118.096 N 5452757.945 El 114.079		0.9996555	0.9999848	352385 347724	79H9186 79H9188	TERR TERR	157 42 12 345 5 33	152.540 177.790	152.592 177.852
347724	79H9188	E 424072.358 N 5452929.751 El 115.941		0.9996553	0.9999845	977801 36103	79H9187 79H9189	TERR TERR	165 5 33 354 25 20	177.790 327.561	177.852 327.674

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Scale Factor at Reference Central Meridian = 0.9996

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station	Scale	Factor	TO MARKER -----	IDENTIFIERS -----	Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal		GCM-NO	TABLET MARKING			Metres	Metres
36103	79H9189	E	424040.520	0.9996548	0.9999839	347724	79H9188	TERR	174 25 20	327.561	327.674
		N	5453255.761			137133	82H5664	TERR	354 16 27	103.691	103.726
		E1	119.751	CVD28BC							
560870	79H9190	E	423984.122	0.9996558	0.9999849	137133	82H5664	TERR	174 16 28	461.624	461.784
		N	5453818.256			102194	96H2088	GPS	211 4 30	1184.316	1184.722
		E1	113.568	CVD28BC							
290700	79H9191	E	430429.480	0.9996504	0.9999909	873315	87H3503	TERR	91 5 4	91.043	91.075
		N	5443453.010			665885	79H9192	TERR	271 5 17	120.010	120.052
		E1	74.920	CVD28BC		282988	79H9177	TERR	333 52 46	153.779	153.833
665885	79H9192	E	430309.492	0.9996488	0.9999891	166017	77H5241	GPS	1 2 2	1266.414	1266.855
		N	5443455.289			436055	79H9194	TERR	1 3 2	79.968	79.996
		E1	86.273	CVD28BC		920009	No Marking	GPS	26 14 47	2939.153	2940.176
						419655	77H5009	GPS	33 26 42	3301.871	3303.014
						994848	77H5096	GPS	50 40 5	2325.122	2325.930
						290700	79H9191	TERR	91 5 17	120.010	120.052
						916841	79H9385	GPS	133 27 43	3630.781	3632.054
						806596	79H9389	GPS	143 57 60	3232.570	3233.712
						425900	96H2083	GPS	233 22 47	1231.928	1232.366
						718353	98SG070	GPS	255 23 23	770.349	770.622
						801225	11700	GPS	279 35 0	7006.706	7009.636
						369504	98SG056	GPS	306 29 55	815.233	815.520
						619056	98SG057	GPS	337 21 26	910.540	910.859
						837369	77H5295	GPS	339 37 36	4494.887	4496.453
						445726	77H5122	GPS	357 31 17	3384.227	3385.409
674481	79H9193	E	425068.502	0.9996633	0.9999943	525345	79H9171	TERR	206 16 14	64.533	64.555
		N	5455115.863			713206	79H9172	TERR	316 8 9	117.003	117.042
		E1	53.422	CVD28BC							
436055	79H9194	E	430310.958	0.9996490	0.9999893	861534	79H5598	TERR	1 2 9	342.234	342.354
		N	5443535.244			282988	79H9177	TERR	42 18 19	75.502	75.529
		E1	85.065	CVD28BC		665885	79H9192	TERR	181 3 2	79.968	79.996
340935	79H9195	E	426430.069	0.9996507	0.9999842	MARKER DESTROYED					
		N	5450962.865								
		E1	117.829	CVD28BC							

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
521294	79H9196	E 426485.730 N 5451111.468 E1 122.978	0.9996498	0.9999834	783407	79H9204	TERR	109 27 8	257.267	257.357
747857	79H9197	E 427088.185 N 5450998.264 E1 123.792	0.9996486	0.9999833	522078 89094 952275	79H9198 79H9273 79H9202	TERR TERR TERR	37 9 32 94 0 54 222 14 51	110.488 112.585 170.886	110.527 112.625 170.946
522078	79H9198	E 427154.923 N 5451086.319 E1 122.012	0.9996487	0.9999835	81679 747857	79H9199 79H9197	TERR TERR	64 7 8 217 9 32	73.349 110.488	73.375 110.527
81679	79H9199	E 427220.915 N 5451118.336 E1 120.238	0.9996489	0.9999838	420794 522078	79H5498 79H9198	TERR TERR	69 39 17 244 7 8	152.562 73.349	152.615 73.375
548412	79H9200	E 427046.260 N 5450684.179 E1 117.905	0.9996496	0.9999842	185348 819466	79H5464 79H9201	TERR TERR	108 20 32 357 34 33	100.190 109.790	100.225 109.829
819466	79H9201	E 427041.616 N 5450793.871 E1 117.575	0.9996496	0.9999842	548412 952275	79H9200 79H9202	TERR TERR	177 34 33 318 44 42	109.790 103.614	109.829 103.650
952275	79H9202	E 426973.292 N 5450871.766 E1 121.676	0.9996491	0.9999836	747857 819466 159400	79H9197 79H9201 79H9203	TERR TERR TERR	42 14 51 138 44 42 304 44 10	170.886 103.614 148.154	170.946 103.650 148.206
159400	79H9203	E 426851.541 N 5450956.184 E1 126.342	0.9996486	0.9999829	952275 783407	79H9202 79H9204	TERR TERR	124 44 10 299 27 40	148.154 141.530	148.206 141.580
783407	79H9204	E 426728.312 N 5451025.793 E1 126.996	0.9996487	0.9999828	159400 521294	79H9203 79H9196	TERR TERR	119 27 40 289 27 8	141.530 257.267	141.580 257.357

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
241398	79H9205	E 425516.292	0.9996491	0.9999809		451724	14H2756	GPS	74 58 43	144.619	144.669
		N 5452506.254				765040	79H9208	TERR	181 20 22	230.683	230.765
		El 138.743	CVD28BC			774893	79H9206	TERR	346 8 32	201.592	201.662
774893	79H9206	E 425468.008	0.9996502	0.9999819		714287	79H9207	TERR	3 17 7	223.924	224.002
		N 5452701.978				241398	79H9205	TERR	166 8 32	201.592	201.662
		El 132.401	CVD28BC								
714287	79H9207	E 425480.840	0.9996476	0.9999794		445551	79H9338	TERR	16 36 14	120.573	120.616
		N 5452925.534				774893	79H9206	TERR	183 17 7	223.924	224.002
		El 148.510	CVD28BC								
765040	79H9208	E 425510.900	0.9996492	0.9999810		241398	79H9205	TERR	1 20 22	230.683	230.765
		N 5452275.634				838847	79H9237	TERR	92 31 15	165.501	165.559
		El 138.112	CVD28BC			183376	79H9209	TERR	181 20 21	134.227	134.274
						897348	98SG036	GPS	285 23 13	203.322	203.393
183376	79H9209	E 425507.763	0.9996490	0.9999808		765040	79H9208	TERR	1 20 21	134.227	134.274
		N 5452141.444				307231	79H9254	TERR	198 13 56	193.420	193.488
		El 139.471	CVD28BC								
31922	79H9210	E 428745.482	0.9996355	0.9999731		29645	79H5484	TERR	83 53 48	129.693	129.740
		N 5445810.764				32953	79H5517	TERR	181 53 54	88.384	88.416
		El 188.403	CVD28BC			65482	79H9239	TERR	315 54 59	170.750	170.812
149740	79H9211	E 430217.095	0.9996588	0.9999990		523142	90H6369	TERR	107 1 24	78.190	78.217
		N 5453056.186				694612	79H9219	TERR	305 56 55	246.711	246.795
		El 23.614	CVD28BC								
603050	79H9212	E 424858.122	0.9996539	0.9999845		906230	79H9408	TERR	36 14 40	191.737	191.803
		N 5453355.699									
		El 115.739	CVD28BC								
380162	79H9213	E 424781.999	0.9996527	0.9999832			MARKER DESTROYED				
		N 5453209.415									
		El 124.033	CVD28BC								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
505701	79H9214	E 424701.509 N 5453134.746 El 131.391		0.9996517	0.9999821		MARKER DESTROYED				
79475	79H9215	E 430351.860 N 5452904.756 El 36.610		0.9996566	0.9999970	800391	79H9234	TERR	122 19 3	97.235	97.268
212274	79H9216	E 430686.006 N 5452469.690 El 61.695		0.9996521	0.9999930	27565	79H9217	TERR	168 45 46	128.283	128.328
27565	79H9217	E 430711.005 N 5452343.866 El 60.360		0.9996522	0.9999933	136291 946350 212274	79H9244 79H9258 79H9216	TERR TERR TERR	168 45 34 274 45 26 348 45 46	54.503 81.441 128.283	54.521 81.469 128.328
408070	79H9218	E 429470.731 N 5446480.544 El 61.105		0.9996542	0.9999931	408286 369603	79H9401 79H9402	TERR TERR	0 31 44 270 59 14	239.604 84.689	239.687 84.718
694612	79H9219	E 430017.372 N 5453201.020 El 23.294		0.9996592	0.9999991	149740 722066 331199 623702	79H9211 13H2699 13H2702 82H5679	TERR GPS GPS TERR	125 56 55 172 3 39 227 50 22 305 30 33	246.711 147.893 571.121 211.134	246.795 147.943 571.321 211.206
404863	79H9220	E 432801.411 N 5439640.091 El 48.564		0.9996505	0.9999951	896852 833632 394908 477240 931170 821884 593475	79H9229 917001 2285 87H3623 87H3580 79H9403 83H6069	TERR GPS GPS GPS GPS TERR GPS	6 21 34 144 14 56 145 18 4 150 42 23 151 45 13 157 29 6 283 24 9	94.020 4916.531 10594.072 17137.610 14123.480 86.367 847.790	94.052 4918.256 10597.973 17143.751 14128.531 86.397 848.087
39453	79H9221	E 424704.280 N 5455422.816 El 47.263		0.9996649	0.9999953	1529 949552 457903	89H5617 79H9400 79H9257	TERR TERR TERR	120 53 20 180 46 12 292 32 28	191.456 240.760 105.061	191.521 240.841 105.096
24422	79H9222	E 425961.364 N 5451983.635 El 137.636		0.9996484	0.9999811	414151 105759	79H9159 79H9223	TERR TERR	108 46 33 271 20 48	225.131 171.897	225.211 171.956

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
105759	79H9223	E 425789.515 N 5451987.675 El 134.946		0.9996492	0.9999815	24422 391698	79H9222 83H6014	TERR TERR	91 20 48 224 18 28	171.897 162.890	171.956 162.947
263053	79H9224	E 424511.511 N 5455464.844 El 53.361		0.9996643	0.9999943	457903	79H9257	TERR	91 2 57	95.750	95.782
474882	79H9225	E 424507.906 N 5455193.106 El 73.127		0.9996612	0.9999912	20743 471748	79H9226 79H5563	TERR TERR	86 48 43 269 15 10	101.397 192.705	101.431 192.770
20743	79H9226	E 424609.146 N 5455198.745 El 69.739		0.9996616	0.9999917	949552 474882	79H9400 79H9225	TERR TERR	100 16 46 266 48 43	93.398 101.397	93.430 101.431
988980	79H9227	E 432788.640 N 5439869.867 El 26.555		0.9996540	0.9999985	933655	79H9228	TERR	214 23 10	71.587	71.612
933655	79H9228	E 432748.210 N 5439810.790 El 26.353		0.9996541	0.9999985	988980 960005	79H9227 79H9243	TERR TERR	34 23 10 193 32 23	71.587 190.280	71.612 190.346
896852	79H9229	E 432811.825 N 5439733.532 El 43.590		0.9996513	0.9999958	841064 404863	89H5625 79H9220	TERR TERR	77 36 46 186 21 34	87.820 94.020	87.851 94.052
739912	79H9230	E 430581.290 N 5452610.986 El 58.246		0.9996528	0.9999936	60996 882878	79H9233 79H9236	TERR TERR	136 37 36 328 42 53	91.648 99.474	91.680 99.508
66944	79H9231	E 426235.903 N 5450004.772 El 114.071		0.9996516	0.9999848	952846	79H9232	TERR	91 23 36	198.049	198.118

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal		GCM-NO	TABLET MARKING				
952846	79H9232	E 426433.893	0.9996515	0.9999850		301952	82H5634	TERR	180 37 60	208.097	208.169
		N 5449999.956				66944	79H9231	TERR	271 23 36	198.049	198.118
		El 112.513	CVD28BC			358747	82H5642	TERR	359 22 30	91.383	91.416
60996	79H9233	E 430644.229	0.9996524	0.9999933		739912	79H9230	TERR	316 37 36	91.648	91.680
		N 5452544.368									
		El 59.965	CVD28BC								
800391	79H9234	E 430434.033	0.9996569	0.9999974		79475	79H9215	TERR	302 19 3	97.235	97.268
		N 5452852.773									
		El 33.820	CVD28BC								
414888	79H9235	E 429473.926	0.9996531	0.9999920		408286	79H9401	TERR	180 31 31	107.244	107.281
		N 5446827.377									
		El 67.986	CVD28BC								
882878	79H9236	E 430529.633	0.9996536	0.9999943		739912	79H9230	TERR	148 42 53	99.474	99.508
		N 5452695.996									
		El 53.782	CVD28BC								
838847	79H9237	E 425676.241	0.9996485	0.9999806		56358	79H9238	TERR	114 7 35	125.534	125.579
		N 5452268.355				765040	79H9208	TERR	272 31 15	165.501	165.559
		El 140.650	CVD28BC								
56358	79H9238	E 425790.809	0.9996479	0.9999803		361154	79H9255	TERR	125 44 54	209.895	209.968
		N 5452217.043				838847	79H9237	TERR	294 7 35	125.534	125.579
		El 142.991	CVD28BC								
65482	79H9239	E 428626.690	0.9996331	0.9999705		31922	79H9210	TERR	135 54 59	170.750	170.812
		N 5445933.418				158154	79H9272	TERR	282 41 5	86.467	86.500
		El 205.345	CVD28BC								
947242	79H9240	E 426122.262	0.9996512	0.9999842		252585	78H5416	TERR	0 41 59	111.533	111.572
		N 5449841.206				261701	78H5453	TERR	180 42 23	145.698	145.749
		El 117.798	CVD28BC			549113	78H5406	TERR	270 51 51	392.010	392.146

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
149260	79H9241	E N El	424570.757 5453030.773 136.307	0.9996512	0.9999813		MARKER DESTROYED				
534578	79H9242	E N El	426887.312 5450080.694 111.806	0.9996508	0.9999851	510966 85894 227777 86967	90H9814 79H9246 82H5629 90H9787	TERR TERR TERR TERR	87 56 54 91 17 20 180 39 0 270 2 37	268.446 291.663 84.528 212.124	268.540 291.765 84.558 212.198
960005	79H9243	E N El	432703.662 5439625.798 23.094	0.9996547	0.9999991	933655 971077	79H9228 89H5646	TERR TERR	13 32 23 244 55 10	190.280 153.840	190.346 153.894
136291	79H9244	E N El	430721.629 5452290.409 56.993	0.9996527	0.9999938	665489 4804 27565	90H6372 83H6050 79H9217	TERR TERR TERR	71 5 37 235 55 21 348 45 34	198.279 275.345 54.503	198.349 275.440 54.521
85894	79H9246	E N El	427178.901 5450074.134 123.937	0.9996484	0.9999832	534578 510966	79H9242 90H9814	TERR TERR	271 17 20 304 44 35	291.663 28.374	291.765 28.384
666404	79H9247	E N El	427041.359 5449737.562 117.233	0.9996497	0.9999843	67108	79H9248	TERR	64 44 22	125.265	125.310
67108	79H9248	E N El	427154.646 5449791.017 120.551	0.9996490	0.9999838	666404	79H9247	TERR	244 44 22	125.265	125.310
522268	79H9249	E N El	426916.054 5449678.423 112.419	0.9996507	0.9999850	533976	78H5451	TERR	271 14 36	334.920	335.036
950188	79H9251	E N El	432790.826 5441163.729 42.323	0.9996515	0.9999961		MARKER DESTROYED				

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
292623	79H9252	E 427907.283 N 5454489.687 El 17.355		0.9996638	1.0000000	858084	79H5528	TERR	100 56 46	214.958	215.030
				CVD28BC							
67785	79H9253	E 428514.565 N 5445722.913 El 214.746		0.9996318	0.9999690	58792	79H9269	TERR	82 30 59	120.738	120.783
				CVD28BC							
307231	79H9254	E 425447.248 N 5451957.734 El 128.371		0.9996508	0.9999825	183376 9613	79H9209 79H9317	TERR TERR	18 13 56 238 50 30	193.420 120.206	193.488 120.247
				CVD28BC							
361154	79H9255	E 425961.158 N 5452094.417 El 143.971		0.9996474	0.9999801	315499 56358	79H5541 79H9238	TERR TERR	100 1 24 305 44 54	116.156 209.895	116.198 209.968
				CVD28BC							
68015	79H9256	E 428616.057 N 5445830.375 El 213.370		0.9996318	0.9999692	58792	79H9269	TERR	168 46 4	93.529	93.563
				CVD28BC							
457903	79H9257	E 424607.245 N 5455463.091 El 50.686		0.9996646	0.9999947	39453 263053	79H9221 79H9224	TERR TERR	112 32 28 271 2 57	105.061 95.750	105.096 95.782
				CVD28BC							
946350	79H9258	E 430629.845 N 5452350.620 El 66.068		0.9996515	0.9999924	27565 521187	79H9217 79H9259	TERR TERR	94 45 26 325 51 2	81.441 125.411	81.469 125.455
				CVD28BC							
521187	79H9259	E 430559.445 N 5452454.407 El 74.771		0.9996502	0.9999910	946350 26005	79H9258 79H9260	TERR TERR	145 51 2 286 16 19	125.411 98.855	125.455 98.890
				CVD28BC							
26005	79H9260	E 430464.550 N 5452482.106 El 85.676		0.9996487	0.9999893	521187 560680 331199 684530	79H9259 79H9261 13H2702 13H2700	TERR TERR GPS GPS	106 16 19 233 36 43 291 4 50 301 19 50	98.855 102.400 932.969 300.790	98.890 102.436 933.301 300.896
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
560680	79H9261	E 430382.116 N 5452421.357 El 95.079		0.9996474	0.9999878	26005 349159	79H9260 79H9262	TERR TERR	53 36 43 282 17 44	102.400 127.209	102.436 127.254
349159	79H9262	E 430257.825 N 5452448.447 El 108.556		0.9996455	0.9999857	560680 670182	79H9261 79H9263	TERR TERR	102 17 44 265 25 49	127.209 208.025	127.254 208.099
670182	79H9263	E 430050.461 N 5452431.873 El 102.160		0.9996468	0.9999867	684530 349159 257725 722066	13H2700 79H9262 13H2701 13H2699	GPS TERR GPS GPS	37 15 19 85 25 49 317 18 55 358 50 6	259.611 208.025 292.141 622.801	259.704 208.099 292.244 623.018
294942	79H9264	E 428762.448 N 5446458.487 El 75.260		0.9996532	0.9999909	305490 284612	79H5487 79H5510	TERR TERR	173 59 7 287 34 22	75.077 75.078	75.104 75.103
995563	79H9265	E 427145.876 N 5450905.447 El 122.035		0.9996487	0.9999835	89094 185348	79H9273 79H5464	TERR TERR	32 44 37 181 1 24	100.980 252.837	101.015 252.927
121459	79H9266	E 428431.001 N 5445769.136 El 220.229		0.9996311	0.9999681	123760	79H9271	TERR	351 0 6	62.849	62.872
130021	79H9267	E 428505.010 N 5445862.035 El 220.821		0.9996308	0.9999680	162834	79H9274	TERR	334 30 0	71.258	71.283
58792	79H9269	E 428634.275 N 5445738.638 El 211.406		0.9996321	0.9999695	41582 67785 68015	79H5518 79H9253 79H9256	TERR TERR TERR	138 49 59 262 30 59 348 46 4	83.310 120.738 93.529	83.341 120.783 93.563
313213	79H9270	E 428865.155 N 5446291.624 El 79.541		0.9996524	0.9999902	311597	79H5519	TERR	6 29 4	87.796	87.826

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
123760		79H9271	E	428421.171	0.9996306	0.9999676	121459	79H9266	TERR	171	0	6	62.849	62.872	
			N	5445831.211			168815	90H6382	TERR	356	14	4	64.117	64.141	
			E1	223.631	CVD28BC										
158154		79H9272	E	428542.333	0.9996330	0.9999703	65482	79H9239	TERR	102	41	5	86.467	86.500	
			N	5445952.405			162834	79H9274	TERR	249	2	9	72.820	72.847	
			E1	206.741	CVD28BC										
89094		79H9273	E	427200.494	0.9996490	0.9999839	995563	79H9265	TERR	212	44	37	100.980	101.015	
			N	5450990.381			747857	79H9197	TERR	274	0	54	112.585	112.625	
			E1	119.814	CVD28BC										
162834		79H9274	E	428474.333	0.9996319	0.9999691	158154	79H9272	TERR	69	2	9	72.820	72.847	
			N	5445926.351			130021	79H9267	TERR	154	30	0	71.258	71.283	
			E1	214.343	CVD28BC			168815	90H6382	TERR	241	29	32	65.289	65.313
981696		79H9275	E	424300.163	0.9996571	0.9999867	46292	79H9277	TERR	2	3	6	194.045	194.113	
			N	5451184.759			654624	79H9276	TERR	93	34	38	298.881	298.984	
			E1	101.719	CVD28BC										
654624		79H9276	E	424598.462	0.9996563	0.9999864	684779	79H9278	TERR	91	29	33	220.654	220.730	
			N	5451166.110			981696	79H9275	TERR	273	34	38	298.881	298.984	
			E1	103.543	CVD28BC										
46292		79H9277	E	424307.110	0.9996562	0.9999858	981696	79H9275	TERR	182	3	6	194.045	194.113	
			N	5451378.680											
			E1	107.640	CVD28BC										
684779		79H9278	E	424819.041	0.9996554	0.9999860	595785	89H5622	TERR	184	27	38	126.975	127.018	
			N	5451160.363			654624	79H9276	TERR	271	29	33	220.654	220.730	
			E1	106.359	CVD28BC										
810424		79H9279	E	427323.236	0.9996492	0.9999843	MARKER ISOLATED								
			N	5451039.618											
			E1	117.031	CVD28BC										

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station	Scale	Factor	TO MARKER -----	IDENTIFIERS -----	Obs. Type	UTM Grid Bearing	UTM Grid Distance	Ground Distance
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal		GCM-NO	TABLET MARKING			Metres	Metres
932681	79H9280	E	427981.071	0.9996559	0.9999922	718304	98H2198	GPS	7 4 54	690.235	690.473
		N	5447220.157			606269	90H9817	TERR	110 40 53	129.224	129.270
		E1	67.023	CVD28BC		932319	79H9283	TERR	263 51 36	151.706	151.759
716647	79H9281	E	427860.019	0.9996513	0.9999874	701482	92H0753	TERR	144 6 28	78.236	78.264
		N	5447052.352			932319	79H9283	TERR	348 53 1	154.477	154.531
		E1	97.538	CVD28BC							
932319	79H9283	E	427830.235	0.9996539	0.9999899	932681	79H9280	TERR	83 51 36	151.706	151.759
		N	5447203.931			716647	79H9281	TERR	168 53 1	154.477	154.531
		E1	81.224	CVD28BC							
732529	79H9284	E	427737.299	0.9996508	0.9999867	738112	79H9286	TERR	303 44 48	257.561	257.651
		N	5447087.115								
		E1	101.839	CVD28BC							
700468	79H9285	E	427960.841	0.9996505	0.9999868	701482	92H0753	TERR	303 13 54	65.699	65.722
		N	5446952.966								
		E1	101.441	CVD28BC							
738112	79H9286	E	427523.137	0.9996512	0.9999866	732529	79H9284	TERR	123 44 48	257.561	257.651
		N	5447230.196								
		E1	102.223	CVD28BC							
681973	79H9287	E	427513.112	0.9996507	0.9999862	MARKER DESTROYED					
		N	5451036.597								
		E1	105.215	CVD28BC							
987594	79H9288	E	427577.522	0.9996516	0.9999872	6635	79H5497	TERR	7 9 12	111.690	111.729
		N	5451162.791								
		E1	98.652	CVD28BC							
640508	79H9289	E	427771.064	0.9996525	0.9999884	154567	79H5480	TERR	75 21 2	83.174	83.202
		N	5450888.283			855866	79H9409	TERR	180 59 45	247.578	247.665
		E1	90.778	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
140186	79H9298	E 427590.199 N 5449070.351 El 106.262		0.9996504	0.9999860	490326 403964	79H9296 79H5559	TERR TERR	92 23 11 262 15 47	163.889 112.202	163.947 112.242
587725	79H9299	E 427550.690 N 5449275.448 El 110.863		0.9996498	0.9999853	MARKER DESTROYED					
801423	79H9300	E 425746.183 N 5453846.578 El 93.928		0.9996557	0.9999880	466052 322206	82H5720 79H9305	TERR TERR	23 5 48 210 14 9	158.215 133.678	158.270 133.723
102830	79H9301	E 426094.711 N 5454219.874 El 72.239		0.9996585	0.9999914	788323 716944	79H9327 79H9302	TERR TERR	92 50 9 286 45 49	156.709 78.391	156.763 78.418
716944	79H9302	E 426019.651 N 5454242.484 El 67.488		0.9996593	0.9999921	102830 496596 837641	79H9301 82H5719 89H5614	TERR TERR TERR	106 45 49 189 56 20 303 32 36	78.391 265.997 254.587	78.418 266.088 254.674
828426	79H9303	E 425362.507 N 5452310.585 El 134.872		0.9996500	0.9999815	MARKER DESTROYED					
527267	79H9304	E 425190.649 N 5452405.848 El 130.068		0.9996510	0.9999823	MARKER DESTROYED					
322206	79H9305	E 425678.868 N 5453731.086 El 109.848		0.9996533	0.9999855	801423 422998	79H9300 79H9308	TERR TERR	30 14 9 115 28 7	133.678 188.001	133.723 188.067
225623	79H9306	E 425002.387 N 5452521.283 El 129.360		0.9996515	0.9999824	47308 897348 913210 595892	83H6031 98SG036 98SG037 98SG035	TERR GPS GPS GPS	64 14 50 121 31 42 325 41 5 335 6 5	165.598 366.595 671.910 180.358	165.655 366.723 672.145 180.420

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
401919	79H9307	E 424886.819 N 5452479.816 El 130.846		0.9996515	0.9999821		MARKER DESTROYED				
422998	79H9308	E 425848.599 N 5453650.243 El 128.054		0.9996502	0.9999826	14720 322206	79H9316 79H9305	TERR TERR	98 52 31 295 28 7	103.509 188.001	103.545 188.067
24810	79H9309	E 428648.294 N 5448448.122 El 93.879		0.9996505	0.9999880	53488 973768 514562 557249	79H9314 15H2766 15H2765 79H9310	TERR GPS GPS TERR	91 52 47 115 22 38 197 46 17 316 13 41	494.399 215.849 158.207 174.652	494.572 215.925 158.263 174.712
557249	79H9310	E 428527.472 N 5448574.238 El 97.218		0.9996502	0.9999874	390401 24810	79H9311 79H9309	TERR TERR	1 12 15 136 13 41	186.539 174.652	186.604 174.712
390401	79H9311	E 428531.392 N 5448760.736 El 110.475		0.9996481	0.9999854	407411 557249	79H9312 79H9310	TERR TERR	1 12 6 181 12 15	86.206 186.539	86.237 186.604
407411	79H9312	E 428533.200 N 5448846.923 El 111.332		0.9996480	0.9999852	902007 390401 964643	77H5143 79H9311 77H5144	TERR TERR TERR	91 12 8 181 12 6 271 12 7	376.841 86.206 102.152	376.974 86.237 102.188
202580	79H9313	E 429145.880 N 5448530.999 El 89.986		0.9996502	0.9999886	854141 53488	77H5298 79H9314	TERR TERR	1 59 9 181 59 45	194.388 99.153	194.455 99.188
53488	79H9314	E 429142.427 N 5448431.906 El 85.239		0.9996510	0.9999893	202580 263889 762351 230268 24810	79H9313 77H5280 15H2767 78H8326 79H9309	TERR GPS GPS TERR TERR	1 59 45 90 51 53 118 42 30 178 25 24 271 52 47	99.153 516.325 226.012 241.797 494.399	99.188 516.505 226.090 241.881 494.572
168278	79H9315	E 426253.949 N 5454468.104 El 47.381		0.9996621	0.9999953	788323	79H9327	TERR	180 36 32	255.998	256.085

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
14720	79H9316	E 425950.869 N 5453634.273 El 138.932		0.9996483	0.9999809	585000 422998	79H9319 79H9308	TERR TERR	197 3 11 278 52 31	151.322 103.509	151.376 103.545
				CVD28BC							
9613	79H9317	E 425344.383 N 5451895.539 El 118.339		0.9996526	0.9999841	307231 749614	79H9254 79H9325	TERR TERR	58 50 30 253 10 15	120.206 293.540	120.247 293.642
				CVD28BC							
208579	79H9318	E 428413.016 N 5451332.875 El 63.040		0.9996558	0.9999928	926550 350637	79H9324 92H0722	TERR TERR	88 59 54 92 39 51	256.915 133.478	257.003 133.524
				CVD28BC							
585000	79H9319	E 425906.493 N 5453489.604 El 152.804		0.9996462	0.9999787	14720 123695	79H9316 79H9320	TERR TERR	17 3 11 208 43 58	151.322 107.598	151.376 107.636
				CVD28BC							
123695	79H9320	E 425854.768 N 5453395.254 El 160.903		0.9996450	0.9999775	585000 275909 445551 585554	79H9319 79H9321 79H9338 92H0736	TERR TERR TERR TERR	28 43 58 107 21 46 223 47 9 243 12 44	107.598 206.710 490.593 68.118	107.636 206.782 490.768 68.142
				CVD28BC							
275909	79H9321	E 426052.059 N 5453333.568 El 165.503		0.9996439	0.9999767	2261 123695	79H9322 79H9320	TERR TERR	104 34 22 287 21 46	118.286 206.710	118.329 206.782
				CVD28BC							
2261	79H9322	E 426166.540 N 5453303.806 El 165.372		0.9996437	0.9999768	522060 275909	79H9326 79H9321	TERR TERR	67 5 32 284 34 22	326.308 118.286	326.425 118.329
				CVD28BC							
926550	79H9324	E 428669.892 N 5451337.366 El 72.448		0.9996538	0.9999913	274159 350637 208579	79H9329 92H0722 79H9318	TERR TERR TERR	69 30 40 265 3 8 268 59 54	119.532 124.004 256.915	119.574 124.047 257.003
				CVD28BC							
749614	79H9325	E 425063.415 N 5451810.553 El 115.805		0.9996535	0.9999845	9613 659516 488882 859173	79H9317 78H5442 98SG008 78H5443	TERR TERR TERR TERR	73 10 15 161 19 36 251 27 57 305 39 1	293.540 223.634 314.512 102.413	293.642 223.711 314.621 102.449
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
522060	79H9326	E	426467.113	0.9996429	0.9999765	835868	79H9331	TERR	68 5 22	247.231	247.319
		N	5453430.821					GPS	99 21 42	252.949	253.040
		E1	167.211					GPS	164 34 5	173.137	173.199
								GPS	204 33 13	367.355	367.486
								TERR	247 5 32	326.308	326.425
	79H9327	E	426251.228	0.9996578	0.9999910	168278	79H9315	TERR	0 36 32	255.998	256.085
		N	5454212.121					TERR	272 50 9	156.709	156.763
		E1	74.423								
	79H9328	E	429319.327	0.9996626	1.0000012	468108	78H5483	TERR	149 30 32	92.875	92.906
		N	5450899.197								
		E1	9.605								
	79H9329	E	428781.862	0.9996522	0.9999899	926550	79H9324	TERR	249 30 40	119.532	119.574
		N	5451379.205								
		E1	81.433								
	79H9330	E	432815.272	0.9996505	0.9999950	762112	79H5586	TERR	118 54 1	69.429	69.452
		N	5440992.789					TERR	339 4 45	68.416	68.441
		E1	49.010								
	79H9331	E	426696.486	0.9996426	0.9999766	953711	89H5613	TERR	73 19 46	121.645	121.688
		N	5453523.077					TERR	248 5 22	247.231	247.319
		E1	166.286								
	79H9332	E	426964.362	0.9996409	0.9999753	981746	79H9333	TERR	90 57 33	212.393	212.468
		N	5453487.609					TERR	294 56 6	166.902	166.962
		E1	174.474								
	79H9333	E	427176.725	0.9996406	0.9999754	6338	79H9334	TERR	92 19 50	218.641	218.720
		N	5453484.054					TERR	270 57 33	212.393	212.468
		E1	174.098								
6338	79H9334	E	427395.185	0.9996416	0.9999768	569376	79H9337	TERR	97 34 38	269.842	269.938
		N	5453475.163					TERR	272 19 50	218.641	218.720
		E1	164.992								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
773572	79H9336	E	428217.084	0.9996566	0.9999933	947937	82H5707	GPS	19 39 25	1134.021	1134.415
		N	5450853.390			94532	98SG027	GPS	34 41 39	967.024	967.359
		El	59.626			60681	79H5471	TERR	91 41 59	141.938	141.986
						255703	82H5700	GPS	136 46 1	836.119	836.407
						419655	77H5009	GPS	139 52 56	6071.444	6073.524
						837369	77H5295	GPS	170 35 35	3227.805	3228.917
						490326	79H9296	GPS	194 30 27	1848.812	1849.454
						988105	79H5481	TERR	280 41 45	238.698	238.781
						527721	84C004	GPS	296 13 12	16669.907	16675.348
						602763	98SG020	GPS	334 24 54	1168.343	1168.748
						252171	98SG022	GPS	353 8 54	1208.923	1209.343
569376	79H9337	E	427662.671	0.9996424	0.9999781	510479	88H4796	GPS	355 9 16	3388.617	3389.776
		N	5453439.581			753624	98SG041	GPS	62 35 58	268.541	268.635
		El	156.916			893735	79H9339	TERR	117 29 39	343.540	343.664
						6338	79H9334	TERR	277 34 38	269.842	269.938
						630442	98SG040	GPS	359 21 54	246.372	246.458
445551	79H9338	E	425515.294	0.9996458	0.9999776	123695	79H9320	TERR	43 47 9	490.593	490.768
		N	5453041.080			714287	79H9207	TERR	196 36 14	120.573	120.616
		El	159.833								
893735	79H9339	E	427967.411	0.9996386	0.9999749	569376	79H9337	TERR	297 29 39	343.540	343.664
		N	5453280.983			630442	98SG040	GPS	322 47 30	508.455	508.634
		El	177.555			753624	98SG041	GPS	346 46 22	289.873	289.976
622506	79H9340	E	428141.857	0.9996383	0.9999748		MARKER DESTROYED				
		N	5453202.641								
		El	177.734								
294835	79H9341	E	428255.984	0.9996390	0.9999757	821546	89H5615	TERR	84 53 17	220.765	220.845
		N	5453162.132								
		El	172.010								
21840	79H9343	E	436418.381	0.9996478	0.9999982	765479	96H2094	GPS	65 26 37	395.917	396.057
		N	5442937.414			712356	96H2086	GPS	177 36 33	969.028	969.366
		El	29.173			873513	79H9344	GPS	305 29 33	591.986	592.194
						255786	79H9353	GPS	357 2 21	140.624	140.674

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
873513	79H9344	E	435936.391	0.9996495	0.9999991	936260	79H9352	GPS	50 13 46	246.595	246.681
		N	5443281.118			765479	96H2094	GPS	102 0 40	860.947	861.250
		El	23.324			21840	79H9343	GPS	125 29 33	591.986	592.194
						712356	96H2086	GPS	158 17 12	1412.079	1412.572
						300897	96H2081	GPS	199 8 47	3446.309	3447.523
						419655	77H5009	GPS	307 34 32	4803.636	4805.299
						13201	14H2725	GPS	324 1 7	863.618	863.921
						943480	NO MARKING	GPS	339 35 45	3275.904	3277.045
168039	79H9348	E	435504.871	0.9996530	1.0000019	936260	79H9352	GPS	143 23 42	1041.527	1041.890
		N	5444274.971			13201	14H2725	GPS	194 25 25	304.607	304.713
		El	5.012			909861	98SG017	GPS	323 49 36	641.969	642.192
						943480	NO MARKING	GPS	341 6 32	2194.729	2195.489
129627	79H9350	E	428412.131	0.9996528	0.9999899	44149	79H9351	TERR	122 33 2	200.302	200.372
		N	5453449.189			176560	82H5684	TERR	358 57 34	164.525	164.581
		El	81.742								
44149	79H9351	E	428580.969	0.9996488	0.9999861	129627	79H9350	TERR	302 33 2	200.302	200.372
		N	5453341.418								
		El	105.709								
936260	79H9352	E	436125.927	0.9996512	1.0000011	255786	79H9353	GPS	141 41 34	460.073	460.234
		N	5443438.868			873513	79H9344	GPS	230 13 46	246.595	246.681
		El	10.642			168039	79H9348	GPS	323 23 42	1041.527	1041.890
255786	79H9353	E	436411.117	0.9996479	0.9999982	765479	96H2094	GPS	86 14 47	368.162	368.292
		N	5443077.850			21840	79H9343	GPS	177 2 21	140.624	140.674
		El	28.893			936260	79H9352	GPS	321 41 34	460.073	460.234
847467	79H9354	E	428843.537	0.9996520	0.9999898	325456	79H9355	TERR	1 56 49	82.975	83.004
		N	5451454.747								
		El	82.543								
325456	79H9355	E	428846.356	0.9996517	0.9999895	377333	79H9356	TERR	60 16 7	140.787	140.836
		N	5451537.674			847467	79H9354	TERR	181 56 49	82.975	83.004
		El	83.954			94532	98SG027	TERR	324 33 56	135.993	136.041
377333	79H9356	E	428968.610	0.9996534	0.9999914	951293	79H9360	TERR	94 55 29	171.522	171.582
		N	5451607.495			11452	92H0764	TERR	160 15 25	128.215	128.259
		El	72.062			325456	79H9355	TERR	240 16 7	140.787	140.836

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
872424	79H9357	E 429208.970 N 5450975.739 El 20.167		0.9996611	0.9999995		MARKER DESTROYED				
471516	79H9358	E 428641.440 N 5453188.306 El 136.539		0.9996439	0.9999813	862367 127944 331199 678292	13H2697 13H2703 13H2702 89H5616	GPS GPS GPS TERR	28 35 7 67 43 42 111 15 36 185 36 7	382.414 433.089 1022.142 85.844	382.548 433.243 1022.510 85.875
599993	79H9359	E 428743.942 N 5453252.182 El 124.364		0.9996456	0.9999832		MARKER DESTROYED				
951293	79H9360	E 429139.499 N 5451592.770 El 70.466		0.9996533	0.9999916	516484 377333	79H9361 79H9356	TERR TERR	141 35 4 274 55 29	157.704 171.522	157.758 171.582
516484	79H9361	E 429237.490 N 5451469.205 El 64.392		0.9996541	0.9999926	147868 951293	79H9364 79H9360	TERR TERR	51 36 20 321 35 4	56.029 157.704	56.048 157.758
602540	79H9362	E 432237.357 N 5443640.039 El 43.282		0.9996523	0.9999959	557785	79H9363	TERR	221 21 37	132.683	132.730
557785	79H9363	E 432149.681 N 5443540.451 El 49.165		0.9996515	0.9999950	602540 544163 584672	79H9362 90H6354 90H6364	TERR TERR TERR	41 21 37 133 19 51 310 7 56	132.683 159.053 200.140	132.730 159.109 200.209
147868	79H9364	E 429281.403 N 5451504.003 El 59.322		0.9996548	0.9999934	102863 516484	82H5632 79H9361	TERR TERR	115 17 44 231 36 20	78.945 56.029	78.972 56.048
615674	79H9365	E 429422.828 N 5451437.169 El 52.663		0.9996556	0.9999944	514414 102863	79H9366 82H5632	TERR TERR	112 13 35 295 17 35	121.948 77.477	121.990 77.504

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
514414	79H9366	E 429535.715 N 5451391.040 El 46.214		0.9996564	0.9999955	346080 615674	79H9375 79H9365	TERR TERR	112 25 20 292 13 35	123.594 121.948	123.637 121.990
				CVD28BC							
77180	79H9367	E 428316.214 N 5448851.483 El 115.404		0.9996477	0.9999846	964643 29413	77H5144 77H5147	TERR TERR	91 12 20 271 12 22	114.882 134.058	114.923 134.104
				CVD28BC							
315911	79H9369	E 427480.031 N 5450493.039 El 111.990		0.9996497	0.9999851	185348	79H5464	TERR	295 14 2	374.398	374.529
				CVD28BC							
541912	79H9373	E 427727.472 N 5450602.709 El 104.758		0.9996504	0.9999863	855866 933911	79H9409 79H9393	TERR TERR	45 55 50 315 56 37	54.682 121.258	54.702 121.301
				CVD28BC							
346080	79H9375	E 429649.965 N 5451343.898 El 33.913		0.9996582	0.9999974	82081 514414	79H9377 79H9366	TERR TERR	16 32 51 292 25 20	80.714 123.594	80.741 123.637
				CVD28BC							
555458	79H9376	E 423289.776 N 5454655.433 El 95.724		0.9996599	0.9999877	MARKER DESTROYED					
				CVD28BC							
82081	79H9377	E 429672.953 N 5451421.269 El 44.282		0.9996565	0.9999958	346080	79H9375	TERR	196 32 51	80.714	80.741
				CVD28BC							
832485	79H9378	E 429735.395 N 5451465.657 El 48.895		0.9996557	0.9999950	316372 593418	79H9379 83H6027	TERR TERR	123 14 38 324 41 57	157.164 86.833	157.219 86.862
				CVD28BC							
316372	79H9379	E 429866.838 N 5451379.499 El 38.367		0.9996571	0.9999967	832485	79H9378	TERR	303 14 38	157.164	157.219
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
245993	79H9380	E 428496.260 N 5449131.948 El 100.564		0.9996497	0.9999869	451716	82H5645	TERR	0 17 47	127.784	127.828
					CVD28BC						
483313	79H9381	E 432790.842 N 5441056.695 El 53.666		0.9996498	0.9999943	352930	79H9330	TERR	159 4 45	68.416	68.441
					CVD28BC						
914887	79H9382	E 432328.389 N 5440848.070 El 77.612		0.9996468	0.9999905	787572 806596	79H9387 79H9389	TERR TERR	2 19 13 266 38 39	188.043 117.520	188.109 117.562
					CVD28BC						
562785	79H9383	E 423282.195 N 5454049.657 El 110.287		0.9996577	0.9999854		MARKER DESTROYED				
					CVD28BC						
796474	79H9384	E 427509.392 N 5450802.268 El 110.709		0.9996499	0.9999853		MARKER DESTROYED				
					CVD28BC						
916841	79H9385	E 432944.832 N 5440957.779 El 46.667		0.9996506	0.9999954	213785 439240 34629 833632 593475 806596 762112 665885 994848 553859	08H2556 79H5590 08H2553 917001 83H6069 79H9389 79H5586 79H9192 77H5096 83H6083	GPS TERR GPS GPS GPS GPS TERR GPS GPS GPS	18 40 31 91 12 38 123 33 54 152 47 20 220 48 37 260 58 18 271 12 46 313 27 43 348 5 59 352 53 24	765.876 102.049 1552.417 5968.294 1481.318 742.966 68.793 3630.781 4058.427 1448.546	766.143 102.085 1552.964 5970.388 1481.837 743.228 68.818 3632.054 4059.834 1449.049
253229	79H9386	E 427484.355 N 5450760.427 El 112.680		0.9996496	0.9999850		MARKER ISOLATED				
					CVD28BC						
787572	79H9387	E 432336.002 N 5441035.959 El 69.808		0.9996480	0.9999917	848127 914887 356212	79H9395 79H9382 79H9394	TERR TERR TERR	121 45 9 182 19 13 349 21 5	281.508 188.043 155.622	281.607 188.109 155.677

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
746768	79H9388	E 427482.551 N 5450646.980 El 112.491		0.9996496	0.9999850		MARKER DESTROYED				
806596	79H9389	E 432211.071 N 5440841.191 El 89.916		0.9996450	0.9999886	916841 914887 833632 593475 795229 665885 994848	79H9385 79H9382 917001 83H6069 79H5524 79H9192 77H5096	GPS TERR GPS GPS TERR GPS GPS	80 58 18 86 38 39 146 17 38 193 7 54 274 54 48 323 57 60 358 33 17	742.966 117.520 6240.188 1031.566 140.619 3232.570 4089.091	743.228 117.562 6242.395 1031.930 140.668 3233.712 4090.519
855262	79H9390	E 433036.355 N 5441158.241 El 24.759		0.9996539	0.9999988		MARKER DESTROYED				
305631	79H9391	E 432281.770 N 5441281.711 El 71.700		0.9996478	0.9999914	356212 320580	79H9394 79H9397	TERR TERR	164 39 4 271 34 17	96.243 185.027	96.277 185.092
467571	79H9392	E 427597.038 N 5450645.215 El 109.250		0.9996499	0.9999855	933911	79H9393	TERR	45 55 59	64.180	64.202
933911	79H9393	E 427643.153 N 5450689.852 El 107.005		0.9996502	0.9999859	541912 467571	79H9373 79H9392	TERR TERR	135 56 37 225 55 59	121.258 64.180	121.301 64.202
356212	79H9394	E 432307.245 N 5441188.901 El 69.144		0.9996481	0.9999918	222257 787572 305631	79H9399 79H9387 79H9391	TERR TERR TERR	89 13 6 169 21 5 344 39 4	280.054 155.622 96.243	280.153 155.677 96.277
848127	79H9395	E 432575.376 N 5440887.815 El 54.234		0.9996500	0.9999942	632570 12161 787572	79H5595 83H6087 79H9387	TERR TERR TERR	46 28 15 208 26 24 301 45 9	106.767 201.632 281.508	106.805 201.702 281.607
495234	79H9396	E 432668.054 N 5441186.318 El 44.361		0.9996514	0.9999957	803510 222257	79H9398 79H9399	TERR TERR	176 6 21 274 31 58	139.371 81.034	139.419 81.062

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
320580	79H9397	E 432096.813 N 5441286.785 El 83.161		0.9996463	0.9999896	305631	79H9391	TERR	91 34 17	185.027	185.092
					CVD28BC						
803510	79H9398	E 432677.519 N 5441047.269 El 42.594		0.9996517	0.9999960	632570 495234	79H5595 79H9396	TERR TERR	196 3 34 356 6 21	89.410 139.371	89.441 139.419
					CVD28BC						
222257	79H9399	E 432587.273 N 5441192.722 El 44.100		0.9996516	0.9999958	495234 356212	79H9396 79H9394	TERR TERR	94 31 58 269 13 6	81.034 280.054	81.062 280.153
					CVD28BC						
949552	79H9400	E 424701.045 N 5455182.078 El 66.301		0.9996619	0.9999923	39453 673616 20743	79H9221 88H4803 79H9226	TERR TERR TERR	0 46 12 180 45 50 280 16 46	240.760 178.096 93.398	240.841 178.156 93.430
					CVD28BC						
408286	79H9401	E 429472.943 N 5446720.138 El 67.722		0.9996532	0.9999921	414888 408070	79H9235 79H9218	TERR TERR	0 31 31 180 31 44	107.244 239.604	107.281 239.687
					CVD28BC						
369603	79H9402	E 429386.055 N 5446482.003 El 58.680		0.9996547	0.9999935	412072 408070 365254	79H9406 79H9218 90H6366	TERR TERR TERR	0 44 46 90 59 14 187 48 24	192.632 84.689 49.724	192.699 84.718 49.741
					CVD28BC						
821884	79H9403	E 432834.483 N 5439560.307 El 51.660		0.9996500	0.9999946	404863	79H9220	TERR	337 29 6	86.367	86.397
					CVD28BC						
657700	79H9404	E 425028.035 N 5453708.747 El 97.970		0.9996564	0.9999873	237610	79H9405	TERR	186 5 29	100.946	100.980
					CVD28BC						
237610	79H9405	E 425017.323 N 5453608.371 El 101.227		0.9996559	0.9999868	657700 906230	79H9404 79H9408	TERR TERR	6 5 29 205 3 36	100.946 108.224	100.980 108.262
					CVD28BC						

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
412072	79H9406	E 429388.563 N 5446674.619 El 60.926		0.9996544	0.9999931	369603	79H9402	TERR	180 44 46	192.632	192.699
906230	79H9408	E 424971.483 N 5453510.335 El 103.379		0.9996556	0.9999865	237610 261917 482349 603050 186817 893701	79H9405 82H5706 98SG019 79H9212 03SG078 03SG080	TERR GPS GPS TERR GPS GPS	25 3 36 162 54 19 211 48 50 216 14 40 277 33 21 285 57 58	108.224 326.095 359.594 191.737 241.887 491.090	108.262 326.209 359.718 191.803 241.970 491.258
855866	79H9409	E 427766.761 N 5450640.742 El 103.169		0.9996506	0.9999865	640508 541912	79H9289 79H9373	TERR TERR	0 59 45 225 55 50	247.578 54.682	247.665 54.702
432666	79H9410	E 429359.146 N 5446806.515 El 63.640		0.9996540	0.9999927	433110	92H0725	TERR	352 30 16	88.280	88.311
71704	81H4315	E 429987.127 N 5451795.153 El 128.042		0.9996429	0.9999826		MARKER DESTROYED				
706317	82H5626	E 425797.316 N 5450480.521 El 107.013		0.9996535	0.9999859	493122 999144	82H5627 79H5579	TERR TERR	160 11 35 326 11 26	151.697 94.236	151.750 94.268
493122	82H5627	E 425848.719 N 5450337.799 El 105.201		0.9996537	0.9999862	523605 706317	78H5458 82H5626	TERR TERR	146 11 33 340 11 35	88.712 151.697	88.743 151.750
49155	82H5628	E 426573.657 N 5449790.287 El 109.655		0.9996517	0.9999855	533976 301952	78H5451 82H5634	TERR TERR	175 52 5 270 38 21	104.869 142.073	104.906 142.123
227777	82H5629	E 426886.353 N 5449996.171 El 116.554		0.9996501	0.9999844	534578	79H9242	TERR	0 39 0	84.528	84.558

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER -----		IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET	MARKING					
474791		82H5630	E N E1	426936.842 5450371.384 123.908	0.9996488	0.9999832	910463		82H5633	TERR	271 41 25	234.974	235.057	
508291		82H5631	E N E1	426690.396 5450485.411 112.139	0.9996511	0.9999851	199505 910463 756478		82H5640 82H5633 82H5635	TERR TERR TERR	90 57 48 173 49 55 322 8 39	130.736 107.720 238.270	130.781 107.757 238.354	
102863		82H5632	E N E1	429352.778 5451470.271 57.919	0.9996549	0.9999936	615674 147868		79H9365 79H9364	TERR TERR	115 17 35 295 17 44	77.477 78.945	77.504 78.972	
910463		82H5633	E N E1	426701.970 5450378.315 109.991	0.9996514	0.9999854	474791 508291		82H5630 82H5631	TERR TERR	91 41 25 353 49 55	234.974 107.720	235.057 107.757	
301952		82H5634	E N E1	426431.593 5449791.872 115.664	0.9996510	0.9999845	952846 153114 441196 49155 570135 490326 419655 837369 275438 879106 648519 636803 735472 801225 390450 102194 347336		79H9232 2284 96H2089 82H5628 96H2084 79H9296 77H5009 77H5295 96H2085 79H5529 90H6398 90H6394 90H6399 11700 96H2098 96H2088 92H0729	TERR GPS GPS TERR GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS GPS	0 37 60 8 46 17 16 25 29 90 38 21 93 25 21 118 50 45 122 9 10 132 32 42 158 56 12 173 51 11 183 29 38 192 25 17 198 52 26 210 22 53 279 47 59 314 33 32 329 37 29	208.097 2863.592 3462.916 142.073 4568.672 1509.670 6729.815 3139.565 6966.309 3196.842 2719.285 2763.334 2822.852 5993.072 1762.097 4292.826 6186.880	208.169 2864.625 3464.146 142.123 4570.245 1510.199 6732.139 3140.656 6968.767 3197.974 2720.239 2764.304 2823.840 5995.571 1762.704 4294.307 6189.007	
756478		82H5635	E N E1	426544.175 5450673.539 113.979	0.9996511	0.9999848	508291 255992		82H5631 78H5438	TERR TERR	142 8 39 305 36 58	238.270 215.780	238.354 215.855	
716373		82H5636	E N E1	428341.165 5449027.390 107.746	0.9996489	0.9999858	234427		82H5637	TERR	94 52 28	153.430	153.484	

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
234427	82H5637	E 428494.040 N 5449014.353 El 101.608		0.9996496	0.9999867	716373	82H5636	TERR	274 52 28	153.430	153.484
449538	82H5638	E 429918.838 N 5451829.195 El 107.299		0.9996462	0.9999859	819995	79H5571	TERR	275 5 37	77.964	77.991
199505	82H5640	E 426821.113 N 5450483.213 El 116.913		0.9996501	0.9999843	508291	82H5631	TERR	270 57 48	130.736	130.781
358747	82H5642	E 426432.896 N 5450091.334 El 110.694		0.9996518	0.9999853	86967 952846	90H9787 79H9232	TERR TERR	92 28 35 179 22 30	242.519 91.383	242.603 91.416
776559	82H5643	E 428185.277 N 5449016.364 El 115.371		0.9996479	0.9999846	134320	79H9174	TERR	1 5 21	140.663	140.713
734103	82H5644	E 431524.435 N 5446639.464 El 5.388		0.9996594	1.0000019	87650 297820 228429	77H5042 88H4771 77H5052	TERR TERR TERR	173 47 32 261 54 28 356 47 30	162.641 81.702 164.310	162.696 81.729 164.365
451716	82H5645	E 428496.921 N 5449259.730 El 98.310		0.9996501	0.9999873	472035 245993 241232	78H5460 79H9380 79H9157	TERR TERR TERR	91 20 27 180 17 47 271 20 45	125.693 127.784 85.413	125.737 127.828 85.443
612010	82H5646	E 428661.878 N 5450773.545 El 39.156		0.9996591	0.9999965	647636 97956 667220	82H5702 82H5647 79H5473	TERR TERR TERR	136 15 52 229 29 30 347 13 24	219.701 86.185 68.613	219.777 86.213 68.636
97956	82H5647	E 428596.351 N 5450717.563 El 50.393		0.9996574	0.9999948	612010 464115 759480	82H5646 82H5671 82H5648	TERR TERR TERR	49 29 30 139 29 11 298 5 47	86.185 116.471 70.202	86.213 116.511 70.227

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING		Bearing				
759480	82H5648	E N El	428534.422 5450750.625 53.202	0.9996571	0.9999943	97956 155515	82H5647 82H5649	TERR TERR	118 5 47 271 42 52			70.202 76.842	70.227 76.869
155515	82H5649	E N El	428457.614 5450752.924 57.363	0.9996566	0.9999937	759480	82H5648	TERR	91 42 52			76.842	76.869
729103	82H5650	E N El	428515.683 5450668.473 57.825	0.9996564	0.9999936	645861	82H5651	TERR	139 28 11			131.571	131.617
645861	82H5651	E N El	428601.184 5450568.471 56.592	0.9996564	0.9999938	464115 729103	82H5671 82H5650	TERR TERR	49 28 35 319 28 11			93.180 131.571	93.212 131.617
49122	82H5652	E N El	431720.141 5446152.321 8.271	0.9996587	1.0000014		MARKER DESTROYED						
543223	82H5653	E N El	431698.791 5446287.048 9.086	0.9996586	1.0000013	349852 824763	82H5655 77H5034	TERR TERR	6 7 37 282 31 21			84.341 29.711	84.370 29.721
271379	82H5654	E N El	431678.102 5446433.929 15.473	0.9996576	1.0000003	349852 442558	82H5655 88H4799	TERR TERR	154 46 26 348 6 5			69.666 83.858	69.690 83.886
349852	82H5655	E N El	431707.793 5446370.907 12.083	0.9996581	1.0000008	543223 271379	82H5653 82H5654	TERR TERR	186 7 37 334 46 26			84.341 69.666	84.370 69.690
516203	82H5657	E N El	431795.026 5446119.084 7.505	0.9996587	1.0000015		MARKER DESTROYED						

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

FROM MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing			UTM Grid Distance		Ground Distance
-----	-----					-----	-----							
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					Metres	Metres	
875583	82H5658	E	426836.973	0.9996429	0.9999771	879106	79H5529	TERR	213	53	55	113.081	113.121	
		N	5446707.270			869040	79H5534	TERR	300	44	11	172.682	172.743	
		E1	162.999	CVD28BC										
262402	82H5659	E	427145.526	0.9996494	0.9999842	881607	82H5667	TERR	0	38	8	203.714	203.785	
		N	5446862.522			262279	79H5496	TERR	88	40	20	71.121	71.146	
		E1	117.437	CVD28BC		584375	82H5660	TERR	269	24	55	239.207	239.291	
584375	82H5660	E	426906.332	0.9996480	0.9999823	262402	82H5659	TERR	89	24	55	239.207	239.291	
		N	5446860.081			790147	79H5530	TERR	271	6	36	291.919	292.022	
		E1	129.589	CVD28BC										
810382	82H5661	E	426514.553	0.9996439	0.9999775	790147	79H5530	TERR	94	31	9	100.227	100.262	
		N	5446873.633			814707	82H5662	TERR	273	0	17	122.855	122.899	
		E1	160.229	CVD28BC										
814707	82H5662	E	426391.867	0.9996441	0.9999775	810382	82H5661	TERR	93	0	17	122.855	122.899	
		N	5446880.073			272062	16H2768	GPS	213	59	54	302.992	303.100	
		E1	160.234	CVD28BC										
982835	82H5663	E	424300.348	0.9996550	0.9999847	871475	78H5446	TERR	40	42	2	255.517	255.605	
		N	5452714.321			352385	79H9186	TERR	231	54	14	158.045	158.100	
		E1	114.869	CVD28BC										
137133	82H5664	E	424030.175	0.9996550	0.9999841	457093	78H5448	TERR	88	8	38	241.454	241.537	
		N	5453358.935			36103	79H9189	TERR	174	16	27	103.691	103.726	
		E1	118.310	CVD28BC		560870	79H9190	TERR	354	16	28	461.624	461.784	
398792	82H5665	E	427628.569	0.9996470	0.9999827	238527	79H5513	TERR	20	24	4	140.105	140.154	
		N	5446527.019											
		E1	127.306	CVD28BC										
819391	82H5666	E	426405.687	0.9996425	0.9999760	MARKER DESTROYED								
		N	5446694.572											
		E1	170.082	CVD28BC										

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
881607	82H5667	E	427147.786	0.9996495	0.9999843	875773	89H5635	TERR	0 11 60	92.298	92.330
		N	5447066.223					TERR	97 35 19	102.181	102.216
		El	117.324					TERR	180 38 8	203.714	203.785
			CVD28BC					TERR	271 46 50	361.108	361.235
	82H5668	E	428714.979	0.9996556	0.9999931	255703	82H5700	TERR	126 36 47	93.211	93.244
		N	5450299.807					TERR	351 28 58	86.863	86.892
		El	60.941								
			CVD28BC								
464115	82H5671	E	428672.014	0.9996574	0.9999949	177550	82H5673	TERR	142 14 56	123.398	123.440
		N	5450629.016					TERR	229 28 35	93.180	93.212
		El	49.687					TERR	319 29 11	116.471	116.511
			CVD28BC								
177550	82H5673	E	428747.562	0.9996572	0.9999948	775619	82H5698	TERR	215 17 11	88.427	88.458
		N	5450531.448					TERR	322 14 56	123.398	123.440
		El	50.061								
			CVD28BC								
257659	82H5674	E	431738.534	0.9996585	1.0000013	308155	77H5020	TERR	225 57 2	78.557	78.584
		N	5446067.372					TERR	310 1 28	108.093	108.130
		El	9.146					TERR	342 40 51	101.538	101.573
			CVD28BC								
250860	82H5675	E	428000.832	0.9996543	0.9999907	276477	82H5714	TERR	157 2 34	91.126	91.157
		N	5450787.073								
		El	76.693								
			CVD28BC								
491696	82H5676	E	426087.506	0.9996612	0.9999941	479790	89H5612	TERR	302 35 35	276.356	276.450
		N	5454462.601								
		El	54.665								
			CVD28BC								
532838	82H5677	E	429054.038	0.9996595	0.9999977	382937	82H5683	TERR	100 44 38	175.624	175.684
		N	5453600.958					TERR	280 25 7	226.846	226.923
		El	31.807								
			CVD28BC								
613869	82H5678	E	428571.536	0.9996585	0.9999958	790949	98SG060	TERR	3 30 7	371.463	371.590
		N	5453637.806					GPS	9 58 22	663.634	663.861
		El	43.760					TERR	89 4 40	259.430	259.518
			CVD28BC					GPS	114 12 36	277.262	277.357
								GPS	128 43 58	1310.758	1311.218
								TERR	261 33 7	164.174	164.231
								GPS	315 7 18	915.522	915.834

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
623702	82H5679	E 429845.504 N 5453323.654 El 19.819		0.9996601	0.9999996	694612 872747	79H9219 82H5680	TERR TERR	125 30 33 306 11 51	211.134 292.574	211.206 292.674
872747	82H5680	E 429609.401 N 5453496.440 El 17.903		0.9996608	0.9999999	623702 331199 486712 862367 685800	82H5679 13H2702 13H2698 13H2697 82H5681	TERR GPS GPS GPS TERR	126 11 51 181 17 53 219 5 59 272 1 7 285 20 13	292.574 678.937 118.884 785.476 190.276	292.674 679.175 118.924 785.745 190.341
685800	82H5681	E 429425.901 N 5453546.767 El 25.117		0.9996600	0.9999988	872747 382937	82H5680 82H5683	TERR TERR	105 20 13 276 8 34	190.276 200.469	190.341 200.537
592220	82H5682	E 428830.932 N 5453641.981 El 35.734		0.9996593	0.9999971	532838 613869	82H5677 82H5678	TERR TERR	100 25 7 269 4 40	226.846 259.430	226.923 259.518
382937	82H5683	E 429226.583 N 5453568.218 El 29.874		0.9996596	0.9999980	685800 532838	82H5681 82H5677	TERR TERR	96 8 34 280 44 38	200.469 175.624	200.537 175.684
176560	82H5684	E 428409.143 N 5453613.687 El 56.449		0.9996568	0.9999939	613869 129627 682294	82H5678 79H9350 82H5685	TERR TERR TERR	81 33 7 178 57 34 274 48 56	164.174 164.525 162.429	164.231 164.581 162.485
682294	82H5685	E 428247.287 N 5453627.323 El 59.538		0.9996566	0.9999934	176560 96388	82H5684 82H5687	TERR TERR	94 48 56 283 33 18	162.429 185.754	162.485 185.818
967000	82H5686	E 427638.342 N 5453927.714 El 45.172		0.9996599	0.9999956	589507 507137 96388 753624 630442 639088	90H6387 90H6384 82H5687 98SG041 98SG040 82H5688	TERR TERR TERR GPS GPS TERR	1 40 37 120 44 15 120 56 51 144 13 6 174 53 42 271 16 51	250.632 317.991 499.470 449.365 242.739 702.321	250.718 318.100 499.641 449.520 242.823 702.560
96388	82H5687	E 428066.707 N 5453670.860 El 57.944		0.9996572	0.9999936	682294 753624 630442 967000 507137	82H5685 98SG041 98SG040 82H5686 90H6384	TERR GPS GPS TERR TERR	103 33 18 236 57 60 272 7 22 300 56 51 301 18 56	185.754 197.558 407.045 499.470 181.485	185.818 197.626 407.186 499.641 181.547

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
647636	82H5702	E	428813.764	0.9996592	0.9999969	58214	82H5704	TERR	1 33 14	129.908	129.952
		N	5450614.802			470898	82H5701	TERR	181 33 19	129.402	129.447
		El	36.603	CVD28BC		612010	82H5646	TERR	316 15 52	219.701	219.777
971325	82H5703	E	428737.786	0.9996604	0.9999980	856153	78H5473	TERR	91 43 27	165.224	165.280
		N	5450837.705			58214	82H5704	TERR	139 29 15	122.382	122.423
		El	30.082	CVD28BC		667220	79H5473	TERR	271 43 55	91.124	91.155
58214	82H5704	E	428817.287	0.9996607	0.9999985	647636	82H5702	TERR	181 33 14	129.908	129.952
		N	5450744.662			971325	82H5703	TERR	319 29 15	122.382	122.423
		El	26.965	CVD28BC							
261917	82H5706	E	425067.340	0.9996489	0.9999800	897348	98SG036	GPS	164 6 7	903.627	903.944
		N	5453198.647			595892	98SG035	GPS	195 20 5	532.737	532.923
		El	144.865	CVD28BC		913210	98SG037	GPS	254 34 45	460.312	460.474
						482349	98SG019	GPS	271 13 41	285.487	285.587
						906230	79H9408	GPS	342 54 19	326.095	326.209
947937	82H5707	E	428598.552	0.9996488	0.9999862	331199	13H2702	GPS	47 59 57	1339.554	1340.031
		N	5451921.325			94532	98SG027	GPS	148 13 57	320.925	321.037
		El	105.396	CVD28BC		773572	79H9336	GPS	199 39 25	1134.021	1134.415
						602763	98SG020	GPS	269 5 5	886.130	886.441
						252171	98SG022	GPS	284 7 54	542.098	542.289
						153114	2284	GPS	292 2 41	1866.756	1867.431
						760389	98SG025	TERR	307 56 40	164.074	164.132
43521	82H5712	E	427107.080	0.9996491	0.9999838		MARKER DESTROYED				
		N	5450368.749								
		El	120.278	CVD28BC							
211185	82H5713	E	427069.868	0.9996494	0.9999840		MARKER DESTROYED				
		N	5450479.036								
		El	118.978	CVD28BC							
276477	82H5714	E	428036.375	0.9996538	0.9999901	992792	79H9175	TERR	153 17 7	85.372	85.402
		N	5450703.165			250860	82H5675	TERR	337 2 34	91.126	91.157
		El	79.953	CVD28BC							

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid		Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING		Bearing	Distance Metres				
914846	82H5718	E	424089.306	0.9996560	0.9999852	656660	89H5650	TERR	1	0	21	196.727	196.795	
		N	5454035.364			623611	93H1179	TERR	94	14	53	485.162	485.329	
		E1	111.275			CVD28BC	102194	96H2088	GPS	210	11	29	1424.729	1425.217
						622597	94H1618	GPS	233	6	58	1345.376	1345.838	
						211631	94H1617	GPS	238	6	34	1250.134	1250.562	
						452391	96H2090	GPS	246	44	56	1649.102	1649.665	
						791046	03SG086	GPS	263	16	15	1131.440	1131.827	
						858100	03SG087	GPS	269	40	3	808.667	808.944	
						4127	78H5449	TERR	272	16	57	123.506	123.548	
		347336	92H0729	GPS	324	18	6	1347.290	1347.750					
496596	82H5719	E	425973.741	0.9996571	0.9999898	716944	79H9302	TERR	9	56	20	265.997	266.088	
		N	5453980.479			71696	82H5690	TERR	92	5	48	311.228	311.335	
		E1	82.076			CVD28BC	466052	82H5720	TERR	274	1	14	165.901	165.958
466052	82H5720	E	425808.248	0.9996577	0.9999901	496596	82H5719	TERR	94	1	14	165.901	165.958	
		N	5453992.111			801423	79H9300	TERR	203	5	48	158.215	158.270	
		E1	80.392			CVD28BC	469510	82H5721	TERR	272	5	35	118.498	118.539
469510	82H5721	E	425689.829	0.9996582	0.9999904	827808	83H6051	TERR	0	37	34	245.277	245.361	
		N	5453996.439			466052	82H5720	TERR	92	5	35	118.498	118.539	
		E1	78.239			CVD28BC	14118	82H5722	TERR	270	6	31	404.534	404.672
14118	82H5722	E	425285.296	0.9996580	0.9999894	730622	83H6028	TERR	0	45	46	351.579	351.700	
		N	5453997.206			469510	82H5721	TERR	90	6	31	404.534	404.672	
		E1	84.709			CVD28BC								
810911	82H5723	E	424995.165	0.9996577	0.9999886	MARKER DESTROYED								
N	5454001.830													
E1	89.953	CVD28BC												
263871	82H5724	E	424883.272	0.9996574	0.9999881	27029	89H5610	TERR	0	47	37	654.879	655.103	
		N	5454003.613			186817	03SG078	GPS	198	11	0	485.728	485.895	
		E1	92.908			CVD28BC	623611	93H1179	TERR	269	13	35	310.165	310.272
605287	82H5725	E	424539.675	0.9996553	0.9999853	MARKER DESTROYED								
N	5454009.336													
E1	110.596	CVD28BC												

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
941674	83H6003	E 425551.760 N 5454344.457 El 70.640		0.9996597	0.9999916	455956 730622	88H4794 83H6028	TERR TERR	71 24 39 270 56 25	80.193 261.819	80.220 261.909
				CVD28BC							
884239	83H6004	E 431573.937 N 5443431.628 El 43.520		0.9996534	0.9999959	261800 825794	83H6010 83H6005	TERR TERR	181 0 37 271 19 49	424.306 420.879	424.453 421.026
				CVD28BC							
825794	83H6005	E 431153.171 N 5443441.399 El 45.116		0.9996538	0.9999956	815761 884239	77H5277 83H6004	TERR TERR	1 2 56 91 19 49	420.353 420.879	420.499 421.026
				CVD28BC							
303719	83H6006	E 430729.054 N 5443324.509 El 56.356		0.9996528	0.9999938	322388	77H5243	TERR	0 59 41	122.802	122.844
				CVD28BC							
166918	83H6007	E 430721.856 N 5443025.167 El 70.290		0.9996506	0.9999917		MARKER DESTROYED				
				CVD28BC							
202911	83H6008	E 431145.865 N 5443019.869 El 60.629		0.9996514	0.9999932	932202	83H6009	TERR	92 15 42	211.220	211.293
				CVD28BC							
932202	83H6009	E 431356.920 N 5443011.534 El 58.111		0.9996515	0.9999936	261800 202911	83H6010 83H6008	TERR TERR	91 8 1 272 15 42	209.577 211.220	209.650 211.293
				CVD28BC							
261800	83H6010	E 431566.456 N 5443007.388 El 47.192		0.9996528	0.9999953	884239 267898 932202	83H6004 83H6011 83H6009	TERR TERR TERR	1 0 37 91 8 9 271 8 1	424.306 413.765 209.577	424.453 413.909 209.650
				CVD28BC							
267898	83H6011	E 431980.140 N 5442999.186 El 29.887		0.9996548	0.9999980	980631 261800	83H6012 83H6010	TERR TERR	103 26 55 271 8 9	186.110 413.765	186.174 413.909
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
980631	83H6012	E 432161.147 N 5442955.902 El 30.975		0.9996544	0.9999978	209213 267898	83H6013 83H6011	TERR TERR	130 25 42 283 26 55	308.190 186.110	308.297 186.174
				CVD28BC							
209213	83H6013	E 432395.747 N 5442756.042 El 22.022		0.9996554	0.9999992	7120 980631	77H5150 83H6012	TERR TERR	177 29 1 310 25 42	143.375 308.190	143.424 308.297
				CVD28BC							
391698	83H6014	E 425675.734 N 5451871.111 El 140.837		0.9996485	0.9999806	105759	79H9223	TERR	44 18 28	162.890	162.947
				CVD28BC							
138537	83H6015	E 427255.830 N 5449752.275 El 119.415		0.9996490	0.9999839	483164	90H9800	TERR	134 11 26	233.036	233.118
				CVD28BC							
694471	83H6018	E 432880.783 N 5441656.344 El 13.767		0.9996559	1.0000005		MARKER DESTROYED				
				CVD28BC							
744391	83H6019	E 425694.140 N 5454392.349 El 68.879		0.9996597	0.9999919		MARKER DESTROYED				
				CVD28BC							
719526	83H6020	E 427419.258 N 5449583.080 El 114.022		0.9996495	0.9999848		MARKER DESTROYED				
				CVD28BC							
675652	83H6022	E 427721.841 N 5449282.238 El 114.103		0.9996490	0.9999848	463190 678805 583443	79H5566 90H9810 90H9816	TERR TERR TERR	91 51 59 147 9 42 342 29 21	468.479 276.815 206.037	468.643 276.912 206.110
				CVD28BC							
610600	83H6023	E 425455.791 N 5450496.527 El 102.856		0.9996548	0.9999865	673988	79H5577	TERR	0 18 26	231.069	231.149
				CVD28BC							

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance		Ground Distance
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING					Metres	Metres	
64956		83H6024	E	427646.586	0.9996620	0.9999977	362574	79H5526	TERR	1	31	51	135.919	135.964	
			N	5454318.946			141150	83H6025	TERR	95	4	49	89.395	89.426	
			E1	31.872	CVD28BC		589507	90H6387	TERR	180	22	13	140.710	140.758	
141150		83H6025	E	427735.630	0.9996618	0.9999976	639021	83H6035	TERR	173	19	54	97.078	97.111	
			N	5454311.030			64956	83H6024	TERR	275	4	49	89.395	89.426	
			E1	32.445	CVD28BC										
593418		83H6027	E	429685.217	0.9996542	0.9999934	832485	79H9378	TERR	144	41	57	86.833	86.862	
			N	5451536.524											
			E1	59.099	CVD28BC										
730622		83H6028	E	425289.976	0.9996595	0.9999909	665000	88H4801	TERR	0	44	40	309.450	309.555	
			N	5454348.754			941674	83H6003	TERR	90	56	25	261.819	261.909	
			E1	75.024	CVD28BC		14118	82H5722	TERR	180	45	46	351.579	351.700	
47308		83H6031	E	425151.537	0.9996510	0.9999822	225623	79H9306	TERR	244	14	50	165.598	165.655	
			N	5452593.233											
			E1	130.721	CVD28BC										
639021		83H6035	E	427746.903	0.9996606	0.9999965	141150	83H6025	TERR	353	19	54	97.078	97.111	
			N	5454214.609											
			E1	39.651	CVD28BC										
264960		83H6037	E	429466.993	0.9996615	1.0000004	MARKER DESTROYED								
			N	5450931.021											
			E1	14.730	CVD28BC										
857615		83H6038	E	429578.632	0.9996624	1.0000015	MARKER DESTROYED								
			N	5451023.031											
			E1	7.539	CVD28BC										
613067		83H6039	E	429680.062	0.9996621	1.0000014	MARKER DESTROYED								
			N	5451048.406											
			E1	8.459	CVD28BC										

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
512343	83H6040	E N El	429741.611 5451112.159 10.698	0.9996617	1.0000010	419200	83H6041	TERR	354 31 59	102.644	102.678
419200	83H6041	E N El	429731.832 5451214.336 16.725	0.9996607	1.0000001	955500 512343	83H6042 83H6040	TERR TERR	72 53 24 174 31 59	87.534 102.644	87.565 102.678
955500	83H6042	E N El	429815.492 5451240.089 14.458	0.9996609	1.0000004	718965 419200	83H6043 83H6041	TERR TERR	94 25 16 252 53 24	121.912 87.534	121.953 87.565
718965	83H6043	E N El	429937.041 5451230.691 14.529	0.9996607	1.0000004	449959 955500	83H6044 83H6042	TERR TERR	54 48 12 274 25 16	102.454 121.912	102.489 121.953
449959	83H6044	E N El	430020.764 5451289.744 16.186	0.9996603	1.0000002	718965	83H6043	TERR	234 48 12	102.454	102.489
258368	83H6045	E N El	430144.676 5451317.746 14.729	0.9996603	1.0000004	MARKER DESTROYED					
867077	83H6046	E N El	430342.189 5451469.827 36.341	0.9996566	0.9999970	884577 265603	83H6047 93H1177	TERR TERR	4 11 49 112 46 35	148.156 209.028	148.207 209.100
884577	83H6047	E N El	430353.032 5451617.586 45.013	0.9996552	0.9999957	867077 403717	83H6046 83H6048	TERR TERR	184 11 49 353 40 17	148.156 103.663	148.207 103.698
403717	83H6048	E N El	430341.605 5451720.617 42.553	0.9996556	0.9999960	145524 884577	83H6049 83H6047	TERR TERR	13 58 58 173 40 17	167.901 103.663	167.960 103.698

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
145524	83H6049	E 430382.175 N 5451883.543 El 49.886		0.9996544	0.9999949	4804 403717	83H6050 83H6048	TERR TERR	23 47 51 193 58 58	276.058 167.901	276.153 167.960
4804	83H6050	E 430493.566 N 5452136.130 El 49.168		0.9996544	0.9999950	136291 145524	79H9244 83H6049	TERR TERR	55 55 21 203 47 51	275.345 276.058	275.440 276.153
827808	83H6051	E 425692.509 N 5454241.701 El 70.285		0.9996595	0.9999917	846667 469510	93H1181 82H5721	TERR TERR	0 30 14 180 37 34	150.459 245.277	150.510 245.361
696740	83H6054	E 428547.984 N 5454410.310 El 26.859		0.9996612	0.9999985	951830 835801	88H4791 79H5527	TERR TERR	130 38 56 275 17 10	182.519 195.372	182.581 195.438
75077	83H6055	E 431975.618 N 5440166.840 El 81.783		0.9996467	0.9999899	73718 110155	83H6084 88H4757	TERR TERR	69 44 38 176 27 56	112.987 170.521	113.026 170.582
29900	83H6056	E 432741.550 N 5442695.958 El 5.478		0.9996574	1.0000018	325431 553859	83H6057 83H6083	TERR TERR	46 6 20 175 26 23	94.525 301.727	94.556 301.831
325431	83H6057	E 432809.666 N 5442761.495 El 6.712		0.9996571	1.0000016	399105 29900	83H6058 83H6056	TERR TERR	2 42 7 226 6 20	124.137 94.525	124.180 94.556
399105	83H6058	E 432815.518 N 5442885.494 El 9.528		0.9996566	1.0000012	325431 335646	83H6057 83H6061	TERR TERR	182 42 7 343 41 47	124.137 118.157	124.180 118.198
540138	83H6059	E 427742.781 N 5446344.003 El 145.947		0.9996439	0.9999798	175299	98SG064	TERR	209 26 16	74.402	74.429

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
335646	83H6061	E	432782.348	0.9996561	1.0000006	333260	83H6062	TERR	26 7 58	133.674	133.720
		N	5442998.900			399105	83H6058	TERR	163 41 47	118.157	118.198
		El	13.201			495069	90H6379	TERR	235 17 58	91.753	91.784
333260	83H6062	E	432841.225	0.9996554	1.0000000	291658	83H6063	TERR	2 54 50	96.074	96.108
		N	5443118.909			335646	83H6061	TERR	206 7 58	133.674	133.720
		El	17.256								
291658	83H6063	E	432846.109	0.9996562	1.0000008	333260	83H6062	TERR	182 54 50	96.074	96.108
		N	5443214.859			182170	83H6064	TERR	332 42 51	185.593	185.656
		El	12.112								
182170	83H6064	E	432761.028	0.9996557	1.0000002	909861	98SG017	GPS	59 8 8	2755.101	2756.052
		N	5443379.801			366161	08H2555	GPS	110 32 27	4543.701	4545.283
		El	15.959			291658	83H6063	TERR	152 42 51	185.593	185.656
						553859	83H6083	GPS	179 44 15	984.625	984.963
						164285	83H6065	TERR	316 53 24	219.610	219.686
						920009	No Marking	GPS	336 59 12	2946.083	2947.100
164285	83H6065	E	432610.946	0.9996552	0.9999994	182170	83H6064	TERR	136 53 24	219.610	219.686
		N	5443540.126			162073	83H6066	TERR	323 56 8	113.811	113.851
		El	21.078								
162073	83H6066	E	432543.946	0.9996553	0.9999994	164285	83H6065	TERR	143 56 8	113.811	113.851
		N	5443632.126			127043	83H6067	TERR	314 8 30	259.931	260.020
		El	20.984								
127043	83H6067	E	432357.414	0.9996560	0.9999998	162073	83H6066	TERR	134 8 30	259.931	260.020
		N	5443813.151			45799	83H6068	TERR	317 13 49	376.518	376.649
		El	18.766								
45799	83H6068	E	432101.738	0.9996558	0.9999992	127043	83H6067	TERR	137 13 49	376.518	376.649
		N	5444089.549			852608	77H5099	TERR	342 27 54	274.410	274.504
		El	22.522								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs.	UTM Grid			UTM Grid	Ground
GCM-NO	TABLET	MARKING	Coordinates		Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Type	Bearing			Distance	Distance
			Metres										Metres	Metres
593475	83H6069	E	431976.710	0.9996491	0.9999922	110155	88H4757	TERR	3	22	7	160.320	160.376	
		N	5439836.600			806596	79H9389	GPS	13	7	54	1031.566	1031.930	
		E1	66.625	CVD28BC	916841	79H9385	GPS	40	48	37	1481.318	1481.837		
					727495	89H5648	TERR	87	1	12	291.015	291.116		
					404863	79H9220	GPS	103	24	9	847.790	848.087		
					833632	917001	GPS	138	33	6	5585.444	5587.408		
					931170	87H3580	GPS	149	17	1	14700.547	14705.814		
					195347	83H6070	TERR	180	53	45	406.057	406.199		
195347	83H6070	E	431970.362	0.9996524	0.9999955	593475	83H6069	TERR	0	53	45	406.057	406.199	
		N	5439430.593			237479	88H4758	TERR	175	58	6	153.281	153.334	
		E1	45.469	CVD28BC										
927830	83H6080	E	433015.646	0.9996571	1.0000020	60384	08H2557	GPS	76	33	52	1770.562	1771.171	
		N	5442390.064			213785	08H2556	GPS	166	8	11	727.939	728.190	
		E1	4.396	CVD28BC	553859	83H6083	GPS	271	10	24	250.159	250.246		
					994848	77H5096	GPS	340	19	38	2696.298	2697.224		
553859	83H6083	E	432765.539	0.9996565	1.0000010	909861	98SG017	GPS	44	32	51	3364.821	3365.982	
		N	5442395.186			927830	83H6080	GPS	91	10	24	250.159	250.246	
		E1	11.038	CVD28BC	916841	79H9385	GPS	172	53	24	1448.546	1449.049		
					386508	77H5152	TERR	279	32	45	167.003	167.060		
					298463	16H2775	GPS	303	37	3	6527.550	6529.841		
					920009	No Marking	GPS	342	37	45	3872.865	3874.199		
					994848	77H5096	GPS	345	27	4	2617.738	2618.636		
					29900	83H6056	TERR	355	26	23	301.727	301.831		
					182170	83H6064	GPS	359	44	15	984.625	984.963		
73718	83H6084	E	432081.617	0.9996473	0.9999906	26260	83H6085	TERR	37	50	28	190.350	190.417	
		N	5440205.958			75077	83H6055	TERR	249	44	38	112.987	113.026	
		E1	76.904	CVD28BC										
26260	83H6085	E	432198.392	0.9996479	0.9999915	21329	83H6086	TERR	41	12	28	284.466	284.565	
		N	5440356.280			73718	83H6084	TERR	217	50	28	190.350	190.417	
		E1	71.562	CVD28BC										
21329	83H6086	E	432385.795	0.9996476	0.9999914	12161	83H6087	TERR	33	42	38	168.571	168.630	
		N	5440570.291			26260	83H6085	TERR	221	12	28	284.466	284.565	
		E1	72.011	CVD28BC										
12161	83H6087	E	432479.351	0.9996491	0.9999931	848127	79H9395	TERR	28	26	24	201.632	201.702	
		N	5440710.517			21329	83H6086	TERR	213	42	38	168.571	168.630	
		E1	61.348	CVD28BC										

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
239996	83H6088	E 431961.803 N 5439151.345 El 59.538		0.9996502	0.9999933	237479 340760	88H4758 88H4759	TERR TERR	8 42 4 184 58 23	127.817 179.151	127.862 179.214
				CVD28BC							
514083	83H6089	E 432414.599 N 5439515.349 El 22.551		0.9996552	0.9999991	448928	88H4760	TERR	224 15 26	179.871	179.933
				CVD28BC							
188110	83H6090	E 430743.103 N 5446822.871 El 31.150		0.9996567	0.9999978	272799	77H5115	TERR	172 16 17	291.846	291.947
				CVD28BC							
873315	87H3503	E 430520.507 N 5443451.287 El 71.613		0.9996507	0.9999914	290700	79H9191	TERR	271 5 4	91.043	91.075
				CVD28BC							
110155	88H4757	E 431986.130 N 5439996.643 El 74.226		0.9996479	0.9999910	593475 75077	83H6069 83H6055	TERR TERR	183 22 7 356 27 56	160.320 170.521	160.376 170.582
				CVD28BC							
237479	88H4758	E 431981.139 N 5439277.691 El 50.162		0.9996516	0.9999948	239996 195347	83H6088 83H6070	TERR TERR	188 42 4 355 58 6	127.817 153.281	127.862 153.334
				CVD28BC							
340760	88H4759	E 431946.273 N 5438972.868 El 54.912		0.9996510	0.9999941	239996 373803	83H6088 88H4763	TERR TERR	4 58 23 98 4 39	179.151 166.317	179.214 166.375
				CVD28BC							
448928	88H4760	E 432289.071 N 5439386.523 El 23.927		0.9996552	0.9999989	514083 438119	83H6089 88H4764	TERR TERR	44 15 26 230 48 9	179.871 213.011	179.933 213.084
				CVD28BC							
402388	88H4762	E 432115.733 N 5439105.194 El 34.258		0.9996539	0.9999973	438119 373803	88H4764 88H4763	TERR TERR	3 13 21 181 45 48	146.939 155.770	146.991 155.823
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
373803	88H4763	E	432110.940	0.9996545	0.9999979	402388	88H4762	TERR	1 45 48	155.770	155.823
		N	5438949.498			340760	88H4759	TERR	278 4 39	166.317	166.375
		El	30.352	CVD28BC							
438119	88H4764	E	432123.993	0.9996546	0.9999980	448928	88H4760	TERR	50 48 9	213.011	213.084
		N	5439251.901			402388	88H4762	TERR	183 13 21	146.939	146.991
		El	29.872	CVD28BC							
618348	88H4767	E	427927.061	0.9996622	0.9999984	993808	88H4773	TERR	180 54 9	96.566	96.598
		N	5454383.105			536714	82H5691	TERR	281 46 16	119.973	120.014
		El	27.614	CVD28BC							
296632	88H4768	E	424625.225	0.9996570	0.9999872	596544	88H4790	TERR	175 19 37	83.846	83.875
		N	5454644.627			796011	95H1766	TERR	274 34 57	118.206	118.246
		El	98.686	CVD28BC							
923706	88H4769	E	427365.606	0.9996508	0.9999859	445239	88H4776	TERR	125 22 17	181.094	181.157
		N	5447129.809			918789	92H0760	TERR	326 45 23	93.314	93.346
		El	106.572	CVD28BC							
632752	88H4770	E	427463.541	0.9996492	0.9999846	445239	88H4776	TERR	38 21 9	80.148	80.176
		N	5446962.126			757740	79H5495	TERR	114 54 6	254.874	254.964
		El	115.119	CVD28BC		223198	88H4777	TERR	292 38 28	123.335	123.378
297820	88H4771	E	431443.547	0.9996597	1.0000020	734103	82H5644	TERR	81 54 28	81.702	81.729
		N	5446627.963			187443	77H5041	TERR	155 47 56	169.191	169.248
		El	4.394	CVD28BC		731349	98SG012	TERR	256 51 37	92.668	92.700
993808	88H4773					645697	77H5051	TERR	351 53 5	171.777	171.836
		E	427925.540	0.9996609	0.9999971	618348	88H4767	TERR	0 54 9	96.566	96.598
		N	5454286.551			858084	79H5528	GPS	49 54 16	252.023	252.107
		El	35.944	CVD28BC		951830	88H4791	GPS	89 38 2	760.940	761.199
						161349	88H4782	TERR	90 49 34	126.288	126.330
						946087	90H6393	GPS	101 36 57	457.895	458.052
						790949	98SG060	GPS	112 34 23	724.162	724.409
						613869	82H5678	GPS	135 7 18	915.522	915.834
						510479	88H4796	TERR	174 38 26	56.903	56.922
445239	88H4776	E	427513.273	0.9996505	0.9999859	632752	88H4770	TERR	218 21 9	80.148	80.176
		N	5447024.979			923706	88H4769	TERR	305 22 17	181.094	181.157
		El	106.610	CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
223198	88H4777	E 427349.711 N 5447009.605 El 118.234		0.9996490	0.9999841	632752 897660	88H4770 88H4805	TERR TERR	112 38 28 293 11 43	123.335 109.489	123.378 109.528
262980	88H4780	E 430726.350 N 5451453.154 El 33.178		0.9996565	0.9999975	845958	93H1178	TERR	185 13 44	87.070	87.101
161349	88H4782	E 428051.815 N 5454284.730 El 46.474		0.9996590	0.9999954	860197 993808	88H4787 88H4773	TERR TERR	64 19 39 270 49 34	83.733 126.288	83.762 126.330
85688	88H4783	E 424713.351 N 5454721.432 El 94.558		0.9996575	0.9999879	906412 171553	88H4792 88H4795	TERR TERR	179 50 58 273 50 56	159.819 212.887	159.873 212.960
310235	88H4785	E 425443.270 N 5454648.912 El 69.239		0.9996601	0.9999918	321612 665000	88H4806 88H4801	TERR TERR	138 41 32 273 33 7	181.667 149.561	181.728 149.612
860197	88H4787	E 428127.282 N 5454321.005 El 50.721		0.9996582	0.9999948	632950 161349	90H9784 88H4782	TERR TERR	94 39 38 244 19 39	65.191 83.733	65.212 83.762
596544	88H4790	E 424632.056 N 5454561.060 El 99.525		0.9996569	0.9999871	906412 296632	88H4792 88H4768	TERR TERR	89 36 42 355 19 37	81.717 83.846	81.745 83.875
951830	88H4791	E 428686.464 N 5454291.413 El 46.316		0.9996579	0.9999954	828400 613869 946087 993808 858084 696740	98SG063 82H5678 90H6393 88H4773 79H5528 83H6054	TERR GPS GPS GPS GPS TERR	181 30 43 189 58 22 252 44 28 269 38 2 285 29 26 310 38 56	108.274 663.634 327.137 760.940 589.550 182.519	108.310 663.861 327.249 761.199 589.750 182.581
906412	88H4792	E 424713.771 N 5454561.614 El 99.179		0.9996568	0.9999871	596544 85688	88H4790 88H4783	TERR TERR	269 36 42 359 50 58	81.717 159.819	81.745 159.873

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
27367	88H4793	E	424696.108	0.9996585	0.9999889	673616	88H4803	TERR	0 46 16	190.417	190.482
		N	5454813.598			215491	79H5600	TERR	91 9 47	197.829	197.896
		El	88.099			330050	88H4802	TERR	269 52 36	190.838	190.904
						519249	79H5562	TERR	271 6 58	386.161	386.294
455956	88H4794	E	425627.769	0.9996598	0.9999918	846667	93H1181	TERR	71 28 40	69.672	69.695
		N	5454370.021			941674	83H6003	TERR	251 24 39	80.193	80.220
		El	69.241								
171553	88H4795	E	424500.944	0.9996575	0.9999875	330050	88H4802	TERR	3 11 47	77.586	77.611
		N	5454735.722			85688	88H4783	TERR	93 50 56	212.887	212.960
		El	96.669			796011	95H1766	TERR	175 28 52	81.906	81.934
510479	88H4796	E	427930.855	0.9996602	0.9999964	331199	13H2702	GPS	130 20 6	2181.853	2182.619
		N	5454229.897			818252	88H4798	TERR	148 9 35	116.155	116.195
		El	40.433			94532	98SG027	GPS	162 2 32	2713.617	2714.554
						255703	82H5700	GPS	167 50 18	4077.186	4078.582
						773572	79H9336	GPS	175 9 16	3388.617	3389.776
						490326	79H9296	GPS	181 57 40	5169.398	5171.184
						602763	98SG020	GPS	185 22 11	2332.963	2333.768
						527721	84C004	GPS	285 12 43	15201.022	15205.957
						993808	88H4773	TERR	354 38 26	56.903	56.922
958157	88H4797	E	425695.344	0.9996599	0.9999920	846667	93H1181	TERR	180 46 59	110.640	110.678
		N	5454502.784			321612	88H4806	TERR	274 10 57	132.508	132.553
		El	67.911								
818252	88H4798	E	427992.133	0.9996593	0.9999956	510479	88H4796	TERR	328 9 35	116.155	116.195
		N	5454131.221								
		El	45.207								
442558	88H4799	E	431660.812	0.9996574	1.0000000	271379	82H5654	TERR	168 6 5	83.858	83.886
		N	5446515.985			54197	88H4800	TERR	335 4 36	65.754	65.776
		El	17.303								
54197	88H4800	E	431633.103	0.9996568	0.9999994	442558	88H4799	TERR	155 4 36	65.754	65.776
		N	5446575.615			907600	89H5659	TERR	337 24 27	154.165	154.217
		El	21.065								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
665000	88H4801	E	425293.996	0.9996596	0.9999911	973461	89H5611	TERR	0 41 34	143.412	143.460
		N	5454658.178			310235	88H4785	TERR	93 33 7	149.561	149.612
		El	74.154			730622	83H6028	TERR	180 44 40	309.450	309.555
330050	88H4802	E	424505.270	0.9996582	0.9999882	27367	88H4793	TERR	89 52 36	190.838	190.904
		N	5454813.187			171553	88H4795	TERR	183 11 47	77.586	77.611
		El	92.211			519249	79H5562	TERR	272 19 35	195.411	195.478
673616	88H4803	E	424698.671	0.9996606	0.9999909	949552	79H9400	TERR	0 45 50	178.096	178.156
		N	5455003.998			684415	79H9178	TERR	91 9 45	197.847	197.915
		El	75.136			27367	88H4793	TERR	180 46 16	190.417	190.482
897660	88H4805	E	427249.072	0.9996492	0.9999842	223198	88H4777	TERR	113 11 43	109.489	109.528
		N	5447052.729			881607	82H5667	TERR	277 35 19	102.181	102.216
		El	118.011								
321612	88H4806	E	425563.189	0.9996600	0.9999920	958157	88H4797	TERR	94 10 57	132.508	132.553
		N	5454512.448			310235	88H4785	TERR	318 41 32	181.667	181.728
		El	68.341								
27029	89H5610	E	424892.342	0.9996576	0.9999883	215491	79H5600	TERR	0 35 21	151.162	151.213
		N	5454658.429			263871	82H5724	TERR	180 47 37	654.879	655.103
		El	91.613								
973461	89H5611	E	425295.730	0.9996605	0.9999920	665000	88H4801	TERR	180 41 34	143.412	143.460
		N	5454801.579			232116	79H5583	TERR	271 7 51	259.247	259.335
		El	68.438								
479790	89H5612	E	425854.671	0.9996611	0.9999936	491696	82H5676	TERR	122 35 35	276.356	276.450
		N	5454611.465								
		El	58.013								
953711	89H5613	E	426813.018	0.9996426	0.9999768	817049	79H9332	TERR	114 56 6	166.902	166.962
		N	5453557.973			835868	79H9331	TERR	253 19 46	121.645	121.688
		El	164.909								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
837641	89H5614	E 425807.461 N 5454383.161 El 66.712		0.9996598	0.9999922	716944 846667	79H9302 93H1181	TERR TERR	123 32 36 274 31 31	254.587 113.984	254.674 114.023
				CVD28BC							
821546	89H5615	E 428475.871 N 5453181.803 El 157.961		0.9996408	0.9999779	294835	79H9341	TERR	264 53 17	220.765	220.845
				CVD28BC							
678292	89H5616	E 428633.060 N 5453102.872 El 145.103		0.9996425	0.9999800	471516	79H9358	TERR	5 36 7	85.844	85.875
				CVD28BC							
1529	89H5617	E 424868.581 N 5455324.527 El 45.370		0.9996649	0.9999956	713206 39453	79H9172 79H9221	TERR TERR	136 17 13 300 53 20	171.977 191.456	172.035 191.521
				CVD28BC							
382176	89H5618	E 423485.567 N 5454038.479 El 109.418		0.9996574	0.9999855		MARKER DESTROYED				
				CVD28BC							
700690	89H5619	E 427364.009 N 5454342.208 El 25.461		0.9996635	0.9999987	827972 593988	89H5620 79H5521	TERR TERR	24 17 54 160 28 8	73.465 125.069	73.489 125.111
				CVD28BC							
827972	89H5620	E 427394.239 N 5454409.165 El 18.622		0.9996645	0.9999998	362574 700690	79H5526 89H5619	TERR TERR	79 53 18 204 17 54	260.017 73.465	260.105 73.489
				CVD28BC							
180661	89H5621	E 424600.183 N 5451363.865 El 109.583		0.9996553	0.9999855		MARKER DESTROYED				
				CVD28BC							
595785	89H5622	E 424809.166 N 5451033.773 El 103.295		0.9996559	0.9999865	684779 812214	79H9278 89H5634	TERR TERR	4 27 38 114 30 18	126.975 161.501	127.018 161.557
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
518787	89H5623	E N El	428597.764 5447975.509 80.595	0.9996527	0.9999900		MARKER ISOLATED				
915629	89H5624	E N El	432900.534 5439853.709 60.182	0.9996486	0.9999932	841064 727495	89H5625 89H5648	TERR TERR	181 39 28 269 49 15	101.380 633.206	101.416 633.428
841064	89H5625	E N El	432897.601 5439752.371 52.705	0.9996497	0.9999944	915629 896852	89H5624 79H9229	TERR TERR	1 39 28 257 36 46	101.380 87.820	101.416 87.851
167924	89H5626	E N El	424370.269 5452123.990 111.600	0.9996554	0.9999852	420612 636365	79H9164 89H5627	TERR TERR	80 20 46 217 23 13	151.030 215.738	151.082 215.812
636365	89H5627	E N El	424239.274 5451952.575 105.793	0.9996566	0.9999861	167924 345058	89H5626 89H5628	TERR TERR	37 23 13 182 53 39	215.738 184.166	215.812 184.230
345058	89H5628	E N El	424229.975 5451768.644 117.707	0.9996547	0.9999842	636365 892950 428722 690222 102194 352385	89H5627 89H5629 94H1535 94H1536 96H2088 79H9186	TERR TERR GPS GPS GPS GPS	2 53 39 93 39 41 279 55 27 290 39 7 320 22 36 356 21 24	184.166 217.696 544.265 569.038 1344.044 849.884	184.230 217.772 544.451 569.233 1344.506 850.177
892950	89H5629	E N El	424447.227 5451754.742 114.963	0.9996548	0.9999846	345058	89H5628	TERR	273 39 41	217.696	217.772
371021	89H5630	E N El	424868.536 5451758.896 114.656	0.9996540	0.9999847		MARKER DESTROYED				
964072	89H5631	E N El	424639.283 5451621.002 118.449	0.9996539	0.9999841		MARKER DESTROYED				

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
240564	89H5632	E 424607.664 N 5451509.740 El 117.338		0.9996541	0.9999843	458117	98SG029	TERR	125 31 56	241.679	241.763
334474	89H5633	E 425214.091 N 5450843.016 El 111.716		0.9996538	0.9999851	354498 673988 812214	98SG028 79H5577 89H5634	GPS TERR TERR	64 5 9 115 24 46 295 37 52	341.170 268.964 286.126	341.288 269.057 286.225
812214	89H5634	E 424956.120 N 5450966.787 El 110.751		0.9996545	0.9999853	334474 595785	89H5633 89H5622	TERR TERR	115 37 52 294 30 18	286.126 161.501	286.225 161.557
875773	89H5635	E 427148.108 N 5447158.520 El 117.073		0.9996495	0.9999843	561514 881607	89H5636 82H5667	TERR TERR	1 16 44 180 11 60	299.058 92.298	299.162 92.330
561514	89H5636	E 427154.783 N 5447457.503 El 98.379		0.9996524	0.9999872	559138 875773	89H5637 89H5635	TERR TERR	1 6 56 181 16 44	389.447 299.058	389.582 299.162
559138	89H5637	E 427162.366 N 5447846.876 El 79.494		0.9996554	0.9999902	556324 561514	89H5638 89H5636	TERR TERR	0 52 8 181 6 56	115.345 389.447	115.384 389.582
556324	89H5638	E 427164.115 N 5447962.208 El 65.375		0.9996576	0.9999924	554261 559138	89H5649 89H5637	TERR TERR	54 53 5 180 52 8	261.319 115.345	261.409 115.384
530949	89H5639	E 427615.603 N 5448046.238 El 85.093		0.9996537	0.9999893	529636	89H5640	TERR	110 55 55	244.548	244.632
529636	89H5640	E 427844.012 N 5447958.871 El 80.930		0.9996539	0.9999900	476226 718304 530949 897025	15H2764 98H2198 89H5639 15H2761	GPS GPS TERR GPS	51 0 45 103 36 0 290 55 55 329 1 53	476.862 228.564 244.548 914.660	477.028 228.643 244.632 914.978

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
528646	89H5641	E N El	428094.147 5447921.674 75.419	0.9996544	0.9999908		MARKER DESTROYED				
29256	89H5642	E N El	432241.973 5440218.697 63.840	0.9996491	0.9999927	84368	89H5643	TERR	147 15 12	209.188	209.261
84368	89H5643	E N El	432355.128 5440042.755 52.381	0.9996507	0.9999945	29256	89H5642	TERR	327 15 12	209.188	209.261
698654	89H5644	E N El	432448.243 5439848.978 38.790	0.9996527	0.9999966	621706	89H5645	TERR	157 4 34	159.005	159.060
621706	89H5645	E N El	432510.177 5439702.531 33.774	0.9996533	0.9999974	698654	89H5644	TERR	337 4 34	159.005	159.060
971077	89H5646	E N El	432564.327 5439560.586 25.955	0.9996545	0.9999986	960005	79H9243	TERR	64 55 10	153.840	153.894
737338	89H5647	E N El	432265.970 5439649.308 32.808	0.9996539	0.9999975	727495	89H5648	TERR	0 23 7	202.426	202.495
727495	89H5648	E N El	432267.331 5439851.729 48.356	0.9996515	0.9999951	915629 737338 593475	89H5624 89H5647 83H6069	TERR TERR TERR	89 49 15 180 23 7 267 1 12	633.206 202.426 291.015	633.428 202.495 291.116
554261	89H5649	E N El	427377.873 5448112.525 62.504	0.9996576	0.9999929	556324	89H5638	TERR	234 53 5	261.319	261.409

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
656660	89H5650	E	424092.759	0.9996554	0.9999846	177006 914846	89H5651 82H5718	TERR	0 17 16	397.461	397.597
		N	5454232.061					TERR	181 0 21	196.727	196.795
		El	115.335								
177006	89H5651	E	424094.756	0.9996572	0.9999864	999474 656660	89H5652 89H5650	TERR	0 20 25	196.316	196.383
		N	5454629.517					TERR	180 17 16	397.461	397.597
		El	103.916								
999474	89H5652	E	424095.922	0.9996586	0.9999878	519249 177006 540039	79H5562 89H5651 89H5653	TERR	91 15 37	214.150	214.223
		N	5454825.829					TERR	180 20 25	196.316	196.383
		El	94.703					TERR	273 15 33	188.952	189.016
540039	89H5653	E	423907.276	0.9996588	0.9999877	999474 61481 940551 792457	89H5652 89H5654 92H0732 92H0755	TERR	93 15 33	188.952	189.016
		N	5454836.571					TERR	273 3 19	409.448	409.588
		El	95.639					GPS	311 45 24	565.041	565.233
61481	89H5654	E	423498.410	0.9996599	0.9999880	540039 117663 347336 940551 792457	89H5653 89H5655 92H0729 92H0732 92H0755	TERR	93 3 19	409.448	409.588
		N	5454858.394					TERR	159 50 14	349.365	349.485
		El	93.661					GPS	324 14 7	334.109	334.222
117663	89H5655	E	423618.832	0.9996584	0.9999868	61481	89H5654	TERR	339 50 14	349.365	349.485
		N	5454530.439								
		El	101.336								
741025	89H5658	E	431310.315	0.9996580	1.0000001	645697 731349 706044	77H5051 98SG012 77H5055	TERR	86 55 10	109.141	109.178
		N	5446792.155					TERR	166 56 8	190.181	190.245
		El	16.669					TERR	275 39 43	232.089	232.168
907600	89H5659	E	431573.877	0.9996565	0.9999990	960187 54197	77H5054 88H4800	TERR	68 5 31	82.580	82.609
		N	5446717.949					TERR	157 24 27	154.165	154.217
		El	23.735								
199364	90H6351	E	428111.135	0.9996369	0.9999734	200899 191932	92H0728 90H6389	TERR	1 30 46	342.255	342.378
		N	5446101.512					TERR	168 44 32	97.083	97.119
		El	186.369								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
663377	90H6352	E 427929.737 N 5446750.077 El 100.742		0.9996507	0.9999869	206748 665323	90H6386 79H5494	TERR TERR	101 51 44 294 56 5	195.299 125.036	195.367 125.080
				CVD28BC							
736066	90H6353	E 425863.376 N 5452504.240 El 130.277		0.9996498	0.9999822	536573 482802	79H5591 90H6392	TERR TERR	91 0 28 150 24 57	87.387 101.005	87.418 101.041
				CVD28BC							
544163	90H6354	E 432265.377 N 5443431.307 El 40.266		0.9996527	0.9999964	262733 557785	90H9818 79H9363	TERR TERR	163 57 53 313 19 51	124.925 159.053	124.968 159.109
				CVD28BC							
179820	90H6355	E 428345.273 N 5445919.901 El 218.548		0.9996315	0.9999684	168815 184432	90H6382 90H6391	TERR TERR	109 1 10 312 23 14	75.827 119.904	75.855 119.948
				CVD28BC							
693895	90H6356	E 427916.818 N 5446846.405 El 101.636		0.9996506	0.9999867	680587 665323	90H6400 79H5494	TERR TERR	87 8 21 246 31 56	67.660 109.521	67.684 109.560
				CVD28BC							
364893	90H6357	E 429071.252 N 5446436.775 El 59.532		0.9996551	0.9999933						
				CVD28BC			MARKER DESTROYED				
361097	90H6358	E 428981.239 N 5446437.657 El 62.901		0.9996548	0.9999928						
				CVD28BC			MARKER DESTROYED				
245092	90H6359	E 428733.991 N 5446541.963 El 71.757		0.9996538	0.9999914						
				CVD28BC			MARKER DESTROYED				
569947	90H6360	E 428135.231 N 5447443.584 El 64.032		0.9996561	0.9999926						
				CVD28BC			MARKER DESTROYED				

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
48454	90H6361	E 430409.284 N 5453015.136 El 13.585		0.9996601	1.0000006	279406 523142	90H6373 90H6369	TERR TERR	121 24 12 278 47 27	166.193 118.821	166.249 118.861
				CVD28BC							
897280	90H6362	E 430993.698 N 5452390.666 El 37.754		0.9996553	0.9999968	665489 756585	90H6372 90H6371	TERR TERR	246 54 55 329 21 21	91.841 119.243	91.873 119.285
				CVD28BC							
242727	90H6363	E 428596.746 N 5446547.289 El 73.620		0.9996538	0.9999911	254052	79H5522	TERR	178 56 18	121.919	121.961
				CVD28BC							
584672	90H6364	E 431996.662 N 5443669.452 El 53.268		0.9996511	0.9999943	557785 728030	79H9363 90H6375	TERR TERR	130 7 56 314 25 56	200.140 170.923	200.209 170.982
				CVD28BC							
236109	90H6365	E 428417.996 N 5446671.432 El 81.074		0.9996529	0.9999900		MARKER DESTROYED				
				CVD28BC							
365254	90H6366	E 429379.301 N 5446432.740 El 58.014		0.9996548	0.9999936	369603 81356	79H9402 77H5240	TERR TERR	7 48 24 91 31 23	49.724 565.417	49.741 565.613
				CVD28BC							
523142	90H6369	E 430291.859 N 5453033.295 El 20.544		0.9996592	0.9999995	48454 149740	90H6361 79H9211	TERR TERR	98 47 27 287 1 24	118.821 78.190	118.861 78.217
				CVD28BC							
583559	90H6370	E 428130.035 N 5447292.859 El 60.822		0.9996566	0.9999931	606269	90H9817	TERR	193 20 33	121.623	121.665
				CVD28BC							
756585	90H6371	E 430932.919 N 5452493.257 El 34.765		0.9996559	0.9999973	897280 852954	90H6362 90H6374	TERR TERR	149 21 21 313 18 58	119.243 203.549	119.285 203.618
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
665489	90H6372	E	430909.211	0.9996543	0.9999957	897280	90H6362	TERR	66 54 55	91.841	91.873
		N	5452354.656					TERR	152 47 21	282.843	282.940
		El	44.723					TERR	251 5 37	198.279	198.349
	90H6373	E	430551.133	0.9996603	1.0000011	852954	90H6374	TERR	141 40 33	376.849	376.978
		N	5452928.540					TERR	301 24 12	166.193	166.249
		El	10.337								
852954	90H6374	E	430784.821	0.9996577	0.9999989	756585	90H6371	TERR	133 18 58	203.549	203.618
		N	5452632.896					TERR	321 40 33	376.849	376.978
		El	24.568								
728030	90H6375	E	431874.610	0.9996523	0.9999953	584672	90H6364	TERR	134 25 56	170.923	170.982
		N	5443789.109					TERR	322 55 12	168.804	168.863
		El	47.326								
854984	90H6376	E	432470.133	0.9996549	0.9999989	250415	90H6377	TERR	135 54 33	143.953	144.001
		N	5443151.601					TERR	312 52 5	79.277	79.305
		El	24.100								
250415	90H6377	E	432570.295	0.9996552	0.9999994	495069	90H6379	TERR	126 37 19	170.223	170.282
		N	5443048.209					TERR	315 54 33	143.953	144.001
		El	21.129								
722876	90H6378	E	431772.833	0.9996534	0.9999962	728030	90H6375	TERR	142 55 12	168.804	168.863
		N	5443923.780					TERR	332 16 19	297.062	297.165
		El	41.248								
495069	90H6379	E	432706.914	0.9996560	1.0000004	335646	83H6061	TERR	55 17 58	91.753	91.784
		N	5442946.666					TERR	306 37 19	170.223	170.282
		El	14.770								
558361	90H6380	E	431634.617	0.9996537	0.9999963	722876	90H6378	TERR	152 16 19	297.062	297.165
		N	5444186.729								
		El	40.782								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
216184	90H6381	E 428195.149 N 5446708.003 El 95.740		0.9996510	0.9999877	206748	90H6386	TERR	271 29 15	74.309	74.334
168815	90H6382	E 428416.960 N 5445895.190 El 217.958		0.9996315	0.9999685	162834 123760 179820	79H9274 79H9271 90H6355	TERR TERR TERR	61 29 32 176 14 4 289 1 10	65.289 64.117 75.827	65.313 64.141 75.855
507137	90H6384	E 427911.661 N 5453765.187 El 51.802		0.9996584	0.9999946	96388 967000	82H5687 82H5686	TERR TERR	121 18 56 300 44 15	181.485 317.991	181.547 318.100
625202	90H6385	E 428053.234 N 5446882.103 El 98.220		0.9996509	0.9999873	606269 680587	90H9817 90H6400	TERR TERR	9 27 43 244 50 58	296.449 76.050	296.552 76.077
206748	90H6386	E 428120.865 N 5446709.932 El 97.497		0.9996508	0.9999874	216184 200899 663377	90H6381 92H0728 90H6352	TERR TERR TERR	91 29 15 180 8 58 281 51 44	74.309 266.285 195.299	74.334 266.378 195.367
589507	90H6387	E 427645.677 N 5454178.239 El 45.495		0.9996599	0.9999956	64956 967000	83H6024 82H5686	TERR TERR	0 22 13 181 40 37	140.710 250.632	140.758 250.718
191932	90H6389	E 428130.088 N 5446006.297 El 197.507		0.9996352	0.9999717	184432 101444 199364	90H6391 98SG038 90H6351	TERR TERR TERR	92 30 58 291 11 13 348 44 32	126.745 138.606 97.083	126.791 138.657 97.119
184432	90H6391	E 428256.711 N 5446000.733 El 209.755		0.9996330	0.9999698	179820 191932	90H6355 90H6389	TERR TERR	132 23 14 272 30 58	119.904 126.745	119.948 126.791
482802	90H6392	E 425913.242 N 5452416.403 El 138.292		0.9996484	0.9999810	455865 736066	79H5593 90H6353	TERR TERR	104 42 15 330 24 57	89.285 101.005	89.317 101.041

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
946087	90H6393	E	428374.057	0.9996553	0.9999923	951830	88H4791	GPS	72 44 28	327.137	327.249
		N	5454194.355			790949	98SG060	GPS	130 9 29	288.077	288.175
		El	66.689			993808	88H4773	GPS	281 36 57	457.895	458.052
						632950	90H9784	TERR	303 43 24	218.581	218.657
						858084	79H5528	GPS	314 51 50	360.797	360.920
636803	90H6394	E	425837.194	0.9996474	0.9999798	301952	82H5634	GPS	12 25 17	2763.334	2764.304
		N	5447093.223			648519	90H6398	GPS	92 4 54	428.964	429.116
		El	145.577			735472	90H6399	GPS	274 56 39	319.951	320.063
811109	90H6395	E	426394.487	0.9996481	0.9999815	236273	90H6397	TERR	91 0 9	392.425	392.562
		N	5447084.309			879106	79H5529	GPS	141 8 26	604.735	604.949
		El	134.697			648519	90H6398	GPS	267 1 56	128.785	128.830
231647	90H6396	E	428363.849	0.9996524	0.9999894	MARKER DESTROYED					
		N	5446682.299								
		El	84.831								
236273	90H6397	E	426786.852	0.9996511	0.9999852	881607	82H5667	TERR	91 46 50	361.108	361.235
		N	5447077.444			811109	90H6395	TERR	271 0 9	392.425	392.562
		El	111.152								
648519	90H6398	E	426265.875	0.9996477	0.9999809	301952	82H5634	GPS	3 29 38	2719.285	2720.239
		N	5447077.641			811109	90H6395	GPS	87 1 56	128.785	128.830
		El	138.514			636803	90H6394	GPS	272 4 54	428.964	429.116
						735472	90H6399	GPS	273 18 16	748.686	748.949
735472	90H6399	E	425518.434	0.9996489	0.9999808	301952	82H5634	GPS	18 52 26	2822.852	2823.840
		N	5447120.798			648519	90H6398	GPS	93 18 16	748.686	748.949
		El	139.438			636803	90H6394	GPS	94 56 39	319.951	320.063
						879106	79H5529	GPS	112 0 20	1354.123	1354.604
						272062	16H2768	GPS	124 56 37	858.845	859.150
680587	90H6400	E	427984.394	0.9996504	0.9999867	625202	90H6385	TERR	64 50 58	76.050	76.077
		N	5446849.782			693895	90H6356	TERR	267 8 21	67.660	67.684
		El	101.896								
519132	90H9768	E	431800.619	0.9996586	1.0000014	972489	90H9791	TERR	101 15 1	101.305	101.339
		N	5446105.344			300269	90H9777	TERR	302 34 3	109.536	109.573
		El	7.982								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres	
GCM-NO	TABLET	MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET		MARKING						
103655		90H9769	E	431994.294	0.9996551	0.9999983	504316		77H5077	TERR	89	2	42	103.446	103.482	
			N	5445431.425					77H5089	TERR	178	0	41	202.879	202.949	
			E1	28.308					CVD28BC	109512	90H9783	TERR	266	8	30	107.177
948059		90H9770	E	428999.761	0.9996538	0.9999919	356121		77H5293	TERR	138	52	25	199.551	199.620	
			N	5447778.389					77H5295	TERR	246	47	20	277.575	277.670	
			E1	68.962					CVD28BC							
445007		90H9771	E	431614.756	0.9996589	1.0000015	300269		90H9777	TERR	129	26	32	121.138	121.179	
			N	5446241.265					90H9793	TERR	343	50	57	112.634	112.672	
			E1	7.887					CVD28BC							
155317		90H9772	E	427230.240	0.9996478	0.9999828	510966		90H9814	TERR	230	21	2	96.958	96.992	
			N	5450152.172												
			E1	127.054												CVD28BC
946293		90H9773	E	429136.097	0.9996535	0.9999918			MARKER DESTROYED							
			N	5447856.130												
			E1	69.272												CVD28BC
697953		90H9775	E	431913.075	0.9996545	0.9999976			MARKER DESTROYED							
			N	5444325.353												
			E1	32.712												CVD28BC
528844		90H9776	E	431905.744	0.9996547	0.9999978	803056		77H5097	TERR	83	56	19	108.319	108.356	
			N	5444621.178					77H5234	TERR	268	22	17	96.161	96.194	
			E1	31.280					CVD28BC	422329	90H9778	TERR	358	24	27	291.971
300269		90H9777	E	431708.307	0.9996587	1.0000014	519132		90H9768	TERR	122	34	3	109.536	109.573	
			N	5446164.306					82H5674	TERR	162	40	51	101.538	101.573	
			E1	8.095					CVD28BC	445007	90H9771	TERR	309	26	32	121.138
422329		90H9778	E	431897.630	0.9996546	0.9999976	204933		77H5095	TERR	82	47	23	110.714	110.753	
			N	5444913.036			528844		90H9776	TERR	178	24	27	291.971	292.072	
			E1	32.548			CVD28BC		597054	90H9780	TERR	280	10	43	95.911	95.943
									227389	90H9781	TERR	359	8	3	304.392	304.496

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
583914	90H9779	E	431051.457	0.9996593	1.0000009	710483	90H9794	TERR	162	16	5	115.805	115.845				
		N	5448198.204					TERR	256	22	56	67.256	67.279				
		E1	11.425					CVD28BC	TERR	321	35	15	152.050	152.102			
597054	90H9780	E	431803.229	0.9996536	0.9999964	422329	90H9778	TERR	100	10	43	95.911	95.943				
		N	5444929.985					TERR	178	49	28	311.606	311.713				
		E1	39.894					CVD28BC									
227389	90H9781	E	431893.030	0.9996543	0.9999974	382465	77H5089	TERR	84	3	24	108.889	108.927				
		N	5445217.393					TERR	179	8	3	304.392	304.496				
		E1	33.982 CVD28BC					TERR	283	43	7	125.341	125.385				
								TERR	358	25	47	206.898	206.969				
590661	90H9782	E	430848.650	0.9996598	1.0000010	980300	90H9812	TERR	91	22	13	84.673	84.702				
		N	5448584.328					TERR	179	54	8	108.324	108.361				
		E1	10.577					CVD28BC	TERR	269	18	15	142.882	142.930			
109512	90H9783	E	431887.360	0.9996545	0.9999975	103655	90H9769	TERR	86	8	30	107.177	107.213				
		N	5445424.213					TERR	178	25	47	206.898	206.969				
		E1	33.181					CVD28BC	TERR	359	4	5	224.248	224.325			
632950	90H9784	E	428192.257	0.9996575	0.9999941	946087	90H6393	TERR	123	43	24	218.581	218.657				
		N	5454315.708					TERR	274	39	38	65.191	65.212				
		E1	54.811					CVD28BC									
433623	90H9785	E	428069.098	0.9996501	0.9999865	MARKER DESTROYED											
		N	5448861.448														
		E1	102.951	CVD28BC													
916916	90H9786	E	431883.713	0.9996545	0.9999975	23085	77H5016	TERR	87	59	59	109.100	109.137				
		N	5445648.431					TERR	179	4	5	224.248	224.325				
		E1	32.872					CVD28BC	TERR	358	42	8	82.163	82.191			
86967	90H9787	E	426675.188	0.9996517	0.9999857	534578	79H9242	TERR	90	2	37	212.124	212.198				
		N	5450080.855					TERR	272	28	35	242.519	242.603				
		E1	108.331					CVD28BC									

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
643783	90H9788	E	430752.693	0.9996599	1.0000010		980300	90H9812	TERR	127	17	2	226.993	227.070					
		N	5448719.807												90.175	90.205			
		E1	10.872						CVD28BC						108.641	108.678			
499376	90H9789	E	431881.852	0.9996550	0.9999980		916916	90H9786	TERR	178	42	8	82.163	82.191					
		N	5445730.573												140.969	141.019			
		E1	30.067						CVD28BC										
488569	90H9790	E	431879.020	0.9996566	0.9999996		499376	90H9789	TERR	178	50	56	140.969	141.019					
		N	5445871.514												137.161	137.207			
		E1	19.551						CVD28BC										
972489	90H9791	E	431899.977	0.9996584	1.0000014		985218	90H9795	TERR	196	57	49	80.427	80.455					
		N	5446085.580												101.305	101.339			
		E1	8.333						CVD28BC										
567875	90H9793	E	431583.425	0.9996590	1.0000015		445007	90H9771	TERR	163	50	57	112.634	112.672					
		N	5446349.454												142.814	142.863			
		E1	7.329						CVD28BC										
710483	90H9794	E	431086.727	0.9996593	1.0000009		778464	90H9805	TERR	187	19	22	146.065	146.114					
		N	5448087.901												115.805	115.845			
		E1	11.222						CVD28BC										
985218	90H9795	E	431876.511	0.9996580	1.0000010		972489	90H9791	TERR	16	57	49	80.427	80.455					
		N	5446008.652												120.324	120.364			
		E1	10.944						CVD28BC										
787630	90H9796	E	430956.985	0.9996600	1.0000014		583914	90H9779	TERR	141	35	15	152.050	152.102					
		N	5448317.344												266.016	266.106			
		E1	8.077						CVD28BC										
483164	90H9800	E	427422.923	0.9996495	0.9999848		583443	90H9816	TERR	115	7	31	261.684	261.775					
		N	5449589.838												233.036	233.118			
		E1	113.957						CVD28BC										

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
732016	90H9801	E 427156.854 N 5450244.927 El 126.986		0.9996479	0.9999828		MARKER DESTROYED				
83436	90H9802	E 429208.532 N 5450979.169 El 20.901		0.9996610	0.9999994		MARKER DESTROYED				
556621	90H9803	E 431833.355 N 5445694.330 El 37.014		0.9996540	0.9999969	219188 252288	77H4355 77H4357	TERR TERR	5 47 49 189 19 8	115.669 105.638	115.709 105.674
778464	90H9805	E 431068.110 N 5447943.027 El 11.053		0.9996593	1.0000010	710483 126615	90H9794 77H5343	TERR TERR	7 19 22 162 9 44	146.065 300.367	146.114 300.470
531632	90H9807	E 427392.136 N 5449852.625 El 122.106		0.9996483	0.9999835		MARKER DESTROYED				
856849	90H9809	E 430721.976 N 5448824.015 El 9.886		0.9996601	1.0000011	643783 908962 213306	90H9788 78H5384 77H5138	TERR TERR TERR	163 34 35 266 51 21 323 43 14	108.641 136.334 120.929	108.678 136.381 120.971
678805	90H9810	E 427871.949 N 5449049.657 El 114.514		0.9996486	0.9999847	490326 675652	79H9296 83H6022	TERR TERR	276 42 14 327 9 42	118.815 276.815	118.857 276.912
980300	90H9812	E 430933.299 N 5448582.303 El 7.926		0.9996601	1.0000015	787630 590661 643783	90H9796 90H9782 90H9788	TERR TERR TERR	174 53 30 271 22 13 307 17 2	266.016 84.673 226.993	266.106 84.702 227.070
510966	90H9814	E 427155.586 N 5450090.304 El 124.798		0.9996483	0.9999831	155317 85894 534578	90H9772 79H9246 79H9242	TERR TERR TERR	50 21 2 124 44 35 267 56 54	96.958 28.374 268.446	96.992 28.384 268.540

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
216630	90H9815	E	427602.625	0.9996487	0.9999843		MARKER DESTROYED				
		N	5449600.364								
		El	117.132	CVD28BC							
583443	90H9816	E	427659.847	0.9996494	0.9999851	675652	83H6022	TERR	162 29 21	206.037	206.110
		N	5449478.727			483164	90H9800	TERR	295 7 31	261.684	261.775
		El	112.034	CVD28BC							
606269	90H9817	E	428101.968	0.9996558	0.9999923	583559	90H6370	TERR	13 20 33	121.623	121.665
		N	5447174.519			625202	90H6385	TERR	189 27 43	296.449	296.552
		El	65.881	CVD28BC		932681	79H9280	TERR	290 40 53	129.224	129.270
262733	90H9818	E	432299.885	0.9996539	0.9999976	635631	90H9819	TERR	133 18 29	154.113	154.165
		N	5443311.243			544163	90H6354	TERR	343 57 53	124.925	124.968
		El	32.198	CVD28BC							
635631	90H9819	E	432412.029	0.9996547	0.9999986	854984	90H6376	TERR	132 52 5	79.277	79.305
		N	5443205.534			262733	90H9818	TERR	313 18 29	154.113	154.165
		El	25.923	CVD28BC							
464164	92H0720	E	429449.866	0.9996545	0.9999933		MARKER DESTROYED				
		N	5447209.627								
		El	59.567	CVD28BC							
476903	92H0721	E	429954.915	0.9996509	0.9999907	494930	77H5110	TERR	1 10 57	148.465	148.516
		N	5447029.312			770073	77H5120	TERR	180 52 54	189.137	189.204
		El	76.617	CVD28BC							
350637	92H0722	E	428546.350	0.9996552	0.9999925	926550	79H9324	TERR	85 3 8	124.004	124.047
		N	5451326.671			703793	92H0739	TERR	109 40 13	192.663	192.730
		El	64.906	CVD28BC		208579	79H9318	TERR	272 39 51	133.478	133.524
481226	92H0724	E	431038.546	0.9996551	0.9999967	611483	92H0766	TERR	187 21 1	113.713	113.752
		N	5452103.115			665489	90H6372	TERR	332 47 21	282.843	282.940
		El	38.464	CVD28BC							

Scale Factor at Reference Central Meridian = 0.9996

Datum: NAD83 (CSRS)

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground		
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance		
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING					Metres	Metres		
433110		92H0725	E	429347.630	0.9996542	0.9999928	447961	92H0726	TERR	59	52	13	141.426	141.475		
			N	5446894.041			432666	79H9410	TERR	172	30	16	88.280	88.311		
			E1	62.788			CVD28BC									
447961		92H0726	E	429469.948	0.9996542	0.9999931	433110	92H0725	TERR	239	52	13	141.426	141.475		
			N	5446965.031												
			E1	60.858			CVD28BC									
200899		92H0728	E	428120.170	0.9996474	0.9999839	206748	90H6386	TERR	0	8	58	266.285	266.378		
			N	5446443.648			199364	90H6351	TERR	181	30	46	342.255	342.378		
			E1	119.642			CVD28BC		643171	92H0743	TERR	271	49	31	199.381	199.452
347336		92H0729	E	423303.137	0.9996620	0.9999897	792457	92H0755	GPS	30	35	49	375.691	375.817		
			N	5455129.498			940551	92H0732	GPS	65	27	46	200.759	200.827		
			E1	82.506			CVD28BC		441196	96H2089	GPS	116	8	31	4575.677	4577.278
							61481	89H5654	GPS	144	14	7	334.109	334.222		
							914846	82H5718	GPS	144	18	6	1347.290	1347.750		
							301952	82H5634	GPS	149	37	29	6186.880	6189.007		
							102194	96H2088	GPS	178	17	1	2326.644	2327.434		
							858100	03SG087	GPS	181	10	20	1099.057	1099.431		
							791046	03SG086	GPS	195	22	55	1272.285	1272.717		
							452391	96H2090	GPS	202	40	19	1891.278	1891.919		
							527721	84C004	GPS	287	6	1	10505.109	10508.508		
							876235	79H9169	GPS	317	56	51	161.380	161.435		
57109		92H0730	E	429489.857	0.9996597	0.9999986	405522	92H0733	TERR	208	58	22	89.080	89.111		
			N	5451097.026			220996	92H0737	TERR	322	38	29	240.487	240.569		
			E1	26.250			CVD28BC									
732875		92H0731	E	430937.702	0.9996546	0.9999960	151720	92H0754	TERR	180	45	45	262.965	263.057		
			N	5452158.129			828012	92H0763	TERR	271	42	49	203.729	203.799		
			E1	42.700			CVD28BC									
940551		92H0732	E	423485.766	0.9996630	0.9999911	792457	92H0755	GPS	2	3	4	240.165	240.246		
			N	5455212.870			540039	89H5653	GPS	131	45	24	565.041	565.233		
			E1	73.947			CVD28BC		61481	89H5654	GPS	177	57	26	354.701	354.821
							347336	92H0729	GPS	245	27	46	200.759	200.827		
							876235	79H9169	GPS	277	8	52	293.000	293.099		
							953216	79H9179	GPS	297	17	35	459.039	459.192		
							294801	79H9176	GPS	307	47	14	423.847	423.988		

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
405522	92H0733	E N El	429446.707 5451019.094 25.391	0.9996599	0.9999987	57109	92H0730	TERR	28 58 22	89.080	89.111
			CVD28BC								
542688	92H0734	E N El	428793.677 5449934.939 76.265	0.9996530	0.9999907	376079 162404	92H0745 79H5462	TERR TERR	182 51 31 357 50 3	176.288 185.558	176.349 185.623
			CVD28BC								
585554	92H0736	E N El	425793.960 5453364.554 159.597	0.9996453	0.9999777	123695 875609 474254 344416 494377	79H9320 14H2760 14H2757 92H0749 92H0747	TERR GPS GPS GPS TERR	63 12 44 117 13 55 165 40 47 291 54 36 308 39 40	68.118 585.385 416.331 269.673 127.440	68.142 585.593 416.478 269.769 127.486
220996	92H0737	E N El	429343.929 5451288.178 44.056	0.9996571	0.9999958	57109 829739	92H0730 92H0738	TERR TERR	142 38 29 288 12 42	240.487 114.514	240.569 114.554
			CVD28BC								
829739	92H0738	E N El	429235.151 5451323.967 53.556	0.9996558	0.9999943	220996 11452	92H0737 92H0764	TERR TERR	108 12 42 306 6 41	114.514 276.318	114.554 276.413
			CVD28BC								
703793	92H0739	E N El	428727.770 5451261.819 56.630	0.9996562	0.9999938	656918 350637	92H0741 92H0722	TERR TERR	99 51 45 289 40 13	193.531 192.663	193.597 192.730
			CVD28BC								
656918	92H0741	E N El	428918.441 5451228.670 56.611	0.9996559	0.9999938	339077 703793	92H0744 92H0739	TERR TERR	131 43 6 279 51 45	126.983 193.531	127.027 193.597
			CVD28BC								
246165	92H0742	E N El	431012.219 5451568.815 45.408	0.9996541	0.9999956	320937 820787	92H0748 92H0751	TERR TERR	1 32 37 179 24 21	323.359 93.044	323.471 93.077
			CVD28BC								
643171	92H0743	E N El	427920.890 5446449.999 123.888	0.9996471	0.9999832	200899	92H0728	TERR	91 49 31	199.381	199.452
			CVD28BC								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
339077	92H0744	E	429013.224	0.9996574	0.9999955	110007	92H0750	TERR	97 17 44	121.336	121.378
		N	5451144.167			656918	92H0741	TERR	311 43 6	126.983	127.027
		El	45.656	CVD28BC							
376079	92H0745	E	428784.885	0.9996525	0.9999901	542688	92H0734	TERR	2 51 31	176.288	176.349
		N	5449758.870			858274	78H5372	TERR	127 26 25	417.842	417.987
		El	79.959	CVD28BC		404756	78H5370	TERR	222 26 3	106.582	106.619
494377	92H0747	E	425694.448	0.9996465	0.9999787	585554	92H0736	TERR	128 39 40	127.440	127.486
		N	5453444.167			344416	92H0749	TERR	277 56 22	152.141	152.195
		El	153.185	CVD28BC							
320937	92H0748	E	431020.929	0.9996545	0.9999961	611483	92H0766	TERR	1 47 19	98.328	98.362
		N	5451892.057			246165	92H0742	TERR	181 32 37	323.359	323.471
		El	42.230	CVD28BC		151720	92H0754	TERR	272 4 1	86.784	86.813
344416	92H0749	E	425543.765	0.9996473	0.9999792	494377	92H0747	TERR	97 56 22	152.141	152.195
		N	5453465.182			820787	92H0751	GPS	109 59 17	5819.990	5822.022
		El	149.964	CVD28BC		585554	92H0736	GPS	111 54 36	269.673	269.769
						875609	14H2760	GPS	115 33 15	854.261	854.565
						920009	No Marking	GPS	140 33 36	9547.921	9551.252
						476226	15H2764	GPS	152 50 29	5851.429	5853.478
						451724	14H2756	GPS	173 3 26	928.252	928.578
						87312	92H0761	TERR	266 52 24	129.490	129.535
110007	92H0750	E	429133.578	0.9996571	0.9999954	72538	92H0758	TERR	138 2 4	95.855	95.888
		N	5451128.759			339077	92H0744	TERR	277 17 44	121.336	121.378
		El	46.596	CVD28BC							
820787	92H0751	E	431013.184	0.9996545	0.9999960	920009	No Marking	GPS	173 40 57	5417.253	5419.123
		N	5451475.776			476226	15H2764	GPS	221 1 17	4263.807	4265.285
		El	42.751	CVD28BC		344416	92H0749	GPS	289 59 17	5819.990	5822.022
						331199	13H2702	GPS	313 23 50	1953.132	1953.824
						246165	92H0742	TERR	359 24 21	93.044	93.077
615682	92H0752	E	425333.764	0.9996527	0.9999842	87312	92H0761	TERR	147 47 27	151.411	151.464
		N	5453586.229								
		El	117.972	CVD28BC							

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
701482	92H0753	E	427905.886	0.9996507	0.9999868	700468	79H9285	TERR	123	13	54	65.699	65.722	
		N	5446988.971			716647	79H9281	TERR	324	6	28	78.236	78.264	
		E1	100.970	CVD28BC										
151720	92H0754	E	430934.202	0.9996547	0.9999961	732875	92H0731	TERR	0	45	45	262.965	263.057	
		N	5451895.187			320937	92H0748	TERR	92	4	1	86.784	86.813	
		E1	42.392	CVD28BC										
792457	92H0755	E	423494.362	0.9996676	0.9999957	540039	89H5653	GPS	146	10	44	741.846	742.096	
		N	5455452.881			61481	89H5654	GPS	179	36	36	594.501	594.700	
		E1	44.222	CVD28BC		940551	92H0732	GPS	182	3	4	240.165	240.246	
						347336	92H0729	GPS	210	35	49	375.691	375.817	
						876235	79H9169	GPS	235	46	56	361.975	362.096	
						953216	79H9179	GPS	265	56	45	417.576	417.715	
72538	92H0758	E	429197.675	0.9996593	0.9999977	10579	92H0765	TERR	123	53	5	154.194	154.247	
		N	5451057.486			110007	92H0750	TERR	318	2	4	95.855	95.888	
		E1	31.863	CVD28BC										
918789	92H0760	E	427314.451	0.9996511	0.9999862	923706	88H4769	TERR	146	45	23	93.314	93.346	
		N	5447207.852											
		E1	104.776	CVD28BC										
87312	92H0761	E	425414.468	0.9996496	0.9999813	344416	92H0749	TERR	86	52	24	129.490	129.535	
		N	5453458.119			615682	92H0752	TERR	327	47	27	151.411	151.464	
		E1	136.439	CVD28BC										
828012	92H0763	E	430734.064	0.9996542	0.9999953	732875	92H0731	TERR	91	42	49	203.729	203.799	
		N	5452164.221											
		E1	47.480	CVD28BC										
11452	92H0764	E	429011.921	0.9996534	0.9999915	829739	92H0738	TERR	126	6	41	276.318	276.413	
		N	5451486.817			377333	79H9356	TERR	340	15	25	128.215	128.259	
		E1	71.353	CVD28BC										
10579	92H0765	E	429325.681	0.9996596	0.9999983	72538	92H0758	TERR	303	53	5	154.194	154.247	
		N	5450971.519											
		E1	28.209	CVD28BC										

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
611483	92H0766	E 431023.998 N 5451990.337 El 43.100		0.9996544	0.9999960	481226 320937	92H0724 92H0748	TERR TERR	7 21 1 181 47 19	113.713 98.328	113.752 98.362
				CVD28BC							
149534	93H1171	E 428122.413 N 5448759.574 El 104.317		0.9996498	0.9999863	398123	93H1172	TERR	126 50 52	147.956	148.008
				CVD28BC							
398123	93H1172	E 428240.812 N 5448670.846 El 104.241		0.9996496	0.9999863	891788 149534	15H2763 93H1171	GPS TERR	237 41 7 306 50 52	302.166 147.956	302.272 148.008
				CVD28BC							
949248	93H1173	E 428300.969 N 5448497.739 El 94.328		0.9996510	0.9999879		MARKER DESTROYED				
				CVD28BC							
481424	93H1174	E 428465.649 N 5448292.604 El 91.447		0.9996512	0.9999883	23093	93H1175	TERR	142 33 34	138.309	138.356
				CVD28BC							
23093	93H1175	E 428549.732 N 5448182.789 El 87.150		0.9996517	0.9999890	514562 476226 481424	15H2765 15H2764 93H1174	GPS GPS TERR	23 40 22 282 47 46 322 33 34	125.211 343.596 138.309	125.254 343.716 138.356
				CVD28BC							
231738	93H1176	E 428691.647 N 5447996.840 El 80.801		0.9996525	0.9999900		MARKER DESTROYED				
				CVD28BC							
265603	93H1177	E 430534.918 N 5451388.905 El 23.520		0.9996583	0.9999990	845958 867077	93H1178 83H6046	TERR TERR	96 58 41 292 46 35	184.866 209.028	184.930 209.100
				CVD28BC							
845958	93H1178	E 430718.415 N 5451366.446 El 23.860		0.9996579	0.9999990	262980 265603	88H4780 93H1177	TERR TERR	5 13 44 276 58 41	87.070 184.866	87.101 184.930
				CVD28BC							

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres								
GCM-NO	TABLET	MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING															
623611		93H1179	E	424573.135	0.9996553	0.9999855	263871	82H5724	TERR	89	13	35	310.165	310.272									
			N	5453999.425					914846	82H5718	TERR	274	14	53	485.162	485.329							
			El	109.787							CVD28BC												
602219		93H1180	E	428702.114	0.9996560	0.9999935	900902	3468	TERR	91	30	2	186.930	186.995									
			N	5450385.712					167577	82H5668	TERR	171	28	58	86.863	86.892							
			El	58.306							CVD28BC			775619	82H5698	TERR	355	37	15	73.770	73.796		
846667		93H1181	E	425693.832	0.9996597	0.9999919	958157	88H4797	TERR	0	46	59	110.640			110.678							
			N	5454392.154					837641	89H5614	TERR	94	31	31	113.984	114.023							
			El	68.867							CVD28BC	827808	83H6051	TERR	180	30	14	150.459	150.510				
														455956	88H4794	TERR	251	28	40	69.672	69.695		
428722		94H1535	E	423693.854	0.9996599	0.9999884	690222	94H1536	GPS	1	57	20	106.957			106.994							
			N	5451862.444					345058	89H5628	GPS	99	55	27	544.265	544.451							
			El	91.046							CVD28BC			102194	96H2088	GPS	341	10	16	994.683	995.021		
690222		94H1536	E	423697.504	0.9996610	0.9999895	352385	79H9186	GPS	36	27	49	805.077			805.351							
			N	5451969.339					345058	89H5628	GPS	110	39	7	569.038	569.233							
			El	84.008							CVD28BC	428722	94H1535	GPS	181	57	20	106.957	106.994				
														102194	96H2088	GPS	338	44	31	895.491	895.795		
211631		94H1617	E	423027.870	0.9996590	0.9999862	858100	03SG087	GPS	21	4	51	702.787			703.027							
			N	5453374.919					914846	82H5718	GPS	58	6	34	1250.134	1250.562							
			El	104.774							CVD28BC	102194	96H2088	GPS	148	51	49	667.128	667.356				
														622597	94H1618	GPS	185	41	46	147.775	147.825		
																452391	96H2090	GPS	271	11	33	453.831	453.986
																		791046	03SG086	GPS	353	16	43
622597		94H1618			E	423013.203	0.9996578	0.9999850	211631	94H1617										GPS	5	41	46
			N	5453227.874	858100	03SG087					GPS	18	25	31	846.175	846.464							
			El	112.876							CVD28BC	914846	82H5718	GPS	53	6	58	1345.376	1345.838				
														102194	96H2088	GPS	139	41	42	555.954	556.144		
																452391	96H2090	GPS	289	37	1	466.120	466.279
																		791046	03SG086	GPS	355	58	14
386458		95H1764			E	424324.489	0.9996568	0.9999865	417527	95H1765										TERR	147	23	37
			N	5454663.002	519249	79H5562					TERR	354	46	18	158.778	158.832							
			El	103.363							CVD28BC												
417527		95H1765	E	424403.984	0.9996561	0.9999859	386458	95H1764	TERR	327	23	37	147.523	147.573									
			N	5454538.730																			
			El	106.987																			

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
796011	95H1766	E	424507.397	0.9996568	0.9999868	296632	88H4768	TERR	94 34 57	118.206	118.246
		N	5454654.071			171553	88H4795	TERR	355 28 52	81.906	81.934
		El	101.070	CVD28BC							
204149	95H1767	E	426499.621	0.9996582	0.9999919	93104	95H1768	TERR	2 28 40	213.161	213.234
		N	5454174.704			377747	95H1772	TERR	87 35 36	212.125	212.197
		El	68.943	CVD28BC							
93104	95H1768	E	426508.836	0.9996615	0.9999951	485367	95H1769	TERR	101 48 18	171.019	171.078
		N	5454387.666			204149	95H1767	TERR	182 28 40	213.161	213.234
		El	48.282	CVD28BC							
485367	95H1769	E	426676.238	0.9996623	0.9999963	914564	95H1770	TERR	104 56 58	207.679	207.749
		N	5454352.679			93104	95H1768	TERR	281 48 18	171.019	171.078
		El	40.713	CVD28BC							
914564	95H1770	E	426876.888	0.9996622	0.9999965	165753	95H1771	TERR	201 25 47	80.001	80.028
		N	5454299.105			485367	95H1769	TERR	284 56 58	207.679	207.749
		El	39.559	CVD28BC							
165753	95H1771	E	426847.659	0.9996607	0.9999949	914564	95H1770	TERR	21 25 47	80.001	80.028
		N	5454224.635			687426	95H1773	TERR	161 30 26	121.100	121.141
		El	49.450	CVD28BC		377747	95H1772	TERR	253 13 34	142.148	142.197
377747	95H1772	E	426711.559	0.9996595	0.9999935	165753	95H1771	TERR	73 13 34	142.148	142.197
		N	5454183.612			204149	95H1767	TERR	267 35 36	212.125	212.197
		El	58.515	CVD28BC							
687426	95H1773	E	426886.070	0.9996592	0.9999936	670026	95H1774	TERR	192 45 26	97.301	97.334
		N	5454109.788			165753	95H1771	TERR	341 30 26	121.100	121.141
		El	58.114	CVD28BC							
670026	95H1774	E	426864.584	0.9996581	0.9999924	687426	95H1773	TERR	12 45 26	97.301	97.334
		N	5454014.889								
		El	65.745	CVD28BC							

Datum: NAD83 (CSRS)

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid		Ground
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance		Distance
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING					Metres	Metres	
300897	96H2081	E N E1	434806.067	0.9996463	0.9999941	873513	79H9344	GPS	19	8	47	3446.309	3447.523		
			5440025.444			712356	96H2086	GPS	40	22	24	2551.440	2552.336		
			54.650	CVD28BC		833632	917001	GPS	168	46	50	4460.677	4462.251		
						501809	96H2093	GPS	247	56	58	2060.601	2061.326		
						419655	77H5009	GPS	336	35	51	6739.370	6741.714		
770628	96H2082	E N E1	440967.396	0.9996413	0.9999985	833632	917001	GPS	220	55	26	8080.908	8083.780		
			5441755.799			721043	96H2092	GPS	267	52	7	3020.928	3021.999		
			27.097	CVD28BC		419655	77H5009	GPS	296	44	57	9897.272	9900.739		
						888859	96H2097	GPS	298	42	27	2925.295	2926.334		
						32870	96H2102	GPS	327	49	10	1351.295	1351.776		
425900	96H2083	E N E1	429320.740	0.9996410	0.9999797	369504	98SG056	GPS	15	17	16	1264.507	1264.957		
			5442720.431			718353	98SG070	GPS	24	14	2	592.780	592.992		
			146.633	CVD28BC		665885	79H9192	GPS	53	22	47	1231.928	1232.366		
						501809	96H2093	GPS	134	7	51	4981.462	4983.227		
						132944	96H2095	GPS	145	19	37	4166.103	4167.587		
						656983	98SG069	GPS	241	33	42	515.884	516.069		
						469932	96H2100	GPS	314	20	57	5009.288	5011.086		
						275438	96H2085	GPS	325	57	30	688.594	688.839		
570135	96H2084	E N E1	430992.117	0.9996610	1.0000025	733378	96H2091	GPS	82	3	59	1733.757	1734.347		
			5449519.133			301952	82H5634	GPS	273	25	21	4568.672	4570.245		
			1.565	CVD28BC		441196	96H2089	GPS	315	6	13	5074.002	5075.780		
275438	96H2085	E N E1	428935.267	0.9996437	0.9999817	419655	77H5009	GPS	47	34	19	4327.191	4328.701		
			5443291.020			718353	98SG070	GPS	92	44	9	629.504	629.727		
			133.913	CVD28BC		501809	96H2093	GPS	135	33	37	5657.198	5659.194		
						132944	96H2095	GPS	145	24	59	4854.660	4856.383		
						425900	96H2083	GPS	145	57	30	688.594	688.839		
						656983	98SG069	GPS	184	46	24	819.101	819.392		
						469932	96H2100	GPS	312	31	5	4336.995	4338.547		
						390450	96H2098	GPS	328	3	28	8014.272	8017.062		
						298463	16H2775	GPS	329	25	48	3156.889	3158.018		
						301952	82H5634	GPS	338	56	12	6966.309	6968.767		
						655860	98SG058	GPS	358	29	15	625.586	625.808		
712356	96H2086	E N E1	436458.805	0.9996519	1.0000023	765479	96H2094	GPS	15	45	38	1176.969	1177.381		
			5441969.230			721043	96H2092	GPS	102	20	7	1524.957	1525.490		
			2.748	CVD28BC		366161	08H2555	GPS	108	15	7	586.554	586.760		
						300897	96H2081	GPS	220	22	24	2551.440	2552.336		
						34629	08H2553	GPS	229	54	0	2902.788	2903.809		
						434068	99HA156	GPS	249	28	22	2118.934	2119.673		
						60384	08H2557	GPS	295	48	23	1911.706	1912.370		
						13201	14H2725	GPS	332	52	50	2259.106	2259.896		
						873513	79H9344	GPS	338	17	12	1412.079	1412.572		
						21840	79H9343	GPS	357	36	33	969.028	969.366		

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
179168	96H2087	E	423208.456	0.9996630	0.9999906	102194	96H2088	GPS	5 40 21	1662.967	1663.531
		N	5451149.074			390450	96H2098	GPS	125 25 5	1824.358	1824.976
		El	76.948			469932	96H2100	GPS	152 49 5	5538.700	5540.629
						452391	96H2090	GPS	344 9 27	2323.549	2324.335
102194	96H2088	E	423372.826	0.9996591	0.9999870	914846	82H5718	GPS	30 11 29	1424.729	1425.217
		N	5452803.898			560870	79H9190	GPS	31 4 30	1184.316	1184.722
		El	99.838			186817	03SG078	GPS	61 29 9	1546.457	1546.986
						913210	98SG037	GPS	77 42 57	1280.082	1280.523
						441196	96H2089	GPS	85 36 57	4049.772	4051.194
						352385	79H9186	GPS	103 6 46	824.647	824.928
						897348	98SG036	GPS	103 43 30	1999.123	1999.814
						301952	82H5634	GPS	134 33 32	4292.826	4294.307
						345058	89H5628	GPS	140 22 36	1344.044	1344.506
						390450	96H2098	GPS	154 0 25	3017.322	3018.349
						690222	94H1536	GPS	158 44 31	895.491	895.795
						428722	94H1535	GPS	161 10 16	994.683	995.021
						179168	96H2087	GPS	185 40 21	1662.967	1663.531
						527721	84C004	GPS	298 10 16	11468.981	11472.709
						452391	96H2090	GPS	306 0 31	987.342	987.679
						622597	94H1618	GPS	319 41 42	555.954	556.144
						211631	94H1617	GPS	328 51 49	667.128	667.356
						791046	03SG086	GPS	339 40 9	1171.897	1172.297
						858100	03SG087	GPS	355 42 11	1230.231	1230.651
						347336	92H0729	GPS	358 17 1	2326.644	2327.434
441196	96H2089	E	427410.748	0.9996386	0.9999739	570135	96H2084	GPS	135 6 13	5074.002	5075.780
		N	5453113.474			301952	82H5634	GPS	196 25 29	3462.916	3464.146
		El	183.938			102194	96H2088	GPS	265 36 57	4049.772	4051.194
						347336	92H0729	GPS	296 8 31	4575.677	4577.278
452391	96H2090	E	422574.137	0.9996611	0.9999875	347336	92H0729	GPS	22 40 19	1891.278	1891.919
		N	5453384.364			791046	03SG086	GPS	37 3 39	649.657	649.878
		El	96.676			858100	03SG087	GPS	47 32 54	957.537	957.864
						914846	82H5718	GPS	66 44 56	1649.102	1649.665
						211631	94H1617	GPS	91 11 33	453.831	453.986
						622597	94H1618	GPS	109 37 1	466.120	466.279
						102194	96H2088	GPS	126 0 31	987.342	987.679
						390450	96H2098	GPS	147 12 38	3916.631	3917.961
						179168	96H2087	GPS	164 9 27	2323.549	2324.335
						527721	84C004	GPS	297 26 9	10491.726	10495.125
733378	96H2091	E	432709.279	0.9996579	1.0000022	570135	96H2084	GPS	262 3 59	1733.757	1734.347
		N	5449758.437								
		El	3.068								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
501809	96H2093	E	432896.193	0.9996506	0.9999953	300897	96H2081	GPS	67 56 58	2060.601	2061.326
		N	5439251.843			833632	917001	GPS	142 21 37	4548.536	4550.133
		El	46.929			132944	96H2095	GPS	272 0 42	1206.131	1206.555
						425900	96H2083	GPS	314 7 51	4981.462	4983.227
						275438	96H2085	GPS	315 33 37	5657.198	5659.194
765479	96H2094	E	436778.489	0.9996462	0.9999971	888859	96H2097	GPS	87 55 8	1624.253	1624.826
		N	5443101.952			721043	96H2092	GPS	141 15 43	1869.834	1870.492
		El	36.077			712356	96H2086	GPS	195 45 38	1176.969	1177.381
						21840	79H9343	GPS	245 26 37	395.917	396.057
						255786	79H9353	GPS	266 14 47	368.162	368.292
						873513	79H9344	GPS	282 0 40	860.947	861.250
						943480	NO MARKING	GPS	328 35 28	3807.430	3808.763
132944	96H2095	E	431690.805	0.9996466	0.9999892	501809	96H2093	GPS	92 0 42	1206.131	1206.555
		N	5439294.179			833632	917001	GPS	132 27 19	5398.656	5400.562
		El	85.633			425900	96H2083	GPS	325 19 37	4166.103	4167.587
						275438	96H2085	GPS	325 24 59	4854.660	4856.383
132506	96H2096	E	427946.070	0.9996364	0.9999726		MARKER DESTROYED				
		N	5444830.552								
		El	191.864								
888859	96H2097	E	438401.671	0.9996485	1.0000019	32870	96H2102	GPS	98 3 38	1864.461	1865.119
		N	5443160.934			770628	96H2082	GPS	118 42 27	2925.295	2926.334
		El	5.468			721043	96H2092	GPS	196 37 31	1583.685	1584.240
						765479	96H2094	GPS	267 55 8	1624.253	1624.826
390450	96H2098	E	424695.207	0.9996602	0.9999905	301952	82H5634	GPS	99 47 59	1762.097	1762.704
		N	5450091.788			419655	77H5009	GPS	117 34 10	8386.323	8389.181
		El	77.392			275438	96H2085	GPS	148 3 28	8014.272	8017.062
						469932	96H2100	GPS	164 54 35	4007.930	4009.331
						179168	96H2087	GPS	305 25 5	1824.358	1824.976
						452391	96H2090	GPS	327 12 38	3916.631	3917.961
						102194	96H2088	GPS	334 0 25	3017.322	3018.349
469932	96H2100	E	425738.625	0.9996410	0.9999733	272062	16H2768	GPS	49 56 29	632.122	632.349
		N	5446222.062			298463	16H2775	GPS	97 37 22	1605.261	1605.836
		El	187.36 (PROVISIONAL)			275438	96H2085	GPS	132 31 5	4336.995	4338.547
						425900	96H2083	GPS	134 20 57	5009.288	5011.086
						179168	96H2087	GPS	332 49 5	5538.700	5540.629
						390450	96H2098	GPS	344 54 35	4007.930	4009.331
32870	96H2102	E	440247.712	0.9996464	1.0000026	770628	96H2082	GPS	147 49 10	1351.295	1351.776
		N	5442899.500			833632	917001	GPS	212 14 53	8571.712	8574.737
		El	1.349			888859	96H2097	GPS	278 3 38	1864.461	1865.119
						419655	77H5009	GPS	292 11 13	8767.621	8770.670

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
718304	98H2198	E	428066.167	0.9996538	0.9999903	476226	15H2764	GPS	22 46 18		383.668	383.801			
		N	5447905.126					GPS	109 11 22	718.403	718.652				
		E1	79.075					CVD28BC	GPS	187 4 54	690.235	690.473			
									GPS	283 36 0	228.564	228.643			
540849	98SG007	E	424632.564	0.9996538	0.9999840	MARKER DESTROYED									
		N	5451618.303												
		E1	119.171			CVD28BC									
488882	98SG008	E	424765.215	0.9996543	0.9999848	749614	79H9325	TERR	71 27 57		314.512	314.621			
		N	5451710.579												
		E1	113.915					CVD28BC							
739599	98SG009	E	431035.900	0.9996547	0.9999962	292763	98SG010	TERR	71 48 46		95.617	95.650			
		N	5446397.220					TERR	265 49 32	121.440	121.483				
		E1	41.187					CVD28BC	TERR	349 0 54	171.135	171.194			
292763	98SG010	E	431126.740	0.9996553	0.9999971	646364	98SG011	TERR	81 52 34		117.773	117.813			
		N	5446427.064					TERR	169 51 58	223.663	223.740				
		E1	35.930					CVD28BC	TERR	251 48 46	95.617	95.650			
									TERR	354 48 5	154.422	154.476			
646364	98SG011	E	431243.331	0.9996561	0.9999980	448548	77H5062	TERR	174 32 25		201.999	202.069			
		N	5446443.707					TERR	261 52 34	117.773	117.813				
		E1	29.977					CVD28BC	TERR	348 24 43	154.481	154.534			
731349	98SG012	E	431353.305	0.9996579	1.0000000	297820	88H4771	TERR	76 51 37		92.668	92.700			
		N	5446606.897					TERR	346 56 8	190.181	190.245				
		E1	17.184					CVD28BC							
153833	98SG013	E	431374.398	0.9996571	0.9999993	MARKER DESTROYED									
		N	5446463.010												
		E1	21.811			CVD28BC									
919977	98SG014	E	431460.742	0.9996569	0.9999992	MARKER DESTROYED									
		N	5446325.458												
		E1	22.527			CVD28BC									

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
970590	98SG015	E 431649.043 N 5444278.482 El 37.802		0.9996542	0.9999968		MARKER DESTROYED				
455170	98SG016	E 431816.186 N 5444282.273 El 37.041		0.9996540	0.9999969		MARKER DESTROYED				
909861	98SG017	E 435125.961 N 5444793.191 El 3.890		0.9996538	1.0000021	168039 366161 13201 553859 182170 994848 298463 920009 995324	79H9348 08H2555 14H2725 83H6083 83H6064 77H5096 16H2775 No Marking 98SG018	GPS GPS GPS GPS GPS GPS GPS GPS GPS	143 49 36 147 51 23 159 33 46 224 32 51 239 8 8 272 34 34 278 51 53 290 15 44 345 14 8	641.969 3552.146 867.852 3364.821 2755.101 3021.071 7890.512 3748.663 384.909	642.192 3553.386 868.155 3365.982 2756.052 3022.113 7893.293 3749.960 385.043
995324	98SG018	E 435027.869 N 5445165.391 El 5.974		0.9996536	1.0000018	909861 943480	98SG017 NO MARKING	GPS GPS	165 14 8 348 51 31	384.909 1208.873	385.043 1209.291
482349	98SG019	E 424781.919 N 5453204.765 El 124.961		0.9996526	0.9999831	906230 261917 913210 399675 186817	79H9408 82H5706 98SG037 03SG079 03SG078	GPS GPS GPS GPS GPS	31 48 50 91 13 41 230 55 53 297 52 21 351 31 59	359.594 285.487 203.917 327.915 341.094	359.718 285.587 203.988 328.029 341.212
602763	98SG020	E 427712.535 N 5451907.172 El 107.593		0.9996500	0.9999858	510479 252171 358648 947937 773572 879718	88H4796 98SG022 98SG021 82H5707 79H9336 79H9291	GPS GPS TERR GPS GPS TERR	5 22 11 67 52 24 73 50 22 89 5 5 154 24 54 213 0 16	2332.963 388.970 273.638 886.130 1168.343 161.597	2333.768 389.107 273.734 886.441 1168.748 161.654
358648	98SG021	E 427975.360 N 5451983.334 El 107.609		0.9996495	0.9999858	252171 602763	98SG022 98SG020	TERR TERR	54 11 23 253 50 22	120.227 273.638	120.269 273.734

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
252171	98SG022	E 428072.859		0.9996491	0.9999855	495804	98SG023	TERR	90 57 58	142.763	142.813
		N 5452053.679				947937	82H5707	GPS	104 7 54	542.098	542.289
		E1 109.422	CVD28BC			94532	98SG027	GPS	120 15 20	804.195	804.477
						773572	79H9336	GPS	173 8 54	1208.923	1209.343
						358648	98SG021	TERR	234 11 23	120.227	120.269
495804	98SG023			0.9996484	0.9999851	602763	98SG020	GPS	247 52 24	388.970	389.107
		E 428215.602				535419	98SG024	TERR	92 2 58	158.599	158.654
		N 5452051.272				252171	98SG022	TERR	270 57 58	142.763	142.813
		E1 112.248	CVD28BC								
535419	98SG024	E 428374.099		0.9996509	0.9999878	760389	98SG025	TERR	103 49 14	97.897	97.932
		N 5452045.600				495804	98SG023	TERR	272 2 58	158.599	158.654
		E1 94.818	CVD28BC								
760389	98SG025	E 428469.162		0.9996506	0.9999878	947937	82H5707	TERR	127 56 40	164.074	164.132
		N 5452022.214				535419	98SG024	TERR	283 49 14	97.897	97.932
		E1 95.127	CVD28BC								
869925	98SG026	E 428704.459		0.9996486	0.9999861		MARKER DESTROYED				
		N 5451727.601									
		E1 105.579	CVD28BC								
94532	98SG027	E 428767.511		0.9996496	0.9999873	325456	79H9355	TERR	144 33 56	135.993	136.041
		N 5451648.478				773572	79H9336	GPS	214 41 39	967.024	967.359
		E1 98.104	CVD28BC			252171	98SG022	GPS	300 15 20	804.195	804.477
						947937	82H5707	GPS	328 13 57	320.925	321.037
						510479	88H4796	GPS	342 2 32	2713.617	2714.554
354498	98SG028	E 425520.957		0.9996514	0.9999833	790204	79H5574	GPS	114 31 56	295.628	295.730
		N 5450992.115				334474	89H5633	GPS	244 5 9	341.170	341.288
		E1 123.782	CVD28BC			999193	98SG033	GPS	296 56 14	198.835	198.905
						461582	98SG030	GPS	307 0 9	323.470	323.583
						591461	98SG031	GPS	311 1 57	636.494	636.716
458117	98SG029	E 424804.340		0.9996530	0.9999836	240564	89H5632	TERR	305 31 56	241.679	241.763
		N 5451369.286									
		E1 121.651	CVD28BC								
461582	98SG030	E 425262.631		0.9996509	0.9999823	354498	98SG028	GPS	127 0 9	323.470	323.583
		N 5451186.796				999193	98SG033	GPS	142 13 35	132.340	132.386
		E1 130.016	CVD28BC			591461	98SG031	GPS	315 10 33	314.646	314.756

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid		Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING		Bearing	Distance Metres	Distance Metres			
591461	98SG031	E	425040.827	0.9996530	0.9999839	354498	98SG028	GPS	131	1	57	636.494	636.716	
		N	5451409.966			461582	98SG030	GPS	135	10	33	314.646	314.756	
		El	119.423			CVD28BC								
931006	98SG032	E	424935.588	0.9996529	0.9999837	MARKER DESTROYED								
		N	5451430.249											
		El	120.841			CVD28BC								
999193	98SG033	E	425343.695	0.9996508	0.9999823	354498	98SG028	GPS	116	56	14	198.835	198.905	
		N	5451082.190			461582	98SG030	GPS	322	13	35	132.340	132.386	
		El	129.579			CVD28BC								
583526	98SG034	E	424716.683	0.9996512	0.9999815	MARKER DESTROYED								
		N	5452860.920											
		El	134.788			CVD28BC								
595892	98SG035	E	424926.454	0.9996518	0.9999826	261917	82H5706	GPS	15	20	5	532.737	532.923	
		N	5452684.877			897348	98SG036	GPS	132	27	1	526.401	526.584	
		El	128.048			225623	79H9306	GPS	155	6	5	180.358	180.420	
			913210			98SG037	GPS	322	15	58	494.864	495.037		
897348	98SG036	E	425314.866	0.9996501	0.9999815	875609	14H2760	GPS	52	29	49	1260.014	1260.460	
		N	5452329.583			451724	14H2756	GPS	57	52	42	402.757	402.898	
		El	134.707			765040	79H9208	GPS	105	23	13	203.322	203.393	
			102194			96H2088	GPS	283	43	30	1999.123	1999.814		
			225623			79H9306	GPS	301	31	42	366.595	366.723		
			595892			98SG035	GPS	312	27	1	526.401	526.584		
			261917			82H5706	GPS	344	6	7	903.627	903.944		
913210	98SG037	E	424623.600	0.9996512	0.9999814	186817	03SG078	GPS	13	3	45	478.271	478.436	
		N	5453076.246			482349	98SG019	GPS	50	55	53	203.917	203.988	
		El	135.927			261917	82H5706	GPS	74	34	45	460.312	460.474	
			595892			98SG035	GPS	142	15	58	494.864	495.037		
			225623			79H9306	GPS	145	41	5	671.910	672.145		
			102194			96H2088	GPS	257	42	57	1280.082	1280.523		
			116566			78H5447	GPS	257	47	35	204.883	204.955		
			399675			03SG079	GPS	334	58	36	311.014	311.122		
101444	98SG038	E	428000.851	0.9996377	0.9999741	191932	90H6389	TERR	111	11	13	138.606	138.657	
		N	5446056.391			376988	98SG066	TERR	270	58	14	223.576	223.657	
		El	182.461			CVD28BC								

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING		Bearing				
855916	98SG039	E	430778.205	0.9996524	0.9999935	711309	77H5105	GPS	50	0	54	229.280	229.359
		N	5445980.936			677856	77H5102	GPS	124	39	48	300.680	300.785
		El	58.376			883231	77H5219	GPS	270	59	4	418.955	419.101
						895458	77H5263	GPS	344	14	15	274.321	274.417
630442	98SG040	E	427659.941	0.9996541	0.9999898	96388	82H5687	GPS	92	7	22	407.045	407.186
		N	5453685.938			753624	98SG041	GPS	116	58	54	270.597	270.691
		El	82.369			893735	79H9339	GPS	142	47	30	508.455	508.634
						569376	79H9337	GPS	179	21	54	246.372	246.458
						967000	82H5686	GPS	354	53	42	242.739	242.823
753624	98SG041	E	427901.084	0.9996516	0.9999877	96388	82H5687	GPS	56	57	60	197.558	197.626
		N	5453563.166			893735	79H9339	GPS	166	46	22	289.873	289.976
		El	95.571			569376	79H9337	GPS	242	35	58	268.541	268.635
						630442	98SG040	GPS	296	58	54	270.597	270.691
						967000	82H5686	GPS	324	13	6	449.365	449.520
369504	98SG056	E	429654.149	0.9996481	0.9999873	43133	77H5251	GPS	15	21	10	978.905	979.247
		N	5443940.192			619056	98SG057	GPS	40	36	46	468.244	468.407
		El	97.859			665885	79H9192	GPS	126	29	55	815.233	815.520
						718353	98SG070	GPS	187	33	22	685.167	685.410
						425900	96H2083	GPS	195	17	16	1264.507	1264.957
						655860	98SG058	GPS	268	8	46	735.780	736.040
619056	98SG057	E	429958.949	0.9996512	0.9999910	166017	77H5241	GPS	41	14	42	566.365	566.561
		N	5444295.648			665885	79H9192	GPS	157	21	26	910.540	910.859
		El	74.609			369504	98SG056	GPS	220	36	46	468.244	468.407
						43133	77H5251	GPS	355	34	2	590.281	590.487
655860	98SG058	E	428918.754	0.9996469	0.9999848	43133	77H5251	GPS	45	46	56	1387.718	1388.206
		N	5443916.388			369504	98SG056	GPS	88	8	46	735.780	736.040
		El	113.985			275438	96H2085	GPS	178	29	15	625.586	625.808
703991	98SG059	E	428500.643	0.9996554	0.9999926	790949	98SG060	TERR	135	59	41	134.704	134.750
		N	5454105.464										
		El	64.670										
790949	98SG060	E	428594.225	0.9996567	0.9999941	778076	98SG061	TERR	92	24	50	117.075	117.115
		N	5454008.575			613869	82H5678	TERR	183	30	7	371.463	371.590
		El	55.113			993808	88H4773	GPS	292	34	23	724.162	724.409
						946087	90H6393	GPS	310	9	29	288.077	288.175
						703991	98SG059	TERR	315	59	41	134.704	134.750

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
778076	98SG061	E 428711.196 N 5454003.644 El 50.114		0.9996573	0.9999948	269373 790949	98SG062 98SG060	TERR TERR	2 18 39 272 24 50	113.323 117.075	113.362 117.115
				CVD28BC							
269373	98SG062	E 428715.765 N 5454116.875 El 58.533		0.9996560	0.9999935	778076 828400	98SG061 98SG063	TERR TERR	182 18 39 334 7 32	113.323 73.689	113.362 73.715
				CVD28BC							
828400	98SG063	E 428683.607 N 5454183.177 El 56.772		0.9996563	0.9999938	951830 269373	88H4791 98SG062	TERR TERR	1 30 43 154 7 32	108.274 73.689	108.310 73.715
				CVD28BC							
175299	98SG064	E 427706.214 N 5446279.207 El 149.429		0.9996434	0.9999792	540138 322677	83H6059 98SG065	TERR TERR	29 26 16 148 17 21	74.402 126.493	74.429 126.539
				CVD28BC							
322677	98SG065	E 427772.703 N 5446171.598 El 162.039		0.9996413	0.9999773	376988 298463 122788 175299	98SG066 16H2775 16H2773 98SG064	TERR GPS GPS TERR	177 38 2 249 51 34 298 12 46 328 17 21	111.515 471.857 284.094 126.493	111.556 472.026 284.195 126.539
376988	98SG066	E 427777.307 N 5446060.178 El 167.462		0.9996405	0.9999764	101444 322677	98SG038 98SG065	TERR TERR	90 58 14 357 38 2	223.576 111.515	223.657 111.556
				CVD28BC							
656983	98SG069	E 428867.108 N 5442474.760 El 140.845		0.9996427	0.9999806	275438 718353 425900	96H2085 98SG070 96H2083	GPS GPS GPS	4 46 24 41 33 20 61 33 42	819.101 1050.650 515.884	819.392 1051.024 516.069
718353	98SG070	E 429564.053 N 5443260.974 El 124.108		0.9996442	0.9999832	369504 43133 665885 425900 656983 275438	98SG056 77H5251 79H9192 96H2083 98SG069 96H2085	GPS GPS GPS GPS GPS GPS	7 33 22 12 8 37 75 23 23 204 14 2 221 33 20 272 44 9	685.167 1660.342 770.349 592.780 1050.650 629.504	685.410 1660.927 770.622 592.992 1051.024 629.727
434068	99HA156	E 434474.413 N 5441226.216 El 24.031		0.9996517	0.9999989	60384 712356 34629 213785	08H2557 96H2086 08H2553 08H2556	GPS GPS GPS GPS	9 29 26 69 28 22 191 49 50 289 35 29	1597.097 2118.934 1151.192 1363.267	1597.652 2119.673 1151.596 1363.740

Order in Council No. 228/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER	IDENTIFIERS	UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----	Coordinates						Type	Bearing			Distance	Distance	
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				Metres	Metres		
921171	NO MARKING	E	432555.412	0.9996583	1.0000024	798520	30128	TERR	133	4	54	419.958	420.102	
		N	5447491.985			430843	95H2043	TERR	141	59	50	744.191	744.446	
		El	1.815			CVD28BC	960187	77H5054	TERR	230	36	12	1171.008	1171.409
							901587	77H5340	TERR	257	6	44	1302.231	1302.676
943480	NO MARKING	E	434794.280	0.9996540	1.0000018	765479	96H2094	GPS	148	35	28	3807.430	3808.763	
		N	5446351.481			873513	79H9344	GPS	159	35	45	3275.904	3277.045	
		El	6.073			CVD28BC	168039	79H9348	GPS	161	6	32	2194.729	2195.489
							995324	98SG018	GPS	168	51	31	1208.873	1209.291
							419655	77H5009	GPS	266	58	12	2668.735	2669.653

END OF REPORT