

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at:
<http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address:
<http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
346718	73H1696	E	685741.733	0.9999355	0.9999118	924001	83H5975	TERR	16 46 46	1657.243	1657.318
		N	5616865.402			234153	77H6584	TERR	55 42 6	1205.015	1205.073
		E1	578.630			983551	NO MARKING	TERR	118 48 1	8609.057	8609.812
						57638	77H6438	TERR	161 37 7	725.941	725.985
						736645	77H6408	TERR	173 49 57	1718.910	1719.024
						112870	89H5431	TERR	227 54 24	301.975	301.994
						353565	NO MARKING	TERR	251 37 1	1891.011	1891.186
						557736	73HW435	TERR	251 55 55	1892.968	1893.143
						146308		TERR	315 28 23	9898.812	9899.967
						301556	372	TERR	350 21 36	5004.298	5004.630
42879	77H6346	E	688010.821	0.9999565	0.9999225	298927	77H6358	TERR	156 18 60	103.965	103.970
		N	5615910.260								
		E1	510.613								
827956	77H6347	E	687638.710	0.9999505	0.9999181	198689	77H6455	TERR	123 57 50	120.187	120.193
		N	5615428.669			559658	77H6447	TERR	248 18 39	80.101	80.105
		E1	538.430			690768	77H6652	TERR	319 44 60	335.413	335.430
						529339	84H9865	TERR	320 13 24	413.619	413.640
185686	77H6348	E	687662.970	0.9999548	0.9999224	753699	77H6357	TERR	111 38 28	117.121	117.126
		N	5616197.283			287656	77H6376	TERR	318 33 40	69.591	69.594
		E1	511.244								
380998	77H6349	E	686882.677	0.9999393	0.9999104	47134	77H6486	TERR	58 13 51	192.987	192.999
		N	5615263.836			65938	77H6387	TERR	195 1 26	171.527	171.537
		E1	587.575			747634	91H0360	TERR	195 32 44	170.834	170.845
486670	77H6350	E	687429.711	0.9999501	0.9999187	22384	77H6533	TERR	136 27 39	109.114	109.120
		N	5616057.174			407205	77H6517	TERR	313 48 28	137.218	137.224
		E1	534.598								
564633	77H6351	E	686987.348	0.9999609	0.9999315	468710	77H6575	TERR	108 32 60	189.635	189.643
		N	5617043.188			740621	77H6578	TERR	253 59 56	52.134	52.136
		E1	452.965			602847	77H6558	TERR	357 37 55	83.180	83.183
308395	77H6352	E	687589.754	0.9999620	0.9999299	935056	77H6650	TERR	81 59 53	154.720	154.725
		N	5616568.520			951566	77H6366	TERR	278 49 39	145.953	145.958
		E1	463.136								

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
186890	77H6353	E 687613.567 N 5615981.327 El 534.365		0.9999510	0.9999187	645440 22384	77H6653 77H6533	TERR TERR	120 45 37 268 17 14	139.164 108.742	139.171 108.747
				CVD28BC							
837674	77H6354	E 686708.264 N 5616729.707 El 486.124		0.9999544	0.9999263	483974 816249	77H6355 77H6384	TERR TERR	19 24 18 160 27 24	79.015 81.296	79.018 81.299
				CVD28BC							
483974	77H6355	E 686734.516 N 5616804.233 El 481.700		0.9999552	0.9999270	563171 837674	77H6375 77H6354	TERR TERR	22 39 13 199 24 18	121.531 79.015	121.537 79.018
				CVD28BC							
643429	77H6356	E 687104.799 N 5616463.702 El 516.987		0.9999514	0.9999215	809749	77H6372	TERR	90 31 39	115.167	115.172
				CVD28BC							
753699	77H6357	E 687771.835 N 5616154.090 El 506.328		0.9999561	0.9999231	131326 185686	77H6361 77H6348	TERR TERR	57 48 49 291 38 28	74.122 117.121	74.125 117.126
				CVD28BC							
298927	77H6358	E 688052.582 N 5615815.051 El 517.991		0.9999556	0.9999213	115519 42879	77H6395 77H6346	TERR TERR	284 56 49 336 18 60	190.517 103.965	190.526 103.970
				CVD28BC							
788034	77H6359	E 687563.931 N 5616138.876 El 538.177		0.9999502	0.9999181	331389	77H6386	TERR	287 7 17	78.649	78.653
				CVD28BC							
819730	77H6360	E 687410.797 N 5616383.396 El 502.381		0.9999551	0.9999237	888743 250118	77H6393 77H6383	TERR TERR	99 10 50 319 24 40	147.732 190.691	147.738 190.700
				CVD28BC							
131326	77H6361	E 687834.566 N 5616193.573 El 500.811		0.9999573	0.9999240	88401 847970 753699	77H6664 77H6369 77H6357	TERR TERR TERR	72 2 25 165 3 4 237 48 49	84.544 109.091 74.122	84.547 109.096 74.125
				CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
793760	77H6362	E 687821.893 N 5616313.982 El 480.811		0.9999603	0.9999271	939546	77H6389	TERR	268 56 50	119.942	119.947
				CVD28BC							
474247	77H6363	E 687198.627 N 5616765.573 El 481.985		0.9999573	0.9999269	517094 91520	77H6378 87H3098	TERR TERR	84 35 13 307 43 43	147.021 100.529	147.027 100.534
				CVD28BC							
414557	77H6364	E 687391.722 N 5615534.000 El 557.137		0.9999464	0.9999152	559658 49379	77H6447 77H6482	TERR TERR	128 1 27 262 48 30	219.051 188.358	219.063 188.367
				CVD28BC							
971440	77H6365	E 687281.862 N 5617475.569 El 350.843		0.9999782	0.9999475	349175 512996 268904	77H6595 77H6559 84H9560	TERR TERR TERR	115 59 31 265 20 18 302 34 29	270.389 321.533 195.321	270.394 321.541 195.326
				CVD28BC							
951566	77H6366	E 687445.530 N 5616590.918 El 473.214		0.9999598	0.9999283	308395 29207	77H6352 77H6380	TERR TERR	98 49 39 343 50 14	145.953 136.998	145.958 137.004
				CVD28BC							
808915	77H6367	E 686884.228 N 5616959.273 El 459.821		0.9999593	0.9999304	740621 563171	77H6578 77H6375	TERR TERR	37 18 52 247 22 34	87.441 111.482	87.445 111.486
				CVD28BC							
579847	77H6368	E 687230.603 N 5616035.506 El 528.125		0.9999502	0.9999197	599522	77H6391	TERR	150 12 22	197.822	197.832
				CVD28BC							
847970	77H6369	E 687862.707 N 5616088.174 El 509.560		0.9999560	0.9999226	408294 131326	77H6374 77H6361	TERR TERR	179 55 49 345 3 4	79.793 109.091	79.796 109.096
				CVD28BC							
842161	77H6370	E 687400.786 N 5617105.450 El 436.454		0.9999654	0.9999341	59105 817239	77H6589 77H6587	TERR TERR	130 18 3 272 39 4	204.004 56.580	204.011 56.582
				CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
438473	77H6371	E	686983.129	0.9999641	0.9999347	208132	77H6555	TERR	67 43 31	78.526	78.528
		N	5617224.833					TERR	179 32 43	98.539	98.543
		El	432.434					TERR	267 47 15	183.165	183.172
809749	77H6372	E	687219.961	0.9999521	0.9999216	734004	77H6382	TERR	149 2 42	106.671	106.676
		N	5616462.642					TERR	270 31 39	115.167	115.172
		El	516.050								
385153	77H6373	E	686992.604	0.9999297	0.9999003	167890	77H6542	TERR	30 43 5	123.201	123.210
		N	5614411.696					TERR	216 4 28	115.102	115.110
		El	651.916								
408294	77H6374	E	687862.804	0.9999566	0.9999232	847970	77H6369	TERR	359 55 49	79.793	79.796
		N	5616008.381								
		El	505.916								
563171	77H6375	E	686781.325	0.9999571	0.9999287	808915	77H6367	TERR	67 22 34	111.482	111.486
		N	5616916.388					TERR	202 39 13	121.531	121.537
		El	470.884								
287656	77H6376	E	687616.913	0.9999545	0.9999222	185686	77H6348	TERR	138 33 40	69.591	69.594
		N	5616249.453					TERR	276 59 55	217.528	217.537
		El	511.992								
493205	77H6377	E	687161.303	0.9999545	0.9999243	250118	77H6383	TERR	137 56 52	187.256	187.264
		N	5616667.250					TERR	288 39 49	166.859	166.867
		El	498.562								
517094	77H6378	E	687344.992	0.9999597	0.9999287	29207	77H6380	TERR	132 22 48	84.477	84.480
		N	5616779.442					TERR	264 35 13	147.021	147.027
		El	470.653								
925933	77H6379	E	686800.101	0.9999623	0.9999338	438473	77H6371	TERR	87 47 15	183.165	183.172
		N	5617217.762					TERR	179 22 11	100.264	100.268
		El	438.209								

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
29207	77H6380	E 687407.394 N 5616722.501 El 469.850	CVD28BC	0.9999602	0.9999288	951566 517094	77H6366 77H6378	TERR TERR	163 50 14 312 22 48	136.998 84.477	137.004 84.480
801837	77H6381	E 686958.839 N 5616457.855 El 511.113	CVD28BC	0.9999516	0.9999224	MARKER DESTROYED					
734004	77H6382	E 687274.829 N 5616371.164 El 512.813	CVD28BC	0.9999528	0.9999221	926576 809749	77H6385 77H6372	TERR TERR	127 2 10 329 2 42	158.066 106.671	158.074 106.676
250118	77H6383	E 687286.728 N 5616528.206 El 496.781	CVD28BC	0.9999554	0.9999246	819730 493205	77H6360 77H6377	TERR TERR	139 24 40 317 56 52	190.691 187.256	190.700 187.264
816249	77H6384	E 686735.459 N 5616653.095 El 490.681	CVD28BC	0.9999538	0.9999256	837674	77H6354	TERR	340 27 24	81.296	81.299
926576	77H6385	E 687401.006 N 5616275.958 El 513.817	CVD28BC	0.9999532	0.9999220	287656 734004	77H6376 77H6382	TERR TERR	96 59 55 307 2 10	217.528 158.066	217.537 158.074
331389	77H6386	E 687488.767 N 5616162.030 El 533.469	CVD28BC	0.9999506	0.9999189	788034	77H6359	TERR	107 7 17	78.649	78.653
65938	77H6387	E 686838.213 N 5615098.172 El 604.301	CVD28BC	0.9999365	0.9999078	380998	77H6349	TERR	15 1 26	171.527	171.537
248344	77H6388	E 687127.104 N 5616121.242 El 523.702	CVD28BC	0.9999504	0.9999204	MARKER DESTROYED					

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
939546	77H6389	E 687701.971 N 5616311.778 El 489.891		0.9999584	0.9999257	793760 888743	77H6362 77H6393	TERR TERR	88 56 50 288 17 39	119.942 153.071	119.947 153.077
				CVD28BC							
258483	77H6390	E 687119.742 N 5616826.383 El 479.849		0.9999573	0.9999273		MARKER DESTROYED				
				CVD28BC							
599522	77H6391	E 687328.897 N 5615863.832 El 533.748		0.9999498	0.9999188	690768 579847	77H6652 77H6368	TERR TERR	152 32 37 330 12 22	201.907 197.822	201.917 197.832
				CVD28BC							
910141	77H6392	E 687003.219 N 5616720.647 El 491.790		0.9999549	0.9999254	493205 859330	77H6377 77H6394	TERR TERR	108 39 49 202 5 50	166.859 135.539	166.867 135.545
				CVD28BC							
888743	77H6393	E 687556.637 N 5616359.826 El 492.769		0.9999573	0.9999253	939546 819730	77H6389 77H6360	TERR TERR	108 17 39 279 10 50	153.071 147.732	153.077 147.738
				CVD28BC							
859330	77H6394	E 686952.232 N 5616595.064 El 502.229		0.9999530	0.9999238	910141	77H6392	TERR	22 5 50	135.539	135.545
				CVD28BC							
115519	77H6395	E 687868.511 N 5615864.190 El 528.403		0.9999531	0.9999197	298927 645440	77H6358 77H6653	TERR TERR	104 56 49 288 45 19	190.517 142.949	190.526 142.955
				CVD28BC							
712935	77H6396	E 692002.960 N 5617303.383 El 364.705		0.9999980	0.9999453	462341 524439	77H6444 77H6409	TERR TERR	73 39 17 264 53 18	172.824 99.557	172.824 99.557
				CVD28BC							
467928	77H6397	E 692844.263 N 5617303.425 El 350.219		1.0000043	0.9999476	449579 153197 101618	79H0342 77H6417 79H0434	TERR TERR TERR	72 34 43 267 7 36 358 47 20	166.261 129.071 166.775	166.260 129.070 166.774
				CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
432559	77H6398	E 685021.723 N 5615085.207 El 732.876		0.9999080	0.9998876	113894	77H6442	TERR	273 50 22	186.765	186.782
					CVD28BC						
418442	77H6399	E 686373.012 N 5614078.723 El 688.617		0.9999211	0.9998946	982421	77H6410	TERR	97 13 12	163.918	163.931
					CVD28BC						
434605	77H6400	E 686825.398 N 5614248.464 El 666.840		0.9999266	0.9998980	563973 929851	77H6687 77H6518	TERR TERR	84 27 43 310 49 13	69.601 79.717	69.606 79.723
					CVD28BC						
338921	77H6401	E 687600.288 N 5614182.213 El 695.604		0.9999257	0.9998935	852293 287276	77H6536 77H6679	TERR TERR	67 44 27 216 18 28	119.014 92.234	119.023 92.242
					CVD28BC						
992669	77H6402	E 686404.132 N 5613901.166 El 726.029		0.9999154	0.9998887	330753 381210	82H4999 77H6407	TERR TERR	136 40 48 282 33 49	74.093 80.515	74.099 80.521
					CVD28BC						
106278	77H6403	E 692543.351 N 5617310.637 El 353.901		1.0000023	0.9999470	153197 583583	77H6417 77H6424	TERR TERR	94 32 53 274 32 38	172.546 153.103	172.546 153.102
					CVD28BC						
538561	77H6404	E 685083.813 N 5614854.223 El 669.244		0.9999183	0.9998976	701516 794172	77H6661 77H6421	TERR TERR	116 42 21 272 14 20	282.501 155.819	282.522 155.832
					CVD28BC						
604082	77H6405	E 687433.775 N 5614775.457 El 647.795		0.9999324	0.9999010	361048 153759	77H6660 77H6510	TERR TERR	131 39 40 269 29 33	104.457 119.084	104.465 119.092
					CVD28BC						
829978	77H6406	E 690735.699 N 5617279.239 El 352.907		0.9999939	0.9999472	748434 330480	79H0374 77H6415	TERR TERR	93 31 11 203 35 58	632.069 330.545	632.073 330.547
					CVD28BC						

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres	
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET		MARKING						
381210		77H6407	E	686325.545	0.9999156	0.9998893	992669	77H6402	TERR	102	33	49	80.515	80.521		
			N	5613918.680			574947	77H6443	TERR	261	34	19	94.210	94.219		
			El	722.414			CVD28BC									
736645		77H6408	E	685926.407	0.9999329	0.9999084	82883	77H6671	TERR	75	53	39	398.697	398.722		
			N	5615156.441			417147	77H6414	TERR	198	25	6	134.779	134.788		
			El	600.215			346718	73H1696	TERR	353	49	57	1718.910	1719.024		
							701227	84H9881	TERR	358	5	43	462.906	462.936		
524439		77H6409	E	691903.799	0.9999976	0.9999453	790667	79H0422	TERR	7	59	7	170.476	170.477		
			N	5617294.513			712935	77H6396	TERR	84	53	18	99.557	99.557		
			El	364.645			364869	77H6433	TERR	248	49	28	97.801	97.801		
982421		77H6410	E	686535.630	0.9999203	0.9998930	248922	77H6684	TERR	145	3	21	193.776	193.792		
			N	5614058.122			392522	89H5180	TERR	271	13	15	296.685	296.709		
			El	698.344			748301	91H0347	TERR	277	6	6	204.594	204.610		
							418442	77H6399	TERR	277	13	12	163.918	163.931		
69682		77H6411	E	691184.707	0.9999958	0.9999469	225037	79H0369	TERR	274	18	53	254.948	254.949		
			N	5616873.881												
			El	354.655												
265991		77H6412	E	694763.280	1.0000140	0.9999482	41558	79H0409	TERR	107	23	21	158.431	158.429		
			N	5617493.510												
			El	346.489												
742098		77H6413	E	700016.655	1.0000097	0.9999184	MARKER DESTROYED									
			N	5615091.044												
			El	536.630												
417147		77H6414	E	685883.823	0.9999315	0.9999072	736645	77H6408	TERR	18	25	6	134.779	134.788		
			N	5615028.566			936088	89H5328	TERR	155	39	0	161.993	162.004		
			El	608.144			913053	87H3091	TERR	232	53	30	274.626	274.646		
330480		77H6415	E	690603.369	0.9999918	0.9999456	829978	77H6406	TERR	23	35	58	330.545	330.547		
			N	5616976.339			133447	77H6543	TERR	261	16	47	251.872	251.874		
			El	362.824			CVD28BC									

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
941104	77H6416	E	684665.893	0.9999113	0.9998925	113894 578633	77H6442 91H0401	TERR	107 35 9	177.793	177.810
		N	5615151.430					TERR	267 2 23	133.719	133.730
		El	701.672								
153197	77H6417	E	692715.354	1.0000035	0.9999474	467928 106278	77H6397 77H6403	TERR	87 7 36	129.071	129.070
		N	5617296.955					TERR	274 32 53	172.546	172.546
		El	351.290								
192039	77H6418	E	691682.352	0.9999968	0.9999456	364869 393330	77H6433 77H6441	TERR	83 19 10	131.140	131.141
		N	5617243.929					TERR	257 19 34	125.779	125.779
		El	363.156								
295055	77H6419	E	686251.642	0.9999116	0.9998856	803999 109207	77H6432 79H0413	TERR	161 41 3	84.351	84.359
		N	5613691.434					TERR	347 28 39	101.156	101.166
		El	745.814								
874073	77H6420	E	686377.124	0.9999128	0.9998862	688556 68171 947671	77H6434 77H6422 77H6691	TERR	12 23 35	78.539	78.546
		N	5613721.335					TERR	109 11 59	113.638	113.647
		El	741.691					TERR	203 54 44	80.200	80.207
794172	77H6421	E	684928.113	0.9999155	0.9998956	538561 85878	77H6404 77H6439	TERR	92 14 20	155.819	155.832
		N	5614860.310					TERR	304 30 20	187.331	187.347
		El	682.116								
68171	77H6422	E	686484.441	0.9999132	0.9998861	68676 596643 874073	82H5079 77H6666 77H6420	TERR	101 15 46	113.220	113.231
		N	5613683.964					TERR	165 45 48	104.652	104.661
		El	742.531					TERR	289 11 59	113.638	113.647
112847	77H6423	E	691427.825	0.9999963	0.9999462	692061 306852 748434	77H6437 77H6430 79H0374	TERR	49 21 57	76.454	76.454
		N	5617147.065					TERR	211 5 45	143.642	143.642
		El	358.841					TERR	326 44 8	111.666	111.666
583583	77H6424	E	692390.729	1.0000017	0.9999472	417162 106278 462341	79H0360 77H6403 77H6444	TERR	2 39 2	93.032	93.032
		N	5617322.766					TERR	94 32 38	153.103	153.102
		El	352.913					TERR	277 30 33	223.850	223.850

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres	
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
927046	77H6425	E	686160.980	0.9999131	0.9998875	574947	77H6443	TERR	48 52 51	94.740	94.749					
		N	5613842.568	109207	79H0413	TERR	127 18 50	86.416	86.423							
		El	733.856	CVD28BC	688564	89H5366	TERR	278 55 34	94.065	94.073						
345785	77H6426	E	685558.108	0.9999255	0.9999027	913053	87H3091	TERR	35 45 19	182.607	182.620					
		N	5614714.688	296475	89H5172	TERR	172 41 6	326.081	326.105							
		El	636.668	CVD28BC	925834	77H6674	TERR	262 54 5	120.687	120.696						
554766	77H6427	E	687321.467	0.9999238	0.9998929	368753	77H6686	TERR	100 7 32	105.291	105.299					
		N	5614255.360	710087	77H6651	TERR	178 2 16	91.700	91.708							
		El	699.133	CVD28BC	483602	77H6677	TERR	257 6 49	153.574	153.585						
297952	77H6429	E	687141.575	0.9999487	0.9999186	690768	77H6652	TERR	87 40 58	280.646	280.659					
		N	5615673.320	47134	77H6486	TERR	197 7 7	322.149	322.166							
		El	534.900	CVD28BC												
306852	77H6430	E	691353.638	0.9999961	0.9999464	112847	77H6423	TERR	31 5 45	143.642	143.642					
		N	5617024.064													
		El	357.910	CVD28BC												
125112	77H6431	E	694576.366	1.0000128	0.9999479	5637	79H0363	TERR	96 30 18	126.296	126.294					
		N	5617118.507	999128	79H0371	TERR	276 59 29	217.556	217.554							
		El	348.424	CVD28BC												
803999	77H6432	E	686278.150	0.9999109	0.9998847	947671	77H6691	TERR	61 7 7	75.907	75.914					
		N	5613611.356	508341	89H5346	TERR	151 14 57	132.605	132.616							
		El	751.320	CVD28BC	295055	77H6419	TERR	341 41 3	84.351	84.359						
364869	77H6433	E	691812.602	0.9999971	0.9999452	264168	82H4998	TERR	4 58 54	172.434	172.435					
		N	5617259.185	524439	77H6409	TERR	68 49 28	97.801	97.801							
		El	365.192					TERR	171 31 25	134.043	134.043					
								TERR	263 19 10	131.140	131.141					
688556	77H6434	E	686393.980	0.9999139	0.9998872	330753	82H4999	TERR	51 5 43	78.368	78.374					
		N	5613798.044	874073	77H6420	TERR	192 23 35	78.539	78.546							
		El	735.371	CVD28BC												

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
928382	77H6435	E 686123.534 N 5616154.035 El 525.195		0.9999456	0.9999202	644559 57638	82H5077 77H6438	TERR TERR	83 51 2 278 21 32	151.024 154.525	151.033 154.533
				CVD28BC							
531681	77H6436	E 691292.856 N 5616923.243 El 357.561		0.9999958	0.9999464		MARKER DESTROYED				
				CVD28BC							
692061	77H6437	E 691485.845 N 5617196.854 El 360.096		0.9999963	0.9999460	393330 112847	77H6441 77H6423	TERR TERR	75 12 47 229 21 57	76.321 76.454	76.321 76.454
				CVD28BC							
57638	77H6438	E 685970.651 N 5616176.499 El 523.535		0.9999452	0.9999204	928382 307926 353565 357988 346718	77H6435 77H6692 NO MARKING 89H5394 73H1696	TERR TERR TERR TERR TERR	98 21 32 168 43 23 272 37 7 282 29 13 341 37 7	154.525 133.746 2025.545 280.466 725.941	154.533 133.753 2025.722 280.481 725.985
85878	77H6439	E 684773.739 N 5614966.430 El 690.996		0.9999135	0.9998942	794172 578633	77H6421 91H0401	TERR TERR	124 30 20 306 25 11	187.331 299.975	187.347 300.001
416461	77H6440	E 694858.885 N 5615583.043 El 596.571		0.9999753	0.9999090	753772 676056 76844 995092 885061	89H5440 89H5445 89H5424 79H0353 79H0339	TERR TERR TERR TERR TERR	33 48 37 102 31 23 102 39 22 173 5 30 277 47 47	178.172 298.855 431.098 86.872 143.832	178.176 298.861 431.107 86.873 143.836
393330	77H6441	E 691559.638 N 5617216.333 El 361.458		0.9999965	0.9999458	192039 650002 692061	77H6418 79H0424 77H6437	TERR TERR TERR	77 19 34 149 0 25 255 12 47	125.779 185.760 76.321	125.779 185.761 76.321
113894	77H6442	E 684835.377 N 5615097.713 El 716.956		0.9999097	0.9998901	432559 941104	77H6398 77H6416	TERR TERR	93 50 22 287 35 9	186.765 177.793	186.782 177.810
574947	77H6443	E 686232.352 N 5613904.872 El 724.462		0.9999149	0.9998889	381210 927046	77H6407 77H6425	TERR TERR	81 34 19 228 52 51	94.210 94.740	94.219 94.749
				CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
462341	77H6444	E 692168.799 N 5617352.020 El 363.814		0.9999990	0.9999455	583583 712935	77H6424 77H6396	TERR TERR	97 30 33 253 39 17	223.850 172.824	223.850 172.824
97915	77H6445	E 687522.962 N 5614253.721 El 697.760		0.9999250	0.9998931	198200 368753	77H6521 77H6686	TERR TERR	68 7 42 260 12 59	102.958 99.288	102.965 99.295
311241	77H6446	E 688267.129 N 5630480.636 El 356.847		0.9999818	0.9999465	260760 668335	84H9813 84H9822	TERR TERR	188 55 18 357 32 34	201.874 192.099	201.878 192.102
559658	77H6447	E 687564.280 N 5615399.066 El 543.703		0.9999493	0.9999173	827956 414557	77H6347 77H6364	TERR TERR	68 18 39 308 1 27	80.101 219.051	80.105 219.063
842021	77H6448	E 687268.011 N 5616935.623 El 467.837		0.9999598	0.9999292		MARKER DESTROYED				
908442	77H6449	E 687919.737 N 5614979.602 El 577.992		0.9999456	0.9999119	880252 575837	77H6493 77H6526	TERR TERR	253 19 59 346 32 13	98.495 66.086	98.500 66.090
877597	77H6450	E 686471.546 N 5614525.468 El 639.800		0.9999292	0.9999022	836833 967240 534784 353565	77H6461 77H6462 77H6524 NO MARKING	TERR TERR TERR TERR	16 5 30 94 51 38 283 16 60 304 37 59	68.148 118.964 132.339 3067.940	68.153 118.972 132.348 3068.233
609172	77H6452	E 686135.647 N 5621678.082 El 394.904		0.9999661	0.9999406	599548 199422	84H9820 84H9787	TERR TERR	13 15 19 257 9 47	65.341 171.317	65.343 171.322
603373	77H6453	E 687595.134 N 5614654.607 El 646.471		0.9999333	0.9999012		MARKER DESTROYED				

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
520916	77H6454	E 686962.481 N 5616291.569 El 518.282		0.9999505	0.9999213		MARKER DESTROYED				
198689	77H6455	E 687738.392 N 5615361.524 El 539.450		0.9999508	0.9999179	351957 827956	77H6490 77H6347	TERR TERR	92 0 57 303 57 50	115.615 120.187	115.621 120.193
400481	77H6457	E 686366.997 N 5614700.379 El 627.588		0.9999307	0.9999041	807909 725945	77H6467 77H6507	TERR TERR	86 2 16 214 24 48	102.016 80.363	102.023 80.368
145458	77H6458	E 687695.754 N 5614756.620 El 612.902		0.9999391	0.9999064	974436 32888	77H6489 77H6538	TERR TERR	146 19 12 319 41 49	135.157 206.074	135.166 206.086
461863	77H6460	E 687735.088 N 5614902.470 El 598.103		0.9999416	0.9999087	880252 442095	77H6493 77H6502	TERR TERR	61 34 10 133 18 31	102.675 166.061	102.682 166.072
836833	77H6461	E 686490.435 N 5614590.946 El 636.340		0.9999298	0.9999027	544288 877597	77H6492 77H6450	TERR TERR	75 28 24 196 5 30	106.395 68.148	106.403 68.153
967240	77H6462	E 686590.082 N 5614515.388 El 651.730		0.9999279	0.9999003	49650 877597	77H6481 77H6450	TERR TERR	137 34 12 274 51 38	179.632 118.964	179.645 118.972
599126	77H6463	E 686993.267 N 5615953.219 El 526.011		0.9999494	0.9999200	485730 600015	77H6484 77H6491	TERR TERR	174 52 37 356 22 30	194.206 181.957	194.215 181.967
683300	77H6464	E 687945.622 N 5614530.508 El 639.688		0.9999360	0.9999022	72215 238725 974436	77H6513 77H6477 77H6489	TERR TERR TERR	121 18 29 242 10 2 303 0 41	198.597 123.715 208.590	198.610 123.724 208.604

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
454058	77H6465	E 687752.581 N 5628241.416 El 353.516		0.9999799	0.9999471		MARKER DESTROYED				
213249	77H6466	E 686438.723 N 5622850.011 El 352.826		0.9999740	0.9999472	528299 37978	84H9821 84H9789	TERR TERR	183 31 29 336 11 39	374.409 205.822	374.419 205.828
807909	77H6467	E 686468.769 N 5614707.428 El 623.383		0.9999318	0.9999048	323659 400481	77H6468 77H6457	TERR TERR	64 7 44 266 2 16	127.655 102.016	127.664 102.023
323659	77H6468	E 686583.630 N 5614763.130 El 621.457		0.9999326	0.9999051	807909 936088 251553	77H6467 89H5328 89H5407	TERR TERR TERR	244 7 44 280 32 47 330 23 13	127.655 643.893 2457.288	127.664 643.937 2457.447
828525	77H6469	E 686245.976 N 5621839.698 El 412.655		0.9999638	0.9999378	804310 599548	84H9775 84H9820	TERR TERR	209 51 20 224 12 33	602.298 136.741	602.318 136.745
735662	77H6470	E 687739.496 N 5614504.170 El 651.021		0.9999333	0.9999005	238725 962506	77H6477 77H6497	TERR TERR	107 59 54 173 27 21	101.700 86.347	101.706 86.353
706432	77H6471	E 686795.227 N 5614865.661 El 613.209		0.9999349	0.9999064	841809 984351 402230 527820 339952 55467 333419	91H0336 91H0353 89H5433 89H5178 77H6488 89H5182 83H6130	TERR GPS GPS GPS TERR GPS GPS	9 18 60 44 0 14 132 34 13 151 0 30 194 10 46 195 4 17 314 53 15	149.621 621.716 1814.319 1134.752 122.468 1880.100 7610.123	149.630 621.754 1814.452 1134.833 122.477 1880.258 7610.550
24646	77H6472	E 688077.542 N 5615227.762 El 555.870		0.9999498	0.9999154		MARKER ISOLATED				
984815	77H6473	E 686522.636 N 5626223.344 El 355.859		0.9999739	0.9999467		MARKER DESTROYED				

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
343459	77H6475	E 686411.820 N 5621202.500 El 346.271		0.9999749	0.9999482	333039 558148	79H0433 84H9816	TERR TERR	243 40 51 332 17 43	253.931 206.648	253.938 206.653
166199	77H6476	E 687645.025 N 5627684.370 El 351.362		0.9999798	0.9999474		MARKER DESTROYED				
238725	77H6477	E 687836.219 N 5614472.746 El 649.459		0.9999340	0.9999007	683300 735662	77H6464 77H6470	TERR TERR	62 10 2 287 59 54	123.715 101.700	123.724 101.706
544064	77H6478	E 688003.280 N 5615322.985 El 550.505		0.9999503	0.9999162		MARKER DESTROYED				
941971	77H6479	E 686818.398 N 5615015.181 El 609.833		0.9999355	0.9999069		MARKER DESTROYED				
512368	77H6480	E 687220.640 N 5614141.420 El 703.346		0.9999227	0.9998923	710087 535120	77H6651 77H6670	TERR TERR	77 53 50 249 7 47	106.330 111.805	106.339 111.813
49650	77H6481	E 686711.278 N 5614382.801 El 669.315		0.9999257	0.9998976	929851 967240	77H6518 77H6462	TERR TERR	146 48 26 317 34 12	98.260 179.632	98.268 179.645
49379	77H6482	E 687204.846 N 5615510.420 El 559.659		0.9999451	0.9999148	414557 47134	77H6364 77H6486	TERR TERR	82 48 30 227 28 43	188.358 214.506	188.367 214.517
588	77H6483	E 688047.733 N 5615041.314 El 565.792		0.9999481	0.9999138		MARKER DESTROYED				

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
485730	77H6484	E	687010.609	0.9999488	0.9999193	672469	77H6655	TERR	264 15 23	137.177	137.184
		N	5615759.789			599126	77H6463	TERR	354 52 37	194.206	194.215
		El	530.901	CVD28BC							
503151	77H6485	E	686499.329	0.9999755	0.9999483	274092	83H6119	TERR	172 0 39	189.970	189.974
		N	5621623.985			824334	84H9835	TERR	282 43 48	134.001	134.004
		El	345.472	CVD28BC							
47134	77H6486	E	687046.750	0.9999421	0.9999124	297952	77H6429	TERR	17 7 7	322.149	322.166
		N	5615365.443			49379	77H6482	TERR	47 28 43	214.506	214.517
		El	574.611	CVD28BC		380998	77H6349	TERR	238 13 51	192.987	192.999
857854	77H6487	E	685790.032	0.9999624	0.9999386	902239	84H9806	TERR	11 39 13	96.479	96.483
		N	5621288.035			683425	84H9565	TERR	289 29 4	143.277	143.283
		El	407.897	CVD28BC							
339952	77H6488	E	686765.227	0.9999340	0.9999057	706432	77H6471	TERR	14 10 46	122.468	122.477
		N	5614746.924			387423	77H6495	TERR	214 59 25	124.969	124.977
		El	617.749	CVD28BC							
974436	77H6489	E	687770.706	0.9999375	0.9999045	683300	77H6464	TERR	123 0 41	208.590	208.604
		N	5614644.149			145458	77H6458	TERR	326 19 12	135.157	135.166
		El	625.114	CVD28BC							
351957	77H6490	E	687853.935	0.9999508	0.9999174	282368	77H6499	TERR	19 44 25	100.620	100.625
		N	5615357.457			489260	77H6672	TERR	182 37 15	90.015	90.019
		El	542.833	CVD28BC		198689	77H6455	TERR	272 0 57	115.615	115.621
600015	77H6491	E	686981.763	0.9999500	0.9999207	729806	84H9884	TERR	90 43 14	145.696	145.703
		N	5616134.812			599126	77H6463	TERR	176 22 30	181.957	181.967
		El	522.138	CVD28BC							
544288	77H6492	E	686593.429	0.9999314	0.9999039	387423	77H6495	TERR	74 57 29	103.689	103.696
		N	5614617.633			836833	77H6461	TERR	255 28 24	106.395	106.403
		El	629.234	CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
880252	77H6493	E 687825.380 N 5614951.353 El 587.438		0.9999437	0.9999104	908442 461863	77H6449 77H6460	TERR TERR	73 19 59 241 34 10	98.495 102.675	98.500 102.682
				CVD28BC							
833582	77H6494	E 685420.895 N 5621221.078 El 434.168		0.9999567	0.9999344	527234	84H9817	TERR	348 45 28	93.919	93.923
				CVD28BC							
387423	77H6495	E 686693.565 N 5614644.543 El 623.844		0.9999327	0.9999047	339952 544288	77H6488 77H6492	TERR TERR	34 59 25 254 57 29	124.969 103.689	124.977 103.696
				CVD28BC							
129213	77H6496	E 687745.790 N 5614324.937 El 679.964		0.9999288	0.9998959	44453 198200	77H6539 77H6521	TERR TERR	115 55 19 255 31 25	149.507 131.455	149.518 131.464
				CVD28BC							
962506	77H6497	E 687749.337 N 5614418.386 El 658.394		0.9999322	0.9998993	143644 735662	77H6522 77H6470	TERR TERR	114 9 10 353 27 21	102.615 86.347	102.622 86.353
				CVD28BC							
59600	77H6498	E 687838.518 N 5615129.098 El 562.990		0.9999475	0.9999142	265736	77H6504	TERR	339 15 15	95.900	95.905
				CVD28BC							
282368	77H6499	E 687887.920 N 5615452.164 El 534.484		0.9999522	0.9999187	834333 351957	77H6527 77H6490	TERR TERR	60 58 34 199 44 25	134.152 100.620	134.158 100.625
				CVD28BC							
224709	77H6501	E 688202.841 N 5615041.658 El 565.932		0.9999488	0.9999138	470187	77H6511	TERR	165 31 46	113.278	113.283
				CVD28BC							
442095	77H6502	E 687855.926 N 5614788.564 El 600.450		0.9999418	0.9999084	196964 461863	77H6540 77H6460	TERR TERR	94 52 38 313 18 31	93.505 166.061	93.509 166.072
				CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
517375	77H6503	E 688225.050 N 5614643.987 El 615.541		0.9999411	0.9999060	556860	77H6529	TERR	281 37 32	138.298	138.307
					CVD28BC						
265736	77H6504	E 687804.548 N 5615218.780 El 555.559		0.9999486	0.9999154	489260 59600	77H6672 77H6498	TERR TERR	42 52 39 159 15 15	66.533 95.900	66.536 95.905
					CVD28BC						
427633	77H6505	E 688035.697 N 5614071.873 El 685.656		0.9999292	0.9998950	121186 558163 294280	77H6514 89H5179 77H6535	TERR TERR TERR	54 12 4 253 32 21 334 33 48	154.812 228.615 147.993	154.822 228.632 148.004
					CVD28BC						
296178	77H6506	E 688138.551 N 5614798.444 El 590.153		0.9999447	0.9999100	470187	77H6511	TERR	34 44 21	162.494	162.503
					CVD28BC						
725945	77H6507	E 686321.579 N 5614634.081 El 633.263		0.9999296	0.9999032	400481 534784	77H6457 77H6524	TERR TERR	34 24 48 164 51 14	80.363 81.020	80.368 81.026
					CVD28BC						
77867	77H6509	E 687375.692 N 5614918.589 El 613.677		0.9999375	0.9999063	32888	77H6538	TERR	91 28 31	186.829	186.840
					CVD28BC						
153759	77H6510	E 687314.696 N 5614774.402 El 646.967		0.9999320	0.9999011	604082 918623	77H6405 77H6516	TERR TERR	89 29 33 225 17 13	119.084 106.749	119.092 106.756
					CVD28BC						
470187	77H6511	E 688231.147 N 5614931.974 El 576.504		0.9999472	0.9999121	296178 224709	77H6506 77H6501	TERR TERR	214 44 21 345 31 46	162.494 113.278	162.503 113.283
					CVD28BC						
283945	77H6512	E 688860.156 N 5616693.165 El 376.187		0.9999815	0.9999435	781815 819029 380956	77H6615 77H6639 77H6560	TERR TERR TERR	88 43 7 175 38 31 267 42 5	202.764 199.682 168.999	202.767 199.686 169.002
					CVD28BC						

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
72215	77H6513	E 688115.300 N 5614427.309 El 656.235		0.9999342	0.9998996	261313 683300	77H6541 77H6464	TERR TERR	152 41 20 301 18 29	166.677 198.597	166.687 198.610
121186	77H6514	E 688161.261 N 5614162.429 El 673.885		0.9999317	0.9998969	261313 427633	77H6541 77H6505	TERR TERR	14 38 36 234 12 4	120.704 154.812	120.712 154.822
276527	77H6515	E 687176.865 N 5614596.182 El 641.589		0.9999322	0.9999019	918623 167890	77H6516 77H6542	TERR TERR	31 0 19 237 4 24	120.305 144.547	120.313 144.558
918623	77H6516	E 687238.836 N 5614699.298 El 644.385		0.9999320	0.9999015	153759 276527	77H6510 77H6515	TERR TERR	45 17 13 211 0 19	106.749 120.305	106.756 120.313
407205	77H6517	E 687330.685 N 5616152.162 El 531.083		0.9999502	0.9999193	486670	77H6350	TERR	133 48 28	137.218	137.224
929851	77H6518	E 686765.071 N 5614300.574 El 672.480		0.9999254	0.9998971	434605 49650	77H6400 77H6481	TERR TERR	130 49 13 326 48 26	79.717 98.260	79.723 98.268
614495	77H6519	E 689056.726 N 5616895.297 El 365.697		0.9999841	0.9999452	719583 781815 278606 937110	77H6612 77H6615 77H6583 77H6565	TERR TERR TERR TERR	88 8 20 178 13 10 268 12 39 359 24 26	371.240 197.694 375.279 196.806	371.245 197.697 375.286 196.809
165829	77H6520	E 690116.873 N 5616732.727 El 367.905		0.9999887	0.9999448		MARKER DESTROYED				
198200	77H6521	E 687618.509 N 5614292.076 El 691.735		0.9999264	0.9998941	129213 97915	77H6496 77H6445	TERR TERR	75 31 25 248 7 42	131.455 102.958	131.464 102.965

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres			
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET		MARKING								
143644		77H6522	E	687842.969	0.9999314	0.9998981	710681	77H6537	TERR	120	1	30	215.641	215.655				
			N	5614376.399														
			E1	665.854					CVD28BC									
637959		77H6523	E	689594.715	0.9999888	0.9999473	634931	77H6629	TERR	116	9	20	299.814	299.817				
			N	5617052.804														
			E1	351.848					CVD28BC									
534784		77H6524	E	686342.748	0.9999296	0.9999031	877597	77H6450	TERR	103	16	60	132.339	132.348				
			N	5614555.875														
			E1	633.809					CVD28BC									
575837		77H6526	E	687904.351	0.9999463	0.9999127	908442	77H6449	TERR	166	32	13	66.086	66.090				
			N	5615043.872														
			E1	572.810					CVD28BC									
834333		77H6527	E	688005.225	0.9999528	0.9999188	282368	77H6499	TERR	240	58	34	134.152	134.158				
			N	5615517.251														
			E1	534.123					CVD28BC									
284208		77H6528	E	689948.425	0.9999893	0.9999462	523639	84H9852	TERR	90	16	48	155.283	155.284				
			N	5616922.795														
			E1	358.827					CVD28BC									
556860		77H6529	E	688089.589	0.9999411	0.9999067	517375	77H6503	TERR	101	37	32	138.298	138.307				
			N	5614671.856														
			E1	611.305					CVD28BC									
734947		77H6530	E	689474.372	0.9999880	0.9999471	637959	77H6523	TERR	114	30	25	132.258	132.259				
			N	5617107.665														
			E1	353.168					CVD28BC									
331363		77H6532	E	687234.080	0.9999505	0.9999200	729806	84H9884	TERR	237	24	42	126.558	126.564				
			N	5616201.144														
			E1	526.109					CVD28BC									

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
22384	77H6533	E 687504.874 N 5615978.077 El 540.089		0.9999496	0.9999178	186890 486670	77H6353 77H6350	TERR TERR	88 17 14 316 27 39	108.742 109.114	108.747 109.120
				CVD28BC							
654046	77H6534	E 688840.839 N 5617288.091 El 357.639		0.9999844	0.9999464	848614 487025	77H6641 84H9832	TERR TERR	87 2 10 261 46 49	200.937 165.937	200.939 165.940
				CVD28BC							
294280	77H6535	E 687972.132 N 5614205.520 El 679.458		0.9999299	0.9998960	710681 427633 44453	77H6537 77H6505 77H6539	TERR TERR TERR	42 25 1 154 33 48 300 28 22	85.305 147.993 106.602	85.311 148.004 106.609
				CVD28BC							
852293	77H6536	E 687710.433 N 5614227.295 El 690.033		0.9999270	0.9998943	338921	77H6401	TERR	247 44 27	119.014	119.023
				CVD28BC							
710681	77H6537	E 688029.672 N 5614268.497 El 672.104		0.9999313	0.9998971	294280 143644	77H6535 77H6522	TERR TERR	222 25 1 300 1 30	85.305 215.641	85.311 215.655
				CVD28BC							
32888	77H6538	E 687562.459 N 5614913.779 El 597.475		0.9999409	0.9999088	145458 77867	77H6458 77H6509	TERR TERR	139 41 49 271 28 31	206.074 186.829	206.086 186.840
				CVD28BC							
44453	77H6539	E 687880.255 N 5614259.581 El 680.472		0.9999293	0.9998958	294280 129213	77H6535 77H6496	TERR TERR	120 28 22 295 55 19	106.602 149.507	106.609 149.518
				CVD28BC							
196964	77H6540	E 687949.092 N 5614780.614 El 601.386		0.9999420	0.9999082	632091 442095	77H6544 77H6502	TERR TERR	130 36 39 274 52 38	100.749 93.505	100.754 93.509
				CVD28BC							
261313	77H6541	E 688191.775 N 5614279.212 El 669.489		0.9999325	0.9998976	121186 72215	77H6514 77H6513	TERR TERR	194 38 36 332 41 20	120.704 166.677	120.712 166.687
				CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
167890	77H6542	E 687055.537 N 5614517.611 El 644.644		0.9999311	0.9999014	276527 385153	77H6515 77H6373	TERR TERR	57 4 24 210 43 5	144.547 123.201	144.558 123.210
				CVD28BC							
133447	77H6543	E 690354.409 N 5616938.153 El 358.394		0.9999913	0.9999463	330480 143388 523639	77H6415 84H9839 84H9852	TERR TERR TERR	81 16 47 227 21 54 266 19 18	251.872 308.804 251.221	251.874 308.807 251.223
				CVD28BC							
632091	77H6544	E 688025.575 N 5614715.035 El 604.383		0.9999419	0.9999078	556860 196964	77H6529 77H6540	TERR TERR	124 0 2 310 36 39	77.215 100.749	77.220 100.754
				CVD28BC							
3947	77H6546	E 688339.491 N 5616872.664 El 369.549		0.9999802	0.9999446		MARKER DESTROYED				
				CVD28BC							
783142	77H6547	E 687499.955 N 5617218.209 El 380.753		0.9999745	0.9999428	573253 186403	77H6550 77H6566	TERR TERR	150 12 17 316 48 29	84.628 68.444	84.631 68.445
				CVD28BC							
240655	77H6549	E 687269.082 N 5617200.749 El 436.398		0.9999648	0.9999341		MARKER DESTROYED				
				CVD28BC							
573253	77H6550	E 687542.007 N 5617144.768 El 383.054		0.9999744	0.9999424	783142	77H6547	TERR	330 12 17	84.628	84.631
				CVD28BC							
267096	77H6551	E 687723.866 N 5617293.396 El 350.301		0.9999803	0.9999476	349175	77H6595	TERR	287 44 49	208.904	208.909
				CVD28BC							
873018	77H6552	E 687800.501 N 5617069.491 El 379.032		0.9999762	0.9999431	792200	77H6592	TERR	106 33 47	229.353	229.358
				CVD28BC							

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
627810	77H6553	E 687217.665	0.9999612	0.9999307	468710	77H6575	TERR	246 1 60	55.302	55.304	
		N 5617005.323			460568	77H6569	TERR	358 55 58	101.419	101.423	
		E1 457.775	CVD28BC								
510735	77H6554	E 688497.271	0.9999829	0.9999465	307082	77H6582	TERR	268 3 2	169.558	169.561	
		N 5617269.469									
		E1 356.985	CVD28BC								
208132	77H6555	E 687055.795	0.9999650	0.9999353	996645	77H6562	TERR	122 39 14	58.483	58.485	
		N 5617254.598			438473	77H6371	TERR	247 43 31	78.526	78.528	
		E1 428.883	CVD28BC		807339	77H6588	TERR	305 46 42	117.836	117.840	
551697	77H6556	E 688675.247	0.9999826	0.9999455	MARKER DESTROYED						
		N 5617079.694									
		E1 363.816	CVD28BC								
939454	77H6557	E 688348.248	0.9999781	0.9999424	380956	77H6560	TERR	88 4 3	343.240	343.247	
		N 5616674.812									
		E1 383.246	CVD28BC								
602847	77H6558	E 686983.911	0.9999620	0.9999327	564633	77H6351	TERR	177 37 55	83.180	83.183	
		N 5617126.297			569335	77H6576	TERR	267 14 41	182.919	182.926	
		E1 445.445	CVD28BC		438473	77H6371	TERR	359 32 43	98.539	98.543	
512996	77H6559	E 686961.393	0.9999672	0.9999380	971440	77H6365	TERR	85 20 18	321.533	321.541	
		N 5617449.437			807339	77H6588	TERR	180 32 40	125.952	125.956	
		E1 411.614	CVD28BC								
380956	77H6560	E 688691.293	0.9999804	0.9999432	283945	77H6512	TERR	87 42 5	168.999	169.002	
		N 5616686.387			939454	77H6557	TERR	268 4 3	343.240	343.247	
		E1 378.466	CVD28BC		278606	77H6583	TERR	357 11 41	197.431	197.435	
80051	77H6561	E 688178.457	0.9999810	0.9999461	MARKER DESTROYED						
		N 5617063.868									
		E1 359.506	CVD28BC								

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET	MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
996645		77H6562	E N El	687105.034 5617223.043 432.145	0.9999647 CVD28BC	0.9999348	856062 208132	84H9833 77H6555	TERR TERR	97 27 4 302 39 14	169.000 58.483	169.006 58.485
853606		77H6563	E N El	686686.207 5617401.409 415.306	0.9999654 CVD28BC	0.9999374	234153	77H6584	TERR	19 37 42	151.844	151.848
937110		77H6565	E N El	689054.690 5617092.092 360.190	0.9999850 CVD28BC	0.9999460	734947 614495	77H6530 77H6519	TERR TERR	87 52 30 179 24 26	419.971 196.806	419.977 196.809
186403		77H6566	E N El	687453.109 5617268.109 381.693	0.9999742 CVD28BC	0.9999427	783142 768655	77H6547 77H6573	TERR TERR	136 48 29 283 32 58	68.444 139.438	68.445 139.441
257782		77H6567	E N El	688171.010 5617256.314 352.295	0.9999821 CVD28BC	0.9999473	307082 728154	77H6582 84H9851	TERR TERR	87 18 10 181 20 14	156.975 199.148	156.978 199.152
492231		77H6568	E N El	688668.380 5617275.480 358.207	0.9999835 CVD28BC	0.9999463	MARKER DESTROYED					
460568		77H6569	E N El	687215.776 5617106.724 447.227	0.9999628 CVD28BC	0.9999324	817239 627810	77H6587 77H6553	TERR TERR	89 24 4 178 55 58	128.498 101.419	128.502 101.423
312975		77H6570	E N El	687939.249 5617238.986 348.842	0.9999816 CVD28BC	0.9999478	MARKER DESTROYED					
644500		77H6571	E N El	688187.764 5616671.855 393.315	0.9999757 CVD28BC	0.9999408	MARKER DESTROYED					

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
910224	77H6572	E 688031.946 N 5616663.889 El 406.844		0.9999729	0.9999387		MARKER DESTROYED				
768655	77H6573	E 687317.552 N 5617300.777 El 385.943		0.9999729	0.9999420	186403	77H6566	TERR	103 32 58	139.438	139.441
756957	77H6574	E 688142.600 N 5616875.827 El 382.648		0.9999772	0.9999425	285346	77H6545	TERR	100 49 39	40.202	40.203
468710	77H6575	E 687167.131 N 5616982.859 El 460.003		0.9999606	0.9999304	627810 167585 564633	77H6553 84H9858 77H6351	TERR TERR TERR	66 1 60 113 56 30 288 32 60	55.302 109.003 189.635	55.304 109.007 189.643
569335	77H6576	E 686801.204 N 5617117.504 El 445.198		0.9999612	0.9999327	602847 529214 925933	77H6558 77H6593 77H6379	TERR TERR TERR	87 14 41 201 24 28 359 22 11	182.919 98.201 100.264	182.926 98.205 100.268
372821	77H6577	E 687673.804 N 5617105.937 El 379.899		0.9999755	0.9999429		MARKER DESTROYED				
740621	77H6578	E 686937.234 N 5617028.817 El 452.899		0.9999607	0.9999315	564633 808915 529214	77H6351 77H6367 77H6593	TERR TERR TERR	73 59 56 217 18 52 269 5 13	52.134 87.441 171.896	52.136 87.445 171.903
941567	77H6579	E 686896.056 N 5617532.607 El 398.237		0.9999690	0.9999401	234153	77H6584	TERR	274 15 23	159.281	159.286
114405	77H6580	E 688333.011 N 5617068.611 El 361.765		0.9999814	0.9999458	728154 307082	84H9851 77H6582	TERR TERR	266 5 23 358 28 23	167.037 195.159	167.040 195.163

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
519579	77H6581	E 686794.380 N 5617378.233 El 421.694	CVD28BC	0.9999649	0.9999364		MARKER DESTROYED				
307082	77H6582	E 688327.811 N 5617263.701 El 356.226	CVD28BC	0.9999822	0.9999467	510735 114405 257782	77H6554 77H6580 77H6567	TERR TERR TERR	88 3 2 178 28 23 267 18 10	169.558 195.159 156.975	169.561 195.163 156.978
278606	77H6583	E 688681.630 N 5616883.581 El 370.924	CVD28BC	0.9999815	0.9999443	614495 380956	77H6519 77H6560	TERR TERR	88 12 39 177 11 41	375.279 197.431	375.286 197.435
234153	77H6584	E 686737.214 N 5617544.429 El 399.453	CVD28BC	0.9999681	0.9999399	411025 941567 853606 346718 301556	89H5397 77H6579 77H6563 73H1696 372	TERR TERR TERR TERR TERR	0 20 31 94 15 23 199 37 42 235 42 6 336 41 13	188.500 159.281 151.844 1205.015 4632.855	188.505 159.286 151.848 1205.073 4633.086
983486	77H6585	E 686921.356 N 5617357.237 El 424.614	CVD28BC	0.9999650	0.9999359	807339	77H6588	TERR	130 59 8	51.452	51.454
951699	77H6586	E 687741.435 N 5616978.346 El 394.768	CVD28BC	0.9999735	0.9999406	59105	77H6589	TERR	268 30 0	185.127	185.132
817239	77H6587	E 687344.267 N 5617108.067 El 441.186	CVD28BC	0.9999644	0.9999333	842161 460568 856062	77H6370 77H6569 84H9833	TERR TERR TERR	92 39 4 269 24 4 322 24 8	56.580 128.498 117.454	56.582 128.502 117.457
807339	77H6588	E 686960.196 N 5617323.491 El 420.538	CVD28BC	0.9999658	0.9999366	512996 208132 983486	77H6559 77H6555 77H6585	TERR TERR TERR	0 32 40 125 46 42 310 59 8	125.952 117.836 51.452	125.956 117.840 51.454
59105	77H6589	E 687556.371 N 5616973.500 El 415.346	CVD28BC	0.9999694	0.9999374	951699 842161	77H6586 77H6370	TERR TERR	88 30 0 310 18 3	185.127 204.004	185.132 204.011

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres	
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
302281		77H6590	E N El	688023.668 5616905.320 378.426	0.9999773	0.9999432		MARKER DESTROYED								
314989		77H6591	E N El	688014.413 5617106.714 356.195	0.9999808	0.9999467	728154 792200	84H9851 77H6592	TERR TERR	108 2 30 176 41 44		159.808 102.776	159.810 102.777			
792200		77H6592	E N El	688020.337 5617004.109 366.708	0.9999791	0.9999450	873018 314989	77H6552 77H6591	TERR TERR	286 33 47 356 41 44		229.353 102.776	229.358 102.777			
529214		77H6593	E N El	686765.360 5617026.078 452.830	0.9999599	0.9999315	569335 740621	77H6576 77H6578	TERR TERR	21 24 28 89 5 13		98.201 171.896	98.205 171.903			
349175		77H6595	E N El	687524.903 5617357.073 350.858	0.9999793	0.9999475	267096 971440	77H6551 77H6365	TERR TERR	107 44 49 295 59 31		208.904 270.389	208.909 270.394			
135509		77H6596	E N El	690111.308 5616923.185 357.112	0.9999904	0.9999465		MARKER DESTROYED								
515676		77H6597	E N El	689211.565 5617279.138 353.400	0.9999867	0.9999471	30197 848614	77H6635 77H6641	TERR TERR	130 34 31 276 29 21		123.963 171.155	123.964 171.157			
850768		77H6598	E N El	690322.519 5616595.792 380.911	0.9999876	0.9999428	655589 660563	77H6603 77H6643	TERR TERR	25 39 36 234 38 54		176.401 90.603	176.402 90.604			
377077		77H6599	E N El	689771.261 5616234.250 403.253	0.9999815	0.9999393	768242 737486	87H3116 77H6607	TERR TERR	12 27 26 218 50 48		81.474 74.707	81.476 74.708			

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres		
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
512699		77H6600	E	689947.011	0.9999876	0.9999445	143388	84H9839	TERR	89	3	32	180.240	180.243			
			N	5616726.032					TERR	178	14	38	195.214	195.216			
			E1	370.028					CVD28BC	324566	77H6618	TERR	268	9	1	171.006	171.009
971481		77H6601	E	689598.803	0.9999877	0.9999462	520171	77H6628	TERR	88	12	22	170.771	170.773			
			N	5616912.811					TERR	268	10	21	171.120	171.123			
			E1	359.119					CVD28BC	637959	77H6523	TERR	358	19	38	140.053	140.054
734996		77H6602	E	689561.127	0.9999782	0.9999369	572735	77H6606	TERR	111	21	56	80.054	80.055			
			N	5616091.719					TERR	269	11	19	102.952	102.954			
			E1	418.269					CVD28BC	886036	77H6619	TERR					
655589		77H6603	E	690398.906	0.9999880	0.9999428	850768	77H6598	TERR	205	39	36	176.401	176.402			
			N	5616754.796													
			E1	380.731					CVD28BC								
888800		77H6604	E	689076.567	0.9999824	0.9999434	909556	77H6620	TERR	88	37	8	193.543	193.546			
			N	5616504.180					TERR	178	21	4	98.770	98.771			
			E1	377.005					CVD28BC	492785	77H6633	TERR	269	6	35	100.013	100.015
667972		77H6605	E	689109.080	0.9999743	0.9999351	666321	77H6613	TERR	93	22	19	198.630	198.635			
			N	5615923.418													
			E1	429.656					CVD28BC								
572735		77H6606	E	689635.679	0.9999783	0.9999367	737486	77H6607	TERR	38	0	43	144.072	144.075			
			N	5616062.554					TERR	218	24	37	126.828	126.831			
			E1	419.942					CVD28BC	734996	77H6602	TERR	291	21	56	80.054	80.055
737486		77H6607	E	689724.402	0.9999802	0.9999381	377077	77H6599	TERR	38	50	48	74.707	74.708			
			N	5616176.066					TERR	218	0	43	144.072	144.075			
			E1	410.598					CVD28BC	572735	77H6606	TERR					
547661		77H6608	E	689079.409	0.9999810	0.9999420	161711	77H6645	TERR	182	24	55	215.455	215.460			
			N	5616405.451					TERR	358	21	4	98.770	98.771			
			E1	385.924					CVD28BC	888800	77H6604	TERR					

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
74047	77H6609	E 689237.047 N 5615787.506 El 444.640		0.9999726	0.9999328	925495	77H6644	TERR	50 49 54	78.388	78.391
898098	77H6610	E 688866.278 N 5616182.643 El 412.907		0.9999758	0.9999378	461343 161711 322016	77H6621 77H6645 77H6627	TERR TERR TERR	1 54 6 87 52 58 175 14 4	230.909 204.190 104.420	230.915 204.195 104.422
110429	77H6611	E 690130.515 N 5616538.153 El 377.342		0.9999873	0.9999433	660563 742551	77H6643 77H6631	TERR TERR	87 28 15 267 39 49	118.222 177.670	118.223 177.672
719583	77H6612	E 689427.770 N 5616907.354 El 359.342		0.9999868	0.9999462	971481 870980 614495	77H6601 77H6622 77H6519	TERR TERR TERR	88 10 21 177 56 13 268 8 20	171.120 197.781 371.240	171.123 197.783 371.245
666321	77H6613	E 689307.366 N 5615911.735 El 432.749		0.9999748	0.9999347	747808 925495 667972 301556	77H6617 77H6644 77H6605 372	TERR TERR TERR TERR	87 45 34 187 16 47 273 22 19 323 12 14	152.828 75.326 198.630 7352.028	152.832 75.328 198.635 7352.370
719641	77H6614	E 689023.937 N 5615776.220 El 453.891		0.9999701	0.9999313	246215 237321	77H6623 77H6636	TERR TERR	76 57 49 288 1 47	72.997 81.361	73.000 81.363
781815	77H6615	E 689062.869 N 5616697.699 El 370.816		0.9999833	0.9999444	563940 283945 614495	77H6638 77H6512 77H6519	TERR TERR TERR	88 10 44 268 43 7 358 13 10	201.268 202.764 197.694	201.271 202.767 197.697
265405	77H6616	E 689287.840 N 5616198.121 El 407.410		0.9999786	0.9999386	900951 161711	77H6637 77H6645	TERR TERR	86 45 46 267 54 40	154.476 217.656	154.478 217.661
747808	77H6617	E 689460.077 N 5615917.710 El 429.488		0.9999760	0.9999352	356808 666321 886036	77H6642 77H6613 77H6619	TERR TERR TERR	64 50 35 267 45 34 359 22 18	106.949 152.828 172.561	106.952 152.832 172.565

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres	
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET		MARKING						
324566		77H6618	E	689776.094	0.9999866	0.9999443	512699	77H6600	TERR	88	9	1	171.006	171.009		
			N	5616720.512			815852	77H6640	TERR	178	7	41	195.747	195.750		
			E1	371.158			CVD28BC	870980	77H6622	TERR	268	11	7	341.375	341.380	
								520171	77H6628	TERR	358	5	11	197.755	197.758	
886036		77H6619	E	689458.185	0.9999780	0.9999372	734996	77H6602	TERR	89	11	19	102.952	102.954		
			N	5616090.261			747808	77H6617	TERR	179	22	18	172.561	172.565		
			E1	416.356			CVD28BC	900951	77H6637	TERR	352	7	46	117.692	117.695	
909556		77H6620	E	689270.054	0.9999825	0.9999426	944843	77H6626	TERR	87	58	56	171.251	171.254		
			N	5616508.845			888800	77H6604	TERR	268	37	8	193.543	193.546		
			E1	382.294			CVD28BC	563940	77H6638	TERR	358	14	3	195.343	195.346	
461343		77H6621	E	688873.940	0.9999786	0.9999405	819029	77H6639	TERR	0	59	15	80.647	80.648		
			N	5616413.425			898098	77H6610	TERR	181	54	6	230.909	230.915		
			E1	395.302			CVD28BC									
870980		77H6622	E	689434.890	0.9999854	0.9999447	324566	77H6618	TERR	88	11	7	341.375	341.380		
			N	5616709.701			944843	77H6626	TERR	178	8	43	194.928	194.931		
			E1	368.362			CVD28BC	563940	77H6638	TERR	268	7	15	170.947	170.949	
								719583	77H6612	TERR	357	56	13	197.781	197.783	
246215		77H6623	E	689095.053	0.9999710	0.9999319	719641	77H6614	TERR	256	57	49	72.997	73.000		
			N	5615792.686												
			E1	450.614			CVD28BC									
654426		77H6624	E	689788.840	0.9999827	0.9999403	MARKER DESTROYED									
			N	5616313.804												
			E1	396.458			CVD28BC									
867804		77H6625	E	688847.223	0.9999731	0.9999351	322016	77H6627	TERR	16	23	7	98.300	98.303		
			N	5615984.276			965442	77H6634	TERR	150	41	22	93.565	93.568		
			E1	429.710			CVD28BC									
944843		77H6626	E	689441.199	0.9999833	0.9999426	815852	77H6640	TERR	88	19	21	341.435	341.441		
			N	5616514.875			698662	77H6632	TERR	178	10	49	211.835	211.838		
			E1	381.912			CVD28BC	909556	77H6620	TERR	267	58	56	171.251	171.254	
								870980	77H6622	TERR	358	8	43	194.928	194.931	

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
322016	77H6627	E	688874.953	0.9999746	0.9999365	867804	77H6625	TERR	196 23 7	98.300	98.303
		N	5616078.584			898098	77H6610	TERR	355 14 4	104.420	104.422
		El	420.963	CVD28BC							
520171	77H6628	E	689769.490	0.9999885	0.9999462	634931	77H6629	TERR	88 29 26	94.371	94.372
		N	5616918.157			324566	77H6618	TERR	178 5 11	197.755	197.758
		El	359.098	CVD28BC		971481	77H6601	TERR	268 12 22	170.771	170.773
634931	77H6629	E	689863.828	0.9999890	0.9999463	284208	77H6528	TERR	88 32 34	84.624	84.625
		N	5616920.643			520171	77H6628	TERR	268 29 26	94.371	94.372
		El	358.660	CVD28BC		637959	77H6523	TERR	296 9 20	299.814	299.817
912501	77H6630	E	689959.645	0.9999838	0.9999406		MARKER DESTROYED				
		N	5616319.761								
		El	394.656	CVD28BC							
742551	77H6631	E	689952.993	0.9999858	0.9999427	110429	77H6611	TERR	87 39 49	177.670	177.672
		N	5616530.910			815852	77H6640	TERR	267 58 16	170.612	170.615
		El	381.740	CVD28BC		512699	77H6600	TERR	358 14 38	195.214	195.216
698662	77H6632	E	689447.926	0.9999806	0.9999399	768242	87H3116	TERR	88 12 33	341.077	341.083
		N	5616303.147			900951	77H6637	TERR	183 28 49	96.481	96.483
		El	399.342	CVD28BC		944843	77H6626	TERR	358 10 49	211.835	211.838
492785	77H6633	E	688976.566	0.9999807	0.9999421	888800	77H6604	TERR	89 6 35	100.013	100.015
		N	5616502.626			819029	77H6639	TERR	265 9 49	101.598	101.600
		El	385.115	CVD28BC							
965442	77H6634	E	688893.027	0.9999722	0.9999340	237321	77H6636	TERR	152 8 15	114.569	114.572
		N	5615902.689			867804	77H6625	TERR	330 41 22	93.565	93.568
		El	436.718	CVD28BC							
30197	77H6635	E	689305.721	0.9999871	0.9999470	734947	77H6530	TERR	118 18 31	191.561	191.564
		N	5617198.507			515676	77H6597	TERR	310 34 31	123.963	123.964
		El	354.131	CVD28BC							

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						Metres	Metres
237321		77H6636	E	688946.571	0.9999707	0.9999323	719641	77H6614	TERR	108	1	47	81.361	81.363	
			N	5615801.402			965442	77H6634	TERR	332	8	15	114.569	114.572	
			E1	447.713			CVD28BC								
900951		77H6637	E	689442.069	0.9999794	0.9999386	698662	77H6632	TERR	3	28	49	96.481	96.483	
			N	5616206.844			886036	77H6619	TERR	172	7	46	117.692	117.695	
			E1	407.391			CVD28BC		265405	77H6616	TERR	266	45	46	154.476
563940		77H6638	E	689264.035	0.9999847	0.9999448	870980	77H6622	TERR	88	7	15	170.947	170.949	
			N	5616704.095			909556	77H6620	TERR	178	14	3	195.343	195.346	
			E1	368.211			CVD28BC		781815	77H6615	TERR	268	10	44	201.268
819029		77H6639	E	688875.330	0.9999796	0.9999415	492785	77H6633	TERR	85	9	49	101.598	101.600	
			N	5616494.060			461343	77H6621	TERR	180	59	15	80.647	80.648	
			E1	389.186			CVD28BC		283945	77H6512	TERR	355	38	31	199.682
815852		77H6640	E	689782.488	0.9999847	0.9999423	742551	77H6631	TERR	87	58	16	170.612	170.615	
			N	5616524.870			768242	87H3116	TERR	178	16	38	211.159	211.162	
			E1	383.736			CVD28BC		944843	77H6626	TERR	268	19	21	341.435
							324566	77H6618	TERR	358	7	41	195.747	195.750	
848614		77H6641	E	689041.507	0.9999857	0.9999469	515676	77H6597	TERR	96	29	21	171.155	171.157	
			N	5617298.481			654046	77H6534	TERR	267	2	10	200.937	200.939	
			E1	354.898			CVD28BC								
356808		77H6642	E	689556.882	0.9999771	0.9999358	572735	77H6606	TERR	38	24	37	126.828	126.831	
			N	5615963.174			747808	77H6617	TERR	244	50	35	106.949	106.952	
			E1	425.215			CVD28BC								
660563		77H6643	E	690248.622	0.9999867	0.9999422	850768	77H6598	TERR	54	38	54	90.603	90.604	
			N	5616543.370			110429	77H6611	TERR	267	28	15	118.222	118.223	
			E1	384.545			CVD28BC								
925495		77H6644	E	689297.821	0.9999738	0.9999337	666321	77H6613	TERR	7	16	47	75.326	75.328	
			N	5615837.016			74047	77H6609	TERR	230	49	54	78.388	78.391	
			E1	438.789			CVD28BC								

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
161711	77H6645	E	689070.329	0.9999782	0.9999392	547661	77H6608	TERR	2 24 55	215.455	215.460	
		N	5616190.187			265405	77H6616	TERR	87 54 40	217.656	217.661	
		E1	404.010			CVD28BC	898098	77H6610	TERR	267 52 58	204.190	204.195
970137	77H6646	E	686101.784	0.9999433	0.9999180	965780	77H6663	TERR	156 3 37	285.208	285.224	
		N	5615551.770			230631	77H6654	TERR	352 12 37	143.442	143.450	
		E1	539.278			CVD28BC						
772814	77H6647	E	686476.793	0.9999450	0.9999179	MARKER DESTROYED						
		N	5615401.131									
		E1	539.426	CVD28BC								
936633	77H6648	E	686925.998	0.9999211	0.9998920	308718	89H5367	TERR	77 54 54	206.321	206.336	
		N	5613792.283			930545	77H6675	TERR	277 27 35	157.579	157.592	
		E1	704.930			CVD28BC						
586461	77H6649	E	686114.785	0.9999437	0.9999183	449918	77H6656	TERR	88 6 5	178.138	178.148	
		N	5615833.634			230631	77H6654	TERR	193 4 12	143.463	143.470	
		E1	537.123			CVD28BC	307926	77H6692	TERR	330 52 9	242.356	242.371
935056	77H6650	E	687742.967	0.9999647	0.9999319	787127	77H6658	TERR	138 11 38	119.555	119.560	
		N	5616590.058			308395	77H6352	TERR	261 59 53	154.720	154.725	
		E1	450.580			CVD28BC						
710087	77H6651	E	687324.607	0.9999232	0.9998923	379933	77H6682	TERR	94 53 10	121.536	121.545	
		N	5614163.714			512368	77H6480	TERR	257 53 50	106.330	106.339	
		E1	703.239			CVD28BC	554766	77H6427	TERR	358 2 16	91.700	91.708
690768	77H6652	E	687421.991	0.9999501	0.9999187	827956	77H6347	TERR	139 44 60	335.413	335.430	
		N	5615684.667			297952	77H6429	TERR	267 40 58	280.646	280.659	
		E1	534.735			CVD28BC	599522	77H6391	TERR	332 32 37	201.907	201.917
645440	77H6653	E	687733.153	0.9999524	0.9999196	115519	77H6395	TERR	108 45 19	142.949	142.955	
		N	5615910.152			186890	77H6353	TERR	300 45 37	139.164	139.171	
		E1	528.694			CVD28BC						

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING		Bearing				
230631	77H6654	E	686082.342	0.9999436	0.9999183	586461	77H6649	TERR	13	4	12	143.463	143.470
		N	5615693.888					TERR	172	12	37	143.442	143.450
		El	536.808					TERR	246	24	52	186.937	186.948
672469	77H6655	E	686874.121	0.9999484	0.9999195	485730	77H6484	TERR	84	15	23	137.177	137.184
		N	5615746.061					TERR	198	6	4	101.154	101.159
		El	529.225					TERR	266	26	33	330.599	330.616
449918	77H6656	E	686292.825	0.9999440	0.9999178	586461	77H6649	TERR	268	6	5	178.138	178.148
		N	5615839.536					TERR	356	25	23	203.697	203.708
		El	540.410										
604298	77H6657	E	686909.466	0.9999180	0.9998890	721084	77H6690	TERR	157	31	45	96.271	96.279
		N	5613663.727					TERR	295	39	34	143.666	143.678
		El	724.155										
787127	77H6658	E	687822.664	0.9999640	0.9999308	551820	77H6673	TERR	156	20	44	72.903	72.905
		N	5616500.941					TERR	318	11	38	119.555	119.560
		El	457.364										
595199	77H6659	E	686779.968	0.9999171	0.9998887	604298	77H6657	TERR	115	39	34	143.666	143.678
		N	5613725.937					TERR	285	11	14	107.052	107.061
		El	725.960										
361048	77H6660	E	687511.814	0.9999328	0.9999010	604082	77H6405	TERR	311	39	40	104.457	104.465
		N	5614706.022										
		El	647.213										
701516	77H6661	E	685336.178	0.9999223	0.9999004	925834	77H6674	TERR	105	3	35	105.802	105.810
		N	5614727.264					TERR	196	57	34	184.576	184.591
		El	651.188					TERR	296	42	21	282.501	282.522
636142	77H6662	E	686595.669	0.9999122	0.9998846	783589	83H5894	TERR	58	36	26	161.038	161.052
		N	5613555.621					TERR	287	28	10	89.625	89.632
		El	751.870										

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
965780	77H6663	E 686217.514 N 5615291.098 El 547.309		0.9999426	0.9999167	82883 970137	77H6671 77H6646	TERR TERR	111 25 8 336 3 37	102.658 285.208	102.663 285.224
				CVD28BC							
88401	77H6664	E 687914.990 N 5616219.642 El 492.142		0.9999590	0.9999254	131326	77H6361	TERR	252 2 25	84.544	84.547
				CVD28BC							
502559	77H6665	E 686310.482 N 5615710.607 El 534.631		0.9999450	0.9999187	MARKER DESTROYED					
				CVD28BC							
596643	77H6666	E 686510.178 N 5613582.526 El 751.154		0.9999120	0.9998848	636142 68171	77H6662 77H6422	TERR TERR	107 28 10 345 45 48	89.625 104.652	89.632 104.661
				CVD28BC							
411983	77H6667	E 686924.828 N 5614318.665 El 658.288		0.9999284	0.9998993	385153 563973	77H6373 77H6687	TERR TERR	36 4 28 205 24 25	115.102 70.281	115.110 70.286
				CVD28BC							
2287	77H6668	E 686558.161 N 5615511.981 El 534.752		0.9999461	0.9999187	360933	77H6678	TERR	64 8 15	316.202	316.219
				CVD28BC							
567438	77H6669	E 686544.159 N 5615725.548 El 532.354		0.9999464	0.9999190	672469	77H6655	TERR	86 26 33	330.599	330.616
				CVD28BC							
535120	77H6670	E 687116.171 N 5614101.589 El 703.557		0.9999222	0.9998922	512368 497198	77H6480 77H6694	TERR TERR	69 7 47 330 57 10	111.805 87.315	111.813 87.322
				CVD28BC							
82883	77H6671	E 686313.082 N 5615253.609 El 547.493		0.9999430	0.9999167	996751 736645 965780	82H4993 77H6408 77H6663	TERR TERR TERR	58 51 29 255 53 39 291 25 8	97.231 398.697 102.658	97.236 398.722 102.663
				CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
489260	77H6672	E 687849.819 N 5615267.536 El 549.629		0.9999497	0.9999163	351957 265736	77H6490 77H6504	TERR TERR	2 37 15 222 52 39	90.015 66.533	90.019 66.536
				CVD28BC							
551820	77H6673	E 687851.914 N 5616434.163 El 460.991		0.9999636	0.9999302	47795 787127	77H6681 77H6658	TERR TERR	122 48 37 336 20 44	93.034 72.903	93.037 72.905
				CVD28BC							
925834	77H6674	E 685438.346 N 5614699.774 El 645.055		0.9999237	0.9999014	345785 701516	77H6426 77H6661	TERR TERR	82 54 5 285 3 35	120.687 105.802	120.696 105.810
				CVD28BC							
930545	77H6675	E 686769.753 N 5613812.741 El 714.072		0.9999190	0.9998906	936633 248922	77H6648 77H6684	TERR TERR	97 27 35 305 6 3	157.579 150.502	157.592 150.514
				CVD28BC							
11221	77H6676	E 686845.655 N 5613587.619 El 737.343		0.9999157	0.9998869	721084 783589	77H6690 83H5894	TERR TERR	97 16 51 294 45 21	101.425 123.908	101.433 123.920
				CVD28BC							
483602	77H6677	E 687171.761 N 5614221.110 El 698.602		0.9999232	0.9998930	554766 497198	77H6427 77H6694	TERR TERR	77 6 49 246 12 48	153.574 107.080	153.585 107.089
				CVD28BC							
360933	77H6678	E 686842.693 N 5615649.913 El 528.333		0.9999484	0.9999197	672469 2287	77H6655 77H6668	TERR TERR	18 6 4 244 8 15	101.154 316.202	101.159 316.219
				CVD28BC							
287276	77H6679	E 687545.674 N 5614107.886 El 700.047		0.9999247	0.9998928	338921 288225 379933	77H6401 91H0359 77H6682	TERR TERR TERR	36 18 28 177 3 29 294 27 36	92.234 160.498 109.830	92.242 160.509 109.839
				CVD28BC							
125047	77H6680	E 688039.903 N 5616382.121 El 455.844		0.9999653	0.9999310	47795	77H6681	TERR	270 51 4	109.809	109.813
				CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
47795	77H6681	E 687930.106 N 5616383.752 El 461.621		0.9999639	0.9999301	125047 551820	77H6680 77H6673	TERR TERR	90 51 4 302 48 37	109.809 93.034	109.813 93.037
				CVD28BC							
379933	77H6682	E 687445.701 N 5614153.362 El 704.724		0.9999235	0.9998920	287276 710087	77H6679 77H6651	TERR TERR	114 27 36 274 53 10	109.830 121.536	109.839 121.545
				CVD28BC							
741355	77H6683	E 686280.117 N 5616042.836 El 541.415		0.9999438	0.9999176	449918 644559	77H6656 82H5077	TERR TERR	176 25 23 357 6 40	203.697 127.539	203.708 127.546
				CVD28BC							
248922	77H6684	E 686646.621 N 5613899.282 El 712.701		0.9999186	0.9998908	930545 861674 982421	77H6675 77H6695 77H6410	TERR TERR TERR	125 6 3 199 52 56 325 3 21	150.502 76.028 193.776	150.514 76.033 193.792
				CVD28BC							
28274	77H6685	E 686295.736 N 5615617.854 El 535.821		0.9999447	0.9999185	922138	77H6689	TERR	151 0 31	121.255	121.263
				CVD28BC							
368753	77H6686	E 687425.118 N 5614236.849 El 698.657		0.9999244	0.9998930	97915 554766	77H6445 77H6427	TERR TERR	80 12 59 280 7 32	99.288 105.291	99.295 105.299
				CVD28BC							
563973	77H6687	E 686894.674 N 5614255.181 El 662.256		0.9999276	0.9998987	411983 434605	77H6667 77H6400	TERR TERR	25 24 25 264 27 43	70.281 69.601	70.286 69.606
				CVD28BC							
768408	77H6688	E 686676.655 N 5613753.982 El 726.332		0.9999166	0.9998886	595199 68676 861674	77H6659 82H5079 77H6695	TERR TERR TERR	105 11 14 221 22 56 322 51 51	107.052 122.790 92.578	107.061 122.800 92.586
				CVD28BC							
922138	77H6689	E 686354.506 N 5615511.793 El 538.029		0.9999446	0.9999182	28274	77H6685	TERR	331 0 31	121.255	121.263
				CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
721084	77H6690	E	686946.262	0.9999171	0.9998879	856724	89H5364	TERR	146 21 47	79.369	79.376
		N	5613574.765					TERR	277 16 51	101.425	101.433
		El	730.865					TERR	337 31 45	96.271	96.279
	77H6691	E	686344.616	0.9999116	0.9998852	874073	77H6420	TERR	23 54 44	80.200	80.207
		N	5613648.019					TERR	241 7 7	75.907	75.914
		El	748.456								
307926	77H6692	E	685996.805	0.9999442	0.9999194	586461	77H6649	TERR	150 52 9	242.356	242.371
		N	5616045.335					TERR	348 43 23	133.746	133.753
		El	530.187								
497198	77H6694	E	687073.777	0.9999229	0.9998931	483602	77H6677	TERR	66 12 48	107.080	107.089
		N	5614177.921					TERR	150 57 10	87.315	87.322
		El	697.654								
861674	77H6695	E	686620.765	0.9999176	0.9998899	248922	77H6684	TERR	19 52 56	76.028	76.033
		N	5613827.786					TERR	142 51 51	92.578	92.586
		El	718.444								
890988	79H0236	E	699554.035	1.0000355	0.9999465		MARKER DESTROYED				
		N	5616854.975								
		El	357.234								
249938	79H0237	E	699103.387	1.0000150	0.9999282		MARKER DESTROYED				
		N	5615616.859								
		El	474.000								
304428	79H0238	E	700020.336	1.0000016	0.9999103		MARKER DESTROYED				
		N	5614864.806								
		El	588.161								
296939	79H0239	E	699532.624	1.0000060	0.9999170	198309	94H1281	GPS	27 14 23	361.113	361.110
		N	5614699.147			965715	94H1304	TERR	114 40 25	130.449	130.448
		El	545.258			433300	94H1298	GPS	129 22 16	770.909	770.904
						849398	94H1307	GPS	278 48 50	269.038	269.038
						491373	94H1294	TERR	306 17 20	200.293	200.293

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
705616	79H0240	E 700890.008 N 5616412.701 El 367.487		1.0000405	0.9999449		MARKER DESTROYED				
148346	79H0241	E 700014.577 N 5616652.313 El 347.390		1.0000393	0.9999480		MARKER DESTROYED				
445346	79H0242	E 699906.108 N 5615174.071 El 534.470		1.0000095	0.9999187		MARKER DESTROYED				
795237	79H0243	E 700470.832 N 5614702.360 El 554.643		1.0000091	0.9999156	406	79H0328	TERR	151 53 19	50.277	50.277
232124	79H0244	E 699212.175 N 5615211.906 El 513.560		1.0000094	0.9999220		MARKER DESTROYED				
224451	79H0245	E 698619.833 N 5616724.103 El 366.868		1.0000294	0.9999450		MARKER DESTROYED				
105254	79H0246	E 699385.649 N 5616711.405 El 365.235		1.0000334	0.9999452		MARKER DESTROYED				
456665	79H0247	E 701727.534 N 5616796.361 El 349.992		1.0000474	0.9999476		MARKER DESTROYED				
841205	79H0248	E 699299.405 N 5616711.563 El 365.515		1.0000330	0.9999452		MARKER DESTROYED				

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
13979	79H0250	E 700918.325 N 5614789.318 El 527.571		1.0000156	0.9999198		MARKER DESTROYED				
164384	79H0251	E 699788.667 N 5615173.996 El 539.982		1.0000080	0.9999179		MARKER DESTROYED				
610329	79H0252	E 699697.847 N 5615020.611 El 525.476		1.0000099	0.9999201		MARKER DESTROYED				
61242	79H0253	E 698762.090 N 5616677.786 El 359.562		1.0000313	0.9999461		MARKER DESTROYED				
689018	79H0255	E 701032.378 N 5616695.942 El 354.571		1.0000432	0.9999469		MARKER DESTROYED				
812552	79H0257	E 700417.706 N 5616562.676 El 347.588		1.0000413	0.9999480		MARKER DESTROYED				
679472	79H0258	E 701133.069 N 5617022.801 El 346.474		1.0000450	0.9999482		MARKER DESTROYED				
893826	79H0259	E 700408.108 N 5616387.579 El 354.315		1.0000402	0.9999470		MARKER DESTROYED				
408518	79H0260	E 700252.698 N 5616421.002 El 354.836		1.0000393	0.9999469		MARKER DESTROYED				

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
671628	79H0261	E 699748.611 N 5616572.547 El 352.418		1.0000372	0.9999472		MARKER DESTROYED				
278887	79H0262	E 700319.939 N 5614985.492 El 529.651		1.0000123	0.9999195		MARKER DESTROYED				
6031	79H0263	E 699745.921 N 5616840.641 El 349.829		1.0000376	0.9999477		MARKER DESTROYED				
739417	79H0265	E 700711.772 N 5616371.157 El 365.318		1.0000400	0.9999452		MARKER DESTROYED				
950485	79H0266	E 699906.461 N 5614365.047 El 554.807		1.0000063	0.9999155		MARKER DESTROYED				
59857	79H0268	E 699381.629 N 5615216.510 El 503.908		1.0000117	0.9999235		MARKER DESTROYED				
270447	79H0269	E 700827.889 N 5616550.758 El 360.133		1.0000413	0.9999460		MARKER DESTROYED				
672873	79H0270	E 700975.743 N 5616812.378 El 349.148		1.0000438	0.9999478		MARKER DESTROYED				
192013	79H0271	E 701690.680 N 5616655.115 El 350.372		1.0000471	0.9999476		MARKER DESTROYED				

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
422089	79H0272	E 701025.411 N 5614400.743 El 565.994		1.0000101	0.9999138		MARKER DESTROYED				
962035	79H0273	E 700877.461 N 5616821.616 El 349.091		1.0000433	0.9999478		MARKER DESTROYED				
85753	79H0275	E 699752.236 N 5614830.185 El 524.959		1.0000102	0.9999202		MARKER DESTROYED				
534214	79H0276	E 700756.717 N 5616721.739 El 351.207		1.0000424	0.9999474		MARKER DESTROYED				
871087	79H0277	E 698578.492 N 5616590.938 El 375.700		1.0000279	0.9999436		MARKER DESTROYED				
581231	79H0278	E 700015.615 N 5614258.979 El 558.269		1.0000063	0.9999150	433300	94H1298	TERR	113 23 8	123.074	123.073
997908	79H0279	E 701170.997 N 5614382.270 El 564.838		1.0000110	0.9999140	483479	79H0326	TERR	87 11 5	130.410	130.409
524900	79H0280	E 701000.977 N 5616616.594 El 357.786		1.0000426	0.9999464		MARKER DESTROYED				
865345	79H0281	E 701443.966 N 5616555.010 El 355.997		1.0000450	0.9999467		MARKER DESTROYED				

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
217679	79H0282	E 701504.906 N 5616935.453 El 349.044		1.0000464	0.9999478		MARKER DESTROYED				
459610	79H0283	E 701247.282 N 5616776.178 El 351.759		1.0000447	0.9999474		MARKER DESTROYED				
308148	79H0284	E 700217.241 N 5616609.583 El 346.408		1.0000405	0.9999482		MARKER DESTROYED				
260208	79H0285	E 698710.232 N 5616597.099 El 368.263		1.0000297	0.9999448		MARKER DESTROYED				
16816	79H0286	E 700773.084 N 5614469.191 El 559.870		1.0000098	0.9999148	255109 222877 433300 55467 666511 127340 132910 664235 583518	94H1323 554-J-2 94H1298 89H5182 79H0378 94H1284 94H1301 1730-J 94H1319	GPS GPS GPS GPS GPS GPS GPS GPS GPS	76 13 8 81 8 27 248 6 8 264 23 53 295 7 59 316 1 50 319 15 44 346 29 46 349 18 55	4511.693 6583.210 694.622 14536.151 7007.151 2962.784 677.735 30178.753 1953.606	4511.527 6582.932 694.616 14536.827 7007.073 2962.724 677.727 30178.484 1953.557
893909	79H0287	E 699686.117 N 5614633.413 El 533.055		1.0000086	0.9999189		MARKER DESTROYED				
103143	79H0288	E 699108.195 N 5615846.439 El 462.585		1.0000168	0.9999300		MARKER DESTROYED				
895409	79H0289	E 699526.737 N 5614916.945 El 518.517		1.0000101	0.9999212		MARKER DESTROYED				

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
341917	79H0290	E 699935.799 N 5616491.352 El 354.508		1.0000378	0.9999469		MARKER DESTROYED				
171611	79H0291	E 699842.084 N 5614989.201 El 564.003		1.0000045	0.9999141		MARKER DESTROYED				
581686	79H0292	E 699891.859 N 5614810.654 El 557.782		1.0000058	0.9999151		MARKER DESTROYED				
380	79H0293	E 699947.651 N 5614720.784 El 555.149		1.0000065	0.9999155		MARKER DESTROYED				
918946	79H0294	E 700242.433 N 5614583.804 El 569.142		1.0000057	0.9999133	109744 885400	79H0325 94H1278	TERR TERR	87 23 58 87 24 31	80.537 80.421	80.537 80.422
905661	79H0295	E 699955.729 N 5614954.996 El 582.095		1.0000023	0.9999113		MARKER DESTROYED				
784678	79H0296	E 700687.847 N 5614590.968 El 554.767		1.0000102	0.9999155		MARKER DESTROYED				
647396	79H0297	E 701338.443 N 5614525.088 El 545.086		1.0000149	0.9999171	483479	79H0326	TERR	195 15 4	141.393	141.391
896522	79H0298	E 701076.782 N 5614894.673 El 521.970		1.0000172	0.9999207	279257 309468	79H0306 79H0334	TERR TERR	91 19 14 283 7 12	158.975 223.672	158.972 223.669

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
284075	79H0299	E 699760.410 N 5614687.653 El 529.369		1.0000096	0.9999195		MARKER DESTROYED				
704577	79H0300	E 700289.037 N 5615118.532 El 505.656		1.0000159	0.9999232		MARKER DESTROYED				
592808	79H0301	E 700576.311 N 5614642.326 El 554.308		1.0000097	0.9999156	406	79H0328	TERR	280 51 29	83.280	83.280
684290	79H0302	E 699548.895 N 5616706.012 El 361.296		1.0000349	0.9999459		MARKER DESTROYED				
81729	79H0303	E 699028.398 N 5615475.625 El 483.368		1.0000132	0.9999267		MARKER DESTROYED				
774703	79H0304	E 700702.028 N 5614765.712 El 531.625		1.0000139	0.9999192		MARKER DESTROYED				
174862	79H0305	E 700398.276 N 5615033.349 El 517.288		1.0000146	0.9999214		MARKER DESTROYED				
279257	79H0306	E 701235.715 N 5614891.009 El 527.373		1.0000172	0.9999198	896522	79H0298	TERR	271 19 14	158.975	158.972
848945	79H0307	E 700224.296 N 5614719.748 El 570.578		1.0000054	0.9999131		MARKER DESTROYED				

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
939504	79H0308	E 699879.288 N 5615071.554 El 563.068		1.0000049	0.9999142		MARKER DESTROYED				
211730	79H0309	E 699841.136 N 5615060.858 El 560.966		1.0000050	0.9999146	432732	87H3112	TERR	75 5 14	39.798	39.798
546465	79H0310	E 700263.541 N 5614411.047 El 568.030		1.0000060	0.9999135	433300	94H1298	TERR	213 53 25	242.039	242.037
793216	79H0311	E 699877.049 N 5614626.172 El 535.794		1.0000091	0.9999185		MARKER DESTROYED				
314914	79H0312	E 700588.653 N 5614811.377 El 533.884		1.0000129	0.9999188		MARKER DESTROYED				
265074	79H0313	E 700564.229 N 5616369.902 El 358.950		1.0000402	0.9999462		MARKER DESTROYED				
946145	79H0314	E 699060.820 N 5616696.935 El 358.057		1.0000330	0.9999464		MARKER DESTROYED				
121632	79H0315	E 701233.669 N 5616500.612 El 355.513		1.0000441	0.9999468		MARKER DESTROYED				
911545	79H0316	E 700119.778 N 5614783.931 El 578.197		1.0000037	0.9999119		MARKER DESTROYED				

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
48298	79H0317	E 700407.074 N 5614638.177 El 562.756		1.0000075	0.9999143	406 109744	79H0328 79H0325	TERR TERR	77 13 9 238 55 58	89.670 98.285	89.669 98.283
				CVD28BC							
19083	79H0318	E 699099.214 N 5616012.836 El 457.296		1.0000176	0.9999308		MARKER DESTROYED				
				CVD28BC							
453886	79H0319	E 699832.511 N 5616519.987 El 354.453		1.0000373	0.9999469		MARKER DESTROYED				
				CVD28BC							
888875	79H0320	E 700469.861 N 5614918.771 El 528.747		1.0000132	0.9999196		MARKER DESTROYED				
				CVD28BC							
852442	79H0321	E 701157.645 N 5614700.660 El 534.717		1.0000156	0.9999187		MARKER DESTROYED				
				CVD28BC							
725564	79H0322	E 700128.129 N 5614209.651 El 560.154		1.0000066	0.9999147		MARKER DESTROYED				
				CVD28BC							
162768	79H0324	E 700695.545 N 5614939.340 El 519.349		1.0000157	0.9999211		MARKER DESTROYED				
				CVD28BC							
109744	79H0325	E 700322.887 N 5614587.458 El 571.819		1.0000057	0.9999129	48298 918946	79H0317 79H0294	TERR TERR	58 55 58 267 23 58	98.285 80.537	98.283 80.537
				CVD28BC							
483479	79H0326	E 701301.250 N 5614388.675 El 559.739		1.0000124	0.9999148	647396 997908	79H0297 79H0279	TERR TERR	15 15 4 267 11 5	141.393 130.410	141.391 130.409
				CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
370908	79H0327	E 700968.914 N 5617024.449 El 345.746		1.0000443	0.9999483		MARKER DESTROYED				
406	79H0328	E 700494.522 N 5614658.014 El 554.698		1.0000092	0.9999156	592808 48298 795237	79H0301 79H0317 79H0243	TERR TERR TERR	100 51 29 257 13 9 331 53 19	83.280 89.670 50.277	83.280 89.669 50.277
1677	79H0329	E 701450.158 N 5616725.943 El 349.868		1.0000460	0.9999477		MARKER DESTROYED				
176933	79H0330	E 700347.368 N 5614824.373 El 549.709		1.0000093	0.9999163		MARKER DESTROYED				
513168	79H0331	E 700108.850 N 5614979.284 El 546.817		1.0000086	0.9999168		MARKER DESTROYED				
953497	79H0332	E 699738.590 N 5615133.588 El 534.302		1.0000087	0.9999188		MARKER DESTROYED				
703868	79H0333	E 699663.277 N 5614519.944 El 555.708		1.0000050	0.9999154		MARKER DESTROYED				
309468	79H0334	E 700858.949 N 5614945.445 El 521.979		1.0000161	0.9999207	896522	79H0298	TERR	103 7 12	223.672	223.669
897801	79H0335	E 699478.818 N 5615056.794 El 513.574		1.0000107	0.9999220		MARKER DESTROYED				

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
655126	79H0336	E 691607.974 N 5617448.430 El 354.981		0.9999977	0.9999468	451435 720086	79H0431 79H0350	TERR TERR	65 15 4 234 27 35	190.450 153.591	190.450 153.592
				CVD28BC							
638312	79H0337	E 695246.467 N 5617141.801 El 359.093		1.0000144	0.9999462		MARKER DESTROYED				
				CVD28BC							
273995	79H0338	E 695161.805 N 5617368.577 El 347.840		1.0000157	0.9999480	996827 41558	79H0368 79H0409	TERR TERR	105 8 2 287 24 56	137.087 259.218	137.085 259.214
				CVD28BC							
885061	79H0339	E 694716.383 N 5615602.554 El 591.196		0.9999754	0.9999098	572560 416461 24976	89H5183 77H6440 79H0370	TERR TERR TERR	39 32 27 97 47 47 332 41 33	239.992 143.832 148.052	239.999 143.836 148.056
				CVD28BC							
967463	79H0340	E 694484.816 N 5615561.724 El 593.479		0.9999740	0.9999095	890079 956664	79H0375 79H0403	TERR TERR	105 4 50 286 38 17	245.264 119.061	245.271 119.064
				CVD28BC							
782342	79H0341	E 691416.557 N 5614862.450 El 675.866		0.9999465	0.9998966		MARKER DESTROYED				
				CVD28BC							
449579	79H0342	E 693002.897 N 5617353.203 El 353.930		1.0000045	0.9999470	818823 467928	79H0354 77H6397	TERR TERR	76 22 7 252 34 43	162.270 166.261	162.269 166.260
				CVD28BC							
779439	79H0343	E 694831.956 N 5617090.363 El 352.552		1.0000134	0.9999472	665455 5637	79H0383 79H0363	TERR TERR	96 23 36 276 4 13	241.597 130.841	241.593 130.838
				CVD28BC							
691006	79H0344	E 687922.748 N 5627800.680 El 351.840		0.9999810	0.9999473		MARKER DESTROYED				
				CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
649699	79H0345	E 691390.858 N 5615034.870 El 642.814		0.9999516	0.9999017		MARKER DESTROYED				
781229	79H0346	E 694215.124 N 5617506.930 El 348.540		1.0000111	0.9999479	666511 117507 33100	79H0378 87H3113 79H0435	TERR TERR TERR	106 3 23 197 20 2 286 1 47	222.912 135.894 542.006	222.909 135.892 542.001
399048	79H0347	E 692074.669 N 5617634.400 El 350.313		1.0000006	0.9999476	644377 864314	79H0405 79H0401	TERR TERR	70 46 6 245 43 59	175.692 155.540	175.692 155.540
40923	79H0348	E 694388.039 N 5615832.646 El 564.980		0.9999780	0.9999139	921122 956664 917625	79H0427 79H0403 79H0404	TERR TERR TERR	95 29 4 184 10 40 271 13 11	155.043 237.463 207.669	155.047 237.469 207.673
133256	79H0349	E 694405.159 N 5617314.224 El 347.352		1.0000122	0.9999480	117507	87H3113	TERR	285 16 53	238.973	238.969
720086	79H0350	E 691482.996 N 5617359.151 El 354.689		0.9999972	0.9999469	655126 748434	79H0336 79H0374	TERR TERR	54 27 35 224 26 25	153.591 166.275	153.592 166.275
5512	79H0351	E 695377.187 N 5617103.669 El 361.848		1.0000145	0.9999458		MARKER DESTROYED				
246975	79H0352	E 693798.019 N 5617463.634 El 346.881		1.0000093	0.9999481		MARKER DESTROYED				
995092	79H0353	E 694869.334 N 5615496.802 El 600.027		0.9999748	0.9999085	416461	77H6440	TERR	353 5 30	86.872	86.873

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
818823	79H0354	E 693160.596 N 5617391.446 El 354.609		1.0000051	0.9999469	362889 449579	79H0387 79H0342	TERR TERR	78 39 31 256 22 7	145.262 162.270	145.260 162.269
				CVD28BC							
895631	79H0355	E 691666.738 N 5614933.452 El 672.834		0.9999482	0.9998970		MARKER DESTROYED				
				CVD28BC							
903807	79H0356	E 691768.969 N 5614798.463 El 694.752		0.9999452	0.9998936		MARKER DESTROYED				
				CVD28BC							
486902	79H0357	E 693589.394 N 5617684.967 El 347.480		1.0000083	0.9999480	33100	79H0435	TERR	105 8 53	108.570	108.570
				CVD28BC							
121442	79H0358	E 693834.799 N 5615825.604 El 539.271		0.9999794	0.9999180	126755 164582	79H0406 79H0407	TERR TERR	68 31 11 198 1 32	102.100 131.505	102.102 131.508
				CVD28BC							
200931	79H0359	E 694174.635 N 5617377.215 El 346.598		1.0000112	0.9999482		MARKER DESTROYED				
				CVD28BC							
417162	79H0360	E 692395.031 N 5617415.698 El 350.670		1.0000021	0.9999475	583583	77H6424	TERR	182 39 2	93.032	93.032
				CVD28BC							
811216	79H0361	E 692832.008 N 5617641.886 El 341.914		1.0000055	0.9999489	101071 977223	79H0386 79H0381	TERR TERR	88 40 52 293 6 59	137.121 127.837	137.121 127.837
				CVD28BC							
580019	79H0362	E 694123.308 N 5617214.445 El 350.999		1.0000102	0.9999475	117507 999128 625327	87H3113 79H0371 79H0396	TERR TERR TERR	17 30 10 106 19 35 286 31 20	170.665 247.083 166.228	170.663 247.080 166.226
				CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
5637	79H0363	E 694701.849 N 5617104.199 El 348.196		1.0000134	0.9999479	779439 125112	79H0343 77H6431	TERR TERR	96 4 13 276 30 18	130.841 126.296	130.838 126.294
				CVD28BC							
31740	79H0364	E 693160.302 N 5617809.245 El 345.818		1.0000065	0.9999483	241513	79H0367	TERR	278 37 54	160.844	160.843
				CVD28BC							
500769	79H0365	E 691523.722 N 5614968.302 El 659.019		0.9999497	0.9998992		MARKER DESTROYED				
				CVD28BC							
920579	79H0366	E 694595.366 N 5617258.716 El 346.969		1.0000131	0.9999481		MARKER DESTROYED				
				CVD28BC							
241513	79H0367	E 693001.280 N 5617833.385 El 344.099		1.0000060	0.9999486	31740 101071 936799	79H0364 79H0386 79H0402	TERR TERR TERR	98 37 54 189 41 52 268 36 51	160.844 191.074 305.413	160.843 191.073 305.412
				CVD28BC							
996827	79H0368	E 695294.138 N 5617332.787 El 350.590		1.0000159	0.9999475	475525 273995	79H0380 79H0338	TERR TERR	119 0 53 285 8 2	131.234 137.087	131.233 137.085
				CVD28BC							
225037	79H0369	E 690930.482 N 5616893.062 El 359.958		0.9999937	0.9999461	69682	77H6411	TERR	94 18 53	254.948	254.949
				CVD28BC							
24976	79H0370	E 694648.462 N 5615734.107 El 585.421		0.9999760	0.9999107	572560 885061 921122	89H5183 79H0339 79H0427	TERR TERR TERR	76 22 7 152 41 33 308 16 44	227.103 148.052 135.146	227.109 148.056 135.148
				CVD28BC							
999128	79H0371	E 694360.428 N 5617144.988 El 349.483		1.0000116	0.9999477	125112 580019	77H6431 79H0362	TERR TERR	96 59 29 286 19 35	217.556 247.083	217.554 247.080
				CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres				
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET		MARKING					Metres	Metres			
703934		79H0372	E	694018.858	0.9999758	0.9999135	827725	79H0415	TERR	5 29 35	231.710	231.715							
			N	5615624.819					TERR				91 51 7	146.792	146.796				
			E1	567.612					CVD28BC										
519975		79H0373	E	691695.297	0.9999456	0.9998944	MARKER DESTROYED												
			N	5614827.078															
			E1	689.958			CVD28BC												
748434		79H0374	E	691366.576	0.9999970	0.9999473	720086	79H0350	TERR	44 26 25	166.275	166.275							
			N	5617240.434					TERR				146 44 8	111.666	111.666				
			E1	352.260					CVD28BC							829978	77H6406	TERR	273 31 11
890079		79H0375	E	694721.633	0.9999730	0.9999074	967463	79H0340	TERR	285 4 50	245.264	245.271							
			N	5615497.912															
			E1	606.991					CVD28BC										
423210		79H0376	E	694905.284	1.0000145	0.9999480	525295	79H0410	TERR	0 57 40	95.268	95.267							
			N	5617210.330															
			E1	347.476					CVD28BC										
930008		79H0377	E	693453.447	1.0000059	0.9999463	MARKER DESTROYED												
			N	5617564.837															
			E1	358.435			CVD28BC												
666511		79H0378	E	694429.340	1.0000122	0.9999480	541409	95H1778	GPS	96 27 37	5353.732	5353.597							
			N	5617445.276			222877	554-J-2	GPS	98 40 60	12997.390	12996.825							
			E1	347.818			127340	94H1284	GPS	101 8 6	4369.001	4368.909							
				725358			79H0416	TERR	106 24 41	190.056	190.054								
				774844			94H1289	GPS	107 3 45	4882.020	4881.946								
				16816			79H0286	GPS	115 7 59	7007.151	7007.073								
				849398			94H1307	GPS	119 12 44	5542.308	5542.275								
				55467			89H5182	GPS	241 35 2	9235.761	9236.179								
				781229			79H0346	TERR	286 3 23	222.912	222.909								
				664235			1730-J	GPS	358 28 19	26377.721	26377.457								
			344366				79H0379	E	693791.139	1.0000085	0.9999473	625327	79H0396	TERR	106 39 5	180.369	180.367		
N	5617313.402	TERR			287 1 22	215.774		215.773											
E1	351.893	CVD28BC																	

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid		UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----		Bearing			
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
475525	79H0380	E 695408.902 N 5617269.134 El 352.905		1.0000161	0.9999472	996827	79H0368	TERR	299 0 53		131.234	131.233
					CVD28BC							
977223	79H0381	E 692714.435 N 5617692.075 El 343.548		1.0000047	0.9999486	811216 936799	79H0361 79H0402	TERR TERR	113 6 59 352 8 38		127.837 135.192	127.837 135.192
					CVD28BC							
635698	79H0382	E 699371.161 N 5614817.634 El 542.165		1.0000057	0.9999175		MARKER DESTROYED					
					CVD28BC							
665455	79H0383	E 695072.050 N 5617063.461 El 353.683		1.0000144	0.9999470	529941 779439	79H0392 79H0343	TERR TERR	94 32 21 276 23 36		218.853 241.597	218.850 241.593
					CVD28BC							
884841	79H0384	E 693322.452 N 5617758.275 El 346.836		1.0000071	0.9999481		MARKER DESTROYED					
					CVD28BC							
995308	79H0385	E 691554.758 N 5614827.409 El 688.042		0.9999453	0.9998947		MARKER DESTROYED					
					CVD28BC							
101071	79H0386	E 692969.093 N 5617645.042 El 342.103		1.0000062	0.9999489	241513 606111 811216	79H0367 79H0400 79H0361	TERR TERR TERR	9 41 52 99 47 12 268 40 52		191.074 175.762 137.121	191.073 175.760 137.121
					CVD28BC							
362889	79H0387	E 693303.021 N 5617420.012 El 362.110		1.0000046	0.9999457	818823	79H0354	TERR	258 39 31		145.262	145.260
					CVD28BC							
872820	79H0388	E 699260.741 N 5615103.109 El 526.211		1.0000076	0.9999200		MARKER DESTROYED					
					CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
164400	79H0389	E 692376.071 N 5617584.607 El 345.690		1.0000028	0.9999483	142059 847459	79H0425 79H0430	TERR TERR	186 52 18 270 4 50	89.137 94.594	89.137 94.594
				CVD28BC							
153288	79H0390	E 691591.745 N 5614651.883 El 707.810		0.9999423	0.9998916		MARKER DESTROYED				
				CVD28BC							
472217	79H0391	E 693259.978 N 5617514.850 El 357.223		1.0000052	0.9999465		MARKER DESTROYED				
				CVD28BC							
529941	79H0392	E 695290.217 N 5617046.141 El 365.172		1.0000136	0.9999452	665455	79H0383	TERR	274 32 21	218.853	218.850
				CVD28BC							
58032	79H0393	E 693273.684 N 5617643.945 El 346.752		1.0000069	0.9999481	606111	79H0400	TERR	257 38 42	134.502	134.501
				CVD28BC							
62372	79H0394	E 694165.573 N 5615620.075 El 581.305		0.9999744	0.9999114	670638 703934	79H0412 79H0372	TERR TERR	93 52 24 271 51 7	101.167 146.792	101.169 146.796
				CVD28BC							
23838	79H0395	E 692478.012 N 5617762.522 El 345.447		1.0000033	0.9999483	936799 644377	79H0402 79H0405	TERR TERR	73 45 43 253 31 9	227.000 247.630	226.999 247.629
				CVD28BC							
625327	79H0396	E 693963.944 N 5617261.718 El 351.235		1.0000095	0.9999474	580019 344366	79H0362 79H0379	TERR TERR	106 31 20 286 39 5	166.228 180.369	166.226 180.367
				CVD28BC							
173955	79H0397	E 692703.374 N 5617461.266 El 345.114		1.0000044	0.9999484		MARKER DESTROYED				
				CVD28BC							

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----	UTM Coordinates	Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
293498	79H0398	E 691832.360	0.9999966	0.9999447	709543	79H0432	TERR	211 50 26	96.596	96.596	
		N 5617126.606									TERR
		E1 368.782					CVD28BC				
895128	79H0399	E 686394.593	0.9999735	0.9999469	824334	84H9835	TERR	187 17 51	204.463	204.468	
		N 5621856.320									TERR
		E1 354.813					CVD28BC				
606111	79H0400	E 693142.297	1.0000065	0.9999484	58032	79H0393	TERR	77 38 42	134.502	134.501	
		N 5617615.166									TERR
		E1 344.997					CVD28BC				
864314	79H0401	E 691932.872	0.9999998	0.9999475	399048	79H0347	TERR	65 43 59	155.540	155.540	
		N 5617570.475									TERR
		E1 351.106					CVD28BC				
936799	79H0402	E 692695.956	1.0000042	0.9999482	241513	79H0367	TERR	88 36 51	305.413	305.412	
		N 5617825.998									TERR
		E1 346.072					CVD28BC				
956664	79H0403	E 694370.740	0.9999747	0.9999108	40923	79H0348	TERR	4 10 40	237.463	237.469	
		N 5615595.814									TERR
		E1 585.230					CVD28BC				
917625	79H0404	E 694180.417	0.9999776	0.9999145	40923	79H0348	TERR	91 13 11	207.669	207.673	
		N 5615837.067									TERR
		E1 561.276					CVD28BC				
644377	79H0405	E 692240.556	1.0000019	0.9999481	23838	79H0395	TERR	73 31 9	247.630	247.629	
		N 5617692.271									TERR
		E1 347.270					CVD28BC				
126755	79H0406	E 693929.807	0.9999785	0.9999166	827725	79H0415	TERR	93 52 15	111.485	111.488	
		N 5615862.991									TERR
		E1 547.927					CVD28BC				

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
164582	79H0407	E 693794.106 N 5615700.553 El 543.362		0.9999785	0.9999173	121442 140939	79H0358 79H0419	TERR TERR	18 1 32 273 15 28	131.505 284.500	131.508 284.506
758250	79H0408	E 693343.404 N 5617578.195 El 358.249		1.0000054	0.9999463		MARKER DESTROYED				
41558	79H0409	E 694914.470 N 5617446.161 El 347.444		1.0000146	0.9999480	273995 265991	79H0338 77H6412	TERR TERR	107 24 56 287 23 21	259.218 158.431	259.214 158.429
525295	79H0410	E 694906.882 N 5617305.585 El 347.048		1.0000146	0.9999481	423210 725358	79H0376 79H0416	TERR TERR	180 57 40 286 14 23	95.268 307.498	95.267 307.494
670638	79H0412	E 694266.509 N 5615613.241 El 585.671		0.9999742	0.9999107	956664 62372	79H0403 79H0394	TERR TERR	99 29 31 273 52 24	105.678 101.167	105.680 101.169
109207	79H0413	E 686229.709 N 5613790.184 El 737.022		0.9999129	0.9998870	295055 927046	77H6419 77H6425	TERR TERR	167 28 39 307 18 50	101.156 86.416	101.166 86.423
300434	79H0414	E 695107.685 N 5617157.824 El 352.047		1.0000148	0.9999473		MARKER DESTROYED				
827725	79H0415	E 694041.038 N 5615855.465 El 553.666		0.9999781	0.9999157	917625 703934 126755	79H0404 79H0372 79H0406	TERR TERR TERR	97 31 10 185 29 35 273 52 15	140.588 231.710 111.485	140.591 231.715 111.488
725358	79H0416	E 694611.653 N 5617391.579 El 347.784		1.0000131	0.9999480	525295 666511	79H0410 79H0378	TERR TERR	106 14 23 286 24 41	307.498 190.056	307.494 190.054

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
672212	79H0417	E 692162.848 N 5617516.601 El 355.028		1.0000003	0.9999468	142059	79H0425 79H0422	TERR TERR	95 46 35 257 14 54	203.592 241.319	203.591 241.319
				CVD28BC							
664615	79H0418	E 699353.951 N 5614936.842 El 537.498		1.0000063	0.9999183		MARKER DESTROYED				
				CVD28BC							
140939	79H0419	E 693510.066 N 5615716.720 El 543.373		0.9999772	0.9999173	164582	79H0407	TERR	93 15 28	284.500	284.506
				CVD28BC							
450940	79H0420	E 699122.734 N 5615347.567 El 501.991		1.0000107	0.9999238		MARKER DESTROYED				
				CVD28BC							
483008	79H0421	E 693627.889 N 5617513.787 El 356.200		1.0000071	0.9999467		MARKER DESTROYED				
				CVD28BC							
790667	79H0422	E 691927.481 N 5617463.336 El 357.204		0.9999989	0.9999465	864314 672212 524439 264168	79H0401 79H0417 77H6409 82H4998	TERR TERR TERR TERR	2 52 50 77 14 54 187 59 7 252 2 54	107.275 241.319 170.476 105.018	107.275 241.319 170.477 105.018
				CVD28BC							
44552	79H0423	E 693584.818 N 5617376.570 El 364.399		1.0000056	0.9999454	344366	79H0379	TERR	107 1 22	215.774	215.773
				CVD28BC							
650002	79H0424	E 691655.292 N 5617057.094 El 371.672		0.9999953	0.9999442	709543 393330	79H0432 77H6441	TERR TERR	95 40 56 329 0 25	126.731 185.760	126.732 185.761
				CVD28BC							
142059	79H0425	E 692365.406 N 5617496.110 El 347.764		1.0000024	0.9999480	164400 672212	79H0389 79H0417	TERR TERR	6 52 18 275 46 35	89.137 203.592	89.137 203.591
				CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
517029	79H0426	E 693477.311 N 5617666.106 El 352.052	1.0000070	0.9999473			MARKER DESTROYED				
921122	79H0427	E 694542.372 N 5615817.828 El 576.577	0.9999769	0.9999121		24976 40923	79H0370 79H0348	TERR TERR	128 16 44 275 29 4	135.146 155.043	135.148 155.047
354886	79H0428	E 693032.194 N 5617472.099 El 345.855	1.0000059	0.9999483		606111 101618	79H0400 79H0434	TERR TERR	37 34 54 269 25 14	180.529 191.466	180.528 191.466
668426	79H0429	E 693422.802 N 5617417.283 El 366.771	1.0000044	0.9999450			MARKER DESTROYED				
847459	79H0430	E 692281.477 N 5617584.740 El 347.874	1.0000020	0.9999480		164400 644377	79H0389 79H0405	TERR TERR	90 4 50 339 9 56	94.594 115.054	94.594 115.054
451435	79H0431	E 691780.931 N 5617528.160 El 352.749	0.9999989	0.9999472		864314 655126	79H0401 79H0336	TERR TERR	74 26 16 245 15 4	157.723 190.450	157.723 190.450
709543	79H0432	E 691781.400 N 5617044.546 El 373.141	0.9999957	0.9999440		293498 650002	79H0398 79H0424	TERR TERR	31 50 26 275 40 56	96.596 126.731	96.596 126.732
333039	79H0433	E 686184.212 N 5621089.914 El 351.627	0.9999731	0.9999474		343459 199331	77H6475 84H9779	TERR TERR	63 40 51 332 39 10	253.931 227.116	253.938 227.123
101618	79H0434	E 692840.738 N 5617470.163 El 344.726	1.0000051	0.9999485		354886 467928	79H0428 77H6397	TERR TERR	89 25 14 178 47 20	191.466 166.775	191.466 166.774

Issued: 2021-MAY-03

Datum: NAD83 (CSRS)

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				Metres	Metres	
33100		79H0435	E	693694.192	1.0000089	0.9999481	781229	79H0346	TERR	106	1	47	542.006	542.001
			N	5617656.596			486902	79H0357	TERR	285	8	53	108.570	108.570
			E1	346.791	CVD28BC									
804971		81H4462	E	692085.496	0.9999449	0.9998918	MARKER DESTROYED							
			N	5614796.226										
			E1	706.368	CVD28BC									
560854		81H4463	E	691890.899	0.9999471	0.9998949	MARKER ISOLATED							
			N	5614853.788										
			E1	686.608	CVD28BC									
599035		81H4464	E	691967.719	0.9999417	0.9998892	MARKER DESTROYED							
			N	5614671.201										
			E1	723.178	CVD28BC									
516385		81H4466	E	692166.897	0.9999474	0.9998939	MARKER DESTROYED							
			N	5614938.150										
			E1	693.125	CVD28BC									
695361		82H4992	E	686803.487	0.9999511	0.9999226	783878	82H5001	TERR	234	39	20	136.995	137.002
			N	5616406.412										
			E1	509.963	CVD28BC									
996751		82H4993	E	686396.301	0.9999438	0.9999172	82883	77H6671	TERR	238	51	29	97.231	97.236
			N	5615303.893										
			E1	544.404	CVD28BC									
332718		82H4994	E	682851.351	0.9999585	0.9999479	716704	84H9534	TERR	96	7	46	301.702	301.713
			N	5620821.903										
			E1	347.990	CVD28BC									
427104		82H4995	E	691713.760	0.9999427	0.9998914	MARKER DESTROYED							
			N	5614667.884										
			E1	709.104	CVD28BC									

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
526962	82H4996	E N El	684532.352 5615144.501 690.497	0.9999124	0.9998943		MARKER DESTROYED				
264168	82H4998	E N El	691827.576 5617430.968 358.561	0.9999982	0.9999463	790667 364869	79H0422 77H6433	TERR TERR	72 2 54 184 58 54	105.018 172.434	105.018 172.435
330753	82H4999	E N El	686454.965 5613847.261 728.836	0.9999152	0.9998883	688556 992669	77H6434 77H6402	TERR TERR	231 5 43 316 40 48	78.368 74.093	78.374 74.099
780700	82H5000	E N El	686389.307 5616227.485 529.812	0.9999461	0.9999194	783878 644559	82H5001 82H5077	TERR TERR	71 45 31 243 38 54	318.438 129.026	318.454 129.033
783878	82H5001	E N El	686691.742 5616327.162 512.144	0.9999502	0.9999222	695361 780700	82H4992 82H5000	TERR TERR	54 39 20 251 45 31	136.995 318.438	137.002 318.454
644559	82H5077	E N El	686273.689 5616170.213 534.469	0.9999448	0.9999187	780700 741355 928382	82H5000 77H6683 77H6435	TERR TERR TERR	63 38 54 177 6 40 263 51 2	129.026 127.539 151.024	129.033 127.546 151.033
182659	82H5078	E N El	683270.971 5620550.896 346.567	0.9999606	0.9999482	762856 333211 45369	83H6161 83H6141 83H6133	TERR TERR TERR	89 28 23 178 42 22 268 28 44	472.168 233.677 119.122	472.186 233.685 119.126
68676	82H5079	E N El	686595.481 5613661.851 737.323	0.9999145	0.9998869	768408 68171	77H6688 77H6422	TERR TERR	41 22 56 281 15 46	122.790 113.220	122.800 113.231
98517	82H5080	E N El	682093.129 5620305.944 347.445	0.9999552	0.9999480	374900 534776 717850	83H6096 84H9544 84H9535	TERR TERR TERR	6 40 39 88 23 56 207 6 34	150.396 368.304 170.512	150.403 368.320 170.520

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs.	UTM Grid			UTM Grid	Ground
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Type	Bearing			Distance Metres	Distance Metres
791236	82H5267	E	686154.743	0.9999732	0.9999476	652107	87H3093	TERR	261	7	26	292.953	292.961	
		N	5620085.636			614990	83H5980	TERR	351	7	47	180.063	180.068	
		E1	350.052	CVD28BC										
14068	82H5268	E	686667.481	0.9999762	0.9999483	877761	82H5273	TERR	3	18	9	147.859	147.862	
		N	5620620.058			322222	82H5288	TERR	176	3	21	228.701	228.706	
		E1	345.626	CVD28BC		234039	83H5974	TERR	267	33	33	252.241	252.247	
442855	82H5269	E	686796.834	0.9999766	0.9999481	747964	82H5275	TERR	152	31	38	253.619	253.626	
		N	5619926.417			495515	83H5958	TERR	269	2	40	433.708	433.719	
		E1	346.920	CVD28BC										
150243	82H5270	E	687060.728	0.9999780	0.9999483	605667	82H5272	TERR	162	3	8	255.040	255.046	
		N	5619393.678			874743	83H5988	TERR	269	10	15	370.808	370.816	
		E1	345.782	CVD28BC		519769	82H5282	TERR	336	56	60	213.099	213.104	
734889	82H5271	E	687361.394	0.9999784	0.9999473	696245	84H9760	TERR	21	24	22	128.384	128.387	
		N	5627781.648			494948	84H9844	TERR	200	14	51	222.095	222.100	
		E1	351.695	CVD28BC										
605667	82H5272	E	687139.319	0.9999784	0.9999484	803569	83H5948	TERR	269	32	25	414.249	414.259	
		N	5619151.049			150243	82H5270	TERR	342	3	8	255.040	255.046	
		E1	345.390	CVD28BC										
877761	82H5273	E	686675.999	0.9999763	0.9999483	14068	82H5268	TERR	183	18	9	147.859	147.862	
		N	5620767.671			556357	83H5982	TERR	267	22	44	183.291	183.295	
		E1	345.485	CVD28BC		122754	82H5276	TERR	357	34	1	148.867	148.871	
376400	82H5274	E	685859.755	0.9999718	0.9999476	MARKER DESTROYED								
		N	5620241.028											
		E1	350.249	CVD28BC										
747964	82H5275	E	686913.835	0.9999773	0.9999482	519769	82H5282	TERR	150	23	4	128.409	128.412	
		N	5619701.398			442855	82H5269	TERR	332	31	38	253.619	253.626	
		E1	346.072	CVD28BC										

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
122754	82H5276	E 686669.679 N 5620916.404 El 345.462		0.9999763	0.9999483	877761 325878	82H5273 84H9566	TERR TERR	177 34 1 349 5 21	148.867 169.621	148.871 169.625
				CVD28BC							
264465	82H5277	E 687619.676 N 5618397.261 El 345.342		0.9999806	0.9999484	386276	83H6150	TERR	290 36 21	320.344	320.351
				CVD28BC							
897504	82H5278	E 687463.733 N 5618678.750 El 345.433		0.9999799	0.9999483	MARKER DESTROYED					
				CVD28BC							
931329	82H5279	E 685850.692 N 5620639.611 El 350.468		0.9999717	0.9999476	996686 28407	82H5289 84H9523	TERR TERR	178 42 4 341 5 33	197.168 127.247	197.173 127.250
				CVD28BC							
627745	82H5280	E 687630.925 N 5618053.008 El 345.216		0.9999807	0.9999484	122960 935353	82H5283 83H6174	TERR TERR	18 28 0 291 10 45	157.883 269.008	157.886 269.014
				CVD28BC							
615492	82H5281	E 686096.906 N 5620473.778 El 351.201		0.9999727	0.9999474	676247 614990 996686 469635	83H5987 83H5980 82H5289 83H5969	TERR TERR TERR TERR	101 30 38 171 51 34 262 37 35 351 36 46	84.857 212.373 243.761 126.145	84.858 212.378 243.768 126.149
519769	82H5282	E 686977.292 N 5619589.764 El 345.926		0.9999776	0.9999483	150243 257147 747964	82H5270 83H5983 82H5275	TERR TERR TERR	156 56 60 269 31 49 330 23 4	213.099 398.559 128.409	213.104 398.568 128.412
122960	82H5283	E 687680.935 N 5618202.761 El 345.697		0.9999809	0.9999483	627745 502294	82H5280 83H6166	TERR TERR	198 28 0 290 56 4	157.883 313.448	157.886 313.454
				CVD28BC							
113092	82H5284	E 686580.027 N 5625496.582 El 350.368		0.9999751	0.9999476	119156 570705	84H9792 84H9774	TERR TERR	29 17 12 203 28 0	276.131 159.200	276.137 159.204
				CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid			UTM Grid	Ground
GCM-NO	TABLET	MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING		Bearing	Distance Metres		Distance Metres	Distance Metres
900142		82H5285	E N E1	687347.711 5618830.458 345.344	0.9999794	0.9999484		MARKER DESTROYED						
65177		82H5286	E N E1	685515.368 5620234.275 350.111	0.9999703	0.9999476		MARKER DESTROYED						
915322		82H5287	E N E1	687230.264 5618991.422 345.451	0.9999788	0.9999483	305011	83H5981	TERR	269	2	1	360.713	360.721
322222		82H5288	E N E1	686683.212 5620391.899 345.552	0.9999763	0.9999483	959445 14068	82H5291 82H5268	TERR TERR	173 356	8 3	53 21	249.133 228.701	249.140 228.706
996686		82H5289	E N E1	685855.161 5620442.494 348.854	0.9999720	0.9999478	494948 615492 55467 451500 890731 353565 333419 301556 391284 931329	84H9844 82H5281 89H5182 87H3097 67-48 NO MARKING 83H6130 372 67-47 82H5279	GPS TERR GPS TERR GPS GPS GPS GPS GPS TERR	11 82	20 37	5 35	7272.631 243.761	7272.813 243.768
										176	30	26	7406.018	7406.502
										178	43	7	201.643	201.650
										188	13	58	8235.719	8236.451
										204	34	5	4588.896	4589.238
										267	20	51	4456.422	4456.590
										324	57	20	1656.932	1657.012
										349	4	16	8544.155	8544.854
										358	42	4	197.168	197.173
991653		82H5290	E N E1	685865.376 5620040.472 350.198	0.9999718	0.9999476		MARKER DESTROYED						
959445		82H5291	E N E1	686712.935 5620144.545 346.347	0.9999763	0.9999482	570085 322222	83H5939 82H5288	TERR TERR	268 353	40 8	48 53	201.435 249.133	201.440 249.140
783589		83H5894	E N E1	686733.134 5613639.506 740.672	0.9999146	0.9998864	11221 636142	77H6676 77H6662	TERR TERR	114 238	45 36	21 26	123.908 161.038	123.920 161.052

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
570085	83H5939	E	686511.553	0.9999752	0.9999480	142265	83H5941	TERR	2 45 21	170.535	170.539
		N	5620139.905					TERR	88 40 48	201.435	201.440
		El	347.902					TERR	268 24 11	221.170	221.176
	83H5940	E	686017.607	0.9999728	0.9999479	49593	83H5952	TERR	270 14 42	227.387	227.393
		N	5619575.349					TERR	354 35 47	173.143	173.148
		El	348.284								
142265	83H5941	E	686519.752	0.9999753	0.9999481	570085	83H5939	TERR	182 45 21	170.535	170.539
		N	5620310.243								
		El	347.202								
853598	83H5942	E	686451.894	0.9999747	0.9999478	957878	83H5959	TERR	89 9 42	337.407	337.415
		N	5619767.665					TERR	145 0 2	221.164	221.169
		El	349.045					TERR	329 39 10	175.577	175.582
265496	83H5943	E	686353.916	0.9999741	0.9999476	556357	83H5982	TERR	87 39 7	139.101	139.104
		N	5620753.590					TERR	268 9 2	277.492	277.499
		El	349.959					TERR	346 54 52	206.134	206.138
855551	83H5944	E	686076.569	0.9999720	0.9999468	499541	87H3118	TERR	35 52 56	153.298	153.302
		N	5620744.635					TERR	88 9 2	277.492	277.499
		El	355.522					TERR	179 14 25	146.074	146.079
726711	83H5945	E	685877.033	0.9999724	0.9999481	338673	83H5953	TERR	89 52 20	219.983	219.988
		N	5619392.523					TERR	268 8 43	103.318	103.321
		El	347.195								
300558	83H5946	E	685859.216	0.9999726	0.9999484	634493	83H6177	TERR	32 7 20	294.658	294.666
		N	5618802.142								
		El	345.035								
960559	83H5947	E	686846.445	0.9999765	0.9999478	933929	83H5972	TERR	137 13 42	185.313	185.317
		N	5618757.359					TERR	226 1 31	236.066	236.072
		El	349.118								

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Scale Factor at Reference Central Meridian = 0.9996

Datum: NAD83 (CSRS)

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING					Metres	Metres
803569		83H5948	E	686725.083	0.9999759	0.9999477	915751	83H5950	TERR	0	14	38	158.728	158.732
			N	5619147.725			605667	82H5272	TERR	89	32	25	414.249	414.259
			E1	349.589	CVD28BC		305011	83H5981	TERR	138	19	55	217.382	217.388
							857573	83H5999	TERR	226	3	12	195.342	195.347
244202	83H5949	E	686209.197	0.9999737	0.9999479	MARKER DESTROYED								
		N	5619728.461											
		E1	348.036	CVD28BC										
915751	83H5950	E	686725.759	0.9999759	0.9999478	803569	83H5948	TERR	180	14	38	158.728	158.732	
		N	5619306.452			184119	83H5967	TERR	269	23	57	115.598	115.602	
		E1	349.128	CVD28BC		874743	83H5988	TERR	336	22	43	89.346	89.349	
934570	83H5951	E	686758.158	0.9999761	0.9999478	931501	83H5993	TERR	44	35	54	84.756	84.758	
		N	5618397.812			324186	83H5963	TERR	102	15	28	174.919	174.923	
		E1	348.811	CVD28BC		683748	83H6157	TERR	280	53	57	97.879	97.882	
49593	83H5952	E	685790.222	0.9999719	0.9999480	569715	83H5940	TERR	90	14	42	227.387	227.393	
		N	5619576.321			985556	83H5955	TERR	354	51	14	220.116	220.123	
		E1	347.680	CVD28BC										
338673	83H5953	E	686097.015	0.9999735	0.9999482	382382	83H5954	TERR	120	10	55	151.385	151.389	
		N	5619393.014			726711	83H5945	TERR	269	52	20	219.983	219.988	
		E1	346.346	CVD28BC										
382382	83H5954	E	686227.877	0.9999742	0.9999483	618223	83H6169	TERR	209	7	41	338.364	338.373	
		N	5619316.906			338673	83H5953	TERR	300	10	55	151.385	151.389	
		E1	345.567	CVD28BC										
985556	83H5955	E	685770.479	0.9999718	0.9999480	302273	83H5986	TERR	102	0	42	104.800	104.802	
		N	5619795.550			49593	83H5952	TERR	174	51	14	220.116	220.123	
		E1	347.779	CVD28BC		846006	83H5976	TERR	283	7	7	244.373	244.380	
258459	83H5956	E	685510.032	0.9999703	0.9999476	MARKER DESTROYED								
		N	5620434.362											
		E1	349.893	CVD28BC										

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
288845	83H5957	E 686526.163 N 5618264.135 El 345.923		0.9999755	0.9999483	502989 924001	83H5985 83H5975	TERR TERR	34 48 39 301 33 31	129.697 359.115	129.700 359.124
				CVD28BC							
495515	83H5958	E 686363.186 N 5619919.184 El 348.524		0.9999744	0.9999479	442855 853598 683284	82H5269 83H5942 83H5979	TERR TERR TERR	89 2 40 149 39 10 341 16 39	433.708 175.577 226.545	433.719 175.582 226.550
				CVD28BC							
957878	83H5959	E 686789.265 N 5619772.601 El 346.669		0.9999766	0.9999482	853598	83H5942	TERR	269 9 42	337.407	337.415
				CVD28BC							
88997	83H5960	E 686317.613 N 5618616.134 El 345.493		0.9999746	0.9999483	86355 845008 924001	83H6172 83H5998 83H5975	TERR TERR TERR	29 26 58 121 18 38 210 42 45	192.243 171.245 190.812	192.248 171.249 190.817
				CVD28BC							
649327	83H5961	E 686045.440 N 5618695.915 El 345.304		0.9999734	0.9999484						
				CVD28BC			MARKER DESTROYED				
297267	83H5962	E 686539.864 N 5620461.892 El 346.451		0.9999755	0.9999482	676247	83H5987	TERR	269 11 47	359.843	359.852
				CVD28BC							
324186	83H5963	E 686929.089 N 5618360.675 El 348.412		0.9999770	0.9999479	836726 934570	83H5968 83H5951	TERR TERR	85 1 32 282 15 28	184.131 174.919	184.134 174.923
				CVD28BC							
480731	83H5964	E 686397.960 N 5619296.695 El 347.456		0.9999747	0.9999480	184119 122051 718056	83H5967 83H5990 83H6153	TERR TERR TERR	87 41 39 164 34 14 352 32 13	212.379 145.653 142.191	212.384 145.656 142.194
				CVD28BC							
544999	83H5965	E 686371.448 N 5619692.145 El 348.609		0.9999744	0.9999478	257147	83H5983	TERR	117 0 19	232.667	232.673
				CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
500645	83H5966	E 687170.458 N 5618672.101 El 347.787		0.9999782	0.9999480	386276	83H6150	TERR	137 20 26	220.425	220.429
184119	83H5967	E 686610.167 N 5619305.240 El 352.036		0.9999750	0.9999473	915751 480731	83H5950 83H5964	TERR TERR	89 23 57 267 41 39	115.598 212.379	115.602 212.384
836726	83H5968	E 687112.526 N 5618376.641 El 348.030		0.9999779	0.9999479	99846 324186	83H5970 83H5963	TERR TERR	99 22 56 265 1 32	114.776 184.131	114.779 184.134
469635	83H5969	E 686078.506 N 5620598.574 El 352.032		0.9999725	0.9999473	234039 615492 855551	83H5974 82H5281 83H5944	TERR TERR TERR	88 10 27 171 36 46 359 14 25	337.134 126.145 146.074	337.143 126.149 146.079
99846	83H5970	E 687225.767 N 5618357.930 El 347.655		0.9999785	0.9999480	458174 836726	83H6168 83H5968	TERR TERR	199 17 49 279 22 56	226.400 114.776	226.405 114.779
661603	83H5971	E 686301.590 N 5620969.401 El 349.719		0.9999739	0.9999477		MARKER DESTROYED				
933929	83H5972	E 686972.287 N 5618621.327 El 347.942		0.9999773	0.9999479	121855 960559	83H5995 83H5947	TERR TERR	135 56 12 317 13 42	266.502 185.313	266.508 185.317
76737	83H5973	E 687018.947 N 5618829.479 El 349.044		0.9999773	0.9999478		MARKER DESTROYED				
234039	83H5974	E 686415.469 N 5620609.316 El 348.693		0.9999746	0.9999478	14068 469635	82H5268 83H5969	TERR TERR	87 33 33 268 10 27	252.241 337.134	252.247 337.143

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres	
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
924001		83H5975	E	686220.159	0.9999741	0.9999483	88997	83H5960	TERR	30	42	45	190.812	190.817		
			N	5618452.085			288845	83H5957	TERR	121	33	31	359.115	359.124		
			E1	345.915			CVD28BC	346718	73H1696	TERR	196	46	46	1657.243	1657.318	
							779702	83H5997	TERR	302	24	14	190.953	190.958		
846006		83H5976	E	685532.484	0.9999706	0.9999479	985556	83H5955	TERR	103	7	7	244.373	244.380		
			N	5619851.015			488957	83H6180	TERR	175	3	8	247.226	247.233		
			E1	348.086			CVD28BC	639203	83H6159	TERR	282	46	48	275.300	275.308	
							344663	83H6000	TERR	356	7	42	181.493	181.499		
723221		83H5977	E	686504.964	0.9999753	0.9999482	857573	83H5999	TERR	48	41	18	105.809	105.811		
			N	5618942.310			172254	83H6167	TERR	165	20	19	275.201	275.207		
			E1	346.646			CVD28BC	122051	83H5990	TERR	342	18	33	224.604	224.609	
743443		83H5978	E	686148.439	0.9999729	0.9999474	MARKER DESTROYED									
			N	5620867.526												
			E1	351.582			CVD28BC									
683284		83H5979	E	686290.469	0.9999738	0.9999476	570085	83H5939	TERR	88	24	11	221.170	221.176		
			N	5620133.741			495515	83H5958	TERR	161	16	39	226.545	226.550		
			E1	349.915			CVD28BC	855205	83H5994	TERR	357	23	35	157.608	157.613	
614990		83H5980	E	686126.978	0.9999729	0.9999475	791236	82H5267	TERR	171	7	47	180.063	180.068		
			N	5620263.545			451500	87H3097	TERR	265	9	29	268.265	268.273		
			E1	350.861			CVD28BC	615492	82H5281	TERR	351	51	34	212.373	212.378	
305011		83H5981	E	686869.602	0.9999765	0.9999477	915322	82H5287	TERR	89	2	1	360.713	360.721		
			N	5618985.339			803569	83H5948	TERR	318	19	55	217.382	217.388		
			E1	349.810			CVD28BC									
556357		83H5982	E	686492.900	0.9999754	0.9999483	877761	82H5273	TERR	87	22	44	183.291	183.295		
			N	5620759.289			265496	83H5943	TERR	267	39	7	139.101	139.104		
			E1	345.568			CVD28BC									
257147		83H5983	E	686578.746	0.9999754	0.9999479	519769	82H5282	TERR	89	31	49	398.559	398.568		
			N	5619586.497			874743	83H5988	TERR	150	42	3	227.257	227.262		
			E1	348.485			353565	NO MARKING	TERR	218	25	22	4234.437	4234.744		
							544999	83H5965	TERR	297	0	19	232.667	232.673		
							301556	372	TERR	322	52	20	2775.068	2775.197		
							853598	83H5942	TERR	325	0	2	221.164	221.169		

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
944975	83H5984	E N El	686744.939 5618157.828 345.759	0.9999766	0.9999483		MARKER DESTROYED				
502989	83H5985	E N El	686600.203 5618370.622 345.366	0.9999760	0.9999484	683748 288845	83H6157 83H5957	TERR TERR	53 32 17 214 48 39	76.894 129.697	76.896 129.700
302273	83H5986	E N El	685872.984 5619773.740 347.574	0.9999723	0.9999480	290460 985556 652107	83H5996 83H5955 87H3093	TERR TERR TERR	101 27 42 282 0 42 358 20 57	130.929 104.800 266.805	130.933 104.802 266.811
676247	83H5987	E N El	686180.056 5620456.845 350.073	0.9999733	0.9999476	297267 855205 615492	83H5962 83H5994 82H5281	TERR TERR TERR	89 11 47 148 4 3 281 30 38	359.843 195.198 84.857	359.852 195.203 84.858
874743	83H5988	E N El	686689.959 5619388.312 348.783	0.9999758	0.9999478	150243 915751 257147	82H5270 83H5950 83H5983	TERR TERR TERR	89 10 15 156 22 43 330 42 3	370.808 89.346 227.257	370.816 89.349 227.262
418731	83H5989	E N El	686304.087 5619522.843 347.906	0.9999742	0.9999480	718056 267187	83H6153 83H5992	TERR TERR	138 28 40 323 49 7	113.747 106.961	113.749 106.964
122051	83H5990	E N El	686436.711 5619156.292 347.584	0.9999749	0.9999480	723221 480731	83H5977 83H5964	TERR TERR	162 18 33 344 34 14	224.604 145.653	224.609 145.656
223750	83H5991	E N El	686676.561 5618593.449 349.090	0.9999757	0.9999478	960559 610469	83H5947 83H6149	TERR TERR	46 1 31 227 3 46	236.066 83.612	236.072 83.613
267187	83H5992	E N El	686240.943 5619609.177 347.956	0.9999739	0.9999479	418731	83H5989	TERR	143 49 7	106.961	106.964

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
931501	83H5993	E 686817.668 N 5618458.162 El 354.385		0.9999755	0.9999469	934570	83H5951	TERR	224 35 54	84.756	84.758
					CVD28BC						
855205	83H5994	E 686283.300 N 5620291.186 El 350.227		0.9999737	0.9999476	683284 676247	83H5979 83H5987	TERR TERR	177 23 35 328 4 3	157.608 195.198	157.613 195.203
					CVD28BC						
121855	83H5995	E 687157.626 N 5618429.826 El 348.585		0.9999780	0.9999478	933929	83H5972	TERR	315 56 12	266.502	266.508
					CVD28BC						
290460	83H5996	E 686001.302 N 5619747.723 El 347.638		0.9999729	0.9999480	569715 302273	83H5940 83H5986	TERR TERR	174 35 47 281 27 42	173.143 130.929	173.148 130.933
					CVD28BC						
779702	83H5997	E 686058.939 N 5618554.414 El 345.828		0.9999734	0.9999483	924001	83H5975	TERR	122 24 14	190.953	190.958
					CVD28BC						
845008	83H5998	E 686463.918 N 5618527.142 El 345.460		0.9999753	0.9999483	88997	83H5960	TERR	301 18 38	171.245	171.249
					CVD28BC						
857573	83H5999	E 686584.440 N 5619012.160 El 349.412		0.9999752	0.9999477	803569 723221	83H5948 83H5977	TERR TERR	46 3 12 228 41 18	195.342 105.809	195.347 105.811
					CVD28BC						
344663	83H6000	E 685520.229 N 5620032.094 El 348.505		0.9999705	0.9999479	652107 846006	87H3093 83H5976	TERR TERR	88 36 56 176 7 42	345.170 181.493	345.180 181.499
					CVD28BC						
628099	83H6093	E 683988.878 N 5619869.426 El 345.912		0.9999640	0.9999483	425546	84H9550	TERR	268 24 48	233.839	233.847
					CVD28BC						

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
384867	83H6094	E N El	683977.543 5620540.149 349.267	0.9999634	0.9999477		MARKER DESTROYED				
71076	83H6095	E N El	683931.918 5620332.976 348.475	0.9999633	0.9999479	664672 579284	83H6121 83H6178	TERR TERR	70 57 18 268 44 44	158.924 184.142	158.930 184.149
374900	83H6096	E N El	682110.617 5620455.320 346.777	0.9999554	0.9999481	98517 837567 843631	82H5080 83H6140 83H6135	TERR TERR TERR	186 40 39 272 5 26 357 16 58	150.396 97.542 190.819	150.403 97.546 190.827
349324	83H6097	E N El	684102.801 5620129.457 344.175	0.9999648	0.9999485	38943	83H6109	TERR	192 17 36	121.657	121.661
38638	83H6098	E N El	682450.811 5620723.635 346.333	0.9999570	0.9999482	336958 945329 1578	83H6122 84H9547 83H6128	TERR TERR TERR	88 28 41 178 25 18 358 19 47	208.197 192.200 137.140	208.206 192.208 137.146
324830	83H6099	E N El	684091.256 5619479.638 344.433	0.9999647	0.9999485		MARKER DESTROYED				
61549	83H6100	E N El	681955.835 5620004.881 348.991	0.9999544	0.9999478	717850 744995	84H9535 84H9533	TERR TERR	21 45 41 171 53 56	160.739 153.145	160.746 153.153
823823	83H6102	E N El	682366.631 5620114.939 346.979	0.9999565	0.9999481	852426	83H6143	TERR	268 32 43	236.319	236.329
808832	83H6103	E N El	684707.795 5619815.266 347.651	0.9999670	0.9999480	923631 433797	83H6176 83H6108	TERR TERR	1 52 5 177 35 2	211.542 162.223	211.549 162.229

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
836395	83H6104	E N El	684703.014 5620229.514 347.047	0.9999670	0.9999481		MARKER DESTROYED				
23770	83H6105	E N El	684279.842 5620014.992 347.241	0.9999651	0.9999481	38943	83H6109	TERR	268 45 27	202.992	202.999
443374	83H6106	E N El	681369.358 5620957.967 344.628	0.9999524	0.9999485	25072 494526	83H6113 83H6131	TERR TERR	95 32 12 173 41 40	726.475 170.702	726.508 170.709
269878	83H6107	E N El	683283.973 5619991.693 347.158	0.9999606	0.9999481	131334 568683	83H6120 84H9542	TERR TERR	0 40 5 178 44 47	215.892 292.285	215.900 292.297
433797	83H6108	E N El	684714.634 5619653.187 345.351	0.9999674	0.9999484	808832	83H6103	TERR	357 35 2	162.223	162.229
38943	83H6109	E N El	684076.898 5620010.590 346.023	0.9999644	0.9999482	349324 23770	83H6097 83H6105	TERR TERR	12 17 36 88 45 27	121.657 202.992	121.661 202.999
960906	83H6110	E N El	682867.933 5620197.385 347.327	0.9999587	0.9999480	131334 764050	83H6120 83H6123	TERR TERR	88 36 22 268 30 47	418.681 205.040	418.697 205.049
256024	83H6111	E N El	682009.028 5620519.554 345.428	0.9999552	0.9999483	837567 289587	83H6140 83H6138	TERR TERR	176 7 23 269 21 15	60.815 233.986	60.818 233.996
1412	83H6112	E N El	684173.258 5620497.354 350.752	0.9999641	0.9999475	673525 138842 664672 129528	83H6156 87H3121 83H6121 83H6115	TERR TERR TERR TERR	64 1 21 180 3 1 218 59 59 359 18 56	224.977 280.238 144.784 119.368	224.985 280.248 144.790 119.372

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres	
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
25072		83H6113	E	682092.444	0.9999555	0.9999483	1578	83H6128	TERR	94	22	57	355.409	355.425		
			N	5620887.876					TERR	177	50	23	242.124	242.135		
			E1	345.413					CVD28BC	443374	83H6106	TERR	275	32	12	726.475
340455		83H6114	E	681472.310	0.9999528	0.9999484	744995	84H9533	TERR	89	33	37	505.121	505.144		
			N	5619849.388					TERR	319	18	53	105.694	105.699		
			E1	345.311					CVD28BC	916866	87H3103					
129528		83H6115	E	684171.832	0.9999643	0.9999478	1412	83H6112	TERR	179	18	56	119.368	119.372		
			N	5620616.713												
			E1	348.994					CVD28BC							
898874		83H6116	E	684697.127	0.9999669	0.9999480	358143	87H3106	TERR	2	57	45	114.177	114.180		
			N	5620113.342					TERR	168	32	27	88.408	88.411		
			E1	347.619					CVD28BC	923631	83H6176					
538934		83H6117	E	681399.708	0.9999525	0.9999484	MARKER DESTROYED									
			N	5619947.076												
			E1	345.228											CVD28BC	
738799		83H6118	E	683905.632	0.9999633	0.9999480	MARKER DESTROYED									
			N	5619479.745												
			E1	347.544											CVD28BC	
274092		83H6119	E	686525.732	0.9999757	0.9999484	558148	84H9816	TERR	256	30	10	215.950	215.956		
			N	5621435.859					TERR	352	0	39	189.970	189.974		
			E1	344.909					CVD28BC	503151	77H6485					
131334		83H6120	E	683286.490	0.9999607	0.9999482	269878	83H6107	TERR	180	40	5	215.892	215.900		
			N	5620207.570					TERR	268	36	22	418.681	418.697		
			E1	346.515					CVD28BC	333211	83H6141	TERR	354	39	60	110.186
664672		83H6121	E	684082.143	0.9999634	0.9999473	1412	83H6112	TERR	38	59	59	144.784	144.790		
			N	5620384.835					TERR	250	57	18	158.924	158.930		
			E1	352.119					CVD28BC	71076	83H6095					

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
336958	83H6122	E 682658.934 N 5620729.165 El 347.950		0.9999577	0.9999479	38638	83H6098	TERR	268 28 41	208.197	208.206
764050	83H6123	E 682662.962 N 5620192.064 El 348.709		0.9999576	0.9999478	960906 6445	83H6110 84H9529	TERR TERR	88 30 47 270 8 24	205.040 197.704	205.049 197.712
519199	83H6124	E 684693.236 N 5620559.863 El 351.765		0.9999663	0.9999473	309070 358143	84H9552 87H3106	TERR TERR	111 24 56 178 18 47	387.404 332.641	387.417 332.652
471920	83H6125	E 684172.989 N 5620217.096 El 346.899		0.9999647	0.9999481		MARKER DESTROYED				
955195	83H6126	E 684390.344 N 5619774.608 El 345.095		0.9999659	0.9999484		MARKER DESTROYED				
484691	83H6127	E 682892.892 N 5620387.538 El 347.955		0.9999587	0.9999479		MARKER DESTROYED				
1578	83H6128	E 682446.814 N 5620860.717 El 346.170		0.9999570	0.9999482	38638 25072	83H6098 83H6113	TERR TERR	178 19 47 274 22 57	137.140 355.409	137.146 355.425
815969	83H6129	E 684025.437 N 5619421.256 El 344.423		0.9999644	0.9999485		MARKER DESTROYED				

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
333419	83H6130	E	681403.513	0.9999525	0.9999484	835199	83H6142	TERR	2 37 7	266.809	266.822
		N	5620236.265			391284	67-47	GPS	18 14 4	9049.869	9050.698
		El	345.016			664235	1730-J	GPS	27 35 36	26603.283	26603.817
						494948	84H9844	GPS	38 42 51	9403.092	9403.417
						301556	372	GPS	65 56 25	3833.249	3833.470
						996686	82H5289	GPS	87 20 51	4456.422	4456.590
						725184	84H9538	TERR	101 46 29	391.268	391.286
						984351	91H0353	GPS	130 12 43	7625.914	7626.315
						402230	89H5433	GPS	134 26 30	9423.243	9423.850
						706432	77H6471	GPS	134 53 15	7610.123	7610.550
						527820	89H5178	GPS	136 57 42	8705.958	8706.500
						55467	89H5182	GPS	145 41 43	8699.248	8699.901
						125617	1303-J	GPS	153 13 32	28542.873	28544.252
						916866	87H3103	TERR	180 1 11	306.729	306.743
494526	83H6131	E	681388.106	0.9999525	0.9999484	835199	83H6142	TERR	174 28 44	286.834	286.847
		N	5620788.298			443374	83H6106	TERR	353 41 40	170.702	170.709
		El	344.863								
395152	83H6132	E	682834.659	0.9999581	0.9999476	45369	83H6133	TERR	88 48 7	317.301	317.315
		N	5620541.100			945329	84H9547	TERR	268 32 55	378.676	378.692
		El	350.017								
45369	83H6133	E	683151.891	0.9999601	0.9999482	182659	82H5078	TERR	88 28 44	119.122	119.126
		N	5620547.734			395152	83H6132	TERR	268 48 7	317.301	317.315
		El	346.285			716704	84H9534	TERR	359 52 0	241.956	241.965
579367	83H6134	E	684902.448	0.9999684	0.9999485	556068	83H6163	TERR	1 43 46	320.788	320.798
		N	5619666.237			844043	84H9546	TERR	98 42 24	89.068	89.071
		El	344.401								
843631	83H6135	E	682101.571	0.9999554	0.9999482	374900	83H6096	TERR	177 16 58	190.819	190.827
		N	5620645.924			25072	83H6113	TERR	357 50 23	242.124	242.135
		El	346.258								
379818	83H6136	E	684252.961	0.9999652	0.9999483		MARKER DESTROYED				
		N	5619464.210								
		El	345.710								

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
361006	83H6137	E 684564.539 N 5619782.658 El 346.804		0.9999664	0.9999481		MARKER DESTROYED				
289587	83H6138	E 681775.057 N 5620516.917 El 343.954		0.9999543	0.9999486	256024	83H6111	TERR	89 21 15	233.986	233.996
809780	83H6139	E 681781.484 N 5620348.915 El 344.283		0.9999543	0.9999485		MARKER DESTROYED				
837567	83H6140	E 682013.140 N 5620458.878 El 345.832		0.9999551	0.9999483	374900 256024	83H6096 83H6111	TERR TERR	92 5 26 356 7 23	97.542 60.815	97.546 60.818
333211	83H6141	E 683276.248 N 5620317.279 El 346.274		0.9999607	0.9999482	579284 131334 182659	83H6178 83H6120 82H5078	TERR TERR TERR	88 34 58 174 39 60 358 42 22	471.716 110.186 233.677	471.735 110.190 233.685
835199	83H6142	E 681415.703 N 5620502.795 El 345.600		0.9999525	0.9999483	333419 494526	83H6130 83H6131	TERR TERR	182 37 7 354 28 44	266.809 286.834	266.822 286.847
852426	83H6143	E 682130.388 N 5620108.940 El 345.662		0.9999557	0.9999483	823823	83H6102	TERR	88 32 43	236.319	236.329
919951	83H6144	E 684393.720 N 5619477.585 El 344.800		0.9999660	0.9999484		MARKER DESTROYED				
228098	83H6145	E 684689.387 N 5620770.507 El 348.800		0.9999667	0.9999478		MARKER DESTROYED				

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
191676	83H6146	E	684372.275	0.9999654	0.9999480	673525 176073	83H6156 83H6155	TERR	178 56 32	174.962	174.968
		N	5620770.830					TERR	268 30 23	105.013	105.016
		El	347.838								
567214	83H6147	E	685809.123	0.9999723	0.9999483	634493 202739 830307	83H6177 83H6170 91H0357	TERR	121 23 18	242.218	242.225
		N	5619177.848					TERR	350 30 10	214.268	214.274
		El	345.506					TERR	351 32 39	210.722	210.728
294728	83H6148	E	685109.578	0.9999688	0.9999480	639203 556068	83H6159 83H6163	TERR	101 36 24	157.650	157.655
		N	5619943.631					TERR	282 21 17	202.129	202.135
		El	347.484								
610469	83H6149	E	686615.349	0.9999761	0.9999484	223750 683748 172254	83H5991 83H6157 83H6167	TERR	47 3 46	83.612	83.613
		N	5618536.493					TERR	158 45 55	128.928	128.930
		El	344.877					TERR	343 43 56	145.398	145.402
386276	83H6150	E	687319.827	0.9999785	0.9999476	264465 502294 500645	82H5277 83H6166 83H5966	TERR	110 36 21	320.344	320.351
		N	5618510.002					TERR	160 42 22	206.864	206.870
		El	349.972					TERR	317 20 26	220.425	220.429
398172	83H6151	E	683943.672	0.9999633	0.9999478	176073 762856	83H6155 83H6161	TERR	67 31 48	350.214	350.227
		N	5620634.242					TERR	248 29 56	215.553	215.561
		El	348.974								
18325	83H6152	E	685010.495	0.9999688	0.9999485	513549 844043	83H6160 84H9546	TERR	63 19 35	291.881	291.889
		N	5619527.733					TERR	350 54 32	126.611	126.615
		El	344.562								
718056	83H6153	E	686379.491	0.9999746	0.9999480	480731 418731	83H5964 83H5989	TERR	172 32 13	142.191	142.194
		N	5619437.681					TERR	318 28 40	113.747	113.749
		El	347.582								
422204	83H6154	E	687256.998	0.9999784	0.9999477	935353 268904	83H6174 84H9560	TERR	25 33 38	285.283	285.288
		N	5617892.835					TERR	204 7 6	341.957	341.965
		El	349.289								

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres						
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET		MARKING					Metres	Metres					
176073		83H6155	E	684267.298	0.9999649	0.9999480	191676		83H6146	TERR	88	30	23	105.013	105.016						
			N	5620768.093																	
			E1	347.795						CVD28BC											
673525		83H6156	E	684375.505	0.9999649	0.9999475	965939		83H6158	TERR	178	44	10	374.379	374.392						
			N	5620595.898																	
			E1	350.930						CVD28BC											
683748		83H6157	E	686662.045	0.9999762	0.9999483	934570		83H5951	TERR	100	53	57	97.879	97.882						
			N	5618416.319																	
			E1	345.407						CVD28BC											
965939		83H6158	E	684383.762	0.9999656	0.9999481	358143		87H3106	TERR	88	58	2	319.318	319.329						
			N	5620221.610																	
			E1	346.822						CVD28BC											
639203		83H6159	E	685264.004	0.9999695	0.9999480	846006		83H5976	TERR	102	46	48	275.300	275.308						
			N	5619911.913																	
			E1	347.514						CVD28BC											
513549		83H6160	E	685271.313	0.9999699	0.9999483	488957		83H6180	TERR	100	49	54	287.618	287.627						
			N	5619658.761																	
			E1	345.433						CVD28BC											
762856		83H6161	E	683743.119	0.9999621	0.9999475	398172		83H6151	TERR	68	29	56	215.553	215.561						
			N	5620555.238																	
			E1	351.006						CVD28BC											
114694		83H6162	E	683478.843	0.9999616	0.9999481	MARKER DESTROYED														
			N	5619995.323																	
			E1	346.691			CVD28BC														
556068		83H6163	E	684912.130	0.9999678	0.9999479	294728		83H6148	TERR	102	21	17	202.129	202.135						
			N	5619986.879																	
			E1	348.106						CVD28BC											

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
969956	83H6164	E 686179.809 N 5619887.860 El 349.320		0.9999734	0.9999477		MARKER DESTROYED				
307116	83H6165	E 685665.345 N 5619515.621 El 345.890		0.9999716	0.9999483	830307 202739 488957	91H0357 83H6170 83H6180	TERR TERR TERR	138 54 36 139 23 13 308 36 56	171.614 166.563 142.750	171.619 166.568 142.754
502294	83H6166	E 687388.178 N 5618314.756 El 347.302		0.9999793	0.9999481	122960 935353 386276	82H5283 83H6174 83H6150	TERR TERR TERR	110 56 4 182 48 53 340 42 22	313.448 164.758 206.864	313.454 164.761 206.870
172254	83H6167	E 686574.619 N 5618676.070 El 344.978		0.9999759	0.9999484	610469 86355 723221	83H6149 83H6172 83H5977	TERR TERR TERR	163 43 56 303 28 47 345 20 19	145.398 194.812 275.201	145.402 194.817 275.207
458174	83H6168	E 687150.950 N 5618144.250 El 347.071		0.9999782	0.9999481	99846 780650	83H5970 83H6171	TERR TERR	19 17 49 247 51 53	226.400 174.058	226.405 174.062
618223	83H6169	E 686063.174 N 5619021.333 El 345.075		0.9999735	0.9999484	382382 282921 537175 634493	83H5954 91H0363 83H6175 83H6177	TERR TERR TERR TERR	29 7 41 29 15 2 123 32 27 302 42 18	338.364 345.264 158.057 56.188	338.373 345.273 158.061 56.189
202739	83H6170	E 685773.769 N 5619389.179 El 346.085		0.9999721	0.9999482	726711 567214 307116	83H5945 83H6147 83H6165	TERR TERR TERR	88 8 43 170 30 10 319 23 13	103.318 214.268 166.563	103.321 214.274 166.568
780650	83H6171	E 686989.721 N 5618078.666 El 346.130		0.9999776	0.9999482	458174	83H6168	TERR	67 51 53	174.058	174.062
86355	83H6172	E 686412.130 N 5618783.537 El 345.071		0.9999751	0.9999484	172254 88997 537175	83H6167 83H5960 83H6175	TERR TERR TERR	123 28 47 209 26 58 304 42 36	194.812 192.243 264.240	194.817 192.248 264.247

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
545889	83H6173	E	683750.558	0.9999626	0.9999480	138842	87H3121	TERR	87 36 49	422.821	422.836
		N	5620199.511					TERR	179 17 43	197.088	197.095
		El	347.891					TERR	358 47 17	129.463	129.468
935353	83H6174	E	687380.087	0.9999794	0.9999482	502294	83H6166	TERR	2 48 53	164.758	164.761
		N	5618150.197					TERR	111 10 45	269.008	269.014
		El	346.041					TERR	205 33 38	285.283	285.288
537175	83H6175	E	686194.913	0.9999741	0.9999484	86355	83H6172	TERR	124 42 36	264.240	264.247
		N	5618934.002					TERR	303 32 27	158.057	158.061
		El	345.378								
923631	83H6176	E	684714.691	0.9999669	0.9999479	556068	83H6163	TERR	101 24 6	201.414	201.421
		N	5620026.696					TERR	181 52 5	211.542	211.549
		El	348.012					TERR	348 32 27	88.408	88.411
634493	83H6177	E	686015.894	0.9999733	0.9999484	618223	83H6169	TERR	122 42 18	56.188	56.189
		N	5619051.692					TERR	212 7 20	294.658	294.666
		El	344.929					TERR	301 23 18	242.218	242.225
579284	83H6178	E	683747.820	0.9999626	0.9999480	71076	83H6095	TERR	88 44 44	184.142	184.149
		N	5620328.945					TERR	178 47 17	129.463	129.468
		El	347.700					TERR	268 34 58	471.716	471.735
457226	83H6179	E	683752.982	0.9999626	0.9999479	425546	84H9550	TERR	179 7 5	139.504	139.509
		N	5620002.438					TERR	359 17 43	197.088	197.095
		El	348.129								
488957	83H6180	E	685553.807	0.9999710	0.9999482	307116	83H6165	TERR	128 36 56	142.750	142.754
		N	5619604.710					TERR	280 49 54	287.618	287.627
		El	346.193					TERR	355 3 8	247.226	247.233
268839	84H9517	E	686398.064	0.9999604	0.9999337	944645	91H0355	TERR	13 59 53	816.107	816.134
		N	5626658.362					TERR	18 9 32	766.221	766.246
		El	438.504					TERR	30 44 47	11036.205	11036.458
						78006	84H9514	TERR	69 12 33	676.895	676.916
								TERR	91 0 57	754.113	754.136
						628040	84H9861	TERR			
								TERR			
						845446	94H1330	TERR			
								TERR			

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING		Bearing				
28407	84H9523	E N El	685809.459 5620759.992 349.987	0.9999716	0.9999476	931329 753301	82H5279 84H9541	TERR TERR	161 5 33 259 45 57			127.247 153.608	127.250 153.613
176263	84H9524	E N El	685298.959 5620177.969 347.178	0.9999697	0.9999481	694042	84H9536	TERR	177 42 17			148.847	148.852
618462	84H9525	E N El	683487.441 5619682.339 348.247	0.9999613	0.9999479	102129 568683	84H9537 84H9542	TERR TERR	93 55 46 274 58 13			273.165 197.817	273.175 197.825
365692	84H9526	E N El	684389.425 5619946.421 348.587	0.9999654	0.9999478		MARKER DESTROYED						
524884	84H9527	E N El	685049.966 5620574.931 350.918	0.9999680	0.9999475	309070	84H9552	TERR	178 33 46			156.569	156.574
184325	84H9528	E N El	682471.425 5619838.372 345.712	0.9999572	0.9999483	834176 744995 6445	84H9549 84H9533 84H9529	TERR TERR TERR	90 38 54 271 43 36 359 0 9			322.341 494.233 354.229	322.354 494.255 354.244
6445	84H9529	E N El	682465.259 5620192.547 346.830	0.9999570	0.9999481	764050 184325 534776	83H6123 84H9528 84H9544	TERR TERR TERR	90 8 24 179 0 9 358 9 42			197.704 354.229 123.752	197.712 354.244 123.757
168047	84H9530	E N El	685168.986 5620726.827 348.818	0.9999689	0.9999478	139204	84H9540	TERR	90 8 38			341.843	341.853
64147	84H9531	E N El	683879.229 5619656.230 347.265	0.9999633	0.9999481		MARKER DESTROYED						

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- UTM Coordinates Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
756270	84H9532	E N El	684083.365 5619713.667 347.603	0.9999641	0.9999480		MARKER DESTROYED				
744995	84H9533	E N El	681977.416 5619853.264 345.442	0.9999550	0.9999483	184325 340455 61549	84H9528 83H6114 83H6100	TERR TERR TERR	91 43 36 269 33 37 351 53 56	494.233 505.121 153.145	494.255 505.144 153.153
716704	84H9534	E N El	683151.328 5620789.689 346.530	0.9999601	0.9999482	45369 332718	83H6133 82H4994	TERR TERR	179 52 0 276 7 46	241.956 301.702	241.965 301.713
717850	84H9535	E N El	682015.428 5620154.165 349.108	0.9999546	0.9999478	98517 61549 725184	82H5080 83H6100 84H9538	TERR TERR TERR	27 6 34 201 45 41 270 33 53	170.512 160.739 228.891	170.520 160.746 228.902
694042	84H9536	E N El	685304.920 5620029.241 347.168	0.9999698	0.9999481	176263	84H9524	TERR	357 42 17	148.847	148.852
102129	84H9537	E N El	683759.964 5619663.620 347.784	0.9999627	0.9999480	618462 425546	84H9525 84H9550	TERR TERR	273 55 46 358 36 38	273.165 199.390	273.175 199.397
725184	84H9538	E N El	681786.548 5620156.421 344.126	0.9999544	0.9999485	717850 333419	84H9535 83H6130	TERR TERR	90 33 53 281 46 29	228.891 391.268	228.902 391.286
729913	84H9539	E N El	685045.990 5620779.977 348.793	0.9999683	0.9999478		MARKER DESTROYED				
139204	84H9540	E N El	685510.828 5620725.969 348.259	0.9999705	0.9999479	753301 168047	84H9541 84H9530	TERR TERR	87 23 12 270 8 38	147.621 341.843	147.625 341.853

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
753301	84H9541	E 685658.295 N 5620732.700 El 349.073		0.9999711	0.9999478	28407 139204	84H9523 84H9540	TERR TERR	79 45 57 267 23 12	153.608 147.621	153.613 147.625
568683	84H9542	E 683290.368 N 5619699.478 El 347.993		0.9999605	0.9999479	618462 173740 269878	84H9525 84H9548 83H6107	TERR TERR TERR	94 58 13 284 24 56 358 44 47	197.817 296.440 292.285	197.825 296.452 292.297
931378	84H9543	E 683144.628 N 5620392.315 El 346.454		0.9999601	0.9999482		MARKER DESTROYED				
534776	84H9544	E 682461.289 N 5620316.235 El 346.465		0.9999570	0.9999482	6445 98517 945329	84H9529 82H5080 84H9547	TERR TERR TERR	178 9 42 268 23 56 358 37 14	123.752 368.304 215.335	123.757 368.320 215.344
729228	84H9545	E 684563.777 N 5620033.217 El 348.652		0.9999662	0.9999478		MARKER DESTROYED				
844043	84H9546	E 684990.490 N 5619652.754 El 344.087		0.9999688	0.9999486	18325 579367	83H6152 83H6134	TERR TERR	170 54 32 278 42 24	126.611 89.068	126.615 89.071
945329	84H9547	E 682456.105 N 5620531.508 El 346.095		0.9999570	0.9999482	395152 534776 38638	83H6132 84H9544 83H6098	TERR TERR TERR	88 32 55 178 37 14 358 25 18	378.676 215.335 192.200	378.692 215.344 192.208
173740	84H9548	E 683003.261 N 5619773.277 El 346.796		0.9999594	0.9999481	568683 834176	84H9542 84H9549	TERR TERR	104 24 56 286 20 44	296.440 218.341	296.452 218.350
834176	84H9549	E 682793.745 N 5619834.725 El 347.660		0.9999583	0.9999480	173740 184325	84H9548 84H9528	TERR TERR	106 20 44 270 38 54	218.341 322.341	218.350 322.354

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
425546	84H9550	E	683755.129	0.9999625	0.9999479	628099	83H6093	TERR	88 24 48	233.839	233.847
		N	5619862.951			102129	84H9537	TERR	178 36 38	199.390	199.397
		El	348.325	CVD28BC		457226	83H6179	TERR	359 7 5	139.504	139.509
593889	84H9551	E	685059.750	0.9999686	0.9999480	309070	84H9552	TERR	358 37 39	244.545	244.553
		N	5620173.936								
		El	347.684	CVD28BC							
309070	84H9552	E	685053.893	0.9999680	0.9999474	593889	84H9551	TERR	178 37 39	244.545	244.553
		N	5620418.411			519199	83H6124	TERR	291 24 56	387.404	387.417
		El	351.135	CVD28BC		524884	84H9527	TERR	358 33 46	156.569	156.574
851154	84H9559	E	687544.223	0.9999787	0.9999468	565184	84H9790	TERR	202 6 18	225.975	225.981
		N	5628246.342								
		El	355.032	CVD28BC							
268904	84H9560	E	687117.267	0.9999760	0.9999461	422204	83H6154	TERR	24 7 6	341.957	341.965
		N	5617580.730			971440	77H6365	TERR	122 34 29	195.321	195.326
		El	359.993	CVD28BC		411025	89H5397	TERR	291 52 58	408.350	408.360
254029	84H9561	E	686428.380	0.9999750	0.9999482		MARKER DESTROYED				
		N	5621022.750								
		El	346.211	CVD28BC							
814194	84H9562	E	686456.120	0.9999741	0.9999472	584847	84H9812	TERR	0 9 27	299.196	299.203
		N	5624472.089								
		El	352.965	CVD28BC							
648394	84H9563	E	686265.977	0.9999745	0.9999484		MARKER DESTROYED				
		N	5618933.674								
		El	344.815	CVD28BC							
547091	84H9564	E	686345.861	0.9999749	0.9999484		MARKER DESTROYED				
		N	5619055.020								
		El	344.908	CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
683425	84H9565	E	685654.960	0.9999604	0.9999371	834945	84H9761	TERR	38 31 52	206.003	206.011
		N	5621335.825			857854	77H6487	TERR	109 29 4	143.277	143.283
		El	417.278			379198	84H9770	TERR	179 30 8	246.153	246.163
						792853	84H9803	TERR	269 45 32	170.197	170.203
325878	84H9566	E	686637.573	0.9999754	0.9999476	122754	82H5276	TERR	169 5 21	169.621	169.625
		N	5621082.959			457549	87H3094	TERR	248 43 49	354.473	354.481
		El	350.035			301556	372	TERR	292 26 26	1875.892	1875.977
289413	84H9759	E	685571.348	0.9999599	0.9999370	379198	84H9770	TERR	116 3 6	95.448	95.452
		N	5621131.600								
		El	418.103								
696245	84H9760	E	687408.251	0.9999786	0.9999473	565184	84H9790	TERR	20 33 36	145.039	145.041
		N	5627901.176			603241	94H1331	TERR	81 11 27	230.006	230.011
		El	351.998			734889	82H5271	TERR	201 24 22	128.384	128.387
834945	84H9761	E	685783.288	0.9999632	0.9999393	199422	84H9787	TERR	52 20 13	234.108	234.116
		N	5621496.975			683425	84H9565	TERR	218 31 52	206.003	206.011
		El	403.227								
202283	84H9762	E	688066.104	0.9999815	0.9999472		MARKER DESTROYED				
		N	5628048.070								
		El	352.698								
819441	84H9763	E	687928.744	0.9999806	0.9999469	506394	84H9777	TERR	33 26 33	363.158	363.165
		N	5629550.537			495309	94H1336	TERR	202 15 25	515.463	515.472
		El	354.505								
380758	84H9764	E	686630.000	0.9999763	0.9999485	116376	84H9783	TERR	20 27 19	391.313	391.322
		N	5624760.678			584847	84H9812	TERR	273 30 25	173.383	173.387
		El	344.151								
837815	84H9765	E	687152.958	0.9999777	0.9999475		MARKER DESTROYED				
		N	5626647.833								
		El	350.495								

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
295519	84H9766	E 686339.358 N 5622114.008 El 355.356		0.9999732	0.9999468	528299 895128	84H9821 79H0399	TERR TERR	11 53 58 167 54 7	370.259 263.541	370.269 263.548
813238	84H9767	E 686119.038 N 5623186.911 El 384.303		0.9999676	0.9999423	809806	84H9807	TERR	161 37 45	151.992	151.996
168252	84H9768	E 686979.840 N 5626185.798 El 349.455		0.9999770	0.9999477	344721 761643	84H9805 84H9793	TERR TERR	212 3 54 356 27 31	218.689 258.186	218.694 258.192
240606	84H9769	E 686760.739 N 5624608.178 El 344.067		0.9999769	0.9999485	481515	84H9799	TERR	20 40 58	391.902	391.911
379198	84H9770	E 685657.098 N 5621089.681 El 408.781		0.9999617	0.9999384	289413 683425	84H9759 84H9565	TERR TERR	296 3 6 359 30 8	95.448 246.153	95.452 246.163
178343	84H9771	E 686876.741 N 5626743.770 El 349.736		0.9999765	0.9999477		MARKER DESTROYED				
834937	84H9772	E 687482.130 N 5627526.242 El 351.843		0.9999790	0.9999473		MARKER DESTROYED				
257014	84H9773	E 686266.208 N 5623056.864 El 361.719		0.9999719	0.9999458	37978 809806	84H9789 84H9807	TERR TERR	101 42 48 261 51 35	91.339 100.277	91.341 100.281
570705	84H9774	E 686516.631 N 5625350.549 El 353.719		0.9999742	0.9999470	113092 82578	82H5284 84H9814	TERR TERR	23 28 0 208 45 31	159.200 361.803	159.204 361.813

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
804310	84H9775	E	685946.144	0.9999670	0.9999424	828525	77H6469	TERR	29 51 20	602.298	602.318
		N	5621317.335			118745	84H9801	TERR	182 49 58	253.839	253.847
		El	383.681	CVD28BC							
882233	84H9776	E	688188.584	0.9999807	0.9999458	668335	84H9822	TERR	164 24 22	261.550	261.555
		N	5630924.481								
		El	361.274	CVD28BC							
506394	84H9777	E	688128.880	0.9999812	0.9999466	134601	84H9810	TERR	20 48 45	253.019	253.024
		N	5629853.570			819441	84H9763	TERR	213 26 33	363.158	363.165
		El	356.266	CVD28BC							
446211	84H9778	E	687532.657	0.9999791	0.9999472		MARKER DESTROYED				
		N	5628465.602								
		El	352.685	CVD28BC							
199331	84H9779	E	686079.879	0.9999719	0.9999467	372169	84H9815	TERR	32 48 3	230.193	230.200
		N	5621291.647			333039	79H0433	TERR	152 39 10	227.116	227.123
		El	356.175	CVD28BC		118745	84H9801	TERR	212 42 6	270.757	270.765
957803	84H9780	E	687329.841	0.9999783	0.9999474		MARKER DESTROYED				
		N	5627116.428								
		El	351.368	CVD28BC							
379313	84H9781	E	686790.022	0.9999763	0.9999479		MARKER DESTROYED				
		N	5625507.746								
		El	348.344	CVD28BC							
511170	84H9782	E	686653.226	0.9999752	0.9999474		MARKER DESTROYED				
		N	5626890.206								
		El	351.496	CVD28BC							
116376	84H9783	E	686766.754	0.9999769	0.9999486	380758	84H9764	TERR	200 27 19	391.313	391.322
		N	5625127.317								
		El	343.927	CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing		UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----					
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING					
498972	84H9784	E N El	687852.605 5627702.232 350.251	0.9999809	0.9999476		MARKER DESTROYED					
17020	84H9785	E N El	686755.688 5627750.380 365.434	0.9999735	0.9999452		MARKER DESTROYED					
277939	84H9786	E N El	687167.499 5626450.886 349.398	0.9999779	0.9999477		MARKER DESTROYED					
199422	84H9787	E N El	685968.612 5621640.019 391.014	0.9999659	0.9999412	609172 834945	77H6452 84H9761	TERR TERR	77 9 47 232 20 13		171.317 234.108	171.322 234.116
178251	84H9788	E N El	686636.860 5627386.422 359.216	0.9999739	0.9999462	268839	84H9517	TERR	198 9 32		766.221	766.246
37978	84H9789	E N El	686355.645 5623038.321 353.113	0.9999736	0.9999471	228270 213249 257014	84H9795 77H6466 84H9773	TERR TERR TERR	8 18 40 156 11 39 281 42 48		174.026 205.822 91.339	174.030 205.828 91.341
565184	84H9790	E N El	687459.187 5628036.977 353.025	0.9999787	0.9999471	851154 563189 696245	84H9559 91H0361 84H9760	TERR TERR TERR	22 6 18 24 13 36 200 33 36		225.975 208.043 145.039	225.981 208.048 145.041
882829	84H9791	E N El	689055.709 5630906.777 354.615	0.9999858	0.9999469		MARKER DESTROYED					
119156	84H9792	E N El	686715.104 5625737.419 349.201	0.9999759	0.9999477	344721 113092	84H9805 82H5284	TERR TERR	29 28 7 209 17 12		302.142 276.131	302.149 276.137

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
761643	84H9793	E	686963.892	0.9999768	0.9999475	168252	84H9768	TERR	176 27 31	258.186	258.192
		N	5626443.491			464024	84H9794	TERR	357 50 31	203.005	203.010
		El	350.440	CVD28BC							
464024	84H9794	E	686956.248	0.9999767	0.9999475	628040	84H9861	TERR	16 28 49	263.086	263.092
		N	5626646.352			845446	94H1330	TERR	90 23 53	195.815	195.819
		El	351.033	CVD28BC		761643	84H9793	TERR	177 50 31	203.005	203.010
228270	84H9795	E	686380.800	0.9999739	0.9999473	226043	84H9882	TERR	5 5 24	432.514	432.525
		N	5623210.519			37978	84H9789	TERR	188 18 40	174.026	174.030
		El	352.230	CVD28BC							
329839	84H9796	E	687733.417	0.9999799	0.9999471		MARKER DESTROYED				
		N	5629073.447								
		El	353.274	CVD28BC							
100875	84H9797	E	686897.191	0.9999767	0.9999478		MARKER DESTROYED				
		N	5626237.209								
		El	349.124	CVD28BC							
598326	84H9798	E	686661.953	0.9999753	0.9999474		MARKER DESTROYED				
		N	5626734.152								
		El	351.244	CVD28BC							
481515	84H9799	E	686899.156	0.9999774	0.9999484	345801	84H9808	TERR	22 15 32	247.876	247.881
		N	5624974.822			240606	84H9769	TERR	200 40 58	391.902	391.911
		El	344.895	CVD28BC							
72520	84H9800	E	687187.636	0.9999781	0.9999478		MARKER DESTROYED				
		N	5625999.858								
		El	348.782	CVD28BC							
118745	84H9801	E	685933.599	0.9999697	0.9999452	804310	84H9775	TERR	2 49 58	253.839	253.847
		N	5621063.806			199331	84H9779	TERR	32 42 6	270.757	270.765
		El	365.785	CVD28BC		855551	83H5944	TERR	155 52 13	349.729	349.739

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
876870	84H9802	E N El	687252.021 5626910.423 350.302	0.9999782	0.9999476		MARKER DESTROYED				
792853	84H9803	E N El	685484.765 5621335.109 428.725	0.9999578	0.9999353	683425 527234	84H9565 84H9817	TERR TERR	89 45 32 255 4 8	170.197 85.052	170.203 85.055
209072	84H9804	E N El	686644.457 5627091.639 349.933	0.9999754	0.9999476		MARKER DESTROYED				
344721	84H9805	E N El	686863.742 5626000.471 348.751	0.9999766	0.9999478	168252 119156	84H9768 84H9792	TERR TERR	32 3 54 209 28 7	218.689 302.142	218.694 302.149
902239	84H9806	E N El	685809.520 5621382.525 405.291	0.9999629	0.9999390	857854	77H6487	TERR	191 39 13	96.479	96.483
809806	84H9807	E N El	686166.941 5623042.665 371.481	0.9999699	0.9999443	257014 813238	84H9773 84H9767	TERR TERR	81 51 35 341 37 45	100.277 151.992	100.281 151.996
345801	84H9808	E N El	686993.049 5625204.227 344.694	0.9999778	0.9999484	481515	84H9799	TERR	202 15 32	247.876	247.881
550731	84H9809	E N El	686401.041 5623994.298 353.252	0.9999738	0.9999471	226043	84H9882	TERR	177 3 34	353.436	353.445
134601	84H9810	E N El	688218.781 5630090.079 356.734	0.9999816	0.9999465	260760 506394	84H9813 84H9777	TERR TERR	5 5 42 200 48 45	191.883 253.019	191.887 253.024

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
427484	84H9811	E 686864.710 N 5626335.987 El 349.035		0.9999766	0.9999478		MARKER DESTROYED				
584847	84H9812	E 686456.942 N 5624771.284 El 354.632		0.9999738	0.9999469	380758 814194 82578	84H9764 84H9562 84H9814	TERR TERR TERR	93 30 25 180 9 27 336 25 21	173.383 299.196 285.961	173.387 299.203 285.969
260760	84H9813	E 688235.822 N 5630281.204 El 356.562		0.9999817	0.9999466	311241 134601	77H6446 84H9810	TERR TERR	8 55 18 185 5 42	201.874 191.883	201.878 191.887
82578	84H9814	E 686342.560 N 5625033.373 El 353.034		0.9999736	0.9999471	570705 584847	84H9774 84H9812	TERR TERR	28 45 31 156 25 21	361.803 285.961	361.813 285.969
372169	84H9815	E 686204.579 N 5621485.138 El 353.555		0.9999729	0.9999471	824334 558148 199331	84H9835 84H9816 84H9779	TERR TERR TERR	44 15 12 131 52 55 212 48 3	235.075 149.313 230.193	235.082 149.318 230.200
558148	84H9816	E 686315.746 N 5621385.457 El 350.410		0.9999739	0.9999476	274092 343459 372169	83H6119 77H6475 84H9815	TERR TERR TERR	76 30 10 152 17 43 311 52 55	215.950 206.648 149.313	215.956 206.653 149.318
527234	84H9817	E 685402.585 N 5621313.195 El 428.129		0.9999575	0.9999354	792853 833582	84H9803 77H6494	TERR TERR	75 4 8 168 45 28	85.052 93.919	85.055 93.923
362129	84H9818	E 686957.941 N 5627957.214 El 363.369		0.9999747	0.9999455		MARKER DESTROYED				
970293	84H9819	E 688174.748 N 5628253.321 El 352.365		0.9999821	0.9999472		MARKER DESTROYED				

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
599548	84H9820	E 686150.629 N 5621741.682 El 399.324		0.9999654	0.9999399	828525 609172	77H6469 77H6452	TERR TERR	44 12 33 193 15 19	136.741 65.341	136.745 65.343
				CVD28BC							
528299	84H9821	E 686415.704 N 5622476.310 El 352.396		0.9999740	0.9999473	213249 295519	77H6466 84H9766	TERR TERR	3 31 29 191 53 58	374.409 370.259	374.419 370.269
				CVD28BC							
668335	84H9822	E 688258.893 N 5630672.558 El 357.839		0.9999816	0.9999464	311241 882233	77H6446 84H9776	TERR TERR	177 32 34 344 24 22	192.099 261.550	192.102 261.555
				CVD28BC							
337840	84H9823	E 686742.590 N 5625388.769 El 348.133		0.9999762	0.9999479		MARKER DESTROYED				
				CVD28BC							
153213	84H9824	E 686512.901 N 5626322.568 El 350.748		0.9999747	0.9999475		MARKER DESTROYED				
				CVD28BC							
598268	84H9826	E 688687.640 N 5631295.584 El 351.792		0.9999845	0.9999473		MARKER DESTROYED				
				CVD28BC							
908509	84H9827	E 687221.634 N 5628117.317 El 358.730		0.9999767	0.9999462		MARKER DESTROYED				
				CVD28BC							
301945	84H9828	E 689046.341 N 5630119.945 El 354.679		0.9999857	0.9999469	794065	84H9872	TERR	292 33 37	208.849	208.852
				CVD28BC							
812198	84H9829	E 688712.251 N 5630252.842 El 352.266		0.9999846	0.9999472	794065 811687	84H9872 95H1780	TERR TERR	110 29 21 348 21 34	150.761 214.788	150.763 214.791
				CVD28BC							

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance	
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING					Metres	Metres	
312256		84H9830	E	687109.169	0.9999775	0.9999476	494948	84H9844	TERR	20	37	47	497.727	497.739	
			N	5627107.466			786228	94H1327	TERR	88	34	19	222.125	222.130	
			E1	350.372			CVD28BC	628040	84H9861	TERR	200	32	59	223.028	223.032
								606673	94H1334	TERR	268	39	58	459.731	459.741
81463	84H9831	E	689365.977	0.9999873	0.9999469	242198	84H9864	TERR	194	7	31	274.228	274.231		
		N	5631173.052												
		E1	354.315			CVD28BC									
487025	84H9832	E	688676.607	0.9999835	0.9999463	654046	77H6534	TERR	81	46	49	165.937	165.940		
		N	5617264.367												
		E1	358.377			CVD28BC									
856062	84H9833	E	687272.607	0.9999647	0.9999340	817239	77H6587	TERR	142	24	8	117.454	117.457		
		N	5617201.127			996645	77H6562	TERR	277	27	4	169.000	169.006		
		E1	436.778			CVD28BC									
647339	84H9834	E	689055.591	0.9999857	0.9999468	212738	84H9867	TERR	216	15	20	199.712	199.713		
		N	5631464.151												
		E1	355.408			CVD28BC									
824334	84H9835	E	686368.622	0.9999736	0.9999471	895128	79H0399	TERR	7	17	51	204.463	204.468		
		N	5621653.513			503151	77H6485	TERR	102	43	48	134.001	134.004		
		E1	353.626			CVD28BC	372169	84H9815	TERR	224	15	12	235.075	235.082	
295949	84H9836	E	687635.835	0.9999795	0.9999472	MARKER DESTROYED									
		N	5627930.809												
		E1	352.880	CVD28BC											
255877	84H9837	E	688803.154	0.9999851	0.9999473	MARKER DESTROYED									
		N	5631480.117												
		E1	351.863	CVD28BC											
707653	84H9838	E	687675.665	0.9999797	0.9999472	MARKER DESTROYED									
		N	5628035.048												
		E1	352.915	CVD28BC											

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
143388	84H9839	E 690127.227	0.9999887	0.9999448		133447	77H6543	TERR	47 21 54	308.804	308.807
		N 5616728.992				512699	77H6600	TERR	269 3 32	180.240	180.243
		El 368.004	CVD28BC			523639	84H9852	TERR	353 3 11	194.472	194.474
306423	84H9840	E 687282.000	0.9999781	0.9999474			MARKER DESTROYED				
		N 5627942.907									
		El 351.516	CVD28BC								
513614	84H9841	E 686000.210	0.9999295	0.9999046			MARKER ISOLATED				
		N 5614656.658									
		El 624.294	CVD28BC								
148759	84H9842	E 688839.609	0.9999847	0.9999468			MARKER DESTROYED				
		N 5630708.785									
		El 355.235	CVD28BC								
858977	84H9843	E 688180.208	0.9999756	0.9999407			MARKER DESTROYED				
		N 5616679.556									
		El 393.986	CVD28BC								
494948	84H9844	E 687284.532	0.9999782	0.9999474		734889	82H5271	TERR	20 14 51	222.095	222.100
		N 5627573.277				62232	94H1291	GPS	20 55 35	4264.734	4264.812
		El 351.239	CVD28BC			664235	1730-J	GPS	21 38 6	17471.144	17471.274
						222877	554-J-2	GPS	121 9 43	23364.562	23363.948
						984351	91H0353	GPS	180 16 6	12260.555	12261.043
						996686	82H5289	GPS	191 20 5	7272.631	7272.813
						312256	84H9830	TERR	200 37 47	497.727	497.739
						301556	372	GPS	202 24 25	6245.803	6246.083
						333419	83H6130	GPS	218 42 51	9403.092	9403.417
						391284	67-47	GPS	292 25 32	3298.723	3298.982
266395	84H9846	E 689214.091	0.9999865	0.9999469			MARKER DESTROYED				
		N 5630724.717									
		El 354.777	CVD28BC								
411231	84H9847	E 686646.035	0.9999725	0.9999447			MARKER DESTROYED				
		N 5627580.288									
		El 368.759	CVD28BC								

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid			UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING		Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING		Bearing				
87627	84H9848	E N El	688949.983 5631169.167 355.434	0.9999852	0.9999467	594135	84H9862	TERR	87 9 57			163.859	163.862
389718	84H9849	E N El	686833.237 5627550.826 351.839	0.9999760	0.9999473		MARKER DESTROYED						
888149	84H9850	E N El	689134.706 5631554.746 355.952	0.9999860	0.9999467	620344 62232 643569	84H9871 94H1291 84H9857	TERR TERR TERR	108 41 31 270 20 37 270 44 7			274.236 326.943 213.536	274.240 326.947 213.539
728154	84H9851	E N El	688166.363 5617057.220 359.480	0.9999810	0.9999461	257782 114405 314989	77H6567 77H6580 77H6591	TERR TERR TERR	1 20 14 86 5 23 288 2 30			199.148 167.037 159.808	199.152 167.040 159.810
523639	84H9852	E N El	690103.706 5616922.036 357.514	0.9999903	0.9999464	133447 143388 284208	77H6543 84H9839 77H6528	TERR TERR TERR	86 19 18 173 3 11 270 16 48			251.221 194.472 155.283	251.223 194.474 155.284
477513	84H9853	E N El	689203.688 5630902.418 354.252	0.9999865	0.9999469		MARKER DESTROYED						
8508	84H9854	E N El	687154.476 5627971.288 351.652	0.9999775	0.9999473		MARKER DESTROYED						
955450	84H9855	E N El	687345.755 5628182.252 359.914	0.9999771	0.9999461		MARKER DESTROYED						
518860	84H9856	E N El	687180.597 5626196.222 348.708	0.9999781	0.9999478		MARKER DESTROYED						

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
643569	84H9857	E 688921.188 N 5631557.486 El 353.929		0.9999853	0.9999470	888149	84H9850	TERR	90 44 7	213.536	213.539
				CVD28BC							
167585	84H9858	E 687266.755 N 5616938.625 El 467.709		0.9999598	0.9999292	91520 468710	87H3098 77H6575	TERR TERR	232 55 48 293 56 30	185.033 109.003	185.042 109.007
				CVD28BC							
494781	84H9859	E 688668.888 N 5630463.247 El 352.600		0.9999843	0.9999472		MARKER DESTROYED				
				CVD28BC							
709808	84H9860	E 685944.425 N 5614826.985 El 615.261		0.9999307	0.9999061		MARKER DESTROYED				
				CVD28BC							
628040	84H9861	E 687030.882 N 5626898.630 El 349.987		0.9999772	0.9999476	312256 464024 268839	84H9830 84H9794 84H9517	TERR TERR TERR	20 32 59 196 28 49 249 12 33	223.028 263.086 676.895	223.032 263.092 676.916
				CVD28BC							
594135	84H9862	E 689113.642 N 5631177.269 El 354.914		0.9999860	0.9999468	477059 87627	95H1781 84H9848	TERR TERR	110 55 6 267 9 57	135.334 163.859	135.335 163.862
				CVD28BC							
106716	84H9863	E 688970.010 N 5629887.768 El 353.302		0.9999856	0.9999471		MARKER DESTROYED				
				CVD28BC							
242198	84H9864	E 689299.054 N 5630907.115 El 353.753		0.9999871	0.9999470	81463	84H9831	TERR	14 7 31	274.228	274.231
				CVD28BC							
529339	84H9865	E 687374.077 N 5615746.553 El 535.285		0.9999497	0.9999186	827956 841940	77H6347 84H9868	TERR TERR	140 13 24 337 27 35	413.619 218.141	413.640 218.152
				CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
815100	84H9866	E N El	689245.590 5631133.966 354.203	0.9999867	0.9999469		MARKER DESTROYED				
212738	84H9867	E N El	688937.484 5631303.106 354.437	0.9999853	0.9999469	647339	84H9834	TERR	36 15 20	199.712	199.713
841940	84H9868	E N El	687290.457 5615948.030 532.052	0.9999499	0.9999191	529339 729806	84H9865 84H9884	TERR TERR	157 27 35 318 36 28	218.141 246.534	218.152 246.546
103366	84H9869	E N El	688620.878 5631104.400 351.576	0.9999843	0.9999474	294249	84H9877	TERR	89 49 12	200.611	200.614
635961	84H9870	E N El	688654.674 5630704.046 352.926	0.9999842	0.9999471		MARKER DESTROYED				
620344	84H9871	E N El	689394.477 5631466.859 354.867	0.9999873	0.9999468	114660 888149	94H1296 84H9850	TERR TERR	202 42 28 288 41 31	191.423 274.236	191.425 274.240
794065	84H9872	E N El	688853.474 5630200.071 353.644	0.9999850	0.9999470	301945 812198 883140	84H9828 84H9829 95H1784	TERR TERR TERR	112 33 37 290 29 21 358 22 41	208.849 150.761 259.815	208.852 150.763 259.818
480335	84H9873	E N El	688033.989 5616673.841 406.712	0.9999729	0.9999387		MARKER ISOLATED				
641985	84H9874	E N El	688874.889 5629609.193 352.566	0.9999853	0.9999472		MARKER DESTROYED				

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
179069	84H9875	E 687859.500 N 5627936.497 El 353.709	CVD28BC	0.9999804	0.9999470		MARKER DESTROYED				
294249	84H9877	E 688821.488 N 5631105.030 El 356.026	CVD28BC	0.9999845	0.9999467	103366	84H9869	TERR	269 49 12	200.611	200.614
438713	84H9878	E 688846.180 N 5630459.689 El 353.586	CVD28BC	0.9999850	0.9999470		MARKER DESTROYED				
988873	84H9879	E 688682.932 N 5617070.212 El 364.161	CVD28BC	0.9999826	0.9999454		MARKER DESTROYED				
519520	84H9880	E 688912.858 N 5629756.459 El 352.443	CVD28BC	0.9999855	0.9999472		MARKER DESTROYED				
701227	84H9881	E 685911.021 N 5615619.091 El 555.544	CVD28BC	0.9999399	0.9999154	230631 736645	77H6654 77H6408	TERR TERR	66 24 52 178 5 43	186.937 462.906	186.948 462.936
226043	84H9882	E 686419.172 N 5623641.327 El 353.833	CVD28BC	0.9999738	0.9999470	228270 550731	84H9795 84H9809	TERR TERR	185 5 24 357 3 34	432.514 353.436	432.525 353.445
977181	84H9883	E 688812.618 N 5631259.480 El 353.382	CVD28BC	0.9999849	0.9999471		MARKER DESTROYED				
729806	84H9884	E 687127.447 N 5616132.980 El 523.955	CVD28BC	0.9999504	0.9999204	331363 841940 600015	77H6532 84H9868 77H6491	TERR TERR TERR	57 24 42 138 36 28 270 43 14	126.558 246.534 145.696	126.564 246.546 145.703

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
913053	87H3091	E 685664.810 N 5614862.877 El 623.265		0.9999281	0.9999048	417147 345785	77H6414 77H6426	TERR TERR	52 53 30 215 45 19	274.626 182.607	274.646 182.620
652107	87H3093	E 685865.298 N 5620040.434 El 350.169		0.9999718	0.9999476	791236 302273 344663 451500	82H5267 83H5986 83H6000 87H3097	TERR TERR TERR TERR	81 7 26 178 20 57 268 36 56 358 23 31	292.953 266.805 345.170 200.546	292.961 266.811 345.180 200.552
457549	87H3094	E 686307.246 N 5620954.371 El 349.341		0.9999740	0.9999477	325878 265496 499541	84H9566 83H5943 87H3118	TERR TERR TERR	68 43 49 166 54 52 238 43 40	354.473 206.134 164.765	354.481 206.138 164.769
451500	87H3097	E 685859.670 N 5620240.901 El 350.188		0.9999718	0.9999476	614990 652107 996686	83H5980 87H3093 82H5289	TERR TERR TERR	85 9 29 178 23 31 358 43 7	268.265 200.546 201.643	268.273 200.552 201.650
91520	87H3098	E 687119.117 N 5616827.089 El 480.181		0.9999572	0.9999272	167585 474247	84H9858 77H6363	TERR TERR	52 55 48 127 43 43	185.033 100.529	185.042 100.534
130591	87H3099	E 700288.612 N 5615118.829 El 505.580		1.0000159	0.9999233	8219	87H3107	TERR	127 56 5	139.042	139.040
173567	87H3102	E 700216.790 N 5616609.667 El 346.486		1.0000405	0.9999482		MARKER DESTROYED				
916866	87H3103	E 681403.408 N 5619929.536 El 345.340		0.9999525	0.9999483	333419 340455	83H6130 83H6114	TERR TERR	0 1 11 139 18 53	306.729 105.694	306.743 105.699
358143	87H3106	E 684703.028 N 5620227.366 El 346.938		0.9999671	0.9999481	898874 965939 519199	83H6116 83H6158 83H6124	TERR TERR TERR	182 57 45 268 58 2 358 18 47	114.177 319.318 332.641	114.180 319.329 332.652

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
8219	87H3107	E 700398.276 N 5615033.351 El 517.332		1.0000146	0.9999214	111799 130591	89H5412 87H3099	TERR TERR	148 0 19 307 56 5	135.107 139.042	135.105 139.040
				CVD28BC							
377994	87H3110	E 699747.620 N 5615147.895 El 535.907		1.0000085	0.9999185		MARKER DESTROYED				
				CVD28BC							
63289	87H3111	E 700420.322 N 5616563.192 El 347.560		1.0000413	0.9999480		MARKER DESTROYED				
				CVD28BC							
432732	87H3112	E 699879.594 N 5615071.100 El 562.998		1.0000049	0.9999143	211730	79H0309	TERR	255 5 14	39.798	39.798
				CVD28BC							
117507	87H3113	E 694174.636 N 5617377.208 El 346.442		1.0000112	0.9999482	781229 133256 580019	79H0346 79H0349 79H0362	TERR TERR TERR	17 20 2 105 16 53 197 30 10	135.894 238.973 170.665	135.892 238.969 170.663
				CVD28BC							
768242	87H3116	E 689788.836 N 5616313.806 El 396.453		0.9999827	0.9999403	377077 698662 815852	77H6599 77H6632 77H6640	TERR TERR TERR	192 27 26 268 12 33 358 16 38	81.474 341.077 211.159	81.476 341.083 211.162
				CVD28BC							
499541	87H3118	E 686166.420 N 5620868.841 El 352.020		0.9999729	0.9999473	457549 855551	87H3094 83H5944	TERR TERR	58 43 40 215 52 56	164.765 153.298	164.769 153.302
				CVD28BC							
138842	87H3121	E 684173.012 N 5620217.116 El 346.948		0.9999646	0.9999481	1412 965939 545889	83H6112 83H6158 83H6173	TERR TERR TERR	0 3 1 88 46 42 267 36 49	280.238 210.798 422.821	280.248 210.806 422.836
				CVD28BC							
490516	89H5170	E 685632.364 N 5614212.459 El 675.648		0.9999198	0.9998966	577809 537787 825687	89H5184 89H5174 89H5335	TERR TERR TERR	115 48 6 120 8 7 315 36 33	142.486 262.769 191.770	142.497 262.791 191.785
				CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid			UTM Grid		Ground						
GCM-NO	TABLET	MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING		Bearing	Distance Metres		Distance Metres		Distance Metres						
296475		89H5172	E	685599.626	0.9999231	0.9999000	335950	89H5382	TERR	100	41	27	293.410	293.432							
			N	5614391.261					825687	89H5335	TERR	247	36	59	109.678	109.687					
			E1	653.719					CVD28BC	345785	77H6426	TERR	352	41	6	326.081	326.105				
537787		89H5174	E	685859.618	0.9999185	0.9998943	392522	89H5180	TERR	92	25	45	379.735	379.765							
			N	5614080.538					490516	89H5170	TERR	300	8	7	262.769	262.791					
			E1	690.261					CVD28BC	577809	89H5184	TERR	305	13	59	121.170	121.180				
665695		89H5175	E	686652.748	0.9999075	0.9998796	140343	89H5176	TERR	159	49	52	192.385	192.403							
			N	5613349.979					142224	89H5386	TERR	306	56	42	108.702	108.712					
			E1	783.879					CVD28BC												
140343		89H5176	E	686719.080	0.9999057	0.9998776	268268	89H5369	TERR	93	48	33	183.877	183.894							
			N	5613169.391					395723	89H5392	TERR	162	34	13	96.840	96.849					
			E1	796.980					CVD28BC	625285	89H5387	TERR	248	1	39	74.185	74.192				
									665695	89H5175	TERR	339	49	52	192.385	192.403					
799122		89H5177	E	687221.507	0.9999224	0.9998920	308718	89H5367	TERR	334	49	22	220.396	220.413							
			N	5613636.022																	
			E1	705.048					CVD28BC												
527820		89H5178	E	687345.223	0.9999231	0.9998921	288225	91H0359	TERR	70	21	19	221.585	221.602							
			N	5613873.106					402230	89H5433	GPS	106	37	50	820.477	820.541					
			E1	704.596					CVD28BC	125617	1303-J	GPS	160	6	46	20332.030	20333.316				
									55467	89H5182	GPS	231	37	4	1325.280	1325.399					
									308718	89H5367	TERR	260	11	3	220.708	220.725					
									333419	83H6130	GPS	316	57	42	8705.958	8706.500					
									706432	77H6471	GPS	331	0	30	1134.752	1134.833					
558163		89H5179	E	687816.452	0.9999272	0.9998940	427633	77H6505	TERR	73	32	21	228.615	228.632							
			N	5614007.093					355735	91H0354	TERR	160	56	36	126.281	126.290					
			E1	691.936					CVD28BC	288225	91H0359	TERR	257	13	56	269.197	269.217				
392522		89H5180	E	686239.012	0.9999206	0.9998946	748301	91H0347	TERR	78	32	26	95.498	95.505							
			N	5614064.443					982421	77H6410	TERR	91	13	15	296.685	296.709					
			E1	688.170					CVD28BC	852376	89H5185	TERR	229	23	55	112.142	112.151				
									537787	89H5174	TERR	272	25	45	379.735	379.765					
416180		89H5181	E	686474.045	0.9999002	0.9998731	256776	89H5391	TERR	100	34	3	102.463	102.473							
			N	5613029.473					816058	89H5340	TERR	250	49	41	106.738	106.749					
			E1	825.376					CVD28BC	183251	89H5350	TERR	359	23	22	83.813	83.822				

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
55467	89H5182	E	686306.355	0.9998973	0.9998711	706432	77H6471	GPS	15 4 17	1880.100	1880.258
		N	5613050.233			527820	89H5178	GPS	51 37 4	1325.280	1325.399
		El	838.554			666511	79H0378	GPS	61 35 2	9235.761	9236.179
						402230	89H5433	GPS	72 8 25	1917.426	1917.602
						222877	554-J-2	GPS	83 22 59	21112.040	21112.341
						16816	79H0286	GPS	84 23 53	14536.151	14536.827
						816058	89H5340	TERR	129 50 57	87.103	87.112
						125617	1303-J	GPS	156 30 4	19951.245	19952.765
						890731	67-48	GPS	245 2 60	1798.325	1798.552
						522987	89H5353	TERR	270 43 48	77.237	77.245
						438630	66C207	GPS	290 26 9	34727.016	34731.654
						353565	NO MARKING	GPS	323 45 41	3990.767	3991.212
						333419	83H6130	GPS	325 41 43	8699.248	8699.901
572560	89H5183	E	694869.168	0.9999755	0.9999091	753772	89H5440	TERR	122 28 14	105.326	105.328
		N	5615787.629			885061	79H0339	TERR	219 32 27	239.992	239.999
		El	595.739			24976	79H0370	TERR	256 22 7	227.103	227.109
577809	89H5184	E	685760.645	0.9999190	0.9998953	537787	89H5174	TERR	125 13 59	121.170	121.180
		N	5614150.441			579813	89H5374	TERR	165 41 50	175.828	175.843
		El	684.050			490516	89H5170	TERR	295 48 6	142.486	142.497
852376	89H5185	E	686153.868	0.9999187	0.9998932	392522	89H5180	TERR	49 23 55	112.142	112.151
		N	5613991.462			48058	89H5189	TERR	275 18 39	135.031	135.042
		El	697.576								
298158	89H5186	E	687557.645	0.9999242	0.9998922		MARKER DESTROYED				
		N	5613932.328								
		El	703.934								
938480	89H5187	E	686234.915	0.9999055	0.9998796	936666	89H5376	TERR	117 14 13	92.272	92.280
		N	5613435.591			593541	89H5372	TERR	170 31 49	99.156	99.165
		El	784.116								
48058	89H5189	E	686019.417	0.9999169	0.9998920	852376	89H5185	TERR	95 18 39	135.031	135.042
		N	5614003.960			579813	89H5374	TERR	263 40 3	216.656	216.673
		El	705.233			92627	89H5379	TERR	355 52 18	661.708	661.760

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
936088	89H5328	E	685950.614	0.9999311	0.9999064	323659	77H6468	TERR	100 32 47	643.893	643.937
		N	5614880.983					TERR	174 25 48	218.062	218.076
		El	612.894					TERR	335 39 0	161.993	162.004
	89H5329	E	687111.422	0.9999229	0.9998930	794446	89H5373	TERR	51 18 24	76.761	76.766
		N	5613972.629					TERR	173 12 45	138.118	138.129
		El	698.741								
28597	89H5333	E	686640.816	0.9999033	0.9998755	625285	89H5387	TERR	5 20 24	101.736	101.746
		N	5613040.340					TERR	245 49 3	72.399	72.406
		El	810.131								
825687	89H5335	E	685498.212	0.9999217	0.9998992	296475	89H5172	TERR	67 36 59	109.678	109.687
		N	5614349.495					TERR	135 36 33	191.770	191.785
		El	659.261								
802959	89H5339	E	687021.219	0.9999083	0.9998787	417477	89H5358	TERR	293 23 41	142.449	142.462
		N	5613008.226								
		El	789.589								
816058	89H5340	E	686373.227	0.9998980	0.9998714	416180	89H5181	TERR	70 49 41	106.738	106.749
		N	5612994.420					TERR	309 50 57	87.103	87.112
		El	836.359								
847434	89H5341	E	686434.511	0.9999020	0.9998752	183251	89H5350	TERR	152 46 47	84.478	84.485
		N	5613188.403					TERR	300 24 28	149.291	149.306
		El	812.356								
300418	89H5342	E	685499.958	0.9999112	0.9998887	691329	89H5425	TERR	316 51 8	485.775	485.817
		N	5613897.562					TERR	317 27 41	338.388	338.417
		El	726.158								
819227	89H5345	E	684241.053	0.9999107	0.9998938	578633	91H0401	TERR	125 39 59	358.556	358.587
		N	5615353.585					TERR	287 24 15	363.721	363.754
		El	693.486								

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
508341	89H5346	E 686341.933 N 5613495.099 El 764.117		0.9999091	0.9998827	619197 803999	89H5365 77H6432	TERR TERR	125 58 13 331 14 57	94.248 132.605	94.257 132.616
707554	89H5348	E 685869.163 N 5613920.059 El 715.618		0.9999146	0.9998903	395525 579813	89H5395 89H5374	TERR TERR	100 50 49 312 40 34	133.294 88.521	133.304 88.529
183251	89H5350	E 686473.152 N 5613113.281 El 818.297		0.9999013	0.9998742	416180 847434	89H5181 89H5341	TERR TERR	179 23 22 332 46 47	83.813 84.478	83.822 84.485
486290	89H5351	E 687107.926 N 5613079.861 El 787.417		0.9999090	0.9998791	477653 268268	89H5388 89H5369	TERR TERR	131 31 22 290 37 44	180.420 219.446	180.437 219.465
535765	89H5352	E 685509.000 N 5617913.704 El 351.664		0.9999700	0.9999474	461780 32441	89H5406 89H5375	TERR TERR	118 7 54 283 34 0	141.116 207.764	141.120 207.771
522987	89H5353	E 686229.124 N 5613051.217 El 839.488		0.9998968	0.9998709	722561 55467 15776	89H5410 89H5182 91H0389	TERR TERR TERR	19 48 32 90 43 48 247 39 4	226.131 77.237 79.854	226.153 77.245 79.862
821306	89H5354	E 686099.386 N 5614461.425 El 630.759		0.9999289	0.9999036	416347 92627	89H5355 89H5379	TERR TERR	214 6 13 327 47 9	118.179 239.375	118.187 239.393
416347	89H5355	E 686033.124 N 5614363.570 El 637.390		0.9999276	0.9999026	821306 335950	89H5354 89H5382	TERR TERR	34 6 13 259 33 50	118.179 147.623	118.187 147.634
179747	89H5356	E 687257.906 N 5613174.700 El 757.571		0.9999144	0.9998838	918128 76919	89H5370 89H5380	TERR TERR	136 40 39 308 4 54	143.704 101.804	143.717 101.812

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

$$\text{Ground Level Distance} = \text{UTM Grid Distance} / \text{Mean of Combined Factors}$$

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs.	UTM Grid			UTM Grid	Ground							
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING		Type	Bearing			Distance Metres	Distance Metres						
417477		89H5358	E	686890.481	0.9999068	0.9998779	802959	89H5339	TERR	113	23	41	142.449	142.462							
			N	5613064.787					395723						89H5392	TERR	274	54	4	142.917	142.931
			E1	794.932												CVD28BC					
856724		89H5364	E	686990.227	0.9999170	0.9998876	235093	89H5389	TERR	125	52	42	121.330	121.339							
			N	5613508.685					721084						77H6690	TERR	326	21	47	79.369	79.376
			E1	733.118												CVD28BC					
619197		89H5365	E	686418.210	0.9999084	0.9998817	142224	89H5386	TERR	99	23	35	149.669	149.683							
			N	5613439.741					936666						89H5376	TERR	245	23	22	111.371	111.381
			E1	770.945												CVD28BC					
688564		89H5366	E	686068.054	0.9999130	0.9998878	927046	77H6425	TERR	98	55	34	94.065	94.073							
			N	5613857.163					395525						89H5395	TERR	299	5	3	77.788	77.794
			E1	731.504												CVD28BC					
308718		89H5367	E	687127.746	0.9999232	0.9998932	527820	89H5178	TERR	80	11	3	220.708	220.725							
			N	5613835.479					799122						89H5177	TERR	154	49	22	220.396	220.413
			E1	697.261												CVD28BC					
639856		89H5368	E	687374.790	0.9999139	0.9998828	477653	89H5388	TERR	283	57	11	135.792	135.804							
			N	5612927.514					918128						89H5370	TERR	352	41	38	143.809	143.821
			E1	763.911												CVD28BC					
268268		89H5369	E	686902.551	0.9999076	0.9998786	486290	89H5351	TERR	110	37	44	219.446	219.465							
			N	5613157.175					140343						89H5176	TERR	273	48	33	183.877	183.894
			E1	790.204												CVD28BC					
918128		89H5370	E	687356.502	0.9999154	0.9998844	639856	89H5368	TERR	172	41	38	143.809	143.821							
			N	5613070.155					179747						89H5356	TERR	316	40	39	143.704	143.717
			E1	753.681												CVD28BC					
475707		89H5371	E	683545.695	0.9999058	0.9998921	606517	89H5428	TERR	110	22	18	316.271	316.300							
			N	5615391.553					991562						89H5409	TERR	178	43	21	263.174	263.199
			E1	704.233												CVD28BC					

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance	
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				Metres	Metres		
593541		89H5372	E	686251.229	0.9999043	0.9998783	722561	89H5410	TERR	143	32	54	91.774	91.783	
			N	5613337.786			938480	89H5187	TERR	350	31	49	99.156	99.165	
			E1	792.678			CVD28BC								
794446		89H5373	E	687171.334	0.9999220	0.9998918	899948	89H5329	TERR	231	18	24	76.761	76.766	
			N	5614020.616											
			E1	706.105			CVD28BC								
579813		89H5374	E	685804.083	0.9999147	0.9998907	48058	89H5189	TERR	83	40	3	216.656	216.673	
			N	5613980.063			707554	89H5348	TERR	132	40	34	88.521	88.529	
			E1	713.122			CVD28BC	671438	89H5402	TERR	261	38	14	230.208	230.228
								577809	89H5184	TERR	345	41	50	175.828	175.843
32441		89H5375	E	685307.033	0.9999697	0.9999480	535765	89H5352	TERR	103	34	0	207.764	207.771	
			N	5617962.441			746826	89H5396	TERR	291	12	36	673.078	673.100	
			E1	347.764			CVD28BC								
936666		89H5376	E	686316.956	0.9999066	0.9998803	619197	89H5365	TERR	65	23	22	111.371	111.381	
			N	5613393.361			938480	89H5187	TERR	297	14	13	92.272	92.280	
			E1	779.641			CVD28BC								
480921		89H5377	E	683794.933	0.9999069	0.9998920	194092	89H5434	TERR	18	57	5	304.992	305.021	
			N	5615173.918			606517	89H5428	TERR	23	43	13	117.462	117.474	
			E1	704.758			CVD28BC	990846	89H5420	TERR	102	52	19	322.354	322.383
								425454	89H5393	TERR	227	3	48	177.259	177.275
463224		89H5378	E	689705.821	0.9999904	0.9999484	609651	89H5438	TERR	105	11	54	324.740	324.743	
			N	5617247.539											
			E1	344.756											
92627		89H5379	E	685971.779	0.9999294	0.9999047	821306	89H5354	TERR	147	47	9	239.375	239.393	
			N	5614663.951			48058	89H5189	TERR	175	52	18	661.708	661.760	
			E1	624.045			CVD28BC	335950	89H5382	TERR	194	22	29	337.693	337.718
								936088	89H5328	TERR	354	25	48	218.062	218.076
76919		89H5380	E	687177.773	0.9999141	0.9998838	179747	89H5356	TERR	128	4	54	101.804	101.812	
			N	5613237.491			235093	89H5389	TERR	335	57	49	219.085	219.104	
			E1	757.052			CVD28BC								

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				Metres	Metres	
335950		89H5382	E	685887.943	0.9999255	0.9999011	92627	89H5379	TERR	14	22	29	337.693	337.718
			N	5614336.830			416347	89H5355	TERR	79	33	50	147.623	147.634
			E1	646.765	CVD28BC		296475	89H5172	TERR	280	41	27	293.410	293.432
547679		89H5383	E	684209.018	0.9999650	0.9999483	582684	89H5417	TERR	171	38	22	198.133	198.140
			N	5618453.480										
			E1	345.542	CVD28BC									
425744		89H5384	E	686317.028	0.9999737	0.9999473	639252	89H5435	TERR	77	1	21	200.930	200.935
			N	5617734.740			440578	89H5444	TERR	275	11	44	207.563	207.568
			E1	351.777	CVD28BC									
142224		89H5386	E	686565.872	0.9999085	0.9998810	665695	89H5175	TERR	126	56	42	108.702	108.712
			N	5613415.314			619197	89H5365	TERR	279	23	35	149.669	149.683
			E1	774.913	CVD28BC									
625285		89H5387	E	686650.284	0.9999048	0.9998769	140343	89H5176	TERR	68	1	39	74.185	74.192
			N	5613141.634			28597	89H5333	TERR	185	20	24	101.736	101.746
			E1	801.075	CVD28BC									
477653		89H5388	E	687243.005	0.9999118	0.9998813	639856	89H5368	TERR	103	57	11	135.792	135.804
			N	5612960.257			486290	89H5351	TERR	311	31	22	180.420	180.437
			E1	773.310	CVD28BC									
235093		89H5389	E	687088.536	0.9999168	0.9998869	76919	89H5380	TERR	155	57	49	219.085	219.104
			N	5613437.578			856724	89H5364	TERR	305	52	42	121.330	121.339
			E1	737.452	CVD28BC									
256776		89H5391	E	686574.770	0.9999021	0.9998746	28597	89H5333	TERR	65	49	3	72.399	72.406
			N	5613010.682			416180	89H5181	TERR	280	34	3	102.463	102.473
			E1	815.722	CVD28BC									
395723		89H5392	E	686748.087	0.9999052	0.9998769	417477	89H5358	TERR	94	54	4	142.917	142.931
			N	5613076.997			268185	91H0377	TERR	187	21	23	216.176	216.197
			E1	801.261	CVD28BC		140343	89H5176	TERR	342	34	13	96.840	96.849

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
425454	89H5393	E	683665.161	0.9999041	0.9998898	606517	89H5428	TERR	37	47	30	288.881	288.908		
		N	5615053.171			480921	89H5377	TERR	47	3	48	177.259	177.275		
		El	718.666			CVD28BC	316539	89H5414	TERR	182	15	23	103.064	103.074	
							991562	89H5409	TERR	303	31	45	136.275	136.288	
357988	89H5394	E	685696.820	0.9999418	0.9999183	57638	77H6438	TERR	102	29	13	280.466	280.481		
		N	5616237.141			677617	89H5443	TERR	315	30	35	110.264	110.271		
		El	537.009			CVD28BC									
395525	89H5395	E	686000.075	0.9999133	0.9998885	688564	89H5366	TERR	119	5	3	77.788	77.794		
		N	5613894.975			707554	89H5348	TERR	280	50	49	133.294	133.304		
		El	727.475			CVD28BC									
746826	89H5396	E	684679.549	0.9999672	0.9999484	32441	89H5375	TERR	111	12	36	673.078	673.100		
		N	5618205.953			647222	89H5423	TERR	281	6	56	222.132	222.139		
		El	345.199			CVD28BC									
411025	89H5397	E	686738.339	0.9999751	0.9999469	268904	84H9560	TERR	111	52	58	408.350	408.360		
		N	5617732.926			234153	77H6584	TERR	180	20	31	188.500	188.505		
		El	354.916			CVD28BC	639252	89H5435	TERR	281	45	27	230.346	230.352	
222125	89H5398	E	683695.308	0.9999022	0.9998878	353565	NO MARKING	TERR	10	15	39	1414.216	1414.370		
		N	5614877.439			668772	89H5399	TERR	69	52	60	96.931	96.941		
		El	731.789			CVD28BC	470054	89H5401	TERR	85	59	15	206.846	206.866	
							316539	89H5414	TERR	334	49	4	80.388	80.396	
668772	89H5399	E	683786.326	0.9999025	0.9998877	470054	89H5401	TERR	99	17	24	116.854	116.865		
		N	5614910.777			222125	89H5398	TERR	249	52	60	96.931	96.941		
		El	732.424			CVD28BC									
470054	89H5401	E	683901.647	0.9999020	0.9998866	222125	89H5398	TERR	265	59	15	206.846	206.866		
		N	5614891.913			668772	89H5399	TERR	279	17	24	116.854	116.865		
		El	739.153			CVD28BC									
671438	89H5402	E	685576.323	0.9999119	0.9998889	579813	89H5374	TERR	81	38	14	230.208	230.228		
		N	5613946.581												
		El	724.395			CVD28BC									

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
593095	89H5403	E 687754.937 N 5628233.792 El 353.469		0.9999800	0.9999471	603241 563189	94H1331 91H0361	TERR TERR	201 52 26 268 4 6	320.463 210.500	320.470 210.504
				CVD28BC							
902627	89H5404	E 684183.273 N 5615020.722 El 711.254		0.9999076	0.9998910	990846	89H5420	TERR	317 41 15	110.056	110.066
				CVD28BC							
405787	89H5405	E 685179.893 N 5614377.114 El 665.760		0.9999193	0.9998981		MARKER DESTROYED				
				CVD28BC							
461780	89H5406	E 685633.445 N 5617847.168 El 353.969		0.9999702	0.9999470	468942 535765	89H5421 89H5352	TERR TERR	93 10 18 298 7 54	336.440 141.116	336.450 141.120
				CVD28BC							
251553	89H5407	E 685369.383 N 5616899.451 El 549.711		0.9999383	0.9999163	112870 323659 353565	89H5431 77H6468 NO MARKING	TERR TERR TERR	147 54 45 150 23 13 246 5 36	279.113 2457.288 1555.624	279.129 2457.447 1555.766
				CVD28BC							
991562	89H5409	E 683551.562 N 5615128.444 El 719.413		0.9999035	0.9998897	353565 425454 475707	NO MARKING 89H5393 89H5371	TERR TERR TERR	19 7 52 123 31 45 358 43 21	1207.270 136.275 263.174	1207.401 136.288 263.199
				CVD28BC							
722561	89H5410	E 686305.756 N 5613263.967 El 800.096		0.9999033	0.9998771	847434 522987 593541	89H5341 89H5353 89H5372	TERR TERR TERR	120 24 28 199 48 32 323 32 54	149.291 226.131 91.774	149.306 226.153 91.783
				CVD28BC							
111799	89H5412	E 700469.861 N 5614918.767 El 528.842		1.0000131	0.9999196	132910 8219	94H1301 87H3107	TERR TERR	294 41 39 328 0 19	153.064 135.107	153.062 135.105
				CVD28BC							
707752	89H5413	E 695445.846 N 5615588.366 El 573.090		0.9999818	0.9999127	659433	89H5427	TERR	182 19 60	148.903	148.906
				CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
316539	89H5414	E 683661.103 N 5614950.187 El 726.782		0.9999028	0.9998886	425454 222125	89H5393 89H5398	TERR TERR	2 15 23 154 49 4	103.064 80.388	103.074 80.396
					CVD28BC						
582684	89H5417	E 684237.827 N 5618257.453 El 345.635		0.9999651	0.9999483	647222 547679	89H5423 89H5383	TERR TERR	92 13 13 351 38 22	223.925 198.133	223.933 198.140
					CVD28BC						
990846	89H5420	E 684109.186 N 5615102.107 El 705.886		0.9999081	0.9998919	902627 480921 353565	89H5404 89H5377 NO MARKING	TERR TERR TERR	137 41 15 282 52 19 352 5 53	110.056 322.354 1178.117	110.066 322.383 1178.242
					CVD28BC						
468942	89H5421	E 685969.370 N 5617828.554 El 355.850		0.9999714	0.9999467	440578 461780	89H5444 89H5406	TERR TERR	118 1 25 273 10 18	159.669 336.440	159.673 336.450
					CVD28BC						
113696	89H5422	E 690274.560 N 5617155.611 El 345.764		0.9999929	0.9999483	404368 609651	89H5430 89H5438	TERR TERR	90 43 9 271 31 27	182.150 255.447	182.151 255.449
					CVD28BC						
647222	89H5423	E 684461.584 N 5618248.778 El 345.631		0.9999662	0.9999483	746826 582684	89H5396 89H5417	TERR TERR	101 6 56 272 13 13	222.132 223.925	222.139 223.933
					CVD28BC						
76844	89H5424	E 695279.508 N 5615488.589 El 591.797		0.9999780	0.9999097	659433 416461 676056	89H5427 77H6440 89H5445	TERR TERR TERR	107 0 2 282 39 22 282 57 27	167.600 431.098 132.245	167.603 431.107 132.249
					CVD28BC						
691329	89H5425	E 685167.745 N 5614251.980 El 678.663		0.9999172	0.9998961	131516 300418	91H0356 89H5342	TERR TERR	135 27 14 136 51 8	147.451 485.775	147.463 485.817
					CVD28BC						
659433	89H5427	E 695439.784 N 5615439.586 El 585.101		0.9999799	0.9999108	707752 76844	89H5413 89H5424	TERR TERR	2 19 60 287 0 2	148.903 167.600	148.906 167.603
					CVD28BC						

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET	MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET		MARKING					
606517		89H5428	E	683842.185	0.9999075	0.9998924	194092	89H5434	TERR	15	58	36	188.190	188.208	
			N	5615281.457			480921	89H5377	TERR	203	43	13	117.462	117.474	
			El	702.192			CVD28BC	425454	89H5393	TERR	217	47	30	288.881	288.908
								475707	89H5371	TERR	290	22	18	316.271	316.300
343855		89H5429	E	688087.007	0.9999256	0.9998912	320069	89H5432	TERR	125	59	44	117.539	117.547	
			N	5613921.805			355735	91H0354	TERR	261	32	57	231.841	231.858	
			El	710.276			CVD28BC								
404368		89H5430	E	690456.696	0.9999929	0.9999474	113696	89H5422	TERR	270	43	9	182.150	182.151	
			N	5617153.325			609651	89H5438	TERR	271	11	20	437.587	437.590	
			El	351.425			CVD28BC								
112870		89H5431	E	685517.651	0.9999393	0.9999167	346718	73H1696	TERR	47	54	24	301.975	301.994	
			N	5616662.976			982850	89H5439	TERR	149	41	16	249.817	249.833	
			El	547.556			CVD28BC	251553	89H5407	TERR	327	54	45	279.113	279.129
320069		89H5432	E	688182.103	0.9999244	0.9998895	402230	89H5433	TERR	193	18	29	220.355	220.373	
			N	5613852.725			343855	89H5429	TERR	305	59	44	117.539	117.547	
			El	720.826			CVD28BC								
402230		89H5433	E	688131.380	0.9999184	0.9998838	62232	94H1291	GPS	2	9	42	17931.181	17932.042	
			N	5613638.287			320069	89H5432	TERR	13	18	29	220.355	220.373	
			El	757.423			CVD28BC	222877	554-J-2	GPS	84	29	48	19235.042	19235.112
								125617	1303-J	GPS	162	0	58	19854.742	19856.045
			55467	89H5182			GPS	252	8	25	1917.426	1917.602			
			527820	89H5178			GPS	286	37	50	820.477	820.541			
			774554	91H0358			TERR	304	16	0	254.564	254.583			
			706432	77H6471			GPS	312	34	13	1814.319	1814.452			
			333419	83H6130			GPS	314	26	30	9423.243	9423.850			
			984351	91H0353			GPS	331	37	54	1903.112	1903.244			
194092		89H5434	E	683893.984	0.9999082	0.9998929	819227	89H5345	TERR	107	24	15	363.721	363.754	
			N	5615462.378			606517	89H5428	TERR	195	58	36	188.190	188.208	
			El	699.211			CVD28BC	480921	89H5377	TERR	198	57	5	304.992	305.021
639252		89H5435	E	686512.826	0.9999745	0.9999473	411025	89H5397	TERR	101	45	27	230.346	230.352	
			N	5617779.863			425744	89H5384	TERR	257	1	21	200.930	200.935	
			El	352.006			CVD28BC								

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
445437	89H5436	E 687017.066 N 5615273.679 El 582.63 (NOT INTEGRATED)		0.9999407	0.9999112	474387	89H5447	TERR	97 49 14	99.823	99.829
543843	89H5437	E 684990.251 N 5614480.354 El 667.488		0.9999181	0.9998979	MARKER DESTROYED					
609651	89H5438	E 690019.203 N 5617162.405 El 344.377		0.9999919	0.9999485	404368 113696 463224	89H5430 89H5422 89H5378	TERR TERR TERR	91 11 20 91 31 27 285 11 54	437.587 255.447 324.740	437.590 255.449 324.743
982850	89H5439	E 685643.737 N 5616447.312 El 539.548		0.9999412	0.9999179	677617 112870	89H5443 89H5431	TERR TERR	190 25 19 329 41 16	133.718 249.817	133.725 249.833
753772	89H5440	E 694958.028 N 5615731.083 El 604.872		0.9999745	0.9999077	416461 572560	77H6440 89H5183	TERR TERR	213 48 37 302 28 14	178.172 105.326	178.176 105.328
172122	89H5441	E 684969.036 N 5614583.669 El 668.245		0.9999179	0.9998977	MARKER DESTROYED					
22087	89H5442	E 685282.338 N 5614550.715 El 659.623		0.9999207	0.9998991	701516	77H6661	TERR	16 57 34	184.576	184.591
677617	89H5443	E 685619.548 N 5616315.800 El 538.588		0.9999412	0.9999181	982850 357988	89H5439 89H5394	TERR TERR	10 25 19 135 30 35	133.718 110.264	133.725 110.271
440578	89H5444	E 686110.318 N 5617753.536 El 355.878		0.9999721	0.9999467	425744 468942	89H5384 89H5421	TERR TERR	95 11 44 298 1 25	207.563 159.669	207.568 159.673

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
676056	89H5445	E 695150.630 N 5615518.242 El 591.175		0.9999775	0.9999098	76844 416461	89H5424 77H6440	TERR TERR	102 57 27 282 31 23	132.245 298.855	132.249 298.861
					CVD28BC						
474387	89H5447	E 687115.961 N 5615260.096 El 583.96		0.9999409	0.9999110	984351 445437	91H0353 89H5436	TERR TERR	64 36 47 277 49 14	123.061 99.823	123.068 99.829
					(NOT INTEGRATED)						
841809	91H0336	E 686819.449 N 5615013.308 El 610.05		0.9999355	0.9999069	747634 706432	91H0360 77H6471	TERR TERR	11 28 25 189 18 60	87.696 149.621	87.701 149.630
					(NOT INTEGRATED)						
68346	91H0338	E 686270.490 N 5612866.737 El 845.922		0.9998960	0.9998699	902429	91H0366	TERR	131 33 34	119.785	119.797
					CVD28BC						
524926	91H0345	E 686851.229 N 5612712.046 El 834.629		0.9999004	0.9998717	268185	91H0377	TERR	319 0 42	199.451	199.470
					CVD28BC						
883793	91H0346	E 686575.506 N 5612728.711 El 858.022		0.9998955	0.9998680	902429	91H0366	TERR	285 12 38	223.204	223.228
					CVD28BC						
748301	91H0347	E 686332.606 N 5614083.416 El 687.721		0.9999211	0.9998947	982421 392522	77H6410 89H5180	TERR TERR	97 6 6 258 32 26	204.594 95.498	204.610 95.505
					CVD28BC						
984351	91H0353	E 687227.138 N 5615312.856 El 579.11		0.9999422	0.9999117	494948 664235 402230 706432 474387 333419	84H9844 1730-J 89H5433 77H6471 89H5447 83H6130	GPS GPS GPS GPS TERR GPS	0 16 6 12 50 43 151 37 54 224 0 14 244 36 47 310 12 43	12260.555 29232.316 1903.112 621.716 123.061 7625.914	12261.043 29233.044 1903.244 621.754 123.068 7626.315
					(NOT INTEGRATED)						
355735	91H0354	E 687857.683 N 5613887.733 El 693.446		0.9999272	0.9998938	343855 774554 558163	89H5429 91H0358 89H5179	TERR TERR TERR	81 32 57 149 10 31 340 56 36	231.841 123.571 126.281	231.858 123.579 126.290
					CVD28BC						

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
944645	91H0355	E	686595.471	0.9999726	0.9999450	606673 268839	94H1334 84H9517	TERR	171 17 58	357.585	357.594
		N	5627450.234					TERR	193 59 53	816.107	816.134
		El	366.680								
131516	91H0356	E	685271.179	0.9999157	0.9998941	300418 691329	89H5342 89H5425	TERR	137 27 41	338.388	338.417
		N	5614146.894					TERR	315 27 14	147.451	147.463
		El	691.313								
830307	91H0357	E	685778.137	0.9999721	0.9999482	41251 567214 307116	91H0362 83H6147 83H6165	TERR	87 58 26	284.456	284.463
		N	5619386.279					TERR	171 32 39	210.722	210.728
		El	346.098					TERR	318 54 36	171.614	171.619
774554	91H0358	E	687921.002	0.9999274	0.9998937	402230 355735	89H5433 91H0354	TERR	124 16 0	254.564	254.583
		N	5613781.618					TERR	329 10 31	123.571	123.579
		El	694.219								
288225	91H0359	E	687553.911	0.9999242	0.9998922	558163 527820 287276	89H5179 89H5178 77H6679	TERR	77 13 56	269.197	269.217
		N	5613947.600					TERR	250 21 19	221.585	221.602
		El	703.860					TERR	357 3 29	160.498	160.509
747634	91H0360	E	686836.893	0.9999365	0.9999078	380998 841809	77H6349 91H0336	TERR	15 32 44	170.834	170.845
		N	5615099.251					TERR	191 28 25	87.696	87.701
		El	604.36 (NOT INTEGRATED)								
563189	91H0361	E	687544.557	0.9999788	0.9999468	593095 565184 558411	89H5403 84H9790 94H1335	TERR	88 4 6	210.500	210.504
		N	5628226.697					TERR	204 13 36	208.043	208.048
		El	354.873					TERR	356 58 5	239.893	239.897
41251	91H0362	E	686062.415	0.9999733	0.9999481	282921 830307	91H0363 91H0357	TERR	113 31 19	184.823	184.827
		N	5619396.336					TERR	267 58 26	284.456	284.463
		El	346.912								
282921	91H0363	E	686231.880	0.9999742	0.9999483	618223 41251	83H6169 91H0362	TERR	209 15 2	345.264	345.273
		N	5619322.573					TERR	293 31 19	184.823	184.827
		El	345.978								

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
155986	91H0364	E 686465.996 N 5612883.888 El 841.517		0.9998976	0.9998706	268185 902429	91H0377 91H0366	TERR TERR	94 46 59 227 37 5	255.301 143.332	255.327 143.347
				CVD28BC							
902429	91H0366	E 686360.121 N 5612787.272 El 851.150		0.9998956	0.9998691	155986 883793 68346	91H0364 91H0346 91H0338	TERR TERR TERR	47 37 5 105 12 38 311 33 34	143.332 223.204 119.785	143.347 223.228 119.797
				CVD28BC							
46102	91H0375	E 686098.309 N 5612888.178 El 842.773		0.9998957	0.9998704		MARKER DESTROYED				
				CVD28BC							
268185	91H0377	E 686720.408 N 5612862.600 El 824.491		0.9999014	0.9998733	395723 524926 155986	89H5392 91H0345 91H0364	TERR TERR TERR	7 21 23 139 0 42 274 46 59	216.176 199.451 255.301	216.197 199.470 255.327
				CVD28BC							
15776	91H0389	E 686155.268 N 5613020.853 El 837.009		0.9998969	0.9998713	522987	89H5353	TERR	67 39 4	79.854	79.862
				CVD28BC							
578633	91H0401	E 684532.353 N 5615144.524 El 690.317		0.9999125	0.9998943	941104 85878 819227	77H6416 77H6439 89H5345	TERR TERR TERR	87 2 23 126 25 11 305 39 59	133.719 299.975 358.556	133.730 300.001 358.587
				CVD28BC							
170084	94H1274	E 700019.473 N 5615089.236 El 536.723		1.0000097	0.9999184	132910 180836	94H1301 94H1277	TERR TERR	108 53 21 307 11 11	329.042 143.166	329.038 143.165
				CVD28BC							
735290	94H1275	E 699093.275 N 5615593.277 El 475.038		1.0000148	0.9999280	770099 678151	94H1285 94H1276	TERR TERR	3 25 34 208 49 8	259.214 134.338	259.210 134.336
				CVD28BC							
678151	94H1276	E 699028.518 N 5615475.577 El 483.422		1.0000132	0.9999267	735290	94H1275	TERR	28 49 8	134.338	134.336
				CVD28BC							

Datum: NAD83 (CSRS)

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance	
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				Metres	Metres		
180836		94H1277	E	699905.416	1.0000095	0.99999187	170084	94H1274	TERR	127	11	11	143.166	143.165	
			N	5615175.767			187302	94H1280	TERR	269	9	10	116.735	116.734	
			E1	534.592	CVD28BC										
885400		94H1278	E	700322.772	1.0000058	0.99999130	918946	79H0294	TERR	267	24	31	80.421	80.422	
			N	5614587.440											
			E1	571.232	CVD28BC										
66704		94H1279	E	700918.674	1.0000156	0.99999198	68114	94H1287	TERR	263	42	52	230.558	230.554	
			N	5614789.242											
			E1	527.536	CVD28BC										
187302		94H1280	E	699788.694	1.0000081	0.99999179	180836	94H1277	TERR	89	9	10	116.735	116.734	
			N	5615174.041			188383	94H1292	TERR	230	40	29	58.631	58.631	
			E1	539.845	CVD28BC										
198309		94H1281	E	699697.910	1.0000099	0.99999201	188383	94H1292	TERR	21	16	29	125.204	125.203	
			N	5615020.213			132910	94H1301	GPS	93	23	27	633.995	633.987	
			E1	525.564	CVD28BC			94H1298	GPS	152	0	12	917.449	917.441	
							223933	94H1299	TERR	165	32	27	182.026	182.024	
							296939	79H0239	GPS	207	14	23	361.113	361.110	
							849398	94H1307	GPS	237	0	50	514.004	514.002	
							658526	94H1297	GPS	292	6	38	524.311	524.306	
826354		94H1282	E	698760.279	1.0000313	0.99999461	868455	94H1288	TERR	88	4	17	299.410	299.400	
			N	5616676.428			127340	94H1284	TERR	210	32	18	86.957	86.954	
			E1	359.730	CVD28BC										
787135		94H1283	E	699383.164	1.0000117	0.99999235	881672	94H1293	TERR	149	3	41	158.685	158.683	
			N	5615216.848			658526	94H1297	TERR	270	14	21	171.008	171.006	
			E1	503.796	CVD28BC										
127340		94H1284	E	698716.095	1.0000298	0.99999448	826354	94H1282	TERR	30	32	18	86.957	86.954	
			N	5616601.533			541409	95H1778	GPS	76	50	52	1060.807	1060.770	
			E1	367.904	CVD28BC			340711	94H1309	GPS	84	44	59	2265.150	2265.066
							862151	94H1310	GPS	88	53	32	2953.201	2953.087	
							583518	94H1319	GPS	97	9	1	1708.067	1708.006	
							16816	79H0286	GPS	136	1	50	2962.784	2962.724	
							666511	79H0378	GPS	281	8	6	4369.001	4368.909	

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
770099	94H1285	E 699108.766 N 5615852.028 El 462.609		1.0000168	0.9999300	735290 774844	94H1275 94H1289	TERR TERR	183 25 34 355 37 46	259.214 161.254	259.210 161.251
				CVD28BC							
68114	94H1287	E 700689.502 N 5614764.000 El 531.862		1.0000138	0.9999191	66704	94H1279	TERR	83 42 52	230.558	230.554
				CVD28BC							
868455	94H1288	E 699059.519 N 5616686.504 El 357.959		1.0000330	0.9999464	203422 826354	94H1326 94H1282	TERR TERR	85 13 35 268 4 17	233.826 299.410	233.819 299.400
				CVD28BC							
774844	94H1289	E 699096.477 N 5616012.813 El 457.302		1.0000176	0.9999308	222877 132910 658526 849398 770099 666511	554-J-2 94H1301 94H1297 94H1307 94H1285 79H0378	GPS GPS GPS GPS TERR GPS	93 42 18 129 50 48 171 43 25 172 22 39 175 37 46 287 3 45	8198.413 1607.684 803.621 1283.787 161.254 4882.020	8198.034 1607.660 803.611 1283.776 161.251 4881.946
				CVD28BC							
334045	94H1290	E 701442.918 N 5616724.731 El 349.775		1.0000460	0.9999477	862151 920645	94H1310 94H1317	TERR TERR	106 19 0 283 57 9	235.303 215.384	235.291 215.374
				CVD28BC							
62232	94H1291	E 688807.769 N 5631556.706 El 352.17 (NOT INTEGRATED)		0.9999850	0.9999473	664235 888149 222877 125617 818534 402230 494948	1730-J 84H9850 554-J-2 1303-J 95H1783 89H5433 84H9844	GPS TERR GPS GPS TERR GPS GPS	21 51 49 90 20 37 131 1 54 171 34 15 177 48 14 182 9 42 200 55 35	13206.841 326.943 24484.751 37205.018 440.580 17931.181 4264.734	13206.896 326.947 24484.020 37206.180 440.586 17932.042 4264.812
188383	94H1292	E 699743.339 N 5615136.885 El 534.607		1.0000087	0.9999187	187302 198309	94H1280 94H1281	TERR TERR	50 40 29 201 16 29	58.631 125.204	58.631 125.203
				CVD28BC							
881672	94H1293	E 699464.747 N 5615080.741 El 512.860		1.0000107	0.9999221	929745 787135	94H1302 94H1283	TERR TERR	156 3 52 329 3 41	196.163 158.685	196.160 158.683
				CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET		MARKING					
491373		94H1294	E	699371.179	1.0000056	0.9999175	296939	79H0239	TERR	126	17	20	200.293	200.293	
			N	5614817.692					94H1308	TERR	301	36	53	111.065	111.064
			E1	542.223						CVD28BC					
645119		94H1295	E	699260.130	1.0000076	0.9999200	658526	94H1297	TERR	337	2	41	123.002	123.000	
			N	5615104.301					94H1297	TERR	337	2	41	123.002	123.000
			E1	526.077											
114660		94H1296	E	689320.582	0.9999870	0.9999468	620344	84H9871	TERR	22	42	28	191.423	191.425	
			N	5631290.274					95H1781	TERR	206	31	35	180.305	180.308
			E1	354.86(NOT INTEGRATED)											
658526		94H1297	E	699212.158	1.0000094	0.9999221	787135	94H1283	TERR	90	14	21	171.008	171.006	
			N	5615217.562			198309	94H1281	GPS	112	6	38	524.311	524.306	
			E1	512.998			645119	94H1295	TERR	157	2	41	123.002	123.000	
							849398	94H1307	GPS	173	28	19	480.306	480.303	
							774844	94H1289	GPS	351	43	25	803.621	803.611	
433300		94H1298	E	700128.579	1.0000065	0.9999147	132910	94H1301	GPS	14	40	3	798.610	798.603	
			N	5614210.129			546465	79H0310	TERR	33	53	25	242.039	242.037	
			E1	560.230			16816	79H0286	GPS	68	6	8	694.622	694.616	
							581231	79H0278	TERR	293	23	8	123.074	123.073	
							296939	79H0239	GPS	309	22	16	770.909	770.904	
							198309	94H1281	GPS	332	0	12	917.449	917.441	
223933		94H1299	E	699743.360	1.0000105	0.9999206	328401	94H1303	TERR	167	28	52	83.281	83.280	
			N	5614843.953			198309	94H1281	TERR	345	32	27	182.026	182.024	
			E1	522.696			CVD28BC								
365973		94H1300	E	699760.891	1.0000094	0.9999193	328401	94H1303	TERR	0	13	48	129.817	129.816	
			N	5614632.836			398503	94H1305	TERR	93	52	39	119.246	119.245	
			E1	530.527			965715	94H1304	TERR	276	9	59	110.367	110.365	
132910		94H1301	E	700330.795	1.0000123	0.9999195	222877	554-J-2	GPS	85	52	50	6964.955	6964.651	
			N	5614982.713			111799	89H5412	TERR	114	41	39	153.064	153.062	
			E1	529.583			16816	79H0286	GPS	139	15	44	677.735	677.727	
							433300	94H1298	GPS	194	40	3	798.610	798.603	
							198309	94H1281	GPS	273	23	27	633.995	633.987	
							170084	94H1274	TERR	288	53	21	329.042	329.038	
							774844	94H1289	GPS	309	50	48	1607.684	1607.660	

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

Issued: 2021-MAY-03

MARKER	IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs.	UTM Grid			UTM Grid	Ground	
-----	-----		Coordinates				-----	-----	Type	Bearing			Distance	Distance	
GCM-NO	TABLET MARKING		Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						Metres	Metres
929745		94H1302	E	699544.332	1.0000101	0.9999211	881672		94H1293	TERR	336	3	52	196.163	196.160
			N	5614901.448											
			El	519.479	CVD28BC										
328401		94H1303	E	699761.412	1.0000099	0.9999198	365973		94H1300	TERR	180	13	48	129.817	129.816
			N	5614762.652			223933		94H1299	TERR	347	28	52	83.281	83.280
			El	527.323	CVD28BC										
965715		94H1304	E	699651.163	1.0000081	0.9999186	365973		94H1300	TERR	96	9	59	110.367	110.365
			N	5614644.691			296939		79H0239	TERR	294	40	25	130.449	130.448
			El	535.390	CVD28BC										
398503		94H1305	E	699879.864	1.0000092	0.9999185	365973		94H1300	TERR	273	52	39	119.246	119.245
			N	5614624.772											
			El	535.622	CVD28BC										
101857		94H1306	E	699180.860	1.0000016	0.9999144	970129		94H1308	TERR	109	53	58	101.816	101.816
			N	5614910.568			849398		94H1307	TERR	153	13	8	190.648	190.647
			El	562.008	CVD28BC										
849398		94H1307	E	699266.763	0.9999993	0.9999116	198309		94H1281	GPS	57	0	50	514.004	514.002
			N	5614740.370			296939		79H0239	GPS	98	48	50	269.038	269.038
			El	579.685	CVD28BC		666511		79H0378	GPS	299	12	44	5542.308	5542.275
							101857		94H1306	TERR	333	13	8	190.648	190.647
							774844		94H1289	GPS	352	22	39	1283.787	1283.776
							658526		94H1297	GPS	353	28	19	480.306	480.303
970129		94H1308	E	699276.597	1.0000035	0.9999158	491373		94H1294	TERR	121	36	53	111.065	111.064
			N	5614875.913			101857		94H1306	TERR	289	53	58	101.816	101.816
			El	553.017	CVD28BC										
340711		94H1309	E	700971.741	1.0000438	0.9999478	920645		94H1317	TERR	96	59	27	264.112	264.100
			N	5616808.809			862151		94H1310	GPS	102	9	35	713.000	712.967
			El	349.104	CVD28BC		583518		94H1319	GPS	233	10	48	700.621	700.591
							127340		94H1284	GPS	264	44	59	2265.150	2265.066
							541409		95H1778	GPS	271	35	51	1223.140	1223.091
							128660		95H1775	TERR	278	48	10	96.064	96.059

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER -----	IDENTIFIERS -----		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS -----		Obs. Type	UTM Grid Bearing			UTM Grid Distance Metres		Ground Distance Metres
GCM-NO	TABLET	MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
862151	94H1310	E N El	701668.744	1.0000470	0.9999475	274035	94H1321	GPS	105	9	25	3092.936	3092.768		
			5616658.623			255109	94H1323	GPS	107	43	53	3660.024	3659.821		
			350.526	CVD28BC	874420	94H1332	TERR	244	36	17	217.910	217.900			
					583518	94H1319	GPS	257	53	55	1286.454	1286.397			
					127340	94H1284	GPS	268	53	32	2953.201	2953.087			
					541409	95H1778	GPS	275	29	0	1928.493	1928.411			
					340711	94H1309	GPS	282	9	35	713.000	712.967			
					334045	94H1290	TERR	286	19	0	235.303	235.291			
284000	94H1311	E N El	700710.021	1.0000399	0.9999452	773663	94H1329	TERR	80	26	9	188.807	188.800		
			5616377.017			56978	94H1314	TERR	269	49	22	144.551	144.545		
			365.404	CVD28BC											
114538	94H1312	E N El	700262.594	1.0000394	0.9999469	583518	94H1319	TERR	102	22	24	151.810	151.804		
			5616421.456			723981	94H1318	TERR	282	21	1	333.499	333.485		
			354.795	CVD28BC											
995282	94H1313	E N El	699750.181	1.0000373	0.9999473	563775	94H1315	TERR	122	5	43	114.726	114.723		
			5616582.928			780627	94H1316	TERR	302	30	4	238.417	238.407		
			352.317	CVD28BC	541409	95H1778	TERR	359	45	23	259.980	259.971			
56978	94H1314	E N El	700565.471	1.0000402	0.9999462	284000	94H1311	TERR	89	49	22	144.551	144.545		
			5616376.570			583518	94H1319	TERR	274	34	11	155.086	155.079		
			359.084	CVD28BC											
563775	94H1315	E N El	699847.373	1.0000374	0.9999469	723981	94H1318	TERR	108	4	17	94.081	94.077		
			5616521.971			995282	94H1313	TERR	302	5	43	114.726	114.723		
			354.695	CVD28BC											
780627	94H1316	E N El	699549.105	1.0000349	0.9999459	160499	95H1777	TERR	2	48	59	144.887	144.882		
			5616711.033			995282	94H1313	TERR	122	30	4	238.417	238.407		
			361.034	CVD28BC	408211	94H1325	TERR	270	52	42	167.727	167.721			
920645	94H1317	E N El	701233.889	1.0000448	0.9999475	334045	94H1290	TERR	103	57	9	215.384	215.374		
			5616776.664			340711	94H1309	TERR	276	59	27	264.112	264.100		
			350.746	CVD28BC											
723981	94H1318	E N El	699936.813	1.0000379	0.9999469	114538	94H1312	TERR	102	21	1	333.499	333.485		
			5616492.787			563775	94H1315	TERR	288	4	17	94.081	94.077		
			354.386	CVD28BC											

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	----- Coordinates Metres	----- Metres	----- Combined	----- Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
583518	94H1319	E	700410.878	1.0000402	0.9999470	340711	94H1309	GPS	53 10 48	700.621	700.591
		N	5616388.926			862151	94H1310	GPS	77 53 55	1286.454	1286.397
		El	354.180			56978	94H1314	TERR	94 34 11	155.086	155.079
						274035	94H1321	GPS	97 14 21	4277.304	4277.085
						16816	79H0286	GPS	169 18 55	1953.606	1953.557
						127340	94H1284	GPS	277 9 1	1708.067	1708.006
						114538	94H1312	TERR	282 22 24	151.810	151.804
						541409	95H1778	GPS	304 26 57	802.546	802.514
804708	94H1320	E	705922.157	1.0000667	0.9999460	222877	554-J-2	GPS	93 59 28	1358.895	1358.798
		N	5615577.625			255109	94H1323	GPS	267 29 11	767.999	767.949
		El	360.700			956763	94H1328	TERR	270 41 15	369.574	369.549
						274035	94H1321	GPS	282 7 10	1296.979	1296.895
274035	94H1321	E	704654.086	1.0000622	0.9999479	222877	554-J-2	GPS	97 57 38	2649.198	2649.016
		N	5615849.929			804708	94H1320	GPS	102 7 10	1296.979	1296.895
		El	348.445			255109	94H1323	GPS	121 25 27	586.890	586.852
						26591	94H1322	TERR	203 31 16	259.134	259.118
						583518	94H1319	GPS	277 14 21	4277.304	4277.085
						862151	94H1310	GPS	285 9 25	3092.936	3092.768
26591	94H1322	E	704550.669	1.0000615	0.9999476	274035	94H1321	TERR	23 31 16	259.134	259.118
		N	5615612.326			49080	94H1324	TERR	110 18 5	262.305	262.289
		El	350.001								
255109	94H1323	E	705154.897	1.0000639	0.9999470	956763	94H1328	TERR	84 31 31	399.536	399.511
		N	5615543.942			804708	94H1320	GPS	87 29 11	767.999	767.949
		El	353.943			222877	554-J-2	GPS	91 38 35	2123.732	2123.585
						16816	79H0286	GPS	256 13 8	4511.693	4511.527
						49080	94H1324	TERR	266 23 10	358.931	358.908
						862151	94H1310	GPS	287 43 53	3660.024	3659.821
						274035	94H1321	GPS	301 25 27	586.890	586.852
49080	94H1324	E	704796.680	1.0000627	0.9999476	255109	94H1323	TERR	86 23 10	358.931	358.908
		N	5615521.317			26591	94H1322	TERR	290 18 5	262.305	262.289
		El	350.187								
408211	94H1325	E	699381.398	1.0000334	0.9999452	780627	94H1316	TERR	90 52 42	167.727	167.721
		N	5616713.604			203422	94H1326	TERR	265 5 8	89.192	89.189
		El	365.266								
203422	94H1326	E	699292.534	1.0000329	0.9999451	408211	94H1325	TERR	85 5 8	89.192	89.189
		N	5616705.963			868455	94H1288	TERR	265 13 35	233.826	233.819
		El	366.039								

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
786228	94H1327	E	687331.225	0.9999784	0.9999474	845446	94H1330	TERR	200 56 54	501.133	501.143
		N	5627113.002			312256	84H9830	TERR	268 34 19	222.125	222.130
		El	351.153	CVD28BC							
956763	94H1328	E	705552.610	1.0000648	0.9999459	804708	94H1320	TERR	90 41 15	369.574	369.549
		N	5615582.060			255109	94H1323	TERR	264 31 31	399.536	399.511
		El	361.167	CVD28BC							
773663	94H1329	E	700896.204	1.0000405	0.9999449	820753	94H1333	TERR	73 29 26	222.337	222.328
		N	5616408.388			284000	94H1311	TERR	260 26 9	188.807	188.800
		El	367.346	CVD28BC		817122	95H1776	TERR	335 40 12	325.277	325.263
845446	94H1330	E	687152.058	0.9999777	0.9999475	786228	94H1327	TERR	20 56 54	501.133	501.143
		N	5626644.992			464024	84H9794	TERR	270 23 53	195.815	195.819
		El	350.426	CVD28BC		268839	84H9517	TERR	271 0 57	754.113	754.136
603241	94H1331	E	687635.544	0.9999795	0.9999472	593095	89H5403	TERR	21 52 26	320.463	320.470
		N	5627936.400			696245	84H9760	TERR	261 11 27	230.006	230.011
		El	352.694	CVD28BC							
874420	94H1332	E	701471.890	1.0000452	0.9999468	862151	94H1310	TERR	64 36 17	217.910	217.900
		N	5616565.170			820753	94H1333	TERR	255 31 21	374.404	374.387
		El	355.601	CVD28BC							
820753	94H1333	E	701109.375	1.0000429	0.9999462	874420	94H1332	TERR	75 31 21	374.404	374.387
		N	5616471.570			773663	94H1329	TERR	253 29 26	222.337	222.328
		El	359.046	CVD28BC							
606673	94H1334	E	686649.563	0.9999755	0.9999477	312256	84H9830	TERR	88 39 58	459.731	459.741
		N	5627096.764			944645	91H0355	TERR	351 17 58	357.585	357.594
		El	349.707	CVD28BC							
558411	94H1335	E	687531.868	0.9999791	0.9999472	495309	94H1336	TERR	18 22 11	639.829	639.842
		N	5628466.254			563189	91H0361	TERR	176 58 5	239.893	239.897
		El	352.602	CVD28BC							

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
495309	94H1336	E 687733.507 N 5629073.479 El 353.192		0.9999799	0.9999471	819441 558411	84H9763 94H1335	TERR TERR	22 15 25 198 22 11	515.463 639.829	515.472 639.842
761015	94H1337	E 688838.607 N 5630706.199 El 355.17		0.9999847	0.9999468	753947 772590 818534	94H1338 95H1782 95H1783	TERR TERR TERR	87 48 33 270 15 10 358 3 7	383.903 185.246 410.488	383.908 185.249 410.495
753947	94H1338	E 689222.229 N 5630720.874 El 354.61		0.9999866	0.9999469	761015 560524	94H1337 95H1779	TERR TERR	267 48 33 354 12 17	383.903 182.465	383.908 182.467
128660	95H1775	E 700876.809 N 5616823.510 El 348.995		1.0000433	0.9999478	340711 817122	94H1309 95H1776	TERR TERR	98 48 10 223 59 20	96.064 165.029	96.059 165.022
817122	95H1776	E 700762.193 N 5616704.776 El 352.063		1.0000423	0.9999473	128660 773663	95H1775 94H1329	TERR TERR	43 59 20 155 40 12	165.029 325.277	165.022 325.263
160499	95H1777	E 699556.224 N 5616855.745 El 357.175		1.0000355	0.9999465	541409 780627	95H1778 94H1316	TERR TERR	93 48 32 182 48 59	193.279 144.887	193.272 144.882
541409	95H1778	E 699749.076 N 5616842.906 El 349.611		1.0000377	0.9999477	340711 862151 583518 995282 127340 160499 666511	94H1309 94H1310 94H1319 94H1313 94H1284 95H1777 79H0378	GPS GPS GPS TERR GPS TERR GPS	91 35 51 95 29 0 124 26 57 179 45 23 256 50 52 273 48 32 276 27 37	1223.140 1928.493 802.546 259.980 1060.807 193.279 5353.732	1223.091 1928.411 802.514 259.971 1060.770 193.272 5353.597
560524	95H1779	E 689203.805 N 5630902.406 El 354.20		0.9999865	0.9999469	477059 753947	95H1781 94H1338	TERR TERR	9 5 29 174 12 17	229.426 182.465	229.429 182.467
811687	95H1780	E 688668.913 N 5630463.212 El 352.53		0.9999843	0.9999472	883140 812198 772590	95H1784 84H9829 95H1782	TERR TERR TERR	91 6 32 168 21 34 356 21 2	177.240 214.788 244.299	177.244 214.791 244.304

Order in Council No. 1260/84

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates				-----	-----				
GCM-NO	TABLET MARKING	Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
477059	95H1781	E	689240.056	0.9999867	0.9999469	114660	94H1296	TERR	26 31 35	180.305	180.308
		N	5631128.950			560524	95H1779	TERR	189 5 29	229.426	229.429
		El	354.20	(NOT INTEGRATED)		594135	84H9862	TERR	290 55 6	135.334	135.335
772590	95H1782	E	688653.363	0.9999842	0.9999472	761015	94H1337	TERR	90 15 10	185.246	185.249
		N	5630707.016			811687	95H1780	TERR	176 21 2	244.299	244.304
		El	352.75	(NOT INTEGRATED)							
818534	95H1783	E	688824.653	0.9999846	0.9999468	761015	94H1337	TERR	178 3 7	410.488	410.495
		N	5631116.450			62232	94H1291	TERR	357 48 14	440.580	440.586
		El	355.27	(NOT INTEGRATED)							
883140	95H1784	E	688846.120	0.9999850	0.9999470	794065	84H9872	TERR	178 22 41	259.815	259.818
		N	5630459.782			811687	95H1780	TERR	271 6 32	177.240	177.244
		El	353.52	(NOT INTEGRATED)							

END OF REPORT