# Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: http://a100.gov.bc.ca/pub/mascotw/

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html

Integrated Survey Area No:25 The Corporation of the District of Burnaby
Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | MARKER IDENTIFIERS TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Station Scale Factor Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TO MARKER IDENTIFIERS TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 919142 | 1 | E | 500807.067 | 0.9995967 | 0.9999967 | 777219 | 82H5073 | TERR | 177 39 29 | 113.473 | 113.519 |
| | | N | 5453627.674 | | | | | | | | |
| | | El | 40.059 | CVD28GVRD2018 | | | | | | | |
| 901165 | 14H2747 | E | 498632.546 | 0.9995860 | 0.9999860 | 898734 | NO MARKING | GPS | 132 45 11 | 15747.212 | 15753.716 |
| | | N | 5459508.305 | | | 325001 | 78H6944 | GPS | 185 24 9 | 3562.952 | 3564.414 |
| | | El | 108.127 | CVD28GVRD2018 | | 875864 | NO MARKING | GPS | 254 48 29 | 5315.835 | 5318.003 |
| | | | | | | 393066 | 02H2473 | GPS | 318 35 11 | 11209.079 | 11213.826 |
| 900837 | 14H2748 | E | 501122.607 | 0.9995717 | 0.9999717 | 898734 | NO MARKING | GPS | 139 26 36 | 13953.978 | 13959.841 |
| | | N | 5459420.161 | | | 274266 | 83H6190 | GPS | 205 45 5 | 5888.140 | 5890.624 |
| | | El | 199.274 | CVD28GVRD2018 | | 447235 | 78H8410 | GPS | 206 55 41 | 16428.861 | 16435.647 |
| | | | | | | 875864 | NO MARKING | GPS | 260 16 58 | 7731.044 | 7734.252 |
| | | | | | | 964155 | V-1023 | GPS | 266 25 49 | 6102.673 | 6105.195 |
| 252106 | 14H2750 | E | 507745.246 | 0.9995980 | 0.9999972 | 691782 | 14H2740 | GPS | 37 54 20 | 4602.092 | 4603.931 |
| | | N | 5454832.947 | | | 698134 | 10H2607 | GPS | 132 53 14 | 5293.405 | 5295.517 |
| | | El | 36.414 | CVD28GVRD2018 | | 898734 | NO MARKING | GPS | 157 50 4 | 6494.450 | 6497.093 |
| | | | | | | 245498 | 73H1232 | GPS | 311 42 39 | 13745.509 | 13751.139 |
| 909606 | 2 | E | 498300.185 | 0.9995894 | 0.9999893 | 95356 | 1 | TERR | 1 24 53 | 721.788 | 722.085 |
| | | N | 5458884.247 | | | 833947 | 77H6732 | TERR | 4 10 35 | 136.226 | 136.282 |
| | | El | 86.845 | CVD28GVRD2018 | | 377937 | 77H6734 | TERR | 173 30 60 | 68.114 | 68.141 |
| | | | | | | 94953 | 5 | TERR | 180 21 52 | 3280.941 | 3282.288 |
| | | | | | | 717504 | 3 | TERR | 180 26 11 | 1880.686 | 1881.448 |
| | | | | | | 705517 | LEGAL 6051 | TERR | 204 41 52 | 1978.796 | 1979.605 |
| 973891 | 301 | E | 502286.511 | 0.9995988 | 0.9999987 | MARKER DESTROYED | | | | | |
| | | N | 5454325.874 | | | | | | | | |
| | | El | 27.227 | CVD28GVRD2018 | | | | | | | |
| 778548 | 303 | E | 500806.140 | 0.9995984 | 0.9999984 | MARKER DESTROYED | | | | | |
| | | N | 5454350.281 | | | | | | | | |
| | | El | 28.898 | CVD28GVRD2018 | | | | | | | |
| 159806 | 306 | E | 499757.496 | 0.9995946 | 0.9999946 | 147470 | 78H8255 | TERR | 176 58 11 | 233.076 | 233.170 |
| | | N | 5454713.567 | | | 346809 | 481 | TERR | 180 31 23 | 1090.474 | 1090.921 |
| | | El | 53.525 | CVD28GVRD2018 | | 60202 | 305 | TERR | 183 23 27 | 234.950 | 235.046 |
| | | | | | | 805341 | 307 | TERR | 356 58 24 | 1427.380 | 1427.956 |
| 805341 | 307 | E | 499682.127 | 0.9995997 | 0.9999997 | 482851 | 82H5076 | TERR | 7 54 44 | 503.628 | 503.829 |
| | | N | 5456138.956 | | | 357186 | 6059 | TERR | 62 23 58 | 5730.361 | 5732.779 |
| | | El | 20.851 | CVD28GVRD2018 | | 557389 | 333 | TERR | 90 42 27 | 1570.076 | 1570.704 |
| | | | | | | 159806 | 306 | TERR | 176 58 24 | 1427.380 | 1427.956 |
| | | | | | | 656231 | 81H4583 | TERR | 266 24 39 | 550.069 | 550.290 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 570838 | 308 | E | 499784.592 | 0.9995963 | 0.9999963 | MARKER DESTROYED | | | | | |
| | | N | 5457100.229 | | | | | | | | |
| | | El | 42.300 | CVD28GVRD2018 | | | | | | | |
| 108506 | 310 | E | 499764.783 | 0.9995905 | 0.9999905 | 524231 | 76H3789 | TERR | 7 40 51 | 125.923 | 125.974 |
| | | N | 5458583.365 | | | 804963 | 311 | TERR | 89 39 30 | 805.844 | 806.176 |
| | | El | 79.085 | CVD28GVRD2018 | | 142596 | 76H3780 | TERR | 180 45 32 | 191.638 | 191.716 |
| 804963 | 311 | E | 500570.613 | 0.9995866 | 0.9999866 | 331959 | 361 | TERR | 1 7 30 | 502.583 | 502.792 |
| | | N | 5458588.171 | | | 261735 | 312 | TERR | 81 17 54 | 306.690 | 306.817 |
| | | El | 104.139 | CVD28GVRD2018 | | 278085 | 76H3782 | TERR | 178 26 49 | 194.657 | 194.738 |
| | | | | | | 108506 | 310 | TERR | 269 39 30 | 805.844 | 806.176 |
| | | | | | | 370791 | 79H9654 | TERR | 316 59 30 | 110.501 | 110.546 |
| 219881 | 314 | E | 501396.705 | 0.9995838 | 0.9999838 | 723494 | 316 | TERR | 89 47 25 | 372.601 | 372.755 |
| | | N | 5458608.382 | | | 128231 | 325 | TERR | 181 45 56 | 1058.521 | 1058.957 |
| | | El | 122.075 | CVD28GVRD2018 | | 429381 | 326 | TERR | 182 23 40 | 533.816 | 534.036 |
| | | | | | | 633305 | 76H3783 | TERR | 184 54 26 | 220.377 | 220.468 |
| | | | | | | 260620 | 79H9645 | TERR | 273 19 14 | 209.664 | 209.752 |
| | | | | | | 862987 | 313 | TERR | 276 21 6 | 203.717 | 203.802 |
| | | | | | | 609677 | 78H7603 | TERR | 353 16 18 | 121.653 | 121.704 |
| | | | | | | 260679 | 315 | TERR | 356 52 33 | 268.250 | 268.362 |
| 260679 | 315 | E | 501382.086 | 0.9995810 | 0.9999810 | 219881 | 314 | TERR | 176 52 33 | 268.250 | 268.362 |
| | | N | 5458876.233 | | | 609677 | 78H7603 | TERR | 179 51 27 | 147.037 | 147.098 |
| | | El | 139.979 | CVD28GVRD2018 | | | | | | | |
| 723494 | 316 | E | 501769.303 | 0.9995849 | 0.9999848 | 604926 | 79H9649 | TERR | 5 26 46 | 107.754 | 107.799 |
| | | N | 5458609.746 | | | 726331 | 317 | TERR | 89 11 51 | 1210.129 | 1210.629 |
| | | El | 115.442 | CVD28GVRD2018 | | 898379 | 77H6859 | TERR | 89 56 10 | 254.915 | 255.021 |
| | | | | | | 219881 | 314 | TERR | 269 47 25 | 372.601 | 372.755 |
| 726331 | 317 | E | 502979.313 | 0.9995891 | 0.9999890 | 254219 | 78H7004 | TERR | 255 8 28 | 129.788 | 129.842 |
| | | N | 5458626.696 | | | 723494 | 316 | TERR | 269 11 51 | 1210.129 | 1210.629 |
| | | El | 88.563 | CVD28GVRD2018 | | | | | | | |
| 545384 | 318 | E | 503397.658 | 0.9995867 | 0.9999866 | MARKER DESTROYED | | | | | |
| | | N | 5458625.850 | | | | | | | | |
| | | El | 104.200 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 767749 | 319 | E | 503395.288 | 0.9995864 | 0.9999863 | 394734 | 78H7017 | TERR | 1 1 13 | 132.992 | 133.047 |
| | | N | 5458327.152 | | | 16113 | 320 | TERR | 180 44 49 | 918.145 | 918.524 |
| | | El | 106.188 | CVD28GVRD2018 | | 833376 | 75H3443 | TERR | 182 4 48 | 276.303 | 276.417 |
| 16113 | 320 | E | 503383.318 | 0.9995888 | 0.9999886 | 767749 | 319 | TERR | 0 44 49 | 918.145 | 918.524 |
| | | N | 5457409.085 | | | 151423 | 322 | TERR | 178 45 21 | 718.423 | 718.717 |
| | | El | 91.189 | CVD28GVRD2018 | | 654897 | 321 | TERR | 179 14 30 | 161.525 | 161.591 |
| | | | | | | 685552 | 78H7023 | TERR | 359 38 24 | 239.534 | 239.632 |
| 654897 | 321 | E | 503385.456 | 0.9995894 | 0.9999892 | 593335 | 78H7022 | TERR | 90 16 2 | 194.324 | 194.405 |
| | | N | 5457247.574 | | | 151423 | 322 | TERR | 178 36 54 | 556.906 | 557.134 |
| | | El | 87.281 | CVD28GVRD2018 | | 960260 | 79H9643 | TERR | 179 37 52 | 181.971 | 182.045 |
| | | | | | | 20602 | 323 | TERR | 270 0 37 | 1103.957 | 1104.409 |
| | | | | | | 16113 | 320 | TERR | 359 14 30 | 161.525 | 161.591 |
| 151423 | 322 | E | 503398.916 | 0.9995913 | 0.9999911 | 125237 | 342 | TERR | 184 4 15 | 219.449 | 219.539 |
| | | N | 5456690.831 | | | 654897 | 321 | TERR | 358 36 54 | 556.906 | 557.134 |
| | | El | 75.362 | CVD28GVRD2018 | | 16113 | 320 | TERR | 358 45 21 | 718.423 | 718.717 |
| 20602 | 323 | E | 502281.499 | 0.9995914 | 0.9999913 | 654897 | 321 | TERR | 90 0 37 | 1103.957 | 1104.409 |
| | | N | 5457247.771 | | | 849919 | 78H7010 | TERR | 90 0 42 | 294.174 | 294.294 |
| | | El | 74.129 | CVD28GVRD2018 | | 568279 | 77H6851 | TERR | 270 15 0 | 106.799 | 106.843 |
| 495028 | 324 | E | 501362.128 | 0.9995959 | 0.9999959 | MARKER DESTROYED | | | | | |
| | | N | 5457256.293 | | | | | | | | |
| | | El | 45.185 | CVD28GVRD2018 | | | | | | | |
| 140160 | 328 | E | 500574.449 | 0.9995913 | 0.9999913 | MARKER DESTROYED | | | | | |
| | | N | 5457734.946 | | | | | | | | |
| | | El | 74.315 | CVD28GVRD2018 | | | | | | | |
| 415158 | 329 | E | 500559.783 | 0.9995919 | 0.9999919 | 946467 | 77H6812 | TERR | 0 52 26 | 123.210 | 123.260 |
| | | N | 5457250.431 | | | 914325 | 77H6828 | TERR | 90 7 23 | 319.096 | 319.226 |
| | | El | 70.516 | CVD28GVRD2018 | | 591719 | 362 | TERR | 177 15 50 | 144.207 | 144.267 |
| 645879 | 330 | E | 500568.494 | 0.9995981 | 0.9999981 | MARKER DESTROYED | | | | | |
| | | N | 5456914.466 | | | | | | | | |
| | | El | 30.659 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 455212 | 331 | E | 500863.359 | 0.9995970 | 0.9999970 | MARKER ISOLATED | | | | | |
| | | N | 5456942.260 | | | | | | | | |
| | | El | 37.782 | CVD28GVRD2018 | | | | | | | |
| 793570 | 332 | E | 500842.925 | 0.9995994 | 0.9999994 | 570432 | 82H5053 | TERR | 127 35 9 | 255.543 | 255.645 |
| | | N | 5456739.328 | | | 557389 | 333 | TERR | 146 34 3 | 742.636 | 742.933 |
| | | El | 22.697 | CVD28GVRD2018 | | | | | | | |
| 557389 | 333 | E | 501252.083 | 0.9995990 | 0.9999990 | 121350 | 359 | TERR | 132 32 27 | 566.610 | 566.837 |
| | | N | 5456119.572 | | | 805341 | 307 | TERR | 270 42 27 | 1570.076 | 1570.704 |
| | | El | 24.974 | CVD28GVRD2018 | | 793570 | 332 | TERR | 326 34 3 | 742.636 | 742.933 |
| | | | | | | 403774 | 82H5056 | TERR | 349 49 47 | 179.376 | 179.448 |
| 877480 | 335 | E | 502098.076 | 0.9996001 | 1.0000001 | 392902 | 94H1472 | TERR | 120 9 2 | 238.105 | 238.200 |
| | | N | 5456539.717 | | | 248948 | 94H1378 | TERR | 297 40 26 | 403.457 | 403.618 |
| | | El | 18.153 | CVD28GVRD2018 | | | | | | | |
| 815266 | 336 | E | 502591.934 | 0.9996003 | 1.0000002 | MARKER DESTROYED | | | | | |
| | | N | 5456299.643 | | | | | | | | |
| | | El | 17.300 | CVD28GVRD2018 | | | | | | | |
| 729467 | 337 | E | 499776.111 | 0.9995906 | 0.9999906 | MARKER DESTROYED | | | | | |
| | | N | 5458325.504 | | | | | | | | |
| | | El | 78.642 | CVD28GVRD2018 | | | | | | | |
| 490771 | 338 | E | 503197.636 | 0.9995998 | 0.9999997 | 408534 | 339 | TERR | 0 37 15 | 351.923 | 352.064 |
| | | N | 5455523.781 | | | 986810 | LEGAL BC 6053 | TERR | 250 12 47 | 699.648 | 699.929 |
| | | El | 20.657 | CVD28GVRD2018 | | | | | | | |
| 408534 | 339 | E | 503201.450 | 0.9995963 | 0.9999962 | 490771 | 338 | TERR | 180 37 15 | 351.923 | 352.064 |
| | | N | 5455875.683 | | | | | | | | |
| | | El | 43.247 | CVD28GVRD2018 | | | | | | | |
| 967182 | 340 | E | 503196.124 | 0.9995962 | 0.9999961 | 156646 | 94H1702 | TERR | 0 44 25 | 303.340 | 303.463 |
| | | N | 5456198.357 | | | 969899 | 479 | TERR | 90 29 36 | 201.308 | 201.389 |
| | | El | 43.626 | CVD28GVRD2018 | | 856831 | 94H1379 | TERR | 279 49 12 | 623.558 | 623.809 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 279398 | 341 | E | 503206.343 | 0.9995946 | 0.9999944 | MARKER DESTROYED | | | | | |
| | | N | 5456517.217 | | | | | | | | |
| | | El | 54.146 | CVD28GVRD2018 | | | | | | | |
| 125237 | 342 | E | 503383.337 | 0.9995934 | 0.9999933 | 151423 | 322 | TERR | 4 4 15 | 219.449 | 219.539 |
| | | N | 5456471.936 | | | 510339 | 343 | TERR | 85 24 29 | 376.718 | 376.872 |
| | | El | 61.631 | CVD28GVRD2018 | | 156646 | 94H1702 | TERR | 279 12 54 | 185.690 | 185.767 |
| 510339 | 343 | E | 503758.846 | 0.9995910 | 0.9999909 | 86637 | 344 | TERR | 88 15 42 | 309.662 | 309.788 |
| | | N | 5456502.096 | | | 125237 | 342 | TERR | 265 24 29 | 376.718 | 376.872 |
| | | El | 76.979 | CVD28GVRD2018 | | | | | | | |
| 86637 | 344 | E | 504068.365 | 0.9995900 | 0.9999898 | 510339 | 343 | TERR | 268 15 42 | 309.662 | 309.788 |
| | | N | 5456511.489 | | | | | | | | |
| | | El | 83.523 | CVD28GVRD2018 | | | | | | | |
| 808667 | 347 | E | 504493.705 | 0.9995939 | 0.9999937 | 566430 | 94H1725 | TERR | 9 23 39 | 319.348 | 319.478 |
| | | N | 5456101.531 | | | 174227 | 346 | TERR | 69 58 32 | 610.809 | 611.058 |
| | | El | 58.982 | CVD28GVRD2018 | | | | | | | |
| 407692 | 348 | E | 500304.335 | 0.9995975 | 0.9999975 | MARKER DESTROYED | | | | | |
| | | N | 5457041.076 | | | | | | | | |
| | | El | 34.947 | CVD28GVRD2018 | | | | | | | |
| 605097 | 349 | E | 499994.705 | 0.9995962 | 0.9999962 | MARKER ISOLATED | | | | | |
| | | N | 5457046.775 | | | | | | | | |
| | | El | 43.141 | CVD28GVRD2018 | | | | | | | |
| 902817 | 350 | E | 505065.284 | 0.9995670 | 0.9999666 | 424044 | 677006 | TERR | 161 0 59 | 5339.691 | 5341.958 |
| | | N | 5457885.399 | | | 701490 | 475 | TERR | 166 9 57 | 2258.351 | 2259.297 |
| | | El | 231.538 | CVD28GVRD2018 | | 174227 | 346 | TERR | 179 54 58 | 1574.716 | 1575.378 |
| | | | | | | 269639 | 358 | TERR | 230 20 41 | 4131.167 | 4132.892 |
| | | | | | | 202127 | 76H3773 | TERR | 271 52 8 | 165.235 | 165.306 |
| 658534 | 352 | E | 500790.280 | 0.9995945 | 0.9999945 | 343467 | 353 | TERR | 2 21 53 | 259.485 | 259.591 |
| | | N | 5454747.454 | | | 461392 | 82H4984 | TERR | 5 7 46 | 154.821 | 154.885 |
| | | El | 54.153 | CVD28GVRD2018 | | 654889 | 82H5034 | TERR | 176 28 9 | 180.675 | 180.748 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 983114 | 354 | E | 500787.480 | 0.9995932 | 0.9999932 | 823682 | 355 | TERR | 0 53 46 | 405.783 | 405.947 |
| | | N | 5455251.521 | | | 593491 | 82H4983 | TERR | 4 43 32 | 220.133 | 220.223 |
| | | El | 62.476 | CVD28GVRD2018 | | 103903 | 356 | TERR | 90 55 59 | 429.660 | 429.834 |
| | | | | | | 875054 | 82H5018 | TERR | 92 9 23 | 299.293 | 299.414 |
| | | | | | | 343467 | 353 | TERR | 176 50 31 | 245.175 | 245.275 |
| | | | | | | 803296 | 82H5033 | TERR | 177 2 47 | 175.851 | 175.922 |
| 734392 | 357 | E | 501595.645 | 0.9995949 | 0.9999949 | 269639 | 358 | TERR | 87 58 35 | 289.237 | 289.354 |
| | | N | 5455238.817 | | | 103903 | 356 | TERR | 270 51 50 | 378.605 | 378.759 |
| | | El | 51.617 | CVD28GVRD2018 | | 797100 | 82H5054 | TERR | 273 46 41 | 212.816 | 212.902 |
| 269639 | 358 | E | 501884.702 | 0.9995984 | 0.9999983 | 902817 | 350 | TERR | 50 20 41 | 4131.167 | 4132.892 |
| | | N | 5455249.030 | | | 21154 | 94H1345 | TERR | 93 3 27 | 253.845 | 253.947 |
| | | El | 29.521 | CVD28GVRD2018 | | 734392 | 357 | TERR | 267 58 35 | 289.237 | 289.354 |
| | | | | | | 121350 | 359 | TERR | 336 11 6 | 532.816 | 533.029 |
| 121350 | 359 | E | 501669.558 | 0.9995990 | 0.9999989 | 269639 | 358 | TERR | 156 11 6 | 532.816 | 533.029 |
| | | N | 5455736.478 | | | 557389 | 333 | TERR | 312 32 27 | 566.610 | 566.837 |
| | | El | 25.562 | CVD28GVRD2018 | | | | | | | |
| 872937 | 360 | E | 499786.844 | 0.9995917 | 0.9999917 | MARKER DESTROYED | | | | | |
| | | N | 5459025.161 | | | | | | | | |
| | | El | 71.548 | CVD28GVRD2018 | | | | | | | |
| 591719 | 362 | E | 500566.667 | 0.9995940 | 0.9999940 | 415158 | 329 | TERR | 357 15 50 | 144.207 | 144.267 |
| | | N | 5457106.388 | | | | | | | | |
| | | El | 57.124 | CVD28GVRD2018 | | | | | | | |
| 735118 | 370 | E | 503780.652 | 0.9995880 | 0.9999878 | 815167 | B-89021 | TERR | 43 49 56 | 111.641 | 111.688 |
| | | N | 5451382.351 | | | 684472 | 515 | TERR | 138 50 9 | 626.763 | 627.022 |
| | | El | 96.773 | CVD28GVRD2018 | | 832980 | B-89016 | TERR | 141 24 58 | 128.678 | 128.731 |
| | | | | | | 10108 | 94H1369 | TERR | 231 38 36 | 183.992 | 184.068 |
| 476689 | 382 | E | 501633.650 | 0.9996011 | 1.0000011 | 615047 | 398 | TERR | 1 23 4 | 279.229 | 279.341 |
| | | N | 5450259.145 | | | 284745 | 381 | TERR | 93 34 43 | 455.648 | 455.830 |
| | | El | 12.242 | CVD28GVRD2018 | | | | | | | |
| 483990 | 383 | E | 501440.773 | 0.9996011 | 1.0000011 | MARKER DESTROYED | | | | | |
| | | N | 5450369.417 | | | | | | | | |
| | | El | 11.964 | CVD28GVRD2018 | | | | | | | |

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 12591 | 384 | E | 501091.071 | 0.9996012 | 1.0000012 | 556928 | 87H2638 | GPS | 7 46 38 | 2228.551 | 2229.458 |
| | | N | 5450393.314 | | | 229781 | 94H1355 | GPS | 46 25 59 | 3191.106 | 3192.405 |
| | | El | 11.456 | CVD28GVRD2018 | | 223347 | 73H0371 | GPS | 55 8 1 | 11734.208 | 11739.018 |
| | | | | | | 104109 | 94H1482 | GPS | 61 13 17 | 2027.823 | 2028.647 |
| | | | | | | 595017 | 89H6032 | GPS | 75 49 32 | 4177.663 | 4179.358 |
| | | | | | | 426981 | 92H0886 | GPS | 107 52 21 | 10684.492 | 10688.791 |
| | | | | | | 32219 | 94H1708 | GPS | 120 50 46 | 2551.466 | 2552.482 |
| | | | | | | 838037 | 02H2423 | GPS | 156 32 11 | 3575.992 | 3577.416 |
| | | | | | | 47092 | 02H2454 | GPS | 236 57 4 | 2416.136 | 2417.099 |
| | | | | | | 897322 | V-2503 | GPS | 267 37 51 | 2789.671 | 2790.782 |
| | | | | | | 347344 | 385 | TERR | 282 26 56 | 266.602 | 266.709 |
| | | | | | | 738906 | 87H3304 | TERR | 282 38 9 | 250.127 | 250.227 |
| | | | | | | 870014 | V-2593 | GPS | 285 26 51 | 5855.632 | 5858.006 |
| | | | | | | 395939 | V-2635 | GPS | 296 36 26 | 3960.181 | 3961.790 |
| | | | | | | 293399 | 87H3273 | GPS | 312 6 34 | 2321.440 | 2322.386 |
| | | | | | | 875864 | NO MARKING | GPS | 315 29 57 | 10826.598 | 10830.931 |
| 876169 | 386 | E | 500603.292 | 0.9996016 | 1.0000015 | 347344 | 385 | TERR | 90 44 8 | 227.464 | 227.554 |
| | | N | 5450453.705 | | | 738906 | 87H3304 | TERR | 91 20 2 | 243.776 | 243.874 |
| | | El | 9.218 | CVD28GVRD2018 | | 689679 | 387 | TERR | 288 32 6 | 153.081 | 153.141 |
| 689679 | 387 | E | 500458.151 | 0.9996012 | 1.0000012 | 876169 | 386 | TERR | 108 32 6 | 153.081 | 153.141 |
| | | N | 5450502.367 | | | 679332 | 388 | TERR | 278 15 53 | 393.533 | 393.691 |
| | | El | 11.136 | CVD28GVRD2018 | | | | | | | |
| 679332 | 388 | E | 500068.705 | 0.9996013 | 1.0000013 | 92643 | 413 | TERR | 65 41 5 | 276.498 | 276.609 |
| | | N | 5450558.936 | | | 689679 | 387 | TERR | 98 15 53 | 393.533 | 393.691 |
| | | El | 10.839 | CVD28GVRD2018 | | 187740 | 87H3306 | TERR | 286 23 0 | 264.525 | 264.630 |
| 807743 | 389 | E | 499641.442 | 0.9995995 | 0.9999995 | MARKER DESTROYED | | | | | |
| | | N | 5450702.257 | | | | | | | | |
| | | El | 22.093 | CVD28GVRD2018 | | | | | | | |
| 625665 | 390 | E | 499379.923 | 0.9996000 | 1.0000000 | MARKER DESTROYED | | | | | |
| | | N | 5450716.336 | | | | | | | | |
| | | El | 19.184 | CVD28GVRD2018 | | | | | | | |
| 38828 | 391 | E | 499093.858 | 0.9996005 | 1.0000005 | MARKER DESTROYED | | | | | |
| | | N | 5450708.498 | | | | | | | | |
| | | El | 15.816 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 629337 | 392 | E | 498829.703 | 0.9996014 | 1.0000014 | 866459 | 393 | TERR | 259 41 42 | 291.117 | 291.233 |
| | | N | 5450638.143 | | | | | | | | |
| | | El | 10.185 | CVD28GVRD2018 | | | | | | | |
| 866459 | 393 | E | 498543.282 | 0.9996004 | 1.0000004 | 629337 | 392 | TERR | 79 41 42 | 291.117 | 291.233 |
| | | N | 5450586.066 | | | | | | | | |
| | | El | 16.782 | CVD28GVRD2018 | | | | | | | |
| 615047 | 398 | E | 501640.396 | 0.9995945 | 0.9999945 | 668152 | 87H3302 | TERR | 178 46 47 | 199.201 | 199.282 |
| | | N | 5450538.292 | | | 476689 | 382 | TERR | 181 23 4 | 279.229 | 279.341 |
| | | El | 54.278 | CVD28GVRD2018 | | 985424 | 403 | TERR | 270 50 9 | 468.198 | 468.387 |
| | | | | | | 589069 | 87H3303 | TERR | 358 21 38 | 185.425 | 185.501 |
| | | | | | | 646885 | 399 | TERR | 359 3 14 | 189.739 | 189.816 |
| 281782 | 400 | E | 501637.781 | 0.9995884 | 0.9999883 | 804369 | 87H3291 | TERR | 88 54 9 | 213.323 | 213.411 |
| | | N | 5450928.009 | | | 646885 | 399 | TERR | 180 8 54 | 200.005 | 200.087 |
| | | El | 93.428 | CVD28GVRD2018 | | 589069 | 87H3303 | TERR | 180 45 15 | 204.386 | 204.470 |
| | | | | | | 526764 | 402 | TERR | 271 38 52 | 158.690 | 158.755 |
| | | | | | | 111435 | 401 | TERR | 359 51 25 | 202.402 | 202.485 |
| 111435 | 401 | E | 501637.276 | 0.9995859 | 0.9999859 | 147348 | 441 | TERR | 2 24 44 | 214.977 | 215.066 |
| | | N | 5451130.410 | | | 281782 | 400 | TERR | 179 51 25 | 202.402 | 202.485 |
| | | El | 108.966 | CVD28GVRD2018 | | 228569 | 406 | TERR | 270 48 41 | 401.001 | 401.167 |
| 526764 | 402 | E | 501479.157 | 0.9995886 | 0.9999885 | 281782 | 400 | TERR | 91 38 52 | 158.690 | 158.755 |
| | | N | 5450932.572 | | | 426239 | 87H3287 | TERR | 270 56 30 | 241.376 | 241.474 |
| | | El | 92.278 | CVD28GVRD2018 | | 388165 | 405 | TERR | 272 8 45 | 248.499 | 248.601 |
| 228569 | 406 | E | 501236.315 | 0.9995861 | 0.9999861 | 111435 | 401 | TERR | 90 48 41 | 401.001 | 401.167 |
| | | N | 5451136.088 | | | 426239 | 87H3287 | TERR | 179 34 11 | 199.555 | 199.637 |
| | | El | 108.015 | CVD28GVRD2018 | | 388165 | 405 | TERR | 181 37 2 | 194.289 | 194.370 |
| | | | | | | 50427 | 407 | TERR | 359 43 50 | 179.210 | 179.285 |
| 50427 | 407 | E | 501235.472 | 0.9995850 | 0.9999850 | 720516 | 408 | TERR | 4 18 10 | 257.142 | 257.248 |
| | | N | 5451315.296 | | | 722462 | 87H3237 | TERR | 12 55 10 | 123.338 | 123.389 |
| | | El | 114.867 | CVD28GVRD2018 | | 228569 | 406 | TERR | 179 43 50 | 179.210 | 179.285 |
| | | | | | | 498774 | 440 | TERR | 287 18 19 | 126.775 | 126.827 |
| 931881 | 409 | E | 500833.791 | 0.9995981 | 0.9999981 | 250282 | 410 | TERR | 4 50 8 | 179.192 | 179.265 |
| | | N | 5450552.017 | | | 985424 | 403 | TERR | 91 10 2 | 338.527 | 338.664 |
| | | El | 31.225 | CVD28GVRD2018 | | 738906 | 87H3304 | TERR | 172 45 35 | 104.823 | 104.864 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 250282 | 410 | E | 500848.896 | 0.9995936 | 0.9999936 | 983668 | 404 | TERR | 88 24 2 | 383.655 | 383.811 |
| | | N | 5450730.571 | | | 347344 | 385 | TERR | 183 42 48 | 280.375 | 280.488 |
| | | El | 59.950 | CVD28GVRD2018 | | 931881 | 409 | TERR | 184 50 8 | 179.192 | 179.265 |
| | | | | | | 215798 | 87H3285 | TERR | 355 17 5 | 211.320 | 211.407 |
| | | | | | | 683250 | 411 | TERR | 355 24 17 | 211.124 | 211.210 |
| 206839 | 412 | E | 500831.723 | 0.9995868 | 0.9999868 | 364505 | 439 | TERR | 4 48 52 | 201.103 | 201.186 |
| | | N | 5451128.792 | | | 683250 | 411 | TERR | 179 55 17 | 187.776 | 187.854 |
| | | El | 103.526 | CVD28GVRD2018 | | 215798 | 87H3285 | TERR | 180 3 38 | 187.616 | 187.693 |
| 92643 | 413 | E | 500320.676 | 0.9995972 | 0.9999972 | 1248 | 414 | TERR | 37 50 25 | 173.756 | 173.826 |
| | | N | 5450672.786 | | | 679332 | 388 | TERR | 245 41 5 | 276.498 | 276.609 |
| | | El | 36.849 | CVD28GVRD2018 | | 934745 | 87H3305 | TERR | 250 4 11 | 138.230 | 138.285 |
| 1248 | 414 | E | 500427.269 | 0.9995937 | 0.9999937 | 576637 | 415 | TERR | 4 1 53 | 229.108 | 229.201 |
| | | N | 5450810.005 | | | 92643 | 413 | TERR | 217 50 25 | 173.756 | 173.826 |
| | | El | 59.164 | CVD28GVRD2018 | | | | | | | |
| 576637 | 415 | E | 500443.376 | 0.9995892 | 0.9999892 | 576355 | 416 | TERR | 0 35 22 | 194.869 | 194.950 |
| | | N | 5451038.546 | | | 1248 | 414 | TERR | 184 1 53 | 229.108 | 229.201 |
| | | El | 87.861 | CVD28GVRD2018 | | 631846 | 423 | TERR | 270 49 15 | 407.163 | 407.330 |
| 576355 | 416 | E | 500445.381 | 0.9995867 | 0.9999867 | 633644 | 87H3279 | TERR | 4 41 58 | 113.209 | 113.255 |
| | | N | 5451233.405 | | | 576637 | 415 | TERR | 180 35 22 | 194.869 | 194.950 |
| | | El | 103.840 | CVD28GVRD2018 | | | | | | | |
| 910588 | 417 | E | 500442.916 | 0.9995847 | 0.9999847 | MARKER DESTROYED | | | | | |
| | | N | 5451452.822 | | | | | | | | |
| | | El | 116.623 | CVD28GVRD2018 | | | | | | | |
| 247486 | 421 | E | 500840.185 | 0.9995827 | 0.9999827 | 260653 | 87H3317 | TERR | 106 1 6 | 249.760 | 249.865 |
| | | N | 5451898.375 | | | 221986 | 87H3239 | TERR | 352 56 22 | 223.165 | 223.258 |
| | | El | 129.492 | CVD28GVRD2018 | | | | | | | |
| 259762 | 422 | E | 500846.095 | 0.9995836 | 0.9999836 | MARKER DESTROYED | | | | | |
| | | N | 5451736.965 | | | | | | | | |
| | | El | 123.490 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 631846 | 423 | E | 500036.255 | 0.9995907 | 0.9999907 | 228247 | 87H3278 | TERR | 4 44 27 | 185.581 | 185.657 |
| | | N | 5451044.379 | | | 576637 | 415 | TERR | 90 49 15 | 407.163 | 407.330 |
| | | El | 78.716 | CVD28GVRD2018 | | 436675 | 425 | TERR | 269 17 37 | 398.681 | 398.844 |
| 420471 | 424 | E | 500038.508 | 0.9995836 | 0.9999836 | 692640 | 418 | TERR | 87 53 19 | 404.128 | 404.297 |
| | | N | 5451735.784 | | | 113928 | 87H3275 | TERR | 179 19 23 | 190.886 | 190.966 |
| | | El | 123.832 | CVD28GVRD2018 | | 907410 | 431 | TERR | 270 42 4 | 392.417 | 392.581 |
| | | | | | | 617639 | 87H3248 | TERR | 359 23 22 | 400.080 | 400.246 |
| 436675 | 425 | E | 499637.604 | 0.9995925 | 0.9999925 | 326389 | 435 | TERR | 2 20 48 | 289.598 | 289.717 |
| | | N | 5451039.463 | | | 631846 | 423 | TERR | 89 17 37 | 398.681 | 398.844 |
| | | El | 66.957 | CVD28GVRD2018 | | 923953 | 87H3307 | TERR | 178 7 36 | 228.038 | 228.130 |
| | | | | | | 941872 | 426 | TERR | 271 42 47 | 543.860 | 544.082 |
| | | | | | | 181024 | 87H3311 | TERR | 271 57 51 | 270.823 | 270.934 |
| 941872 | 426 | E | 499093.987 | 0.9995944 | 0.9999944 | 539361 | 427 | TERR | 1 44 34 | 377.004 | 377.158 |
| | | N | 5451055.720 | | | 181024 | 87H3311 | TERR | 91 27 50 | 273.042 | 273.153 |
| | | El | 54.637 | CVD28GVRD2018 | | 436675 | 425 | TERR | 91 42 47 | 543.860 | 544.082 |
| | | | | | | 448258 | 87H3309 | TERR | 177 26 45 | 167.284 | 167.352 |
| | | | | | | 818773 | 87H3270 | TERR | 359 27 43 | 279.966 | 280.081 |
| 539361 | 427 | E | 499105.453 | 0.9995882 | 0.9999882 | 941872 | 426 | TERR | 181 44 34 | 377.004 | 377.158 |
| | | N | 5451432.550 | | | 818773 | 87H3270 | TERR | 188 16 41 | 97.896 | 97.935 |
| | | El | 94.183 | CVD28GVRD2018 | | 670653 | 432 | TERR | 279 10 44 | 626.755 | 627.012 |
| 510933 | 428 | E | 499091.844 | 0.9995855 | 0.9999854 | MARKER DESTROYED | | | | | |
| | | N | 5451732.232 | | | | | | | | |
| | | El | 111.965 | CVD28GVRD2018 | | | | | | | |
| 820654 | 430 | E | 499632.617 | 0.9995830 | 0.9999830 | 907410 | 431 | TERR | 176 9 34 | 201.602 | 201.685 |
| | | N | 5451941.735 | | | 790774 | 365 | TERR | 358 11 50 | 193.944 | 194.025 |
| | | El | 127.674 | CVD28GVRD2018 | | 472753 | 87H3250 | TERR | 359 8 0 | 194.314 | 194.395 |
| 907410 | 431 | E | 499646.120 | 0.9995842 | 0.9999842 | 420471 | 424 | TERR | 90 42 4 | 392.417 | 392.581 |
| | | N | 5451740.586 | | | 820654 | 430 | TERR | 356 9 34 | 201.602 | 201.685 |
| | | El | 119.758 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 670653 | 432 | E | 498486.724 | 0.9995877 | 0.9999876 | 797100 | 82H5054 | GPS | 37 54 13 | 4714.958 | 4716.888 |
| | | N | 5451532.528 | | | 821058 | 84H9889 | GPS | 56 25 46 | 11450.205 | 11454.953 |
| | | El | 97.868 | CVD28GVRD2018 | | 229781 | 94H1355 | GPS | 77 49 56 | 5029.516 | 5031.597 |
| | | | | | | 709113 | 90H6573 | GPS | 80 6 45 | 8459.341 | 8462.848 |
| | | | | | | 539361 | 427 | TERR | 99 10 44 | 626.755 | 627.012 |
| | | | | | | 954875 | 6090 | GPS | 105 23 47 | 5093.575 | 5095.668 |
| | | | | | | 308429 | 90H6222 | GPS | 129 53 12 | 11084.888 | 11089.464 |
| | | | | | | 23945 | 87H3267 | TERR | 182 42 36 | 191.347 | 191.426 |
| | | | | | | 689356 | 433 | TERR | 185 13 59 | 208.789 | 208.875 |
| | | | | | | 258020 | 19713 | GPS | 232 42 53 | 16024.733 | 16031.206 |
| | | | | | | 681239 | 677011 | GPS | 347 3 19 | 11968.061 | 11973.023 |
| | | | | | | 609065 | 87H3266 | TERR | 356 33 22 | 198.025 | 198.106 |
| 321752 | 434 | E | 499371.507 | 0.9995883 | 0.9999883 | 313247 | 87H3271 | TERR | 0 42 33 | 95.997 | 96.036 |
| | | N | 5451344.082 | | | 326389 | 435 | TERR | 93 8 36 | 278.374 | 278.488 |
| | | El | 94.027 | CVD28GVRD2018 | | 122101 | 87H3312 | TERR | 182 59 11 | 168.206 | 168.276 |
| | | | | | | 818773 | 87H3270 | TERR | 268 16 51 | 280.275 | 280.391 |
| | | | | | | 689356 | 433 | TERR | 268 45 57 | 904.036 | 904.408 |
| 326389 | 435 | E | 499649.462 | 0.9995879 | 0.9999879 | 59485 | 436 | TERR | 87 1 47 | 342.497 | 342.639 |
| | | N | 5451328.818 | | | 436675 | 425 | TERR | 182 20 48 | 289.598 | 289.717 |
| | | El | 96.376 | CVD28GVRD2018 | | 321752 | 434 | TERR | 273 8 36 | 278.374 | 278.488 |
| 21147 | 438 | E | 500641.049 | 0.9995855 | 0.9999855 | 828905 | 87H3284 | TERR | 89 28 3 | 207.394 | 207.481 |
| | | N | 5451348.101 | | | 633644 | 87H3279 | TERR | 269 25 33 | 186.402 | 186.479 |
| | | El | 111.796 | CVD28GVRD2018 | | | | | | | |
| 498774 | 440 | E | 501114.436 | 0.9995847 | 0.9999847 | 720516 | 408 | TERR | 32 41 8 | 259.855 | 259.963 |
| | | N | 5451353.007 | | | 147348 | 441 | TERR | 90 50 29 | 531.945 | 532.166 |
| | | El | 116.577 | CVD28GVRD2018 | | 50427 | 407 | TERR | 107 18 19 | 126.775 | 126.827 |
| | | | | | | 364505 | 439 | TERR | 264 52 45 | 266.900 | 267.011 |
| | | | | | | 828905 | 87H3284 | TERR | 269 21 30 | 266.019 | 266.129 |
| 147348 | 441 | E | 501646.324 | 0.9995847 | 0.9999846 | 841692 | 442 | TERR | 91 47 12 | 393.725 | 393.889 |
| | | N | 5451345.196 | | | 111435 | 401 | TERR | 182 24 44 | 214.977 | 215.066 |
| | | El | 117.210 | CVD28GVRD2018 | | 498774 | 440 | TERR | 270 50 29 | 531.945 | 532.166 |
| | | | | | | 515551 | 87H3232 | TERR | 353 40 44 | 153.087 | 153.150 |
| 841692 | 442 | E | 502039.858 | 0.9995856 | 0.9999856 | 220319 | 443 | TERR | 91 8 58 | 899.177 | 899.548 |
| | | N | 5451332.921 | | | 15123 | 87H3294 | TERR | 180 35 52 | 216.094 | 216.184 |
| | | El | 111.148 | CVD28GVRD2018 | | 147348 | 441 | TERR | 271 47 12 | 393.725 | 393.889 |
| | | | | | | 261669 | 87H3226 | TERR | 359 0 20 | 302.991 | 303.116 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 523837 | 444 | E | 504766.001 | 0.9995862 | 0.9999859 | 433755 | 94H1367 | TERR | 50 43 57 | 373.443 | 373.597 |
| | | N | 5451813.346 | | | 339127 | 94H1425 | TERR | 131 27 3 | 118.554 | 118.603 |
| | | El | 108.715 | CVD28GVRD2018 | | 144519 | 6025 | TERR | 138 7 60 | 544.905 | 545.131 |
| | | | | | | 200477 | 94H1424 | TERR | 322 17 17 | 224.529 | 224.622 |
| | | | | | | 927731 | 445 | TERR | 323 5 39 | 194.417 | 194.498 |
| 928697 | 446 | E | 504520.177 | 0.9995840 | 0.9999837 | MARKER DESTROYED | | | | | |
| | | N | 5452089.295 | | | | | | | | |
| | | El | 122.844 | CVD28GVRD2018 | | | | | | | |
| 526814 | 447 | E | 504295.082 | 0.9995832 | 0.9999830 | MARKER DESTROYED | | | | | |
| | | N | 5452382.178 | | | | | | | | |
| | | El | 127.643 | CVD28GVRD2018 | | | | | | | |
| 194423 | 448 | E | 504151.596 | 0.9995835 | 0.9999833 | MARKER DESTROYED | | | | | |
| | | N | 5452535.163 | | | | | | | | |
| | | El | 125.525 | CVD28GVRD2018 | | | | | | | |
| 901942 | 449 | E | 504050.327 | 0.9995843 | 0.9999841 | 318089 | 450 | TERR | 318 20 48 | 255.657 | 255.763 |
| | | N | 5452684.637 | | | | | | | | |
| | | El | 120.549 | CVD28GVRD2018 | | | | | | | |
| 318089 | 450 | E | 503880.412 | 0.9995856 | 0.9999854 | 57828 | 6054-A | TERR | 39 46 0 | 103.223 | 103.266 |
| | | N | 5452875.659 | | | 901942 | 449 | TERR | 138 20 48 | 255.657 | 255.763 |
| | | El | 112.018 | CVD28GVRD2018 | | | | | | | |
| 243642 | 452 | E | 504009.526 | 0.9995834 | 0.9999832 | 173989 | 94H1476 | TERR | 236 33 57 | 190.307 | 190.387 |
| | | N | 5452121.443 | | | | | | | | |
| | | El | 126.279 | CVD28GVRD2018 | | | | | | | |
| 988774 | 453 | E | 504226.791 | 0.9995845 | 0.9999842 | MARKER DESTROYED | | | | | |
| | | N | 5451869.962 | | | | | | | | |
| | | El | 119.507 | CVD28GVRD2018 | | | | | | | |
| 33969 | 456 | E | 505309.242 | 0.9995855 | 0.9999852 | 447813 | 457 | TERR | 50 53 53 | 1091.171 | 1091.623 |
| | | N | 5452696.268 | | | 500264 | 94H1376 | TERR | 51 6 57 | 406.605 | 406.773 |
| | | El | 113.515 | CVD28GVRD2018 | | 6379 | 455 | TERR | 228 17 12 | 337.514 | 337.654 |
| | | | | | | 663112 | 94H1374 | TERR | 314 44 41 | 214.791 | 214.880 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 580191 | 461 | E | 505271.640 | 0.9995861 | 0.9999857 | 616466 | 94H1420 | TERR | 48 50 17 | 177.288 | 177.362 |
| | | N | 5452228.485 | | | 859504 | 462 | TERR | 50 20 35 | 609.928 | 610.181 |
| | | El | 109.925 | CVD28GVRD2018 | | 433755 | 94H1367 | TERR | 230 27 18 | 280.785 | 280.901 |
| | | | | | | 841114 | 94H1419 | TERR | 317 51 7 | 176.403 | 176.476 |
| 859504 | 462 | E | 505741.212 | 0.9995861 | 0.9999857 | 183145 | 80H3149 | GPS | 25 59 34 | 6653.931 | 6656.686 |
| | | N | 5452617.734 | | | 169128 | 73H0289 | GPS | 32 4 37 | 4713.447 | 4715.399 |
| | | El | 110.300 | CVD28GVRD2018 | | 850016 | 94H1375 | TERR | 47 2 46 | 130.515 | 130.569 |
| | | | | | | 998658 | 463 | TERR | 48 57 41 | 337.950 | 338.090 |
| | | | | | | 99259 | 73H0436 | GPS | 68 23 34 | 4996.436 | 4998.479 |
| | | | | | | 449306 | 89H5585 | GPS | 79 13 13 | 1840.110 | 1840.865 |
| | | | | | | 376285 | 89H5570 | GPS | 89 59 12 | 1211.230 | 1211.731 |
| | | | | | | 16725 | 92H0902 | GPS | 109 47 17 | 3872.395 | 3873.965 |
| | | | | | | 606558 | 5400 | GPS | 112 22 58 | 5856.442 | 5858.842 |
| | | | | | | 426981 | 92H0886 | GPS | 134 55 15 | 7793.905 | 7797.098 |
| | | | | | | 21139 | 92H0904 | GPS | 155 12 45 | 3620.129 | 3621.597 |
| | | | | | | 595017 | 89H6032 | GPS | 206 31 31 | 1342.759 | 1343.314 |
| | | | | | | 32219 | 94H1708 | GPS | 214 50 51 | 4304.545 | 4306.292 |
| | | | | | | 580191 | 461 | TERR | 230 20 35 | 609.928 | 610.181 |
| | | | | | | 458836 | 94H1421 | TERR | 231 29 3 | 307.448 | 307.576 |
| | | | | | | 229781 | 94H1355 | GPS | 269 23 5 | 2338.099 | 2339.068 |
| | | | | | | 314724 | 82H5046 | GPS | 294 45 53 | 4100.518 | 4102.196 |
| | | | | | | 770685 | 94H1407 | GPS | 303 9 4 | 1736.905 | 1737.615 |
| | | | | | | 691592 | 94H1473 | GPS | 316 0 28 | 5001.363 | 5003.398 |
| | | | | | | 822817 | 90H6723 | GPS | 323 58 38 | 3216.202 | 3217.515 |
| | | | | | | 406223 | 94H1459 | GPS | 353 37 29 | 2456.227 | 2457.226 |
| 998658 | 463 | E | 505996.116 | 0.9995865 | 0.9999861 | 633636 | 464 | TERR | 47 14 22 | 234.970 | 235.068 |
| | | N | 5452839.621 | | | 859504 | 462 | TERR | 228 57 41 | 337.950 | 338.090 |
| | | El | 107.610 | CVD28GVRD2018 | | 850016 | 94H1375 | TERR | 230 9 56 | 207.554 | 207.639 |
| 633636 | 464 | E | 506168.630 | 0.9995856 | 0.9999851 | 521484 | 465 | TERR | 50 27 41 | 298.750 | 298.874 |
| | | N | 5452999.151 | | | 530519 | 87H3330 | TERR | 51 52 58 | 566.627 | 566.862 |
| | | El | 113.996 | CVD28GVRD2018 | | 686626 | 94H1428 | TERR | 138 5 19 | 246.649 | 246.750 |
| | | | | | | 998658 | 463 | TERR | 227 14 22 | 234.970 | 235.068 |
| | | | | | | 455311 | 94H1429 | TERR | 320 56 28 | 109.598 | 109.644 |
| | | | | | | 942458 | 459 | TERR | 326 23 27 | 150.113 | 150.175 |
| 97113 | 472 | E | 506471.450 | 0.9995991 | 0.9999986 | MARKER DESTROYED | | | | | |
| | | N | 5454706.317 | | | | | | | | |
| | | El | 27.813 | CVD28GVRD2018 | | | | | | | |
| 315424 | 473 | E | 506228.120 | 0.9996012 | 1.0000007 | 231910 | 474 | TERR | 2 15 36 | 442.974 | 443.150 |
| | | N | 5455099.024 | | | | | | | | |
| | | El | 14.295 | 1928 Canadian Vertical Datum | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 231910 | 474 | E | 506245.589 | 0.9995984 | 0.9999979 | 315424 | 473 | TERR | 182 15 36 | 442.974 | 443.150 |
| | | N | 5455541.653 | | | 653006 | 94H1385 | TERR | 279 15 54 | 343.517 | 343.655 |
| | | El | 32.300 | CVD28GVRD2018 | | 701490 | 475 | TERR | 283 15 40 | 657.851 | 658.116 |
| 701490 | 475 | E | 505605.280 | 0.9995955 | 0.9999951 | 231910 | 474 | TERR | 103 15 40 | 657.851 | 658.116 |
| | | N | 5455692.558 | | | 356758 | 94H1384 | TERR | 272 7 48 | 231.698 | 231.792 |
| | | El | 50.184 | CVD28GVRD2018 | | 799759 | 476 | TERR | 273 3 12 | 670.117 | 670.389 |
| | | | | | | 902817 | 350 | TERR | 346 9 57 | 2258.351 | 2259.297 |
| 799759 | 476 | E | 504936.114 | 0.9995949 | 0.9999946 | 701490 | 475 | TERR | 93 3 12 | 670.117 | 670.389 |
| | | N | 5455728.253 | | | 356758 | 94H1384 | TERR | 93 32 29 | 438.465 | 438.643 |
| | | El | 53.475 | CVD28GVRD2018 | | 208215 | 94H1383 | TERR | 264 27 23 | 227.489 | 227.581 |
| 634378 | 477 | E | 504474.367 | 0.9995951 | 0.9999949 | MARKER DESTROYED | | | | | |
| | | N | 5455723.664 | | | | | | | | |
| | | El | 51.394 | CVD28GVRD2018 | | | | | | | |
| 860676 | 478 | E | 504073.178 | 0.9995972 | 0.9999970 | MARKER DESTROYED | | | | | |
| | | N | 5455853.022 | | | | | | | | |
| | | El | 37.913 | CVD28GVRD2018 | | | | | | | |
| 346809 | 481 | E | 499747.542 | 0.9995865 | 0.9999865 | 159806 | 306 | TERR | 0 31 23 | 1090.474 | 1090.921 |
| | | N | 5453623.138 | | | 504522 | 85H0787 | TERR | 85 30 16 | 93.697 | 93.735 |
| | | El | 104.932 | CVD28GVRD2018 | | 285379 | 480 | TERR | 177 43 22 | 427.843 | 428.021 |
| | | | | | | 151654 | 83H6197 | TERR | 179 44 27 | 189.042 | 189.121 |
| | | | | | | 713149 | 83H6198 | TERR | 359 36 1 | 179.604 | 179.678 |
| | | | | | | 107623 | 482 | TERR | 359 48 26 | 160.486 | 160.551 |
| 579326 | 483 | E | 503533.300 | 0.9995852 | 0.9999851 | MARKER DESTROYED | | | | | |
| | | N | 5451734.020 | | | | | | | | |
| | | El | 114.272 | CVD28GVRD2018 | | | | | | | |
| 19612 | 490 | E | 502567.298 | 0.9995834 | 0.9999833 | MARKER DESTROYED | | | | | |
| | | N | 5451730.845 | | | | | | | | |
| | | El | 125.582 | CVD28GVRD2018 | | | | | | | |
| 18945 | 491 | E | 502322.316 | 0.9995832 | 0.9999831 | 644443 | 87H3227 | TERR | 188 55 30 | 225.214 | 225.307 |
| | | N | 5451823.105 | | | 934356 | 87H3225 | TERR | 283 18 5 | 279.215 | 279.332 |
| | | El | 126.930 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 531038 | 496 | E | 501715.076 | 0.9995828 | 0.9999828 | 856294 | 87H2643 | TERR | 8 39 15 | 108.008 | 108.053 |
| | | N | 5452038.155 | | | 811281 | 87H3229 | TERR | 120 47 58 | 157.864 | 157.930 |
| | | El | 129.004 | CVD28GVRD2018 | | 170654 | 497 | TERR | 289 49 57 | 218.195 | 218.287 |
| 170654 | 497 | E | 501509.822 | 0.9995831 | 0.9999831 | 531038 | 496 | TERR | 109 49 57 | 218.195 | 218.287 |
| | | N | 5452112.182 | | | 999458 | 495 | TERR | 114 45 37 | 332.657 | 332.796 |
| | | El | 127.145 | CVD28GVRD2018 | | | | | | | |
| 857631 | 499 | E | 501158.048 | 0.9995824 | 0.9999824 | MARKER DESTROYED | | | | | |
| | | N | 5452283.716 | | | | | | | | |
| | | El | 131.535 | CVD28GVRD2018 | | | | | | | |
| 195875 | 500 | E | 500989.202 | 0.9995823 | 0.9999822 | MARKER ISOLATED | | | | | |
| | | N | 5452391.016 | | | | | | | | |
| | | El | 132.351 | CVD28GVRD2018 | | | | | | | |
| 752816 | 505 | E | 500047.697 | 0.9995828 | 0.9999828 | MARKER DESTROYED | | | | | |
| | | N | 5452836.603 | | | | | | | | |
| | | El | 129.031 | CVD28GVRD2018 | | | | | | | |
| 186676 | 508 | E | 499644.249 | 0.9995833 | 0.9999833 | MARKER DESTROYED | | | | | |
| | | N | 5453064.238 | | | | | | | | |
| | | El | 125.450 | CVD28GVRD2018 | | | | | | | |
| 952580 | 510 | E | 499388.282 | 0.9995832 | 0.9999832 | MARKER DESTROYED | | | | | |
| | | N | 5453192.532 | | | | | | | | |
| | | El | 126.355 | CVD28GVRD2018 | | | | | | | |
| 77958 | 512 | E | 499018.321 | 0.9995842 | 0.9999842 | 655662 | 83H6185 | TERR | 1 13 37 | 284.684 | 284.802 |
| | | N | 5453343.890 | | | 171041 | 511 | TERR | 106 27 27 | 174.134 | 174.208 |
| | | El | 119.897 | CVD28GVRD2018 | | 396465 | 513 | TERR | 263 27 34 | 468.272 | 468.466 |
| 396465 | 513 | E | 498553.097 | 0.9995848 | 0.9999848 | 77958 | 512 | TERR | 83 27 34 | 468.272 | 468.466 |
| | | N | 5453290.551 | | | 305037 | 514 | TERR | 275 33 55 | 143.967 | 144.027 |
| | | El | 116.108 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|
| 687764 | 6050 | E 498294.985 | 0.9995845 | 0.9999845 | MARKER DESTROYED | | | | | |
| | | N 5453202.062 | | | | | | | | |
| | | El 118.008 | CVD28GVRD2018 | | | | | | | |
| 357186 | 6059 | E 504760.367 | 0.9995566 | 0.9999563 | 819623 | 73H2090 | TERR | 161 50 21 | 90.650 | 90.690 |
| | | N 5458793.859 | | | 805341 | 307 | TERR | 242 23 58 | 5730.361 | 5732.779 |
| | | El 297.512 | CVD28GVRD2018 | | 921197 | 76H3771 | TERR | 272 34 2 | 78.807 | 78.842 |
| | | | | | 388397 | 6285 | TERR | 289 5 40 | 8724.650 | 8728.321 |
| | | | | | 681239 | 677011 | TERR | 296 10 52 | 9978.384 | 9982.678 |
| | | | | | 133884 | 3348 | TERR | 318 17 7 | 15471.965 | 15479.945 |
| 352187 | 73H2071 | E 506722.466 | 0.9995848 | 0.9999842 | 931139 | 75H3450 | TERR | 257 49 31 | 262.281 | 262.391 |
| | | N 5457009.647 | | | | | | | | |
| | | El 119.179 | CVD28GVRD2018 | | | | | | | |
| 879221 | 73H2072 | E 507175.871 | 0.9995910 | 0.9999903 | 783514 | 73H2073 | TERR | 134 59 29 | 254.359 | 254.464 |
| | | N 5457233.391 | | | | | | | | |
| | | El 80.201 | CVD28GVRD2018 | | | | | | | |
| 783514 | 73H2073 | E 507355.757 | 0.9995929 | 0.9999923 | 879221 | 73H2072 | TERR | 314 59 29 | 254.359 | 254.464 |
| | | N 5457053.559 | | | | | | | | |
| | | El 67.980 | CVD28GVRD2018 | | | | | | | |
| 768457 | 73H2075 | E 506441.387 | 0.9995960 | 0.9999955 | 852236 | 73H2076 | TERR | 189 47 43 | 286.002 | 286.117 |
| | | N 5456205.873 | | | | | | | | |
| | | El 47.677 | CVD28GVRD2018 | | | | | | | |
| 852236 | 73H2076 | E 506392.730 | 0.9995965 | 0.9999960 | 768457 | 73H2075 | TERR | 9 47 43 | 286.002 | 286.117 |
| | | N 5455924.040 | | | | | | | | |
| | | El 44.521 | CVD28GVRD2018 | | | | | | | |
| 370072 | 73H2077 | E 506379.063 | 0.9995984 | 0.9999979 | MARKER DESTROYED | | | | | |
| | | N 5455525.708 | | | | | | | | |
| | | El 31.860 | CVD28GVRD2018 | | | | | | | |
| 924092 | 73H2078 | E 505021.665 | 0.9995608 | 0.9999604 | 655423 | 73H2092 | TERR | 304 58 49 | 183.473 | 183.552 |
| | | N 5458173.359 | | | | | | | | |
| | | El 271.063 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|
| 536763 | 73H2079 | E 505113.170 | 0.9995596 | 0.9999593 | | MARKER DESTROYED | | | | |
| | | N 5458277.048 | | | | | | | | |
| | | El 278.556 | CVD28GVRD2018 | | | | | | | |
| 46383 | 73H2080 | E 505471.943 | 0.9995554 | 0.9999550 | 451336 | 73H2081 | TERR | 72 9 13 | 281.837 | 281.963 |
| | | N 5458245.700 | | | | | | | | |
| | | El 305.400 | CVD28GVRD2018 | | | | | | | |
| 451336 | 73H2081 | E 505740.219 | 0.9995525 | 0.9999521 | 46383 | 73H2080 | TERR | 252 9 13 | 281.837 | 281.963 |
| | | N 5458332.073 | | | | | | | | |
| | | El 324.428 | CVD28GVRD2018 | | | | | | | |
| 705756 | 73H2082 | E 505774.153 | 0.9995511 | 0.9999507 | | MARKER DESTROYED | | | | |
| | | N 5458471.099 | | | | | | | | |
| | | El 333.421 | CVD28GVRD2018 | | | | | | | |
| 823245 | 73H2083 | E 505782.110 | 0.9995507 | 0.9999503 | | MARKER DESTROYED | | | | |
| | | N 5458569.491 | | | | | | | | |
| | | El 335.691 | CVD28GVRD2018 | | | | | | | |
| 295832 | 73H2084 | E 506099.230 | 0.9995504 | 0.9999499 | | MARKER DESTROYED | | | | |
| | | N 5458680.845 | | | | | | | | |
| | | El 337.962 | CVD28GVRD2018 | | | | | | | |
| 991844 | 73H2085 | E 505559.538 | 0.9995514 | 0.9999510 | | MARKER DESTROYED | | | | |
| | | N 5458697.258 | | | | | | | | |
| | | El 331.278 | CVD28GVRD2018 | | | | | | | |
| 951558 | 73H2086 | E 505341.925 | 0.9995519 | 0.9999515 | | MARKER DESTROYED | | | | |
| | | N 5458740.262 | | | | | | | | |
| | | El 328.109 | CVD28GVRD2018 | | | | | | | |
| 796896 | 73H2087 | E 505129.687 | 0.9995520 | 0.9999517 | 335695 | 73H2088 | TERR | 244 54 12 | 176.840 | 176.919 |
| | | N 5458700.019 | | | | | | | | |
| | | El 327.004 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 335695 | 73H2088 | E | 504969.542 | 0.9995528 | 0.9999525 | 796896 | 73H2087 | TERR | 64 54 12 | 176.840 | 176.919 |
| | | N | 5458625.013 | | | 136978 | 73H2089 | TERR | 249 3 52 | 83.673 | 83.711 |
| | | El | 321.920 | CVD28GVRD2018 | | | | | | | |
| 136978 | 73H2089 | E | 504891.393 | 0.9995538 | 0.9999535 | 335695 | 73H2088 | TERR | 69 3 52 | 83.673 | 83.711 |
| | | N | 5458595.115 | | | 819623 | 73H2090 | TERR | 317 36 55 | 152.457 | 152.525 |
| | | El | 315.279 | CVD28GVRD2018 | | | | | | | |
| 819623 | 73H2090 | E | 504788.621 | 0.9995548 | 0.9999545 | 136978 | 73H2089 | TERR | 137 36 55 | 152.457 | 152.525 |
| | | N | 5458707.725 | | | 357186 | 6059 | TERR | 341 50 21 | 90.650 | 90.690 |
| | | El | 308.965 | CVD28GVRD2018 | | | | | | | |
| 382721 | 73H2091 | E | 504818.366 | 0.9995575 | 0.9999572 | 655423 | 73H2092 | TERR | 156 34 34 | 133.250 | 133.309 |
| | | N | 5458400.812 | | | | | | | | |
| | | El | 291.728 | CVD28GVRD2018 | | | | | | | |
| 655423 | 73H2092 | E | 504871.337 | 0.9995588 | 0.9999585 | 924092 | 73H2078 | TERR | 124 58 49 | 183.473 | 183.552 |
| | | N | 5458278.543 | | | 382721 | 73H2091 | TERR | 336 34 34 | 133.250 | 133.309 |
| | | El | 283.630 | CVD28GVRD2018 | | | | | | | |
| 229344 | 73H2093 | E | 504485.821 | 0.9995705 | 0.9999703 | 546457 | 73H2094 | TERR | 1 47 1 | 189.885 | 189.968 |
| | | N | 5458118.801 | | | 760363 | 75H3445 | TERR | 227 6 56 | 110.067 | 110.113 |
| | | El | 208.273 | CVD28GVRD2018 | | | | | | | |
| 546457 | 73H2094 | E | 504491.731 | 0.9995675 | 0.9999672 | 519348 | 73H2095 | TERR | 0 31 43 | 338.370 | 338.517 |
| | | N | 5458308.594 | | | 229344 | 73H2093 | TERR | 181 47 1 | 189.885 | 189.968 |
| | | El | 227.890 | CVD28GVRD2018 | | | | | | | |
| 519348 | 73H2095 | E | 504494.853 | 0.9995632 | 0.9999630 | 546457 | 73H2094 | TERR | 180 31 43 | 338.370 | 338.517 |
| | | N | 5458646.950 | | | | | | | | |
| | | El | 254.851 | CVD28GVRD2018 | | | | | | | |
| 134494 | 73H2096 | E | 506975.721 | 0.9995964 | 0.9999958 | 881227 | 94H1387 | TERR | 111 1 20 | 184.280 | 184.354 |
| | | N | 5455396.573 | | | 326975 | 76H3775 | TERR | 275 26 50 | 189.475 | 189.551 |
| | | El | 45.700 | CVD28GVRD2018 | | 842963 | 94H1695 | TERR | 353 53 26 | 249.564 | 249.664 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 442947 | 73H2097 | E | 506950.917 | 0.9995963 | 0.9999957 | MARKER DESTROYED | | | | | |
| | | N | 5455645.409 | | | | | | | | |
| | | El | 46.252 | CVD28GVRD2018 | | | | | | | |
| 360297 | 73H2098 | E | 506922.922 | 0.9995966 | 0.9999961 | 842963 | 94H1695 | TERR | 160 44 2 | 79.519 | 79.551 |
| | | N | 5455719.785 | | | | | | | | |
| | | El | 43.900 | CVD28GVRD2018 | | | | | | | |
| 73999 | 73H2099 | E | 507008.575 | 0.9995967 | 0.9999961 | MARKER DESTROYED | | | | | |
| | | N | 5455818.064 | | | | | | | | |
| | | El | 43.374 | CVD28GVRD2018 | | | | | | | |
| 487595 | 73H2100 | E | 507368.891 | 0.9995939 | 0.9999932 | 368332 | 78H7589 | TERR | 11 41 4 | 136.242 | 136.297 |
| | | N | 5456235.550 | | | 561605 | 79H9655 | TERR | 90 5 54 | 103.062 | 103.104 |
| | | El | 61.910 | CVD28GVRD2018 | | 572966 | 78H7584 | TERR | 218 10 28 | 313.656 | 313.782 |
| 254466 | 75H3431 | E | 498463.236 | 0.9995963 | 0.9999962 | 122911 | 77H6746 | TERR | 0 38 22 | 199.931 | 200.012 |
| | | N | 5458101.938 | | | 369850 | 77H5771 | TERR | 90 58 34 | 185.991 | 186.066 |
| | | El | 42.674 | CVD28GVRD2018 | | 602029 | 77H6738 | TERR | 273 22 36 | 158.197 | 158.261 |
| 845412 | 75H3432 | E | 498962.572 | 0.9995907 | 0.9999907 | 356261 | 77H6763 | TERR | 4 47 7 | 94.951 | 94.991 |
| | | N | 5458099.858 | | | 363770 | 77H6764 | TERR | 180 3 57 | 197.440 | 197.521 |
| | | El | 78.031 | CVD28GVRD2018 | | 369850 | 77H5771 | TERR | 269 48 4 | 313.374 | 313.502 |
| 999243 | 75H3433 | E | 499428.185 | 0.9995905 | 0.9999905 | 591099 | 77H6789 | TERR | 95 52 3 | 128.077 | 128.129 |
| | | N | 5458100.617 | | | 297150 | 77H6782 | TERR | 258 7 15 | 58.908 | 58.932 |
| | | El | 79.353 | CVD28GVRD2018 | | | | | | | |
| 471151 | 75H3434 | E | 499757.232 | 0.9995913 | 0.9999913 | MARKER DESTROYED | | | | | |
| | | N | 5458078.154 | | | | | | | | |
| | | El | 74.278 | CVD28GVRD2018 | | | | | | | |
| 949826 | 75H3435 | E | 500562.216 | 0.9995925 | 0.9999924 | 278085 | 76H3782 | TERR | 2 29 34 | 314.378 | 314.505 |
| | | N | 5458079.506 | | | 599167 | 77H6818 | TERR | 270 24 9 | 258.038 | 258.144 |
| | | El | 66.851 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 698043 | 75H3436 | E | 501182.026 | 0.9995915 | 0.9999915 | 331892 | 77H6836 | TERR | 1 33 37 | 314.227 | 314.355 |
| | | N | 5458076.358 | | | 526871 | 77H6824 | TERR | 270 10 46 | 307.670 | 307.795 |
| | | El | 72.834 | CVD28GVRD2018 | | | | | | | |
| 492199 | 75H3437 | E | 501380.447 | 0.9995890 | 0.9999890 | 854554 | 75H3438 | TERR | 98 19 9 | 209.551 | 209.638 |
| | | N | 5458080.566 | | | 819482 | 75H3442 | TERR | 182 23 42 | 337.166 | 337.305 |
| | | El | 88.710 | CVD28GVRD2018 | | 633305 | 76H3783 | TERR | 359 31 4 | 308.258 | 308.384 |
| 854554 | 75H3438 | E | 501587.793 | 0.9995851 | 0.9999851 | 170019 | 78H6965 | TERR | 89 57 33 | 1393.952 | 1394.528 |
| | | N | 5458050.247 | | | 492199 | 75H3437 | TERR | 278 19 9 | 209.551 | 209.638 |
| | | El | 113.785 | CVD28GVRD2018 | | | | | | | |
| 48199 | 75H3439 | E | 502400.703 | 0.9995874 | 0.9999873 | 921296 | 75H3440 | TERR | 90 3 35 | 172.029 | 172.100 |
| | | N | 5458051.212 | | | 564674 | | TERR | 270 8 26 | 224.571 | 224.664 |
| | | El | 99.464 | CVD28GVRD2018 | | | | | | | |
| 299644 | 75H3441 | E | 502709.191 | 0.9995958 | 0.9999957 | 660381 | 79H9641 | TERR | 76 33 13 | 119.190 | 119.239 |
| | | N | 5456523.186 | | | 684654 | 94H1701 | TERR | 272 21 28 | 138.134 | 138.190 |
| | | El | 46.108 | CVD28GVRD2018 | | | | | | | |
| 819482 | 75H3442 | E | 501366.358 | 0.9995892 | 0.9999891 | 492199 | 75H3437 | TERR | 2 23 42 | 337.166 | 337.305 |
| | | N | 5457743.695 | | | 661959 | 78H7602 | TERR | 180 22 15 | 187.678 | 187.754 |
| | | El | 87.992 | CVD28GVRD2018 | | | | | | | |
| 833376 | 75H3443 | E | 503385.259 | 0.9995872 | 0.9999871 | 472548 | 78H7019 | TERR | 0 33 10 | 283.491 | 283.608 |
| | | N | 5458051.031 | | | 767749 | 319 | TERR | 2 4 48 | 276.303 | 276.417 |
| | | El | 101.116 | CVD28GVRD2018 | | 698779 | 78H7020 | TERR | 90 1 3 | 201.264 | 201.347 |
| | | | | | | 685552 | 78H7023 | TERR | 180 29 26 | 402.432 | 402.598 |
| | | | | | | 170019 | 78H6965 | TERR | 270 1 48 | 403.514 | 403.681 |
| 215319 | 75H3444 | E | 503788.612 | 0.9995841 | 0.9999839 | 409789 | 78H7027 | TERR | 180 8 48 | 200.924 | 201.008 |
| | | N | 5458051.027 | | | 698779 | 78H7020 | TERR | 269 59 2 | 202.089 | 202.173 |
| | | El | 121.235 | CVD28GVRD2018 | | | | | | | |
| 760363 | 75H3445 | E | 504405.172 | 0.9995732 | 0.9999730 | 229344 | 73H2093 | TERR | 47 6 56 | 110.067 | 110.113 |
| | | N | 5458043.898 | | | 170019 | 78H6965 | TERR | 270 17 44 | 1423.446 | 1424.043 |
| | | El | 190.962 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|
| 113753 | 75H3446 | E 504669.614 | 0.9995712 | 0.9999710 | 202127 | 76H3773 | TERR | 98 17 31 | 232.958 | 233.059 |
| | | N 5457924.385 | | | | | | | | |
| | | El 203.855 | CVD28GVRD2018 | | | | | | | |
| 731117 | 75H3447 | E 505320.989 | 0.9995645 | 0.9999641 | MARKER DESTROYED | | | | | |
| | | N 5457914.661 | | | | | | | | |
| | | El 247.379 | CVD28GVRD2018 | | | | | | | |
| 125914 | 75H3448 | E 505464.518 | 0.9995657 | 0.9999653 | MARKER DESTROYED | | | | | |
| | | N 5457811.951 | | | | | | | | |
| | | El 240.114 | CVD28GVRD2018 | | | | | | | |
| 168948 | 75H3449 | E 505665.095 | 0.9995704 | 0.9999700 | 931139 | 75H3450 | TERR | 123 35 1 | 961.479 | 961.886 |
| | | N 5457486.178 | | | | | | | | |
| | | El 210.126 | CVD28GVRD2018 | | | | | | | |
| 931139 | 75H3450 | E 506466.084 | 0.9995818 | 0.9999813 | 352187 | 73H2071 | TERR | 77 49 31 | 262.281 | 262.391 |
| | | N 5456954.334 | | | 168948 | 75H3449 | TERR | 303 35 1 | 961.479 | 961.886 |
| | | El 138.152 | CVD28GVRD2018 | | | | | | | |
| 208272 | 75H3711 | E 498470.054 | 0.9995939 | 0.9999938 | 474189 | 76H3776 | TERR | 90 59 12 | 172.659 | 172.729 |
| | | N 5458410.159 | | | 122911 | 77H6746 | TERR | 182 25 31 | 108.399 | 108.443 |
| | | El 57.993 | CVD28GVRD2018 | | 712539 | 77H6737 | TERR | 271 6 42 | 164.166 | 164.232 |
| | | | | | 587261 | 77H6745 | TERR | 359 0 24 | 189.438 | 189.515 |
| 62158 | 75H3712 | E 498465.067 | 0.9995906 | 0.9999906 | 963124 | 75H3713 | TERR | 3 23 1 | 169.843 | 169.913 |
| | | N 5458692.912 | | | 354936 | 76H3784 | TERR | 89 49 5 | 175.347 | 175.419 |
| | | El 78.768 | CVD28GVRD2018 | | 587261 | 77H6745 | TERR | 178 57 17 | 93.360 | 93.398 |
| | | | | | 730887 | 77H6735 | TERR | 270 50 5 | 156.236 | 156.300 |
| 963124 | 75H3713 | E 498475.091 | 0.9995879 | 0.9999878 | 62158 | 75H3712 | TERR | 183 23 1 | 169.843 | 169.913 |
| | | N 5458862.459 | | | | | | | | |
| | | El 96.256 | CVD28GVRD2018 | | | | | | | |
| 445718 | 75H3714 | E 498478.500 | 0.9995873 | 0.9999873 | 769125 | 75H3715 | TERR | 0 34 49 | 204.274 | 204.358 |
| | | N 5459211.188 | | | 782086 | 77H6748 | TERR | 93 2 7 | 163.245 | 163.313 |
| | | El 99.866 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 769125 | 75H3715 | E | 498480.569 | 0.9995865 | 0.9999865 | 191049 | 77H6743 | TERR | 3 33 47 | 91.365 | 91.402 |
| | | N | 5459415.451 | | | 480848 | 75H3716 | TERR | 91 15 46 | 345.166 | 345.309 |
| | | El | 105.016 | CVD28GVRD2018 | | 445718 | 75H3714 | TERR | 180 34 49 | 204.274 | 204.358 |
| | | | | | | 630806 | 77H6730 | TERR | 267 44 57 | 166.147 | 166.216 |
| 480848 | 75H3716 | E | 498825.651 | 0.9995872 | 0.9999872 | 274001 | 77H6754 | TERR | 4 24 15 | 106.014 | 106.058 |
| | | N | 5459407.844 | | | 884320 | 75H3717 | TERR | 90 40 33 | 153.953 | 154.016 |
| | | El | 100.361 | CVD28GVRD2018 | | 769125 | 75H3715 | TERR | 271 15 46 | 345.166 | 345.309 |
| 884320 | 75H3717 | E | 498979.593 | 0.9995882 | 0.9999882 | 309542 | 75H3718 | TERR | 90 38 33 | 200.656 | 200.738 |
| | | N | 5459406.028 | | | 654582 | 75H3723 | TERR | 181 5 28 | 201.004 | 201.086 |
| | | El | 94.048 | CVD28GVRD2018 | | 480848 | 75H3716 | TERR | 270 40 33 | 153.953 | 154.016 |
| | | | | | | 14761 | 77H6760 | TERR | 356 2 4 | 105.742 | 105.786 |
| 52035 | 75H3719 | E | 499784.007 | 0.9995943 | 0.9999943 | 565333 | 75H3720 | TERR | 181 0 8 | 102.210 | 102.251 |
| | | N | 5459398.447 | | | 136135 | 77H6786 | TERR | 271 34 31 | 191.318 | 191.396 |
| | | El | 55.102 | CVD28GVRD2018 | | | | | | | |
| 565333 | 75H3720 | E | 499782.219 | 0.9995931 | 0.9999931 | 52035 | 75H3719 | TERR | 1 0 8 | 102.210 | 102.251 |
| | | N | 5459296.253 | | | 860569 | 75H3725 | TERR | 180 57 6 | 101.098 | 101.139 |
| | | El | 62.480 | CVD28GVRD2018 | | | | | | | |
| 7237 | 75H3721 | E | 498982.501 | 0.9995904 | 0.9999904 | 9563 | 75H3722 | TERR | 0 59 47 | 150.775 | 150.837 |
| | | N | 5459606.656 | | | 14761 | 77H6760 | TERR | 186 7 55 | 95.687 | 95.725 |
| | | El | 79.650 | CVD28GVRD2018 | | 592766 | 77H6755 | TERR | 272 42 3 | 146.831 | 146.892 |
| 9563 | 75H3722 | E | 498985.123 | 0.9995929 | 0.9999929 | 7237 | 75H3721 | TERR | 180 59 47 | 150.775 | 150.837 |
| | | N | 5459757.408 | | | | | | | | |
| | | El | 64.104 | CVD28GVRD2018 | | | | | | | |
| 654582 | 75H3723 | E | 498975.765 | 0.9995879 | 0.9999879 | 884320 | 75H3717 | TERR | 1 5 28 | 201.004 | 201.086 |
| | | N | 5459205.061 | | | 993162 | 75H3724 | TERR | 90 36 38 | 201.011 | 201.094 |
| | | El | 95.893 | CVD28GVRD2018 | | 772657 | 76H3792 | TERR | 179 55 12 | 301.788 | 301.913 |
| 993162 | 75H3724 | E | 499176.765 | 0.9995889 | 0.9999888 | 309542 | 75H3718 | TERR | 0 59 24 | 200.889 | 200.972 |
| | | N | 5459202.919 | | | 265041 | 76H3793 | TERR | 180 52 2 | 301.677 | 301.800 |
| | | El | 89.815 | CVD28GVRD2018 | | 654582 | 75H3723 | TERR | 270 36 38 | 201.011 | 201.094 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 860569 | 75H3725 | E | 499780.540 | 0.9995928 | 0.9999928 | 565333 | 75H3720 | TERR | 0 57 6 | 101.098 | 101.139 |
| | | N | 5459195.169 | | | 412437 | 75H3726 | TERR | 80 26 7 | 240.853 | 240.951 |
| | | El | 64.421 | CVD28GVRD2018 | | | | | | | |
| 412437 | 75H3726 | E | 500018.045 | 0.9995923 | 0.9999923 | 658013 | 75H3727 | TERR | 48 6 48 | 494.095 | 494.298 |
| | | N | 5459235.190 | | | 860569 | 75H3725 | TERR | 260 26 7 | 240.853 | 240.951 |
| | | El | 68.019 | CVD28GVRD2018 | | | | | | | |
| 658013 | 75H3727 | E | 500385.882 | 0.9995893 | 0.9999893 | 853002 | 75H3728 | TERR | 46 26 33 | 238.711 | 238.808 |
| | | N | 5459565.078 | | | 249862 | 76H3797 | TERR | 176 37 52 | 126.234 | 126.287 |
| | | El | 86.881 | CVD28GVRD2018 | | 412437 | 75H3726 | TERR | 228 6 48 | 494.095 | 494.298 |
| 853002 | 75H3728 | E | 500558.872 | 0.9995902 | 0.9999902 | 905489 | 75H3729 | TERR | 46 49 21 | 132.226 | 132.281 |
| | | N | 5459729.569 | | | 658013 | 75H3727 | TERR | 226 26 33 | 238.711 | 238.808 |
| | | El | 81.163 | CVD28GVRD2018 | | | | | | | |
| 905489 | 75H3729 | E | 500655.296 | 0.9995918 | 0.9999918 | 853002 | 75H3728 | TERR | 226 49 21 | 132.226 | 132.281 |
| | | N | 5459820.046 | | | | | | | | |
| | | El | 70.884 | CVD28GVRD2018 | | | | | | | |
| 251389 | 75H3730 | E | 500822.522 | 0.9995940 | 0.9999940 | MARKER DESTROYED | | | | | |
| | | N | 5459916.292 | | | | | | | | |
| | | El | 56.930 | CVD28GVRD2018 | | | | | | | |
| 144949 | 75H3733 | E | 501167.035 | 0.9995985 | 0.9999985 | MARKER DESTROYED | | | | | |
| | | N | 5459862.316 | | | | | | | | |
| | | El | 28.423 | CVD28GVRD2018 | | | | | | | |
| 656322 | 75H3735 | E | 501406.940 | 0.9996012 | 1.0000011 | 189399 | 75H3734 | TERR | 259 53 16 | 67.292 | 67.319 |
| | | N | 5459868.197 | | | | | | | | |
| | | El | 11.195 | CVD28GVRD2018 | | | | | | | |
| 799684 | 75H3737 | E | 503398.232 | 0.9995875 | 0.9999873 | 700450 | 78H7016 | TERR | 180 39 42 | 109.289 | 109.335 |
| | | N | 5458844.825 | | | 688176 | 75H3738 | TERR | 349 13 17 | 97.617 | 97.658 |
| | | El | 99.522 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 688176 | 75H3738 | E | 503379.976 | 0.9995883 | 0.9999882 | 313759 | 78H7013 | TERR | 13 20 21 | 199.133 | 199.215 |
| | | N | 5458940.720 | | | 283440 | 78H7014 | TERR | 85 40 2 | 236.092 | 236.190 |
| | | El | 93.873 | CVD28GVRD2018 | | 799684 | 75H3737 | TERR | 169 13 17 | 97.617 | 97.658 |
| | | | | | | 275586 | 75H3739 | TERR | 279 24 19 | 145.069 | 145.128 |
| 275586 | 75H3739 | E | 503236.857 | 0.9995894 | 0.9999893 | 972646 | 75H3740 | TERR | 3 39 20 | 106.121 | 106.165 |
| | | N | 5458964.427 | | | 688176 | 75H3738 | TERR | 99 24 19 | 145.069 | 145.128 |
| | | El | 86.988 | CVD28GVRD2018 | | | | | | | |
| 972646 | 75H3740 | E | 503243.623 | 0.9995906 | 0.9999904 | 275586 | 75H3739 | TERR | 183 39 20 | 106.121 | 106.165 |
| | | N | 5459070.332 | | | 548792 | 75H3761 | TERR | 250 13 39 | 273.715 | 273.827 |
| | | El | 79.668 | CVD28GVRD2018 | | | | | | | |
| 655571 | 75H3741 | E | 503392.786 | 0.9995926 | 0.9999925 | MARKER DESTROYED | | | | | |
| | | N | 5459341.346 | | | | | | | | |
| | | El | 66.694 | CVD28GVRD2018 | | | | | | | |
| 888867 | 75H3742 | E | 503476.598 | 0.9995903 | 0.9999902 | 313759 | 78H7013 | TERR | 197 18 38 | 170.321 | 170.391 |
| | | N | 5459297.087 | | | | | | | | |
| | | El | 81.164 | CVD28GVRD2018 | | | | | | | |
| 400333 | 75H3743 | E | 503568.968 | 0.9995931 | 0.9999930 | 126474 | 75H3744 | TERR | 65 11 28 | 174.788 | 174.859 |
| | | N | 5459487.718 | | | | | | | | |
| | | El | 63.340 | CVD28GVRD2018 | | | | | | | |
| 126474 | 75H3744 | E | 503727.625 | 0.9995933 | 0.9999931 | 400333 | 75H3743 | TERR | 245 11 28 | 174.788 | 174.859 |
| | | N | 5459561.058 | | | | | | | | |
| | | El | 62.615 | CVD28GVRD2018 | | | | | | | |
| 784595 | 75H3745 | E | 504100.270 | 0.9995960 | 0.9999957 | MARKER DESTROYED | | | | | |
| | | N | 5459536.563 | | | | | | | | |
| | | El | 45.663 | CVD28GVRD2018 | | | | | | | |
| 399543 | 75H3747 | E | 504376.041 | 0.9995986 | 0.9999984 | MARKER DESTROYED | | | | | |
| | | N | 5459728.580 | | | | | | | | |
| | | El | 29.002 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 194753 | 75H3748 | E | 504685.649 | 0.9995994 | 0.9999991 | 911602 | 75H3749 | TERR | 100 46 56 | 259.356 | 259.460 |
| | | N | 5459770.282 | | | | | | | | |
| | | El | 24.018 | CVD28GVRD2018 | | | | | | | |
| 911602 | 75H3749 | E | 504940.426 | 0.9995995 | 0.9999992 | 162305 | 75H3750 | TERR | 106 43 1 | 482.956 | 483.150 |
| | | N | 5459721.763 | | | 194753 | 75H3748 | TERR | 280 46 56 | 259.356 | 259.460 |
| | | El | 23.504 | CVD28GVRD2018 | | | | | | | |
| 162305 | 75H3750 | E | 505402.971 | 0.9995991 | 0.9999987 | 943092 | 75H3751 | TERR | 117 10 37 | 230.010 | 230.102 |
| | | N | 5459582.844 | | | 911602 | 75H3749 | TERR | 286 43 1 | 482.956 | 483.150 |
| | | El | 26.799 | CVD28GVRD2018 | | | | | | | |
| 943092 | 75H3751 | E | 505607.588 | 0.9995987 | 0.9999984 | 566018 | 75H3752 | TERR | 88 56 16 | 269.738 | 269.847 |
| | | N | 5459477.789 | | | 311001 | 76H3772 | TERR | 235 38 22 | 961.428 | 961.834 |
| | | El | 28.978 | CVD28GVRD2018 | | 162305 | 75H3750 | TERR | 297 10 37 | 230.010 | 230.102 |
| 566018 | 75H3752 | E | 505877.280 | 0.9995989 | 0.9999985 | 522979 | 75H3753 | TERR | 98 45 49 | 270.439 | 270.547 |
| | | N | 5459482.790 | | | 943092 | 75H3751 | TERR | 268 56 16 | 269.738 | 269.847 |
| | | El | 28.088 | CVD28GVRD2018 | | | | | | | |
| 522979 | 75H3753 | E | 506144.562 | 0.9995990 | 0.9999985 | 429639 | 75H3754 | TERR | 81 43 8 | 262.493 | 262.599 |
| | | N | 5459441.587 | | | 566018 | 75H3752 | TERR | 278 45 49 | 270.439 | 270.547 |
| | | El | 27.731 | CVD28GVRD2018 | | | | | | | |
| 429639 | 75H3754 | E | 506404.318 | 0.9995988 | 0.9999983 | 468801 | 75H3755 | TERR | 104 18 49 | 658.514 | 658.778 |
| | | N | 5459479.394 | | | 522979 | 75H3753 | TERR | 261 43 8 | 262.493 | 262.599 |
| | | El | 29.151 | CVD28GVRD2018 | | | | | | | |
| 468801 | 75H3755 | E | 507042.390 | 0.9995980 | 0.9999974 | 502211 | 75H3756 | TERR | 80 23 40 | 241.281 | 241.378 |
| | | N | 5459316.591 | | | 429639 | 75H3754 | TERR | 284 18 49 | 658.514 | 658.778 |
| | | El | 35.090 | CVD28GVRD2018 | | | | | | | |
| 502211 | 75H3756 | E | 507280.288 | 0.9995983 | 0.9999977 | 365049 | 79H9652 | TERR | 56 15 6 | 285.537 | 285.652 |
| | | N | 5459356.852 | | | 532630 | 78H8257 | TERR | 59 58 5 | 234.276 | 234.370 |
| | | El | 33.178 | CVD28GVRD2018 | | 468801 | 75H3755 | TERR | 260 23 40 | 241.281 | 241.378 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 486472 | 75H3757 | E | 499746.310 | 0.9995907 | 0.9999907 | 713149 | 83H6198 | TERR | 180 0 24 | 179.111 | 179.185 |
| | | N | 5453981.849 | | | 633446 | 83H6200 | TERR | 254 38 29 | 205.431 | 205.514 |
| | | El | 78.171 | CVD28GVRD2018 | | 635128 | 83H5899 | TERR | 359 50 19 | 184.899 | 184.974 |
| 253179 | 75H3758 | E | 507676.832 | 0.9995993 | 0.9999986 | 184994 | 80H3226 | TERR | 76 22 43 | 262.491 | 262.597 |
| | | N | 5459682.414 | | | 781286 | 76H3798 | TERR | 180 0 50 | 328.367 | 328.499 |
| | | El | 27.218 | CVD28GVRD2018 | | 532630 | 78H8257 | TERR | 222 55 17 | 284.466 | 284.580 |
| | | | | | | 365049 | 79H9652 | TERR | 223 37 41 | 230.623 | 230.716 |
| 585125 | 75H3760 | E | 502989.987 | 0.9995952 | 0.9999951 | 879932 | 75H3762 | TERR | 69 26 35 | 201.807 | 201.889 |
| | | N | 5459246.472 | | | 548792 | 75H3761 | TERR | 180 50 25 | 268.763 | 268.872 |
| | | El | 49.664 | CVD28GVRD2018 | | | | | | | |
| 548792 | 75H3761 | E | 502986.045 | 0.9995917 | 0.9999916 | 585125 | 75H3760 | TERR | 0 50 25 | 268.763 | 268.872 |
| | | N | 5458977.738 | | | 972646 | 75H3740 | TERR | 70 13 39 | 273.715 | 273.827 |
| | | El | 72.090 | CVD28GVRD2018 | | | | | | | |
| 879932 | 75H3762 | E | 503178.944 | 0.9995957 | 0.9999955 | 585125 | 75H3760 | TERR | 249 26 35 | 201.807 | 201.889 |
| | | N | 5459317.334 | | | 249656 | 78H7029 | TERR | 339 49 24 | 214.917 | 215.003 |
| | | El | 46.958 | CVD28GVRD2018 | | | | | | | |
| 403725 | 75H3765 | E | 507690.335 | 0.9995908 | 0.9999900 | 781286 | 76H3798 | TERR | 349 1 28 | 71.338 | 71.368 |
| | | N | 5459284.014 | | | | | | | | |
| | | El | 81.990 | CVD28GVRD2018 | | | | | | | |
| 471268 | 75H3767 | E | 507721.471 | 0.9995801 | 0.9999793 | 658575 | 76H3799 | TERR | 178 17 1 | 145.308 | 145.369 |
| | | N | 5458557.388 | | | 137067 | 75H3766 | TERR | 358 3 7 | 149.743 | 149.805 |
| | | El | 150.455 | CVD28GVRD2018 | | | | | | | |
| 166728 | 75H3769 | E | 507735.028 | 0.9995800 | 0.9999793 | 129171 | 75H3770 | TERR | 179 7 7 | 418.411 | 418.587 |
| | | N | 5458221.476 | | | 658575 | 76H3799 | TERR | 357 14 10 | 190.891 | 190.971 |
| | | El | 150.771 | CVD28GVRD2018 | | | | | | | |
| 129171 | 75H3770 | E | 507741.465 | 0.9995812 | 0.9999805 | 106229 | 78H6990 | TERR | 177 25 10 | 280.348 | 280.465 |
| | | N | 5457803.115 | | | 166728 | 75H3769 | TERR | 359 7 7 | 418.411 | 418.587 |
| | | El | 143.134 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 921197 | 76H3771 | E | 504681.639 | 0.9995581 | 0.9999578 | 311001 | 76H3772 | TERR | 43 50 11 | 191.001 | 191.086 |
| | | N | 5458797.389 | | | 357186 | 6059 | TERR | 92 34 2 | 78.807 | 78.842 |
| | | El | 287.720 | CVD28GVRD2018 | | | | | | | |
| 311001 | 76H3772 | E | 504813.926 | 0.9995572 | 0.9999569 | 943092 | 75H3751 | TERR | 55 38 22 | 961.428 | 961.834 |
| | | N | 5458935.162 | | | 921197 | 76H3771 | TERR | 223 50 11 | 191.001 | 191.086 |
| | | El | 293.643 | CVD28GVRD2018 | | | | | | | |
| 202127 | 76H3773 | E | 504900.137 | 0.9995688 | 0.9999685 | 902817 | 350 | TERR | 91 52 8 | 165.235 | 165.306 |
| | | N | 5457890.788 | | | 113753 | 75H3446 | TERR | 278 17 31 | 232.958 | 233.059 |
| | | El | 219.903 | CVD28GVRD2018 | | | | | | | |
| 636704 | 76H3774 | E | 507615.836 | 0.9995904 | 0.9999896 | 561605 | 79H9655 | TERR | 271 6 0 | 143.910 | 143.968 |
| | | N | 5456232.610 | | | | | | | | |
| | | El | 84.745 | CVD28GVRD2018 | | | | | | | |
| 326975 | 76H3775 | E | 506787.102 | 0.9995979 | 0.9999973 | 134494 | 73H2096 | TERR | 95 26 50 | 189.475 | 189.551 |
| | | N | 5455414.560 | | | | | | | | |
| | | El | 35.662 | CVD28GVRD2018 | | | | | | | |
| 474189 | 76H3776 | E | 498642.687 | 0.9995922 | 0.9999922 | 369850 | 77H5771 | TERR | 178 47 25 | 308.485 | 308.610 |
| | | N | 5458407.186 | | | 208272 | 75H3711 | TERR | 270 59 12 | 172.659 | 172.729 |
| | | El | 68.727 | CVD28GVRD2018 | | 354936 | 76H3784 | TERR | 359 32 42 | 286.292 | 286.409 |
| 956219 | 76H3777 | E | 498974.249 | 0.9995905 | 0.9999905 | MARKER DESTROYED | | | | | |
| | | N | 5458399.017 | | | | | | | | |
| | | El | 79.087 | CVD28GVRD2018 | | | | | | | |
| 831024 | 76H3778 | E | 499167.939 | 0.9995900 | 0.9999900 | 588715 | 77H6774 | TERR | 2 21 16 | 193.156 | 193.236 |
| | | N | 5458398.776 | | | 677500 | 77H6773 | TERR | 179 34 57 | 308.494 | 308.620 |
| | | El | 82.599 | CVD28GVRD2018 | | | | | | | |
| 28084 | 76H3779 | E | 499569.325 | 0.9995897 | 0.9999897 | MARKER DESTROYED | | | | | |
| | | N | 5458393.817 | | | | | | | | |
| | | El | 84.452 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 142596 | 76H3780 | E | 499762.245 | 0.9995906 | 0.9999906 | 108506 | 310 | TERR | 0 45 32 | 191.638 | 191.716 |
| | | N | 5458391.744 | | | 47001 | 77H6801 | TERR | 88 22 14 | 212.524 | 212.611 |
| | | El | 78.644 | CVD28GVRD2018 | | 37531 | 76H3781 | TERR | 90 19 14 | 579.111 | 579.349 |
| 37531 | 76H3781 | E | 500341.347 | 0.9995878 | 0.9999878 | 278085 | 76H3782 | TERR | 88 45 32 | 234.597 | 234.694 |
| | | N | 5458388.505 | | | 633305 | 76H3783 | TERR | 89 58 59 | 1036.506 | 1036.935 |
| | | El | 96.624 | CVD28GVRD2018 | | 142596 | 76H3780 | TERR | 270 19 14 | 579.111 | 579.349 |
| | | | | | | 360842 | 77H6819 | TERR | 270 41 59 | 160.236 | 160.302 |
| 278085 | 76H3782 | E | 500575.889 | 0.9995880 | 0.9999880 | 291153 | 77H6822 | TERR | 90 17 34 | 302.544 | 302.669 |
| | | N | 5458393.586 | | | 949826 | 75H3435 | TERR | 182 29 34 | 314.378 | 314.505 |
| | | El | 95.234 | CVD28GVRD2018 | | 37531 | 76H3781 | TERR | 268 45 32 | 234.597 | 234.694 |
| | | | | | | 804963 | 311 | TERR | 358 26 49 | 194.657 | 194.738 |
| 633305 | 76H3783 | E | 501377.853 | 0.9995870 | 0.9999870 | 219881 | 314 | TERR | 4 54 26 | 220.377 | 220.468 |
| | | N | 5458388.813 | | | 492199 | 75H3437 | TERR | 179 31 4 | 308.258 | 308.384 |
| | | El | 101.605 | CVD28GVRD2018 | | 37531 | 76H3781 | TERR | 269 58 59 | 1036.506 | 1036.935 |
| | | | | | | 331892 | 77H6836 | TERR | 270 30 23 | 187.278 | 187.356 |
| 354936 | 76H3784 | E | 498640.413 | 0.9995891 | 0.9999890 | 348979 | 76H3785 | TERR | 83 10 54 | 170.189 | 170.259 |
| | | N | 5458693.469 | | | 474189 | 76H3776 | TERR | 179 32 42 | 286.292 | 286.409 |
| | | El | 88.710 | CVD28GVRD2018 | | 62158 | 75H3712 | TERR | 269 49 5 | 175.347 | 175.419 |
| | | | | | | 253351 | 77H6750 | TERR | 359 13 41 | 161.355 | 161.422 |
| 348979 | 76H3785 | E | 498809.398 | 0.9995892 | 0.9999891 | 420141 | 77H6759 | TERR | 10 12 49 | 99.571 | 99.612 |
| | | N | 5458713.674 | | | 809731 | 76H3786 | TERR | 90 51 51 | 167.691 | 167.760 |
| | | El | 87.994 | CVD28GVRD2018 | | 159053 | 77H6758 | TERR | 172 39 33 | 119.204 | 119.254 |
| | | | | | | 354936 | 76H3784 | TERR | 263 10 54 | 170.189 | 170.259 |
| 809731 | 76H3786 | E | 498977.070 | 0.9995890 | 0.9999890 | 888636 | 76H3787 | TERR | 90 18 17 | 184.405 | 184.480 |
| | | N | 5458711.145 | | | 105809 | 77H6761 | TERR | 180 34 31 | 117.207 | 117.255 |
| | | El | 88.764 | CVD28GVRD2018 | | 348979 | 76H3785 | TERR | 270 51 51 | 167.691 | 167.760 |
| 888636 | 76H3787 | E | 499161.472 | 0.9995892 | 0.9999891 | 637611 | 79H9656 | TERR | 90 19 34 | 201.073 | 201.157 |
| | | N | 5458710.164 | | | 588715 | 77H6774 | TERR | 173 3 52 | 119.268 | 119.316 |
| | | El | 87.965 | CVD28GVRD2018 | | 809731 | 76H3786 | TERR | 270 18 17 | 184.405 | 184.480 |
| 964049 | 76H3788 | E | 499563.283 | 0.9995900 | 0.9999900 | 524231 | 76H3789 | TERR | 90 9 28 | 218.331 | 218.420 |
| | | N | 5458708.759 | | | 344184 | 77H6787 | TERR | 180 8 52 | 120.521 | 120.571 |
| | | El | 82.552 | CVD28GVRD2018 | | 637611 | 79H9656 | TERR | 270 4 28 | 200.741 | 200.823 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 524231 | 76H3789 | E | 499781.613 | 0.9995908 | 0.9999908 | 947416 | 76H3794 | TERR | 0 39 34 | 187.135 | 187.212 |
| | | N | 5458708.158 | | | 318147 | 77H6799 | TERR | 90 38 47 | 192.707 | 192.786 |
| | | El | 77.393 | CVD28GVRD2018 | | 108506 | 310 | TERR | 187 40 51 | 125.923 | 125.974 |
| | | | | | | 964049 | 76H3788 | TERR | 270 9 28 | 218.331 | 218.420 |
| 697078 | 76H3790 | E | 500191.599 | 0.9995898 | 0.9999898 | 403469 | 76H3791 | TERR | 90 16 28 | 192.673 | 192.752 |
| | | N | 5458704.730 | | | 32482 | 79H9660 | TERR | 180 41 37 | 122.694 | 122.744 |
| | | El | 83.521 | CVD28GVRD2018 | | 318147 | 77H6799 | TERR | 270 19 50 | 217.295 | 217.384 |
| 403469 | 76H3791 | E | 500384.270 | 0.9995886 | 0.9999885 | 548743 | 76H3795 | TERR | 0 27 53 | 380.831 | 380.988 |
| | | N | 5458703.807 | | | 370791 | 79H9654 | TERR | 107 25 35 | 116.308 | 116.356 |
| | | El | 91.717 | CVD28GVRD2018 | | 697078 | 76H3790 | TERR | 270 16 28 | 192.673 | 192.752 |
| 772657 | 76H3792 | E | 498976.187 | 0.9995885 | 0.9999884 | 265041 | 76H3793 | TERR | 90 35 0 | 196.022 | 196.103 |
| | | N | 5458903.273 | | | 654582 | 75H3723 | TERR | 359 55 12 | 301.788 | 301.913 |
| | | El | 92.403 | CVD28GVRD2018 | | | | | | | |
| 265041 | 76H3793 | E | 499172.199 | 0.9995889 | 0.9999889 | 993162 | 75H3724 | TERR | 0 52 2 | 301.677 | 301.800 |
| | | N | 5458901.277 | | | 23655 | 77H6780 | TERR | 92 3 21 | 192.860 | 192.939 |
| | | El | 89.601 | CVD28GVRD2018 | | 772657 | 76H3792 | TERR | 270 35 0 | 196.022 | 196.103 |
| 947416 | 76H3794 | E | 499783.767 | 0.9995914 | 0.9999914 | 524231 | 76H3789 | TERR | 180 39 34 | 187.135 | 187.212 |
| | | N | 5458895.281 | | | 23655 | 77H6780 | TERR | 269 52 25 | 418.833 | 419.005 |
| | | El | 73.596 | CVD28GVRD2018 | | | | | | | |
| 548743 | 76H3795 | E | 500387.358 | 0.9995872 | 0.9999871 | 403469 | 76H3791 | TERR | 180 27 53 | 380.831 | 380.988 |
| | | N | 5459084.625 | | | | | | | | |
| | | El | 100.637 | CVD28GVRD2018 | | | | | | | |
| 134122 | 76H3796 | E | 500391.456 | 0.9995866 | 0.9999866 | MARKER DESTROYED | | | | | |
| | | N | 5459291.558 | | | | | | | | |
| | | El | 103.966 | CVD28GVRD2018 | | | | | | | |
| 249862 | 76H3797 | E | 500393.300 | 0.9995874 | 0.9999874 | 658013 | 75H3727 | TERR | 356 37 52 | 126.234 | 126.287 |
| | | N | 5459439.062 | | | | | | | | |
| | | El | 99.069 | CVD28GVRD2018 | | | | | | | |

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|
| 781286 | 76H3798 | E 507676.753 | 0.9995926 | 0.9999919 | 253179 | 75H3758 | TERR | 0 0 50 | 328.367 | 328.499 |
| | | N 5459354.047 | | | 403725 | 75H3765 | TERR | 169 1 28 | 71.338 | 71.368 |
| | | El 70.031 | CVD28GVRD2018 | | | | | | | |
| 658575 | 76H3799 | E 507725.823 | 0.9995796 | 0.9999788 | 166728 | 75H3769 | TERR | 177 14 10 | 190.891 | 190.971 |
| | | N 5458412.145 | | | 471268 | 75H3767 | TERR | 358 17 1 | 145.308 | 145.369 |
| | | El 153.693 | CVD28GVRD2018 | | | | | | | |
| 126417 | 76H3800 | E 500590.388 | 0.9995818 | 0.9999818 | MARKER DESTROYED | | | | | |
| | | N 5459291.453 | | | | | | | | |
| | | El 134.874 | CVD28GVRD2018 | | | | | | | |
| 369850 | 77H5771 | E 498649.200 | 0.9995945 | 0.9999945 | 845412 | 75H3432 | TERR | 89 48 4 | 313.374 | 313.502 |
| | | N 5458098.770 | | | 661942 | 77H6752 | TERR | 180 50 0 | 100.653 | 100.693 |
| | | El 53.882 | CVD28GVRD2018 | | 254466 | 75H3431 | TERR | 270 58 34 | 185.991 | 186.066 |
| | | | | | 474189 | 76H3776 | TERR | 358 47 25 | 308.485 | 308.610 |
| 217448 | 77H5772 | E 501302.336 | 0.9995776 | 0.9999776 | 828855 | 77H5788 | TERR | 273 57 48 | 106.080 | 106.125 |
| | | N 5459062.798 | | | | | | | | |
| | | El 161.680 | CVD28GVRD2018 | | | | | | | |
| 125443 | 77H5773 | E 501589.829 | 0.9995834 | 0.9999834 | 662924 | 77H5800 | TERR | 0 56 45 | 117.469 | 117.518 |
| | | N 5459185.742 | | | 345660 | 77H5795 | TERR | 177 43 27 | 124.698 | 124.750 |
| | | El 124.486 | CVD28GVRD2018 | | | | | | | |
| 126201 | 77H5774 | E 500697.013 | 0.9995782 | 0.9999782 | MARKER DESTROYED | | | | | |
| | | N 5459288.233 | | | | | | | | |
| | | El 157.643 | CVD28GVRD2018 | | | | | | | |
| 377788 | 77H5775 | E 500799.355 | 0.9995755 | 0.9999755 | MARKER DESTROYED | | | | | |
| | | N 5459294.176 | | | | | | | | |
| | | El 175.205 | CVD28GVRD2018 | | | | | | | |
| 431999 | 77H5776 | E 500899.898 | 0.9995742 | 0.9999742 | 917468 | 77H5785 | TERR | 91 47 38 | 200.112 | 200.197 |
| | | N 5459290.720 | | | | | | | | |
| | | El 183.201 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 137968 | 77H5777 | E | 500694.040 | 0.9995800 | 0.9999799 | 627083 | 77H5778 | TERR | 91 56 50 | 100.235 | 100.277 |
| | | N | 5459083.941 | | | 655217 | 77H5782 | TERR | 181 43 37 | 209.013 | 209.101 |
| | | El | 146.599 | CVD28GVRD2018 | | | | | | | |
| 627083 | 77H5778 | E | 500794.217 | 0.9995786 | 0.9999785 | 10520 | 77H5779 | TERR | 91 26 9 | 199.624 | 199.708 |
| | | N | 5459080.535 | | | 137968 | 77H5777 | TERR | 271 56 50 | 100.235 | 100.277 |
| | | El | 155.528 | CVD28GVRD2018 | | | | | | | |
| 10520 | 77H5779 | E | 500993.778 | 0.9995765 | 0.9999765 | 476259 | 77H5787 | TERR | 91 37 25 | 100.550 | 100.593 |
| | | N | 5459075.533 | | | 627083 | 77H5778 | TERR | 271 26 9 | 199.624 | 199.708 |
| | | El | 168.838 | CVD28GVRD2018 | | | | | | | |
| 88211 | 77H5780 | E | 500988.287 | 0.9995784 | 0.9999784 | MARKER DESTROYED | | | | | |
| | | N | 5458871.298 | | | | | | | | |
| | | El | 156.600 | CVD28GVRD2018 | | | | | | | |
| 877159 | 77H5781 | E | 500787.535 | 0.9995802 | 0.9999802 | MARKER DESTROYED | | | | | |
| | | N | 5458873.725 | | | | | | | | |
| | | El | 145.248 | CVD28GVRD2018 | | | | | | | |
| 655217 | 77H5782 | E | 500687.741 | 0.9995817 | 0.9999817 | 137968 | 77H5777 | TERR | 1 43 37 | 209.013 | 209.101 |
| | | N | 5458875.023 | | | 395756 | 77H5783 | TERR | 180 21 5 | 131.392 | 131.446 |
| | | El | 135.454 | CVD28GVRD2018 | | | | | | | |
| 395756 | 77H5783 | E | 500686.935 | 0.9995832 | 0.9999832 | 655217 | 77H5782 | TERR | 0 21 5 | 131.392 | 131.446 |
| | | N | 5458743.634 | | | | | | | | |
| | | El | 126.065 | CVD28GVRD2018 | | | | | | | |
| 98913 | 77H5784 | E | 500690.379 | 0.9995860 | 0.9999860 | MARKER DESTROYED | | | | | |
| | | N | 5458614.085 | | | | | | | | |
| | | El | 108.127 | CVD28GVRD2018 | | | | | | | |
| 917468 | 77H5785 | E | 501099.912 | 0.9995728 | 0.9999727 | 791327 | 77H5786 | TERR | 88 46 2 | 105.979 | 106.025 |
| | | N | 5459284.456 | | | 476259 | 77H5787 | TERR | 181 31 16 | 211.847 | 211.937 |
| | | El | 192.510 | CVD28GVRD2018 | | 431999 | 77H5776 | TERR | 271 47 38 | 200.112 | 200.197 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 791327 | 77H5786 | E | 501205.866 | 0.9995729 | 0.9999728 | 828855 | 77H5788 | TERR | 182 28 24 | 216.808 | 216.900 |
| | | N | 5459286.736 | | | 917468 | 77H5785 | TERR | 268 46 2 | 105.979 | 106.025 |
| | | El | 191.992 | CVD28GVRD2018 | | | | | | | |
| 476259 | 77H5787 | E | 501094.288 | 0.9995757 | 0.9999757 | 917468 | 77H5785 | TERR | 1 31 16 | 211.847 | 211.937 |
| | | N | 5459072.684 | | | 828855 | 77H5788 | TERR | 91 25 52 | 102.254 | 102.297 |
| | | El | 173.846 | CVD28GVRD2018 | | 10520 | 77H5779 | TERR | 271 37 25 | 100.550 | 100.593 |
| 828855 | 77H5788 | E | 501196.510 | 0.9995757 | 0.9999757 | 791327 | 77H5786 | TERR | 2 28 24 | 216.808 | 216.900 |
| | | N | 5459070.130 | | | 217448 | 77H5772 | TERR | 93 57 48 | 106.080 | 106.125 |
| | | El | 173.629 | CVD28GVRD2018 | | 476259 | 77H5787 | TERR | 271 25 52 | 102.254 | 102.297 |
| 282327 | 77H5789 | E | 501066.027 | 0.9995779 | 0.9999779 | 830273 | 77H5790 | TERR | 90 1 12 | 123.287 | 123.339 |
| | | N | 5458869.490 | | | | | | | | |
| | | El | 159.615 | CVD28GVRD2018 | | | | | | | |
| 830273 | 77H5790 | E | 501189.314 | 0.9995779 | 0.9999778 | 282327 | 77H5789 | TERR | 270 1 12 | 123.287 | 123.339 |
| | | N | 5458869.447 | | | | | | | | |
| | | El | 160.096 | CVD28GVRD2018 | | | | | | | |
| 389544 | 77H5791 | E | 501289.625 | 0.9995791 | 0.9999791 | MARKER DESTROYED | | | | | |
| | | N | 5458872.167 | | | | | | | | |
| | | El | 151.952 | CVD28GVRD2018 | | | | | | | |
| 743898 | 77H5792 | E | 501590.053 | 0.9995840 | 0.9999840 | 345660 | 77H5795 | TERR | 1 23 50 | 193.900 | 193.980 |
| | | N | 5458867.300 | | | 121038 | 77H5793 | TERR | 89 46 9 | 195.345 | 195.426 |
| | | El | 120.639 | CVD28GVRD2018 | | | | | | | |
| 121038 | 77H5793 | E | 501785.396 | 0.9995853 | 0.9999853 | 75069 | 77H5794 | TERR | 4 24 42 | 184.461 | 184.537 |
| | | N | 5458868.087 | | | 604926 | 79H9649 | TERR | 182 13 25 | 151.187 | 151.250 |
| | | El | 112.666 | CVD28GVRD2018 | | 743898 | 77H5792 | TERR | 269 46 9 | 195.345 | 195.426 |
| 75069 | 77H5794 | E | 501799.585 | 0.9995860 | 0.9999859 | 121038 | 77H5793 | TERR | 184 24 42 | 184.461 | 184.537 |
| | | N | 5459052.001 | | | 345660 | 77H5795 | TERR | 272 33 20 | 205.008 | 205.093 |
| | | El | 108.481 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 345660 | 77H5795 | E | 501594.781 | 0.9995836 | 0.9999835 | 75069 | 77H5794 | TERR | 92 33 20 | 205.008 | 205.093 |
| | | N | 5459061.142 | | | 743898 | 77H5792 | TERR | 181 23 50 | 193.900 | 193.980 |
| | | El | 123.561 | CVD28GVRD2018 | | 783092 | 77H5796 | TERR | 271 0 15 | 99.857 | 99.899 |
| | | | | | | 125443 | 77H5773 | TERR | 357 43 27 | 124.698 | 124.750 |
| 783092 | 77H5796 | E | 501494.939 | 0.9995817 | 0.9999817 | 528133 | 77H5797 | TERR | 1 12 41 | 150.987 | 151.050 |
| | | N | 5459062.892 | | | 345660 | 77H5795 | TERR | 91 0 15 | 99.857 | 99.899 |
| | | El | 135.401 | CVD28GVRD2018 | | | | | | | |
| 528133 | 77H5797 | E | 501498.131 | 0.9995810 | 0.9999810 | 589895 | 79H9657 | TERR | 5 10 24 | 100.046 | 100.087 |
| | | N | 5459213.845 | | | 783092 | 77H5796 | TERR | 181 12 41 | 150.987 | 151.050 |
| | | El | 139.842 | CVD28GVRD2018 | | 679258 | 77H5798 | TERR | 324 21 34 | 155.771 | 155.836 |
| 679258 | 77H5798 | E | 501407.364 | 0.9995787 | 0.9999787 | 528133 | 77H5797 | TERR | 144 21 34 | 155.771 | 155.836 |
| | | N | 5459340.438 | | | | | | | | |
| | | El | 154.710 | CVD28GVRD2018 | | | | | | | |
| 374298 | 77H5799 | E | 501490.517 | 0.9995819 | 0.9999819 | 662924 | 77H5800 | TERR | 132 7 25 | 136.512 | 136.570 |
| | | N | 5459394.758 | | | 589895 | 79H9657 | TERR | 168 25 58 | 82.960 | 82.996 |
| | | El | 134.048 | CVD28GVRD2018 | | | | | | | |
| 662924 | 77H5800 | E | 501591.768 | 0.9995839 | 0.9999839 | 125443 | 77H5773 | TERR | 180 56 45 | 117.469 | 117.518 |
| | | N | 5459303.195 | | | 374298 | 77H5799 | TERR | 312 7 25 | 136.512 | 136.570 |
| | | El | 121.531 | CVD28GVRD2018 | | | | | | | |
| 970707 | 77H6727 | E | 498319.069 | 0.9995908 | 0.9999908 | MARKER DESTROYED | | | | | |
| | | N | 5459808.073 | | | | | | | | |
| | | El | 77.312 | CVD28GVRD2018 | | | | | | | |
| 272328 | 77H6728 | E | 498318.036 | 0.9995892 | 0.9999892 | MARKER DESTROYED | | | | | |
| | | N | 5459710.524 | | | | | | | | |
| | | El | 87.762 | CVD28GVRD2018 | | | | | | | |
| 138008 | 77H6729 | E | 498316.939 | 0.9995883 | 0.9999882 | 630806 | 77H6730 | TERR | 180 38 52 | 211.355 | 211.441 |
| | | N | 5459620.267 | | | | | | | | |
| | | El | 93.642 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 630806 | 77H6730 | E | 498314.550 | 0.9995884 | 0.9999884 | 138008 | 77H6729 | TERR | 0 38 52 | 211.355 | 211.441 |
| | | N | 5459408.926 | | | 769125 | 75H3715 | TERR | 87 44 57 | 166.147 | 166.216 |
| | | El | 92.739 | CVD28GVRD2018 | | | | | | | |
| 434050 | 77H6731 | E | 498312.184 | 0.9995886 | 0.9999885 | MARKER DESTROYED | | | | | |
| | | N | 5459206.546 | | | | | | | | |
| | | El | 91.799 | CVD28GVRD2018 | | | | | | | |
| 833947 | 77H6732 | E | 498310.106 | 0.9995890 | 0.9999890 | 73023 | 77H6733 | TERR | 180 43 41 | 117.015 | 117.064 |
| | | N | 5459020.111 | | | 909606 | 2 | TERR | 184 10 35 | 136.226 | 136.282 |
| | | El | 89.029 | CVD28GVRD2018 | | 770776 | V-1508 | TERR | 267 37 5 | 361.439 | 361.587 |
| 73023 | 77H6733 | E | 498308.619 | 0.9995892 | 0.9999891 | 833947 | 77H6732 | TERR | 0 43 41 | 117.015 | 117.064 |
| | | N | 5458903.105 | | | 377937 | 77H6734 | TERR | 180 29 31 | 86.539 | 86.574 |
| | | El | 88.084 | CVD28GVRD2018 | | 753582 | V-3642 | TERR | 201 53 27 | 90.701 | 90.738 |
| 377937 | 77H6734 | E | 498307.876 | 0.9995902 | 0.9999901 | 73023 | 77H6733 | TERR | 0 29 31 | 86.539 | 86.574 |
| | | N | 5458816.569 | | | 730887 | 77H6735 | TERR | 179 32 28 | 121.385 | 121.434 |
| | | El | 81.549 | CVD28GVRD2018 | | 909606 | 2 | TERR | 353 30 60 | 68.114 | 68.141 |
| 348128 | 77H6736 | E | 498307.041 | 0.9995941 | 0.9999940 | 730887 | 77H6735 | TERR | 1 12 33 | 85.627 | 85.662 |
| | | N | 5458609.580 | | | 712539 | 77H6737 | TERR | 180 19 39 | 196.239 | 196.319 |
| | | El | 56.702 | CVD28GVRD2018 | | 642199 | V-3608 | TERR | 188 32 56 | 138.462 | 138.518 |
| 712539 | 77H6737 | E | 498305.919 | 0.9995966 | 0.9999965 | 348128 | 77H6736 | TERR | 0 19 39 | 196.239 | 196.319 |
| | | N | 5458413.344 | | | 208272 | 75H3711 | TERR | 91 6 42 | 164.166 | 164.232 |
| | | El | 40.755 | CVD28GVRD2018 | | 602029 | 77H6738 | TERR | 180 6 53 | 302.089 | 302.210 |
| | | | | | | 642199 | V-3608 | TERR | 341 50 5 | 62.423 | 62.449 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 602029 | 77H6738 | E | 498305.314 | 0.9995983 | 0.9999982 | 712539 | 77H6737 | TERR | 0 6 53 | 302.089 | 302.210 |
| | | N | 5458111.256 | | | 671263 | 75H3732 | GPS | 56 0 56 | 3237.123 | 3238.427 |
| | | El | 30.004 | CVD28GVRD2018 | | 254466 | 75H3431 | TERR | 93 22 36 | 158.197 | 158.261 |
| | | | | | | 927004 | 77H6805 | GPS | 94 43 31 | 1885.553 | 1886.315 |
| | | | | | | 898734 | NO MARKING | GPS | 128 0 34 | 15090.809 | 15096.951 |
| | | | | | | 325001 | 78H6944 | GPS | 180 13 9 | 2150.092 | 2150.961 |
| | | | | | | 220145 | 78H6942 | TERR | 180 14 28 | 606.306 | 606.550 |
| | | | | | | 299792 | 77H6739 | TERR | 180 16 9 | 405.862 | 406.024 |
| | | | | | | 740613 | V-3639 | TERR | 185 34 42 | 180.242 | 180.314 |
| | | | | | | 73817 | V-1422 | TERR | 185 37 44 | 358.766 | 358.910 |
| | | | | | | 47209 | v-4217 | GPS | 193 3 11 | 7913.378 | 7916.541 |
| | | | | | | 621854 | v-4011 | GPS | 249 29 12 | 2572.575 | 2573.615 |
| | | | | | | 875864 | NO MARKING | GPS | 270 2 52 | 4802.833 | 4804.762 |
| | | | | | | 476242 | v-4261 | GPS | 284 42 58 | 8413.926 | 8417.287 |
| 299792 | 77H6739 | E | 498303.407 | 0.9996000 | 0.9999999 | 602029 | 77H6738 | TERR | 0 16 9 | 405.862 | 406.024 |
| | | N | 5457705.399 | | | 702696 | 78H6955 | TERR | 90 16 46 | 337.818 | 337.953 |
| | | El | 19.085 | CVD28GVRD2018 | | 220145 | 78H6942 | TERR | 180 11 3 | 200.445 | 200.526 |
| | | | | | | 740613 | V-3639 | TERR | 356 3 21 | 227.007 | 227.097 |
| 133553 | 77H6740 | E | 498302.042 | 0.9996002 | 1.0000001 | 220145 | 78H6942 | TERR | 0 12 52 | 192.594 | 192.671 |
| | | N | 5457312.362 | | | 182451 | 78H6954 | TERR | 91 51 14 | 337.752 | 337.887 |
| | | El | 17.977 | CVD28GVRD2018 | | 567610 | 78H6943 | TERR | 180 13 44 | 642.484 | 642.741 |
| | | | | | | 717504 | 3 | TERR | 182 59 58 | 309.170 | 309.293 |
| 909838 | 77H6741 | E | 498491.230 | 0.9995908 | 0.9999908 | MARKER DESTROYED | | | | | |
| | | N | 5459809.049 | | | | | | | | |
| | | El | 77.271 | CVD28GVRD2018 | | | | | | | |
| 27169 | 77H6742 | E | 498489.298 | 0.9995885 | 0.9999885 | MARKER ISOLATED | | | | | |
| | | N | 5459705.726 | | | | | | | | |
| | | El | 91.898 | CVD28GVRD2018 | | | | | | | |
| 191049 | 77H6743 | E | 498486.247 | 0.9995863 | 0.9999863 | 769125 | 75H3715 | TERR | 183 33 47 | 91.365 | 91.402 |
| | | N | 5459506.639 | | | | | | | | |
| | | El | 106.167 | CVD28GVRD2018 | | | | | | | |
| 467779 | 77H6744 | E | 498488.523 | 0.9995870 | 0.9999870 | MARKER DESTROYED | | | | | |
| | | N | 5459620.003 | | | | | | | | |
| | | El | 101.771 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 587261 | 77H6745 | E | 498466.770 | 0.9995919 | 0.9999919 | 208272 | 75H3711 | TERR | 179 0 24 | 189.438 | 189.515 |
| | | N | 5458599.568 | | | 62158 | 75H3712 | TERR | 358 57 17 | 93.360 | 93.398 |
| | | El | 70.425 | CVD28GVRD2018 | | | | | | | |
| 122911 | 77H6746 | E | 498465.467 | 0.9995948 | 0.9999948 | 208272 | 75H3711 | TERR | 2 25 31 | 108.399 | 108.443 |
| | | N | 5458301.857 | | | 254466 | 75H3431 | TERR | 180 38 22 | 199.931 | 200.012 |
| | | El | 51.874 | CVD28GVRD2018 | | | | | | | |
| 951400 | 77H6747 | E | 498649.711 | 0.9995912 | 0.9999912 | MARKER DESTROYED | | | | | |
| | | N | 5459807.666 | | | | | | | | |
| | | El | 74.901 | CVD28GVRD2018 | | | | | | | |
| 782086 | 77H6748 | E | 498641.516 | 0.9995874 | 0.9999874 | 715268 | 77H6749 | TERR | 180 21 41 | 202.754 | 202.838 |
| | | N | 5459202.544 | | | 445718 | 75H3714 | TERR | 273 2 7 | 163.245 | 163.313 |
| | | El | 99.102 | CVD28GVRD2018 | | | | | | | |
| 715268 | 77H6749 | E | 498640.237 | 0.9995877 | 0.9999877 | 782086 | 77H6748 | TERR | 0 21 41 | 202.754 | 202.838 |
| | | N | 5458999.794 | | | 431510 | 77H6756 | TERR | 90 40 18 | 188.830 | 188.908 |
| | | El | 97.087 | CVD28GVRD2018 | | 253351 | 77H6750 | TERR | 180 47 22 | 144.999 | 145.058 |
| 253351 | 77H6750 | E | 498638.239 | 0.9995877 | 0.9999877 | 715268 | 77H6749 | TERR | 0 47 22 | 144.999 | 145.058 |
| | | N | 5458854.809 | | | 354936 | 76H3784 | TERR | 179 13 41 | 161.355 | 161.422 |
| | | El | 97.201 | CVD28GVRD2018 | | | | | | | |
| 700377 | 77H6751 | E | 498639.921 | 0.9995978 | 0.9999978 | 702696 | 78H6955 | TERR | 0 22 13 | 201.148 | 201.230 |
| | | N | 5457502.608 | | | 182451 | 78H6954 | TERR | 180 5 12 | 201.172 | 201.253 |
| | | El | 33.079 | CVD28GVRD2018 | | | | | | | |
| 661942 | 77H6752 | E | 498647.736 | 0.9995957 | 0.9999956 | 369850 | 77H5771 | TERR | 0 50 0 | 100.653 | 100.693 |
| | | N | 5457998.128 | | | 702696 | 78H6955 | TERR | 181 16 4 | 294.448 | 294.567 |
| | | El | 46.518 | CVD28GVRD2018 | | | | | | | |
| 224386 | 77H6753 | E | 498829.120 | 0.9995928 | 0.9999928 | MARKER ISOLATED | | | | | |
| | | N | 5459813.956 | | | | | | | | |
| | | El | 64.690 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 274001 | 77H6754 | E | 498833.792 | 0.9995875 | 0.9999875 | 592766 | 77H6755 | TERR | 1 10 8 | 100.051 | 100.092 |
| | | N | 5459513.545 | | | 480848 | 75H3716 | TERR | 184 24 15 | 106.014 | 106.058 |
| | | El | 98.291 | CVD28GVRD2018 | | | | | | | |
| 592766 | 77H6755 | E | 498835.833 | 0.9995888 | 0.9999888 | 7237 | 75H3721 | TERR | 92 42 3 | 146.831 | 146.892 |
| | | N | 5459613.575 | | | 274001 | 77H6754 | TERR | 181 10 8 | 100.051 | 100.092 |
| | | El | 89.903 | CVD28GVRD2018 | | | | | | | |
| 431510 | 77H6756 | E | 498829.054 | 0.9995882 | 0.9999882 | 420141 | 77H6759 | TERR | 180 36 59 | 185.924 | 186.000 |
| | | N | 5458997.580 | | | 715268 | 77H6749 | TERR | 270 40 18 | 188.830 | 188.908 |
| | | El | 94.241 | CVD28GVRD2018 | | | | | | | |
| 787077 | 77H6757 | E | 498830.994 | 0.9995876 | 0.9999876 | MARKER DESTROYED | | | | | |
| | | N | 5459201.473 | | | | | | | | |
| | | El | 98.011 | CVD28GVRD2018 | | | | | | | |
| 159053 | 77H6758 | E | 498824.629 | 0.9995900 | 0.9999900 | 105809 | 77H6761 | TERR | 90 34 9 | 151.272 | 151.333 |
| | | N | 5458595.447 | | | 348979 | 76H3785 | TERR | 352 39 33 | 119.204 | 119.254 |
| | | El | 82.621 | CVD28GVRD2018 | | | | | | | |
| 420141 | 77H6759 | E | 498827.054 | 0.9995886 | 0.9999886 | 431510 | 77H6756 | TERR | 0 36 59 | 185.924 | 186.000 |
| | | N | 5458811.667 | | | 348979 | 76H3785 | TERR | 190 12 49 | 99.571 | 99.612 |
| | | El | 91.451 | CVD28GVRD2018 | | | | | | | |
| 14761 | 77H6760 | E | 498972.280 | 0.9995890 | 0.9999890 | 7237 | 75H3721 | TERR | 6 7 55 | 95.687 | 95.725 |
| | | N | 5459511.517 | | | 884320 | 75H3717 | TERR | 176 2 4 | 105.742 | 105.786 |
| | | El | 88.787 | CVD28GVRD2018 | | | | | | | |
| 105809 | 77H6761 | E | 498975.893 | 0.9995897 | 0.9999897 | 809731 | 76H3786 | TERR | 0 34 31 | 117.207 | 117.255 |
| | | N | 5458593.944 | | | 55665 | 77H6762 | TERR | 180 47 43 | 100.156 | 100.197 |
| | | El | 84.560 | CVD28GVRD2018 | | 159053 | 77H6758 | TERR | 270 34 9 | 151.272 | 151.333 |
| 55665 | 77H6762 | E | 498974.503 | 0.9995903 | 0.9999903 | 105809 | 77H6761 | TERR | 0 47 43 | 100.156 | 100.197 |
| | | N | 5458493.798 | | | | | | | | |
| | | El | 80.593 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 356261 | 77H6763 | E | 498970.493 | 0.9995904 | 0.9999903 | 845412 | 75H3432 | TERR | 184 47 7 | 94.951 | 94.991 |
| | | N | 5458194.478 | | | | | | | | |
| | | El | 80.334 | CVD28GVRD2018 | | | | | | | |
| 363770 | 77H6764 | E | 498962.345 | 0.9995923 | 0.9999923 | 845412 | 75H3432 | TERR | 0 3 57 | 197.440 | 197.521 |
| | | N | 5457902.418 | | | 516427 | 77H6783 | TERR | 91 2 0 | 399.791 | 399.954 |
| | | El | 67.803 | CVD28GVRD2018 | | 490565 | 77H6769 | TERR | 179 55 56 | 198.994 | 199.075 |
| 874461 | 77H6765 | E | 498953.728 | 0.9995982 | 0.9999982 | 854026 | 77H6766 | TERR | 179 58 5 | 102.533 | 102.575 |
| | | N | 5457291.829 | | | | | | | | |
| | | El | 30.333 | CVD28GVRD2018 | | | | | | | |
| 854026 | 77H6766 | E | 498953.785 | 0.9995987 | 0.9999986 | 69757 | 77H6767 | TERR | 180 5 7 | 132.989 | 133.042 |
| | | N | 5457189.296 | | | 874461 | 77H6765 | TERR | 359 58 5 | 102.533 | 102.575 |
| | | El | 27.448 | CVD28GVRD2018 | | | | | | | |
| 69757 | 77H6767 | E | 498953.587 | 0.9995999 | 0.9999999 | 854026 | 77H6766 | TERR | 0 5 7 | 132.989 | 133.042 |
| | | N | 5457056.307 | | | 928275 | 81H4597 | TERR | 89 2 7 | 408.892 | 409.056 |
| | | El | 19.699 | CVD28GVRD2018 | | 927970 | 81H4590 | TERR | 175 21 49 | 205.980 | 206.062 |
| | | | | | | 522482 | 81H4598 | TERR | 260 27 31 | 288.790 | 288.905 |
| 790279 | 77H6768 | E | 499272.642 | 0.9995966 | 0.9999966 | 666123 | 79H9659 | TERR | 88 45 31 | 282.558 | 282.672 |
| | | N | 5457240.867 | | | 2170 | 77H6771 | TERR | 294 9 54 | 150.870 | 150.931 |
| | | El | 40.555 | CVD28GVRD2018 | | | | | | | |
| 490565 | 77H6769 | E | 498962.580 | 0.9995942 | 0.9999942 | 372599 | 77H6770 | TERR | 179 57 34 | 204.231 | 204.314 |
| | | N | 5457703.424 | | | 363770 | 77H6764 | TERR | 359 55 56 | 198.994 | 199.075 |
| | | El | 55.895 | CVD28GVRD2018 | | | | | | | |
| 372599 | 77H6770 | E | 498962.725 | 0.9995961 | 0.9999961 | 765511 | 77H6772 | TERR | 92 9 33 | 101.654 | 101.695 |
| | | N | 5457499.193 | | | 2170 | 77H6771 | TERR | 138 46 8 | 261.370 | 261.475 |
| | | El | 43.870 | CVD28GVRD2018 | | 490565 | 77H6769 | TERR | 359 57 34 | 204.231 | 204.314 |
| 2170 | 77H6771 | E | 499134.993 | 0.9995959 | 0.9999959 | 790279 | 77H6768 | TERR | 114 9 54 | 150.870 | 150.931 |
| | | N | 5457302.628 | | | 372599 | 77H6770 | TERR | 318 46 8 | 261.370 | 261.475 |
| | | El | 44.896 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 765511 | 77H6772 | E | 499064.307 | 0.9995962 | 0.9999962 | 372599 | 77H6770 | TERR | 272 9 33 | 101.654 | 101.695 |
| | | N | 5457495.363 | | | | | | | | |
| | | El | 42.827 | CVD28GVRD2018 | | | | | | | |
| 677500 | 77H6773 | E | 499170.187 | 0.9995914 | 0.9999914 | 297150 | 77H6782 | TERR | 90 30 52 | 200.360 | 200.443 |
| | | N | 5458090.290 | | | 831024 | 76H3778 | TERR | 359 34 57 | 308.494 | 308.620 |
| | | El | 73.382 | CVD28GVRD2018 | | | | | | | |
| 588715 | 77H6774 | E | 499175.874 | 0.9995895 | 0.9999895 | 344184 | 77H6787 | TERR | 90 31 21 | 387.114 | 387.272 |
| | | N | 5458591.769 | | | 831024 | 76H3778 | TERR | 182 21 16 | 193.156 | 193.236 |
| | | El | 85.767 | CVD28GVRD2018 | | 888636 | 76H3787 | TERR | 353 3 52 | 119.268 | 119.316 |
| 101949 | 77H6775 | E | 499184.820 | 0.9995935 | 0.9999935 | 309542 | 75H3718 | TERR | 180 52 45 | 298.713 | 298.834 |
| | | N | 5459702.456 | | | | | | | | |
| | | El | 60.340 | CVD28GVRD2018 | | | | | | | |
| 659615 | 77H6776 | E | 499372.825 | 0.9995922 | 0.9999922 | MARKER DESTROYED | | | | | |
| | | N | 5459393.356 | | | | | | | | |
| | | El | 68.292 | CVD28GVRD2018 | | | | | | | |
| 319228 | 77H6777 | E | 499371.488 | 0.9995910 | 0.9999910 | MARKER ISOLATED | | | | | |
| | | N | 5459296.226 | | | | | | | | |
| | | El | 76.238 | CVD28GVRD2018 | | | | | | | |
| 764670 | 77H6778 | E | 499369.707 | 0.9995902 | 0.9999902 | MARKER DESTROYED | | | | | |
| | | N | 5459195.165 | | | | | | | | |
| | | El | 81.183 | CVD28GVRD2018 | | | | | | | |
| 622167 | 77H6779 | E | 499366.637 | 0.9995899 | 0.9999899 | 23655 | 77H6780 | TERR | 180 58 12 | 100.525 | 100.566 |
| | | N | 5458994.869 | | | | | | | | |
| | | El | 83.355 | CVD28GVRD2018 | | | | | | | |
| 23655 | 77H6780 | E | 499364.935 | 0.9995898 | 0.9999898 | 622167 | 77H6779 | TERR | 0 58 12 | 100.525 | 100.566 |
| | | N | 5458894.358 | | | 947416 | 76H3794 | TERR | 89 52 25 | 418.833 | 419.005 |
| | | El | 83.848 | CVD28GVRD2018 | | 637611 | 79H9656 | TERR | 180 44 23 | 185.353 | 185.430 |
| | | | | | | 265041 | 76H3793 | TERR | 272 3 21 | 192.860 | 192.939 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 297150 | 77H6782 | E | 499370.539 | 0.9995907 | 0.9999907 | 999243 | 75H3433 | TERR | 78 7 15 | 58.908 | 58.932 |
| | | N | 5458088.491 | | | 516427 | 77H6783 | TERR | 182 30 31 | 193.468 | 193.548 |
| | | El | 78.158 | CVD28GVRD2018 | | 677500 | 77H6773 | TERR | 270 30 52 | 200.360 | 200.443 |
| 516427 | 77H6783 | E | 499362.071 | 0.9995912 | 0.9999912 | 297150 | 77H6782 | TERR | 2 30 31 | 193.468 | 193.548 |
| | | N | 5457895.208 | | | 254136 | 77H6790 | TERR | 90 38 47 | 202.505 | 202.588 |
| | | El | 75.138 | CVD28GVRD2018 | | 957977 | 77H6784 | TERR | 179 45 1 | 199.829 | 199.911 |
| | | | | | | 363770 | 77H6764 | TERR | 271 2 0 | 399.791 | 399.954 |
| 957977 | 77H6784 | E | 499362.942 | 0.9995916 | 0.9999916 | 27730 | 77H6791 | TERR | 93 16 39 | 196.097 | 196.177 |
| | | N | 5457695.381 | | | 441410 | 77H6785 | TERR | 180 18 34 | 201.420 | 201.502 |
| | | El | 72.126 | CVD28GVRD2018 | | 516427 | 77H6783 | TERR | 359 45 1 | 199.829 | 199.911 |
| 441410 | 77H6785 | E | 499361.854 | 0.9995939 | 0.9999939 | 957977 | 77H6784 | TERR | 0 18 34 | 201.420 | 201.502 |
| | | N | 5457493.964 | | | 725713 | 77H6792 | TERR | 88 47 1 | 195.480 | 195.559 |
| | | El | 57.508 | CVD28GVRD2018 | | | | | | | |
| 136135 | 77H6786 | E | 499592.761 | 0.9995939 | 0.9999939 | 52035 | 75H3719 | TERR | 91 34 31 | 191.318 | 191.396 |
| | | N | 5459403.706 | | | | | | | | |
| | | El | 57.324 | CVD28GVRD2018 | | | | | | | |
| 344184 | 77H6787 | E | 499562.972 | 0.9995898 | 0.9999897 | 964049 | 76H3788 | TERR | 0 8 52 | 120.521 | 120.571 |
| | | N | 5458588.238 | | | 588715 | 77H6774 | TERR | 270 31 21 | 387.114 | 387.272 |
| | | El | 84.096 | CVD28GVRD2018 | | | | | | | |
| 409466 | 77H6788 | E | 499572.095 | 0.9995902 | 0.9999902 | 591099 | 77H6789 | TERR | 189 23 56 | 101.061 | 101.102 |
| | | N | 5458187.228 | | | | | | | | |
| | | El | 81.002 | CVD28GVRD2018 | | | | | | | |
| 591099 | 77H6789 | E | 499555.591 | 0.9995906 | 0.9999906 | 409466 | 77H6788 | TERR | 9 23 56 | 101.061 | 101.102 |
| | | N | 5458087.524 | | | 254136 | 77H6790 | TERR | 177 21 37 | 194.808 | 194.887 |
| | | El | 78.640 | CVD28GVRD2018 | | 999243 | 75H3433 | TERR | 275 52 3 | 128.077 | 128.129 |
| 254136 | 77H6790 | E | 499564.563 | 0.9995921 | 0.9999921 | 27730 | 77H6791 | TERR | 181 36 14 | 208.835 | 208.920 |
| | | N | 5457892.923 | | | 516427 | 77H6783 | TERR | 270 38 47 | 202.505 | 202.588 |
| | | El | 69.413 | CVD28GVRD2018 | | 591099 | 77H6789 | TERR | 357 21 37 | 194.808 | 194.887 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS | | UTM Coordinates | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. | UTM Grid | UTM Grid | Ground |
|---|---|---|---|---|---|---|---|---|---|---|
| GCM-NO | TABLET MARKING | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | Type | Bearing | Distance Metres | Distance Metres |
| 27730 | 77H6791 | E 499558.718 | 0.9995937 | 0.9999937 | 254136 | 77H6790 | TERR | 1 36 14 | 208.835 | 208.920 |
| | | N 5457684.170 | | | 633982 | 77H6796 | TERR | 90 31 45 | 199.882 | 199.962 |
| | | El 58.672 | CVD28GVRD2018 | | 725713 | 77H6792 | TERR | 180 26 23 | 186.062 | 186.137 |
| | | | | | 957977 | 77H6784 | TERR | 273 16 39 | 196.097 | 196.177 |
| 725713 | 77H6792 | E 499557.290 | 0.9995951 | 0.9999951 | 27730 | 77H6791 | TERR | 0 26 23 | 186.062 | 186.137 |
| | | N 5457498.114 | | | 244491 | 77H6797 | TERR | 93 4 54 | 201.135 | 201.217 |
| | | El 49.864 | CVD28GVRD2018 | | 441410 | 77H6785 | TERR | 268 47 1 | 195.480 | 195.559 |
| 203737 | 77H6793 | E 499758.206 | 0.9995909 | 0.9999909 | MARKER DESTROYED | | | | | |
| | | N 5458185.756 | | | | | | | | |
| | | El 76.514 | CVD28GVRD2018 | | | | | | | |
| 878348 | 77H6794 | E 499759.652 | 0.9995917 | 0.9999917 | MARKER DESTROYED | | | | | |
| | | N 5457996.620 | | | | | | | | |
| | | El 71.763 | CVD28GVRD2018 | | | | | | | |
| 668277 | 77H6795 | E 499759.001 | 0.9995923 | 0.9999923 | MARKER DESTROYED | | | | | |
| | | N 5457895.498 | | | | | | | | |
| | | El 67.679 | CVD28GVRD2018 | | | | | | | |
| 633982 | 77H6796 | E 499758.591 | 0.9995937 | 0.9999937 | 386425 | 77H6803 | TERR | 88 8 3 | 164.020 | 164.087 |
| | | N 5457682.324 | | | 244491 | 77H6797 | TERR | 180 8 3 | 195.024 | 195.103 |
| | | El 58.929 | CVD28GVRD2018 | | 271072 | 77H6798 | TERR | 180 11 57 | 421.260 | 421.430 |
| | | | | | 27730 | 77H6791 | TERR | 270 31 45 | 199.882 | 199.962 |
| 244491 | 77H6797 | E 499758.134 | 0.9995949 | 0.9999949 | 633982 | 77H6796 | TERR | 0 8 3 | 195.024 | 195.103 |
| | | N 5457487.301 | | | 271072 | 77H6798 | TERR | 180 15 18 | 226.236 | 226.327 |
| | | El 51.446 | CVD28GVRD2018 | | 725713 | 77H6792 | TERR | 273 4 54 | 201.135 | 201.217 |
| 271072 | 77H6798 | E 499757.127 | 0.9995954 | 0.9999954 | 633982 | 77H6796 | TERR | 0 11 57 | 421.260 | 421.430 |
| | | N 5457261.067 | | | 244491 | 77H6797 | TERR | 0 15 18 | 226.236 | 226.327 |
| | | El 48.336 | CVD28GVRD2018 | | 666123 | 79H9659 | TERR | 266 0 46 | 202.483 | 202.565 |
| 318147 | 77H6799 | E 499974.308 | 0.9995907 | 0.9999907 | 697078 | 76H3790 | TERR | 90 19 50 | 217.295 | 217.384 |
| | | N 5458705.984 | | | 534248 | 77H6800 | TERR | 179 35 38 | 121.012 | 121.061 |
| | | El 77.827 | CVD28GVRD2018 | | 524231 | 76H3789 | TERR | 270 38 47 | 192.707 | 192.786 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 534248 | 77H6800 | E | 499975.166 | 0.9995901 | 0.9999901 | 32482 | 79H9660 | TERR | 90 46 51 | 214.968 | 215.056 |
| | | N | 5458584.975 | | | 318147 | 77H6799 | TERR | 359 35 38 | 121.012 | 121.061 |
| | | El | 81.880 | CVD28GVRD2018 | | | | | | | |
| 47001 | 77H6801 | E | 499974.683 | 0.9995896 | 0.9999896 | 360842 | 77H6819 | TERR | 92 1 56 | 206.570 | 206.654 |
| | | N | 5458397.787 | | | 142596 | 76H3780 | TERR | 268 22 14 | 212.524 | 212.611 |
| | | El | 85.336 | CVD28GVRD2018 | | | | | | | |
| 570812 | 77H6802 | E | 499968.712 | 0.9995907 | 0.9999907 | 832352 | 77H6817 | TERR | 90 30 18 | 165.343 | 165.412 |
| | | N | 5458083.546 | | | | | | | | |
| | | El | 77.892 | CVD28GVRD2018 | | | | | | | |
| 386425 | 77H6803 | E | 499922.524 | 0.9995941 | 0.9999941 | 682815 | 77H6804 | TERR | 29 59 9 | 153.893 | 153.954 |
| | | N | 5457687.664 | | | 633982 | 77H6796 | TERR | 268 8 3 | 164.020 | 164.087 |
| | | El | 56.635 | CVD28GVRD2018 | | | | | | | |
| 682815 | 77H6804 | E | 499999.437 | 0.9995939 | 0.9999939 | 927004 | 77H6805 | TERR | 53 53 22 | 229.020 | 229.113 |
| | | N | 5457820.958 | | | 386425 | 77H6803 | TERR | 209 59 9 | 153.893 | 153.954 |
| | | El | 57.682 | CVD28GVRD2018 | | | | | | | |
| 927004 | 77H6805 | E | 500184.458 | 0.9995936 | 0.9999936 | 671263 | 75H3732 | GPS | 22 16 51 | 2123.305 | 2124.166 |
| | | N | 5457955.930 | | | 610006 | 90H6709 | GPS | 89 18 48 | 4261.485 | 4263.262 |
| | | El | 59.510 | CVD28GVRD2018 | | 565432 | 77H6854 | GPS | 92 52 42 | 1993.704 | 1994.520 |
| | | | | | | 691592 | 94H1473 | GPS | 129 52 26 | 2714.158 | 2715.252 |
| | | | | | | 898734 | NO MARKING | GPS | 132 23 17 | 13554.125 | 13559.672 |
| | | | | | | 41996 | 82H5025 | GPS | 180 57 10 | 2507.375 | 2508.387 |
| | | | | | | 991554 | 77H6808 | GPS | 185 5 17 | 340.489 | 340.627 |
| | | | | | | 395939 | V-2635 | GPS | 204 28 2 | 6360.117 | 6362.726 |
| | | | | | | 398255 | V-612 | GPS | 220 35 58 | 9239.547 | 9243.274 |
| | | | | | | 325001 | 78H6944 | GPS | 223 24 56 | 2746.120 | 2747.236 |
| | | | | | | 682815 | 77H6804 | TERR | 233 53 22 | 229.020 | 229.113 |
| | | | | | | 621854 | v-4011 | GPS | 260 7 48 | 4353.022 | 4354.792 |
| | | | | | | 875864 | NO MARKING | GPS | 271 21 58 | 6683.875 | 6686.575 |
| | | | | | | 602029 | 77H6738 | GPS | 274 43 31 | 1885.553 | 1886.315 |
| | | | | | | 471979 | 02H2419 | GPS | 295 27 33 | 17409.799 | 17416.818 |
| 72892 | 77H6806 | E | 500452.386 | 0.9995911 | 0.9999911 | 418558 | 77H6807 | TERR | 274 15 46 | 147.096 | 147.155 |
| | | N | 5457780.462 | | | | | | | | |
| | | El | 75.199 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 418558 | 77H6807 | E | 500305.697 | 0.9995914 | 0.9999914 | 72892 | 77H6806 | TERR | 94 15 46 | 147.096 | 147.155 |
| | | N | 5457791.396 | | | 993121 | 79H9650 | TERR | 236 12 59 | 174.522 | 174.594 |
| | | El | 73.327 | CVD28GVRD2018 | | | | | | | |
| 991554 | 77H6808 | E | 500154.262 | 0.9995923 | 0.9999923 | 993121 | 79H9650 | TERR | 4 42 12 | 77.831 | 77.863 |
| | | N | 5457616.783 | | | 927004 | 77H6805 | GPS | 5 5 17 | 340.489 | 340.627 |
| | | El | 67.567 | CVD28GVRD2018 | | 100198 | 77H6809 | TERR | 134 16 49 | 184.730 | 184.805 |
| | | | | | | 510404 | 82H5017 | GPS | 170 45 38 | 3329.055 | 3330.402 |
| | | | | | | 625236 | 81H4594 | GPS | 211 54 58 | 890.755 | 891.115 |
| | | | | | | 325001 | 78H6944 | GPS | 228 17 3 | 2487.991 | 2489.004 |
| 100198 | 77H6809 | E | 500286.516 | 0.9995918 | 0.9999918 | 392738 | 77H6810 | TERR | 93 19 10 | 163.833 | 163.899 |
| | | N | 5457487.810 | | | 487827 | 77H6813 | TERR | 197 38 16 | 115.695 | 115.742 |
| | | El | 70.799 | CVD28GVRD2018 | | 991554 | 77H6808 | TERR | 314 16 49 | 184.730 | 184.805 |
| 392738 | 77H6810 | E | 500450.074 | 0.9995915 | 0.9999915 | 817932 | 77H6811 | TERR | 91 4 41 | 110.870 | 110.916 |
| | | N | 5457478.324 | | | 100198 | 77H6809 | TERR | 273 19 10 | 163.833 | 163.899 |
| | | El | 73.165 | CVD28GVRD2018 | | | | | | | |
| 817932 | 77H6811 | E | 500560.924 | 0.9995917 | 0.9999917 | 946467 | 77H6812 | TERR | 179 35 17 | 102.614 | 102.656 |
| | | N | 5457476.238 | | | 392738 | 77H6810 | TERR | 271 4 41 | 110.870 | 110.916 |
| | | El | 71.863 | CVD28GVRD2018 | | | | | | | |
| 946467 | 77H6812 | E | 500561.662 | 0.9995915 | 0.9999915 | 415158 | 329 | TERR | 180 52 26 | 123.210 | 123.260 |
| | | N | 5457373.627 | | | 817932 | 77H6811 | TERR | 359 35 17 | 102.614 | 102.656 |
| | | El | 72.754 | CVD28GVRD2018 | | | | | | | |
| 487827 | 77H6813 | E | 500251.461 | 0.9995916 | 0.9999916 | 100198 | 77H6809 | TERR | 17 38 16 | 115.695 | 115.742 |
| | | N | 5457377.554 | | | 575084 | 77H6814 | TERR | 202 28 6 | 107.297 | 107.341 |
| | | El | 72.194 | CVD28GVRD2018 | | | | | | | |
| 575084 | 77H6814 | E | 500210.455 | 0.9995923 | 0.9999923 | 487827 | 77H6813 | TERR | 22 28 6 | 107.297 | 107.341 |
| | | N | 5457278.402 | | | 884775 | 77H6815 | TERR | 318 40 17 | 109.962 | 110.006 |
| | | El | 67.743 | CVD28GVRD2018 | | | | | | | |
| 884775 | 77H6815 | E | 500137.839 | 0.9995923 | 0.9999923 | 575084 | 77H6814 | TERR | 138 40 17 | 109.962 | 110.006 |
| | | N | 5457360.976 | | | 9738 | 77H6816 | TERR | 314 44 55 | 176.868 | 176.940 |
| | | El | 67.870 | CVD28GVRD2018 | | | | | | | |

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 9738 | 77H6816 | E | 500012.227 | 0.9995935 | 0.9999935 | 884775 | 77H6815 | TERR | 134 44 55 | 176.868 | 176.940 |
| | | N | 5457485.490 | | | | | | | | |
| | | El | 60.058 | CVD28GVRD2018 | | | | | | | |
| 832352 | 77H6817 | E | 500134.049 | 0.9995904 | 0.9999904 | 570812 | 77H6802 | TERR | 270 30 18 | 165.343 | 165.412 |
| | | N | 5458082.089 | | | | | | | | |
| | | El | 79.705 | CVD28GVRD2018 | | | | | | | |
| 599167 | 77H6818 | E | 500304.184 | 0.9995918 | 0.9999918 | 949826 | 75H3435 | TERR | 90 24 9 | 258.038 | 258.144 |
| | | N | 5458081.319 | | | | | | | | |
| | | El | 71.138 | CVD28GVRD2018 | | | | | | | |
| 360842 | 77H6819 | E | 500181.123 | 0.9995885 | 0.9999885 | 32482 | 79H9660 | TERR | 2 41 13 | 191.794 | 191.873 |
| | | N | 5458390.462 | | | 37531 | 76H3781 | TERR | 90 41 59 | 160.236 | 160.302 |
| | | El | 92.145 | CVD28GVRD2018 | | 47001 | 77H6801 | TERR | 272 1 56 | 206.570 | 206.654 |
| 878009 | 77H6821 | E | 500379.769 | 0.9995879 | 0.9999879 | MARKER DESTROYED | | | | | |
| | | N | 5458581.404 | | | | | | | | |
| | | El | 95.901 | 1928 Canadian Vertical Datum | | | | | | | |
| 291153 | 77H6822 | E | 500878.429 | 0.9995895 | 0.9999895 | 580993 | 79H9646 | TERR | 2 4 33 | 232.370 | 232.465 |
| | | N | 5458392.040 | | | 331892 | 77H6836 | TERR | 90 17 19 | 312.157 | 312.286 |
| | | El | 85.755 | CVD28GVRD2018 | | 134569 | 77H6823 | TERR | 180 14 37 | 199.431 | 199.512 |
| | | | | | | 278085 | 76H3782 | TERR | 270 17 34 | 302.544 | 302.669 |
| 134569 | 77H6823 | E | 500877.581 | 0.9995916 | 0.9999916 | 291153 | 77H6822 | TERR | 0 14 37 | 199.431 | 199.512 |
| | | N | 5458192.611 | | | 526871 | 77H6824 | TERR | 181 36 5 | 115.335 | 115.383 |
| | | El | 72.471 | CVD28GVRD2018 | | | | | | | |
| 526871 | 77H6824 | E | 500874.358 | 0.9995929 | 0.9999928 | 134569 | 77H6823 | TERR | 1 36 5 | 115.335 | 115.383 |
| | | N | 5458077.321 | | | 698043 | 75H3436 | TERR | 90 10 46 | 307.670 | 307.795 |
| | | El | 64.309 | CVD28GVRD2018 | | | | | | | |
| 85936 | 77H6825 | E | 500876.001 | 0.9995949 | 0.9999949 | 297523 | 77H6826 | TERR | 180 23 29 | 232.650 | 232.744 |
| | | N | 5457867.933 | | | | | | | | |
| | | El | 50.982 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 297523 | 77H6826 | E | 500874.412 | 0.9995931 | 0.9999931 | 85936 | 77H6825 | TERR | 0 23 29 | 232.650 | 232.744 |
| | | N | 5457635.288 | | | 656108 | 78H7597 | TERR | 180 27 14 | 215.389 | 215.476 |
| | | El | 62.800 | CVD28GVRD2018 | | | | | | | |
| 270736 | 77H6827 | E | 500768.529 | 0.9995922 | 0.9999921 | 656108 | 78H7597 | TERR | 96 58 39 | 104.954 | 104.997 |
| | | N | 5457432.656 | | | | | | | | |
| | | El | 68.853 | CVD28GVRD2018 | | | | | | | |
| 914325 | 77H6828 | E | 500878.878 | 0.9995942 | 0.9999942 | 393298 | 77H6829 | TERR | 155 42 48 | 215.199 | 215.287 |
| | | N | 5457249.745 | | | 415158 | 329 | TERR | 270 7 23 | 319.096 | 319.226 |
| | | El | 55.503 | CVD28GVRD2018 | | 656108 | 78H7597 | TERR | 357 55 22 | 170.273 | 170.342 |
| 393298 | 77H6829 | E | 500967.390 | 0.9995976 | 0.9999976 | 161026 | 77H6830 | TERR | 80 13 15 | 122.272 | 122.320 |
| | | N | 5457053.591 | | | 914325 | 77H6828 | TERR | 335 42 48 | 215.199 | 215.287 |
| | | El | 34.284 | CVD28GVRD2018 | | | | | | | |
| 161026 | 77H6830 | E | 501087.885 | 0.9995981 | 0.9999981 | 277129 | 78H7598 | TERR | 105 13 19 | 292.035 | 292.152 |
| | | N | 5457074.359 | | | 393298 | 77H6829 | TERR | 260 13 15 | 122.272 | 122.320 |
| | | El | 30.654 | CVD28GVRD2018 | | | | | | | |
| 370551 | 77H6831 | E | 501179.870 | 0.9995956 | 0.9999956 | 768044 | 78H7600 | TERR | 90 19 23 | 190.990 | 191.068 |
| | | N | 5457255.761 | | | | | | | | |
| | | El | 46.589 | CVD28GVRD2018 | | | | | | | |
| 863563 | 77H6832 | E | 501181.095 | 0.9995928 | 0.9999928 | 85373 | 77H6833 | TERR | 0 18 32 | 111.803 | 111.847 |
| | | N | 5457504.563 | | | | | | | | |
| | | El | 64.793 | CVD28GVRD2018 | | | | | | | |
| 85373 | 77H6833 | E | 501181.698 | 0.9995927 | 0.9999927 | 319913 | 77H6834 | TERR | 1 49 54 | 177.115 | 177.187 |
| | | N | 5457616.364 | | | 863563 | 77H6832 | TERR | 180 18 32 | 111.803 | 111.847 |
| | | El | 65.521 | CVD28GVRD2018 | | | | | | | |
| 319913 | 77H6834 | E | 501187.359 | 0.9995930 | 0.9999930 | 85373 | 77H6833 | TERR | 181 49 54 | 177.115 | 177.187 |
| | | N | 5457793.388 | | | 710129 | 77H6835 | TERR | 271 31 44 | 136.915 | 136.971 |
| | | El | 63.565 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 710129 | 77H6835 | E | 501050.493 | 0.9995954 | 0.9999953 | 319913 | 77H6834 | TERR | 91 31 44 | 136.915 | 136.971 |
| | | N | 5457797.041 | | | | | | | | |
| | | El | 48.402 | CVD28GVRD2018 | | | | | | | |
| 331892 | 77H6836 | E | 501190.582 | 0.9995875 | 0.9999875 | 633305 | 76H3783 | TERR | 90 30 23 | 187.278 | 187.356 |
| | | N | 5458390.468 | | | 698043 | 75H3436 | TERR | 181 33 37 | 314.227 | 314.355 |
| | | El | 98.367 | CVD28GVRD2018 | | 291153 | 77H6822 | TERR | 270 17 19 | 312.157 | 312.286 |
| | | | | | | 260620 | 79H9645 | TERR | 359 12 21 | 230.080 | 230.176 |
| 405779 | 77H6837 | E | 501779.756 | 0.9995864 | 0.9999864 | 564674 | | TERR | 89 54 34 | 396.378 | 396.541 |
| | | N | 5458051.136 | | | 365270 | 77H6838 | TERR | 180 7 17 | 193.106 | 193.186 |
| | | El | 105.439 | CVD28GVRD2018 | | | | | | | |
| 365270 | 77H6838 | E | 501779.347 | 0.9995873 | 0.9999873 | 405779 | 77H6837 | TERR | 0 7 17 | 193.106 | 193.186 |
| | | N | 5457858.030 | | | 134171 | 77H6839 | TERR | 180 8 19 | 207.274 | 207.359 |
| | | El | 99.759 | CVD28GVRD2018 | | | | | | | |
| 134171 | 77H6839 | E | 501778.846 | 0.9995891 | 0.9999891 | 365270 | 77H6838 | TERR | 0 8 19 | 207.274 | 207.359 |
| | | N | 5457650.757 | | | 745257 | 77H6853 | TERR | 90 7 21 | 396.431 | 396.594 |
| | | El | 88.364 | CVD28GVRD2018 | | 25510 | 77H6840 | TERR | 180 8 39 | 201.180 | 201.262 |
| 25510 | 77H6840 | E | 501778.340 | 0.9995918 | 0.9999917 | 134171 | 77H6839 | TERR | 0 8 39 | 201.180 | 201.262 |
| | | N | 5457449.578 | | | 865642 | 77H6841 | TERR | 180 10 3 | 194.103 | 194.182 |
| | | El | 71.368 | CVD28GVRD2018 | | 635342 | 78H7601 | TERR | 270 9 13 | 413.229 | 413.397 |
| 865642 | 77H6841 | E | 501777.773 | 0.9995941 | 0.9999940 | 25510 | 77H6840 | TERR | 0 10 3 | 194.103 | 194.182 |
| | | N | 5457255.476 | | | 392845 | 77H6847 | TERR | 91 57 54 | 205.845 | 205.929 |
| | | El | 56.861 | CVD28GVRD2018 | | 603852 | 77H6842 | TERR | 185 50 33 | 112.874 | 112.920 |
| | | | | | | 171769 | 78H7604 | TERR | 269 35 22 | 216.346 | 216.433 |
| 603852 | 77H6842 | E | 501766.283 | 0.9995952 | 0.9999952 | 865642 | 77H6841 | TERR | 5 50 33 | 112.874 | 112.920 |
| | | N | 5457143.188 | | | 572859 | 77H6843 | TERR | 188 33 2 | 89.176 | 89.212 |
| | | El | 49.515 | CVD28GVRD2018 | | | | | | | |
| 572859 | 77H6843 | E | 501753.024 | 0.9995964 | 0.9999964 | 603852 | 77H6842 | TERR | 8 33 2 | 89.176 | 89.212 |
| | | N | 5457055.003 | | | 549303 | 77H6844 | TERR | 207 40 44 | 198.508 | 198.588 |
| | | El | 41.698 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS | | UTM Coordinates | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. | UTM Grid | UTM Grid | Ground |
|---|---|---|---|---|---|---|---|---|---|---|
| GCM-NO | TABLET MARKING | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | Type | Bearing | Distance Metres | Distance Metres |
| 549303 | 77H6844 | E 501660.814 | 0.9995993 | 0.9999992 | 572859 | 77H6843 | TERR | 27 40 44 | 198.508 | 198.588 |
| | | N 5456879.211 | | | 644641 | 77H6845 | TERR | 113 16 13 | 298.884 | 299.004 |
| | | El 23.653 | CVD28GVRD2018 | | 277129 | 78H7598 | TERR | 292 8 33 | 314.322 | 314.447 |
| 644641 | 77H6845 | E 501935.384 | 0.9995983 | 0.9999982 | 928093 | 77H6848 | TERR | 113 10 12 | 130.316 | 130.368 |
| | | N 5456761.131 | | | 549303 | 77H6844 | TERR | 293 16 13 | 298.884 | 299.004 |
| | | El 30.163 | CVD28GVRD2018 | | | | | | | |
| 458919 | 77H6846 | E 501991.503 | 0.9995935 | 0.9999934 | 491738 | 78H7605 | TERR | 183 44 31 | 197.673 | 197.753 |
| | | N 5457143.454 | | | 392845 | 77H6847 | TERR | 355 38 18 | 105.269 | 105.312 |
| | | El 60.554 | CVD28GVRD2018 | | | | | | | |
| 392845 | 77H6847 | E 501983.497 | 0.9995930 | 0.9999930 | 568279 | 77H6851 | TERR | 90 3 15 | 191.204 | 191.282 |
| | | N 5457248.418 | | | 458919 | 77H6846 | TERR | 175 38 18 | 105.269 | 105.312 |
| | | El 63.393 | CVD28GVRD2018 | | 865642 | 77H6841 | TERR | 271 57 54 | 205.845 | 205.929 |
| 928093 | 77H6848 | E 502055.189 | 0.9995979 | 0.9999979 | 882423 | 94H1698 | TERR | 118 41 32 | 138.210 | 138.265 |
| | | N 5456709.857 | | | 644641 | 77H6845 | TERR | 293 10 12 | 130.316 | 130.368 |
| | | El 32.166 | CVD28GVRD2018 | | | | | | | |
| 364968 | 77H6849 | E 502171.857 | 0.9995983 | 0.9999982 | MARKER DESTROYED | | | | | |
| | | N 5456652.553 | | | | | | | | |
| | | El 30.028 | CVD28GVRD2018 | | | | | | | |
| 183533 | 77H6850 | E 502173.367 | 0.9995946 | 0.9999946 | 568279 | 77H6851 | TERR | 0 15 24 | 297.651 | 297.772 |
| | | N 5456950.589 | | | 591727 | 78H7012 | TERR | 87 41 10 | 177.707 | 177.778 |
| | | El 53.293 | CVD28GVRD2018 | | 882423 | 94H1698 | TERR | 179 25 44 | 307.102 | 307.227 |
| 568279 | 77H6851 | E 502174.701 | 0.9995919 | 0.9999918 | 781351 | 77H6852 | TERR | 0 4 12 | 200.330 | 200.412 |
| | | N 5457248.237 | | | 20602 | 323 | TERR | 90 15 0 | 106.799 | 106.843 |
| | | El 71.090 | CVD28GVRD2018 | | 183533 | 77H6850 | TERR | 180 15 24 | 297.651 | 297.772 |
| | | | | | 392845 | 77H6847 | TERR | 270 3 15 | 191.204 | 191.282 |
| 781351 | 77H6852 | E 502174.946 | 0.9995904 | 0.9999903 | 745257 | 77H6853 | TERR | 0 5 38 | 201.343 | 201.426 |
| | | N 5457448.567 | | | 568279 | 77H6851 | TERR | 180 4 12 | 200.330 | 200.412 |
| | | El 80.321 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 745257 | 77H6853 | E | 502175.276 | 0.9995895 | 0.9999895 | 565432 | 77H6854 | TERR | 0 6 12 | 205.903 | 205.988 |
| | | N | 5457649.910 | | | 893628 | 77H6856 | TERR | 90 6 30 | 194.072 | 194.152 |
| | | El | 85.772 | CVD28GVRD2018 | | 781351 | 77H6852 | TERR | 180 5 38 | 201.343 | 201.426 |
| | | | | | | 134171 | 77H6839 | TERR | 270 7 21 | 396.431 | 396.594 |
| 565432 | 77H6854 | E | 502175.647 | 0.9995886 | 0.9999886 | 564674 | | TERR | 0 8 32 | 195.951 | 196.031 |
| | | N | 5457855.813 | | | 913186 | HS29 | GPS | 18 41 58 | 3170.740 | 3172.023 |
| | | El | 91.555 | CVD28GVRD2018 | | 479832 | 83H5930 | GPS | 19 0 35 | 4622.708 | 4624.586 |
| | | | | | | 371617 | 90H6702 | GPS | 39 16 48 | 1923.056 | 1923.844 |
| | | | | | | 610006 | 90H6709 | GPS | 86 11 22 | 2275.019 | 2275.973 |
| | | | | | | 392282 | 77H6855 | TERR | 90 10 21 | 169.482 | 169.552 |
| | | | | | | 898734 | NO MARKING | GPS | 138 24 50 | 12082.707 | 12087.682 |
| | | | | | | 691592 | 94H1473 | GPS | 176 47 45 | 1642.501 | 1643.167 |
| | | | | | | 745257 | 77H6853 | TERR | 180 6 12 | 205.903 | 205.988 |
| | | | | | | 41996 | 82H5025 | GPS | 220 11 5 | 3150.532 | 3151.812 |
| | | | | | | 325001 | 78H6944 | GPS | 243 57 54 | 4316.575 | 4318.340 |
| | | | | | | 875864 | NO MARKING | GPS | 271 42 48 | 8677.044 | 8680.572 |
| | | | | | | 927004 | 77H6805 | GPS | 272 52 42 | 1993.704 | 1994.520 |
| | | | | | | 473900 | 73H1355 | GPS | 319 24 56 | 10284.430 | 10288.784 |
| | | | | | | 671263 | 75H3732 | GPS | 330 7 32 | 2381.323 | 2382.295 |
| | | | | | | 114751 | 73H1127 | GPS | 336 27 25 | 4387.946 | 4389.727 |
| 392282 | 77H6855 | E | 502345.128 | 0.9995878 | 0.9999877 | 251983 | 77H6864 | TERR | 90 12 13 | 228.579 | 228.674 |
| | | N | 5457855.303 | | | 565432 | 77H6854 | TERR | 270 10 21 | 169.482 | 169.552 |
| | | El | 96.984 | CVD28GVRD2018 | | | | | | | |
| 893628 | 77H6856 | E | 502369.348 | 0.9995887 | 0.9999887 | 315986 | 78H7596 | TERR | 90 6 21 | 204.907 | 204.991 |
| | | N | 5457649.543 | | | 745257 | 77H6853 | TERR | 270 6 30 | 194.072 | 194.152 |
| | | El | 90.971 | CVD28GVRD2018 | | | | | | | |
| 886697 | 77H6857 | E | 502177.600 | 0.9995874 | 0.9999873 | 564674 | | TERR | 180 26 14 | 192.286 | 192.365 |
| | | N | 5458244.043 | | | | | | | | |
| | | El | 99.684 | CVD28GVRD2018 | | | | | | | |
| 649020 | 77H6858 | E | 502168.413 | 0.9995877 | 0.9999877 | 90548 | 77H6860 | TERR | 89 39 38 | 401.811 | 401.976 |
| | | N | 5458612.113 | | | 898379 | 77H6859 | TERR | 269 10 21 | 144.210 | 144.270 |
| | | El | 97.406 | CVD28GVRD2018 | | | | | | | |
| 898379 | 77H6859 | E | 502024.218 | 0.9995861 | 0.9999861 | 649020 | 77H6858 | TERR | 89 10 21 | 144.210 | 144.270 |
| | | N | 5458610.030 | | | 723494 | 316 | TERR | 269 56 10 | 254.915 | 255.021 |
| | | El | 107.539 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 90548 | 77H6860 | E | 502570.217 | 0.9995894 | 0.9999893 | 577379 | 77H6861 | TERR | 179 56 17 | 132.480 | 132.535 |
| | | N | 5458614.493 | | | 649020 | 77H6858 | TERR | 269 39 38 | 401.811 | 401.976 |
| | | El | 86.984 | CVD28GVRD2018 | | | | | | | |
| 577379 | 77H6861 | E | 502570.360 | 0.9995884 | 0.9999883 | 59915 | 77H6862 | TERR | 179 21 18 | 143.737 | 143.797 |
| | | N | 5458482.013 | | | 90548 | 77H6860 | TERR | 359 56 17 | 132.480 | 132.535 |
| | | El | 93.116 | CVD28GVRD2018 | | | | | | | |
| 59915 | 77H6862 | E | 502571.978 | 0.9995880 | 0.9999879 | 921296 | 75H3440 | TERR | 179 50 59 | 287.253 | 287.371 |
| | | N | 5458338.285 | | | 573717 | 77H6863 | TERR | 271 57 32 | 157.650 | 157.715 |
| | | El | 95.675 | CVD28GVRD2018 | | 577379 | 77H6861 | TERR | 359 21 18 | 143.737 | 143.797 |
| 573717 | 77H6863 | E | 502414.420 | 0.9995876 | 0.9999875 | 59915 | 77H6862 | TERR | 91 57 32 | 157.650 | 157.715 |
| | | N | 5458343.674 | | | | | | | | |
| | | El | 98.502 | CVD28GVRD2018 | | | | | | | |
| 251983 | 77H6864 | E | 502573.706 | 0.9995883 | 0.9999882 | 31310 | 77H6865 | TERR | 91 49 26 | 154.432 | 154.495 |
| | | N | 5457854.491 | | | 315986 | 78H7596 | TERR | 179 50 48 | 205.327 | 205.411 |
| | | El | 93.823 | CVD28GVRD2018 | | 392282 | 77H6855 | TERR | 270 12 13 | 228.579 | 228.674 |
| | | | | | | 921296 | 75H3440 | TERR | 359 42 58 | 196.544 | 196.626 |
| 31310 | 77H6865 | E | 502728.060 | 0.9995884 | 0.9999883 | 668913 | 78H7001 | TERR | 90 4 13 | 252.712 | 252.816 |
| | | N | 5457849.576 | | | 251983 | 77H6864 | TERR | 271 49 26 | 154.432 | 154.495 |
| | | El | 93.486 | CVD28GVRD2018 | | | | | | | |
| 155382 | 77H6866 | E | 502575.033 | 0.9995903 | 0.9999902 | 849919 | 78H7010 | TERR | 179 49 1 | 200.379 | 200.460 |
| | | N | 5457448.089 | | | 315986 | 78H7596 | TERR | 359 46 42 | 201.078 | 201.160 |
| | | El | 81.170 | CVD28GVRD2018 | | | | | | | |
| 220145 | 78H6942 | E | 498302.763 | 0.9996001 | 1.0000001 | 299792 | 77H6739 | TERR | 0 11 3 | 200.445 | 200.526 |
| | | N | 5457504.955 | | | 602029 | 77H6738 | TERR | 0 14 28 | 606.306 | 606.550 |
| | | El | 18.226 | CVD28GVRD2018 | | 133553 | 77H6740 | TERR | 180 12 52 | 192.594 | 192.671 |
| | | | | | | 209858 | V-3609 | TERR | 270 27 33 | 265.471 | 265.577 |
| | | | | | | 73817 | V-1422 | TERR | 352 32 25 | 251.393 | 251.494 |
| 567610 | 78H6943 | E | 498299.475 | 0.9996000 | 0.9999999 | 133553 | 77H6740 | TERR | 0 13 44 | 642.484 | 642.741 |
| | | N | 5456669.883 | | | 697367 | V-1562 | TERR | 186 52 32 | 308.745 | 308.869 |
| | | El | 19.278 | CVD28GVRD2018 | | 717504 | 3 | TERR | 357 39 53 | 334.010 | 334.144 |

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 325001 | 78H6944 | E | 498297.093 | 0.9995936 | 0.9999935 | 602029 | 77H6738 | GPS | 0 13 9 | 2150.092 | 2150.961 |
| | | N | 5455961.180 | | | 901165 | 14H2747 | GPS | 5 24 9 | 3562.952 | 3564.414 |
| | | El | 60.033 | CVD28GVRD2018 | | 671263 | 75H3732 | GPS | 34 12 54 | 4788.202 | 4790.143 |
| | | | | | | 927004 | 77H6805 | GPS | 43 24 56 | 2746.120 | 2747.236 |
| | | | | | | 991554 | 77H6808 | GPS | 48 17 3 | 2487.991 | 2489.004 |
| | | | | | | 625236 | 81H4594 | GPS | 57 1 17 | 1652.514 | 1653.183 |
| | | | | | | 565432 | 77H6854 | GPS | 63 57 54 | 4316.575 | 4318.340 |
| | | | | | | 691592 | 94H1473 | GPS | 86 19 46 | 3978.524 | 3980.128 |
| | | | | | | 24638 | 81H4572 | TERR | 90 57 37 | 265.055 | 265.163 |
| | | | | | | 99259 | 73H0436 | GPS | 97 5 22 | 12182.600 | 12187.535 |
| | | | | | | 41996 | 82H5025 | GPS | 105 30 45 | 1915.440 | 1916.214 |
| | | | | | | 898734 | NO MARKING | GPS | 120 58 37 | 13877.695 | 13883.376 |
| | | | | | | 595017 | 89H6032 | GPS | 123 35 6 | 8215.977 | 8219.341 |
| | | | | | | 599175 | 80H2970 | GPS | 148 27 28 | 1121.509 | 1121.967 |
| | | | | | | 759761 | 81H4573 | TERR | 178 59 30 | 196.240 | 196.320 |
| | | | | | | 737247 | V-1511 | TERR | 190 4 51 | 199.664 | 199.744 |
| | | | | | | 247494 | 78H8494 | GPS | 221 36 53 | 8701.759 | 8705.254 |
| | | | | | | 78576 | V-1220 | GPS | 224 30 41 | 3345.372 | 3346.741 |
| | | | | | | 584086 | V-1778 | GPS | 261 52 39 | 4891.405 | 4893.393 |
| | | | | | | 798777 | V-1387 | GPS | 262 32 11 | 2451.349 | 2452.341 |
| | | | | | | 454694 | V-3951 | GPS | 263 11 33 | 6972.394 | 6975.232 |
| | | | | | | 650838 | V-1512 | GPS | 266 4 7 | 1516.741 | 1517.356 |
| | | | | | | 235291 | V-3548 | GPS | 278 1 12 | 12189.363 | 12194.256 |
| | | | | | | 611681 | V-3719 | GPS | 285 40 7 | 4946.583 | 4948.571 |
| | | | | | | 875864 | NO MARKING | GPS | 294 11 35 | 5256.270 | 5258.394 |
| | | | | | | 621854 | v-4011 | GPS | 297 28 24 | 2706.445 | 2707.546 |
| | | | | | | 740654 | V-1498 | GPS | 325 56 43 | 1361.512 | 1362.064 |
| 608687 | 78H6946 | E | 498291.895 | 0.9995878 | 0.9999877 | 841197 | V-1436 | TERR | 0 11 6 | 267.330 | 267.440 |
| | | N | 5454377.198 | | | 440925 | 80H2971 | TERR | 0 17 24 | 91.663 | 91.701 |
| | | El | 97.337 | CVD28GVRD2018 | | 668160 | V-2716 | TERR | 179 45 42 | 205.506 | 205.591 |
| | | | | | | 689349 | V-1525 | TERR | 182 56 2 | 302.388 | 302.514 |
| 816298 | 78H6947 | E | 498287.950 | 0.9995873 | 0.9999872 | MARKER ISOLATED | | | | | |
| | | N | 5453638.340 | | | | | | | | |
| | | El | 100.369 | CVD28GVRD2018 | | | | | | | |
| 657858 | 78H6949 | E | 498654.733 | 0.9995891 | 0.9999891 | 416339 | 79H9665 | TERR | 90 31 55 | 434.666 | 434.844 |
| | | N | 5454466.224 | | | 995688 | 83H6206 | TERR | 91 35 39 | 192.842 | 192.921 |
| | | El | 88.349 | CVD28GVRD2018 | | 465591 | 79H9664 | TERR | 272 25 7 | 87.963 | 88.000 |
| 646653 | 78H6950 | E | 498730.810 | 0.9995879 | 0.9999879 | 947697 | 81H4560 | TERR | 270 46 3 | 163.968 | 164.035 |
| | | N | 5455166.004 | | | 573428 | 81H4563 | TERR | 359 4 1 | 157.623 | 157.687 |
| | | El | 96.328 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS | | UTM Coordinates | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. | UTM Grid | UTM Grid | Ground |
|---|---|---|---|---|---|---|---|---|---|---|
| GCM-NO | TABLET MARKING | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | Type | Bearing | Distance Metres | Distance Metres |
| 403451 | 78H6951 | E 498692.253 | 0.9995940 | 0.9999940 | 391722 | 81H4574 | TERR | 86 40 11 | 210.257 | 210.343 |
| | | N 5455761.802 | | | 257857 | 81H4571 | TERR | 275 51 13 | 133.852 | 133.906 |
| | | El 57.437 | CVD28GVRD2018 | | | | | | | |
| 94052 | 78H6952 | E 498652.992 | 0.9995958 | 0.9999958 | 580399 | 81H4588 | TERR | 17 0 13 | 190.717 | 190.794 |
| | | N 5456005.328 | | | | | | | | |
| | | El 45.656 | CVD28GVRD2018 | | | | | | | |
| 182451 | 78H6954 | E 498639.617 | 0.9995971 | 0.9999971 | 700377 | 77H6751 | TERR | 0 5 12 | 201.172 | 201.253 |
| | | N 5457301.436 | | | 133553 | 77H6740 | TERR | 271 51 14 | 337.752 | 337.887 |
| | | El 37.091 | CVD28GVRD2018 | | | | | | | |
| 702696 | 78H6955 | E 498641.221 | 0.9995981 | 0.9999981 | 661942 | 77H6752 | TERR | 1 16 4 | 294.448 | 294.567 |
| | | N 5457703.752 | | | 700377 | 77H6751 | TERR | 180 22 13 | 201.148 | 201.230 |
| | | El 30.721 | CVD28GVRD2018 | | 299792 | 77H6739 | TERR | 270 16 46 | 337.818 | 337.953 |
| 564351 | 78H6956 | E 499751.454 | 0.9995990 | 0.9999990 | MARKER DESTROYED | | | | | |
| | | N 5456637.794 | | | | | | | | |
| | | El 25.321 | CVD28GVRD2018 | | | | | | | |
| 183285 | 78H6957 | E 499691.064 | 0.9996001 | 1.0000001 | 778191 | 81H4579 | TERR | 176 43 29 | 200.436 | 200.517 |
| | | N 5455972.317 | | | | | | | | |
| | | El 18.149 | CVD28GVRD2018 | | | | | | | |
| 609867 | 78H6959 | E 501328.104 | 0.9995977 | 0.9999977 | 826404 | 82H5043 | TERR | 179 6 44 | 119.208 | 119.256 |
| | | N 5454463.077 | | | 174375 | 81H4601 | TERR | 327 52 26 | 110.186 | 110.231 |
| | | El 33.443 | CVD28GVRD2018 | | | | | | | |
| 598771 | 78H6961 | E 501292.074 | 0.9995973 | 0.9999973 | 144683 | 82H5024 | TERR | 176 58 15 | 230.330 | 230.422 |
| | | N 5455876.558 | | | | | | | | |
| | | El 35.934 | CVD28GVRD2018 | | | | | | | |
| 251470 | 78H6964 | E 502984.325 | 0.9995882 | 0.9999880 | MARKER DESTROYED | | | | | |
| | | N 5458337.970 | | | | | | | | |
| | | El 94.912 | CVD28GVRD2018 | | | | | | | |

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 170019 | 78H6965 | E | 502981.745 | 0.9995884 | 0.9999883 | 833376 | 75H3443 | TERR | 90 1 48 | 403.514 | 403.681 |
| | | N | 5458051.243 | | | 760363 | 75H3445 | TERR | 90 17 44 | 1423.446 | 1424.043 |
| | | El | 93.091 | CVD28GVRD2018 | | 668913 | 78H7001 | TERR | 180 16 34 | 201.979 | 202.062 |
| | | | | | | 854554 | 75H3438 | TERR | 269 57 33 | 1393.952 | 1394.528 |
| | | | | | | 921296 | 75H3440 | TERR | 269 58 14 | 409.013 | 409.181 |
| 585026 | 78H6966 | E | 502978.822 | 0.9995891 | 0.9999890 | MARKER DESTROYED | | | | | |
| | | N | 5457447.848 | | | | | | | | |
| | | El | 88.838 | CVD28GVRD2018 | | | | | | | |
| 620674 | 78H6967 | E | 502977.072 | 0.9995900 | 0.9999899 | MARKER DESTROYED | | | | | |
| | | N | 5457247.455 | | | | | | | | |
| | | El | 83.348 | CVD28GVRD2018 | | | | | | | |
| 197251 | 78H6968 | E | 502967.580 | 0.9995931 | 0.9999930 | 102079 | 78H6996 | TERR | 0 22 24 | 134.784 | 134.839 |
| | | N | 5456715.995 | | | 118083 | 79H9642 | TERR | 180 58 14 | 130.834 | 130.886 |
| | | El | 63.696 | CVD28GVRD2018 | | | | | | | |
| 848754 | 78H6969 | E | 502966.295 | 0.9995942 | 0.9999941 | MARKER DESTROYED | | | | | |
| | | N | 5456586.029 | | | | | | | | |
| | | El | 56.137 | CVD28GVRD2018 | | | | | | | |
| 325316 | 78H6973 | E | 504706.605 | 0.9995999 | 0.9999996 | 401349 | 94H1498 | TERR | 1 2 41 | 201.847 | 201.928 |
| | | N | 5455143.241 | | | 600999 | 94H1504 | TERR | 181 6 49 | 90.206 | 90.243 |
| | | El | 21.209 | CVD28GVRD2018 | | | | | | | |
| 460311 | 78H6974 | E | 504565.969 | 0.9995923 | 0.9999921 | MARKER DESTROYED | | | | | |
| | | N | 5456463.219 | | | | | | | | |
| | | El | 69.357 | CVD28GVRD2018 | | | | | | | |
| 447193 | 78H6975 | E | 506206.722 | 0.9995917 | 0.9999912 | 858704 | 82H5097 | GPS | 88 9 21 | 8409.086 | 8412.472 |
| | | N | 5456453.010 | | | 815746 | 84H9508 | GPS | 184 14 37 | 12712.948 | 12718.097 |
| | | El | 74.782 | CVD28GVRD2018 | | 277665 | 89H6112 | GPS | 191 15 43 | 6375.526 | 6378.104 |
| | | | | | | 936963 | 78H6976 | TERR | 204 14 17 | 374.317 | 374.468 |
| | | | | | | 875864 | NO MARKING | GPS | 277 27 16 | 12812.525 | 12817.715 |
| | | | | | | 245498 | 73H1232 | GPS | 310 47 14 | 11520.535 | 11525.290 |
| | | | | | | 371617 | 90H6702 | GPS | 315 46 53 | 4034.369 | 4036.016 |
| 936963 | 78H6976 | E | 506053.055 | 0.9995961 | 0.9999957 | 447193 | 78H6975 | TERR | 24 14 17 | 374.317 | 374.468 |
| | | N | 5456111.690 | | | 157024 | 78H7574 | TERR | 181 52 31 | 154.345 | 154.407 |
| | | El | 46.404 | CVD28GVRD2018 | | 597609 | 78H7573 | TERR | 270 23 24 | 416.541 | 416.709 |

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 726703 | 78H6977 | E | 505911.287 | 0.9995966 | 0.9999962 | 157024 | 78H7574 | TERR | 33 56 44 | 244.836 | 244.935 |
| | | N | 5455754.320 | | | 653006 | 94H1385 | TERR | 181 43 22 | 157.431 | 157.495 |
| | | El | 43.091 | CVD28GVRD2018 | | | | | | | |
| 402198 | 78H6978 | E | 506168.225 | 0.9995993 | 0.9999989 | MARKER DESTROYED | | | | | |
| | | N | 5454448.938 | | | | | | | | |
| | | El | 25.949 | CVD28GVRD2018 | | | | | | | |
| 109660 | 78H6983 | E | 502581.476 | 0.9995965 | 0.9999964 | MARKER DESTROYED | | | | | |
| | | N | 5456542.385 | | | | | | | | |
| | | El | 41.761 | CVD28GVRD2018 | | | | | | | |
| 592816 | 78H6984 | E | 507774.980 | 0.9995903 | 0.9999895 | MARKER DESTROYED | | | | | |
| | | N | 5455833.595 | | | | | | | | |
| | | El | 85.570 | CVD28GVRD2018 | | | | | | | |
| 332965 | 78H6985 | E | 507779.223 | 0.9995883 | 0.9999876 | MARKER ISOLATED | | | | | |
| | | N | 5456541.491 | | | | | | | | |
| | | El | 97.952 | CVD28GVRD2018 | | | | | | | |
| 15099 | 78H6986 | E | 498627.802 | 0.9995862 | 0.9999862 | MARKER ISOLATED | | | | | |
| | | N | 5459589.263 | | | | | | | | |
| | | El | 106.888 | CVD28GVRD2018 | | | | | | | |
| 583567 | 78H6988 | E | 504666.838 | 0.9996012 | 1.0000009 | MARKER DESTROYED | | | | | |
| | | N | 5454016.684 | | | | | | | | |
| | | El | 12.826 | 1928 Canadian Vertical Datum | | | | | | | |
| 838052 | 78H6989 | E | 504702.611 | 0.9996010 | 1.0000008 | 600999 | 94H1504 | TERR | 0 16 17 | 473.343 | 473.532 |
| | | N | 5454579.714 | | | 952069 | 94H1722 | TERR | 183 9 53 | 596.312 | 596.550 |
| | | El | 13.928 | CVD28GVRD2018 | | | | | | | |
| 106229 | 78H6990 | E | 507754.088 | 0.9995847 | 0.9999840 | 330605 | 73H0203 | TERR | 178 20 21 | 80.805 | 80.838 |
| | | N | 5457523.051 | | | 129171 | 75H3770 | TERR | 357 25 10 | 280.348 | 280.465 |
| | | El | 120.772 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 813311 | 78H6993 | E | 504513.188 | 0.9995941 | 0.9999938 | 77743 | 78H7572 | TERR | 90 18 43 | 469.026 | 469.217 |
| | | N | 5455863.248 | | | 814731 | NO MARKING | TERR | 189 52 17 | 50.817 | 50.838 |
| | | El | 58.136 | CVD28GVRD2018 | | | | | | | |
| 102079 | 78H6996 | E | 502968.458 | 0.9995923 | 0.9999922 | 432013 | 78H6998 | TERR | 0 37 30 | 167.672 | 167.741 |
| | | N | 5456850.776 | | | 197251 | 78H6968 | TERR | 180 22 24 | 134.784 | 134.839 |
| | | El | 68.285 | CVD28GVRD2018 | | 879643 | 78H6997 | TERR | 269 51 4 | 260.293 | 260.399 |
| 879643 | 78H6997 | E | 502708.166 | 0.9995923 | 0.9999923 | 102079 | 78H6996 | TERR | 89 51 4 | 260.293 | 260.399 |
| | | N | 5456850.100 | | | 754580 | 78H7008 | TERR | 270 28 49 | 125.964 | 126.016 |
| | | El | 68.149 | CVD28GVRD2018 | | | | | | | |
| 432013 | 78H6998 | E | 502970.287 | 0.9995916 | 0.9999915 | 102079 | 78H6996 | TERR | 180 37 30 | 167.672 | 167.741 |
| | | N | 5457018.438 | | | | | | | | |
| | | El | 72.748 | CVD28GVRD2018 | | | | | | | |
| 249714 | 78H6999 | E | 502979.752 | 0.9995888 | 0.9999887 | 668913 | 78H7001 | TERR | 0 17 29 | 200.475 | 200.557 |
| | | N | 5457648.794 | | | 685552 | 78H7023 | TERR | 90 1 32 | 402.061 | 402.226 |
| | | El | 90.897 | CVD28GVRD2018 | | 315986 | 78H7596 | TERR | 270 3 9 | 405.497 | 405.665 |
| 668913 | 78H7001 | E | 502980.772 | 0.9995886 | 0.9999885 | 170019 | 78H6965 | TERR | 0 16 34 | 201.979 | 202.062 |
| | | N | 5457849.266 | | | 249714 | 78H6999 | TERR | 180 17 29 | 200.475 | 200.557 |
| | | El | 92.272 | CVD28GVRD2018 | | 31310 | 77H6865 | TERR | 270 4 13 | 252.712 | 252.816 |
| 254219 | 78H7004 | E | 502853.865 | 0.9995892 | 0.9999890 | 726331 | 317 | TERR | 75 8 28 | 129.788 | 129.842 |
| | | N | 5458593.413 | | | 313494 | 78H7005 | TERR | 274 42 6 | 189.411 | 189.489 |
| | | El | 88.466 | CVD28GVRD2018 | | | | | | | |
| 313494 | 78H7005 | E | 502665.091 | 0.9995892 | 0.9999891 | 254219 | 78H7004 | TERR | 94 42 6 | 189.411 | 189.489 |
| | | N | 5458608.939 | | | | | | | | |
| | | El | 87.844 | CVD28GVRD2018 | | | | | | | |
| 441386 | 78H7007 | E | 502580.388 | 0.9995941 | 0.9999940 | 754580 | 78H7008 | TERR | 0 41 53 | 149.231 | 149.291 |
| | | N | 5456701.936 | | | 684654 | 94H1701 | TERR | 183 2 51 | 173.312 | 173.383 |
| | | El | 57.198 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 754580 | 78H7008 | E | 502582.206 | 0.9995934 | 0.9999934 | 879643 | 78H6997 | TERR | 90 28 49 | 125.964 | 126.016 |
| | | N | 5456851.156 | | | 441386 | 78H7007 | TERR | 180 41 53 | 149.231 | 149.291 |
| | | El | 61.100 | CVD28GVRD2018 | | 22061 | 78H7009 | TERR | 359 40 48 | 160.139 | 160.204 |
| 22061 | 78H7009 | E | 502581.312 | 0.9995931 | 0.9999930 | 754580 | 78H7008 | TERR | 179 40 48 | 160.139 | 160.204 |
| | | N | 5457011.292 | | | 38323 | 78H7011 | TERR | 273 36 3 | 94.180 | 94.218 |
| | | El | 63.424 | CVD28GVRD2018 | | 849919 | 78H7010 | TERR | 358 38 1 | 236.486 | 236.583 |
| 849919 | 78H7010 | E | 502575.673 | 0.9995914 | 0.9999913 | 22061 | 78H7009 | TERR | 178 38 1 | 236.486 | 236.583 |
| | | N | 5457247.711 | | | 20602 | 323 | TERR | 270 0 42 | 294.174 | 294.294 |
| | | El | 74.389 | CVD28GVRD2018 | | 155382 | 77H6866 | TERR | 359 49 1 | 200.379 | 200.460 |
| 38323 | 78H7011 | E | 502487.318 | 0.9995936 | 0.9999935 | 22061 | 78H7009 | TERR | 93 36 3 | 94.180 | 94.218 |
| | | N | 5457017.207 | | | | | | | | |
| | | El | 60.099 | CVD28GVRD2018 | | | | | | | |
| 591727 | 78H7012 | E | 502350.929 | 0.9995943 | 0.9999942 | 183533 | 77H6850 | TERR | 267 41 10 | 177.707 | 177.778 |
| | | N | 5456957.764 | | | | | | | | |
| | | El | 55.753 | CVD28GVRD2018 | | | | | | | |
| 313759 | 78H7013 | E | 503425.919 | 0.9995893 | 0.9999891 | 888867 | 75H3742 | TERR | 17 18 38 | 170.321 | 170.391 |
| | | N | 5459134.481 | | | 688176 | 75H3738 | TERR | 193 20 21 | 199.133 | 199.215 |
| | | El | 88.004 | CVD28GVRD2018 | | | | | | | |
| 283440 | 78H7014 | E | 503615.393 | 0.9995839 | 0.9999837 | 847855 | 78H7015 | TERR | 16 49 42 | 204.135 | 204.220 |
| | | N | 5458958.556 | | | 688176 | 75H3738 | TERR | 265 40 2 | 236.092 | 236.190 |
| | | El | 122.598 | CVD28GVRD2018 | | | | | | | |
| 847855 | 78H7015 | E | 503674.491 | 0.9995840 | 0.9999839 | 283440 | 78H7014 | TERR | 196 49 42 | 204.135 | 204.220 |
| | | N | 5459153.949 | | | | | | | | |
| | | El | 121.508 | CVD28GVRD2018 | | | | | | | |
| 700450 | 78H7016 | E | 503396.970 | 0.9995869 | 0.9999867 | 799684 | 75H3737 | TERR | 0 39 42 | 109.289 | 109.335 |
| | | N | 5458735.543 | | | | | | | | |
| | | El | 103.240 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 394734 | 78H7017 | E | 503397.656 | 0.9995866 | 0.9999865 | 767749 | 319 | TERR | 181 1 13 | 132.992 | 133.047 |
| | | N | 5458460.123 | | | 472548 | 78H7019 | TERR | 184 23 54 | 125.985 | 126.038 |
| | | El | 104.839 | CVD28GVRD2018 | | | | | | | |
| 333450 | 78H7018 | E | 503747.061 | 0.9995812 | 0.9999811 | 551754 | 79H9647 | TERR | 90 35 33 | 148.250 | 148.312 |
| | | N | 5458617.973 | | | | | | | | |
| | | El | 139.470 | CVD28GVRD2018 | | | | | | | |
| 472548 | 78H7019 | E | 503387.994 | 0.9995865 | 0.9999863 | 394734 | 78H7017 | TERR | 4 23 54 | 125.985 | 126.038 |
| | | N | 5458334.509 | | | 833376 | 75H3443 | TERR | 180 33 10 | 283.491 | 283.608 |
| | | El | 105.865 | CVD28GVRD2018 | | | | | | | |
| 698779 | 78H7020 | E | 503586.523 | 0.9995862 | 0.9999861 | 215319 | 75H3444 | TERR | 89 59 2 | 202.089 | 202.173 |
| | | N | 5458050.970 | | | 415430 | 78H7025 | TERR | 180 35 45 | 288.228 | 288.347 |
| | | El | 107.612 | CVD28GVRD2018 | | 833376 | 75H3443 | TERR | 270 1 3 | 201.264 | 201.347 |
| 48421 | 78H7021 | E | 503581.630 | 0.9995890 | 0.9999888 | 7211 | 78H7024 | TERR | 0 31 58 | 221.096 | 221.187 |
| | | N | 5457426.820 | | | 593335 | 78H7022 | TERR | 180 35 20 | 180.162 | 180.236 |
| | | El | 90.165 | CVD28GVRD2018 | | | | | | | |
| 593335 | 78H7022 | E | 503579.778 | 0.9995891 | 0.9999889 | 48421 | 78H7021 | TERR | 0 35 20 | 180.162 | 180.236 |
| | | N | 5457246.668 | | | 654897 | 321 | TERR | 270 16 2 | 194.324 | 194.405 |
| | | El | 89.549 | CVD28GVRD2018 | | | | | | | |
| 685552 | 78H7023 | E | 503381.813 | 0.9995884 | 0.9999883 | 833376 | 75H3443 | TERR | 0 29 26 | 402.432 | 402.598 |
| | | N | 5457648.614 | | | 7211 | 78H7024 | TERR | 90 12 3 | 201.874 | 201.957 |
| | | El | 93.524 | CVD28GVRD2018 | | 16113 | 320 | TERR | 179 38 24 | 239.534 | 239.632 |
| | | | | | | 249714 | 78H6999 | TERR | 270 1 32 | 402.061 | 402.226 |
| 7211 | 78H7024 | E | 503583.686 | 0.9995895 | 0.9999893 | 48421 | 78H7021 | TERR | 180 31 58 | 221.096 | 221.187 |
| | | N | 5457647.906 | | | 685552 | 78H7023 | TERR | 270 12 3 | 201.874 | 201.957 |
| | | El | 86.720 | CVD28GVRD2018 | | 415430 | 78H7025 | TERR | 359 55 13 | 114.852 | 114.899 |
| 415430 | 78H7025 | E | 503583.526 | 0.9995893 | 0.9999891 | 698779 | 78H7020 | TERR | 0 35 45 | 288.228 | 288.347 |
| | | N | 5457762.758 | | | 7211 | 78H7024 | TERR | 179 55 13 | 114.852 | 114.899 |
| | | El | 87.932 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|
| 198580 | 78H7026 | E 504246.686 | 0.9995826 | 0.9999824 | 688101 | 78H7028 | TERR | 270 25 19 | 269.158 | 269.270 |
| | | N 5457846.723 | | | | | | | | |
| | | El 131.097 | CVD28GVRD2018 | | | | | | | |
| 409789 | 78H7027 | E 503788.098 | 0.9995864 | 0.9999862 | 215319 | 75H3444 | TERR | 0 8 48 | 200.924 | 201.008 |
| | | N 5457850.104 | | | 688101 | 78H7028 | TERR | 90 25 23 | 189.442 | 189.521 |
| | | El 106.821 | CVD28GVRD2018 | | | | | | | |
| 688101 | 78H7028 | E 503977.535 | 0.9995840 | 0.9999838 | 198580 | 78H7026 | TERR | 90 25 19 | 269.158 | 269.270 |
| | | N 5457848.705 | | | 409789 | 78H7027 | TERR | 270 25 23 | 189.442 | 189.521 |
| | | El 121.890 | CVD28GVRD2018 | | | | | | | |
| 249656 | 78H7029 | E 503104.816 | 0.9996023 | 1.0000022 | 913186 | HS29 | TERR | 3 43 51 | 1342.964 | 1343.498 |
| | | N 5459519.062 | | | 879932 | 75H3762 | TERR | 159 49 24 | 214.917 | 215.003 |
| | | El 4.524 | CVD28GVRD2018 | | 671263 | 75H3732 | TERR | 280 45 3 | 2153.105 | 2153.968 |
| 731687 | 78H7561 | E 502310.925 | 0.9995985 | 0.9999984 | MARKER DESTROYED | | | | | |
| | | N 5456554.487 | | | | | | | | |
| | | El 28.661 | CVD28GVRD2018 | | | | | | | |
| 707927 | 78H7562 | E 502444.861 | 0.9995970 | 0.9999969 | MARKER DESTROYED | | | | | |
| | | N 5456558.882 | | | | | | | | |
| | | El 38.523 | CVD28GVRD2018 | | | | | | | |
| 102616 | 78H7564 | E 503781.768 | 0.9995899 | 0.9999897 | 898718 | 78H7565 | TERR | 0 34 57 | 293.304 | 293.425 |
| | | N 5456784.017 | | | 296855 | 78H7599 | TERR | 270 6 33 | 276.864 | 276.977 |
| | | El 84.367 | CVD28GVRD2018 | | | | | | | |
| 898718 | 78H7565 | E 503784.750 | 0.9995896 | 0.9999894 | 102616 | 78H7564 | TERR | 180 34 57 | 293.304 | 293.425 |
| | | N 5457077.306 | | | | | | | | |
| | | El 86.219 | CVD28GVRD2018 | | | | | | | |
| 507640 | 78H7566 | E 504142.462 | 0.9995904 | 0.9999902 | 262113 | 94H1510 | TERR | 90 35 44 | 450.440 | 450.625 |
| | | N 5456462.345 | | | | | | | | |
| | | El 81.394 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|
| 953448 | 78H7567 | E 504792.907 | 0.9995907 | 0.9999904 | 262113 | 94H1510 | TERR | 268 23 9 | 200.108 | 200.190 |
| | | N 5456463.299 | | | | | | | | |
| | | El 79.991 | CVD28GVRD2018 | | | | | | | |
| 279430 | 78H7568 | E 505100.762 | 0.9995902 | 0.9999899 | MARKER DESTROYED | | | | | |
| | | N 5456462.756 | | | | | | | | |
| | | El 83.027 | CVD28GVRD2018 | | | | | | | |
| 479071 | 78H7569 | E 505261.116 | 0.9995919 | 0.9999915 | 188045 | 78H7570 | TERR | 180 0 24 | 286.989 | 287.105 |
| | | N 5456241.598 | | | 407858 | 94H1509 | TERR | 358 47 53 | 223.515 | 223.607 |
| | | El 72.802 | CVD28GVRD2018 | | | | | | | |
| 188045 | 78H7570 | E 505261.083 | 0.9995935 | 0.9999931 | 479071 | 78H7569 | TERR | 0 0 24 | 286.989 | 287.105 |
| | | N 5455954.609 | | | 287284 | 78H7571 | TERR | 270 17 53 | 206.977 | 207.061 |
| | | El 62.642 | CVD28GVRD2018 | | | | | | | |
| 287284 | 78H7571 | E 505054.109 | 0.9995929 | 0.9999925 | 188045 | 78H7570 | TERR | 90 17 53 | 206.977 | 207.061 |
| | | N 5455955.686 | | | 77743 | 78H7572 | TERR | 217 7 24 | 119.135 | 119.183 |
| | | El 66.338 | CVD28GVRD2018 | | | | | | | |
| 77743 | 78H7572 | E 504982.207 | 0.9995927 | 0.9999924 | 287284 | 78H7571 | TERR | 37 7 24 | 119.135 | 119.183 |
| | | N 5455860.695 | | | 813311 | 78H6993 | TERR | 270 18 43 | 469.026 | 469.217 |
| | | El 67.241 | CVD28GVRD2018 | | | | | | | |
| 597609 | 78H7573 | E 505636.524 | 0.9995945 | 0.9999941 | 936963 | 78H6976 | TERR | 90 23 24 | 416.541 | 416.709 |
| | | N 5456114.525 | | | | | | | | |
| | | El 56.467 | CVD28GVRD2018 | | | | | | | |
| 157024 | 78H7574 | E 506048.004 | 0.9995966 | 0.9999962 | 936963 | 78H6976 | TERR | 1 52 31 | 154.345 | 154.407 |
| | | N 5455957.428 | | | 726703 | 78H6977 | TERR | 213 56 44 | 244.836 | 244.935 |
| | | El 43.223 | CVD28GVRD2018 | | | | | | | |
| 584045 | 78H7575 | E 506572.539 | 0.9995982 | 0.9999976 | 482174 | 78H7576 | TERR | 77 23 44 | 161.091 | 161.156 |
| | | N 5455812.758 | | | | | | | | |
| | | El 33.866 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 482174 | 78H7576 | E | 506729.748 | 0.9995972 | 0.9999966 | 584045 | 78H7575 | TERR | 257 23 44 | 161.091 | 161.156 |
| | | N | 5455847.911 | | | | | | | | |
| | | El | 40.331 | CVD28GVRD2018 | | | | | | | |
| 570549 | 78H7577 | E | 506892.013 | 0.9995974 | 0.9999968 | 196071 | 78H7578 | TERR | 7 17 42 | 228.155 | 228.246 |
| | | N | 5455920.086 | | | | | | | | |
| | | El | 39.226 | CVD28GVRD2018 | | | | | | | |
| 196071 | 78H7578 | E | 506920.984 | 0.9995970 | 0.9999964 | 386011 | 78H7579 | TERR | 17 55 51 | 141.560 | 141.617 |
| | | N | 5456146.394 | | | 570549 | 78H7577 | TERR | 187 17 42 | 228.155 | 228.246 |
| | | El | 41.523 | CVD28GVRD2018 | | | | | | | |
| 386011 | 78H7579 | E | 506964.566 | 0.9995970 | 0.9999964 | 196071 | 78H7578 | TERR | 197 55 51 | 141.560 | 141.617 |
| | | N | 5456281.078 | | | 663724 | 78H7580 | TERR | 245 25 52 | 150.413 | 150.474 |
| | | El | 41.654 | CVD28GVRD2018 | | | | | | | |
| 663724 | 78H7580 | E | 506827.771 | 0.9995948 | 0.9999942 | 386011 | 78H7579 | TERR | 65 25 52 | 150.413 | 150.474 |
| | | N | 5456218.538 | | | 478818 | 78H7581 | TERR | 208 29 1 | 136.764 | 136.820 |
| | | El | 55.707 | CVD28GVRD2018 | | | | | | | |
| 478818 | 78H7581 | E | 506762.547 | 0.9995948 | 0.9999942 | 663724 | 78H7580 | TERR | 28 29 1 | 136.764 | 136.820 |
| | | N | 5456098.329 | | | | | | | | |
| | | El | 55.683 | CVD28GVRD2018 | | | | | | | |
| 650507 | 78H7582 | E | 507353.116 | 0.9995938 | 0.9999932 | MARKER DESTROYED | | | | | |
| | | N | 5455641.319 | | | | | | | | |
| | | El | 62.416 | CVD28GVRD2018 | | | | | | | |
| 381525 | 78H7583 | E | 507234.067 | 0.9995950 | 0.9999944 | MARKER DESTROYED | | | | | |
| | | N | 5455642.751 | | | | | | | | |
| | | El | 54.702 | CVD28GVRD2018 | | | | | | | |
| 572966 | 78H7584 | E | 507175.034 | 0.9995961 | 0.9999955 | 487595 | 73H2100 | TERR | 38 10 28 | 313.656 | 313.782 |
| | | N | 5455988.975 | | | | | | | | |
| | | El | 47.649 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 99697 | 78H7585 | E | 507195.620 | 0.9995948 | 0.9999942 | 357863 | 78H7586 | TERR | 90 24 51 | 215.463 | 215.550 |
| | | N | 5455833.019 | | | | | | | | |
| | | El | 55.916 | CVD28GVRD2018 | | | | | | | |
| 357863 | 78H7586 | E | 507411.077 | 0.9995930 | 0.9999923 | 48025 | 78H7587 | TERR | 90 26 48 | 161.590 | 161.656 |
| | | N | 5455831.462 | | | 99697 | 78H7585 | TERR | 270 24 51 | 215.463 | 215.550 |
| | | El | 67.752 | CVD28GVRD2018 | | | | | | | |
| 48025 | 78H7587 | E | 507572.662 | 0.9995921 | 0.9999914 | 119776 | 78H7588 | TERR | 7 12 58 | 202.664 | 202.747 |
| | | N | 5455830.202 | | | 357863 | 78H7586 | TERR | 270 26 48 | 161.590 | 161.656 |
| | | El | 73.454 | CVD28GVRD2018 | | | | | | | |
| 119776 | 78H7588 | E | 507598.119 | 0.9995915 | 0.9999908 | 48025 | 78H7587 | TERR | 187 12 58 | 202.664 | 202.747 |
| | | N | 5456031.261 | | | | | | | | |
| | | El | 77.704 | CVD28GVRD2018 | | | | | | | |
| 368332 | 78H7589 | E | 507396.483 | 0.9995932 | 0.9999925 | 790154 | 78H7590 | TERR | 45 49 36 | 105.211 | 105.254 |
| | | N | 5456368.969 | | | 487595 | 73H2100 | TERR | 191 41 4 | 136.242 | 136.297 |
| | | El | 66.302 | CVD28GVRD2018 | | | | | | | |
| 790154 | 78H7590 | E | 507471.944 | 0.9995927 | 0.9999920 | 990382 | 78H7591 | TERR | 13 9 52 | 126.421 | 126.472 |
| | | N | 5456442.283 | | | 712547 | 79H9651 | TERR | 92 18 6 | 227.748 | 227.841 |
| | | El | 69.520 | CVD28GVRD2018 | | 368332 | 78H7589 | TERR | 225 49 36 | 105.211 | 105.254 |
| 990382 | 78H7591 | E | 507500.736 | 0.9995938 | 0.9999931 | 790154 | 78H7590 | TERR | 193 9 52 | 126.421 | 126.472 |
| | | N | 5456565.382 | | | | | | | | |
| | | El | 62.823 | CVD28GVRD2018 | | | | | | | |
| 514646 | 78H7592 | E | 507576.720 | 0.9995929 | 0.9999922 | 615518 | 78H7593 | TERR | 274 35 24 | 237.800 | 237.897 |
| | | N | 5456693.905 | | | 254060 | 78H7595 | TERR | 335 8 29 | 164.025 | 164.091 |
| | | El | 68.436 | CVD28GVRD2018 | | | | | | | |
| 615518 | 78H7593 | E | 507339.683 | 0.9995936 | 0.9999930 | 514646 | 78H7592 | TERR | 94 35 24 | 237.800 | 237.897 |
| | | N | 5456712.935 | | | | | | | | |
| | | El | 63.522 | CVD28GVRD2018 | | | | | | | |

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1628 | 78H7594 | E | 507606.588 | 0.9995938 | 0.9999930 | 520981 | 73H0179 | TERR | 84 33 28 | 161.803 | 161.870 |
| | | N | 5456987.372 | | | 254060 | 78H7595 | TERR | 214 20 31 | 175.174 | 175.246 |
| | | El | 63.024 | CVD28GVRD2018 | | | | | | | |
| 254060 | 78H7595 | E | 507507.767 | 0.9995941 | 0.9999935 | 1628 | 78H7594 | TERR | 34 20 31 | 175.174 | 175.246 |
| | | N | 5456842.733 | | | 514646 | 78H7592 | TERR | 155 8 29 | 164.025 | 164.091 |
| | | El | 60.402 | CVD28GVRD2018 | | | | | | | |
| 315986 | 78H7596 | E | 502574.255 | 0.9995891 | 0.9999890 | 249714 | 78H6999 | TERR | 90 3 9 | 405.497 | 405.665 |
| | | N | 5457649.165 | | | 155382 | 77H6866 | TERR | 179 46 42 | 201.078 | 201.160 |
| | | El | 88.610 | CVD28GVRD2018 | | 893628 | 77H6856 | TERR | 270 6 21 | 204.907 | 204.991 |
| | | | | | | 251983 | 77H6864 | TERR | 359 50 48 | 205.327 | 205.411 |
| 656108 | 78H7597 | E | 500872.706 | 0.9995931 | 0.9999931 | 297523 | 77H6826 | TERR | 0 27 14 | 215.389 | 215.476 |
| | | N | 5457419.906 | | | 914325 | 77H6828 | TERR | 177 55 22 | 170.273 | 170.342 |
| | | El | 62.684 | CVD28GVRD2018 | | 270736 | 77H6827 | TERR | 276 58 39 | 104.954 | 104.997 |
| 277129 | 78H7598 | E | 501369.674 | 0.9995992 | 0.9999992 | 768044 | 78H7600 | TERR | 0 15 49 | 257.004 | 257.107 |
| | | N | 5456997.683 | | | 549303 | 77H6844 | TERR | 112 8 33 | 314.322 | 314.447 |
| | | El | 23.914 | CVD28GVRD2018 | | 856831 | 94H1379 | GPS | 119 45 31 | 1396.147 | 1396.706 |
| | | | | | | 510305 | 78H8962 | TERR | 175 9 26 | 340.142 | 340.278 |
| | | | | | | 797100 | 82H5054 | GPS | 179 33 10 | 1744.896 | 1745.600 |
| | | | | | | 161026 | 77H6830 | TERR | 285 13 19 | 292.035 | 292.152 |
| 296855 | 78H7599 | E | 503504.905 | 0.9995899 | 0.9999897 | 102616 | 78H7564 | TERR | 90 6 33 | 276.864 | 276.977 |
| | | N | 5456784.545 | | | | | | | | |
| | | El | 84.378 | CVD28GVRD2018 | | | | | | | |
| 768044 | 78H7600 | E | 501370.857 | 0.9995959 | 0.9999959 | 171769 | 78H7604 | TERR | 90 13 40 | 190.578 | 190.654 |
| | | N | 5457254.684 | | | 277129 | 78H7598 | TERR | 180 15 49 | 257.004 | 257.107 |
| | | El | 45.167 | CVD28GVRD2018 | | 370551 | 77H6831 | TERR | 270 19 23 | 190.990 | 191.068 |
| | | | | | | 635342 | 78H7601 | TERR | 358 19 17 | 196.086 | 196.166 |
| 635342 | 78H7601 | E | 501365.113 | 0.9995918 | 0.9999918 | 661959 | 78H7602 | TERR | 0 0 59 | 105.335 | 105.379 |
| | | N | 5457450.686 | | | 25510 | 77H6840 | TERR | 90 9 13 | 413.229 | 413.397 |
| | | El | 71.290 | CVD28GVRD2018 | | 768044 | 78H7600 | TERR | 178 19 17 | 196.086 | 196.166 |
| 661959 | 78H7602 | E | 501365.143 | 0.9995901 | 0.9999901 | 819482 | 75H3442 | TERR | 0 22 15 | 187.678 | 187.754 |
| | | N | 5457556.021 | | | 635342 | 78H7601 | TERR | 180 0 59 | 105.335 | 105.379 |
| | | El | 81.740 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 609677 | 78H7603 | E | 501382.452 | 0.9995823 | 0.9999823 | 219881 | 314 | TERR | 173 16 18 | 121.653 | 121.704 |
| | | N | 5458729.197 | | | 260679 | 315 | TERR | 359 51 27 | 147.037 | 147.098 |
| | | El | 131.564 | CVD28GVRD2018 | | | | | | | |
| 171769 | 78H7604 | E | 501561.433 | 0.9995951 | 0.9999950 | 865642 | 77H6841 | TERR | 89 35 22 | 216.346 | 216.433 |
| | | N | 5457253.926 | | | 768044 | 78H7600 | TERR | 270 13 40 | 190.578 | 190.654 |
| | | El | 50.365 | CVD28GVRD2018 | | | | | | | |
| 491738 | 78H7605 | E | 501978.602 | 0.9995957 | 0.9999956 | 458919 | 77H6846 | TERR | 3 44 31 | 197.673 | 197.753 |
| | | N | 5456946.202 | | | | | | | | |
| | | El | 46.549 | CVD28GVRD2018 | | | | | | | |
| 147470 | 78H8255 | E | 499769.817 | 0.9995950 | 0.9999950 | 589739 | 82H4969 | TERR | 116 46 53 | 280.189 | 280.301 |
| | | N | 5454480.817 | | | 635128 | 83H5899 | TERR | 184 22 30 | 314.988 | 315.116 |
| | | El | 51.094 | CVD28GVRD2018 | | 159806 | 306 | TERR | 356 58 11 | 233.076 | 233.170 |
| 710855 | 78H8256 | E | 499768.783 | 0.9995951 | 0.9999951 | MARKER DESTROYED | | | | | |
| | | N | 5454810.378 | | | | | | | | |
| | | El | 50.215 | CVD28GVRD2018 | | | | | | | |
| 532630 | 78H8257 | E | 507483.112 | 0.9995986 | 0.9999979 | 253179 | 75H3758 | TERR | 42 55 17 | 284.466 | 284.580 |
| | | N | 5459474.103 | | | 502211 | 75H3756 | TERR | 239 58 5 | 234.276 | 234.370 |
| | | El | 31.700 | CVD28GVRD2018 | | | | | | | |
| 510305 | 78H8962 | E | 501398.390 | 0.9996006 | 1.0000006 | 437186 | 82H5044 | TERR | 91 17 32 | 310.516 | 310.640 |
| | | N | 5456658.755 | | | 277129 | 78H7598 | TERR | 355 9 26 | 340.142 | 340.278 |
| | | El | 15.199 | CVD28GVRD2018 | | | | | | | |
| 660381 | 79H9641 | E | 502825.114 | 0.9995949 | 0.9999948 | 118083 | 79H9642 | TERR | 76 15 57 | 144.378 | 144.437 |
| | | N | 5456550.902 | | | 299644 | 75H3441 | TERR | 256 33 13 | 119.190 | 119.239 |
| | | El | 51.992 | CVD28GVRD2018 | | | | | | | |
| 118083 | 79H9642 | E | 502965.364 | 0.9995943 | 0.9999941 | 197251 | 78H6968 | TERR | 0 58 14 | 130.834 | 130.886 |
| | | N | 5456585.180 | | | 660381 | 79H9641 | TERR | 256 15 57 | 144.378 | 144.437 |
| | | El | 56.094 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 960260 | 79H9643 | E | 503386.628 | 0.9995904 | 0.9999903 | 778985 | 79H9644 | TERR | 180 29 48 | 195.353 | 195.433 |
| | | N | 5457065.607 | | | 654897 | 321 | TERR | 359 37 52 | 181.971 | 182.045 |
| | | El | 80.718 | CVD28GVRD2018 | | | | | | | |
| 778985 | 79H9644 | E | 503384.935 | 0.9995909 | 0.9999907 | 960260 | 79H9643 | TERR | 0 29 48 | 195.353 | 195.433 |
| | | N | 5456870.261 | | | | | | | | |
| | | El | 77.988 | CVD28GVRD2018 | | | | | | | |
| 260620 | 79H9645 | E | 501187.393 | 0.9995831 | 0.9999831 | 219881 | 314 | TERR | 93 19 14 | 209.664 | 209.752 |
| | | N | 5458620.526 | | | 331892 | 77H6836 | TERR | 179 12 21 | 230.080 | 230.176 |
| | | El | 126.525 | CVD28GVRD2018 | | 580993 | 79H9646 | TERR | 270 42 40 | 300.570 | 300.695 |
| 580993 | 79H9646 | E | 500886.846 | 0.9995853 | 0.9999853 | 260620 | 79H9645 | TERR | 90 42 40 | 300.570 | 300.695 |
| | | N | 5458624.257 | | | 291153 | 77H6822 | TERR | 182 4 33 | 232.370 | 232.465 |
| | | El | 112.647 | CVD28GVRD2018 | | | | | | | |
| 551754 | 79H9647 | E | 503895.303 | 0.9995783 | 0.9999781 | 189878 | 79H9648 | TERR | 181 3 25 | 284.218 | 284.337 |
| | | N | 5458616.440 | | | 333450 | 78H7018 | TERR | 270 35 33 | 148.250 | 148.312 |
| | | El | 158.483 | CVD28GVRD2018 | | | | | | | |
| 189878 | 79H9648 | E | 503890.060 | 0.9995799 | 0.9999798 | 551754 | 79H9647 | TERR | 1 3 25 | 284.218 | 284.337 |
| | | N | 5458332.270 | | | | | | | | |
| | | El | 147.770 | CVD28GVRD2018 | | | | | | | |
| 604926 | 79H9649 | E | 501779.530 | 0.9995851 | 0.9999851 | 121038 | 77H5793 | TERR | 2 13 25 | 151.187 | 151.250 |
| | | N | 5458717.014 | | | 723494 | 316 | TERR | 185 26 46 | 107.754 | 107.799 |
| | | El | 113.989 | CVD28GVRD2018 | | | | | | | |
| 993121 | 79H9650 | E | 500160.644 | 0.9995917 | 0.9999917 | 418558 | 77H6807 | TERR | 56 12 59 | 174.522 | 174.594 |
| | | N | 5457694.352 | | | 991554 | 77H6808 | TERR | 184 42 12 | 77.831 | 77.863 |
| | | El | 71.478 | CVD28GVRD2018 | | | | | | | |
| 712547 | 79H9651 | E | 507699.508 | 0.9995890 | 0.9999883 | 790154 | 78H7590 | TERR | 272 18 6 | 227.748 | 227.841 |
| | | N | 5456433.137 | | | | | | | | |
| | | El | 93.539 | CVD28GVRD2018 | | | | | | | |

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 365049 | 79H9652 | E | 507517.708 | 0.9995990 | 0.9999983 | 359497 | 02H2417 | GPS | 7 21 16 | 2153.992 | 2154.876 |
| | | N | 5459515.481 | | | 253179 | 75H3758 | TERR | 43 37 41 | 230.623 | 230.716 |
| | | El | 29.392 | CVD28GVRD2018 | | 770610 | 84H9903 | GPS | 62 53 32 | 3193.691 | 3194.994 |
| | | | | | | 196881 | 80H3132 | GPS | 76 19 58 | 1411.558 | 1412.124 |
| | | | | | | 387381 | 85H0645 | GPS | 105 26 21 | 19026.910 | 19034.437 |
| | | | | | | 183145 | 80H3149 | GPS | 128 49 3 | 1462.671 | 1463.267 |
| | | | | | | 898734 | NO MARKING | GPS | 165 56 46 | 11027.104 | 11031.586 |
| | | | | | | 613281 | 90H6710 | GPS | 210 45 21 | 1958.602 | 1959.429 |
| | | | | | | 502211 | 75H3756 | TERR | 236 15 6 | 285.537 | 285.652 |
| | | | | | | 610006 | 90H6709 | GPS | 243 50 51 | 3422.445 | 3423.862 |
| | | | | | | 875864 | NO MARKING | GPS | 264 17 41 | 14084.997 | 14090.652 |
| | | | | | | 371617 | 90H6702 | GPS | 267 37 28 | 4128.099 | 4129.768 |
| | | | | | | 381111 | 90H6644 | GPS | 274 40 51 | 2570.872 | 2571.903 |
| | | | | | | 921874 | 77C107 | GPS | 320 33 31 | 3564.243 | 3565.666 |
| 643189 | 79H9653 | E | 507065.298 | 0.9995955 | 0.9999949 | MARKER ISOLATED | | | | | |
| | | N | 5455643.807 | | | | | | | | |
| | | El | 51.481 | CVD28GVRD2018 | | | | | | | |
| 370791 | 79H9654 | E | 500495.240 | 0.9995875 | 0.9999875 | 804963 | 311 | TERR | 136 59 30 | 110.501 | 110.546 |
| | | N | 5458668.975 | | | 403469 | 76H3791 | TERR | 287 25 35 | 116.308 | 116.356 |
| | | El | 98.333 | CVD28GVRD2018 | | | | | | | |
| 561605 | 79H9655 | E | 507471.953 | 0.9995922 | 0.9999915 | 636704 | 76H3774 | TERR | 91 6 0 | 143.910 | 143.968 |
| | | N | 5456235.373 | | | 487595 | 73H2100 | TERR | 270 5 54 | 103.062 | 103.104 |
| | | El | 72.921 | CVD28GVRD2018 | | | | | | | |
| 637611 | 79H9656 | E | 499362.542 | 0.9995895 | 0.9999894 | 23655 | 77H6780 | TERR | 0 44 23 | 185.353 | 185.430 |
| | | N | 5458709.020 | | | 964049 | 76H3788 | TERR | 90 4 28 | 200.741 | 200.823 |
| | | El | 86.008 | CVD28GVRD2018 | | 888636 | 76H3787 | TERR | 270 19 34 | 201.073 | 201.157 |
| 589895 | 79H9657 | E | 501507.152 | 0.9995812 | 0.9999812 | 528133 | 77H5797 | TERR | 185 10 24 | 100.046 | 100.087 |
| | | N | 5459313.483 | | | 374298 | 77H5799 | TERR | 348 25 58 | 82.960 | 82.996 |
| | | El | 138.709 | CVD28GVRD2018 | | | | | | | |
| 666123 | 79H9659 | E | 499555.134 | 0.9995963 | 0.9999963 | 271072 | 77H6798 | TERR | 86 0 46 | 202.483 | 202.565 |
| | | N | 5457246.988 | | | 268144 | 81H4596 | TERR | 179 36 59 | 151.556 | 151.617 |
| | | El | 42.289 | CVD28GVRD2018 | | 790279 | 77H6768 | TERR | 268 45 31 | 282.558 | 282.672 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 32482 | 79H9660 | E | 500190.114 | 0.9995892 | 0.9999892 | 697078 | 76H3790 | TERR | 0 41 37 | 122.694 | 122.744 |
| | | N | 5458582.045 | | | 360842 | 77H6819 | TERR | 182 41 13 | 191.794 | 191.873 |
| | | El | 87.618 | CVD28GVRD2018 | | 534248 | 77H6800 | TERR | 270 46 51 | 214.968 | 215.056 |
| 994103 | 79H9661 | E | 500592.434 | 0.9995820 | 0.9999820 | 619205 | 79H9662 | TERR | 271 54 10 | 124.358 | 124.409 |
| | | N | 5459387.169 | | | | | | | | |
| | | El | 133.517 | CVD28GVRD2018 | | | | | | | |
| 619205 | 79H9662 | E | 500468.145 | 0.9995853 | 0.9999853 | 994103 | 79H9661 | TERR | 91 54 10 | 124.358 | 124.409 |
| | | N | 5459391.298 | | | | | | | | |
| | | El | 112.621 | CVD28GVRD2018 | | | | | | | |
| 73767 | 79H9663 | E | 507314.015 | 0.9995934 | 0.9999927 | MARKER DESTROYED | | | | | |
| | | N | 5456851.269 | | | | | | | | |
| | | El | 65.072 | CVD28GVRD2018 | | | | | | | |
| 465591 | 79H9664 | E | 498566.848 | 0.9995889 | 0.9999888 | 657858 | 78H6949 | TERR | 92 25 7 | 87.963 | 88.000 |
| | | N | 5454469.936 | | | 326637 | 83H5910 | TERR | 180 37 44 | 181.633 | 181.708 |
| | | El | 90.222 | CVD28GVRD2018 | | 440925 | 80H2971 | TERR | 269 46 31 | 274.491 | 274.604 |
| 416339 | 79H9665 | E | 499089.380 | 0.9995916 | 0.9999916 | 201889 | 80H2952 | TERR | 87 24 45 | 199.830 | 199.912 |
| | | N | 5454462.188 | | | 868752 | 83H5907 | TERR | 203 50 48 | 193.888 | 193.967 |
| | | El | 72.413 | CVD28GVRD2018 | | 995688 | 83H6206 | TERR | 269 41 7 | 241.884 | 241.983 |
| | | | | | | 657858 | 78H6949 | TERR | 270 31 55 | 434.666 | 434.844 |
| | | | | | | 134015 | 80H2957 | TERR | 359 44 16 | 239.966 | 240.064 |
| 201889 | 80H2952 | E | 499289.006 | 0.9995918 | 0.9999918 | 216341 | 80H2956 | TERR | 0 41 42 | 194.239 | 194.319 |
| | | N | 5454471.209 | | | 923375 | 80H2953 | TERR | 93 57 29 | 207.094 | 207.178 |
| | | El | 71.367 | CVD28GVRD2018 | | 416339 | 79H9665 | TERR | 267 24 45 | 199.830 | 199.912 |
| 923375 | 80H2953 | E | 499495.606 | 0.9995926 | 0.9999926 | 201889 | 80H2952 | TERR | 273 57 29 | 207.094 | 207.178 |
| | | N | 5454456.914 | | | | | | | | |
| | | El | 66.286 | CVD28GVRD2018 | | | | | | | |
| 755926 | 80H2954 | E | 499629.854 | 0.9995936 | 0.9999936 | MARKER DESTROYED | | | | | |
| | | N | 5454454.949 | | | | | | | | |
| | | El | 59.766 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 138339 | 80H2955 | E | 499497.052 | 0.9995915 | 0.9999915 | MARKER DESTROYED | | | | | |
| | | N | 5454660.431 | | | | | | | | |
| | | El | 73.177 | CVD28GVRD2018 | | | | | | | |
| 216341 | 80H2956 | E | 499291.362 | 0.9995900 | 0.9999900 | 201889 | 80H2952 | TERR | 180 41 42 | 194.239 | 194.319 |
| | | N | 5454665.434 | | | | | | | | |
| | | El | 82.796 | CVD28GVRD2018 | | | | | | | |
| 134015 | 80H2957 | E | 499088.282 | 0.9995906 | 0.9999906 | 773705 | 80H2964 | TERR | 0 32 50 | 210.287 | 210.373 |
| | | N | 5454702.151 | | | 416339 | 79H9665 | TERR | 179 44 16 | 239.966 | 240.064 |
| | | El | 79.107 | CVD28GVRD2018 | | | | | | | |
| 760835 | 80H2958 | E | 498881.853 | 0.9995905 | 0.9999904 | MARKER DESTROYED | | | | | |
| | | N | 5454711.010 | | | | | | | | |
| | | El | 79.864 | CVD28GVRD2018 | | | | | | | |
| 61192 | 80H2959 | E | 498755.648 | 0.9995901 | 0.9999901 | 315176 | 80H2960 | TERR | 273 53 19 | 201.583 | 201.666 |
| | | N | 5454705.665 | | | | | | | | |
| | | El | 82.098 | CVD28GVRD2018 | | | | | | | |
| 315176 | 80H2960 | E | 498554.529 | 0.9995893 | 0.9999892 | 203174 | 80H2962 | TERR | 3 33 30 | 145.644 | 145.704 |
| | | N | 5454719.336 | | | 61192 | 80H2959 | TERR | 93 53 19 | 201.583 | 201.666 |
| | | El | 87.670 | CVD28GVRD2018 | | 357079 | 80H2961 | TERR | 175 32 7 | 136.961 | 137.017 |
| 357079 | 80H2961 | E | 498565.191 | 0.9995893 | 0.9999893 | 315176 | 80H2960 | TERR | 355 32 7 | 136.961 | 137.017 |
| | | N | 5454582.791 | | | | | | | | |
| | | El | 87.078 | CVD28GVRD2018 | | | | | | | |
| 203174 | 80H2962 | E | 498563.568 | 0.9995890 | 0.9999890 | 315176 | 80H2960 | TERR | 183 33 30 | 145.644 | 145.704 |
| | | N | 5454864.699 | | | | | | | | |
| | | El | 88.951 | CVD28GVRD2018 | | | | | | | |
| 918714 | 80H2963 | E | 498893.047 | 0.9995900 | 0.9999900 | MARKER DESTROYED | | | | | |
| | | N | 5454861.497 | | | | | | | | |
| | | El | 82.751 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|
| 773705 | 80H2964 | E 499090.290 | 0.9995898 | 0.9999898 | 134015 | 80H2957 | TERR | 180 32 50 | 210.287 | 210.373 |
| | | N 5454912.428 | | | 197392 | 80H2969 | TERR | 359 30 2 | 92.232 | 92.269 |
| | | El 83.944 | CVD28GVRD2018 | | | | | | | |
| 33704 | 80H2965 | E 499292.165 | 0.9995903 | 0.9999903 | 502203 | 80H2966 | TERR | 90 9 52 | 89.870 | 89.907 |
| | | N 5454878.308 | | | | | | | | |
| | | El 80.735 | CVD28GVRD2018 | | | | | | | |
| 502203 | 80H2966 | E 499382.035 | 0.9995903 | 0.9999903 | 426346 | 80H2967 | TERR | 91 40 41 | 113.382 | 113.428 |
| | | N 5454878.050 | | | 33704 | 80H2965 | TERR | 270 9 52 | 89.870 | 89.907 |
| | | El 80.768 | CVD28GVRD2018 | | | | | | | |
| 426346 | 80H2967 | E 499495.368 | 0.9995915 | 0.9999915 | 211151 | 82H4967 | TERR | 13 30 28 | 68.316 | 68.343 |
| | | N 5454874.730 | | | 75028 | 80H2968 | TERR | 178 38 53 | 103.923 | 103.966 |
| | | El 72.860 | CVD28GVRD2018 | | 502203 | 80H2966 | TERR | 271 40 41 | 113.382 | 113.428 |
| 75028 | 80H2968 | E 499497.820 | 0.9995908 | 0.9999908 | 426346 | 80H2967 | TERR | 358 38 53 | 103.923 | 103.966 |
| | | N 5454770.836 | | | | | | | | |
| | | El 77.330 | CVD28GVRD2018 | | | | | | | |
| 197392 | 80H2969 | E 499089.486 | 0.9995896 | 0.9999896 | 773705 | 80H2964 | TERR | 179 30 2 | 92.232 | 92.269 |
| | | N 5455004.656 | | | 599175 | 80H2970 | TERR | 270 11 56 | 205.701 | 205.786 |
| | | El 85.249 | CVD28GVRD2018 | | | | | | | |
| 599175 | 80H2970 | E 498883.786 | 0.9995893 | 0.9999893 | 255430 | 81H4561 | TERR | 9 6 48 | 97.130 | 97.170 |
| | | N 5455005.370 | | | 625236 | 81H4594 | GPS | 23 18 50 | 2020.272 | 2021.093 |
| | | El 87.435 | CVD28GVRD2018 | | 197392 | 80H2969 | TERR | 90 11 56 | 205.701 | 205.786 |
| | | | | | 510404 | 82H5017 | GPS | 110 29 19 | 1926.886 | 1927.669 |
| | | | | | 649855 | V-1515 | GPS | 251 27 27 | 2320.730 | 2321.684 |
| | | | | | 539841 | 81H4558 | TERR | 273 56 5 | 153.453 | 153.516 |
| | | | | | 650838 | V-1512 | GPS | 292 4 48 | 2266.059 | 2266.982 |
| | | | | | 325001 | 78H6944 | GPS | 328 27 28 | 1121.509 | 1121.967 |
| 440925 | 80H2971 | E 498292.359 | 0.9995880 | 0.9999880 | 841197 | V-1436 | TERR | 0 7 49 | 175.668 | 175.740 |
| | | N 5454468.860 | | | 465591 | 79H9664 | TERR | 89 46 31 | 274.491 | 274.604 |
| | | El 95.574 | CVD28GVRD2018 | | 608687 | 78H6946 | TERR | 180 17 24 | 91.663 | 91.701 |
| 965392 | 80H3123 | E 499751.453 | 0.9995990 | 0.9999990 | MARKER DESTROYED | | | | | |
| | | N 5456637.788 | | | | | | | | |
| | | El 25.292 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 539841 | 81H4558 | E | 498730.695 | 0.9995884 | 0.9999883 | 599175 | 80H2970 | TERR | 93 56 5 | 153.453 | 153.516 |
| | | N | 5455015.900 | | | 112391 | 81H4559 | TERR | 267 51 49 | 164.944 | 165.012 |
| | | El | 93.219 | CVD28GVRD2018 | | | | | | | |
| 112391 | 81H4559 | E | 498565.866 | 0.9995892 | 0.9999892 | 947697 | 81H4560 | TERR | 0 21 30 | 158.452 | 158.518 |
| | | N | 5455009.751 | | | 539841 | 81H4558 | TERR | 87 51 49 | 164.944 | 165.012 |
| | | El | 88.049 | CVD28GVRD2018 | | 567636 | V-1334 | TERR | 272 20 39 | 306.463 | 306.588 |
| 947697 | 81H4560 | E | 498566.857 | 0.9995895 | 0.9999895 | 730770 | 81H4562 | TERR | 0 24 48 | 141.095 | 141.152 |
| | | N | 5455168.200 | | | 646653 | 78H6950 | TERR | 90 46 3 | 163.968 | 164.035 |
| | | El | 85.939 | CVD28GVRD2018 | | 112391 | 81H4559 | TERR | 180 21 30 | 158.452 | 158.518 |
| 255430 | 81H4561 | E | 498899.170 | 0.9995889 | 0.9999889 | 721126 | 82H5009 | TERR | 89 31 4 | 189.552 | 189.630 |
| | | N | 5455101.274 | | | 599175 | 80H2970 | TERR | 189 6 48 | 97.130 | 97.170 |
| | | El | 89.726 | CVD28GVRD2018 | | | | | | | |
| 730770 | 81H4562 | E | 498567.875 | 0.9995907 | 0.9999907 | 83030 | 81H4569 | TERR | 0 17 28 | 154.693 | 154.756 |
| | | N | 5455309.291 | | | 573428 | 81H4563 | TERR | 84 53 57 | 161.006 | 161.071 |
| | | El | 78.351 | CVD28GVRD2018 | | 947697 | 81H4560 | TERR | 180 24 48 | 141.095 | 141.152 |
| | | | | | | 898478 | 81H4568 | TERR | 273 32 37 | 231.126 | 231.221 |
| 573428 | 81H4563 | E | 498728.243 | 0.9995891 | 0.9999891 | 646653 | 78H6950 | TERR | 179 4 1 | 157.623 | 157.687 |
| | | N | 5455323.606 | | | 730770 | 81H4562 | TERR | 264 53 57 | 161.006 | 161.071 |
| | | El | 88.729 | CVD28GVRD2018 | | | | | | | |
| 239897 | 81H4564 | E | 498942.409 | 0.9995913 | 0.9999913 | 118463 | 81H4565 | TERR | 90 23 3 | 101.437 | 101.479 |
| | | N | 5455346.185 | | | | | | | | |
| | | El | 74.569 | CVD28GVRD2018 | | | | | | | |
| 118463 | 81H4565 | E | 499043.844 | 0.9995929 | 0.9999929 | 239897 | 81H4564 | TERR | 270 23 3 | 101.437 | 101.479 |
| | | N | 5455345.505 | | | 928846 | 81H4566 | TERR | 357 47 44 | 159.805 | 159.870 |
| | | El | 64.438 | CVD28GVRD2018 | | | | | | | |
| 928846 | 81H4566 | E | 499037.697 | 0.9995942 | 0.9999942 | 118463 | 81H4565 | TERR | 177 47 44 | 159.805 | 159.870 |
| | | N | 5455505.192 | | | 386037 | 81H4567 | TERR | 272 34 52 | 142.650 | 142.708 |
| | | El | 56.114 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 386037 | 81H4567 | E | 498895.192 | 0.9995926 | 0.9999926 | 928846 | 81H4566 | TERR | 92 34 52 | 142.650 | 142.708 |
| | | N | 5455511.616 | | | 343962 | 81H4575 | TERR | 359 9 42 | 163.854 | 163.920 |
| | | El | 65.886 | CVD28GVRD2018 | | | | | | | |
| 898478 | 81H4568 | E | 498337.191 | 0.9995902 | 0.9999902 | 730770 | 81H4562 | TERR | 93 32 37 | 231.126 | 231.221 |
| | | N | 5455323.577 | | | | | | | | |
| | | El | 81.563 | CVD28GVRD2018 | | | | | | | |
| 83030 | 81H4569 | E | 498568.661 | 0.9995916 | 0.9999916 | 702704 | 81H4570 | TERR | 0 19 7 | 145.151 | 145.211 |
| | | N | 5455463.982 | | | 730770 | 81H4562 | TERR | 180 17 28 | 154.693 | 154.756 |
| | | El | 72.324 | CVD28GVRD2018 | | | | | | | |
| 702704 | 81H4570 | E | 498569.468 | 0.9995922 | 0.9999922 | 83030 | 81H4569 | TERR | 180 19 7 | 145.151 | 145.211 |
| | | N | 5455609.131 | | | 257857 | 81H4571 | TERR | 356 25 57 | 166.645 | 166.712 |
| | | El | 68.825 | CVD28GVRD2018 | | | | | | | |
| 257857 | 81H4571 | E | 498559.099 | 0.9995929 | 0.9999929 | 24638 | 81H4572 | TERR | 0 57 7 | 181.310 | 181.384 |
| | | N | 5455775.453 | | | 403451 | 78H6951 | TERR | 95 51 13 | 133.852 | 133.906 |
| | | El | 64.076 | CVD28GVRD2018 | | 702704 | 81H4570 | TERR | 176 25 57 | 166.645 | 166.712 |
| | | | | | | 759761 | 81H4573 | TERR | 267 40 42 | 258.765 | 258.871 |
| 24638 | 81H4572 | E | 498562.111 | 0.9995942 | 0.9999942 | 257857 | 81H4571 | TERR | 180 57 7 | 181.310 | 181.384 |
| | | N | 5455956.738 | | | 325001 | 78H6944 | TERR | 270 57 37 | 265.055 | 265.163 |
| | | El | 55.945 | CVD28GVRD2018 | | | | | | | |
| 759761 | 81H4573 | E | 498300.546 | 0.9995914 | 0.9999913 | 257857 | 81H4571 | TERR | 87 40 42 | 258.765 | 258.871 |
| | | N | 5455764.970 | | | 94953 | 5 | TERR | 187 29 1 | 162.986 | 163.053 |
| | | El | 74.235 | CVD28GVRD2018 | | 325001 | 78H6944 | TERR | 358 59 30 | 196.240 | 196.320 |
| 391722 | 81H4574 | E | 498902.155 | 0.9995943 | 0.9999943 | 471383 | 81H4576 | TERR | 90 27 32 | 140.474 | 140.530 |
| | | N | 5455774.016 | | | 343962 | 81H4575 | TERR | 185 25 29 | 99.007 | 99.048 |
| | | El | 55.267 | CVD28GVRD2018 | | 403451 | 78H6951 | TERR | 266 40 11 | 210.257 | 210.343 |
| 343962 | 81H4575 | E | 498892.795 | 0.9995935 | 0.9999935 | 391722 | 81H4574 | TERR | 5 25 29 | 99.007 | 99.048 |
| | | N | 5455675.452 | | | 386037 | 81H4567 | TERR | 179 9 42 | 163.854 | 163.920 |
| | | El | 60.587 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 471383 | 81H4576 | E | 499042.624 | 0.9995953 | 0.9999953 | 811380 | 81H4577 | TERR | 90 21 8 | 192.914 | 192.992 |
| | | N | 5455772.891 | | | 391722 | 81H4574 | TERR | 270 27 32 | 140.474 | 140.530 |
| | | El | 48.992 | CVD28GVRD2018 | | | | | | | |
| 811380 | 81H4577 | E | 499235.534 | 0.9995977 | 0.9999977 | 987891 | 82H5059 | TERR | 181 39 41 | 228.997 | 229.090 |
| | | N | 5455771.705 | | | 471383 | 81H4576 | TERR | 270 21 8 | 192.914 | 192.992 |
| | | El | 33.284 | CVD28GVRD2018 | | 675389 | 81H4582 | TERR | 331 24 54 | 200.705 | 200.787 |
| 316752 | 81H4578 | E | 499404.781 | 0.9995983 | 0.9999983 | 962100 | 82H5062 | TERR | 90 11 59 | 159.273 | 159.338 |
| | | N | 5455772.158 | | | | | | | | |
| | | El | 29.491 | CVD28GVRD2018 | | | | | | | |
| 778191 | 81H4579 | E | 499702.516 | 0.9996000 | 1.0000000 | 62125 | 82H4979 | TERR | 93 21 27 | 282.114 | 282.227 |
| | | N | 5455772.208 | | | 240812 | 81H4580 | TERR | 180 27 23 | 333.527 | 333.660 |
| | | El | 19.109 | CVD28GVRD2018 | | 962100 | 82H5062 | TERR | 269 44 59 | 138.464 | 138.519 |
| | | | | | | 183285 | 78H6957 | TERR | 356 43 29 | 200.436 | 200.517 |
| 240812 | 81H4580 | E | 499699.860 | 0.9995987 | 0.9999987 | 778191 | 81H4579 | TERR | 0 27 23 | 333.527 | 333.660 |
| | | N | 5455438.692 | | | 562371 | 82H4981 | TERR | 83 58 59 | 123.858 | 123.908 |
| | | El | 26.897 | CVD28GVRD2018 | | 456038 | 82H4968 | TERR | 180 20 3 | 206.456 | 206.539 |
| 22202 | 81H4581 | E | 499694.012 | 0.9995962 | 0.9999962 | 456038 | 82H4968 | TERR | 1 10 50 | 225.407 | 225.497 |
| | | N | 5455006.881 | | | 211151 | 82H4967 | TERR | 250 12 46 | 194.150 | 194.229 |
| | | El | 43.427 | CVD28GVRD2018 | | | | | | | |
| 675389 | 81H4582 | E | 499139.504 | 0.9995984 | 0.9999984 | 811380 | 81H4577 | TERR | 151 24 54 | 200.705 | 200.787 |
| | | N | 5455947.946 | | | 656231 | 81H4583 | TERR | 357 40 17 | 156.703 | 156.766 |
| | | El | 29.295 | CVD28GVRD2018 | | | | | | | |
| 656231 | 81H4583 | E | 499133.137 | 0.9995985 | 0.9999985 | 805341 | 307 | TERR | 86 24 39 | 550.069 | 550.290 |
| | | N | 5456104.520 | | | 675389 | 81H4582 | TERR | 177 40 17 | 156.703 | 156.766 |
| | | El | 28.385 | CVD28GVRD2018 | | 702894 | 81H4584 | TERR | 353 48 5 | 131.494 | 131.546 |
| 702894 | 81H4584 | E | 499118.939 | 0.9995994 | 0.9999994 | 656231 | 81H4583 | TERR | 173 48 5 | 131.494 | 131.546 |
| | | N | 5456235.245 | | | 139972 | 81H4585 | TERR | 323 58 56 | 270.042 | 270.149 |
| | | El | 22.567 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 139972 | 81H4585 | E | 498960.145 | 0.9996005 | 1.0000004 | 702894 | 81H4584 | TERR | 143 58 56 | 270.042 | 270.149 |
| | | N | 5456453.664 | | | 289272 | 81H4586 | TERR | 269 55 55 | 256.284 | 256.387 |
| | | El | 16.004 | CVD28GVRD2018 | | 636910 | 81H4589 | TERR | 358 44 43 | 163.359 | 163.425 |
| 289272 | 81H4586 | E | 498703.861 | 0.9996003 | 1.0000003 | 139972 | 81H4585 | TERR | 89 55 55 | 256.284 | 256.387 |
| | | N | 5456453.360 | | | 393785 | 82H5098 | TERR | 182 49 50 | 148.541 | 148.601 |
| | | El | 17.079 | CVD28GVRD2018 | | 549550 | 82H5016 | TERR | 270 54 15 | 129.985 | 130.037 |
| 196907 | 81H4587 | E | 498431.469 | 0.9995997 | 0.9999996 | 549550 | 82H5016 | TERR | 90 41 42 | 142.434 | 142.490 |
| | | N | 5456457.139 | | | | | | | | |
| | | El | 21.055 | CVD28GVRD2018 | | | | | | | |
| 580399 | 81H4588 | E | 498708.764 | 0.9995976 | 0.9999976 | 94052 | 78H6952 | TERR | 197 0 13 | 190.717 | 190.794 |
| | | N | 5456187.708 | | | 393785 | 82H5098 | TERR | 354 2 36 | 117.929 | 117.976 |
| | | El | 34.338 | CVD28GVRD2018 | | | | | | | |
| 636910 | 81H4589 | E | 498956.568 | 0.9996005 | 1.0000005 | 927970 | 81H4590 | TERR | 3 20 34 | 234.416 | 234.509 |
| | | N | 5456616.984 | | | 139972 | 81H4585 | TERR | 178 44 43 | 163.359 | 163.425 |
| | | El | 15.507 | CVD28GVRD2018 | | | | | | | |
| 927970 | 81H4590 | E | 498970.237 | 0.9996005 | 1.0000005 | 647008 | 81H4591 | TERR | 85 35 58 | 178.282 | 178.353 |
| | | N | 5456851.001 | | | 636910 | 81H4589 | TERR | 183 20 34 | 234.416 | 234.509 |
| | | El | 15.454 | CVD28GVRD2018 | | 69757 | 77H6767 | TERR | 355 21 49 | 205.980 | 206.062 |
| 647008 | 81H4591 | E | 499147.993 | 0.9996002 | 1.0000002 | 584565 | 81H4592 | TERR | 90 21 26 | 223.560 | 223.650 |
| | | N | 5456864.680 | | | 927970 | 81H4590 | TERR | 265 35 58 | 178.282 | 178.353 |
| | | El | 17.540 | CVD28GVRD2018 | | | | | | | |
| 584565 | 81H4592 | E | 499371.549 | 0.9995997 | 0.9999997 | 423558 | 81H4593 | TERR | 90 32 39 | 201.318 | 201.399 |
| | | N | 5456863.286 | | | 647008 | 81H4591 | TERR | 270 21 26 | 223.560 | 223.650 |
| | | El | 20.764 | CVD28GVRD2018 | | 928275 | 81H4597 | TERR | 357 23 8 | 200.114 | 200.195 |
| 423558 | 81H4593 | E | 499572.858 | 0.9995985 | 0.9999985 | 625236 | 81H4594 | TERR | 90 21 19 | 110.486 | 110.531 |
| | | N | 5456861.374 | | | 584565 | 81H4592 | TERR | 270 32 39 | 201.318 | 201.399 |
| | | El | 28.331 | CVD28GVRD2018 | | 268144 | 81H4596 | TERR | 355 55 0 | 234.657 | 234.751 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS | | UTM Coordinates | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. | UTM Grid | UTM Grid | Ground |
|---|---|---|---|---|---|---|---|---|---|---|
| GCM-NO | TABLET MARKING | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | Type | Bearing | Distance Metres | Distance Metres |
| 625236 | 81H4594 | E 499683.342 | 0.9995977 | 0.9999977 | 991554 | 77H6808 | GPS | 31 54 58 | 890.755 | 891.115 |
| | | N 5456860.689 | | | 510404 | 82H5017 | GPS | 158 19 30 | 2722.249 | 2723.343 |
| | | El 33.408 | CVD28GVRD2018 | | 599175 | 80H2970 | GPS | 203 18 50 | 2020.272 | 2021.093 |
| | | | | | 325001 | 78H6944 | GPS | 237 1 17 | 1652.514 | 1653.183 |
| | | | | | 423558 | 81H4593 | TERR | 270 21 19 | 110.486 | 110.531 |
| 475269 | 81H4595 | E 499782.438 | 0.9995979 | 0.9999978 | MARKER DESTROYED | | | | | |
| | | N 5456861.810 | | | | | | | | |
| | | El 32.485 | CVD28GVRD2018 | | | | | | | |
| 268144 | 81H4596 | E 499556.149 | 0.9995971 | 0.9999971 | 423558 | 81H4593 | TERR | 175 55 0 | 234.657 | 234.751 |
| | | N 5457095.435 | | | 928275 | 81H4597 | TERR | 260 33 2 | 196.393 | 196.472 |
| | | El 36.966 | CVD28GVRD2018 | | 666123 | 79H9659 | TERR | 359 36 59 | 151.556 | 151.617 |
| 928275 | 81H4597 | E 499362.421 | 0.9995982 | 0.9999982 | 268144 | 81H4596 | TERR | 80 33 2 | 196.393 | 196.472 |
| | | N 5457063.192 | | | 584565 | 81H4592 | TERR | 177 23 8 | 200.114 | 200.195 |
| | | El 30.549 | CVD28GVRD2018 | | 69757 | 77H6767 | TERR | 269 2 7 | 408.892 | 409.056 |
| 522482 | 81H4598 | E 498668.792 | 0.9996001 | 1.0000000 | 69757 | 77H6767 | TERR | 80 27 31 | 288.790 | 288.905 |
| | | N 5457008.437 | | | 717504 | 3 | TERR | 269 16 43 | 382.957 | 383.111 |
| | | El 18.450 | CVD28GVRD2018 | | | | | | | |
| 334326 | 81H4599 | E 501841.873 | 0.9995977 | 0.9999977 | 119941 | 82H4991 | TERR | 32 1 26 | 89.594 | 89.630 |
| | | N 5454447.343 | | | 44727 | 82H4986 | TERR | 208 31 24 | 117.680 | 117.726 |
| | | El 33.760 | CVD28GVRD2018 | | | | | | | |
| 974915 | 81H4600 | E 501479.805 | 0.9995952 | 0.9999952 | 35253 | 82H5040 | TERR | 89 3 50 | 153.102 | 153.164 |
| | | N 5454557.530 | | | | | | | | |
| | | El 49.700 | CVD28GVRD2018 | | | | | | | |
| 174375 | 81H4601 | E 501269.509 | 0.9995971 | 0.9999970 | 609867 | 78H6959 | TERR | 147 52 26 | 110.186 | 110.231 |
| | | N 5454556.391 | | | 513812 | 81H4602 | TERR | 270 43 18 | 155.047 | 155.110 |
| | | El 37.701 | CVD28GVRD2018 | | | | | | | |
| 513812 | 81H4602 | E 501114.474 | 0.9995968 | 0.9999967 | 317230 | 81H4603 | TERR | 0 21 46 | 124.765 | 124.816 |
| | | N 5454558.344 | | | 174375 | 81H4601 | TERR | 90 43 18 | 155.047 | 155.110 |
| | | El 39.665 | CVD28GVRD2018 | | 308783 | 82H5032 | TERR | 272 49 35 | 155.785 | 155.847 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 317230 | 81H4603 | E | 501115.264 | 0.9995945 | 0.9999944 | 209619 | 81H4605 | TERR | 0 5 4 | 93.625 | 93.662 |
| | | N | 5454683.106 | | | 488833 | 81H4604 | TERR | 91 0 40 | 162.619 | 162.686 |
| | | El | 54.313 | CVD28GVRD2018 | | 513812 | 81H4602 | TERR | 180 21 46 | 124.765 | 124.816 |
| 488833 | 81H4604 | E | 501277.858 | 0.9995945 | 0.9999945 | 317230 | 81H4603 | TERR | 271 0 40 | 162.619 | 162.686 |
| | | N | 5454680.236 | | | | | | | | |
| | | El | 54.061 | CVD28GVRD2018 | | | | | | | |
| 209619 | 81H4605 | E | 501115.402 | 0.9995920 | 0.9999920 | 317230 | 81H4603 | TERR | 180 5 4 | 93.625 | 93.662 |
| | | N | 5454776.731 | | | | | | | | |
| | | El | 70.219 | CVD28GVRD2018 | | | | | | | |
| 501957 | 81H4606 | E | 501117.351 | 0.9995914 | 0.9999914 | 564435 | 81H4607 | TERR | 90 26 32 | 161.950 | 162.017 |
| | | N | 5454910.756 | | | 461392 | 82H4984 | TERR | 268 20 9 | 313.361 | 313.489 |
| | | El | 73.578 | CVD28GVRD2018 | | | | | | | |
| 564435 | 81H4607 | E | 501279.296 | 0.9995916 | 0.9999916 | 768887 | 82H5002 | TERR | 90 28 16 | 150.309 | 150.370 |
| | | N | 5454909.506 | | | 501957 | 81H4606 | TERR | 270 26 32 | 161.950 | 162.017 |
| | | El | 72.620 | CVD28GVRD2018 | | | | | | | |
| 141143 | 82H4962 | E | 500175.914 | 0.9995997 | 0.9999997 | 952929 | 82H4963 | TERR | 267 56 40 | 205.042 | 205.124 |
| | | N | 5456857.652 | | | | | | | | |
| | | El | 20.800 | CVD28GVRD2018 | | | | | | | |
| 952929 | 82H4963 | E | 499971.004 | 0.9995980 | 0.9999980 | 141143 | 82H4962 | TERR | 87 56 40 | 205.042 | 205.124 |
| | | N | 5456850.297 | | | | | | | | |
| | | El | 31.803 | CVD28GVRD2018 | | | | | | | |
| 440248 | 82H4964 | E | 501246.308 | 0.9995984 | 0.9999984 | MARKER DESTROYED | | | | | |
| | | N | 5456035.308 | | | | | | | | |
| | | El | 28.835 | CVD28GVRD2018 | | | | | | | |
| 624585 | 82H4965 | E | 499099.961 | 0.9995910 | 0.9999910 | 539676 | 82H5050 | TERR | 89 44 10 | 161.713 | 161.778 |
| | | N | 5455164.274 | | | 721126 | 82H5009 | TERR | 190 22 42 | 62.426 | 62.452 |
| | | El | 76.135 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 785782 | 82H4966 | E | 499410.505 | 0.9995933 | 0.9999933 | 211151 | 82H4967 | TERR | 132 54 52 | 137.662 | 137.718 |
| | | N | 5455034.891 | | | 539676 | 82H5050 | TERR | 311 9 50 | 197.698 | 197.779 |
| | | El | 61.513 | CVD28GVRD2018 | | | | | | | |
| 211151 | 82H4967 | E | 499511.325 | 0.9995929 | 0.9999929 | 22202 | 81H4581 | TERR | 70 12 46 | 194.150 | 194.229 |
| | | N | 5454941.156 | | | 426346 | 80H2967 | TERR | 193 30 28 | 68.316 | 68.343 |
| | | El | 64.274 | CVD28GVRD2018 | | 785782 | 82H4966 | TERR | 312 54 52 | 137.662 | 137.718 |
| 456038 | 82H4968 | E | 499698.656 | 0.9995981 | 0.9999981 | 240812 | 81H4580 | TERR | 0 20 3 | 206.456 | 206.539 |
| | | N | 5455232.240 | | | 22202 | 81H4581 | TERR | 181 10 50 | 225.407 | 225.497 |
| | | El | 31.257 | CVD28GVRD2018 | | | | | | | |
| 589739 | 82H4969 | E | 500019.950 | 0.9995970 | 0.9999970 | 622522 | 82H5010 | TERR | 108 57 24 | 136.496 | 136.551 |
| | | N | 5454354.567 | | | 147470 | 78H8255 | TERR | 296 46 53 | 280.189 | 280.301 |
| | | El | 38.228 | CVD28GVRD2018 | | | | | | | |
| 750042 | 82H4970 | E | 500148.562 | 0.9995975 | 0.9999975 | 622522 | 82H5010 | TERR | 179 52 23 | 217.292 | 217.379 |
| | | N | 5454527.517 | | | 559922 | 82H4974 | TERR | 355 40 17 | 248.176 | 248.276 |
| | | El | 35.141 | CVD28GVRD2018 | | | | | | | |
| 81943 | 82H4971 | E | 500357.187 | 0.9995971 | 0.9999971 | 909093 | 82H5011 | TERR | 179 2 28 | 223.600 | 223.690 |
| | | N | 5454553.175 | | | 932111 | 82H4972 | TERR | 316 19 30 | 109.883 | 109.927 |
| | | El | 37.254 | CVD28GVRD2018 | | | | | | | |
| 932111 | 82H4972 | E | 500281.305 | 0.9995972 | 0.9999972 | 81943 | 82H4971 | TERR | 136 19 30 | 109.883 | 109.927 |
| | | N | 5454632.650 | | | 406074 | 82H4973 | TERR | 338 45 31 | 125.076 | 125.127 |
| | | El | 36.455 | CVD28GVRD2018 | | | | | | | |
| 406074 | 82H4973 | E | 500235.990 | 0.9995978 | 0.9999978 | 932111 | 82H4972 | TERR | 158 45 31 | 125.076 | 125.127 |
| | | N | 5454749.229 | | | 559922 | 82H4974 | TERR | 283 38 14 | 109.240 | 109.283 |
| | | El | 33.001 | CVD28GVRD2018 | | | | | | | |
| 559922 | 82H4974 | E | 500129.830 | 0.9995978 | 0.9999978 | 528042 | 82H4975 | TERR | 0 48 55 | 453.360 | 453.542 |
| | | N | 5454774.985 | | | 406074 | 82H4973 | TERR | 103 38 14 | 109.240 | 109.283 |
| | | El | 32.739 | CVD28GVRD2018 | | 750042 | 82H4970 | TERR | 175 40 17 | 248.176 | 248.276 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 528042 | 82H4975 | E | 500136.281 | 0.9995977 | 0.9999977 | 41996 | 82H5025 | TERR | 1 40 55 | 220.698 | 220.786 |
| | | N | 5455228.299 | | | 747261 | 82H4976 | TERR | 26 56 44 | 111.153 | 111.198 |
| | | El | 33.451 | CVD28GVRD2018 | | 559922 | 82H4974 | TERR | 180 48 55 | 453.360 | 453.542 |
| 747261 | 82H4976 | E | 500186.649 | 0.9995976 | 0.9999976 | 544932 | 82H4978 | TERR | 55 53 50 | 180.631 | 180.703 |
| | | N | 5455327.385 | | | 528042 | 82H4975 | TERR | 206 56 44 | 111.153 | 111.198 |
| | | El | 34.059 | CVD28GVRD2018 | | | | | | | |
| 61713 | 82H4977 | E | 500447.741 | 0.9995970 | 0.9999970 | 487108 | 82H5012 | TERR | 6 59 53 | 176.228 | 176.298 |
| | | N | 5455578.753 | | | 544932 | 82H4978 | TERR | 216 36 49 | 186.990 | 187.066 |
| | | El | 37.712 | CVD28GVRD2018 | | | | | | | |
| 544932 | 82H4978 | E | 500336.217 | 0.9995974 | 0.9999973 | 61713 | 82H4977 | TERR | 36 36 49 | 186.990 | 187.066 |
| | | N | 5455428.661 | | | 747261 | 82H4976 | TERR | 235 53 50 | 180.631 | 180.703 |
| | | El | 35.759 | CVD28GVRD2018 | | | | | | | |
| 62125 | 82H4979 | E | 499984.146 | 0.9996000 | 1.0000000 | 172866 | 82H4980 | TERR | 85 19 30 | 175.935 | 176.006 |
| | | N | 5455755.686 | | | 778191 | 81H4579 | TERR | 273 21 27 | 282.114 | 282.227 |
| | | El | 18.988 | CVD28GVRD2018 | | | | | | | |
| 172866 | 82H4980 | E | 500159.496 | 0.9995995 | 0.9999995 | 487108 | 82H5012 | TERR | 93 1 23 | 310.148 | 310.272 |
| | | N | 5455770.025 | | | 62125 | 82H4979 | TERR | 265 19 30 | 175.935 | 176.006 |
| | | El | 21.974 | CVD28GVRD2018 | | | | | | | |
| 562371 | 82H4981 | E | 499823.036 | 0.9995989 | 0.9999989 | 41996 | 82H5025 | TERR | 90 29 49 | 319.735 | 319.863 |
| | | N | 5455451.675 | | | 240812 | 81H4580 | TERR | 263 58 59 | 123.858 | 123.908 |
| | | El | 25.897 | CVD28GVRD2018 | | | | | | | |
| 492413 | 82H4982 | E | 498292.916 | 0.9996000 | 0.9999999 | MARKER DESTROYED | | | | | |
| | | N | 5456545.259 | | | | | | | | |
| | | El | 19.140 | CVD28GVRD2018 | | | | | | | |
| 593491 | 82H4983 | E | 500805.615 | 0.9995941 | 0.9999941 | 884049 | 82H5027 | TERR | 92 31 44 | 206.646 | 206.731 |
| | | N | 5455470.906 | | | 983114 | 354 | TERR | 184 43 32 | 220.133 | 220.223 |
| | | El | 56.282 | CVD28GVRD2018 | | 313155 | 82H5022 | TERR | 357 52 48 | 169.310 | 169.378 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 461392 | 82H4984 | E | 500804.122 | 0.9995934 | 0.9999934 | 501957 | 81H4606 | TERR | 88 20 9 | 313.361 | 313.489 |
| | | N | 5454901.655 | | | 658534 | 352 | TERR | 185 7 46 | 154.821 | 154.885 |
| | | El | 61.028 | CVD28GVRD2018 | | 803296 | 82H5033 | TERR | 357 30 32 | 174.414 | 174.484 |
| 350447 | 82H4985 | E | 501070.330 | 0.9995984 | 0.9999984 | 826404 | 82H5043 | TERR | 88 5 33 | 259.765 | 259.870 |
| | | N | 5454335.237 | | | | | | | | |
| | | El | 29.339 | CVD28GVRD2018 | | | | | | | |
| 44727 | 82H4986 | E | 501785.679 | 0.9995984 | 0.9999984 | 334326 | 81H4599 | TERR | 28 31 24 | 117.680 | 117.726 |
| | | N | 5454343.947 | | | 314724 | 82H5046 | TERR | 92 6 19 | 232.274 | 232.367 |
| | | El | 29.288 | CVD28GVRD2018 | | 299677 | 82H5047 | TERR | 270 36 3 | 152.768 | 152.831 |
| 577080 | 82H4987 | E | 502171.528 | 0.9995983 | 0.9999983 | 306068 | 85H0792 | TERR | 312 11 49 | 167.967 | 168.035 |
| | | N | 5454468.026 | | | | | | | | |
| | | El | 29.850 | CVD28GVRD2018 | | | | | | | |
| 635581 | 82H4988 | E | 502046.539 | 0.9995976 | 0.9999976 | MARKER DESTROYED | | | | | |
| | | N | 5454578.618 | | | | | | | | |
| | | El | 34.468 | CVD28GVRD2018 | | | | | | | |
| 830158 | 82H4989 | E | 501841.065 | 0.9995965 | 0.9999965 | MARKER DESTROYED | | | | | |
| | | N | 5454746.775 | | | | | | | | |
| | | El | 41.202 | CVD28GVRD2018 | | | | | | | |
| 33068 | 82H4990 | E | 501885.094 | 0.9995971 | 0.9999970 | 119941 | 82H4991 | TERR | 177 54 18 | 117.303 | 117.351 |
| | | N | 5454640.528 | | | | | | | | |
| | | El | 37.874 | CVD28GVRD2018 | | | | | | | |
| 119941 | 82H4991 | E | 501889.382 | 0.9995971 | 0.9999971 | 334326 | 81H4599 | TERR | 212 1 26 | 89.594 | 89.630 |
| | | N | 5454523.303 | | | 33068 | 82H4990 | TERR | 357 54 18 | 117.303 | 117.351 |
| | | El | 37.391 | CVD28GVRD2018 | | | | | | | |
| 768887 | 82H5002 | E | 501429.600 | 0.9995935 | 0.9999935 | 564435 | 81H4607 | TERR | 270 28 16 | 150.309 | 150.370 |
| | | N | 5454908.270 | | | | | | | | |
| | | El | 60.636 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 425496 | 82H5003 | E | 501592.228 | 0.9995935 | 0.9999935 | 410746 | 82H5038 | TERR | 153 43 24 | 104.247 | 104.290 |
| | | N | 5454987.586 | | | 364539 | 82H5004 | TERR | 300 14 41 | 156.100 | 156.163 |
| | | El | 60.264 | CVD28GVRD2018 | | | | | | | |
| 364539 | 82H5004 | E | 501457.376 | 0.9995937 | 0.9999936 | 425496 | 82H5003 | TERR | 120 14 41 | 156.100 | 156.163 |
| | | N | 5455066.213 | | | 216192 | 82H5031 | TERR | 271 9 8 | 210.979 | 211.064 |
| | | El | 59.369 | CVD28GVRD2018 | | | | | | | |
| 59469 | 82H5005 | E | 501301.204 | 0.9995926 | 0.9999926 | MARKER DESTROYED | | | | | |
| | | N | 5455254.301 | | | | | | | | |
| | | El | 65.970 | CVD28GVRD2018 | | | | | | | |
| 16360 | 82H5007 | E | 501804.766 | 0.9996002 | 1.0000002 | MARKER DESTROYED | | | | | |
| | | N | 5455647.767 | | | | | | | | |
| | | El | 17.565 | CVD28GVRD2018 | | | | | | | |
| 721126 | 82H5009 | E | 499088.715 | 0.9995904 | 0.9999903 | 624585 | 82H4965 | TERR | 10 22 42 | 62.426 | 62.452 |
| | | N | 5455102.869 | | | 255430 | 81H4561 | TERR | 269 31 4 | 189.552 | 189.630 |
| | | El | 80.525 | CVD28GVRD2018 | | | | | | | |
| 622522 | 82H5010 | E | 500149.043 | 0.9995978 | 0.9999978 | 909093 | 82H5011 | TERR | 84 46 26 | 212.770 | 212.856 |
| | | N | 5454310.226 | | | 971747 | 82H5072 | TERR | 178 49 42 | 323.789 | 323.920 |
| | | El | 33.155 | CVD28GVRD2018 | | 589739 | 82H4969 | TERR | 288 57 24 | 136.496 | 136.551 |
| | | | | | | 750042 | 82H4970 | TERR | 359 52 23 | 217.292 | 217.379 |
| 909093 | 82H5011 | E | 500360.929 | 0.9995987 | 0.9999987 | 510404 | 82H5017 | TERR | 89 46 13 | 327.855 | 327.986 |
| | | N | 5454329.606 | | | 622522 | 82H5010 | TERR | 264 46 26 | 212.770 | 212.856 |
| | | El | 27.477 | CVD28GVRD2018 | | 81943 | 82H4971 | TERR | 359 2 28 | 223.600 | 223.690 |
| 487108 | 82H5012 | E | 500469.212 | 0.9995974 | 0.9999974 | 104893 | 82H5013 | TERR | 3 57 10 | 183.201 | 183.275 |
| | | N | 5455753.668 | | | 61713 | 82H4977 | TERR | 186 59 53 | 176.228 | 176.298 |
| | | El | 35.181 | CVD28GVRD2018 | | 172866 | 82H4980 | TERR | 273 1 23 | 310.148 | 310.272 |
| 104893 | 82H5013 | E | 500481.841 | 0.9995988 | 0.9999988 | 487108 | 82H5012 | TERR | 183 57 10 | 183.201 | 183.275 |
| | | N | 5455936.433 | | | 347054 | 82H5014 | TERR | 359 18 4 | 111.402 | 111.447 |
| | | El | 26.324 | CVD28GVRD2018 | | | | | | | |

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 347054 | 82H5014 | E | 500480.482 | 0.9995999 | 0.9999999 | 205880 | 82H5015 | TERR | 92 24 17 | 318.422 | 318.549 |
| | | N | 5456047.827 | | | 104893 | 82H5013 | TERR | 179 18 4 | 111.402 | 111.447 |
| | | El | 19.487 | CVD28GVRD2018 | | | | | | | |
| 205880 | 82H5015 | E | 500798.624 | 0.9995983 | 0.9999983 | 601898 | 82H5019 | TERR | 178 48 45 | 104.748 | 104.789 |
| | | N | 5456034.467 | | | 347054 | 82H5014 | TERR | 272 24 17 | 318.422 | 318.549 |
| | | El | 29.850 | CVD28GVRD2018 | | | | | | | |
| 549550 | 82H5016 | E | 498573.892 | 0.9995998 | 0.9999998 | 289272 | 81H4586 | TERR | 90 54 15 | 129.985 | 130.037 |
| | | N | 5456455.411 | | | 196907 | 81H4587 | TERR | 270 41 42 | 142.434 | 142.490 |
| | | El | 19.962 | CVD28GVRD2018 | | | | | | | |
| 510404 | 82H5017 | E | 500688.781 | 0.9995988 | 0.9999988 | 851188 | 02H2494 | GPS | 21 28 43 | 9550.278 | 9554.119 |
| | | N | 5454330.920 | | | 314724 | 82H5046 | GPS | 89 48 23 | 1329.023 | 1329.558 |
| | | El | 26.807 | CVD28GVRD2018 | | 898734 | NO MARKING | GPS | 120 6 26 | 10989.305 | 10993.775 |
| | | | | | | 524181 | 10H2595 | GPS | 142 45 28 | 8933.674 | 8937.241 |
| | | | | | | 556928 | 87H2638 | GPS | 157 51 21 | 1867.289 | 1868.051 |
| | | | | | | 293399 | 87H3273 | GPS | 209 0 8 | 2722.347 | 2723.459 |
| | | | | | | 78576 | V-1220 | GPS | 260 56 23 | 4796.807 | 4798.759 |
| | | | | | | 909093 | 82H5011 | TERR | 269 46 13 | 327.855 | 327.986 |
| | | | | | | 599175 | 80H2970 | GPS | 290 29 19 | 1926.886 | 1927.669 |
| | | | | | | 875864 | NO MARKING | GPS | 297 46 18 | 8121.832 | 8125.093 |
| | | | | | | 9530 | 73H1398 | GPS | 328 43 4 | 13791.516 | 13797.201 |
| | | | | | | 41996 | 82H5025 | GPS | 333 58 9 | 1244.196 | 1244.695 |
| | | | | | | 625236 | 81H4594 | GPS | 338 19 30 | 2722.249 | 2723.343 |
| | | | | | | 991554 | 77H6808 | GPS | 350 45 38 | 3329.055 | 3330.402 |
| | | | | | | 114751 | 73H1127 | GPS | 357 58 58 | 7552.264 | 7555.291 |
| 875054 | 82H5018 | E | 501086.561 | 0.9995924 | 0.9999924 | 983114 | 354 | TERR | 272 9 23 | 299.293 | 299.414 |
| | | N | 5455240.260 | | | | | | | | |
| | | El | 67.540 | CVD28GVRD2018 | | | | | | | |
| 601898 | 82H5019 | E | 500800.795 | 0.9995968 | 0.9999968 | 304907 | 82H5020 | TERR | 180 5 27 | 106.666 | 106.709 |
| | | N | 5455929.742 | | | 205880 | 82H5015 | TERR | 358 48 45 | 104.748 | 104.789 |
| | | El | 39.015 | CVD28GVRD2018 | | | | | | | |
| 304907 | 82H5020 | E | 500800.626 | 0.9995960 | 0.9999960 | 601898 | 82H5019 | TERR | 0 5 27 | 106.666 | 106.709 |
| | | N | 5455823.076 | | | 313155 | 82H5022 | TERR | 180 23 56 | 182.980 | 183.055 |
| | | El | 44.431 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 290940 | 82H5021 | E | 501004.526 | 0.9995940 | 0.9999940 | 954057 | 82H5023 | TERR | 89 47 13 | 170.319 | 170.388 |
| | | N | 5455643.613 | | | 313155 | 82H5022 | TERR | 269 1 9 | 205.204 | 205.287 |
| | | El | 56.949 | CVD28GVRD2018 | | | | | | | |
| 313155 | 82H5022 | E | 500799.352 | 0.9995948 | 0.9999948 | 304907 | 82H5020 | TERR | 0 23 56 | 182.980 | 183.055 |
| | | N | 5455640.100 | | | 290940 | 82H5021 | TERR | 89 1 9 | 205.204 | 205.287 |
| | | El | 51.810 | CVD28GVRD2018 | | 593491 | 82H4983 | TERR | 177 52 48 | 169.310 | 169.378 |
| 954057 | 82H5023 | E | 501174.844 | 0.9995939 | 0.9999939 | 144683 | 82H5024 | TERR | 88 58 48 | 129.423 | 129.475 |
| | | N | 5455644.246 | | | 290940 | 82H5021 | TERR | 269 47 13 | 170.319 | 170.388 |
| | | El | 57.604 | CVD28GVRD2018 | | | | | | | |
| 144683 | 82H5024 | E | 501304.246 | 0.9995952 | 0.9999952 | 109728 | 82H5028 | TERR | 173 38 17 | 186.715 | 186.791 |
| | | N | 5455646.550 | | | 954057 | 82H5023 | TERR | 268 58 48 | 129.423 | 129.475 |
| | | El | 49.728 | CVD28GVRD2018 | | 598771 | 78H6961 | TERR | 356 58 15 | 230.330 | 230.422 |
| 41996 | 82H5025 | E | 500142.759 | 0.9995990 | 0.9999990 | 927004 | 77H6805 | GPS | 0 57 10 | 2507.375 | 2508.387 |
| | | N | 5455448.902 | | | 565432 | 77H6854 | GPS | 40 11 5 | 3150.532 | 3151.812 |
| | | El | 24.995 | CVD28GVRD2018 | | 691592 | 94H1473 | GPS | 70 9 5 | 2258.892 | 2259.796 |
| | | | | | | 314724 | 82H5046 | GPS | 120 42 14 | 2180.738 | 2181.616 |
| | | | | | | 898734 | NO MARKING | GPS | 123 24 27 | 12042.437 | 12047.333 |
| | | | | | | 510404 | 82H5017 | GPS | 153 58 9 | 1244.196 | 1244.695 |
| | | | | | | 556928 | 87H2638 | GPS | 156 18 6 | 3109.767 | 3111.036 |
| | | | | | | 528042 | 82H4975 | TERR | 181 40 55 | 220.698 | 220.786 |
| | | | | | | 293399 | 87H3273 | GPS | 192 28 18 | 3583.512 | 3584.976 |
| | | | | | | 47209 | v-4217 | GPS | 215 41 16 | 6213.381 | 6215.863 |
| | | | | | | 274266 | 83H6190 | GPS | 229 50 8 | 2065.362 | 2066.205 |
| | | | | | | 584086 | V-1778 | GPS | 268 28 6 | 6690.392 | 6693.094 |
| | | | | | | 562371 | 82H4981 | TERR | 270 29 49 | 319.735 | 319.863 |
| | | | | | | 325001 | 78H6944 | GPS | 285 30 45 | 1915.440 | 1916.214 |
| | | | | | | 875864 | NO MARKING | GPS | 291 52 40 | 7155.611 | 7158.483 |
| 884049 | 82H5027 | E | 501012.060 | 0.9995931 | 0.9999931 | 593491 | 82H4983 | TERR | 272 31 44 | 206.646 | 206.731 |
| | | N | 5455461.788 | | | | | | | | |
| | | El | 63.057 | CVD28GVRD2018 | | | | | | | |
| 109728 | 82H5028 | E | 501324.936 | 0.9995940 | 0.9999939 | 797100 | 82H5054 | TERR | 164 20 19 | 216.171 | 216.258 |
| | | N | 5455460.985 | | | 144683 | 82H5024 | TERR | 353 38 17 | 186.715 | 186.791 |
| | | El | 57.505 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 12690 | 82H5029 | E | 500725.725 | 0.9995936 | 0.9999936 | 358549 | 82H5051 | TERR | 270 24 15 | 163.065 | 163.131 |
| | | N | 5455372.730 | | | | | | | | |
| | | El | 59.776 | CVD28GVRD2018 | | | | | | | |
| 794594 | 82H5030 | E | 501087.108 | 0.9995923 | 0.9999923 | 216192 | 82H5031 | TERR | 90 37 12 | 159.341 | 159.407 |
| | | N | 5455072.179 | | | 803296 | 82H5033 | TERR | 270 44 4 | 290.591 | 290.709 |
| | | El | 68.254 | CVD28GVRD2018 | | | | | | | |
| 216192 | 82H5031 | E | 501246.440 | 0.9995918 | 0.9999918 | 364539 | 82H5004 | TERR | 91 9 8 | 210.979 | 211.064 |
| | | N | 5455070.455 | | | 794594 | 82H5030 | TERR | 270 37 12 | 159.341 | 159.407 |
| | | El | 71.420 | CVD28GVRD2018 | | | | | | | |
| 308783 | 82H5032 | E | 500958.879 | 0.9995962 | 0.9999962 | 513812 | 81H4602 | TERR | 92 49 35 | 155.785 | 155.847 |
| | | N | 5454566.026 | | | 654889 | 82H5034 | TERR | 270 23 56 | 157.476 | 157.539 |
| | | El | 43.304 | CVD28GVRD2018 | | | | | | | |
| 803296 | 82H5033 | E | 500796.541 | 0.9995927 | 0.9999927 | 794594 | 82H5030 | TERR | 90 44 4 | 290.591 | 290.709 |
| | | N | 5455075.904 | | | 461392 | 82H4984 | TERR | 177 30 32 | 174.414 | 174.484 |
| | | El | 65.248 | CVD28GVRD2018 | | 983114 | 354 | TERR | 357 2 47 | 175.851 | 175.922 |
| 654889 | 82H5034 | E | 500801.407 | 0.9995965 | 0.9999965 | 308783 | 82H5032 | TERR | 90 23 56 | 157.476 | 157.539 |
| | | N | 5454567.122 | | | 658534 | 352 | TERR | 356 28 9 | 180.675 | 180.748 |
| | | El | 41.088 | CVD28GVRD2018 | | | | | | | |
| 410746 | 82H5038 | E | 501638.379 | 0.9995940 | 0.9999939 | 49932 | 85H0791 | TERR | 126 3 23 | 241.393 | 241.491 |
| | | N | 5454894.111 | | | 84921 | 82H5039 | TERR | 179 58 33 | 137.548 | 137.604 |
| | | El | 57.539 | CVD28GVRD2018 | | 425496 | 82H5003 | TERR | 333 43 24 | 104.247 | 104.290 |
| 84921 | 82H5039 | E | 501638.437 | 0.9995943 | 0.9999942 | 35253 | 82H5040 | TERR | 181 37 3 | 196.610 | 196.690 |
| | | N | 5454756.563 | | | 410746 | 82H5038 | TERR | 359 58 33 | 137.548 | 137.604 |
| | | El | 55.672 | CVD28GVRD2018 | | | | | | | |
| 35253 | 82H5040 | E | 501632.887 | 0.9995964 | 0.9999963 | 84921 | 82H5039 | TERR | 1 37 3 | 196.610 | 196.690 |
| | | N | 5454560.031 | | | 299677 | 82H5047 | TERR | 179 59 29 | 214.482 | 214.568 |
| | | El | 42.258 | CVD28GVRD2018 | | 974915 | 81H4600 | TERR | 269 3 50 | 153.102 | 153.164 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 247346 | 82H5042 | E | 501429.229 | 0.9995943 | 0.9999943 | MARKER DESTROYED | | | | | |
| | | N | 5454725.838 | | | | | | | | |
| | | El | 55.123 | CVD28GVRD2018 | | | | | | | |
| 826404 | 82H5043 | E | 501329.951 | 0.9995988 | 0.9999987 | 299677 | 82H5047 | TERR | 89 41 6 | 302.973 | 303.094 |
| | | N | 5454343.883 | | | 350447 | 82H4985 | TERR | 268 5 33 | 259.765 | 259.870 |
| | | El | 26.921 | CVD28GVRD2018 | | 609867 | 78H6959 | TERR | 359 6 44 | 119.208 | 119.256 |
| 437186 | 82H5044 | E | 501708.827 | 0.9996004 | 1.0000004 | 248948 | 94H1378 | TERR | 22 58 34 | 81.837 | 81.870 |
| | | N | 5456651.753 | | | 510305 | 78H8962 | TERR | 271 17 32 | 310.516 | 310.640 |
| | | El | 16.384 | CVD28GVRD2018 | | | | | | | |
| 848507 | 82H5045 | E | 502575.879 | 0.9996007 | 1.0000006 | 687731 | 78H6972 | TERR | 180 12 52 | 932.088 | 932.461 |
| | | N | 5455239.787 | | | 194340 | 82H5049 | TERR | 270 18 30 | 136.017 | 136.072 |
| | | El | 14.985 | CVD28GVRD2018 | | 205047 | | TERR | 359 34 6 | 391.024 | 391.180 |
| 314724 | 82H5046 | E | 502017.796 | 0.9995962 | 0.9999961 | 691592 | 94H1473 | GPS | 7 33 46 | 1896.967 | 1897.728 |
| | | N | 5454335.414 | | | 822817 | 90H6723 | GPS | 64 15 9 | 2033.872 | 2034.692 |
| | | El | 43.703 | CVD28GVRD2018 | | 770685 | 94H1407 | GPS | 108 41 41 | 2395.617 | 2396.584 |
| | | | | | | 859504 | 462 | GPS | 114 45 53 | 4100.518 | 4102.196 |
| | | | | | | 229781 | 94H1355 | GPS | 141 30 59 | 2226.380 | 2227.293 |
| | | | | | | 556928 | 87H2638 | GPS | 199 49 31 | 1843.296 | 1844.052 |
| | | | | | | 293399 | 87H3273 | GPS | 227 59 44 | 3564.720 | 3566.182 |
| | | | | | | 794776 | 85H0789 | TERR | 269 3 8 | 267.000 | 267.108 |
| | | | | | | 510404 | 82H5017 | GPS | 269 48 23 | 1329.023 | 1329.558 |
| | | | | | | 44727 | 82H4986 | TERR | 272 6 19 | 232.274 | 232.367 |
| | | | | | | 41996 | 82H5025 | GPS | 300 42 14 | 2180.738 | 2181.616 |
| 299677 | 82H5047 | E | 501632.919 | 0.9995987 | 0.9999986 | 44727 | 82H4986 | TERR | 90 36 3 | 152.768 | 152.831 |
| | | N | 5454345.549 | | | 794776 | 85H0789 | TERR | 97 2 7 | 118.809 | 118.856 |
| | | El | 27.573 | CVD28GVRD2018 | | 826404 | 82H5043 | TERR | 269 41 6 | 302.973 | 303.094 |
| | | | | | | 35253 | 82H5040 | TERR | 359 59 29 | 214.482 | 214.568 |
| 194340 | 82H5049 | E | 502439.864 | 0.9996003 | 1.0000002 | 848507 | 82H5045 | TERR | 90 18 30 | 136.017 | 136.072 |
| | | N | 5455240.519 | | | 21154 | 94H1345 | TERR | 269 2 42 | 301.720 | 301.840 |
| | | El | 17.425 | CVD28GVRD2018 | | 517466 | 94H1343 | TERR | 359 16 36 | 336.558 | 336.692 |
| 539676 | 82H5050 | E | 499261.672 | 0.9995927 | 0.9999927 | 785782 | 82H4966 | TERR | 131 9 50 | 197.698 | 197.779 |
| | | N | 5455165.019 | | | 624585 | 82H4965 | TERR | 269 44 10 | 161.713 | 161.778 |
| | | El | 65.736 | CVD28GVRD2018 | | 742015 | 82H5061 | TERR | 351 30 17 | 106.698 | 106.741 |

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 358549 | 82H5051 | E | 500562.664 | 0.9995947 | 0.9999947 | 12690 | 82H5029 | TERR | 90 24 15 | 163.065 | 163.131 |
| | | N | 5455373.880 | | | | | | | | |
| | | El | 52.703 | CVD28GVRD2018 | | | | | | | |
| 570432 | 82H5053 | E | 501045.428 | 0.9996004 | 1.0000004 | 265215 | 94H1726 | TERR | 149 37 53 | 153.536 | 153.597 |
| | | N | 5456583.460 | | | 564062 | 82H5057 | TERR | 149 39 40 | 153.353 | 153.416 |
| | | El | 16.118 | CVD28GVRD2018 | | 793570 | 332 | TERR | 307 35 9 | 255.543 | 255.645 |
| 797100 | 82H5054 | E | 501383.292 | 0.9995939 | 0.9999939 | 856831 | 94H1379 | GPS | 48 43 33 | 1594.557 | 1595.200 |
| | | N | 5455252.840 | | | 734392 | 357 | TERR | 93 46 41 | 212.816 | 212.902 |
| | | El | 57.996 | CVD28GVRD2018 | | 229781 | 94H1355 | GPS | 142 47 23 | 3340.200 | 3341.572 |
| | | | | | | 670653 | 432 | GPS | 217 54 13 | 4714.958 | 4716.888 |
| | | | | | | 109728 | 82H5028 | TERR | 344 20 19 | 216.171 | 216.258 |
| | | | | | | 277129 | 78H7598 | GPS | 359 33 10 | 1744.896 | 1745.600 |
| 403774 | 82H5056 | E | 501220.410 | 0.9996005 | 1.0000005 | 671891 | 94H1348 | TERR | 101 17 25 | 239.169 | 239.264 |
| | | N | 5456296.130 | | | 557389 | 333 | TERR | 169 49 47 | 179.376 | 179.448 |
| | | El | 15.555 | CVD28GVRD2018 | | 564062 | 82H5057 | TERR | 327 49 10 | 183.108 | 183.181 |
| | | | | | | 265215 | 94H1726 | TERR | 327 50 34 | 182.923 | 182.997 |
| 564062 | 82H5057 | E | 501122.889 | 0.9996008 | 1.0000008 | 403774 | 82H5056 | TERR | 147 49 10 | 183.108 | 183.181 |
| | | N | 5456451.108 | | | 570432 | 82H5053 | TERR | 329 39 40 | 153.353 | 153.416 |
| | | El | 13.465 | CVD28GVRD2018 | | | | | | | |
| 987891 | 82H5059 | E | 499228.895 | 0.9995960 | 0.9999960 | 811380 | 81H4577 | TERR | 1 39 41 | 228.997 | 229.090 |
| | | N | 5455542.804 | | | 595736 | 82H5060 | TERR | 188 41 49 | 162.445 | 162.511 |
| | | El | 44.451 | CVD28GVRD2018 | | | | | | | |
| 595736 | 82H5060 | E | 499204.332 | 0.9995947 | 0.9999947 | 987891 | 82H5059 | TERR | 8 41 49 | 162.445 | 162.511 |
| | | N | 5455382.227 | | | 742015 | 82H5061 | TERR | 159 34 48 | 119.170 | 119.218 |
| | | El | 52.666 | CVD28GVRD2018 | | | | | | | |
| 742015 | 82H5061 | E | 499245.910 | 0.9995934 | 0.9999934 | 539676 | 82H5050 | TERR | 171 30 17 | 106.698 | 106.741 |
| | | N | 5455270.546 | | | 595736 | 82H5060 | TERR | 339 34 48 | 119.170 | 119.218 |
| | | El | 61.146 | CVD28GVRD2018 | | | | | | | |
| 962100 | 82H5062 | E | 499564.053 | 0.9995990 | 0.9999990 | 778191 | 81H4579 | TERR | 89 44 59 | 138.464 | 138.519 |
| | | N | 5455771.603 | | | 316752 | 81H4578 | TERR | 270 11 59 | 159.273 | 159.338 |
| | | El | 25.147 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 589861 | 82H5068 | E | 500566.171 | 0.9995913 | 0.9999913 | 777219 | 82H5073 | TERR | 90 3 1 | 245.533 | 245.632 |
| | | N | 5453514.511 | | | 287383 | 85H0777 | TERR | 158 39 17 | 148.370 | 148.431 |
| | | El | 74.442 | CVD28GVRD2018 | | 808444 | 85H0780 | TERR | 267 52 33 | 154.786 | 154.850 |
| 665190 | 82H5069 | E | 500425.428 | 0.9995882 | 0.9999881 | MARKER DESTROYED | | | | | |
| | | N | 5453403.093 | | | | | | | | |
| | | El | 94.591 | CVD28GVRD2018 | | | | | | | |
| 393009 | 82H5070 | E | 500159.844 | 0.9995853 | 0.9999852 | 948877 | 83H6207 | TERR | 179 6 48 | 244.888 | 244.990 |
| | | N | 5453264.414 | | | 211771 | 83H6210 | TERR | 269 32 31 | 192.829 | 192.909 |
| | | El | 113.099 | CVD28GVRD2018 | | 387290 | 82H5071 | TERR | 359 43 35 | 180.638 | 180.713 |
| 387290 | 82H5071 | E | 500158.981 | 0.9995877 | 0.9999877 | 364943 | 83H6211 | TERR | 5 47 24 | 77.002 | 77.034 |
| | | N | 5453445.050 | | | 393009 | 82H5070 | TERR | 179 43 35 | 180.638 | 180.713 |
| | | El | 97.532 | CVD28GVRD2018 | | | | | | | |
| 971747 | 82H5072 | E | 500155.664 | 0.9995939 | 0.9999939 | 890715 | 83H6201 | TERR | 269 36 1 | 293.751 | 293.871 |
| | | N | 5453986.505 | | | 622522 | 82H5010 | TERR | 358 49 42 | 323.789 | 323.920 |
| | | El | 58.100 | CVD28GVRD2018 | | | | | | | |
| 777219 | 82H5073 | E | 500811.704 | 0.9995938 | 0.9999938 | 55251 | 86H1889 | TERR | 180 51 20 | 331.307 | 331.442 |
| | | N | 5453514.296 | | | 589861 | 82H5068 | TERR | 270 3 1 | 245.533 | 245.632 |
| | | El | 58.290 | CVD28GVRD2018 | | 919142 | 1 | TERR | 357 39 29 | 113.473 | 113.519 |
| 131367 | 82H5074 | E | 498560.984 | 0.9995867 | 0.9999867 | 548297 | 82H5075 | TERR | 0 30 43 | 157.990 | 158.056 |
| | | N | 5453806.411 | | | 698282 | 85H0788 | TERR | 90 42 36 | 132.977 | 133.032 |
| | | El | 103.953 | CVD28GVRD2018 | | | | | | | |
| 548297 | 82H5075 | E | 498562.396 | 0.9995855 | 0.9999855 | 274266 | 83H6190 | TERR | 0 45 33 | 152.398 | 152.461 |
| | | N | 5453964.395 | | | 131367 | 82H5074 | TERR | 180 30 43 | 157.990 | 158.056 |
| | | El | 111.545 | CVD28GVRD2018 | | | | | | | |
| 482851 | 82H5076 | E | 499751.455 | 0.9995990 | 0.9999990 | 805341 | 307 | TERR | 187 54 44 | 503.628 | 503.829 |
| | | N | 5456637.789 | | | | | | | | |
| | | El | 25.300 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 393785 | 82H5098 | E | 498696.526 | 0.9995991 | 0.9999990 | 289272 | 81H4586 | TERR | 2 49 50 | 148.541 | 148.601 |
| | | N | 5456305.000 | | | 580399 | 81H4588 | TERR | 174 2 36 | 117.929 | 117.976 |
| | | El | 24.973 | CVD28GVRD2018 | | | | | | | |
| 191122 | 82H8058 | E | 501825.985 | 0.9996000 | 1.0000000 | MARKER DESTROYED | | | | | |
| | | N | 5455546.374 | | | | | | | | |
| | | El | 19.116 | CVD28GVRD2018 | | | | | | | |
| 895177 | 83H5895 | E | 500407.969 | 0.9995914 | 0.9999913 | 988063 | 83H5896 | TERR | 266 46 20 | 255.224 | 255.328 |
| | | N | 5453632.961 | | | | | | | | |
| | | El | 74.150 | CVD28GVRD2018 | | | | | | | |
| 988063 | 83H5896 | E | 500153.150 | 0.9995895 | 0.9999895 | 895177 | 83H5895 | TERR | 86 46 20 | 255.224 | 255.328 |
| | | N | 5453618.590 | | | 364943 | 83H6211 | TERR | 172 0 50 | 97.880 | 97.920 |
| | | El | 86.031 | CVD28GVRD2018 | | 500793 | 85H0786 | TERR | 269 58 16 | 162.237 | 162.304 |
| 164251 | 83H5897 | E | 500160.857 | 0.9995917 | 0.9999917 | MARKER DESTROYED | | | | | |
| | | N | 5453806.604 | | | | | | | | |
| | | El | 71.833 | CVD28GVRD2018 | | | | | | | |
| 673319 | 83H5898 | E | 499865.315 | 0.9995931 | 0.9999931 | 890715 | 83H6201 | TERR | 181 4 38 | 180.599 | 180.673 |
| | | N | 5454165.022 | | | 635128 | 83H5899 | TERR | 270 49 37 | 119.538 | 119.587 |
| | | El | 62.648 | CVD28GVRD2018 | | | | | | | |
| 635128 | 83H5899 | E | 499745.789 | 0.9995934 | 0.9999934 | 147470 | 78H8255 | TERR | 4 22 30 | 314.988 | 315.116 |
| | | N | 5454166.747 | | | 673319 | 83H5898 | TERR | 90 49 37 | 119.538 | 119.587 |
| | | El | 60.764 | CVD28GVRD2018 | | 486472 | 75H3757 | TERR | 179 50 19 | 184.899 | 184.974 |
| | | | | | | 410431 | 83H6216 | TERR | 261 52 33 | 157.894 | 157.958 |
| 97154 | 83H5900 | E | 499445.628 | 0.9995924 | 0.9999923 | 410431 | 83H6216 | TERR | 67 19 31 | 155.902 | 155.965 |
| | | N | 5454084.334 | | | 633446 | 83H6200 | TERR | 146 49 15 | 187.458 | 187.535 |
| | | El | 67.768 | CVD28GVRD2018 | | 323972 | 83H6215 | TERR | 310 53 43 | 63.747 | 63.772 |
| 834549 | 83H5901 | E | 499462.334 | 0.9995930 | 0.9999930 | 205484 | 83H5902 | TERR | 77 24 14 | 123.925 | 123.975 |
| | | N | 5454196.544 | | | 323972 | 83H6215 | TERR | 222 38 18 | 95.802 | 95.841 |
| | | El | 63.655 | CVD28GVRD2018 | | 393603 | 83H5904 | TERR | 305 25 49 | 88.249 | 88.285 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 205484 | 83H5902 | E | 499583.276 | 0.9995937 | 0.9999937 | 370635 | 83H5903 | TERR | 33 31 12 | 95.935 | 95.974 |
| | | N | 5454223.569 | | | 834549 | 83H5901 | TERR | 257 24 14 | 123.925 | 123.975 |
| | | El | 59.393 | CVD28GVRD2018 | | | | | | | |
| 370635 | 83H5903 | E | 499636.254 | 0.9995945 | 0.9999944 | 205484 | 83H5902 | TERR | 213 31 12 | 95.935 | 95.974 |
| | | N | 5454303.549 | | | | | | | | |
| | | El | 54.339 | CVD28GVRD2018 | | | | | | | |
| 393603 | 83H5904 | E | 499390.427 | 0.9995926 | 0.9999926 | 834549 | 83H5901 | TERR | 125 25 49 | 88.249 | 88.285 |
| | | N | 5454247.703 | | | 814582 | 83H5905 | TERR | 299 0 49 | 173.382 | 173.452 |
| | | El | 65.878 | CVD28GVRD2018 | | | | | | | |
| 814582 | 83H5905 | E | 499238.804 | 0.9995921 | 0.9999921 | 393603 | 83H5904 | TERR | 119 0 49 | 173.382 | 173.452 |
| | | N | 5454331.796 | | | 370585 | 83H5906 | TERR | 208 29 44 | 104.554 | 104.598 |
| | | El | 69.093 | CVD28GVRD2018 | | | | | | | |
| 370585 | 83H5906 | E | 499188.922 | 0.9995915 | 0.9999915 | 814582 | 83H5905 | TERR | 28 29 44 | 104.554 | 104.598 |
| | | N | 5454239.908 | | | 868752 | 83H5907 | TERR | 284 10 34 | 183.518 | 183.593 |
| | | El | 73.071 | CVD28GVRD2018 | | | | | | | |
| 868752 | 83H5907 | E | 499010.993 | 0.9995905 | 0.9999905 | 416339 | 79H9665 | TERR | 23 50 48 | 193.888 | 193.967 |
| | | N | 5454284.852 | | | 370585 | 83H5906 | TERR | 104 10 34 | 183.518 | 183.593 |
| | | El | 79.546 | CVD28GVRD2018 | | 492751 | 83H6188 | TERR | 175 48 1 | 174.226 | 174.298 |
| | | | | | | 528836 | 83H5908 | TERR | 266 8 16 | 169.741 | 169.810 |
| 528836 | 83H5908 | E | 498841.638 | 0.9995883 | 0.9999883 | 995688 | 83H6206 | TERR | 1 47 29 | 187.532 | 187.609 |
| | | N | 5454273.419 | | | 868752 | 83H5907 | TERR | 86 8 16 | 169.741 | 169.810 |
| | | El | 93.838 | CVD28GVRD2018 | | 677799 | 83H5909 | TERR | 180 13 27 | 160.833 | 160.899 |
| 677799 | 83H5909 | E | 498841.009 | 0.9995873 | 0.9999873 | 528836 | 83H5908 | TERR | 0 13 27 | 160.833 | 160.899 |
| | | N | 5454112.587 | | | 492751 | 83H6188 | TERR | 90 28 5 | 182.749 | 182.825 |
| | | El | 99.781 | CVD28GVRD2018 | | 393868 | 83H5911 | TERR | 179 44 44 | 159.664 | 159.730 |
| | | | | | | 274266 | 83H6190 | TERR | 270 52 7 | 276.626 | 276.740 |
| 393868 | 83H5911 | E | 498841.718 | 0.9995864 | 0.9999863 | 708024 | 83H6187 | TERR | 90 43 52 | 182.212 | 182.287 |
| | | N | 5453952.925 | | | 677799 | 83H5909 | TERR | 359 44 44 | 159.664 | 159.730 |
| | | El | 106.032 | CVD28GVRD2018 | | | | | | | |

| MARKER IDENTIFIERS | | UTM Coordinates | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. | UTM Grid | UTM Grid | Ground |
|---|---|---|---|---|---|---|---|---|---|---|
| GCM-NO | TABLET MARKING | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | Type | Bearing | Distance Metres | Distance Metres |
| 555581 | 83H5912 | E 498852.849 | 0.9995865 | 0.9999865 | | MARKER DESTROYED | | | | |
| | | N 5453792.011 | | | | | | | | |
| | | El 105.068 | CVD28GVRD2018 | | | | | | | |
| 473959 | 83H5913 | E 498839.699 | 0.9995863 | 0.9999863 | | MARKER DESTROYED | | | | |
| | | N 5453629.396 | | | | | | | | |
| | | El 106.587 | CVD28GVRD2018 | | | | | | | |
| 909960 | 83H5914 | E 498544.399 | 0.9995870 | 0.9999870 | | MARKER DESTROYED | | | | |
| | | N 5453562.472 | | | | | | | | |
| | | El 101.858 | CVD28GVRD2018 | | | | | | | |
| 135251 | 83H6184 | E 499765.755 | 0.9995840 | 0.9999840 | 733857 | 83H6209 | TERR | 117 39 34 | 225.335 | 225.428 |
| | | N 5453196.201 | | | 151654 | 83H6197 | TERR | 355 49 37 | 238.529 | 238.628 |
| | | El 120.851 | CVD28GVRD2018 | | | | | | | |
| 655662 | 83H6185 | E 499024.417 | 0.9995864 | 0.9999864 | 184598 | 83H6214 | TERR | 87 53 23 | 168.503 | 168.573 |
| | | N 5453628.509 | | | 77958 | 512 | TERR | 181 13 37 | 284.684 | 284.802 |
| | | El 105.767 | CVD28GVRD2018 | | 419051 | 83H6186 | TERR | 355 21 51 | 175.123 | 175.195 |
| 419051 | 83H6186 | E 499010.263 | 0.9995866 | 0.9999866 | 708024 | 83H6187 | TERR | 5 17 12 | 148.171 | 148.233 |
| | | N 5453803.059 | | | 890707 | 83H6192 | TERR | 90 26 40 | 173.736 | 173.807 |
| | | El 104.361 | CVD28GVRD2018 | | 655662 | 83H6185 | TERR | 175 21 51 | 175.123 | 175.195 |
| 708024 | 83H6187 | E 499023.915 | 0.9995868 | 0.9999868 | 419051 | 83H6186 | TERR | 185 17 12 | 148.171 | 148.233 |
| | | N 5453950.600 | | | 393868 | 83H5911 | TERR | 270 43 52 | 182.212 | 182.287 |
| | | El 103.208 | CVD28GVRD2018 | | 492751 | 83H6188 | TERR | 359 56 31 | 160.494 | 160.560 |
| 492751 | 83H6188 | E 499023.752 | 0.9995882 | 0.9999882 | 708024 | 83H6187 | TERR | 179 56 31 | 160.494 | 160.560 |
| | | N 5454111.094 | | | 677799 | 83H5909 | TERR | 270 28 5 | 182.749 | 182.825 |
| | | El 94.324 | CVD28GVRD2018 | | 868752 | 83H5907 | TERR | 355 48 1 | 174.226 | 174.298 |
| 365205 | 83H6189 | E 498425.068 | 0.9995849 | 0.9999849 | 668160 | V-2716 | TERR | 275 48 10 | 133.000 | 133.055 |
| | | N 5454158.247 | | | | | | | | |
| | | El 115.300 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 274266 | 83H6190 | E | 498564.415 | 0.9995852 | 0.9999852 | 326637 | 83H5910 | TERR | 0 8 48 | 171.535 | 171.606 |
| | | N | 5454116.780 | | | 900837 | 14H2748 | GPS | 25 45 5 | 5888.140 | 5890.624 |
| | | El | 113.683 | CVD28GVRD2018 | | 41996 | 82H5025 | GPS | 49 50 8 | 2065.362 | 2066.205 |
| | | | | | | 677799 | 83H5909 | TERR | 90 52 7 | 276.626 | 276.740 |
| | | | | | | 548297 | 82H5075 | TERR | 180 45 33 | 152.398 | 152.461 |
| | | | | | | 584086 | V-1778 | GPS | 282 43 9 | 5238.196 | 5240.347 |
| | | | | | | 875864 | NO MARKING | GPS | 308 18 20 | 6450.663 | 6453.297 |
| 233841 | 83H6191 | E | 499276.224 | 0.9995900 | 0.9999900 | MARKER DESTROYED | | | | | |
| | | N | 5453984.489 | | | | | | | | |
| | | El | 82.860 | CVD28GVRD2018 | | | | | | | |
| 890707 | 83H6192 | E | 499183.994 | 0.9995869 | 0.9999869 | 678300 | 83H6193 | TERR | 94 18 43 | 165.894 | 165.962 |
| | | N | 5453801.711 | | | 184598 | 83H6214 | TERR | 176 58 46 | 167.229 | 167.299 |
| | | El | 102.670 | CVD28GVRD2018 | | 419051 | 83H6186 | TERR | 270 26 40 | 173.736 | 173.807 |
| 678300 | 83H6193 | E | 499349.418 | 0.9995875 | 0.9999875 | 930768 | 83H6199 | TERR | 89 54 3 | 238.808 | 238.908 |
| | | N | 5453789.238 | | | 319129 | 83H6194 | TERR | 175 26 50 | 148.418 | 148.480 |
| | | El | 98.739 | CVD28GVRD2018 | | 890707 | 83H6192 | TERR | 274 18 43 | 165.894 | 165.962 |
| 319129 | 83H6194 | E | 499361.199 | 0.9995859 | 0.9999859 | 822593 | 83H6195 | TERR | 179 18 44 | 164.686 | 164.754 |
| | | N | 5453641.288 | | | 184598 | 83H6214 | TERR | 267 45 52 | 168.521 | 168.591 |
| | | El | 109.121 | CVD28GVRD2018 | | 678300 | 83H6193 | TERR | 355 26 50 | 148.418 | 148.480 |
| 822593 | 83H6195 | E | 499363.176 | 0.9995846 | 0.9999846 | 319129 | 83H6194 | TERR | 359 18 44 | 164.686 | 164.754 |
| | | N | 5453476.614 | | | | | | | | |
| | | El | 117.460 | CVD28GVRD2018 | | | | | | | |
| 871764 | 83H6196 | E | 499364.905 | 0.9995838 | 0.9999837 | MARKER DESTROYED | | | | | |
| | | N | 5453350.490 | | | | | | | | |
| | | El | 122.663 | CVD28GVRD2018 | | | | | | | |
| 151654 | 83H6197 | E | 499748.397 | 0.9995854 | 0.9999854 | 135251 | 83H6184 | TERR | 175 49 37 | 238.529 | 238.628 |
| | | N | 5453434.098 | | | 346809 | 481 | TERR | 359 44 27 | 189.042 | 189.121 |
| | | El | 112.098 | CVD28GVRD2018 | | | | | | | |
| 713149 | 83H6198 | E | 499746.289 | 0.9995882 | 0.9999882 | 486472 | 75H3757 | TERR | 0 0 24 | 179.111 | 179.185 |
| | | N | 5453802.738 | | | 346809 | 481 | TERR | 179 36 1 | 179.604 | 179.678 |
| | | El | 94.401 | CVD28GVRD2018 | | 930768 | 83H6199 | TERR | 265 16 1 | 158.604 | 158.669 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS | | | UTM Coordinates | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. | UTM Grid | UTM Grid | Ground |
|---|---|---|---|---|---|---|---|---|---|---|---|
| GCM-NO | TABLET MARKING | | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | Type | Bearing | Distance Metres | Distance Metres |
| 930768 | 83H6199 | E | 499588.226 | 0.9995882 | 0.9999882 | 713149 | 83H6198 | TERR | 85 16 1 | 158.604 | 158.669 |
| | | N | 5453789.651 | | | 678300 | 83H6193 | TERR | 269 54 3 | 238.808 | 238.908 |
| | | El | 94.276 | CVD28GVRD2018 | | 633446 | 83H6200 | TERR | 343 48 29 | 143.479 | 143.539 |
| 633446 | 83H6200 | E | 499548.216 | 0.9995901 | 0.9999901 | 486472 | 75H3757 | TERR | 74 38 29 | 205.431 | 205.514 |
| | | N | 5453927.439 | | | 930768 | 83H6199 | TERR | 163 48 29 | 143.479 | 143.539 |
| | | El | 82.292 | CVD28GVRD2018 | | 97154 | 83H5900 | TERR | 326 49 15 | 187.458 | 187.535 |
| 890715 | 83H6201 | E | 499861.920 | 0.9995910 | 0.9999910 | 673319 | 83H5898 | TERR | 1 4 38 | 180.599 | 180.673 |
| | | N | 5453984.455 | | | 971747 | 82H5072 | TERR | 89 36 1 | 293.751 | 293.871 |
| | | El | 76.379 | CVD28GVRD2018 | | | | | | | |
| 537092 | 83H6202 | E | 500798.108 | 0.9995820 | 0.9999820 | MARKER DESTROYED | | | | | |
| | | N | 5452458.765 | | | | | | | | |
| | | El | 133.742 | CVD28GVRD2018 | | | | | | | |
| 103754 | 83H6203 | E | 500798.166 | 0.9995838 | 0.9999837 | 264218 | 83H6204 | TERR | 4 0 16 | 209.520 | 209.606 |
| | | N | 5452803.359 | | | 718015 | 87H2635 | TERR | 179 58 46 | 202.275 | 202.360 |
| | | El | 122.671 | CVD28GVRD2018 | | | | | | | |
| 264218 | 83H6204 | E | 500812.798 | 0.9995857 | 0.9999857 | 200139 | 87H2634 | TERR | 96 54 18 | 227.117 | 227.211 |
| | | N | 5453012.367 | | | 103754 | 83H6203 | TERR | 184 0 16 | 209.520 | 209.606 |
| | | El | 110.293 | CVD28GVRD2018 | | 55251 | 86H1889 | TERR | 357 58 22 | 170.766 | 170.837 |
| 168567 | 83H6205 | E | 500430.910 | 0.9995842 | 0.9999841 | MARKER DESTROYED | | | | | |
| | | N | 5453005.221 | | | | | | | | |
| | | El | 120.111 | CVD28GVRD2018 | | | | | | | |
| 995688 | 83H6206 | E | 498847.500 | 0.9995902 | 0.9999902 | 416339 | 79H9665 | TERR | 89 41 7 | 241.884 | 241.983 |
| | | N | 5454460.859 | | | 528836 | 83H5908 | TERR | 181 47 29 | 187.532 | 187.609 |
| | | El | 81.489 | CVD28GVRD2018 | | 657858 | 78H6949 | TERR | 271 35 39 | 192.842 | 192.921 |
| 948877 | 83H6207 | E | 500163.634 | 0.9995836 | 0.9999836 | 733857 | 83H6209 | TERR | 289 57 59 | 210.976 | 211.065 |
| | | N | 5453019.555 | | | 393009 | 82H5070 | TERR | 359 6 48 | 244.888 | 244.990 |
| | | El | 123.925 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 733857 | 83H6209 | E | 499965.339 | 0.9995838 | 0.9999838 | 211771 | 83H6210 | TERR | 0 33 46 | 171.283 | 171.354 |
| | | N | 5453091.597 | | | 948877 | 83H6207 | TERR | 109 57 59 | 210.976 | 211.065 |
| | | El | 122.491 | CVD28GVRD2018 | | 135251 | 83H6184 | TERR | 297 39 34 | 225.335 | 225.428 |
| 211771 | 83H6210 | E | 499967.021 | 0.9995849 | 0.9999848 | 393009 | 82H5070 | TERR | 89 32 31 | 192.829 | 192.909 |
| | | N | 5453262.872 | | | 733857 | 83H6209 | TERR | 180 33 46 | 171.283 | 171.354 |
| | | El | 115.631 | CVD28GVRD2018 | | | | | | | |
| 364943 | 83H6211 | E | 500166.749 | 0.9995885 | 0.9999885 | 808444 | 85H0780 | TERR | 93 0 49 | 245.081 | 245.182 |
| | | N | 5453521.659 | | | 387290 | 82H5071 | TERR | 185 47 24 | 77.002 | 77.034 |
| | | El | 92.299 | CVD28GVRD2018 | | 988063 | 83H5896 | TERR | 352 0 50 | 97.880 | 97.920 |
| 892422 | 83H6212 | E | 499446.633 | 0.9995838 | 0.9999838 | MARKER DESTROYED | | | | | |
| | | N | 5453301.110 | | | | | | | | |
| | | El | 122.113 | CVD28GVRD2018 | | | | | | | |
| 240580 | 83H6213 | E | 499288.724 | 0.9995832 | 0.9999832 | MARKER DESTROYED | | | | | |
| | | N | 5453218.710 | | | | | | | | |
| | | El | 126.048 | CVD28GVRD2018 | | | | | | | |
| 184598 | 83H6214 | E | 499192.806 | 0.9995859 | 0.9999859 | 319129 | 83H6194 | TERR | 87 45 52 | 168.521 | 168.591 |
| | | N | 5453634.714 | | | 655662 | 83H6185 | TERR | 267 53 23 | 168.503 | 168.573 |
| | | El | 109.083 | CVD28GVRD2018 | | 890707 | 83H6192 | TERR | 356 58 46 | 167.229 | 167.299 |
| 323972 | 83H6215 | E | 499397.441 | 0.9995924 | 0.9999924 | 834549 | 83H5901 | TERR | 42 38 18 | 95.802 | 95.841 |
| | | N | 5454126.068 | | | 97154 | 83H5900 | TERR | 130 53 43 | 63.747 | 63.772 |
| | | El | 67.357 | CVD28GVRD2018 | | | | | | | |
| 410431 | 83H6216 | E | 499589.480 | 0.9995931 | 0.9999931 | 635128 | 83H5899 | TERR | 81 52 33 | 157.894 | 157.958 |
| | | N | 5454144.434 | | | 97154 | 83H5900 | TERR | 247 19 31 | 155.902 | 155.965 |
| | | El | 62.910 | CVD28GVRD2018 | | | | | | | |
| 797753 | 83H6217 | E | 498646.358 | 0.9995869 | 0.9999869 | MARKER DESTROYED | | | | | |
| | | N | 5454285.913 | | | | | | | | |
| | | El | 102.376 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 99754 | 85H0775 | E | 500545.195 | 0.9995866 | 0.9999866 | 284877 | 85H0776 | TERR | 84 2 59 | 131.999 | 132.054 |
| | | N | 5453230.825 | | | 1230 | 85H0779 | TERR | 269 41 53 | 131.846 | 131.900 |
| | | El | 104.212 | CVD28GVRD2018 | | | | | | | |
| 284877 | 85H0776 | E | 500676.483 | 0.9995879 | 0.9999879 | 99754 | 85H0775 | TERR | 264 2 59 | 131.999 | 132.054 |
| | | N | 5453244.509 | | | 287383 | 85H0777 | TERR | 336 52 7 | 143.333 | 143.391 |
| | | El | 96.422 | CVD28GVRD2018 | | | | | | | |
| 287383 | 85H0777 | E | 500620.176 | 0.9995893 | 0.9999893 | 284877 | 85H0776 | TERR | 156 52 7 | 143.333 | 143.391 |
| | | N | 5453376.319 | | | 589861 | 82H5068 | TERR | 338 39 17 | 148.370 | 148.431 |
| | | El | 87.403 | CVD28GVRD2018 | | | | | | | |
| 1230 | 85H0779 | E | 500413.351 | 0.9995861 | 0.9999861 | 99754 | 85H0775 | TERR | 89 41 53 | 131.846 | 131.900 |
| | | N | 5453230.130 | | | | | | | | |
| | | El | 107.671 | CVD28GVRD2018 | | | | | | | |
| 808444 | 85H0780 | E | 500411.491 | 0.9995896 | 0.9999896 | 589861 | 82H5068 | TERR | 87 52 33 | 154.786 | 154.850 |
| | | N | 5453508.774 | | | 364943 | 83H6211 | TERR | 273 0 49 | 245.081 | 245.182 |
| | | El | 85.294 | CVD28GVRD2018 | | | | | | | |
| 299255 | 85H0781 | E | 498275.650 | 0.9995864 | 0.9999863 | MARKER DESTROYED | | | | | |
| | | N | 5453802.582 | | | | | | | | |
| | | El | 106.298 | CVD28GVRD2018 | | | | | | | |
| 152025 | 85H0782 | E | 498275.769 | 0.9995876 | 0.9999876 | MARKER DESTROYED | | | | | |
| | | N | 5453568.537 | | | | | | | | |
| | | El | 98.363 | CVD28GVRD2018 | | | | | | | |
| 544155 | 85H0783 | E | 498853.165 | 0.9995844 | 0.9999844 | MARKER DESTROYED | | | | | |
| | | N | 5453351.684 | | | | | | | | |
| | | El | 118.794 | CVD28GVRD2018 | | | | | | | |
| 875690 | 85H0784 | E | 500430.812 | 0.9995826 | 0.9999826 | MARKER DESTROYED | | | | | |
| | | N | 5452668.327 | | | | | | | | |
| | | El | 130.283 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|
| 776476 | 85H0785 | E 499863.783 | 0.9995831 | 0.9999830 | MARKER ISOLATED | | | | | |
| | | N 5452929.262 | | | | | | | | |
| | | El 127.140 | CVD28GVRD2018 | | | | | | | |
| 500793 | 85H0786 | E 499990.913 | 0.9995883 | 0.9999883 | 988063 | 83H5896 | TERR | 89 58 16 | 162.237 | 162.304 |
| | | N 5453618.508 | | | 504522 | 85H0787 | TERR | 274 33 55 | 150.439 | 150.502 |
| | | El 93.827 | CVD28GVRD2018 | | | | | | | |
| 504522 | 85H0787 | E 499840.951 | 0.9995868 | 0.9999868 | 500793 | 85H0786 | TERR | 94 33 55 | 150.439 | 150.502 |
| | | N 5453630.482 | | | 346809 | 481 | TERR | 265 30 16 | 93.697 | 93.735 |
| | | El 103.464 | CVD28GVRD2018 | | | | | | | |
| 698282 | 85H0788 | E 498693.951 | 0.9995864 | 0.9999864 | 131367 | 82H5074 | TERR | 270 42 36 | 132.977 | 133.032 |
| | | N 5453804.763 | | | | | | | | |
| | | El 105.845 | CVD28GVRD2018 | | | | | | | |
| 794776 | 85H0789 | E 501750.833 | 0.9995984 | 0.9999984 | 314724 | 82H5046 | TERR | 89 3 8 | 267.000 | 267.108 |
| | | N 5454330.997 | | | 299677 | 82H5047 | TERR | 277 2 7 | 118.809 | 118.856 |
| | | El 29.042 | CVD28GVRD2018 | | | | | | | |
| 14365 | 85H0790 | E 503517.905 | 0.9995880 | 0.9999879 | 10108 | 94H1369 | TERR | 137 50 25 | 176.500 | 176.573 |
| | | N 5451399.009 | | | 871418 | B-89029 | TERR | 320 3 2 | 222.591 | 222.683 |
| | | El 96.325 | CVD28GVRD2018 | | | | | | | |
| 49932 | 85H0791 | E 501833.530 | 0.9995965 | 0.9999964 | 306068 | 85H0792 | TERR | 128 42 54 | 273.702 | 273.813 |
| | | N 5454752.032 | | | 410746 | 82H5038 | TERR | 306 3 23 | 241.393 | 241.491 |
| | | El 41.694 | CVD28GVRD2018 | | | | | | | |
| 306068 | 85H0792 | E 502047.091 | 0.9995976 | 0.9999975 | 577080 | 82H4987 | TERR | 132 11 49 | 167.967 | 168.035 |
| | | N 5454580.846 | | | 49932 | 85H0791 | TERR | 308 42 54 | 273.702 | 273.813 |
| | | El 34.486 | CVD28GVRD2018 | | | | | | | |
| 55251 | 86H1889 | E 500806.757 | 0.9995879 | 0.9999879 | 777219 | 82H5073 | TERR | 0 51 20 | 331.307 | 331.442 |
| | | N 5453183.026 | | | 264218 | 83H6204 | TERR | 177 58 22 | 170.766 | 170.837 |
| | | El 96.132 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 520536 | 87H2627 | E | 502559.492 | 0.9995877 | 0.9999876 | 576470 | 87H2651 | TERR | 178 36 52 | 270.438 | 270.550 |
| | | N | 5452969.849 | | | 111849 | 87H2628 | TERR | 262 13 16 | 222.067 | 222.158 |
| | | El | 98.122 | CVD28GVRD2018 | | | | | | | |
| 111849 | 87H2628 | E | 502339.469 | 0.9995897 | 0.9999896 | 69294 | 87H2652 | TERR | 1 18 45 | 235.656 | 235.752 |
| | | N | 5452939.792 | | | 520536 | 87H2627 | TERR | 82 13 16 | 222.067 | 222.158 |
| | | El | 85.172 | CVD28GVRD2018 | | 318550 | 87H2629 | TERR | 274 16 7 | 301.474 | 301.598 |
| 318550 | 87H2629 | E | 502038.831 | 0.9995896 | 0.9999895 | 111849 | 87H2628 | TERR | 94 16 7 | 301.474 | 301.598 |
| | | N | 5452962.231 | | | 520445 | 87H2645 | TERR | 178 39 45 | 295.407 | 295.529 |
| | | El | 85.758 | CVD28GVRD2018 | | 872648 | 87H2630 | TERR | 269 48 47 | 315.840 | 315.969 |
| 872648 | 87H2630 | E | 501722.993 | 0.9995900 | 0.9999899 | 318550 | 87H2629 | TERR | 89 48 47 | 315.840 | 315.969 |
| | | N | 5452961.200 | | | 603761 | 87H2631 | TERR | 243 47 45 | 176.524 | 176.597 |
| | | El | 83.272 | CVD28GVRD2018 | | | | | | | |
| 603761 | 87H2631 | E | 501564.611 | 0.9995906 | 0.9999906 | 872648 | 87H2630 | TERR | 63 47 45 | 176.524 | 176.597 |
| | | N | 5452883.252 | | | 287441 | 87H2632 | TERR | 282 51 26 | 173.173 | 173.244 |
| | | El | 79.213 | CVD28GVRD2018 | | | | | | | |
| 287441 | 87H2632 | E | 501395.780 | 0.9995898 | 0.9999897 | 603761 | 87H2631 | TERR | 102 51 26 | 173.173 | 173.244 |
| | | N | 5452921.787 | | | 77313 | 87H2633 | TERR | 296 53 57 | 126.992 | 127.044 |
| | | El | 84.422 | CVD28GVRD2018 | | | | | | | |
| 77313 | 87H2633 | E | 501282.528 | 0.9995882 | 0.9999882 | 287441 | 87H2632 | TERR | 116 53 57 | 126.992 | 127.044 |
| | | N | 5452979.241 | | | 486837 | 87H2637 | TERR | 181 25 43 | 389.302 | 389.463 |
| | | El | 94.088 | CVD28GVRD2018 | | 200139 | 87H2634 | TERR | 271 21 55 | 244.329 | 244.430 |
| 200139 | 87H2634 | E | 501038.268 | 0.9995867 | 0.9999867 | 77313 | 87H2633 | TERR | 91 21 55 | 244.329 | 244.430 |
| | | N | 5452985.062 | | | 264218 | 83H6204 | TERR | 276 54 18 | 227.117 | 227.211 |
| | | El | 103.964 | CVD28GVRD2018 | | | | | | | |
| 718015 | 87H2635 | E | 500798.239 | 0.9995826 | 0.9999826 | 865048 | 87H2636 | TERR | 89 24 26 | 232.327 | 232.425 |
| | | N | 5452601.084 | | | 103754 | 83H6203 | TERR | 359 58 46 | 202.275 | 202.360 |
| | | El | 129.876 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 865048 | 87H2636 | E | 501030.554 | 0.9995833 | 0.9999832 | 486837 | 87H2637 | TERR | 93 10 21 | 242.641 | 242.742 |
| | | N | 5452603.488 | | | 718015 | 87H2635 | TERR | 269 24 26 | 232.327 | 232.425 |
| | | El | 125.938 | CVD28GVRD2018 | | | | | | | |
| 486837 | 87H2637 | E | 501272.823 | 0.9995847 | 0.9999846 | 77313 | 87H2633 | TERR | 1 25 43 | 389.302 | 389.463 |
| | | N | 5452590.060 | | | 556928 | 87H2638 | TERR | 84 36 32 | 120.347 | 120.397 |
| | | El | 117.066 | CVD28GVRD2018 | | 865048 | 87H2636 | TERR | 273 10 21 | 242.641 | 242.742 |
| 556928 | 87H2638 | E | 501392.638 | 0.9995853 | 0.9999852 | 314724 | 82H5046 | GPS | 19 49 31 | 1843.296 | 1844.052 |
| | | N | 5452601.367 | | | 406223 | 94H1459 | GPS | 58 54 48 | 4759.334 | 4761.272 |
| | | El | 113.098 | CVD28GVRD2018 | | 229781 | 94H1355 | GPS | 90 14 56 | 2010.629 | 2011.463 |
| | | | | | | 595017 | 89H6032 | GPS | 107 32 31 | 3931.747 | 3933.373 |
| | | | | | | 898734 | NO MARKING | GPS | 113 15 18 | 9581.265 | 9585.227 |
| | | | | | | 104109 | 94H1482 | GPS | 129 51 3 | 1922.315 | 1923.111 |
| | | | | | | 12591 | 384 | GPS | 187 46 38 | 2228.551 | 2229.458 |
| | | | | | | 293399 | 87H3273 | GPS | 252 9 27 | 2126.022 | 2126.905 |
| | | | | | | 486837 | 87H2637 | TERR | 264 36 32 | 120.347 | 120.397 |
| | | | | | | 875864 | NO MARKING | GPS | 304 56 50 | 9625.884 | 9629.813 |
| | | | | | | 41996 | 82H5025 | GPS | 336 18 6 | 3109.767 | 3111.036 |
| | | | | | | 510404 | 82H5017 | GPS | 337 51 21 | 1867.289 | 1868.051 |
| 864678 | 87H2639 | E | 501407.825 | 0.9995841 | 0.9999840 | 621813 | 87H2640 | TERR | 89 29 12 | 315.500 | 315.632 |
| | | N | 5452458.703 | | | | | | | | |
| | | El | 120.879 | CVD28GVRD2018 | | | | | | | |
| 621813 | 87H2640 | E | 501723.312 | 0.9995845 | 0.9999844 | 909200 | 87H2641 | TERR | 1 13 48 | 196.512 | 196.594 |
| | | N | 5452461.530 | | | 776039 | 87H2642 | TERR | 176 58 28 | 147.839 | 147.901 |
| | | El | 118.382 | CVD28GVRD2018 | | 864678 | 87H2639 | TERR | 269 29 12 | 315.500 | 315.632 |
| 909200 | 87H2641 | E | 501727.530 | 0.9995860 | 0.9999859 | 621813 | 87H2640 | TERR | 181 13 48 | 196.512 | 196.594 |
| | | N | 5452657.997 | | | | | | | | |
| | | El | 108.876 | CVD28GVRD2018 | | | | | | | |
| 776039 | 87H2642 | E | 501731.115 | 0.9995838 | 0.9999837 | 856294 | 87H2643 | TERR | 179 55 40 | 168.964 | 169.034 |
| | | N | 5452313.897 | | | 621813 | 87H2640 | TERR | 356 58 28 | 147.839 | 147.901 |
| | | El | 122.795 | CVD28GVRD2018 | | | | | | | |
| 856294 | 87H2643 | E | 501731.328 | 0.9995834 | 0.9999833 | 531038 | 496 | TERR | 188 39 15 | 108.008 | 108.053 |
| | | N | 5452144.933 | | | 776039 | 87H2642 | TERR | 359 55 40 | 168.964 | 169.034 |
| | | El | 125.315 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 960336 | 87H2644 | E | 502041.396 | 0.9995849 | 0.9999849 | MARKER DESTROYED | | | | | |
| | | N | 5452455.001 | | | | | | | | |
| | | El | 115.426 | CVD28GVRD2018 | | | | | | | |
| 520445 | 87H2645 | E | 502045.727 | 0.9995876 | 0.9999875 | 318550 | 87H2629 | TERR | 358 39 45 | 295.407 | 295.529 |
| | | N | 5452666.905 | | | | | | | | |
| | | El | 98.691 | CVD28GVRD2018 | | | | | | | |
| 37440 | 87H2646 | E | 502128.585 | 0.9995850 | 0.9999849 | 155895 | 87H2647 | TERR | 36 28 26 | 168.303 | 168.373 |
| | | N | 5452500.866 | | | | | | | | |
| | | El | 115.057 | CVD28GVRD2018 | | | | | | | |
| 155895 | 87H2647 | E | 502228.634 | 0.9995858 | 0.9999858 | 75804 | 87H2648 | TERR | 179 56 27 | 192.432 | 192.511 |
| | | N | 5452636.203 | | | 37440 | 87H2646 | TERR | 216 28 26 | 168.303 | 168.373 |
| | | El | 109.783 | CVD28GVRD2018 | | | | | | | |
| 75804 | 87H2648 | E | 502228.833 | 0.9995845 | 0.9999844 | 819284 | 87H2649 | TERR | 89 31 2 | 115.239 | 115.287 |
| | | N | 5452443.771 | | | 155895 | 87H2647 | TERR | 359 56 27 | 192.432 | 192.511 |
| | | El | 118.205 | CVD28GVRD2018 | | | | | | | |
| 819284 | 87H2649 | E | 502344.068 | 0.9995839 | 0.9999838 | 982223 | 87H2650 | TERR | 0 8 57 | 254.697 | 254.803 |
| | | N | 5452444.742 | | | 40147 | 87H3223 | TERR | 179 52 52 | 322.602 | 322.736 |
| | | El | 122.353 | CVD28GVRD2018 | | 75804 | 87H2648 | TERR | 269 31 2 | 115.239 | 115.287 |
| 982223 | 87H2650 | E | 502344.731 | 0.9995859 | 0.9999858 | 576470 | 87H2651 | TERR | 89 59 12 | 221.300 | 221.391 |
| | | N | 5452699.438 | | | 819284 | 87H2649 | TERR | 180 8 57 | 254.697 | 254.803 |
| | | El | 109.328 | CVD28GVRD2018 | | | | | | | |
| 576470 | 87H2651 | E | 502566.031 | 0.9995851 | 0.9999850 | 806547 | 87H3210 | TERR | 89 52 17 | 277.618 | 277.734 |
| | | N | 5452699.490 | | | 293241 | 87H3222 | TERR | 180 1 9 | 347.853 | 347.998 |
| | | El | 114.656 | CVD28GVRD2018 | | 982223 | 87H2650 | TERR | 269 59 12 | 221.300 | 221.391 |
| | | | | | | 520536 | 87H2627 | TERR | 358 36 52 | 270.438 | 270.550 |
| 69294 | 87H2652 | E | 502344.867 | 0.9995916 | 0.9999916 | 569962 | 87H2653 | TERR | 92 20 56 | 87.910 | 87.946 |
| | | N | 5453175.386 | | | 111849 | 87H2628 | TERR | 181 18 45 | 235.656 | 235.752 |
| | | El | 72.757 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 569962 | 87H2653 | E | 502432.703 | 0.9995915 | 0.9999914 | 396770 | 87H2654 | TERR | 50 45 42 | 177.178 | 177.250 |
| | | N | 5453171.783 | | | 69294 | 87H2652 | TERR | 272 20 56 | 87.910 | 87.946 |
| | | El | 73.897 | CVD28GVRD2018 | | | | | | | |
| 396770 | 87H2654 | E | 502569.931 | 0.9995924 | 0.9999923 | 569962 | 87H2653 | TERR | 230 45 42 | 177.178 | 177.250 |
| | | N | 5453283.856 | | | 177956 | 87H2655 | TERR | 359 53 57 | 321.567 | 321.696 |
| | | El | 68.250 | CVD28GVRD2018 | | | | | | | |
| 177956 | 87H2655 | E | 502569.365 | 0.9995996 | 0.9999995 | 396770 | 87H2654 | TERR | 179 53 57 | 321.567 | 321.696 |
| | | N | 5453605.422 | | | | | | | | |
| | | El | 22.210 | CVD28GVRD2018 | | | | | | | |
| 559153 | 87H2656 | E | 502570.011 | 0.9995989 | 0.9999988 | MARKER DESTROYED | | | | | |
| | | N | 5453805.637 | | | | | | | | |
| | | El | 26.252 | CVD28GVRD2018 | | | | | | | |
| 806547 | 87H3210 | E | 502843.648 | 0.9995848 | 0.9999847 | 447144 | 87H3319 | TERR | 46 25 46 | 243.186 | 243.287 |
| | | N | 5452700.113 | | | 740761 | 94H1354 | TERR | 48 18 49 | 236.687 | 236.785 |
| | | El | 116.875 | CVD28GVRD2018 | | 576470 | 87H2651 | TERR | 269 52 17 | 277.618 | 277.734 |
| 116772 | 87H3211 | E | 502843.333 | 0.9995836 | 0.9999835 | MARKER DESTROYED | | | | | |
| | | N | 5452513.788 | | | | | | | | |
| | | El | 124.004 | CVD28GVRD2018 | | | | | | | |
| 553578 | 87H3212 | E | 502845.589 | 0.9995832 | 0.9999831 | MARKER DESTROYED | | | | | |
| | | N | 5452346.344 | | | | | | | | |
| | | El | 127.095 | CVD28GVRD2018 | | | | | | | |
| 156364 | 87H3213 | E | 502829.633 | 0.9995829 | 0.9999828 | 84624 | 94H1716 | TERR | 174 12 27 | 192.857 | 192.937 |
| | | N | 5452122.256 | | | 773259 | 87H3214 | TERR | 174 40 38 | 195.638 | 195.719 |
| | | El | 128.599 | CVD28GVRD2018 | | 135772 | 87H3221 | TERR | 271 24 55 | 263.591 | 263.700 |
| 773259 | 87H3214 | E | 502847.782 | 0.9995830 | 0.9999829 | 570333 | 87H3277 | TERR | 185 37 40 | 172.726 | 172.798 |
| | | N | 5451927.462 | | | 534644 | 87H3220 | TERR | 274 4 58 | 289.879 | 290.000 |
| | | El | 127.897 | CVD28GVRD2018 | | 156364 | 87H3213 | TERR | 354 40 38 | 195.638 | 195.719 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 641795 | 87H3215 | E | 502377.208 | 0.9995873 | 0.9999873 | 756791 | 87H3296 | TERR | 178 46 39 | 291.787 | 291.907 |
| | | N | 5451317.538 | | | | | | | | |
| | | El | 100.356 | CVD28GVRD2018 | | | | | | | |
| 199158 | 87H3216 | E | 502844.125 | 0.9995849 | 0.9999848 | MARKER DESTROYED | | | | | |
| | | N | 5451553.489 | | | | | | | | |
| | | El | 116.085 | CVD28GVRD2018 | | | | | | | |
| 63537 | 87H3217 | E | 502842.076 | 0.9995885 | 0.9999884 | MARKER DESTROYED | | | | | |
| | | N | 5451323.562 | | | | | | | | |
| | | El | 92.763 | CVD28GVRD2018 | | | | | | | |
| 490169 | 87H3218 | E | 502617.233 | 0.9995847 | 0.9999846 | 111161 | 94H1481 | TERR | 87 50 39 | 214.997 | 215.086 |
| | | N | 5451556.959 | | | 644443 | 87H3227 | TERR | 277 32 23 | 332.734 | 332.872 |
| | | El | 117.048 | CVD28GVRD2018 | | | | | | | |
| 457713 | 87H3219 | E | 502564.331 | 0.9996001 | 1.0000001 | 687731 | 78H6972 | TERR | 2 17 11 | 202.032 | 202.112 |
| | | N | 5454105.835 | | | 488726 | 94H1392 | TERR | 105 20 21 | 208.963 | 209.046 |
| | | El | 18.464 | CVD28GVRD2018 | | 98277 | 87H3224 | TERR | 293 52 20 | 101.610 | 101.651 |
| 534644 | 87H3220 | E | 502558.639 | 0.9995829 | 0.9999829 | 135772 | 87H3221 | TERR | 2 22 18 | 180.822 | 180.898 |
| | | N | 5451948.100 | | | 773259 | 87H3214 | TERR | 94 4 58 | 289.879 | 290.000 |
| | | El | 128.369 | CVD28GVRD2018 | | | | | | | |
| 135772 | 87H3221 | E | 502566.122 | 0.9995830 | 0.9999829 | 156364 | 87H3213 | TERR | 91 24 55 | 263.591 | 263.700 |
| | | N | 5452128.767 | | | 534644 | 87H3220 | TERR | 182 22 18 | 180.822 | 180.898 |
| | | El | 127.880 | CVD28GVRD2018 | | 40147 | 87H3223 | TERR | 268 17 8 | 221.484 | 221.577 |
| | | | | | | 293241 | 87H3222 | TERR | 359 56 48 | 222.870 | 222.962 |
| 293241 | 87H3222 | E | 502565.914 | 0.9995837 | 0.9999836 | 576470 | 87H2651 | TERR | 0 1 9 | 347.853 | 347.998 |
| | | N | 5452351.637 | | | 135772 | 87H3221 | TERR | 179 56 48 | 222.870 | 222.962 |
| | | El | 123.679 | CVD28GVRD2018 | | | | | | | |
| 40147 | 87H3223 | E | 502344.737 | 0.9995830 | 0.9999829 | 135772 | 87H3221 | TERR | 88 17 8 | 221.484 | 221.577 |
| | | N | 5452122.141 | | | 819284 | 87H2649 | TERR | 359 52 52 | 322.602 | 322.736 |
| | | El | 127.944 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 98277 | 87H3224 | E | 502471.414 | 0.9995999 | 0.9999998 | 457713 | 87H3219 | TERR | 113 52 20 | 101.610 | 101.651 |
| | | N | 5454146.956 | | | | | | | | |
| | | El | 20.234 | CVD28GVRD2018 | | | | | | | |
| 934356 | 87H3225 | E | 502050.592 | 0.9995833 | 0.9999832 | 18945 | 491 | TERR | 103 18 5 | 279.215 | 279.332 |
| | | N | 5451887.345 | | | 811281 | 87H3229 | TERR | 289 17 31 | 211.810 | 211.898 |
| | | El | 126.082 | CVD28GVRD2018 | | | | | | | |
| 261669 | 87H3226 | E | 502034.600 | 0.9995840 | 0.9999840 | 644443 | 87H3227 | TERR | 97 56 18 | 255.222 | 255.328 |
| | | N | 5451635.866 | | | 841692 | 442 | TERR | 179 0 20 | 302.991 | 303.116 |
| | | El | 121.388 | CVD28GVRD2018 | | 544338 | 87H3228 | TERR | 271 18 30 | 204.972 | 205.058 |
| 644443 | 87H3227 | E | 502287.376 | 0.9995838 | 0.9999838 | 18945 | 491 | TERR | 8 55 30 | 225.214 | 225.307 |
| | | N | 5451600.618 | | | 490169 | 87H3218 | TERR | 97 32 23 | 332.734 | 332.872 |
| | | El | 122.654 | CVD28GVRD2018 | | 261669 | 87H3226 | TERR | 277 56 18 | 255.222 | 255.328 |
| 544338 | 87H3228 | E | 501829.681 | 0.9995835 | 0.9999835 | 261669 | 87H3226 | TERR | 91 18 30 | 204.972 | 205.058 |
| | | N | 5451640.546 | | | 728386 | 87H3230 | TERR | 274 12 36 | 192.988 | 193.068 |
| | | El | 124.573 | CVD28GVRD2018 | | | | | | | |
| 811281 | 87H3229 | E | 501850.676 | 0.9995828 | 0.9999828 | 934356 | 87H3225 | TERR | 109 17 31 | 211.810 | 211.898 |
| | | N | 5451957.323 | | | 531038 | 496 | TERR | 300 47 58 | 157.864 | 157.930 |
| | | El | 128.803 | CVD28GVRD2018 | | | | | | | |
| 728386 | 87H3230 | E | 501637.214 | 0.9995836 | 0.9999836 | 544338 | 87H3228 | TERR | 94 12 36 | 192.988 | 193.068 |
| | | N | 5451654.714 | | | 515551 | 87H3232 | TERR | 182 49 4 | 157.553 | 157.619 |
| | | El | 123.632 | CVD28GVRD2018 | | 993634 | 87H3236 | TERR | 287 10 18 | 411.209 | 411.380 |
| | | | | | | 651026 | 87H3231 | TERR | 358 14 30 | 229.531 | 229.627 |
| 651026 | 87H3231 | E | 501630.171 | 0.9995833 | 0.9999833 | 728386 | 87H3230 | TERR | 178 14 30 | 229.531 | 229.627 |
| | | N | 5451884.137 | | | | | | | | |
| | | El | 125.865 | CVD28GVRD2018 | | | | | | | |
| 515551 | 87H3232 | E | 501629.469 | 0.9995841 | 0.9999841 | 728386 | 87H3230 | TERR | 2 49 4 | 157.553 | 157.619 |
| | | N | 5451497.352 | | | 147348 | 441 | TERR | 173 40 44 | 153.087 | 153.150 |
| | | El | 120.555 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 651612 | 87H3233 | E | 501286.773 | 0.9995825 | 0.9999825 | MARKER DESTROYED | | | | | |
| | | N | 5452246.344 | | | | | | | | |
| | | El | 130.704 | CVD28GVRD2018 | | | | | | | |
| 203695 | 87H3234 | E | 501224.099 | 0.9995822 | 0.9999821 | 712133 | 87H3235 | TERR | 174 24 51 | 130.836 | 130.891 |
| | | N | 5452134.646 | | | 719013 | 87H3238 | TERR | 269 9 47 | 189.358 | 189.437 |
| | | El | 133.043 | CVD28GVRD2018 | | | | | | | |
| 712133 | 87H3235 | E | 501236.834 | 0.9995821 | 0.9999821 | 993634 | 87H3236 | TERR | 178 7 6 | 228.436 | 228.532 |
| | | N | 5452004.431 | | | 203695 | 87H3234 | TERR | 354 24 51 | 130.836 | 130.891 |
| | | El | 133.448 | CVD28GVRD2018 | | | | | | | |
| 993634 | 87H3236 | E | 501244.335 | 0.9995827 | 0.9999826 | 728386 | 87H3230 | TERR | 107 10 18 | 411.209 | 411.380 |
| | | N | 5451776.118 | | | 722462 | 87H3237 | TERR | 176 51 19 | 341.120 | 341.262 |
| | | El | 129.847 | CVD28GVRD2018 | | 260653 | 87H3317 | TERR | 288 0 25 | 172.538 | 172.609 |
| | | | | | | 712133 | 87H3235 | TERR | 358 7 6 | 228.436 | 228.532 |
| 722462 | 87H3237 | E | 501263.048 | 0.9995848 | 0.9999848 | 50427 | 407 | TERR | 192 55 10 | 123.338 | 123.389 |
| | | N | 5451435.512 | | | 993634 | 87H3236 | TERR | 356 51 19 | 341.120 | 341.262 |
| | | El | 116.193 | CVD28GVRD2018 | | | | | | | |
| 719013 | 87H3238 | E | 501034.761 | 0.9995819 | 0.9999819 | 203695 | 87H3234 | TERR | 89 9 47 | 189.358 | 189.437 |
| | | N | 5452131.880 | | | 221986 | 87H3239 | TERR | 266 53 52 | 222.333 | 222.426 |
| | | El | 134.527 | CVD28GVRD2018 | | | | | | | |
| 221986 | 87H3239 | E | 500812.754 | 0.9995819 | 0.9999819 | 719013 | 87H3238 | TERR | 86 53 52 | 222.333 | 222.426 |
| | | N | 5452119.848 | | | 247486 | 421 | TERR | 172 56 22 | 223.165 | 223.258 |
| | | El | 134.433 | CVD28GVRD2018 | | 475541 | 87H3241 | TERR | 275 17 57 | 190.528 | 190.608 |
| 515437 | 87H3240 | E | 500799.607 | 0.9995818 | 0.9999818 | MARKER DESTROYED | | | | | |
| | | N | 5452298.444 | | | | | | | | |
| | | El | 135.074 | CVD28GVRD2018 | | | | | | | |
| 475541 | 87H3241 | E | 500623.040 | 0.9995821 | 0.9999821 | 221986 | 87H3239 | TERR | 95 17 57 | 190.528 | 190.608 |
| | | N | 5452137.444 | | | 294512 | 87H3242 | TERR | 269 53 46 | 192.098 | 192.178 |
| | | El | 133.398 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 294512 | 87H3242 | E | 500430.942 | 0.9995825 | 0.9999825 | 475541 | 87H3241 | TERR | 89 53 46 | 192.098 | 192.178 |
| | | N | 5452137.096 | | | | | | | | |
| | | El | 130.981 | CVD28GVRD2018 | | | | | | | |
| 134007 | 87H3243 | E | 499094.913 | 0.9995847 | 0.9999847 | 158568 | 87H3260 | TERR | 353 3 9 | 202.970 | 203.055 |
| | | N | 5451935.465 | | | | | | | | |
| | | El | 116.509 | CVD28GVRD2018 | | | | | | | |
| 965178 | 87H3246 | E | 500089.695 | 0.9995822 | 0.9999822 | 741470 | 87H3251 | TERR | 303 46 28 | 293.222 | 293.345 |
| | | N | 5452275.529 | | | | | | | | |
| | | El | 132.744 | CVD28GVRD2018 | | | | | | | |
| 617639 | 87H3248 | E | 500034.245 | 0.9995824 | 0.9999824 | 420471 | 424 | TERR | 179 23 22 | 400.080 | 400.246 |
| | | N | 5452135.841 | | | 448357 | 87H3249 | TERR | 270 4 25 | 212.897 | 212.986 |
| | | El | 131.394 | CVD28GVRD2018 | | | | | | | |
| 448357 | 87H3249 | E | 499821.348 | 0.9995823 | 0.9999823 | 617639 | 87H3248 | TERR | 90 4 25 | 212.897 | 212.986 |
| | | N | 5452136.115 | | | 472753 | 87H3250 | TERR | 269 58 25 | 191.670 | 191.750 |
| | | El | 131.874 | CVD28GVRD2018 | | | | | | | |
| 472753 | 87H3250 | E | 499629.678 | 0.9995825 | 0.9999825 | 448357 | 87H3249 | TERR | 89 58 25 | 191.670 | 191.750 |
| | | N | 5452136.027 | | | 820654 | 430 | TERR | 179 8 0 | 194.314 | 194.395 |
| | | El | 130.608 | CVD28GVRD2018 | | 469494 | 87H3261 | TERR | 270 5 21 | 262.406 | 262.516 |
| | | | | | | 919522 | 87H3253 | TERR | 303 40 15 | 259.858 | 259.967 |
| 741470 | 87H3251 | E | 499845.959 | 0.9995819 | 0.9999819 | 965178 | 87H3246 | TERR | 123 46 28 | 293.222 | 293.345 |
| | | N | 5452438.538 | | | 254185 | 87H3252 | TERR | 304 32 29 | 271.097 | 271.211 |
| | | El | 134.665 | CVD28GVRD2018 | | | | | | | |
| 254185 | 87H3252 | E | 499622.652 | 0.9995824 | 0.9999824 | 741470 | 87H3251 | TERR | 124 32 29 | 271.097 | 271.211 |
| | | N | 5452592.251 | | | 919522 | 87H3253 | TERR | 213 50 3 | 375.792 | 375.949 |
| | | El | 131.464 | CVD28GVRD2018 | | | | | | | |
| 919522 | 87H3253 | E | 499413.415 | 0.9995827 | 0.9999827 | 254185 | 87H3252 | TERR | 33 50 3 | 375.792 | 375.949 |
| | | N | 5452280.098 | | | 472753 | 87H3250 | TERR | 123 40 15 | 259.858 | 259.967 |
| | | El | 129.229 | CVD28GVRD2018 | | 776401 | 87H3258 | TERR | 305 20 35 | 416.060 | 416.234 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 151456 | 87H3254 | E | 499427.694 | 0.9995830 | 0.9999830 | | MARKER DESTROYED | | | | |
| | | N | 5452714.205 | | | | | | | | |
| | | El | 127.460 | CVD28GVRD2018 | | | | | | | |
| 757369 | 87H3255 | E | 499227.031 | 0.9995825 | 0.9999825 | | MARKER DESTROYED | | | | |
| | | N | 5452862.730 | | | | | | | | |
| | | El | 130.895 | CVD28GVRD2018 | | | | | | | |
| 373084 | 87H3256 | E | 499072.132 | 0.9995827 | 0.9999827 | | MARKER DESTROYED | | | | |
| | | N | 5452971.068 | | | | | | | | |
| | | El | 129.246 | CVD28GVRD2018 | | | | | | | |
| 765792 | 87H3257 | E | 499073.483 | 0.9995826 | 0.9999826 | | MARKER DESTROYED | | | | |
| | | N | 5452667.160 | | | | | | | | |
| | | El | 129.905 | CVD28GVRD2018 | | | | | | | |
| 776401 | 87H3258 | E | 499074.033 | 0.9995828 | 0.9999828 | 919522 | 87H3253 | TERR | 125 20 35 | 416.060 | 416.234 |
| | | N | 5452520.776 | | | 853739 | 87H3259 | TERR | 179 50 44 | 274.518 | 274.632 |
| | | El | 128.910 | CVD28GVRD2018 | | | | | | | |
| 853739 | 87H3259 | E | 499074.773 | 0.9995834 | 0.9999834 | 158568 | 87H3260 | TERR | 182 18 39 | 109.403 | 109.448 |
| | | N | 5452246.259 | | | 776401 | 87H3258 | TERR | 359 50 44 | 274.518 | 274.632 |
| | | El | 124.888 | CVD28GVRD2018 | | | | | | | |
| 158568 | 87H3260 | E | 499070.362 | 0.9995839 | 0.9999839 | 853739 | 87H3259 | TERR | 2 18 39 | 109.403 | 109.448 |
| | | N | 5452136.945 | | | 469494 | 87H3261 | TERR | 90 5 54 | 296.910 | 297.034 |
| | | El | 121.921 | CVD28GVRD2018 | | 134007 | 87H3243 | TERR | 173 3 9 | 202.970 | 203.055 |
| | | | | | | 693564 | 87H3262 | TERR | 267 55 58 | 385.651 | 385.812 |
| 469494 | 87H3261 | E | 499367.272 | 0.9995834 | 0.9999834 | 472753 | 87H3250 | TERR | 90 5 21 | 262.406 | 262.516 |
| | | N | 5452136.435 | | | 293399 | 87H3273 | TERR | 179 30 29 | 186.491 | 186.568 |
| | | El | 125.088 | CVD28GVRD2018 | | 158568 | 87H3260 | TERR | 270 5 54 | 296.910 | 297.034 |
| 693564 | 87H3262 | E | 498684.962 | 0.9995852 | 0.9999852 | 158568 | 87H3260 | TERR | 87 55 58 | 385.651 | 385.812 |
| | | N | 5452123.033 | | | 42739 | 87H3263 | TERR | 180 19 47 | 194.379 | 194.459 |
| | | El | 113.331 | CVD28GVRD2018 | | 754341 | 87H3264 | TERR | 274 9 8 | 183.785 | 183.861 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 42739 | 87H3263 | E | 498683.843 | 0.9995860 | 0.9999860 | 693564 | 87H3262 | TERR | 0 19 47 | 194.379 | 194.459 |
| | | N | 5451928.657 | | | 177667 | 87H3265 | TERR | 270 8 19 | 210.406 | 210.493 |
| | | El | 108.330 | CVD28GVRD2018 | | | | | | | |
| 754341 | 87H3264 | E | 498501.659 | 0.9995854 | 0.9999854 | 693564 | 87H3262 | TERR | 94 9 8 | 183.785 | 183.861 |
| | | N | 5452136.340 | | | 177667 | 87H3265 | TERR | 187 45 25 | 209.087 | 209.175 |
| | | El | 112.256 | CVD28GVRD2018 | | | | | | | |
| 177667 | 87H3265 | E | 498473.438 | 0.9995861 | 0.9999860 | 754341 | 87H3264 | TERR | 7 45 25 | 209.087 | 209.175 |
| | | N | 5451929.166 | | | 42739 | 87H3263 | TERR | 90 8 19 | 210.406 | 210.493 |
| | | El | 108.090 | CVD28GVRD2018 | | 609065 | 87H3266 | TERR | 179 35 59 | 198.976 | 199.058 |
| 609065 | 87H3266 | E | 498474.828 | 0.9995868 | 0.9999868 | 670653 | 432 | TERR | 176 33 22 | 198.025 | 198.106 |
| | | N | 5451730.195 | | | 177667 | 87H3265 | TERR | 359 35 59 | 198.976 | 199.058 |
| | | El | 103.504 | CVD28GVRD2018 | | | | | | | |
| 23945 | 87H3267 | E | 498477.677 | 0.9995892 | 0.9999891 | 670653 | 432 | TERR | 2 42 36 | 191.347 | 191.426 |
| | | N | 5451341.395 | | | 669168 | 87H3268 | TERR | 90 13 49 | 212.113 | 212.199 |
| | | El | 88.488 | CVD28GVRD2018 | | 742429 | 87H3315 | TERR | 180 26 54 | 338.183 | 338.321 |
| | | | | | | 50591 | V-2558 | TERR | 265 52 59 | 218.892 | 218.983 |
| 669168 | 87H3268 | E | 498689.788 | 0.9995897 | 0.9999897 | 27110 | 87H3269 | TERR | 89 29 26 | 210.374 | 210.461 |
| | | N | 5451340.542 | | | 23945 | 87H3267 | TERR | 270 13 49 | 212.113 | 212.199 |
| | | El | 85.004 | CVD28GVRD2018 | | | | | | | |
| 27110 | 87H3269 | E | 498900.154 | 0.9995900 | 0.9999900 | 818773 | 87H3270 | TERR | 92 1 7 | 191.323 | 191.401 |
| | | N | 5451342.413 | | | 669168 | 87H3268 | TERR | 269 29 26 | 210.374 | 210.461 |
| | | El | 82.857 | CVD28GVRD2018 | | | | | | | |
| 818773 | 87H3270 | E | 499091.358 | 0.9995897 | 0.9999897 | 539361 | 427 | TERR | 8 16 41 | 97.896 | 97.935 |
| | | N | 5451335.674 | | | 321752 | 434 | TERR | 88 16 51 | 280.275 | 280.391 |
| | | El | 85.019 | CVD28GVRD2018 | | 941872 | 426 | TERR | 179 27 43 | 279.966 | 280.081 |
| | | | | | | 27110 | 87H3269 | TERR | 272 1 7 | 191.323 | 191.401 |
| 313247 | 87H3271 | E | 499372.695 | 0.9995871 | 0.9999871 | 321752 | 434 | TERR | 180 42 33 | 95.997 | 96.036 |
| | | N | 5451440.072 | | | 421925 | 87H3272 | TERR | 359 30 38 | 294.729 | 294.851 |
| | | El | 101.385 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 421925 | 87H3272 | E | 499370.177 | 0.9995850 | 0.9999850 | 313247 | 87H3271 | TERR | 179 30 38 | 294.729 | 294.851 |
| | | N | 5451734.790 | | | 293399 | 87H3273 | TERR | 359 39 10 | 215.165 | 215.254 |
| | | El | 114.842 | CVD28GVRD2018 | | | | | | | |
| 293399 | 87H3273 | E | 499368.873 | 0.9995841 | 0.9999841 | 41996 | 82H5025 | GPS | 12 28 18 | 3583.512 | 3584.976 |
| | | N | 5451949.951 | | | 510404 | 82H5017 | GPS | 29 0 8 | 2722.347 | 2723.459 |
| | | El | 120.690 | CVD28GVRD2018 | | 314724 | 82H5046 | GPS | 47 59 44 | 3564.720 | 3566.182 |
| | | | | | | 691782 | 14H2740 | GPS | 59 49 30 | 12959.844 | 12965.114 |
| | | | | | | 556928 | 87H2638 | GPS | 72 9 27 | 2126.022 | 2126.905 |
| | | | | | | 898734 | NO MARKING | GPS | 106 7 55 | 11270.399 | 11275.067 |
| | | | | | | 12591 | 384 | GPS | 132 6 34 | 2321.440 | 2322.386 |
| | | | | | | 421925 | 87H3272 | TERR | 179 39 10 | 215.165 | 215.254 |
| | | | | | | 897322 | V-2503 | GPS | 212 29 54 | 1982.390 | 1983.197 |
| | | | | | | 870014 | V-2593 | GPS | 270 2 40 | 3921.902 | 3923.526 |
| | | | | | | 395939 | V-2635 | GPS | 276 48 17 | 1831.497 | 1832.257 |
| | | | | | | 875864 | NO MARKING | GPS | 316 25 24 | 8510.326 | 8513.805 |
| | | | | | | 469494 | 87H3261 | TERR | 359 30 29 | 186.491 | 186.568 |
| 763656 | 87H3274 | E | 499645.913 | 0.9995858 | 0.9999858 | 113928 | 87H3275 | TERR | 88 9 20 | 395.055 | 395.218 |
| | | N | 5451532.195 | | | | | | | | |
| | | El | 109.442 | CVD28GVRD2018 | | | | | | | |
| 113928 | 87H3275 | E | 500040.763 | 0.9995848 | 0.9999848 | 917237 | 87H3276 | TERR | 181 11 18 | 212.494 | 212.582 |
| | | N | 5451544.911 | | | 763656 | 87H3274 | TERR | 268 9 20 | 395.055 | 395.218 |
| | | El | 115.941 | CVD28GVRD2018 | | 420471 | 424 | TERR | 359 19 23 | 190.886 | 190.966 |
| 917237 | 87H3276 | E | 500036.356 | 0.9995867 | 0.9999867 | 113928 | 87H3275 | TERR | 1 11 18 | 212.494 | 212.582 |
| | | N | 5451332.463 | | | 633644 | 87H3279 | TERR | 88 6 52 | 418.527 | 418.700 |
| | | El | 104.200 | CVD28GVRD2018 | | 228247 | 87H3278 | TERR | 171 35 46 | 104.257 | 104.300 |
| 570333 | 87H3277 | E | 502830.844 | 0.9995838 | 0.9999837 | 773259 | 87H3214 | TERR | 5 37 40 | 172.726 | 172.798 |
| | | N | 5451755.569 | | | 84624 | 94H1716 | TERR | 5 57 39 | 175.765 | 175.839 |
| | | El | 123.105 | CVD28GVRD2018 | | 111161 | 94H1481 | TERR | 179 37 44 | 190.526 | 190.605 |
| 228247 | 87H3278 | E | 500051.593 | 0.9995878 | 0.9999878 | 631846 | 423 | TERR | 184 44 27 | 185.581 | 185.657 |
| | | N | 5451229.325 | | | 917237 | 87H3276 | TERR | 351 35 46 | 104.257 | 104.300 |
| | | El | 97.195 | CVD28GVRD2018 | | | | | | | |
| 633644 | 87H3279 | E | 500454.656 | 0.9995857 | 0.9999857 | 21147 | 438 | TERR | 89 25 33 | 186.402 | 186.479 |
| | | N | 5451346.233 | | | 576355 | 416 | TERR | 184 41 58 | 113.209 | 113.255 |
| | | El | 110.554 | CVD28GVRD2018 | | 917237 | 87H3276 | TERR | 268 6 52 | 418.527 | 418.700 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 998039 | 87H3280 | E | 500242.822 | 0.9995838 | 0.9999838 | MARKER DESTROYED | | | | | |
| | | N | 5451748.528 | | | | | | | | |
| | | El | 122.206 | CVD28GVRD2018 | | | | | | | |
| 827790 | 87H3281 | E | 500441.105 | 0.9995838 | 0.9999838 | 668608 | 87H3282 | TERR | 87 22 2 | 212.026 | 212.114 |
| | | N | 5451740.378 | | | | | | | | |
| | | El | 122.638 | CVD28GVRD2018 | | | | | | | |
| 668608 | 87H3282 | E | 500652.907 | 0.9995837 | 0.9999837 | 827790 | 87H3281 | TERR | 267 22 2 | 212.026 | 212.114 |
| | | N | 5451750.117 | | | | | | | | |
| | | El | 122.878 | CVD28GVRD2018 | | | | | | | |
| 650796 | 87H3283 | E | 500852.289 | 0.9995848 | 0.9999848 | 828905 | 87H3284 | TERR | 181 19 11 | 167.365 | 167.435 |
| | | N | 5451517.349 | | | | | | | | |
| | | El | 115.901 | CVD28GVRD2018 | | | | | | | |
| 828905 | 87H3284 | E | 500848.434 | 0.9995850 | 0.9999850 | 650796 | 87H3283 | TERR | 1 19 11 | 167.365 | 167.435 |
| | | N | 5451350.028 | | | 498774 | 440 | TERR | 89 21 30 | 266.019 | 266.129 |
| | | El | 114.822 | CVD28GVRD2018 | | 21147 | 438 | TERR | 269 28 3 | 207.394 | 207.481 |
| 215798 | 87H3285 | E | 500831.525 | 0.9995894 | 0.9999894 | 206839 | 412 | TERR | 0 3 38 | 187.616 | 187.693 |
| | | N | 5450941.176 | | | 307678 | 87H3286 | TERR | 89 53 16 | 208.255 | 208.341 |
| | | El | 86.651 | CVD28GVRD2018 | | 250282 | 410 | TERR | 175 17 5 | 211.320 | 211.407 |
| 307678 | 87H3286 | E | 501039.780 | 0.9995887 | 0.9999887 | 426239 | 87H3287 | TERR | 91 27 34 | 198.098 | 198.180 |
| | | N | 5450941.584 | | | 215798 | 87H3285 | TERR | 269 53 16 | 208.255 | 208.341 |
| | | El | 91.075 | CVD28GVRD2018 | | | | | | | |
| 426239 | 87H3287 | E | 501237.814 | 0.9995886 | 0.9999886 | 526764 | 402 | TERR | 90 56 30 | 241.376 | 241.474 |
| | | N | 5450936.539 | | | 899005 | 87H3288 | TERR | 182 18 30 | 107.459 | 107.504 |
| | | El | 91.642 | CVD28GVRD2018 | | 307678 | 87H3286 | TERR | 271 27 34 | 198.098 | 198.180 |
| | | | | | | 228569 | 406 | TERR | 359 34 11 | 199.555 | 199.637 |
| 899005 | 87H3288 | E | 501233.486 | 0.9995902 | 0.9999902 | 426239 | 87H3287 | TERR | 2 18 30 | 107.459 | 107.504 |
| | | N | 5450829.167 | | | 382630 | 87H3289 | TERR | 177 35 57 | 194.255 | 194.333 |
| | | El | 81.510 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 382630 | 87H3289 | E | 501241.623 | 0.9995942 | 0.9999942 | 754887 | 87H3290 | TERR | 181 8 37 | 94.290 | 94.328 |
| | | N | 5450635.083 | | | 899005 | 87H3288 | TERR | 357 35 57 | 194.255 | 194.333 |
| | | El | 56.260 | CVD28GVRD2018 | | | | | | | |
| 754887 | 87H3290 | E | 501239.741 | 0.9995968 | 0.9999968 | 382630 | 87H3289 | TERR | 1 8 37 | 94.290 | 94.328 |
| | | N | 5450540.812 | | | | | | | | |
| | | El | 39.495 | CVD28GVRD2018 | | | | | | | |
| 804369 | 87H3291 | E | 501851.065 | 0.9995881 | 0.9999880 | 635268 | 87H3292 | TERR | 92 49 9 | 181.587 | 181.662 |
| | | N | 5450932.095 | | | 281782 | 400 | TERR | 268 54 9 | 213.323 | 213.411 |
| | | El | 95.494 | CVD28GVRD2018 | | | | | | | |
| 635268 | 87H3292 | E | 502032.432 | 0.9995898 | 0.9999897 | 377176 | 87H3293 | TERR | 12 42 14 | 108.934 | 108.978 |
| | | N | 5450923.164 | | | 885046 | 87H3300 | TERR | 194 34 41 | 278.561 | 278.675 |
| | | El | 84.735 | CVD28GVRD2018 | | 804369 | 87H3291 | TERR | 272 49 9 | 181.587 | 181.662 |
| 377176 | 87H3293 | E | 502056.388 | 0.9995884 | 0.9999883 | 922468 | 87H3295 | TERR | 92 45 22 | 169.654 | 169.724 |
| | | N | 5451029.431 | | | 635268 | 87H3292 | TERR | 192 42 14 | 108.934 | 108.978 |
| | | El | 93.559 | CVD28GVRD2018 | | 15123 | 87H3294 | TERR | 347 52 15 | 89.404 | 89.441 |
| 15123 | 87H3294 | E | 502037.603 | 0.9995873 | 0.9999872 | 841692 | 442 | TERR | 0 35 52 | 216.094 | 216.184 |
| | | N | 5451116.839 | | | 377176 | 87H3293 | TERR | 167 52 15 | 89.404 | 89.441 |
| | | El | 100.455 | CVD28GVRD2018 | | | | | | | |
| 922468 | 87H3295 | E | 502225.846 | 0.9995899 | 0.9999899 | 756791 | 87H3296 | TERR | 88 20 54 | 157.653 | 157.717 |
| | | N | 5451021.273 | | | 377176 | 87H3293 | TERR | 272 45 22 | 169.654 | 169.724 |
| | | El | 83.708 | CVD28GVRD2018 | | | | | | | |
| 756791 | 87H3296 | E | 502383.433 | 0.9995908 | 0.9999907 | 922468 | 87H3295 | TERR | 268 20 54 | 157.653 | 157.717 |
| | | N | 5451025.817 | | | 641795 | 87H3215 | TERR | 358 46 39 | 291.787 | 291.907 |
| | | El | 78.216 | CVD28GVRD2018 | | | | | | | |
| 885277 | 87H3297 | E | 502220.963 | 0.9995919 | 0.9999919 | 126516 | 87H3298 | TERR | 221 38 21 | 152.575 | 152.637 |
| | | N | 5450865.555 | | | | | | | | |
| | | El | 71.046 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 126516 | 87H3298 | E | 502119.587 | 0.9995925 | 0.9999924 | 885277 | 87H3297 | TERR | 41 38 21 | 152.575 | 152.637 |
| | | N | 5450751.529 | | | 320861 | 87H3299 | TERR | 203 32 23 | 167.170 | 167.238 |
| | | El | 67.305 | CVD28GVRD2018 | | | | | | | |
| 320861 | 87H3299 | E | 502052.822 | 0.9995936 | 0.9999936 | 126516 | 87H3298 | TERR | 23 32 23 | 167.170 | 167.238 |
| | | N | 5450598.270 | | | | | | | | |
| | | El | 60.105 | CVD28GVRD2018 | | | | | | | |
| 885046 | 87H3300 | E | 501962.319 | 0.9995926 | 0.9999926 | 635268 | 87H3292 | TERR | 14 34 41 | 278.561 | 278.675 |
| | | N | 5450653.571 | | | 774471 | 87H3301 | TERR | 211 29 20 | 275.176 | 275.287 |
| | | El | 66.433 | CVD28GVRD2018 | | | | | | | |
| 774471 | 87H3301 | E | 501818.586 | 0.9995965 | 0.9999964 | 885046 | 87H3300 | TERR | 31 29 20 | 275.176 | 275.287 |
| | | N | 5450418.917 | | | 668152 | 87H3302 | TERR | 245 21 41 | 191.371 | 191.448 |
| | | El | 41.909 | CVD28GVRD2018 | | | | | | | |
| 668152 | 87H3302 | E | 501644.638 | 0.9995996 | 0.9999995 | 774471 | 87H3301 | TERR | 65 21 41 | 191.371 | 191.448 |
| | | N | 5450339.136 | | | 615047 | 398 | TERR | 358 46 47 | 199.201 | 199.282 |
| | | El | 21.969 | CVD28GVRD2018 | | | | | | | |
| 589069 | 87H3303 | E | 501635.091 | 0.9995915 | 0.9999915 | 281782 | 400 | TERR | 0 45 15 | 204.386 | 204.470 |
| | | N | 5450723.641 | | | 615047 | 398 | TERR | 178 21 38 | 185.425 | 185.501 |
| | | El | 73.306 | CVD28GVRD2018 | | | | | | | |
| 738906 | 87H3304 | E | 500847.002 | 0.9996010 | 1.0000010 | 12591 | 384 | TERR | 102 38 9 | 250.127 | 250.227 |
| | | N | 5450448.030 | | | 876169 | 386 | TERR | 271 20 2 | 243.776 | 243.874 |
| | | El | 12.839 | CVD28GVRD2018 | | 931881 | 409 | TERR | 352 45 35 | 104.823 | 104.864 |
| 934745 | 87H3305 | E | 500190.725 | 0.9995994 | 0.9999994 | 92643 | 413 | TERR | 70 4 11 | 138.230 | 138.285 |
| | | N | 5450625.667 | | | | | | | | |
| | | El | 22.847 | CVD28GVRD2018 | | | | | | | |
| 187740 | 87H3306 | E | 499814.921 | 0.9996004 | 1.0000004 | 679332 | 388 | TERR | 106 23 0 | 264.525 | 264.630 |
| | | N | 5450633.549 | | | | | | | | |
| | | El | 16.395 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 923953 | 87H3307 | E | 499645.059 | 0.9995972 | 0.9999972 | 779306 | 87H3308 | TERR | 94 30 10 | 311.409 | 311.535 |
| | | N | 5450811.547 | | | 436675 | 425 | TERR | 358 7 36 | 228.038 | 228.130 |
| | | El | 37.203 | CVD28GVRD2018 | | | | | | | |
| 779306 | 87H3308 | E | 499955.507 | 0.9995957 | 0.9999957 | 923953 | 87H3307 | TERR | 274 30 10 | 311.409 | 311.535 |
| | | N | 5450787.099 | | | | | | | | |
| | | El | 46.381 | CVD28GVRD2018 | | | | | | | |
| 448258 | 87H3309 | E | 499101.442 | 0.9995971 | 0.9999971 | 741397 | 87H3310 | TERR | 92 34 37 | 271.259 | 271.369 |
| | | N | 5450888.602 | | | 941872 | 426 | TERR | 357 26 45 | 167.284 | 167.352 |
| | | El | 37.505 | CVD28GVRD2018 | | | | | | | |
| 741397 | 87H3310 | E | 499372.427 | 0.9995966 | 0.9999966 | 448258 | 87H3309 | TERR | 272 34 37 | 271.259 | 271.369 |
| | | N | 5450876.406 | | | 181024 | 87H3311 | TERR | 358 10 35 | 172.426 | 172.496 |
| | | El | 40.973 | CVD28GVRD2018 | | | | | | | |
| 181024 | 87H3311 | E | 499366.940 | 0.9995934 | 0.9999934 | 436675 | 425 | TERR | 91 57 51 | 270.823 | 270.934 |
| | | N | 5451048.745 | | | 741397 | 87H3310 | TERR | 178 10 35 | 172.426 | 172.496 |
| | | El | 61.440 | CVD28GVRD2018 | | 941872 | 426 | TERR | 271 27 50 | 273.042 | 273.153 |
| | | | | | | 122101 | 87H3312 | TERR | 358 6 47 | 127.428 | 127.480 |
| 122101 | 87H3312 | E | 499362.744 | 0.9995908 | 0.9999908 | 321752 | 434 | TERR | 2 59 11 | 168.206 | 168.276 |
| | | N | 5451176.104 | | | 181024 | 87H3311 | TERR | 178 6 47 | 127.428 | 127.480 |
| | | El | 77.910 | CVD28GVRD2018 | | | | | | | |
| 969691 | 87H3313 | E | 498560.669 | 0.9995985 | 0.9999985 | 746495 | 87H3314 | TERR | 358 7 16 | 217.228 | 217.315 |
| | | N | 5450674.096 | | | | | | | | |
| | | El | 28.850 | CVD28GVRD2018 | | | | | | | |
| 746495 | 87H3314 | E | 498553.547 | 0.9995951 | 0.9999951 | 969691 | 87H3313 | TERR | 178 7 16 | 217.228 | 217.315 |
| | | N | 5450891.207 | | | 742429 | 87H3315 | TERR | 324 58 17 | 136.793 | 136.848 |
| | | El | 50.457 | CVD28GVRD2018 | | | | | | | |
| 742429 | 87H3315 | E | 498475.030 | 0.9995929 | 0.9999929 | 23945 | 87H3267 | TERR | 0 26 54 | 338.183 | 338.321 |
| | | N | 5451003.222 | | | 746495 | 87H3314 | TERR | 144 58 17 | 136.793 | 136.848 |
| | | El | 64.410 | CVD28GVRD2018 | | 226076 | 87H3316 | TERR | 268 31 55 | 180.636 | 180.710 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 226076 | 87H3316 | E | 498294.453 | 0.9995919 | 0.9999919 | 742429 | 87H3315 | TERR | 88 31 55 | 180.636 | 180.710 |
| | | N | 5450998.594 | | | 304477 | V-2562 | TERR | 211 29 53 | 68.994 | 69.022 |
| | | El | 70.785 | CVD28GVRD2018 | | | | | | | |
| 260653 | 87H3317 | E | 501080.248 | 0.9995826 | 0.9999826 | 993634 | 87H3236 | TERR | 108 0 25 | 172.538 | 172.609 |
| | | N | 5451829.455 | | | 247486 | 421 | TERR | 286 1 6 | 249.760 | 249.865 |
| | | El | 130.057 | CVD28GVRD2018 | | | | | | | |
| 447144 | 87H3319 | E | 503019.843 | 0.9995865 | 0.9999864 | 806547 | 87H3210 | TERR | 226 25 46 | 243.186 | 243.287 |
| | | N | 5452867.728 | | | | | | | | |
| | | El | 105.841 | CVD28GVRD2018 | | | | | | | |
| 335620 | 87H3320 | E | 503124.578 | 0.9995839 | 0.9999838 | MARKER DESTROYED | | | | | |
| | | N | 5452369.531 | | | | | | | | |
| | | El | 122.318 | CVD28GVRD2018 | | | | | | | |
| 678110 | 87H3321 | E | 503084.976 | 0.9995839 | 0.9999838 | MARKER ISOLATED | | | | | |
| | | N | 5451729.044 | | | | | | | | |
| | | El | 122.202 | CVD28GVRD2018 | | | | | | | |
| 9498 | 87H3323 | E | 499803.323 | 0.9995831 | 0.9999831 | MARKER ISOLATED | | | | | |
| | | N | 5452984.531 | | | | | | | | |
| | | El | 126.546 | CVD28GVRD2018 | | | | | | | |
| 763599 | 87H3324 | E | 500018.758 | 0.9995828 | 0.9999828 | MARKER DESTROYED | | | | | |
| | | N | 5452841.798 | | | | | | | | |
| | | El | 128.756 | CVD28GVRD2018 | | | | | | | |
| 803452 | 87H3326 | E | 502888.418 | 0.9995888 | 0.9999887 | 378059 | 94H1724 | TERR | 62 19 30 | 82.458 | 82.492 |
| | | N | 5450675.696 | | | | | | | | |
| | | El | 91.086 | CVD28GVRD2018 | | | | | | | |
| 530519 | 87H3330 | E | 506614.423 | 0.9995849 | 0.9999844 | 54536 | 87H3331 | TERR | 50 25 43 | 224.050 | 224.144 |
| | | N | 5453348.915 | | | 633636 | 464 | TERR | 231 52 58 | 566.627 | 566.862 |
| | | El | 118.460 | CVD28GVRD2018 | | 75978 | 94H1433 | TERR | 319 52 23 | 258.238 | 258.345 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 54536 | 87H3331 | E | 506787.128 | 0.9995852 | 0.9999846 | 56853 | 94H1434 | TERR | 50 25 38 | 228.714 | 228.809 |
| | | N | 5453491.644 | | | 530519 | 87H3330 | TERR | 230 25 43 | 224.050 | 224.144 |
| | | El | 116.810 | CVD28GVRD2018 | | | | | | | |
| 38661 | 87H3341 | E | 506164.961 | 0.9995867 | 0.9999863 | MARKER ISOLATED | | | | | |
| | | N | 5453384.931 | | | | | | | | |
| | | El | 106.586 | CVD28GVRD2018 | | | | | | | |
| 707745 | 87H3342 | E | 506434.881 | 0.9995881 | 0.9999876 | MARKER ISOLATED | | | | | |
| | | N | 5453609.490 | | | | | | | | |
| | | El | 98.206 | CVD28GVRD2018 | | | | | | | |
| 818393 | 87H3343 | E | 506479.509 | 0.9995893 | 0.9999888 | 725911 | 87H3344 | TERR | 11 15 19 | 183.742 | 183.818 |
| | | N | 5453726.209 | | | | | | | | |
| | | El | 90.347 | CVD28GVRD2018 | | | | | | | |
| 725911 | 87H3344 | E | 506515.372 | 0.9995912 | 0.9999907 | 840298 | 87H3345 | TERR | 49 4 48 | 140.178 | 140.235 |
| | | N | 5453906.417 | | | 818393 | 87H3343 | TERR | 191 15 19 | 183.742 | 183.818 |
| | | El | 78.086 | CVD28GVRD2018 | | | | | | | |
| 840298 | 87H3345 | E | 506621.294 | 0.9995920 | 0.9999915 | 304162 | 87H3346 | TERR | 79 8 53 | 126.705 | 126.757 |
| | | N | 5453998.234 | | | 725911 | 87H3344 | TERR | 229 4 48 | 140.178 | 140.235 |
| | | El | 73.250 | CVD28GVRD2018 | | | | | | | |
| 304162 | 87H3346 | E | 506745.733 | 0.9995919 | 0.9999913 | 335935 | 87H3347 | TERR | 13 4 8 | 98.115 | 98.155 |
| | | N | 5454022.089 | | | 679993 | 94H1436 | TERR | 171 56 24 | 137.396 | 137.452 |
| | | El | 74.121 | CVD28GVRD2018 | | 840298 | 87H3345 | TERR | 259 8 53 | 126.705 | 126.757 |
| 335935 | 87H3347 | E | 506767.919 | 0.9995933 | 0.9999928 | 74112 | 94H1447 | TERR | 6 49 5 | 200.041 | 200.121 |
| | | N | 5454117.663 | | | 12005 | 87H3348 | TERR | 85 42 38 | 113.335 | 113.381 |
| | | El | 64.917 | CVD28GVRD2018 | | 304162 | 87H3346 | TERR | 193 4 8 | 98.115 | 98.155 |
| 12005 | 87H3348 | E | 506880.936 | 0.9995923 | 0.9999917 | 806349 | 94H1446 | TERR | 78 56 46 | 72.867 | 72.897 |
| | | N | 5454126.140 | | | 335935 | 87H3347 | TERR | 265 42 38 | 113.335 | 113.381 |
| | | El | 71.496 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 381111 | 90H6644 | E | 504955.411 | 0.9995994 | 0.9999991 | 921874 | 77C107 | GPS | 6 41 2 | 2560.177 | 2561.198 |
| | | N | 5459725.282 | | | 359497 | 02H2417 | GPS | 55 49 52 | 3430.113 | 3431.521 |
| | | El | 23.998 | CVD28GVRD2018 | | 365049 | 79H9652 | GPS | 94 40 51 | 2570.872 | 2571.903 |
| | | | | | | 898734 | NO MARKING | GPS | 154 20 19 | 12100.307 | 12105.223 |
| | | | | | | 822817 | 90H6723 | GPS | 193 47 9 | 4640.001 | 4641.865 |
| | | | | | | 610006 | 90H6709 | GPS | 196 31 28 | 1792.304 | 1793.046 |
| | | | | | | 371617 | 90H6702 | GPS | 256 17 51 | 1608.020 | 1608.670 |
| | | | | | | 875864 | NO MARKING | GPS | 261 59 53 | 11565.540 | 11570.180 |
| | | | | | | 479832 | 83H5930 | GPS | 333 0 24 | 2806.920 | 2808.045 |
| 371617 | 90H6702 | E | 503393.157 | 0.9995925 | 0.9999923 | 479832 | 83H5930 | GPS | 5 42 40 | 2896.419 | 2897.590 |
| | | N | 5459344.374 | | | 921874 | 77C107 | GPS | 32 28 1 | 3465.313 | 3466.708 |
| | | El | 67.438 | CVD28GVRD2018 | | 359497 | 02H2417 | GPS | 62 19 44 | 4968.547 | 4970.603 |
| | | | | | | 381111 | 90H6644 | GPS | 76 17 51 | 1608.020 | 1608.670 |
| | | | | | | 365049 | 79H9652 | GPS | 87 37 28 | 4128.099 | 4129.768 |
| | | | | | | 447193 | 78H6975 | GPS | 135 46 53 | 4034.369 | 4036.016 |
| | | | | | | 610006 | 90H6709 | GPS | 141 47 53 | 1701.845 | 1702.555 |
| | | | | | | 898734 | NO MARKING | GPS | 147 7 39 | 12532.630 | 12537.766 |
| | | | | | | 21139 | 92H0904 | GPS | 158 53 24 | 10733.568 | 10737.887 |
| | | | | | | 565432 | 77H6854 | GPS | 219 16 48 | 1923.056 | 1923.844 |
| | | | | | | 875864 | NO MARKING | GPS | 262 54 58 | 9966.752 | 9970.785 |
| | | | | | | 671263 | 75H3732 | GPS | 283 29 0 | 2471.782 | 2472.785 |
| | | | | | | 114751 | 73H1127 | GPS | 310 28 12 | 3904.368 | 3905.945 |
| | | | | | | 913186 | HS29 | GPS | 352 26 35 | 1528.078 | 1528.693 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 610006 | 90H6709 | E | 504445.637 | 0.9995729 | 0.9999727 | 921874 | 77C107 | GPS | 10 44 2 | 4336.941 | 4338.729 |
| | | N | 5458007.003 | | | 381111 | 90H6644 | GPS | 16 31 28 | 1792.304 | 1793.046 |
| | | El | 192.839 | CVD28GVRD2018 | | 359497 | 02H2417 | GPS | 42 34 6 | 4948.935 | 4951.031 |
| | | | | | | 831958 | NO MARKING | GPS | 53 15 54 | 14549.995 | 14556.158 |
| | | | | | | 365049 | 79H9652 | GPS | 63 50 51 | 3422.445 | 3423.862 |
| | | | | | | 682930 | 02H2475 | GPS | 94 5 12 | 11896.073 | 11900.969 |
| | | | | | | 613281 | 90H6710 | GPS | 94 49 18 | 2077.831 | 2078.735 |
| | | | | | | 169128 | 73H0289 | GPS | 110 10 12 | 4046.869 | 4048.570 |
| | | | | | | 124644 | 90H6429 | GPS | 114 27 29 | 28081.471 | 28092.935 |
| | | | | | | 830976 | 89H4979 | GPS | 128 48 50 | 32761.323 | 32774.810 |
| | | | | | | 162537 | 5071 | GPS | 129 12 36 | 17157.864 | 17164.920 |
| | | | | | | 7286 | 13H2691 | GPS | 145 58 27 | 24897.432 | 24907.643 |
| | | | | | | 898734 | NO MARKING | GPS | 147 57 48 | 10839.296 | 10843.843 |
| | | | | | | 406223 | 94H1459 | GPS | 160 52 0 | 3120.619 | 3121.909 |
| | | | | | | 770800 | 5296 | GPS | 162 6 8 | 11404.845 | 11409.621 |
| | | | | | | 822817 | 90H6723 | GPS | 192 3 52 | 2851.031 | 2852.214 |
| | | | | | | 869792 | NO MARKING | GPS | 220 32 57 | 23352.225 | 23361.858 |
| | | | | | | 691592 | 94H1473 | GPS | 230 34 10 | 2820.034 | 2821.200 |
| | | | | | | 565432 | 77H6854 | GPS | 266 11 22 | 2275.019 | 2275.973 |
| | | | | | | 611681 | V-3719 | GPS | 266 16 40 | 10934.377 | 10938.885 |
| | | | | | | 927004 | 77H6805 | GPS | 269 18 48 | 4261.485 | 4263.262 |
| | | | | | | 875864 | NO MARKING | GPS | 270 34 1 | 10943.690 | 10948.225 |
| | | | | | | 689976 | 02H2425 | GPS | 300 5 54 | 17659.519 | 17667.261 |
| | | | | | | 852939 | 02H2470 | GPS | 307 17 59 | 15691.104 | 15697.755 |
| | | | | | | 371617 | 90H6702 | GPS | 321 47 53 | 1701.845 | 1702.555 |
| | | | | | | 560946 | 02H2488 | GPS | 328 0 9 | 23452.264 | 23462.423 |
| | | | | | | 856526 | 02H2481 | GPS | 330 52 45 | 10230.888 | 10235.272 |
| | | | | | | 674135 | 87001 | GPS | 353 26 21 | 9506.368 | 9511.009 |
| | | | | | | 573055 | 02H2482 | GPS | 353 29 34 | 18509.929 | 18517.873 |
| 613281 | 90H6710 | E | 506516.115 | 0.9995574 | 0.9999569 | 365049 | 79H9652 | GPS | 30 45 21 | 1958.602 | 1959.429 |
| | | N | 5457832.349 | | | 196881 | 80H3132 | GPS | 49 38 35 | 3114.305 | 3115.618 |
| | | El | 293.662 | CVD28GVRD2018 | | 770610 | 84H9903 | GPS | 50 46 26 | 4962.795 | 4964.923 |
| | | | | | | 183145 | 80H3149 | GPS | 70 18 34 | 2274.209 | 2275.183 |
| | | | | | | 169128 | 73H0289 | GPS | 125 14 9 | 2115.872 | 2116.778 |
| | | | | | | 16725 | 92H0902 | GPS | 156 16 6 | 7128.360 | 7131.352 |
| | | | | | | 898734 | NO MARKING | GPS | 157 47 43 | 9735.923 | 9740.083 |
| | | | | | | 406223 | 94H1459 | GPS | 200 41 34 | 2964.843 | 2966.091 |
| | | | | | | 822817 | 90H6723 | GPS | 225 34 29 | 3733.558 | 3735.136 |
| | | | | | | 875864 | NO MARKING | GPS | 271 14 44 | 13016.707 | 13022.203 |
| | | | | | | 610006 | 90H6709 | GPS | 274 49 18 | 2077.831 | 2078.735 |
| | | | | | | 618165 | 73H1220 | GPS | 310 32 21 | 11681.257 | 11686.290 |
| | | | | | | 866046 | 76H3817 | GPS | 327 56 6 | 8708.324 | 8712.300 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 822817 | 90H6723 | E | 503849.739 | 0.9995976 | 0.9999974 | 610006 | 90H6709 | GPS | 12 3 52 | 2851.031 | 2852.214 |
| | | N | 5455218.942 | | | 381111 | 90H6644 | GPS | 13 47 9 | 4640.001 | 4641.865 |
| | | El | 35.176 | CVD28GVRD2018 | | 613281 | 90H6710 | GPS | 45 34 29 | 3733.558 | 3735.136 |
| | | | | | | 169128 | 73H0289 | GPS | 72 24 59 | 4609.977 | 4611.858 |
| | | | | | | 406223 | 94H1459 | GPS | 95 39 3 | 1626.638 | 1627.290 |
| | | | | | | 859504 | 462 | GPS | 143 58 38 | 3216.202 | 3217.515 |
| | | | | | | 770685 | 94H1407 | GPS | 165 10 7 | 1708.301 | 1708.990 |
| | | | | | | 229781 | 94H1355 | GPS | 189 38 54 | 2663.994 | 2665.083 |
| | | | | | | 104109 | 94H1482 | GPS | 194 18 6 | 3972.490 | 3974.109 |
| | | | | | | 314724 | 82H5046 | GPS | 244 15 9 | 2033.872 | 2034.692 |
| | | | | | | 875864 | NO MARKING | GPS | 285 38 15 | 10744.971 | 10749.292 |
| | | | | | | 691592 | 94H1473 | GPS | 302 12 49 | 1870.162 | 1870.912 |
| 517466 | 94H1343 | E | 502435.616 | 0.9996002 | 1.0000002 | 205047 | | TERR | 68 37 23 | 147.462 | 147.520 |
| | | N | 5455577.050 | | | 194340 | 82H5049 | TERR | 179 16 36 | 336.558 | 336.692 |
| | | El | 17.787 | CVD28GVRD2018 | | 260133 | 94H1344 | TERR | 354 8 25 | 285.943 | 286.058 |
| 260133 | 94H1344 | E | 502406.423 | 0.9996005 | 1.0000004 | 517466 | 94H1343 | TERR | 174 8 25 | 285.943 | 286.058 |
| | | N | 5455861.499 | | | 691592 | 94H1473 | TERR | 338 35 16 | 380.654 | 380.806 |
| | | El | 16.276 | CVD28GVRD2018 | | | | | | | |
| 508309 | 94H1349 | E | 502783.265 | 0.9995972 | 0.9999971 | MARKER DESTROYED | | | | | |
| | | N | 5453717.504 | | | | | | | | |
| | | El | 37.133 | CVD28GVRD2018 | | | | | | | |
| 99382 | 94H1351 | E | 502951.793 | 0.9995972 | 0.9999971 | MARKER DESTROYED | | | | | |
| | | N | 5453644.977 | | | | | | | | |
| | | El | 37.192 | CVD28GVRD2018 | | | | | | | |
| 177634 | 94H1352 | E | 503122.575 | 0.9995949 | 0.9999948 | 804781 | 94H1395 | TERR | 49 51 55 | 120.971 | 121.019 |
| | | N | 5453463.558 | | | 762757 | 94H1353 | TERR | 230 56 42 | 469.634 | 469.824 |
| | | El | 52.288 | CVD28GVRD2018 | | | | | | | |
| 762757 | 94H1353 | E | 502757.885 | 0.9995904 | 0.9999903 | 177634 | 94H1352 | TERR | 50 56 42 | 469.634 | 469.824 |
| | | N | 5453167.658 | | | 320085 | 94H1391 | TERR | 138 4 11 | 170.631 | 170.700 |
| | | El | 80.924 | CVD28GVRD2018 | | | | | | | |
| 740761 | 94H1354 | E | 503020.405 | 0.9995865 | 0.9999863 | 806547 | 87H3210 | TERR | 228 18 49 | 236.687 | 236.785 |
| | | N | 5452857.523 | | | 320085 | 94H1391 | TERR | 320 58 16 | 235.822 | 235.919 |
| | | El | 106.123 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|
| 229781 | 94H1355 | E 503403.248 | 0.9995848 | 0.9999847 | 822817 | 90H6723 | GPS | 9 38 54 | 2663.994 | 2665.083 |
| | | N 5452592.631 | | | 738542 | 94H1505 | GPS | 18 36 48 | 2617.283 | 2618.353 |
| | | El 116.779 | CVD28GVRD2018 | | 770685 | 94H1407 | GPS | 42 11 33 | 1315.875 | 1316.414 |
| | | | | | 943506 | 94H1400 | TERR | 53 58 53 | 273.295 | 273.408 |
| | | | | | 859504 | 462 | GPS | 89 23 5 | 2338.099 | 2339.068 |
| | | | | | 898734 | NO MARKING | GPS | 119 3 33 | 7770.391 | 7773.606 |
| | | | | | 591453 | 89H6030 | GPS | 123 8 50 | 1896.149 | 1896.934 |
| | | | | | 595017 | 89H6032 | GPS | 124 5 11 | 2098.901 | 2099.770 |
| | | | | | 613208 | 94H1356 | TERR | 141 16 8 | 382.023 | 382.183 |
| | | | | | 104109 | 94H1482 | GPS | 203 37 7 | 1334.886 | 1335.439 |
| | | | | | 12591 | 384 | GPS | 226 25 59 | 3191.106 | 3192.405 |
| | | | | | 869792 | NO MARKING | GPS | 228 54 36 | 18759.844 | 18767.474 |
| | | | | | 670653 | 432 | GPS | 257 49 56 | 5029.516 | 5031.597 |
| | | | | | 556928 | 87H2638 | GPS | 270 14 56 | 2010.629 | 2011.463 |
| | | | | | 875864 | NO MARKING | GPS | 299 9 10 | 11336.872 | 11341.502 |
| | | | | | 314724 | 82H5046 | GPS | 321 30 59 | 2226.380 | 2227.293 |
| | | | | | 797100 | 82H5054 | GPS | 322 47 23 | 3340.200 | 3341.572 |
| | | | | | 691592 | 94H1473 | GPS | 342 35 43 | 3797.099 | 3798.646 |
| 613208 | 94H1356 | E 503642.267 | 0.9995840 | 0.9999838 | 31187 | 94H1401 | TERR | 53 5 40 | 275.558 | 275.672 |
| | | N 5452294.618 | | | 173989 | 94H1476 | TERR | 143 8 26 | 347.490 | 347.634 |
| | | El 122.366 | CVD28GVRD2018 | | 840462 | 94H1720 | TERR | 231 8 39 | 360.313 | 360.464 |
| | | | | | 229781 | 94H1355 | TERR | 321 16 8 | 382.023 | 382.183 |
| 434126 | 94H1357 | E 503320.446 | 0.9995963 | 0.9999962 | 913079 | 94H1396 | TERR | 147 58 40 | 248.724 | 248.824 |
| | | N 5453645.344 | | | 804781 | 94H1395 | TERR | 225 25 53 | 147.927 | 147.987 |
| | | El 43.350 | CVD28GVRD2018 | | 706325 | 94H1394 | TERR | 321 27 2 | 110.441 | 110.487 |
| 903112 | 94H1358 | E 503727.218 | 0.9995967 | 0.9999965 | 893057 | 94H1360 | TERR | 143 2 14 | 130.044 | 130.097 |
| | | N 5453656.055 | | | 913079 | 94H1396 | TERR | 231 7 38 | 353.079 | 353.222 |
| | | El 41.004 | CVD28GVRD2018 | | | | | | | |
| 979567 | 94H1359 | E 503569.807 | 0.9995988 | 0.9999986 | MARKER ISOLATED | | | | | |
| | | N 5453864.550 | | | | | | | | |
| | | El 27.623 | CVD28GVRD2018 | | | | | | | |
| 893057 | 94H1360 | E 503805.413 | 0.9995953 | 0.9999951 | 787549 | 94H1404 | TERR | 142 18 43 | 181.027 | 181.100 |
| | | N 5453552.146 | | | 903112 | 94H1358 | TERR | 323 2 14 | 130.044 | 130.097 |
| | | El 50.313 | CVD28GVRD2018 | | | | | | | |
| 979245 | 94H1361 | E 503709.845 | 0.9995987 | 0.9999985 | 883975 | 94H1409 | TERR | 106 3 57 | 264.855 | 264.961 |
| | | N 5453830.053 | | | | | | | | |
| | | El 28.166 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 380659 | 94H1362 | E | 504247.560 | 0.9995869 | 0.9999867 | 963231 | 94H1363 | TERR | 138 58 55 | 150.712 | 150.775 |
| | | N | 5452992.471 | | | 850115 | 94H1413 | TERR | 324 10 28 | 142.529 | 142.587 |
| | | El | 103.683 | CVD28GVRD2018 | | | | | | | |
| 963231 | 94H1363 | E | 504346.472 | 0.9995857 | 0.9999855 | 528455 | 94H1364 | TERR | 140 26 3 | 149.660 | 149.722 |
| | | N | 5452878.758 | | | 380659 | 94H1362 | TERR | 318 58 55 | 150.712 | 150.775 |
| | | El | 111.375 | CVD28GVRD2018 | | | | | | | |
| 528455 | 94H1364 | E | 504441.800 | 0.9995849 | 0.9999847 | 963231 | 94H1363 | TERR | 320 26 3 | 149.660 | 149.722 |
| | | N | 5452763.386 | | | | | | | | |
| | | El | 116.729 | CVD28GVRD2018 | | | | | | | |
| 219089 | 94H1365 | E | 504599.429 | 0.9995840 | 0.9999838 | 165506 | 94H1414 | TERR | 50 36 17 | 265.700 | 265.810 |
| | | N | 5452616.175 | | | 41244 | 94H1417 | TERR | 141 52 31 | 355.281 | 355.429 |
| | | El | 122.494 | CVD28GVRD2018 | | | | | | | |
| 9159 | 94H1366 | E | 504571.339 | 0.9995857 | 0.9999854 | MARKER DESTROYED | | | | | |
| | | N | 5452864.305 | | | | | | | | |
| | | El | 111.763 | CVD28GVRD2018 | | | | | | | |
| 433755 | 94H1367 | E | 505055.120 | 0.9995866 | 0.9999863 | 580191 | 461 | TERR | 50 27 18 | 280.785 | 280.901 |
| | | N | 5452049.714 | | | 116103 | 89H5542 | TERR | 140 33 48 | 323.655 | 323.788 |
| | | El | 106.311 | CVD28GVRD2018 | | 523837 | 444 | TERR | 230 43 57 | 373.443 | 373.597 |
| 160986 | 94H1368 | E | 503388.399 | 0.9995882 | 0.9999881 | 10108 | 94H1369 | TERR | 50 25 27 | 321.717 | 321.849 |
| | | N | 5451063.208 | | | 196436 | B-89018 | TERR | 135 44 45 | 115.176 | 115.223 |
| | | El | 94.946 | CVD28GVRD2018 | | 112789 | 94H1489 | TERR | 233 39 14 | 217.326 | 217.415 |
| 10108 | 94H1369 | E | 503636.372 | 0.9995888 | 0.9999886 | 735118 | 370 | TERR | 51 38 36 | 183.992 | 184.068 |
| | | N | 5451268.174 | | | 160986 | 94H1368 | TERR | 230 25 27 | 321.717 | 321.849 |
| | | El | 91.804 | CVD28GVRD2018 | | 14365 | 85H0790 | TERR | 317 50 25 | 176.500 | 176.573 |
| 663518 | 94H1370 | E | 504030.145 | 0.9995864 | 0.9999862 | MARKER DESTROYED | | | | | |
| | | N | 5451587.192 | | | | | | | | |
| | | El | 107.139 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 880427 | 94H1371 | E | 503782.942 | 0.9995857 | 0.9999855 | 166140 | B-89030 | TERR | 273 29 48 | 149.636 | 149.697 |
| | | N | 5451702.032 | | | | | | | | |
| | | El | 111.531 | CVD28GVRD2018 | | | | | | | |
| 974923 | 94H1372 | E | 503123.063 | 0.9995878 | 0.9999876 | 871418 | B-89029 | TERR | 53 52 24 | 311.885 | 312.014 |
| | | N | 5451385.771 | | | 88971 | 94H1487 | TERR | 228 47 49 | 208.431 | 208.516 |
| | | El | 97.926 | CVD28GVRD2018 | | | | | | | |
| 633925 | 94H1373 | E | 505085.180 | 0.9995868 | 0.9999865 | 313106 | 94H1432 | TERR | 52 11 27 | 302.367 | 302.491 |
| | | N | 5452937.201 | | | 663112 | 94H1374 | TERR | 141 26 55 | 114.738 | 114.785 |
| | | El | 105.309 | CVD28GVRD2018 | | | | | | | |
| 663112 | 94H1374 | E | 505156.687 | 0.9995861 | 0.9999858 | 33969 | 456 | TERR | 134 44 41 | 214.791 | 214.880 |
| | | N | 5452847.470 | | | 633925 | 94H1373 | TERR | 321 26 55 | 114.738 | 114.785 |
| | | El | 109.789 | CVD28GVRD2018 | | | | | | | |
| 850016 | 94H1375 | E | 505836.736 | 0.9995862 | 0.9999857 | 998658 | 463 | TERR | 50 9 56 | 207.554 | 207.639 |
| | | N | 5452706.668 | | | 835694 | 94H1427 | TERR | 143 54 25 | 222.181 | 222.273 |
| | | El | 109.991 | CVD28GVRD2018 | | 859504 | 462 | TERR | 227 2 46 | 130.515 | 130.569 |
| 500264 | 94H1376 | E | 505625.750 | 0.9995871 | 0.9999867 | 307751 | 94H1457 | GPS | 17 27 13 | 2466.382 | 2467.387 |
| | | N | 5452951.513 | | | 624270 | 94H1431 | TERR | 49 1 10 | 270.133 | 270.245 |
| | | El | 103.497 | CVD28GVRD2018 | | 648923 | 6099 | GPS | 70 24 8 | 1986.233 | 1987.046 |
| | | | | | | 591453 | 89H6030 | GPS | 204 27 41 | 1533.311 | 1533.944 |
| | | | | | | 33969 | 456 | TERR | 231 6 57 | 406.605 | 406.773 |
| | | | | | | 893362 | P-52-17 | TERR | 318 33 33 | 324.671 | 324.804 |
| | | | | | | 738542 | 94H1505 | GPS | 326 49 18 | 2534.736 | 2535.769 |
| 941237 | 94H1377 | E | 506324.285 | 0.9996005 | 1.0000000 | 307751 | 94H1457 | TERR | 6 26 31 | 367.384 | 367.532 |
| | | N | 5454939.278 | | | | | | | | |
| | | El | 18.673 | CVD28GVRD2018 | | | | | | | |
| 248948 | 94H1378 | E | 501740.772 | 0.9996002 | 1.0000001 | 877480 | 335 | TERR | 117 40 26 | 403.457 | 403.618 |
| | | N | 5456727.098 | | | 437186 | 82H5044 | TERR | 202 58 34 | 81.837 | 81.870 |
| | | El | 17.988 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 856831 | 94H1379 | E | 502581.702 | 0.9996003 | 1.0000002 | 553180 | 94H1469 | GPS | 69 30 12 | 2132.391 | 2133.255 |
| | | N | 5456304.708 | | | 967182 | 340 | TERR | 99 49 12 | 623.558 | 623.809 |
| | | El | 17.349 | CVD28GVRD2018 | | 738542 | 94H1505 | GPS | 126 37 32 | 2064.574 | 2065.402 |
| | | | | | | 547463 | 94H1507 | TERR | 183 12 42 | 145.417 | 145.475 |
| | | | | | | 797100 | 82H5054 | GPS | 228 43 33 | 1594.557 | 1595.200 |
| | | | | | | 392902 | 94H1472 | TERR | 292 33 57 | 300.761 | 300.882 |
| | | | | | | 277129 | 78H7598 | GPS | 299 45 31 | 1396.147 | 1396.706 |
| | | | | | | 684654 | 94H1701 | TERR | 357 18 40 | 224.408 | 224.498 |
| 315101 | 94H1380 | E | 503321.934 | 0.9995961 | 0.9999960 | 293167 | 94H1389 | TERR | 104 20 2 | 204.030 | 204.112 |
| | | N | 5456202.436 | | | | | | | | |
| | | El | 44.430 | CVD28GVRD2018 | | | | | | | |
| 653642 | 94H1381 | E | 503954.286 | 0.9995972 | 0.9999970 | 838623 | 94H1388 | TERR | 301 41 28 | 254.488 | 254.590 |
| | | N | 5455914.839 | | | | | | | | |
| | | El | 38.071 | CVD28GVRD2018 | | | | | | | |
| 622738 | 94H1382 | E | 504233.150 | 0.9995966 | 0.9999964 | MARKER ISOLATED | | | | | |
| | | N | 5455777.482 | | | | | | | | |
| | | El | 41.791 | CVD28GVRD2018 | | | | | | | |
| 208215 | 94H1383 | E | 504709.689 | 0.9995948 | 0.9999946 | 799759 | 476 | TERR | 84 27 23 | 227.489 | 227.581 |
| | | N | 5455706.277 | | | 401349 | 94H1498 | TERR | 179 54 20 | 361.224 | 361.369 |
| | | El | 53.393 | CVD28GVRD2018 | | | | | | | |
| 356758 | 94H1384 | E | 505373.742 | 0.9995953 | 0.9999949 | 701490 | 475 | TERR | 92 7 48 | 231.698 | 231.792 |
| | | N | 5455701.170 | | | 688549 | 94H1464 | TERR | 180 21 2 | 360.526 | 360.671 |
| | | El | 51.172 | CVD28GVRD2018 | | 799759 | 476 | TERR | 273 32 29 | 438.465 | 438.643 |
| 653006 | 94H1385 | E | 505906.554 | 0.9995973 | 0.9999969 | 726703 | 78H6977 | TERR | 1 43 22 | 157.431 | 157.495 |
| | | N | 5455596.960 | | | 231910 | 474 | TERR | 99 15 54 | 343.517 | 343.655 |
| | | El | 38.772 | CVD28GVRD2018 | | | | | | | |
| 160465 | 94H1386 | E | 507475.314 | 0.9995973 | 0.9999966 | 339242 | 94H1449 | TERR | 64 23 38 | 160.854 | 160.920 |
| | | N | 5455092.111 | | | 218081 | 94H1450 | TERR | 241 57 23 | 146.317 | 146.376 |
| | | El | 40.538 | CVD28GVRD2018 | | 881227 | 94H1387 | TERR | 306 2 26 | 405.119 | 405.282 |
| 881227 | 94H1387 | E | 507147.735 | 0.9995963 | 0.9999957 | 160465 | 94H1386 | TERR | 126 2 26 | 405.119 | 405.282 |
| | | N | 5455330.466 | | | 134494 | 73H2096 | TERR | 291 1 20 | 184.280 | 184.354 |
| | | El | 46.068 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS | | | UTM Coordinates | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. | UTM Grid | UTM Grid | Ground |
|---|---|---|---|---|---|---|---|---|---|---|---|
| GCM-NO | TABLET MARKING | | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | Type | Bearing | Distance Metres | Distance Metres |
| 838623 | 94H1388 | E | 503737.744 | 0.9995970 | 0.9999968 | 653642 | 94H1381 | TERR | 121 41 28 | 254.488 | 254.590 |
| | | N | 5456048.531 | | | 530840 | 94H1493 | TERR | 182 5 46 | 257.726 | 257.829 |
| | | El | 39.206 | CVD28GVRD2018 | | 293167 | 94H1389 | TERR | 295 21 38 | 241.395 | 241.493 |
| 293167 | 94H1389 | E | 503519.612 | 0.9995964 | 0.9999962 | 838623 | 94H1388 | TERR | 115 21 38 | 241.395 | 241.493 |
| | | N | 5456151.924 | | | 315101 | 94H1380 | TERR | 284 20 2 | 204.030 | 204.112 |
| | | El | 42.860 | CVD28GVRD2018 | | | | | | | |
| 489823 | 94H1390 | E | 506993.242 | 0.9995967 | 0.9999961 | MARKER DESTROYED | | | | | |
| | | N | 5455803.432 | | | | | | | | |
| | | El | 43.428 | CVD28GVRD2018 | | | | | | | |
| 320085 | 94H1391 | E | 502871.905 | 0.9995884 | 0.9999883 | 740761 | 94H1354 | TERR | 140 58 16 | 235.822 | 235.919 |
| | | N | 5453040.716 | | | 762757 | 94H1353 | TERR | 318 4 11 | 170.631 | 170.700 |
| | | El | 93.764 | CVD28GVRD2018 | | | | | | | |
| 488726 | 94H1392 | E | 502765.850 | 0.9995997 | 0.9999996 | 332155 | 94H1393 | TERR | 115 28 59 | 418.783 | 418.952 |
| | | N | 5454050.558 | | | 457713 | 87H3219 | TERR | 285 20 21 | 208.963 | 209.046 |
| | | El | 21.662 | CVD28GVRD2018 | | | | | | | |
| 332155 | 94H1393 | E | 503143.891 | 0.9995975 | 0.9999973 | 706325 | 94H1394 | TERR | 142 9 21 | 175.592 | 175.663 |
| | | N | 5453870.379 | | | 488726 | 94H1392 | TERR | 295 28 59 | 418.783 | 418.952 |
| | | El | 35.822 | CVD28GVRD2018 | | | | | | | |
| 706325 | 94H1394 | E | 503251.620 | 0.9995965 | 0.9999963 | 434126 | 94H1357 | TERR | 141 27 2 | 110.441 | 110.487 |
| | | N | 5453731.717 | | | 332155 | 94H1393 | TERR | 322 9 21 | 175.592 | 175.663 |
| | | El | 42.342 | CVD28GVRD2018 | | | | | | | |
| 804781 | 94H1395 | E | 503215.061 | 0.9995950 | 0.9999948 | 434126 | 94H1357 | TERR | 45 25 53 | 147.927 | 147.987 |
| | | N | 5453541.534 | | | 177634 | 94H1352 | TERR | 229 51 55 | 120.971 | 121.019 |
| | | El | 51.899 | CVD28GVRD2018 | | | | | | | |
| 913079 | 94H1396 | E | 503452.331 | 0.9995935 | 0.9999933 | 903112 | 94H1358 | TERR | 51 7 38 | 353.079 | 353.222 |
| | | N | 5453434.465 | | | 674812 | 94H1397 | TERR | 143 4 40 | 268.888 | 268.998 |
| | | El | 61.389 | CVD28GVRD2018 | | 434126 | 94H1357 | TERR | 327 58 40 | 248.724 | 248.824 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 674812 | 94H1397 | E | 503613.860 | 0.9995895 | 0.9999894 | 219063 | 94H1398 | TERR | 138 27 21 | 247.051 | 247.152 |
| | | N | 5453219.502 | | | 913079 | 94H1396 | TERR | 323 4 40 | 268.888 | 268.998 |
| | | El | 86.701 | CVD28GVRD2018 | | | | | | | |
| 219063 | 94H1398 | E | 503777.703 | 0.9995868 | 0.9999866 | 456186 | 94H1402 | TERR | 51 31 54 | 163.244 | 163.311 |
| | | N | 5453034.598 | | | 674812 | 94H1397 | TERR | 318 27 21 | 247.051 | 247.152 |
| | | El | 104.339 | CVD28GVRD2018 | | | | | | | |
| 330365 | 94H1399 | E | 503732.228 | 0.9995853 | 0.9999851 | 943506 | 94H1400 | TERR | 226 2 42 | 149.930 | 149.992 |
| | | N | 5452857.407 | | | | | | | | |
| | | El | 113.784 | CVD28GVRD2018 | | | | | | | |
| 943506 | 94H1400 | E | 503624.296 | 0.9995852 | 0.9999850 | 330365 | 94H1399 | TERR | 46 2 42 | 149.930 | 149.992 |
| | | N | 5452753.342 | | | 31187 | 94H1401 | TERR | 140 54 2 | 377.876 | 378.033 |
| | | El | 114.747 | CVD28GVRD2018 | | 229781 | 94H1355 | TERR | 233 58 53 | 273.295 | 273.408 |
| 31187 | 94H1401 | E | 503862.610 | 0.9995834 | 0.9999832 | 613208 | 94H1356 | TERR | 233 5 40 | 275.558 | 275.672 |
| | | N | 5452460.090 | | | 943506 | 94H1400 | TERR | 320 54 2 | 377.876 | 378.033 |
| | | El | 126.249 | CVD28GVRD2018 | | | | | | | |
| 456186 | 94H1402 | E | 503905.515 | 0.9995883 | 0.9999881 | 219063 | 94H1398 | TERR | 231 31 54 | 163.244 | 163.311 |
| | | N | 5453136.149 | | | | | | | | |
| | | El | 94.626 | CVD28GVRD2018 | | | | | | | |
| 879551 | 94H1403 | E | 504086.053 | 0.9995913 | 0.9999911 | 885442 | 94H1405 | TERR | 2 51 35 | 127.018 | 127.070 |
| | | N | 5453287.603 | | | | | | | | |
| | | El | 75.677 | CVD28GVRD2018 | | | | | | | |
| 787549 | 94H1404 | E | 503916.086 | 0.9995931 | 0.9999929 | 885442 | 94H1405 | TERR | 88 11 22 | 176.392 | 176.464 |
| | | N | 5453408.890 | | | 893057 | 94H1360 | TERR | 322 18 43 | 181.027 | 181.100 |
| | | El | 64.136 | CVD28GVRD2018 | | | | | | | |
| 885442 | 94H1405 | E | 504092.390 | 0.9995937 | 0.9999935 | 786533 | 94H1406 | TERR | 59 0 60 | 134.482 | 134.537 |
| | | N | 5453414.463 | | | 879551 | 94H1403 | TERR | 182 51 35 | 127.018 | 127.070 |
| | | El | 60.553 | CVD28GVRD2018 | | 787549 | 94H1404 | TERR | 268 11 22 | 176.392 | 176.464 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 786533 | 94H1406 | E | 504207.684 | 0.9995952 | 0.9999950 | 770685 | 94H1407 | TERR | 43 24 40 | 115.442 | 115.489 |
| | | N | 5453483.693 | | | 885442 | 94H1405 | TERR | 239 0 60 | 134.482 | 134.537 |
| | | El | 50.677 | CVD28GVRD2018 | | | | | | | |
| 770685 | 94H1407 | E | 504287.019 | 0.9995967 | 0.9999965 | 863944 | 85H0742 | GPS | 89 45 37 | 29557.405 | 29569.282 |
| | | N | 5453567.555 | | | 859504 | 462 | GPS | 123 9 4 | 1736.905 | 1737.615 |
| | | El | 41.392 | CVD28GVRD2018 | | 898734 | NO MARKING | GPS | 128 47 30 | 7580.503 | 7583.593 |
| | | | | | | 8151 | 94H1721 | TERR | 144 24 18 | 160.504 | 160.569 |
| | | | | | | 229781 | 94H1355 | GPS | 222 11 33 | 1315.875 | 1316.414 |
| | | | | | | 786533 | 94H1406 | TERR | 223 24 40 | 115.442 | 115.489 |
| | | | | | | 314724 | 82H5046 | GPS | 288 41 41 | 2395.617 | 2396.584 |
| | | | | | | 875864 | NO MARKING | GPS | 292 51 52 | 11704.183 | 11708.895 |
| | | | | | | 691592 | 94H1473 | GPS | 322 40 18 | 3330.505 | 3331.842 |
| | | | | | | 822817 | 90H6723 | GPS | 345 10 7 | 1708.301 | 1708.990 |
| | | | | | | 883116 | 94H1408 | TERR | 350 3 12 | 143.504 | 143.562 |
| | | | | | | 479832 | 83H5930 | GPS | 355 59 57 | 8680.015 | 8683.505 |
| 883116 | 94H1408 | E | 504262.231 | 0.9995990 | 0.9999988 | 770685 | 94H1407 | TERR | 170 3 12 | 143.504 | 143.562 |
| | | N | 5453708.902 | | | 883975 | 94H1409 | TERR | 279 7 37 | 301.695 | 301.815 |
| | | El | 26.521 | CVD28GVRD2018 | | | | | | | |
| 883975 | 94H1409 | E | 503964.356 | 0.9995988 | 0.9999986 | 883116 | 94H1408 | TERR | 99 7 37 | 301.695 | 301.815 |
| | | N | 5453756.757 | | | 979245 | 94H1361 | TERR | 286 3 57 | 264.855 | 264.961 |
| | | El | 27.854 | CVD28GVRD2018 | | | | | | | |
| 766709 | 94H1410 | E | 504455.603 | 0.9995935 | 0.9999932 | 749200 | 94H1411 | TERR | 125 41 31 | 129.163 | 129.216 |
| | | N | 5453340.520 | | | 8151 | 94H1721 | TERR | 322 5 30 | 122.334 | 122.384 |
| | | El | 62.258 | CVD28GVRD2018 | | | | | | | |
| 749200 | 94H1411 | E | 504560.505 | 0.9995918 | 0.9999915 | 659383 | 94H1412 | TERR | 153 54 16 | 139.855 | 139.913 |
| | | N | 5453265.163 | | | 766709 | 94H1410 | TERR | 305 41 31 | 129.163 | 129.216 |
| | | El | 72.916 | CVD28GVRD2018 | | | | | | | |
| 659383 | 94H1412 | E | 504622.023 | 0.9995894 | 0.9999891 | 115055 | 94H1415 | TERR | 140 39 57 | 180.666 | 180.740 |
| | | N | 5453139.565 | | | 749200 | 94H1411 | TERR | 333 54 16 | 139.855 | 139.913 |
| | | El | 88.432 | CVD28GVRD2018 | | | | | | | |
| 850115 | 94H1413 | E | 504164.135 | 0.9995885 | 0.9999883 | 380659 | 94H1362 | TERR | 144 10 28 | 142.529 | 142.587 |
| | | N | 5453108.034 | | | | | | | | |
| | | El | 93.604 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 165506 | 94H1414 | E | 504804.758 | 0.9995857 | 0.9999854 | 219089 | 94H1365 | TERR | 230 36 17 | 265.700 | 265.810 |
| | | N | 5452784.806 | | | | | | | | |
| | | El | 112.141 | CVD28GVRD2018 | | | | | | | |
| 115055 | 94H1415 | E | 504736.537 | 0.9995876 | 0.9999873 | 659383 | 94H1412 | TERR | 320 39 57 | 180.666 | 180.740 |
| | | N | 5452999.827 | | | | | | | | |
| | | El | 100.133 | CVD28GVRD2018 | | | | | | | |
| 883694 | 94H1416 | E | 505037.373 | 0.9995854 | 0.9999851 | MARKER DESTROYED | | | | | |
| | | N | 5452513.312 | | | | | | | | |
| | | El | 114.113 | CVD28GVRD2018 | | | | | | | |
| 41244 | 94H1417 | E | 504818.771 | 0.9995846 | 0.9999843 | 219089 | 94H1365 | TERR | 321 52 31 | 355.281 | 355.429 |
| | | N | 5452336.687 | | | | | | | | |
| | | El | 119.275 | CVD28GVRD2018 | | | | | | | |
| 474312 | 94H1418 | E | 503952.803 | 0.9995863 | 0.9999861 | MARKER DESTROYED | | | | | |
| | | N | 5452960.228 | | | | | | | | |
| | | El | 107.775 | CVD28GVRD2018 | | | | | | | |
| 841114 | 94H1419 | E | 505153.265 | 0.9995853 | 0.9999850 | 580191 | 461 | TERR | 137 51 7 | 176.403 | 176.476 |
| | | N | 5452359.272 | | | | | | | | |
| | | El | 114.949 | CVD28GVRD2018 | | | | | | | |
| 616466 | 94H1420 | E | 505405.112 | 0.9995860 | 0.9999856 | 458836 | 94H1421 | TERR | 49 40 22 | 125.323 | 125.374 |
| | | N | 5452345.174 | | | 580191 | 461 | TERR | 228 50 17 | 177.288 | 177.362 |
| | | El | 110.620 | CVD28GVRD2018 | | | | | | | |
| 458836 | 94H1421 | E | 505500.653 | 0.9995865 | 0.9999862 | 859504 | 462 | TERR | 51 29 3 | 307.448 | 307.576 |
| | | N | 5452426.277 | | | 150193 | 94H1423 | TERR | 140 4 54 | 237.934 | 238.032 |
| | | El | 107.256 | CVD28GVRD2018 | | 616466 | 94H1420 | TERR | 229 40 22 | 125.323 | 125.374 |
| | | | | | | 580498 | 94H1422 | TERR | 320 35 36 | 205.616 | 205.701 |
| 580498 | 94H1422 | E | 505370.124 | 0.9995853 | 0.9999850 | 458836 | 94H1421 | TERR | 140 35 36 | 205.616 | 205.701 |
| | | N | 5452585.148 | | | | | | | | |
| | | El | 114.939 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 150193 | 94H1423 | E | 505653.334 | 0.9995877 | 0.9999873 | 135863 | 6011 | TERR | 135 3 11 | 109.452 | 109.497 |
| | | N | 5452243.791 | | | 458836 | 94H1421 | TERR | 320 4 54 | 237.934 | 238.032 |
| | | El | 99.981 | CVD28GVRD2018 | | | | | | | |
| 200477 | 94H1424 | E | 504628.658 | 0.9995845 | 0.9999842 | 523837 | 444 | TERR | 142 17 17 | 224.529 | 224.622 |
| | | N | 5451990.970 | | | | | | | | |
| | | El | 119.850 | CVD28GVRD2018 | | | | | | | |
| 339127 | 94H1425 | E | 504854.860 | 0.9995875 | 0.9999872 | 591453 | 89H6030 | TERR | 142 47 2 | 224.816 | 224.909 |
| | | N | 5451734.866 | | | 508481 | NO MARKING | TERR | 230 30 2 | 406.130 | 406.299 |
| | | El | 100.552 | CVD28GVRD2018 | | 523837 | 444 | TERR | 311 27 3 | 118.554 | 118.603 |
| 600544 | 94H1426 | E | 505777.960 | 0.9995859 | 0.9999855 | MARKER DESTROYED | | | | | |
| | | N | 5452780.540 | | | | | | | | |
| | | El | 111.559 | CVD28GVRD2018 | | | | | | | |
| 835694 | 94H1427 | E | 505967.623 | 0.9995878 | 0.9999873 | 111286 | 89H5538 | TERR | 131 48 36 | 127.951 | 128.003 |
| | | N | 5452527.132 | | | 850016 | 94H1375 | TERR | 323 54 25 | 222.181 | 222.273 |
| | | El | 99.859 | CVD28GVRD2018 | | | | | | | |
| 686626 | 94H1428 | E | 506333.386 | 0.9995859 | 0.9999854 | 719823 | 89H6072 | TERR | 140 18 58 | 116.733 | 116.781 |
| | | N | 5452815.600 | | | 633636 | 464 | TERR | 318 5 19 | 246.649 | 246.750 |
| | | El | 111.929 | CVD28GVRD2018 | | | | | | | |
| 455311 | 94H1429 | E | 506099.570 | 0.9995858 | 0.9999853 | 633636 | 464 | TERR | 140 56 28 | 109.598 | 109.644 |
| | | N | 5453084.254 | | | 409052 | 94H1430 | TERR | 325 27 52 | 203.448 | 203.532 |
| | | El | 112.438 | CVD28GVRD2018 | | | | | | | |
| 409052 | 94H1430 | E | 505984.232 | 0.9995875 | 0.9999871 | 455311 | 94H1429 | TERR | 145 27 52 | 203.448 | 203.532 |
| | | N | 5453251.849 | | | 624270 | 94H1431 | TERR | 231 26 38 | 197.635 | 197.716 |
| | | El | 101.352 | CVD28GVRD2018 | | | | | | | |
| 624270 | 94H1431 | E | 505829.682 | 0.9995867 | 0.9999863 | 409052 | 94H1430 | TERR | 51 26 38 | 197.635 | 197.716 |
| | | N | 5453128.667 | | | 500264 | 94H1376 | TERR | 229 1 10 | 270.133 | 270.245 |
| | | El | 106.214 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 313106 | 94H1432 | E | 505324.067 | 0.9995881 | 0.9999878 | 893362 | P-52-17 | TERR | 50 11 36 | 112.991 | 113.038 |
| | | N | 5453122.562 | | | 633925 | 94H1373 | TERR | 232 11 27 | 302.367 | 302.491 |
| | | El | 96.978 | CVD28GVRD2018 | | | | | | | |
| 75978 | 94H1433 | E | 506447.993 | 0.9995870 | 0.9999865 | 530519 | 87H3330 | TERR | 139 52 23 | 258.238 | 258.345 |
| | | N | 5453546.368 | | | | | | | | |
| | | El | 105.311 | CVD28GVRD2018 | | | | | | | |
| 56853 | 94H1434 | E | 506963.425 | 0.9995863 | 0.9999857 | 984211 | 94H1437 | TERR | 97 57 21 | 92.218 | 92.256 |
| | | N | 5453637.348 | | | 382127 | 89H5574 | TERR | 139 34 31 | 347.679 | 347.822 |
| | | El | 110.396 | CVD28GVRD2018 | | 54536 | 87H3331 | TERR | 230 25 38 | 228.714 | 228.809 |
| | | | | | | 86173 | 94H1435 | TERR | 320 1 37 | 90.681 | 90.719 |
| 86173 | 94H1435 | E | 506905.169 | 0.9995873 | 0.9999867 | 56853 | 94H1434 | TERR | 140 1 37 | 90.681 | 90.719 |
| | | N | 5453706.841 | | | 679993 | 94H1436 | TERR | 321 58 7 | 227.517 | 227.611 |
| | | El | 103.959 | CVD28GVRD2018 | | | | | | | |
| 679993 | 94H1436 | E | 506764.997 | 0.9995906 | 0.9999900 | 86173 | 94H1435 | TERR | 141 58 7 | 227.517 | 227.611 |
| | | N | 5453886.050 | | | 304162 | 87H3346 | TERR | 351 56 24 | 137.396 | 137.452 |
| | | El | 82.708 | CVD28GVRD2018 | | | | | | | |
| 984211 | 94H1437 | E | 507054.755 | 0.9995873 | 0.9999867 | 807685 | 94H1438 | TERR | 85 34 15 | 100.571 | 100.613 |
| | | N | 5453624.584 | | | 56853 | 94H1434 | TERR | 277 57 21 | 92.218 | 92.256 |
| | | El | 103.601 | CVD28GVRD2018 | | | | | | | |
| 807685 | 94H1438 | E | 507155.026 | 0.9995889 | 0.9999883 | 718403 | 94H1439 | TERR | 98 51 41 | 111.540 | 111.585 |
| | | N | 5453632.351 | | | 984211 | 94H1437 | TERR | 265 34 15 | 100.571 | 100.613 |
| | | El | 93.710 | CVD28GVRD2018 | | | | | | | |
| 718403 | 94H1439 | E | 507265.235 | 0.9995910 | 0.9999903 | 135426 | 94H1440 | TERR | 2 41 18 | 218.716 | 218.804 |
| | | N | 5453615.169 | | | 648923 | 6099 | TERR | 89 22 1 | 231.699 | 231.794 |
| | | El | 80.492 | CVD28GVRD2018 | | 807685 | 94H1438 | TERR | 278 51 41 | 111.540 | 111.585 |
| 135426 | 94H1440 | E | 507275.493 | 0.9995925 | 0.9999918 | 718403 | 94H1439 | TERR | 182 41 18 | 218.716 | 218.804 |
| | | N | 5453833.644 | | | 936278 | 94H1441 | TERR | 359 39 56 | 156.644 | 156.708 |
| | | El | 70.948 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 936278 | 94H1441 | E | 507274.579 | 0.9995939 | 0.9999932 | 135426 | 94H1440 | TERR | 179 39 56 | 156.644 | 156.708 |
| | | N | 5453990.285 | | | 677328 | 94H1442 | TERR | 266 18 27 | 95.557 | 95.596 |
| | | El | 61.904 | CVD28GVRD2018 | | | | | | | |
| 677328 | 94H1442 | E | 507179.220 | 0.9995933 | 0.9999927 | 936278 | 94H1441 | TERR | 86 18 27 | 95.557 | 95.596 |
| | | N | 5453984.131 | | | 642785 | 94H1443 | TERR | 186 12 24 | 95.424 | 95.464 |
| | | El | 65.676 | CVD28GVRD2018 | | | | | | | |
| 642785 | 94H1443 | E | 507168.903 | 0.9995925 | 0.9999919 | 677328 | 94H1442 | TERR | 6 12 24 | 95.424 | 95.464 |
| | | N | 5453889.266 | | | 832592 | 94H1444 | TERR | 288 36 59 | 107.024 | 107.068 |
| | | El | 70.425 | CVD28GVRD2018 | | | | | | | |
| 832592 | 94H1444 | E | 507067.479 | 0.9995917 | 0.9999911 | 642785 | 94H1443 | TERR | 108 36 59 | 107.024 | 107.068 |
| | | N | 5453923.431 | | | 956383 | 94H1445 | TERR | 317 46 56 | 114.339 | 114.385 |
| | | El | 75.710 | CVD28GVRD2018 | | | | | | | |
| 956383 | 94H1445 | E | 506990.649 | 0.9995912 | 0.9999906 | 832592 | 94H1444 | TERR | 137 46 56 | 114.339 | 114.385 |
| | | N | 5454008.110 | | | 806349 | 94H1446 | TERR | 343 51 39 | 137.417 | 137.473 |
| | | El | 78.580 | CVD28GVRD2018 | | | | | | | |
| 806349 | 94H1446 | E | 506952.451 | 0.9995923 | 0.9999917 | 956383 | 94H1445 | TERR | 163 51 39 | 137.417 | 137.473 |
| | | N | 5454140.111 | | | 12005 | 87H3348 | TERR | 258 56 46 | 72.867 | 72.897 |
| | | El | 71.504 | CVD28GVRD2018 | | | | | | | |
| 74112 | 94H1447 | E | 506791.667 | 0.9995959 | 0.9999954 | 335935 | 87H3347 | TERR | 186 49 5 | 200.041 | 200.121 |
| | | N | 5454316.289 | | | 861435 | 94H1448 | TERR | 314 9 21 | 238.411 | 238.508 |
| | | El | 48.313 | CVD28GVRD2018 | | | | | | | |
| 861435 | 94H1448 | E | 506620.619 | 0.9995990 | 0.9999984 | 74112 | 94H1447 | TERR | 134 9 21 | 238.411 | 238.508 |
| | | N | 5454482.369 | | | | | | | | |
| | | El | 28.722 | CVD28GVRD2018 | | | | | | | |
| 339242 | 94H1449 | E | 507620.370 | 0.9995958 | 0.9999951 | 160465 | 94H1386 | TERR | 244 23 38 | 160.854 | 160.920 |
| | | N | 5455161.629 | | | | | | | | |
| | | El | 49.848 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|
| 218081 | 94H1450 | E 507346.176 | 0.9995978 | 0.9999971 | 160465 | 94H1386 | TERR | 61 57 23 | 146.317 | 146.376 |
| | | N 5455023.321 | | | 6643 | 94H1451 | TERR | 183 9 8 | 229.835 | 229.927 |
| | | El 37.069 | CVD28GVRD2018 | | | | | | | |
| 6643 | 94H1451 | E 507333.538 | 0.9996002 | 0.9999995 | 218081 | 94H1450 | TERR | 3 9 8 | 229.835 | 229.927 |
| | | N 5454793.834 | | | 749713 | 94H1452 | TERR | 284 55 25 | 232.539 | 232.632 |
| | | El 21.863 | CVD28GVRD2018 | | | | | | | |
| 749713 | 94H1452 | E 507108.843 | 0.9995999 | 0.9999993 | 6643 | 94H1451 | TERR | 104 55 25 | 232.539 | 232.632 |
| | | N 5454853.720 | | | 953141 | 94H1453 | TERR | 272 56 39 | 220.349 | 220.437 |
| | | El 23.109 | CVD28GVRD2018 | | | | | | | |
| 953141 | 94H1453 | E 506888.785 | 0.9995999 | 0.9999993 | 749713 | 94H1452 | TERR | 92 56 39 | 220.349 | 220.437 |
| | | N 5454865.038 | | | 449298 | 94H1454 | TERR | 303 18 57 | 97.600 | 97.639 |
| | | El 23.107 | CVD28GVRD2018 | | | | | | | |
| 449298 | 94H1454 | E 506807.225 | 0.9995989 | 0.9999983 | 953141 | 94H1453 | TERR | 123 18 57 | 97.600 | 97.639 |
| | | N 5454918.645 | | | 300608 | 94H1455 | TERR | 349 35 56 | 134.618 | 134.672 |
| | | El 29.619 | CVD28GVRD2018 | | | | | | | |
| 300608 | 94H1455 | E 506782.921 | 0.9995978 | 0.9999973 | 449298 | 94H1454 | TERR | 169 35 56 | 134.618 | 134.672 |
| | | N 5455051.051 | | | 532408 | 94H1456 | TERR | 326 18 33 | 239.477 | 239.573 |
| | | El 36.199 | CVD28GVRD2018 | | | | | | | |
| 532408 | 94H1456 | E 506650.081 | 0.9995995 | 0.9999990 | 300608 | 94H1455 | TERR | 146 18 33 | 239.477 | 239.573 |
| | | N 5455250.306 | | | 307751 | 94H1457 | TERR | 280 45 5 | 289.662 | 289.778 |
| | | El 25.352 | CVD28GVRD2018 | | | | | | | |
| 307751 | 94H1457 | E 506365.504 | 0.9995991 | 0.9999986 | 821058 | 84H9889 | GPS | 32 59 19 | 3051.742 | 3052.989 |
| | | N 5455304.342 | | | 532408 | 94H1456 | TERR | 100 45 5 | 289.662 | 289.778 |
| | | El 27.598 | CVD28GVRD2018 | | 941237 | 94H1377 | TERR | 186 26 31 | 367.384 | 367.532 |
| | | | | | 500264 | 94H1376 | GPS | 197 27 13 | 2466.382 | 2467.387 |
| | | | | | 220335 | 94H1458 | TERR | 275 17 9 | 259.247 | 259.351 |
| | | | | | 553180 | 94H1469 | GPS | 314 21 41 | 2498.673 | 2499.688 |
| 220335 | 94H1458 | E 506107.360 | 0.9996005 | 1.0000001 | 307751 | 94H1457 | TERR | 95 17 9 | 259.247 | 259.351 |
| | | N 5455328.225 | | | 784744 | 94H1696 | TERR | 245 48 50 | 232.296 | 232.388 |
| | | El 18.338 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 406223 | 94H1459 | E | 505468.472 | 0.9996007 | 1.0000004 | 613281 | 90H6710 | GPS | 20 41 34 | 2964.843 | 2966.091 |
| | | N | 5455058.771 | | | 196881 | 80H3132 | GPS | 35 31 54 | 5886.288 | 5888.641 |
| | | El | 16.382 | CVD28GVRD2018 | | 169128 | 73H0289 | GPS | 60 46 37 | 3180.668 | 3181.961 |
| | | | | | | 784744 | 94H1696 | TERR | 67 47 46 | 461.182 | 461.366 |
| | | | | | | 99259 | 73H0436 | GPS | 96 58 8 | 4954.685 | 4956.674 |
| | | | | | | 449306 | 89H5585 | GPS | 135 13 35 | 2953.788 | 2954.978 |
| | | | | | | 102970 | 92H0875 | GPS | 169 54 28 | 14544.694 | 14550.568 |
| | | | | | | 859504 | 462 | GPS | 173 37 29 | 2456.227 | 2457.226 |
| | | | | | | 556928 | 87H2638 | GPS | 238 54 48 | 4759.334 | 4761.272 |
| | | | | | | 841833 | 94H1503 | TERR | 268 25 23 | 276.999 | 277.110 |
| | | | | | | 822817 | 90H6723 | GPS | 275 39 3 | 1626.638 | 1627.290 |
| | | | | | | 610006 | 90H6709 | GPS | 340 52 0 | 3120.619 | 3121.909 |
| 261958 | 94H1460 | E | 504396.896 | 0.9995988 | 0.9999986 | 600999 | 94H1504 | TERR | 88 2 52 | 308.135 | 308.258 |
| | | N | 5455042.555 | | | 738542 | 94H1505 | TERR | 280 53 39 | 161.174 | 161.238 |
| | | El | 27.850 | CVD28GVRD2018 | | | | | | | |
| 248500 | 94H1461 | E | 503891.548 | 0.9995983 | 0.9999981 | 738542 | 94H1505 | TERR | 93 12 27 | 347.624 | 347.764 |
| | | N | 5455092.466 | | | 428565 | 94H1495 | TERR | 308 42 47 | 211.280 | 211.364 |
| | | El | 31.075 | CVD28GVRD2018 | | | | | | | |
| 320846 | 94H1462 | E | 503882.599 | 0.9995969 | 0.9999968 | 485193 | 94H1497 | TERR | 91 48 21 | 333.604 | 333.738 |
| | | N | 5455359.120 | | | 211961 | 94H1494 | TERR | 269 0 12 | 157.562 | 157.625 |
| | | El | 39.486 | CVD28GVRD2018 | | | | | | | |
| 309328 | 94H1463 | E | 504541.393 | 0.9995990 | 0.9999988 | 401349 | 94H1498 | TERR | 90 27 57 | 168.898 | 168.966 |
| | | N | 5455346.427 | | | 485193 | 94H1497 | TERR | 270 23 2 | 325.363 | 325.494 |
| | | El | 26.711 | CVD28GVRD2018 | | | | | | | |
| 688549 | 94H1464 | E | 505371.536 | 0.9995979 | 0.9999975 | 356758 | 94H1384 | TERR | 0 21 2 | 360.526 | 360.671 |
| | | N | 5455340.651 | | | 987289 | 94H1501 | TERR | 88 54 2 | 153.312 | 153.373 |
| | | El | 34.624 | CVD28GVRD2018 | | 671347 | 94H1500 | TERR | 271 53 57 | 109.294 | 109.338 |
| 950782 | 94H1465 | E | 503735.856 | 0.9995972 | 0.9999971 | 211961 | 94H1494 | TERR | 182 51 24 | 216.597 | 216.684 |
| | | N | 5455572.707 | | | 530840 | 94H1493 | TERR | 358 1 19 | 218.401 | 218.490 |
| | | El | 37.575 | CVD28GVRD2018 | | | | | | | |
| 200295 | 94H1466 | E | 505215.417 | 0.9995895 | 0.9999891 | 823229 | 94H1467 | TERR | 21 27 35 | 158.942 | 159.007 |
| | | N | 5456554.998 | | | 407858 | 94H1509 | TERR | 155 29 11 | 98.843 | 98.884 |
| | | El | 88.088 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 823229 | 94H1467 | E | 505273.565 | 0.9995865 | 0.9999862 | 200295 | 94H1466 | TERR | 201 27 35 | 158.942 | 159.007 |
| | | N | 5456702.921 | | | 995258 | 94H1468 | TERR | 357 46 21 | 179.824 | 179.898 |
| | | El | 106.709 | CVD28GVRD2018 | | | | | | | |
| 995258 | 94H1468 | E | 505266.576 | 0.9995838 | 0.9999835 | 470351 | 94H1508 | TERR | 0 42 39 | 176.864 | 176.938 |
| | | N | 5456882.609 | | | 823229 | 94H1467 | TERR | 177 46 21 | 179.824 | 179.898 |
| | | El | 123.936 | CVD28GVRD2018 | | | | | | | |
| 553180 | 94H1469 | E | 504579.096 | 0.9995891 | 0.9999888 | 470351 | 94H1508 | TERR | 89 19 41 | 689.721 | 690.008 |
| | | N | 5457051.372 | | | 307751 | 94H1457 | GPS | 134 21 41 | 2498.673 | 2499.688 |
| | | El | 90.123 | CVD28GVRD2018 | | 965509 | 94H1470 | TERR | 179 15 20 | 323.311 | 323.444 |
| | | | | | | 738542 | 94H1505 | GPS | 189 45 53 | 2007.439 | 2008.255 |
| | | | | | | 856831 | 94H1379 | GPS | 249 30 12 | 2132.391 | 2133.255 |
| 965509 | 94H1470 | E | 504583.296 | 0.9995897 | 0.9999894 | 590422 | 94H1471 | TERR | 163 22 10 | 160.094 | 160.159 |
| | | N | 5456728.088 | | | 553180 | 94H1469 | TERR | 359 15 20 | 323.311 | 323.444 |
| | | El | 86.283 | CVD28GVRD2018 | | | | | | | |
| 590422 | 94H1471 | E | 504629.115 | 0.9995903 | 0.9999900 | 262113 | 94H1510 | TERR | 197 12 17 | 122.511 | 122.561 |
| | | N | 5456574.691 | | | 965509 | 94H1470 | TERR | 343 22 10 | 160.094 | 160.159 |
| | | El | 82.411 | CVD28GVRD2018 | | | | | | | |
| 392902 | 94H1472 | E | 502303.967 | 0.9995988 | 0.9999987 | 856831 | 94H1379 | TERR | 112 33 57 | 300.761 | 300.882 |
| | | N | 5456420.123 | | | 691592 | 94H1473 | TERR | 190 8 7 | 207.481 | 207.564 |
| | | El | 27.087 | CVD28GVRD2018 | | 877480 | 335 | TERR | 300 9 2 | 238.105 | 238.200 |
| 691592 | 94H1473 | E | 502267.456 | 0.9996006 | 1.0000005 | 392902 | 94H1472 | TERR | 10 8 7 | 207.481 | 207.564 |
| | | N | 5456215.880 | | | 610006 | 90H6709 | GPS | 50 34 10 | 2820.034 | 2821.200 |
| | | El | 15.492 | CVD28GVRD2018 | | 822817 | 90H6723 | GPS | 122 12 49 | 1870.162 | 1870.912 |
| | | | | | | 898734 | NO MARKING | GPS | 133 1 2 | 10843.233 | 10847.632 |
| | | | | | | 859504 | 462 | GPS | 136 0 28 | 5001.363 | 5003.398 |
| | | | | | | 770685 | 94H1407 | GPS | 142 40 18 | 3330.505 | 3331.842 |
| | | | | | | 260133 | 94H1344 | TERR | 158 35 16 | 380.654 | 380.806 |
| | | | | | | 229781 | 94H1355 | GPS | 162 35 43 | 3797.099 | 3798.646 |
| | | | | | | 314724 | 82H5046 | GPS | 187 33 46 | 1896.967 | 1897.728 |
| | | | | | | 395939 | V-2635 | GPS | 229 21 34 | 6216.553 | 6219.081 |
| | | | | | | 41996 | 82H5025 | GPS | 250 9 5 | 2258.892 | 2259.796 |
| | | | | | | 325001 | 78H6944 | GPS | 266 19 46 | 3978.524 | 3980.128 |
| | | | | | | 611681 | V-3719 | GPS | 277 3 28 | 8799.808 | 8803.314 |
| | | | | | | 432062 | 14H2753 | GPS | 293 27 42 | 11757.612 | 11762.300 |
| | | | | | | 927004 | 77H6805 | GPS | 309 52 26 | 2714.158 | 2715.252 |
| | | | | | | 565432 | 77H6854 | GPS | 356 47 45 | 1642.501 | 1643.167 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 173989 | 94H1476 | E | 503850.711 | 0.9995840 | 0.9999838 | 243642 | 452 | TERR | 56 33 57 | 190.307 | 190.387 |
| | | N | 5452016.588 | | | 488247 | 94H1477 | TERR | 230 54 55 | 180.483 | 180.558 |
| | | El | 122.472 | CVD28GVRD2018 | | 613208 | 94H1356 | TERR | 323 8 26 | 347.490 | 347.634 |
| 488247 | 94H1477 | E | 503710.617 | 0.9995848 | 0.9999846 | 173989 | 94H1476 | TERR | 50 54 55 | 180.483 | 180.558 |
| | | N | 5451902.799 | | | | | | | | |
| | | El | 117.356 | CVD28GVRD2018 | | | | | | | |
| 606285 | 94H1478 | E | 503453.178 | 0.9995850 | 0.9999848 | 615476 | 94H1479 | TERR | 359 47 23 | 191.468 | 191.548 |
| | | N | 5451741.814 | | | | | | | | |
| | | El | 115.861 | CVD28GVRD2018 | | | | | | | |
| 615476 | 94H1479 | E | 503452.475 | 0.9995842 | 0.9999840 | 606285 | 94H1478 | TERR | 179 47 23 | 191.468 | 191.548 |
| | | N | 5451933.281 | | | 840462 | 94H1720 | TERR | 326 8 3 | 162.932 | 163.000 |
| | | El | 120.923 | CVD28GVRD2018 | | | | | | | |
| 234864 | 94H1480 | E | 503200.839 | 0.9995834 | 0.9999833 | 840462 | 94H1720 | TERR | 136 48 11 | 234.974 | 235.072 |
| | | N | 5452239.868 | | | | | | | | |
| | | El | 125.768 | CVD28GVRD2018 | | | | | | | |
| 111161 | 94H1481 | E | 502832.078 | 0.9995848 | 0.9999847 | 104109 | 94H1482 | TERR | 169 27 57 | 198.833 | 198.916 |
| | | N | 5451565.047 | | | 490169 | 87H3218 | TERR | 267 50 39 | 214.997 | 215.086 |
| | | El | 116.719 | CVD28GVRD2018 | | 570333 | 87H3277 | TERR | 359 37 44 | 190.526 | 190.605 |
| 104109 | 94H1482 | E | 502868.429 | 0.9995873 | 0.9999872 | 822817 | 90H6723 | GPS | 14 18 6 | 3972.490 | 3974.109 |
| | | N | 5451369.565 | | | 229781 | 94H1355 | GPS | 23 37 7 | 1334.886 | 1335.439 |
| | | El | 100.532 | CVD28GVRD2018 | | 595017 | 89H6032 | GPS | 88 49 18 | 2273.596 | 2274.534 |
| | | | | | | 898734 | NO MARKING | GPS | 109 11 49 | 7758.479 | 7761.678 |
| | | | | | | 277665 | 89H6112 | GPS | 119 11 21 | 2397.637 | 2398.612 |
| | | | | | | 88971 | 94H1487 | TERR | 141 4 12 | 155.665 | 155.729 |
| | | | | | | 32219 | 94H1708 | GPS | 169 44 51 | 2321.539 | 2322.480 |
| | | | | | | 838037 | 02H2423 | GPS | 184 44 52 | 4271.215 | 4272.945 |
| | | | | | | 47092 | 02H2454 | GPS | 238 53 58 | 4440.898 | 4442.698 |
| | | | | | | 12591 | 384 | GPS | 241 13 17 | 2027.823 | 2028.647 |
| | | | | | | 875864 | NO MARKING | GPS | 305 45 46 | 11542.333 | 11547.032 |
| | | | | | | 556928 | 87H2638 | GPS | 309 51 3 | 1922.315 | 1923.111 |
| | | | | | | 111161 | 94H1481 | TERR | 349 27 57 | 198.833 | 198.916 |
| 662957 | 94H1483 | E | 504365.252 | 0.9995854 | 0.9999852 | 508481 | NO MARKING | TERR | 140 11 11 | 275.228 | 275.342 |
| | | N | 5451687.949 | | | 637223 | 94H1484 | TERR | 230 58 38 | 244.582 | 244.682 |
| | | El | 113.405 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 637223 | 94H1484 | E | 504175.238 | 0.9995870 | 0.9999868 | 662957 | 94H1483 | TERR | 50 58 38 | 244.582 | 244.682 |
| | | N | 5451533.953 | | | 570119 | B-89012 | TERR | 128 38 12 | 154.542 | 154.606 |
| | | El | 103.524 | CVD28GVRD2018 | | | | | | | |
| 431916 | 94H1485 | E | 503675.028 | 0.9995879 | 0.9999877 | 536490 | B-89002 | TERR | 137 51 35 | 154.015 | 154.079 |
| | | N | 5450675.156 | | | 425777 | 94H1486 | TERR | 320 23 39 | 160.445 | 160.511 |
| | | El | 97.445 | CVD28GVRD2018 | | | | | | | |
| 425777 | 94H1486 | E | 503572.744 | 0.9995878 | 0.9999877 | 431916 | 94H1485 | TERR | 140 23 39 | 160.445 | 160.511 |
| | | N | 5450798.771 | | | 196436 | B-89018 | TERR | 330 15 16 | 209.554 | 209.640 |
| | | El | 97.732 | CVD28GVRD2018 | | | | | | | |
| 88971 | 94H1487 | E | 502966.244 | 0.9995890 | 0.9999889 | 974923 | 94H1372 | TERR | 48 47 49 | 208.431 | 208.516 |
| | | N | 5451248.471 | | | 112250 | 94H1488 | TERR | 133 42 44 | 253.208 | 253.312 |
| | | El | 90.127 | CVD28GVRD2018 | | 104109 | 94H1482 | TERR | 321 4 12 | 155.665 | 155.729 |
| 112250 | 94H1488 | E | 503149.268 | 0.9995881 | 0.9999879 | 112789 | 94H1489 | TERR | 155 15 42 | 153.142 | 153.205 |
| | | N | 5451073.495 | | | 88971 | 94H1487 | TERR | 313 42 44 | 253.208 | 253.312 |
| | | El | 96.041 | CVD28GVRD2018 | | | | | | | |
| 112789 | 94H1489 | E | 503213.354 | 0.9995883 | 0.9999882 | 160986 | 94H1368 | TERR | 53 39 14 | 217.326 | 217.415 |
| | | N | 5450934.407 | | | 546192 | 94H1490 | TERR | 132 10 48 | 226.061 | 226.154 |
| | | El | 94.551 | CVD28GVRD2018 | | 112250 | 94H1488 | TERR | 335 15 42 | 153.142 | 153.205 |
| 546192 | 94H1490 | E | 503380.874 | 0.9995893 | 0.9999891 | 196436 | B-89018 | TERR | 23 55 40 | 216.724 | 216.812 |
| | | N | 5450782.615 | | | 635417 | 94H1491 | TERR | 165 23 27 | 209.184 | 209.271 |
| | | El | 88.405 | CVD28GVRD2018 | | 112789 | 94H1489 | TERR | 312 10 48 | 226.061 | 226.154 |
| 635417 | 94H1491 | E | 503433.635 | 0.9995884 | 0.9999882 | 322156 | 94H1492 | TERR | 186 15 23 | 133.024 | 133.079 |
| | | N | 5450580.194 | | | 546192 | 94H1490 | TERR | 345 23 27 | 209.184 | 209.271 |
| | | El | 94.029 | CVD28GVRD2018 | | | | | | | |
| 322156 | 94H1492 | E | 503419.138 | 0.9995887 | 0.9999886 | 635417 | 94H1491 | TERR | 6 15 23 | 133.024 | 133.079 |
| | | N | 5450447.962 | | | | | | | | |
| | | El | 91.997 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 530840 | 94H1493 | E | 503728.317 | 0.9995972 | 0.9999971 | 838623 | 94H1388 | TERR | 2 5 46 | 257.726 | 257.829 |
| | | N | 5455790.978 | | | 950782 | 94H1465 | TERR | 178 1 19 | 218.401 | 218.490 |
| | | El | 37.467 | CVD28GVRD2018 | | | | | | | |
| 211961 | 94H1494 | E | 503725.061 | 0.9995975 | 0.9999973 | 950782 | 94H1465 | TERR | 2 51 24 | 216.597 | 216.684 |
| | | N | 5455356.379 | | | 320846 | 94H1462 | TERR | 89 0 12 | 157.562 | 157.625 |
| | | El | 35.823 | CVD28GVRD2018 | | 428565 | 94H1495 | TERR | 179 17 32 | 131.784 | 131.836 |
| 428565 | 94H1495 | E | 503726.689 | 0.9995982 | 0.9999980 | 248500 | 94H1461 | TERR | 128 42 47 | 211.280 | 211.364 |
| | | N | 5455224.605 | | | 190546 | 94H1496 | TERR | 279 51 45 | 153.927 | 153.989 |
| | | El | 31.282 | CVD28GVRD2018 | | 211961 | 94H1494 | TERR | 359 17 32 | 131.784 | 131.836 |
| 190546 | 94H1496 | E | 503575.037 | 0.9995983 | 0.9999981 | 428565 | 94H1495 | TERR | 99 51 45 | 153.927 | 153.989 |
| | | N | 5455250.970 | | | | | | | | |
| | | El | 30.626 | CVD28GVRD2018 | | | | | | | |
| 485193 | 94H1497 | E | 504216.037 | 0.9995977 | 0.9999974 | 309328 | 94H1463 | TERR | 90 23 2 | 325.363 | 325.494 |
| | | N | 5455348.607 | | | 320846 | 94H1462 | TERR | 271 48 21 | 333.604 | 333.738 |
| | | El | 35.097 | CVD28GVRD2018 | | | | | | | |
| 401349 | 94H1498 | E | 504710.285 | 0.9995985 | 0.9999983 | 773267 | 94H1499 | TERR | 89 54 8 | 273.873 | 273.983 |
| | | N | 5455345.054 | | | 325316 | 78H6973 | TERR | 181 2 41 | 201.847 | 201.928 |
| | | El | 29.787 | CVD28GVRD2018 | | 309328 | 94H1463 | TERR | 270 27 57 | 168.898 | 168.966 |
| | | | | | | 208215 | 94H1383 | TERR | 359 54 20 | 361.224 | 361.369 |
| 773267 | 94H1499 | E | 504984.158 | 0.9995980 | 0.9999977 | 671347 | 94H1500 | TERR | 90 15 26 | 278.147 | 278.260 |
| | | N | 5455345.522 | | | 401349 | 94H1498 | TERR | 269 54 8 | 273.873 | 273.983 |
| | | El | 33.245 | CVD28GVRD2018 | | | | | | | |
| 671347 | 94H1500 | E | 505262.302 | 0.9995970 | 0.9999966 | 688549 | 94H1464 | TERR | 91 53 57 | 109.294 | 109.338 |
| | | N | 5455344.273 | | | 773267 | 94H1499 | TERR | 270 15 26 | 278.147 | 278.260 |
| | | El | 40.376 | CVD28GVRD2018 | | | | | | | |
| 987289 | 94H1501 | E | 505524.820 | 0.9995987 | 0.9999983 | 895540 | 94H1502 | TERR | 90 23 53 | 253.837 | 253.939 |
| | | N | 5455343.593 | | | 688549 | 94H1464 | TERR | 268 54 2 | 153.312 | 153.373 |
| | | El | 29.526 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|
| 895540 | 94H1502 | E 505778.651 | 0.9995989 | 0.9999985 | 987289 | 94H1501 | TERR | 270 23 53 | 253.837 | 253.939 |
| | | N 5455341.829 | | | | | | | | |
| | | El 28.452 | CVD28GVRD2018 | | | | | | | |
| 841833 | 94H1503 | E 505191.578 | 0.9996001 | 0.9999998 | 406223 | 94H1459 | TERR | 88 25 23 | 276.999 | 277.110 |
| | | N 5455051.148 | | | 600999 | 94H1504 | TERR | 270 13 27 | 486.730 | 486.924 |
| | | El 20.265 | CVD28GVRD2018 | | | | | | | |
| 600999 | 94H1504 | E 504704.852 | 0.9996003 | 1.0000000 | 325316 | 78H6973 | TERR | 1 6 49 | 90.206 | 90.243 |
| | | N 5455053.052 | | | 841833 | 94H1503 | TERR | 90 13 27 | 486.730 | 486.924 |
| | | El 18.822 | CVD28GVRD2018 | | 838052 | 78H6989 | TERR | 180 16 17 | 473.343 | 473.532 |
| | | | | | 261958 | 94H1460 | TERR | 268 2 52 | 308.135 | 308.258 |
| 738542 | 94H1505 | E 504238.627 | 0.9995981 | 0.9999979 | 553180 | 94H1469 | GPS | 9 45 53 | 2007.439 | 2008.255 |
| | | N 5455073.016 | | | 261958 | 94H1460 | TERR | 100 53 39 | 161.174 | 161.238 |
| | | El 32.077 | CVD28GVRD2018 | | 500264 | 94H1376 | GPS | 146 49 18 | 2534.736 | 2535.769 |
| | | | | | 229781 | 94H1355 | GPS | 198 36 48 | 2617.283 | 2618.353 |
| | | | | | 248500 | 94H1461 | TERR | 273 12 27 | 347.624 | 347.764 |
| | | | | | 856831 | 94H1379 | GPS | 306 37 32 | 2064.574 | 2065.402 |
| 470351 | 94H1508 | E 505268.770 | 0.9995813 | 0.9999810 | 995258 | 94H1468 | TERR | 180 42 39 | 176.864 | 176.938 |
| | | N 5457059.459 | | | 553180 | 94H1469 | TERR | 269 19 41 | 689.721 | 690.008 |
| | | El 140.071 | CVD28GVRD2018 | | | | | | | |
| 407858 | 94H1509 | E 505256.428 | 0.9995908 | 0.9999904 | 479071 | 78H7569 | TERR | 178 47 53 | 223.515 | 223.607 |
| | | N 5456465.064 | | | 200295 | 94H1466 | TERR | 335 29 11 | 98.843 | 98.884 |
| | | El 79.867 | CVD28GVRD2018 | | | | | | | |
| 262113 | 94H1510 | E 504592.878 | 0.9995921 | 0.9999919 | 590422 | 94H1471 | TERR | 17 12 17 | 122.511 | 122.561 |
| | | N 5456457.662 | | | 953448 | 78H7567 | TERR | 88 23 9 | 200.108 | 200.190 |
| | | El 70.596 | CVD28GVRD2018 | | 566430 | 94H1725 | TERR | 228 53 2 | 62.449 | 62.475 |
| | | | | | 507640 | 78H7566 | TERR | 270 35 44 | 450.440 | 450.625 |
| 842963 | 94H1695 | E 506949.160 | 0.9995963 | 0.9999957 | 134494 | 73H2096 | TERR | 173 53 26 | 249.564 | 249.664 |
| | | N 5455644.719 | | | 360297 | 73H2098 | TERR | 340 44 2 | 79.519 | 79.551 |
| | | El 45.996 | CVD28GVRD2018 | | | | | | | |
| 784744 | 94H1696 | E 505895.455 | 0.9996005 | 1.0000001 | 220335 | 94H1458 | TERR | 65 48 50 | 232.296 | 232.388 |
| | | N 5455233.053 | | | 406223 | 94H1459 | TERR | 247 47 46 | 461.182 | 461.366 |
| | | El 18.184 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 704106 | 94H1697 | E | 502915.958 | 0.9995995 | 0.9999994 | 547463 | 94H1507 | TERR | 320 17 23 | 535.920 | 536.135 |
| | | N | 5455747.244 | | | | | | | | |
| | | El | 22.538 | CVD28GVRD2018 | | | | | | | |
| 882423 | 94H1698 | E | 502176.428 | 0.9995983 | 0.9999982 | 903385 | 94H1699 | TERR | 121 30 8 | 187.190 | 187.265 |
| | | N | 5456643.502 | | | 928093 | 77H6848 | TERR | 298 41 32 | 138.210 | 138.265 |
| | | El | 29.983 | CVD28GVRD2018 | | 183533 | 77H6850 | TERR | 359 25 44 | 307.102 | 307.227 |
| 903385 | 94H1699 | E | 502336.030 | 0.9995982 | 0.9999981 | 308668 | 94H1700 | TERR | 76 39 3 | 85.648 | 85.683 |
| | | N | 5456545.689 | | | 882423 | 94H1698 | TERR | 301 30 8 | 187.190 | 187.265 |
| | | El | 30.740 | CVD28GVRD2018 | | | | | | | |
| 308668 | 94H1700 | E | 502419.364 | 0.9995971 | 0.9999971 | 684654 | 94H1701 | TERR | 103 33 11 | 156.159 | 156.221 |
| | | N | 5456565.464 | | | 903385 | 94H1699 | TERR | 256 39 3 | 85.648 | 85.683 |
| | | El | 37.448 | CVD28GVRD2018 | | | | | | | |
| 684654 | 94H1701 | E | 502571.174 | 0.9995965 | 0.9999964 | 441386 | 78H7007 | TERR | 3 2 51 | 173.312 | 173.383 |
| | | N | 5456528.869 | | | 299644 | 75H3441 | TERR | 92 21 28 | 138.134 | 138.190 |
| | | El | 41.694 | CVD28GVRD2018 | | 856831 | 94H1379 | TERR | 177 18 40 | 224.408 | 224.498 |
| | | | | | | 308668 | 94H1700 | TERR | 283 33 11 | 156.159 | 156.221 |
| 156646 | 94H1702 | E | 503200.043 | 0.9995946 | 0.9999945 | 125237 | 342 | TERR | 99 12 54 | 185.690 | 185.767 |
| | | N | 5456501.672 | | | 967182 | 340 | TERR | 180 44 25 | 303.340 | 303.463 |
| | | El | 53.751 | CVD28GVRD2018 | | | | | | | |
| 84624 | 94H1716 | E | 502849.097 | 0.9995830 | 0.9999829 | 570333 | 87H3277 | TERR | 185 57 39 | 175.765 | 175.839 |
| | | N | 5451930.384 | | | 156364 | 87H3213 | TERR | 354 12 27 | 192.857 | 192.937 |
| | | El | 128.091 | CVD28GVRD2018 | | | | | | | |
| 840462 | 94H1720 | E | 503361.681 | 0.9995837 | 0.9999836 | 613208 | 94H1356 | TERR | 51 8 39 | 360.313 | 360.464 |
| | | N | 5452068.571 | | | 615476 | 94H1479 | TERR | 146 8 3 | 162.932 | 163.000 |
| | | El | 123.923 | CVD28GVRD2018 | | 234864 | 94H1480 | TERR | 316 48 11 | 234.974 | 235.072 |
| 8151 | 94H1721 | E | 504380.441 | 0.9995950 | 0.9999948 | 214171 | 94H1723 | TERR | 51 31 24 | 563.859 | 564.087 |
| | | N | 5453437.041 | | | 766709 | 94H1410 | TERR | 142 5 30 | 122.334 | 122.384 |
| | | El | 52.359 | CVD28GVRD2018 | | 770685 | 94H1407 | TERR | 324 24 18 | 160.504 | 160.569 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 952069 | 94H1722 | E | 504669.691 | 0.9996011 | 1.0000008 | 838052 | 78H6989 | TERR | 3 9 53 | 596.312 | 596.550 |
| | | N | 5453984.311 | | | 214171 | 94H1723 | TERR | 142 14 11 | 248.484 | 248.584 |
| | | El | 13.649 | CVD28GVRD2018 | | | | | | | |
| 214171 | 94H1723 | E | 504821.864 | 0.9996000 | 0.9999998 | 8151 | 94H1721 | TERR | 231 31 24 | 563.859 | 564.087 |
| | | N | 5453787.873 | | | 952069 | 94H1722 | TERR | 322 14 11 | 248.484 | 248.584 |
| | | El | 20.460 | CVD28GVRD2018 | | | | | | | |
| 378059 | 94H1724 | E | 502961.442 | 0.9995885 | 0.9999884 | 803452 | 87H3326 | TERR | 242 19 30 | 82.458 | 82.492 |
| | | N | 5450713.994 | | | | | | | | |
| | | El | 93.005 | CVD28GVRD2018 | | | | | | | |
| 566430 | 94H1725 | E | 504545.830 | 0.9995930 | 0.9999927 | 262113 | 94H1510 | TERR | 48 53 2 | 62.449 | 62.475 |
| | | N | 5456416.596 | | | 808667 | 347 | TERR | 189 23 39 | 319.348 | 319.478 |
| | | El | 65.198 | CVD28GVRD2018 | | | | | | | |
| 265215 | 94H1726 | E | 501123.050 | 0.9996008 | 1.0000008 | 403774 | 82H5056 | TERR | 147 50 34 | 182.923 | 182.997 |
| | | N | 5456450.991 | | | 570432 | 82H5053 | TERR | 329 37 53 | 153.536 | 153.597 |
| | | El | 13.605 | CVD28GVRD2018 | | | | | | | |
| 823815 | 94H1727 | E | 504787.623 | 0.9995885 | 0.9999882 | 591453 | 89H6030 | TERR | 54 17 38 | 250.253 | 250.357 |
| | | N | 5451409.777 | | | 595017 | 89H6032 | GPS | 88 56 28 | 353.981 | 354.127 |
| | | El | 94.184 | CVD28GVRD2018 | | 277665 | 89H6112 | GPS | 171 48 53 | 1221.975 | 1222.471 |
| 992545 | B-89003 | E | 504021.649 | 0.9995878 | 0.9999876 | 536490 | B-89002 | TERR | 228 27 13 | 325.065 | 325.199 |
| | | N | 5450776.545 | | | | | | | | |
| | | El | 98.230 | CVD28GVRD2018 | | | | | | | |
| 126466 | B-89005 | E | 504359.636 | 0.9995875 | 0.9999872 | 248708 | B-89004 | TERR | 226 16 19 | 222.333 | 222.425 |
| | | N | 5451056.357 | | | | | | | | |
| | | El | 100.556 | CVD28GVRD2018 | | | | | | | |
| 950055 | B-89008 | E | 504375.914 | 0.9995884 | 0.9999882 | 508481 | NO MARKING | TERR | 48 20 14 | 221.618 | 221.708 |
| | | N | 5451329.219 | | | 570119 | B-89012 | TERR | 323 32 45 | 134.572 | 134.627 |
| | | El | 94.361 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 351437 | B-89009 | E | 504062.744 | 0.9995874 | 0.9999872 | 248708 | B-89004 | TERR | 141 10 49 | 217.314 | 217.403 |
| | | N | 5451071.986 | | | 832980 | B-89016 | TERR | 316 6 17 | 291.113 | 291.233 |
| | | El | 100.666 | CVD28GVRD2018 | | | | | | | |
| 570119 | B-89012 | E | 504295.954 | 0.9995880 | 0.9999878 | 950055 | B-89008 | TERR | 143 32 45 | 134.572 | 134.627 |
| | | N | 5451437.460 | | | 637223 | 94H1484 | TERR | 308 38 12 | 154.542 | 154.606 |
| | | El | 96.836 | CVD28GVRD2018 | | | | | | | |
| 832980 | B-89016 | E | 503860.903 | 0.9995886 | 0.9999884 | 351437 | B-89009 | TERR | 136 6 17 | 291.113 | 291.233 |
| | | N | 5451281.764 | | | 735118 | 370 | TERR | 321 24 58 | 128.678 | 128.731 |
| | | El | 92.781 | CVD28GVRD2018 | | | | | | | |
| 196436 | B-89018 | E | 503468.774 | 0.9995887 | 0.9999885 | 425777 | 94H1486 | TERR | 150 15 16 | 209.554 | 209.640 |
| | | N | 5450980.713 | | | 546192 | 94H1490 | TERR | 203 55 40 | 216.724 | 216.812 |
| | | El | 92.289 | CVD28GVRD2018 | | 160986 | 94H1368 | TERR | 315 44 45 | 115.176 | 115.223 |
| 815167 | B-89021 | E | 503857.969 | 0.9995874 | 0.9999872 | 735118 | 370 | TERR | 223 49 56 | 111.641 | 111.688 |
| | | N | 5451462.886 | | | | | | | | |
| | | El | 100.695 | CVD28GVRD2018 | | | | | | | |
| 871418 | B-89029 | E | 503374.977 | 0.9995857 | 0.9999855 | 14365 | 85H0790 | TERR | 140 3 2 | 222.591 | 222.683 |
| | | N | 5451569.650 | | | 974923 | 94H1372 | TERR | 233 52 24 | 311.885 | 312.014 |
| | | El | 111.399 | CVD28GVRD2018 | | | | | | | |
| 166140 | B-89030 | E | 503633.585 | 0.9995854 | 0.9999852 | 880427 | 94H1371 | TERR | 93 29 48 | 149.636 | 149.697 |
| | | N | 5451711.158 | | | | | | | | |
| | | El | 113.354 | CVD28GVRD2018 | | | | | | | |
| 986810 | LEGAL BC 6053 | E | 502539.296 | 0.9995998 | 0.9999997 | 490771 | 338 | TERR | 70 12 47 | 699.648 | 699.929 |
| | | N | 5455286.935 | | | 300327 | 519 | TERR | 140 8 23 | 1868.349 | 1869.097 |
| | | El | 20.45 | (APPROX. ONLY) | | 57828 | 6054-A | TERR | 148 53 32 | 2723.594 | 2724.703 |
| 4788 | NO MARKING | E | 503652.561 | 0.9995891 | 0.9999889 | 536490 | B-89002 | TERR | 54 38 56 | 154.242 | 154.306 |
| | | N | 5450471.711 | | | 28902 | 89H5515 | TERR | 140 24 55 | 112.421 | 112.467 |
| | | El | 89.961 | CVD28GVRD2018 | | | | | | | |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS GCM-NO | TABLET MARKING | | UTM Coordinates Metres | Station Scale Factor Combined | Ellipsoidal | TO MARKER IDENTIFIERS GCM-NO | TABLET MARKING | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 400028 | NO MARKING | E | 506656.064 | 0.9995404 | 0.9999398 | 851105 | 29701 | TERR | 77 37 55 | 30656.029 | 30672.184 |
| | | N | 5458527.769 | | | 669960 | 677004 | TERR | 145 3 58 | 11614.326 | 11619.409 |
| | | El | 402.641 | 1928 Canadian Vertical | | 337246 | NO MARKING | TERR | 163 34 5 | 28801.944 | 28814.547 |
| | | | | | | 503094 | NO MARKING | TERR | 165 48 4 | 27213.711 | 27225.629 |
| | | | | | | 703223 | 677003 | TERR | 165 50 48 | 27218.546 | 27230.421 |
| | | | | | | 424044 | 677006 | TERR | 178 31 43 | 5693.523 | 5696.016 |
| | | | | | | 939728 | 767004 | TERR | 195 47 59 | 23329.734 | 23339.722 |
| | | | | | | 373472 | NO MARKING | TERR | 205 39 27 | 31442.129 | 31455.790 |
| | | | | | | 57828 | 6054-A | TERR | 205 55 49 | 6196.595 | 6199.303 |
| | | | | | | 964197 | 6854 | TERR | 222 50 58 | 27602.637 | 27614.443 |
| | | | | | | 799031 | 77 | TERR | 253 11 17 | 10715.644 | 10720.288 |
| | | | | | | 951012 | 3488 | TERR | 267 52 46 | 18276.513 | 18284.348 |
| | | | | | | 388397 | 6285 | TERR | 287 6 11 | 10609.500 | 10614.050 |
| | | | | | | 186437 | 677013 | TERR | 294 12 23 | 19193.130 | 19201.751 |
| | | | | | | 913186 | HS29 | TERR | 303 56 35 | 4175.384 | 4177.174 |
| | | | | | | 133884 | 3348 | TERR | 314 6 13 | 16977.228 | 16986.123 |
| | | | | | | 351858 | 6058 | TERR | 339 30 1 | 9442.004 | 9446.763 |
| | | | | | | 905026 | 6723 | TERR | 341 15 20 | 6368.110 | 6370.893 |
| 508481 | NO MARKING | E | 504541.478 | 0.9995882 | 0.9999879 | 339127 | 94H1425 | TERR | 50 30 2 | 406.130 | 406.299 |
| | | N | 5451476.538 | | | 950055 | B-89008 | TERR | 228 20 14 | 221.618 | 221.708 |
| | | El | 96.204 | CVD28GVRD2018 | | 662957 | 94H1483 | TERR | 320 11 11 | 275.228 | 275.342 |
| 893362 | P-52-17 | E | 505410.868 | 0.9995893 | 0.9999889 | 500264 | 94H1376 | TERR | 138 33 33 | 324.671 | 324.804 |
| | | N | 5453194.899 | | | 313106 | 94H1432 | TERR | 230 11 36 | 112.991 | 113.038 |
| | | El | 89.533 | CVD28GVRD2018 | | | | | | | |
| 841197 | V-1436 | E | 498292.758 | 0.9995882 | 0.9999881 | 440925 | 80H2971 | TERR | 180 7 49 | 175.668 | 175.740 |
| | | N | 5454644.527 | | | 608687 | 78H6946 | TERR | 180 11 6 | 267.330 | 267.440 |
| | | El | 94.763 | CVD28GVRD2018 | | 164111 | V-1340 | TERR | 263 3 42 | 196.534 | 196.615 |
| | | | | | | 298950 | V-1335 | TERR | 348 35 12 | 174.868 | 174.940 |
| 800243 | V-1575 | E | 498300.123 | 0.9995854 | 0.9999854 | MARKER DESTROYED | | | | | |
| | | N | 5452122.052 | | | | | | | | |
| | | El | 112.391 | CVD28GVRD2018 | | | | | | | |
| 668160 | V-2716 | E | 498292.750 | 0.9995861 | 0.9999860 | 365205 | 83H6189 | TERR | 95 48 10 | 133.000 | 133.055 |
| | | N | 5454171.694 | | | 689349 | V-1525 | TERR | 189 36 28 | 97.861 | 97.902 |
| | | El | 108.138 | CVD28GVRD2018 | | 20420 | V-2715 | TERR | 282 10 16 | 152.509 | 152.572 |
| | | | | | | 608687 | 78H6946 | TERR | 359 45 42 | 205.506 | 205.591 |
| 205047 | | E | 502572.933 | 0.9996009 | 1.0000008 | 547463 | 94H1507 | TERR | 0 4 3 | 528.719 | 528.931 |
| | | N | 5455630.800 | | | 848507 | 82H5045 | TERR | 179 34 6 | 391.024 | 391.180 |
| | | El | 13.691 | CVD28GVRD2018 | | 517466 | 94H1343 | TERR | 248 37 23 | 147.462 | 147.520 |

Order in Council No. 1683/85
Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123. Issued: 2021-MAY-03
Scale Factor at Reference Central Meridian = 0.9996
Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS | | UTM Coordinates | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. | UTM Grid | UTM Grid | Ground |
|---|---|---|---|---|---|---|---|---|---|---|
| GCM-NO | TABLET MARKING | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | Type | Bearing | Distance Metres | Distance Metres |
| 564674 | | E 502176.133 | 0.9995878 | 0.9999877 | 886697 | 77H6857 | TERR | 0 26 14 | 192.286 | 192.365 |
| | | N 5458051.763 | | | 48199 | 75H3439 | TERR | 90 8 26 | 224.571 | 224.664 |
| | | El 96.930 | CVD28GVRD2018 | | 565432 | 77H6854 | TERR | 180 8 32 | 195.951 | 196.031 |
| | | | | | 405779 | 77H6837 | TERR | 269 54 34 | 396.378 | 396.541 |
| 785741 | | E 502288.776 | 0.9995987 | 0.9999987 | 603746 | 02H2446 | GPS | 86 40 0 | 33533.046 | 33546.665 |
| | | N 5454320.959 | | | 909333 | NO MARKING | GPS | 93 58 42 | 31391.059 | 31403.635 |
| | | El 27.296 | CVD28GVRD2018 | | 904904 | NO MARKING | GPS | 123 54 1 | 27374.239 | 27385.122 |
| | | | | | 898734 | NO MARKING | GPS | 124 50 7 | 9632.950 | 9636.868 |
| | | | | | 869792 | NO MARKING | GPS | 222 48 51 | 19164.186 | 19171.846 |
| | | | | | 875864 | NO MARKING | GPS | 293 21 25 | 9570.565 | 9574.408 |

END OF REPORT