

# Official Integrated Survey Area Coordinate Listing

## ISA\_30\_SAAICH

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Remote Sensing and Geodetic Engineering branch. For up-to-date information on the status of geodetic control monuments, please refer to the Province's website at:

<https://geonetbc.gov.bc.ca/geonetbc>

GeoNet BC provides location details on each geodetic control monument including location sketches, site photos and descriptions, as well as a current assessment of the physical condition of the monument and its useability for georeferencing surveys in the field. The GeoNet BC system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports by downloading the template from the following link:

[https://geonetbc.gov.bc.ca/geonetbc/SiteDocuments/GeoNetBC Condition Report Template.xlsx](https://geonetbc.gov.bc.ca/geonetbc/SiteDocuments/GeoNetBC%20Condition%20Report%20Template.xlsx)

and submitting it to the GeoNet BC Operations team as per the instructions located on the GeoNet BC website at:

<https://geonetbc.gov.bc.ca/geonetbc/MonumentCondition>

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
1008	80H1478	E N EI (H)	479290.402 5367771.092 6.654 CGVD28	0.9996072	1.0000019	905596	80H1590	Terr	63° 46' 0"	170.720	170.787
2311	85H0830	E N EI (H)	479289.373 5366566.394 11.511 CGVD28	0.9996064	1.0000012	689364	80H1440	Terr	113° 4' 15"	268.685	268.791
2485	80H3062	E N EI (H)	468414.149 5370958.991 56.959 CGVD28	0.9996062	0.9999939	165126	80H3039	Terr	185° 24' 45"	169.289	169.355
3673	79H0679	E N EI (H)	474077.549 5368655.800 33.593 CGVD28	0.9996059	0.9999976	493387 867432	79H0669 79H0659	Terr Terr	169° 36' 16" 259° 31' 34"	213.425 119.674	213.510 119.721
3806	80H2433	E N EI (H)	474806.178 5367240.548 58.124 CGVD28	0.9996016	0.9999938	90571 438770	80H1618 80H2439	Terr Terr	0° 8' 47" 179° 44' 23"	223.673 276.363	223.762 276.473
3988	74H2189	E N EI (H)	469935.548 5370170.603 11.794 CGVD28	0.9996121	1.0000010	589531 253518	80H1569 79H8818	Terr Terr	35° 14' 55" 206° 2' 43"	188.718 112.223	188.792 112.266
4093	79H0745	E N EI (H)	470993.808 5371022.363 35.089 CGVD28	0.9996077	0.9999974	517565	79H0688	Terr	111° 29' 44"	133.291	133.343
4432	79H0776	E N EI (H)	472916.465 5371943.542 44.659 CGVD28	0.9996049	0.9999959	84087 837922	79H0996 79H1034	Terr Terr	34° 33' 10" 319° 10' 53"	156.845 298.185	156.907 298.303
4515	79H0997	E N EI (H)	468765.913 5368771.163 38.869 CGVD28	0.9996088	0.9999968	62406 837864	79H0988 79H1072	Terr Terr	7° 33' 36" 188° 2' 23"	309.364 332.472	309.485 332.602

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
6155	79H8714	E N EI (H)	469487.708 5370884.198 79.996 CGVD28	0.9996018	0.9999903		MARKER ISOLATED				
7310	79H0658	E N EI (H)	472840.793 5375517.208 18.387 CGVD28	0.9996091	1.0000001	538207	79H0676	Terr	171° 3' 51"	392.932	393.086
8953	80H1457	E N EI (H)	477603.735 5368799.300 37.218 CGVD28	0.9996033	0.9999971		MARKER DESTROYED				
10355	79H1148	E N EI (H)	472970.369 5376004.075 15.129 CGVD28	0.9996095	1.0000006		MARKER DESTROYED				
10876	80H1447	E N EI (H)	475141.052 5371127.903 35.249 CGVD28	0.9996050	0.9999974	628248	79H1149	Terr	18° 10' 19"	267.970	268.076
11015	79H0717	E N EI (H)	470750.249 5371501.134 37.184 CGVD28	0.9996076	0.9999971		MARKER DESTROYED				
11338	87H2540	E N EI (H)	477347.208 5370228.117 37.827 CGVD28	0.9996033	0.9999970	412015 146035	80H1545 81H4218	Terr Terr	152° 23' 31" 295° 47' 4"	149.665 125.940	149.725 125.990
12021	79H0774	E N EI (H)	472225.078 5369531.619 42.993 CGVD28	0.9996056	0.9999962	365536 407627 599779	79H1021 87H2524 87H2542	Terr Terr Terr	139° 54' 12" 226° 38' 16" 329° 18' 13"	122.553 213.720 186.525	122.601 213.804 186.599
12849	79H8756	E N EI (H)	471302.817 5366795.304 11.068 CGVD28	0.9996113	1.0000012	79210 621193 516443	79H8810 79H8710 79H8704	Terr Terr Terr	12° 57' 30" 108° 47' 3" 214° 17' 20"	227.786 115.213 221.912	227.874 115.258 221.998

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
13672	87H2496	E N EI (H)	475817.870 5368814.472 40.230 CGVD28	0.9996038	0.9999966	112797	80H1627	Terr	183° 53' 18"	181.262	181.334
13854	80H1410	E N EI (H)	474931.953 5370160.609 49.261 CGVD28	0.9996029	0.9999952	253237 385526	80H1417 80H1401	Terr Terr	173° 33' 33" 341° 55' 10"	118.261 108.060	118.308 108.103
14092	79H0637	E N EI (H)	473136.182 5367585.727 46.452 CGVD28	0.9996045	0.9999956	377606	85H0887	Terr	91° 2' 44"	199.642	199.721
14126	80H3101	E N EI (H)	467052.904 5371531.502 59.908 CGVD28	0.9996068	0.9999935		MARKER DESTROYED				
14498	80H1479	E N EI (H)	477752.267 5368975.372 16.892 CGVD28	0.9996064	1.0000003		MARKER ISOLATED				
15867	80H1576	E N EI (H)	476753.682 5370006.146 66.818 CGVD28	0.9995991	0.9999925	748756	80H1463	Terr	285° 54' 8"	104.741	104.783
16055	79H0629	E N EI (H)	473442.382 5366469.646 31.436 CGVD28	0.9996067	0.9999980	46763	79H0592	Terr	13° 53' 57"	165.482	165.547
16402	80H1678	E N EI (H)	475590.559 5367506.563 40.154 CGVD28	0.9996040	0.9999966		MARKER DESTROYED				
16840	79H0624	E N EI (H)	473649.056 5366691.608 39.610 CGVD28	0.9996052	0.9999967	633610	79H0612	Terr	194° 7' 13"	161.043	161.106

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
18796	81H4155	E N EI (H)	467023.172 5373781.567 59.475 CGVD28	0.9996069	0.9999935		MARKER DESTROYED				
20487	85H0826	E N EI (H)	472475.496 5366970.527 23.147 CGVD28	0.9996086	0.9999993		MARKER DESTROYED				
20990	81H4148	E N EI (H)	466933.600 5373703.178 59.458 CGVD28	0.9996070	0.9999935	727412	80H4033	Terr	202° 8' 30"	123.598	123.646
21584	81H4126	E N EI (H)	468148.722 5377663.083 126.354 CGVD28	0.9995956	0.9999831	722439 709485 480392 967166 541748 126672 131136 656215	81H4132 77H5686 77H6142 99H2282 80H4038 85H0847 81H4118 77H5697	Terr Both Both GPS Only Terr Both Both Both	2° 49' 21" 48° 24' 37" 80° 58' 27" 134° 57' 5" 159° 44' 26" 193° 23' 40" 302° 13' 56" 357° 21' 24"	154.485 3524.319 2308.707 1799.471 212.155 1943.308 2262.518 2754.996	154.548 3525.719 2309.637 1800.192 212.241 1944.082 2263.419 2756.094
24331	80H3058	E N EI (H)	467193.402 5371340.536 71.695 CGVD28	0.9996048	0.9999916	497313 762625	80H3047 80H3035	Terr Terr	164° 33' 47" 326° 27' 8"	70.299 83.699	70.327 83.732
25734	81H4139	E N EI (H)	468374.718 5376743.947 130.258 CGVD28	0.9995948	0.9999825	466904	81H4138	Terr	350° 17' 46"	146.261	146.320
26021	80H1564	E N EI (H)	475736.748 5370481.039 39.110 CGVD28	0.9996041	0.9999968	67736 306159 134312	80H1507 80H1533 80H1581	Terr Terr Terr	14° 28' 48" 116° 55' 56" 201° 17' 55"	81.966 136.668 105.872	81.998 136.722 105.914
26609	80H2444	E N EI (H)	476280.988 5367872.655 48.976 CGVD28	0.9996022	0.9999953		MARKER DESTROYED				

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
27672	79H1150	E N EI (H)	478074.756 5368263.506 22.160 CGVD28	0.9996054	0.9999995	894964	79H1118	Terr	130° 1' 10"	120.291	120.339
27862	79H8895	E N EI (H)	469441.197 5367790.819 17.678 CGVD28	0.9996116	1.0000001		MARKER ISOLATED				
29579	80H1481	E N EI (H)	475123.415 5369926.891 35.112 CGVD28	0.9996050	0.9999974		MARKER DESTROYED				
30429	79H1027	E N EI (H)	472366.651 5373520.562 109.193 CGVD28	0.9995952	0.9999858	178442 411694	79H1071 79H1187	Terr Terr	1° 11' 18" 271° 6' 26"	416.575 481.946	416.743 482.141
32060	80H4044	E N EI (H)	469580.239 5374558.261 123.369 CGVD28	0.9995949	0.9999836	612341 745992	81H4136 80H4015	Terr Terr	154° 38' 19" 330° 9' 28"	214.787 185.217	214.874 185.292
32433	80H1594	E N EI (H)	477184.658 5370045.305 55.976 CGVD28	0.9996006	0.9999942	920405 322875	80H1582 80H1599	Terr Terr	88° 32' 16" 250° 51' 26"	96.441 110.172	96.480 110.216
33431	79H0729	E N EI (H)	469548.931 5372996.481 68.970 CGVD28	0.9996035	0.9999921	42564 149344	79H1031 79H0696	Terr Terr	113° 6' 18" 311° 21' 48"	129.576 184.315	129.627 184.388
34702	80H2429	E N EI (H)	476175.104 5366611.047 65.146 CGVD28	0.9995997	0.9999927		MARKER DESTROYED				
36335	81H4217	E N EI (H)	476687.531 5370123.666 68.629 CGVD28	0.9995989	0.9999922	720003 893503 196493	80H1580 85H0843 80H1571	Terr Terr Terr	23° 24' 16" 112° 3' 48" 290° 24' 42"	199.331 260.484 288.415	199.411 260.589 288.531

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
37382	85H0839	E	476812.722	0.9995995	0.9999929	116640	85H0833	Terr	113° 53' 36"	152.090	152.151		
		N	5370400.640					Terr	206° 4' 17"			104.696	104.738
		EI (H)	64.200 CGVD28					Terr	324° 51' 50"				
37812	79H8809	E	471910.181	0.9996090	0.9999993	518001	79H8762	Terr	78° 14' 37"	177.764	177.834		
		N	5366898.287					Terr	258° 23' 34"			131.888	131.940
		EI (H)	22.688 CGVD28										
39529	85H0823	E	472392.779	0.9996086	0.9999992	731315	85H0838	Terr	304° 33' 23"	118.732	118.779		
		N	5367034.015										
		EI (H)	23.502 CGVD28										
39842	80H3023	E	467453.373	0.9996078	0.9999948	752840	80H4019	Terr	160° 14' 3"	115.638	115.683		
		N	5369678.978										
		EI (H)	51.442 CGVD28										
40501	79H0588	E	472813.463	0.9996065	0.9999975	487041	79H0591	Terr	93° 52' 5"	177.768	177.838		
		N	5367669.294					Terr	268° 59' 13"			111.311	111.355
		EI (H)	34.717 CGVD28										
40832	81H4128	E	467157.826	0.9996082	0.9999950	622704	80H4080	Terr	132° 57' 21"	531.369	531.577		
		N	5376911.426					Terr	313° 24' 27"			260.819	260.922
		EI (H)	50.421 CGVD28										
40857	80H4078	E	467119.027	0.9996063	0.9999930	729335	80H4029	Terr	187° 41' 40"	95.204	95.242		
		N	5372239.307					Terr	358° 29' 51"			101.257	101.297
		EI (H)	62.774 CGVD28										
40915	80H1559	E	476405.914	0.9995984	0.9999915	468470	80H1624	Terr	21° 9' 22"	122.119	122.168		
		N	5370480.894					Terr	201° 39' 43"			107.737	107.780
		EI (H)	72.827 CGVD28										
42077	79H1049	E	472609.644	0.9995965	0.9999873	591289	79H1062	Terr	160° 21' 25"	94.122	94.160		
		N	5373411.599					Terr	335° 30' 43"			110.501	110.545
		EI (H)	99.953 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)				
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
42408	79H1162	E	471208.737	0.9996006	0.9999904	800664	79H1186	Terr	1° 42' 15"	193.342	193.419				
		N	5376814.778					Terr	174° 16' 27"			248.008	248.107		
		El (H)	79.895 CGVD28												
42549	81H4129	E	468181.609	0.9996045	0.9999920	214726	80H4045	Terr	1° 38' 49"	177.300	177.370				
		N	5374743.433					Terr	181° 21' 52"			122.997	123.046		
		El (H)	69.129 CGVD28												
42564	79H1031	E	469668.113	0.9996040	0.9999927	272344	79H1015	Terr	127° 47' 23"	265.864	265.969				
		N	5372945.633					33431	79H0729			Terr	293° 6' 18"	129.576	129.627
		El (H)	64.966 CGVD28					836775	80H4083			Terr	333° 14' 3"		
42572	79H0621	E	473507.662	0.9996046	0.9999959	46763	79H0592	Terr	193° 39' 46"	108.079	108.122				
		N	5366735.304												
		El (H)	44.548 CGVD28												
42655	85H0825	E	473267.464	0.9996072	0.9999984	MARKER DESTROYED									
		N	5368213.754												
		El (H)	28.669 CGVD28												
43950	85H0859	E	477001.613	0.9995999	0.9999934	697573	85H0854	Terr	35° 27' 40"	132.342	132.395				
		N	5370139.325												
		El (H)	61.123 CGVD28												
44859	79H0610	E	473178.182	0.9996059	0.9999970	MARKER ISOLATED									
		N	5366968.895												
		El (H)	37.357 CGVD28												
45237	80H1464	E	475544.103	0.9996038	0.9999964	MARKER DESTROYED									
		N	5369267.925												
		El (H)	41.510 CGVD28												
45716	80H4085	E	469077.182	0.9995994	0.9999877	988766	80H4092	Terr	162° 58' 58"	185.822	185.896				
		N	5375409.033					437137	80H4077			Terr	348° 2' 45"	141.902	141.959
		El (H)	97.084 CGVD28												

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)						
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
46607	79H1171	E	471294.815	0.9996028	0.9999927	367979	79H0662	Terr	171° 21' 18"	304.068	304.188						
		N	5375975.625									329409	79H1141	Terr	352° 35' 47"	160.340	160.403
		El (H)	65.172 CGVD28														
46763	79H0592	E	473482.133	0.9996062	0.9999976	42572	79H0621	Terr	13° 39' 46"	108.079	108.122						
		N	5366630.283									16055	79H0629	Terr	193° 53' 57"	165.482	165.547
		El (H)	34.080 CGVD28														
46904	79H8787	E	468877.562	0.9996135	1.0000016	595397	79H8761	Terr	201° 42' 26"	175.102	175.170						
		N	5367085.984														
		El (H)	7.948 CGVD28														
47894	79H0668	E	471459.469	0.9996027	0.9999927	MARKER DESTROYED											
		N	5374961.041														
		El (H)	65.389 CGVD28														
48124	80H1468	E	475985.696	0.9996021	0.9999950	847012	80H1662	Terr	28° 4' 23"	136.771	136.826						
		N	5370371.370									306159	80H1533	Terr	290° 35' 49"	135.782	135.836
		El (H)	50.724 CGVD28														
49841	80H1555	E	476366.145	0.9995990	0.9999922	40915	80H1559	Terr	21° 39' 43"	107.737	107.780						
		N	5370380.766									439349	80H1549	Terr	201° 54' 44"	125.846	125.896
		El (H)	68.853 CGVD28														
50492	80H2432	E	475015.900	0.9996029	0.9999953	95943	81H4161	Terr	21° 58' 57"	171.098	171.166						
		N	5367623.235									75994	80H3078	Terr	189° 53' 38"	224.125	224.214
		El (H)	48.938 CGVD28														
53439	79H8731	E	471044.642	0.9996111	1.0000008	917278	79H8752	Both	37° 28' 37"	96.519	96.556						
		N	5366040.481									477315	79H8776	Terr	306° 46' 46"	179.401	179.470
		El (H)	13.014 CGVD28														
53868	85H0880	E	473355.357	0.9996041	0.9999954	262378	79H8988	Terr	170° 32' 19"	77.788	77.819						
		N	5367419.413									148437	79H0635	Terr	259° 49' 57"	95.657	95.695
		El (H)	48.050 CGVD28														

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
54056	79H8971	E N EI (H)	473140.565 5368455.337 27.362 CGVD28	0.9996075	0.9999986		MARKER ISOLATED				
54122	79H8876	E N EI (H)	471711.270 5366386.084 21.432 CGVD28	0.9996094	0.9999995	105080	79H8782	Terr	123° 57' 54"	145.060	145.117
55764	81H4207	E N EI (H)	475385.821 5367148.230 32.554 CGVD28	0.9996053	0.9999978	647263 869610	80H2403 80H1674	Terr Terr	92° 42' 32" 180° 51' 8"	325.477 214.884	325.606 214.969
55913	79H0747	E N EI (H)	472954.655 5371784.595 40.011 CGVD28	0.9996056	0.9999966	695635	87H2492	Terr	187° 21' 7"	265.805	265.910
56945	80H1402	E N EI (H)	477626.201 5368312.381 38.358 CGVD28	0.9996031	0.9999969	979625	80H1466	Terr	219° 32' 25"	118.642	118.689
57323	81H4209	E N EI (H)	478844.886 5367453.533 14.157 CGVD28	0.9996062	1.0000007	272443 283515	81H4142 80H1577	Terr Terr	43° 14' 11" 250° 19' 4"	124.991 136.861	125.040 136.915
60152	79H0593	E N EI (H)	473753.863 5368130.206 41.961 CGVD28	0.9996048	0.9999963	92296 977371	79H8979 79H8941	Terr Terr	169° 47' 13" 349° 4' 35"	170.612 173.822	170.680 173.891
60277	80H1557	E N EI (H)	477600.035 5368659.521 37.657 CGVD28	0.9996032	0.9999971	366971	79H1172	Terr	130° 26' 53"	254.640	254.740
62216	80H3079	E N EI (H)	467865.444 5369885.823 20.773 CGVD28	0.9996123	0.9999996	204313 568972	80H3081 80H3103	Terr Terr	163° 51' 50" 301° 52' 25"	114.591 125.012	114.636 125.060

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
62406	79H0988	E	468806.615	0.9996085	0.9999966	587352 4515	79H1018	Terr	7° 20' 58"	122.730	122.778
		N	5369077.838				79H0997	Terr	187° 33' 36"	309.364	309.485
		EI (H)	40.270 CGVD28								
62448	79H1010	E	471672.258	0.9996008	0.9999910	270124 739953	79H1007	Terr	186° 42' 17"	399.575	399.735
		N	5373198.147				79H0664	Terr	352° 49' 51"	342.890	343.027
		EI (H)	76.190 CGVD28								
62984	80H1620	E	476959.932	0.9995995	0.9999930	423699 627273 973180	80H1650	Terr	127° 22' 27"	146.180	146.239
		N	5368904.902				80H1651	Terr	217° 18' 53"	165.901	165.967
		EI (H)	63.782 CGVD28				80H1552	Terr	307° 35' 13"	191.719	191.796
63784	79H1026	E	471715.132	0.9995973	0.9999875	591263 966218	79H1035	Terr	172° 46' 57"	340.381	340.518
		N	5374291.151				79H1057	Terr	353° 20' 23"	232.163	232.256
		EI (H)	98.405 CGVD28								
64311	80H1461	E	475741.389	0.9996035	0.9999963	756932 441329	85H0895	Terr	270° 13' 57"	226.987	227.077
		N	5369270.029				80H1446	Terr	355° 7' 21"	159.989	160.053
		EI (H)	42.389 CGVD28								
67736	80H1507	E	475757.243	0.9996042	0.9999969	26021	80H1564	Terr	194° 28' 48"	81.966	81.998
		N	5370560.401								
		EI (H)	38.330 CGVD28								
68502	81H4151	E	469595.306	0.9995991	0.9999878	231191 107730	80H4068	Terr	174° 20' 44"	246.456	246.555
		N	5375576.550				81H4135	Terr	270° 45' 15"	251.708	251.809
		EI (H)	96.428 CGVD28								
68551	79H8813	E	472026.137	0.9996094	0.9999998	548388 950212	79H8859	Terr	79° 55' 9"	207.842	207.923
		N	5366653.733				79H8807	Terr	169° 48' 9"	207.849	207.930
		EI (H)	19.811 CGVD28								
69955	79H1004	E	469893.065	0.9996045	0.9999933	540377 768259 597575	79H1002	Terr	12° 42' 10"	114.887	114.932
		N	5372521.883				79H1005	Terr	148° 38' 7"	201.282	201.362
		EI (H)	61.116 CGVD28				79H1032	Terr	253° 10' 21"	176.029	176.098

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
71472	80H1511	E N EI (H)	472549.390 5367500.475 30.485 CGVD28	0.9996074	0.9999981	652537	80H1527	Terr	124° 57' 31"	165.212	165.277
72751	79H8726	E N EI (H)	470079.502 5366299.070 3.652 CGVD28	0.9996133	1.0000023		MARKER DESTROYED				
74617	79H0672	E N EI (H)	472126.224 5375536.034 46.122 CGVD28	0.9996052	0.9999957		MARKER DESTROYED				
75960	79H8795	E N EI (H)	469729.593 5367265.490 9.311 CGVD28	0.9996127	1.0000014	624544	79H8788	Terr	124° 38' 44"	290.716	290.829
75994	80H3078	E N EI (H)	474977.390 5367402.443 51.574 CGVD28	0.9996025	0.9999948	50492 789412	80H2432 80H3100	Terr Terr	9° 53' 38" 193° 4' 34"	224.125 213.453	224.214 213.538
76042	80H3089	E N EI (H)	468507.323 5373607.343 87.137 CGVD28	0.9996014	0.9999892	849943	80H2405	Terr	156° 59' 29"	72.722	72.751
76612	80H3038	E N EI (H)	467580.637 5369259.150 40.309 CGVD28	0.9996095	0.9999965		MARKER DESTROYED				
76885	79H8770	E N EI (H)	470223.084 5366916.808 10.967 CGVD28	0.9996121	1.0000012	92841	79H8774	Terr	127° 57' 48"	221.905	221.991
77933	80H1409	E N EI (H)	478069.066 5368435.704 19.001 CGVD28	0.9996059	1.0000000	513994	80H1548	Terr	1° 38' 6"	117.594	117.640

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
78105	79H0986	E	470555.253	0.9996088	0.9999982	973818	79H0700	Terr	129° 1' 45"	229.443	229.533		
		N	5371974.543					Terr	289° 44' 6"			163.727	163.791
		El (H)	30.192 CGVD28										
78352	79H0597	E	473710.722	0.9996045	0.9999960	368969	85H0848	Terr	347° 28' 17"	86.416	86.450		
		N	5367856.419										
		El (H)	44.123 CGVD28										
78709	80H1419	E	475049.427	0.9996013	0.9999936	522904	80H1427	Terr	138° 38' 10"	135.377	135.431		
		N	5369364.552					Terr	261° 37' 11"			136.928	136.983
		El (H)	59.220 CGVD28					Terr	333° 44' 23"				
79210	79H8810	E	471353.896	0.9996111	1.0000010	323469	79H8718	Terr	20° 45' 58"	177.729	177.798		
		N	5367017.289					Terr	192° 57' 30"			227.786	227.874
		El (H)	11.913 CGVD28					Terr	288° 19' 32"				
79418	80H1610	E	477239.460	0.9996002	0.9999938	786855	80H1619	Terr	37° 23' 39"	110.490	110.534		
		N	5368808.075										
		El (H)	58.293 CGVD28										
79715	80H4076	E	468495.603	0.9995955	0.9999833	352922	80H4082	Terr	330° 42' 43"	113.364	113.410		
		N	5376274.776										
		El (H)	125.203 CGVD28										
79756	80H4074	E	467587.239	0.9995968	0.9999838	956953	81H4183	Terr	98° 41' 10"	281.506	281.618		
		N	5371004.737										
		El (H)	121.376 CGVD28										
79855	79H1052	E	469491.070	0.9996110	0.9999995	MARKER DESTROYED							
		N	5369022.649										
		El (H)	21.281 CGVD28										
83550	80H2412	E	474483.605	0.9996047	0.9999967	MARKER ISOLATED							
		N	5368521.595										
		El (H)	39.829 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
84087	79H0996	E N EI (H)	473005.422 5372072.720 39.276 CGVD28	0.9996057	0.9999968	4432	79H0776	Terr	214° 33' 10"	156.845	156.907
84517	80H2461	E N EI (H)	475547.176 5366677.840 37.767 CGVD28	0.9996044	0.9999970	767038 135269	80H2421 80H1657	Terr Terr	87° 54' 38" 273° 59' 24"	137.407 169.256	137.462 169.323
84855	87H2530	E N EI (H)	475392.309 5368456.498 38.665 CGVD28	0.9996043	0.9999969	MARKER DESTROYED					
84897	79H8820	E N EI (H)	472936.078 5366669.773 10.315 CGVD28	0.9996103	1.0000013	MARKER DESTROYED					
85407	79H8832	E N EI (H)	470824.339 5367364.913 6.342 CGVD28	0.9996124	1.0000019	464834 992115	79H0719 79H8825	Terr Terr	9° 24' 11" 190° 33' 9"	150.442 156.387	150.501 156.447
87148	79H0697	E N EI (H)	471001.992 5371829.946 52.352 CGVD28	0.9996050	0.9999947	MARKER ISOLATED					
89250	80H4056	E N EI (H)	469385.382 5374786.432 122.890 CGVD28	0.9995952	0.9999836	237073 745992	81H4143 80H4015	Both Terr	63° 51' 49" 123° 19' 22"	212.387 122.897	212.473 122.946
89839	80H1694	E N EI (H)	475606.350 5368910.587 38.478 CGVD28	0.9996042	0.9999969	119859 718320 542951 462770	80H1612 80H1675 80H1609 79H1189	Terr Terr Terr Terr	0° 17' 8" 90° 43' 37" 174° 37' 3" 272° 29' 21"	140.293 277.536 95.156 183.290	140.348 277.646 95.193 183.363
89854	79H0684	E N EI (H)	473338.272 5373034.978 26.403 CGVD28	0.9996075	0.9999988	165357 147009	79H0660 79H0718	Terr Terr	113° 5' 13" 333° 32' 14"	120.167 143.913	120.214 143.969

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
90571	80H1618	E	474806.749	0.9995982	0.9999904	515031	85H0829	Terr	22° 51' 54"	125.728	125.779		
		N	5367464.220					Terr	180° 8' 47"			223.673	223.762
		El (H)	80.031 CGVD28										
90886	80H4006	E	467284.372	0.9996072	0.9999941	168799	80H4042	Terr	9° 43' 29"	195.860	195.937		
		N	5373914.570					Terr	195° 14' 17"			109.660	109.704
		El (H)	56.079 CGVD28										
91256	80H1589	E	479342.159	0.9996033	0.9999980	769158	80H1583	Terr	73° 58' 53"	119.721	119.768		
		N	5367009.148					Terr	345° 58' 57"			82.822	82.855
		El (H)	31.597 CGVD28										
92296	79H8979	E	473784.114	0.9996032	0.9999948	276337	79H0607	Terr	79° 27' 19"	109.621	109.665		
		N	5367962.297					Terr	256° 51' 13"			94.618	94.655
		El (H)	52.068 CGVD28					60152	79H0593				
92486	79H8921	E	469562.401	0.9996118	1.0000004	MARKER DESTROYED							
92734	80H3120	E	468864.839	0.9996056	0.9999936	447839	79H0754	Terr	113° 7' 44"	219.640	219.727		
		N	5372349.737										
		El (H)	58.954 CGVD28										
92841	79H8774	E	470398.035	0.9996116	1.0000008	76885	79H8770	Terr	307° 57' 48"	221.905	221.991		
		N	5366780.302										
		El (H)	12.961 CGVD28										
93377	79H8984	E	474388.741	0.9996017	0.9999936	165464	79H0990	Terr	167° 43' 23"	177.983	178.054		
		N	5367797.071					Terr	349° 16' 58"			174.302	174.372
		El (H)	59.375 CGVD28										
93385	79H8981	E	472685.969	0.9996075	0.9999983	952598	79H8892	Terr	23° 31' 23"	126.449	126.499		
		N	5367183.879					Terr	302° 55' 34"			285.561	285.673
		El (H)	29.487 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
95513	80H2407	E N EI (H)	476003.815 5366749.542 72.502 CGVD28	0.9995987	0.9999916	464636	80H2491	Terr	45° 55' 7"	94.157	94.195
95919	80H3041	E N EI (H)	467467.427 5370739.721 78.394 CGVD28	0.9996036	0.9999906	983148	80H4003	Terr	165° 56' 16"	116.468	116.514
95943	81H4161	E N EI (H)	475079.946 5367781.894 51.941 CGVD28	0.9996024	0.9999948	737262 50492	80H2498 80H2432	Terr Terr	22° 5' 28" 201° 58' 57"	108.293 171.098	108.336 171.166
96289	79H8851	E N EI (H)	471381.035 5368611.751 27.156 CGVD28	0.9996087	0.9999986	MARKER DESTROYED					
96537	79H0618	E N EI (H)	473052.865 5367811.816 25.952 CGVD28	0.9996078	0.9999988	844910 493858	79H0626 79H0617	Terr Terr	91° 39' 44" 270° 18' 19"	203.257 185.611	203.336 185.683
97444	79H8912	E N EI (H)	469306.989 5370344.177 22.043 CGVD28	0.9996110	0.9999994	111443 332643 205930	79H8866 80H3117 79H8882	Terr Terr Terr	158° 7' 34" 275° 15' 33" 349° 38' 54"	397.532 198.283 263.486	397.686 198.360 263.588
99598	80H1688	E N EI (H)	476055.334 5368176.726 43.046 CGVD28	0.9996032	0.9999962	788794	80H2430	Terr	280° 41' 13"	108.206	108.249
99622	79H8771	E N EI (H)	470681.282 5367927.060 9.770 CGVD28	0.9996119	1.0000014	386607 423061	79H8839 85H0821	Terr Terr	152° 15' 59" 311° 20' 32"	320.266 167.562	320.391 167.627
100156	79H1185	E N EI (H)	474998.281 5371746.719 38.753 CGVD28	0.9996046	0.9999969	628248	79H1149	Terr	148° 8' 26"	428.813	428.982

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
100685	80H1554	E	476878.993	0.9995994	0.9999928	973180	80H1552	Terr	217° 9' 15"	117.532	117.580
		N	5369115.519								
		EI (H)	64.613	CGVD28							
101402	80H1405	E	477466.432	0.9996018	0.9999956	MARKER DESTROYED					
		N	5368499.284								
		EI (H)	46.950	CGVD28							
102335	80H2428	E	475597.591	0.9996043	0.9999969	513127	80H2460	Terr	90° 41' 22"	224.054	224.143
		N	5368290.284			542217	80H2411	Terr	307° 0' 27"	88.693	88.728
		EI (H)	38.262	CGVD28							
102376	80H1438	E	475814.352	0.9996031	0.9999959	324772	80H1489	Terr	17° 58' 57"	133.153	133.206
		N	5369934.423			583989	80H1575	Terr	111° 51' 59"	340.675	340.811
		EI (H)	44.948	CGVD28		924415	80H1436	Terr	208° 21' 38"	221.533	221.621
						820084	80H1422	Terr	292° 46' 51"	357.434	357.576
103176	79H8721	E	469618.085	0.9996121	1.0000007	MARKER ISOLATED					
		N	5367271.049								
		EI (H)	13.740	CGVD28							
103440	79H0775	E	473714.455	0.9996038	0.9999953	844480	79H1008	Terr	168° 51' 20"	389.412	389.566
		N	5370538.985			654350	79H0721	Terr	348° 5' 1"	166.099	166.165
		EI (H)	48.758	CGVD28							
104679	80H4086	E	469205.070	0.9996040	0.9999924	768796	80H4097	Terr	0° 47' 22"	601.024	601.263
		N	5376989.868			808485	80H4091	Terr	180° 48' 17"	601.333	601.572
		EI (H)	67.192	CGVD28							
104778	80H1443	E	476226.573	0.9996007	0.9999938	439349	80H1549	Terr	21° 14' 57"	255.524	255.626
		N	5370025.860			246850	80H1663	Terr	112° 0' 45"	193.877	193.955
		EI (H)	58.527	CGVD28		583989	80H1575	Terr	203° 44' 54"	238.517	238.612
						585802	80H1530	Terr	292° 55' 25"	177.665	177.736
104786	80H2476	E	479062.740	0.9996067	1.0000013	405704	80H2483	Terr	145° 20' 47"	161.333	161.396
		N	5366836.743			143446	80H1537	Terr	289° 44' 50"	191.178	191.253
		EI (H)	10.657	CGVD28							

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
104935	80H1451	E N EI (H)	478596.838 5368541.874 20.297 CGVD28	0.9996054	0.9999998	755181	85H0817	Terr	308° 16' 5"	78.906	78.937
104984	79H8785	E N EI (H)	470456.485 5366242.316 14.639 CGVD28	0.9996113	1.0000006	125864 761999 762609	79H8775 79H8723 79H8781	Terr Terr Terr	37° 51' 38" 216° 48' 26" 307° 53' 54"	191.517 134.435 267.711	191.592 134.487 267.815
105080	79H8782	E N EI (H)	471831.580 5366305.041 21.183 CGVD28	0.9996093	0.9999996	54122	79H8876	Terr	303° 57' 54"	145.060	145.117
105197	79H8800	E N EI (H)	471502.782 5367437.941 27.711 CGVD28	0.9996085	0.9999985	938365 492660	79H8808 79H8801	Terr Terr	20° 34' 41" 200° 12' 8"	143.579 91.450	143.636 91.486
106450	79H1155	E N EI (H)	471837.478 5376281.150 34.541 CGVD28	0.9996073	0.9999975	452409 182105 762179	79H1130 79H1135 79H0620	Terr Terr Terr	67° 7' 41" 153° 35' 45" 256° 35' 35"	244.490 306.219 117.011	244.586 306.339 117.057
107425	79H1178	E N EI (H)	471570.600 5373964.263 76.815 CGVD28	0.9996008	0.9999909	591263 739953 709477	79H1035 79H0664 79H1146	Terr Terr Terr	93° 17' 56" 172° 7' 51" 352° 9' 27"	187.608 429.956 307.596	187.683 430.127 307.719
107730	81H4135	E N EI (H)	469343.620 5375579.863 107.960 CGVD28	0.9995975	0.9999860	68502	81H4151	Terr	90° 45' 15"	251.708	251.809
107755	80H1534	E N EI (H)	477559.287 5370382.075 21.105 CGVD28	0.9996058	0.9999996	782672 139741	80H1556 80H1512	Terr Terr	7° 55' 26" 290° 53' 25"	194.011 112.217	194.088 112.261
108118	79H8828	E N EI (H)	470526.771 5367729.750 33.153 CGVD28	0.9996084	0.9999977	129668 529123	79H8888 79H8831	Terr Terr	152° 13' 38" 312° 22' 58"	85.363 153.216	85.396 153.276

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
108738	79H8894	E	470508.869	0.9996118	1.0000011	851915 502120	79H8715	Terr	33° 17' 7"	184.911	184.983		
		N	5368542.387				79H8910	Terr	213° 32' 39"			201.041	201.119
		El (H)	11.129 CGVD28										
109819	79H8877	E	469495.726	0.9996103	0.9999989	MARKER DESTROYED							
		N	5369183.588										
		El (H)	25.609 CGVD28										
109959	80H4001	E	467813.985	0.9996138	1.0000011	204313 241711	80H3081	Terr	8° 31' 32"	561.918	562.136		
		N	5369220.037				80H3077	Terr	93° 50' 55"			166.107	166.171
		El (H)	11.521 CGVD28										
110700	81H4149	E	467753.913	0.9996013	0.9999885	478933 179895	80H4036	Terr	175° 43' 10"	199.262	199.341		
		N	5376794.458				81H4152	Terr	307° 25' 8"			184.731	184.805
		El (H)	91.622 CGVD28										
111443	79H8866	E	469455.095	0.9996112	0.9999997	785048 97444	79H8915	Terr	157° 49' 5"	166.763	166.828		
		N	5369975.265				79H8912	Terr	338° 7' 34"			397.532	397.686
		El (H)	20.121 CGVD28										
111567	85H0884	E	473031.188	0.9996056	0.9999966	384438 695635	87H2486	Terr	149° 31' 55"	67.732	67.759		
		N	5371489.995				87H2492	Terr	285° 39' 19"			114.806	114.851
		El (H)	39.941 CGVD28										
112763	79H0713	E	473531.436	0.9996070	0.9999984	395442 241869 165357	80H1458	Both	145° 51' 2"	168.044	168.110		
		N	5372885.682				11703	Both	153° 43' 23"			1920.873	1921.658
		El (H)	28.813 CGVD28				79H0660	Terr	321° 2' 25"				
112797	80H1627	E	475805.578	0.9996038	0.9999966	13672 713123	87H2496	Terr	3° 53' 18"	181.262	181.334		
		N	5368633.627				80H1630	Terr	248° 50' 52"			95.592	95.629
		El (H)	40.387 CGVD28										
114314	80H1681	E	475389.486	0.9996053	0.9999979	MARKER DESTROYED							
		N	5367324.296										
		El (H)	32.180 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)			
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
115741	80H2484	E	475018.952	0.9996054	0.9999978	941187	80H2424	Terr	89° 55' 25"	172.379	172.447			
		N	5366436.566					Terr	271° 30' 19"			178.146	178.217	
		El (H)	32.930 CGVD28											
116079	80H1667	E	477302.083	0.9995997	0.9999934	184630	80H1543	Terr	311° 49' 57"	143.539	143.597			
		N	5369196.693											
		El (H)	61.155 CGVD28											
116319	80H1572	E	478640.247	0.9996065	1.0000009	651703	80H2410	Terr	319° 23' 0"	156.557	156.619			
		N	5368042.931											
		El (H)	12.969 CGVD28											
116640	85H0833	E	476951.778	0.9996003	0.9999937	120022	80H1595	Terr	56° 10' 33"	66.662	66.688			
		N	5370339.038					85H0839	Terr			293° 53' 36"	152.090	152.151
		El (H)	58.729 CGVD28											
118125	80H1531	E	474671.595	0.9996034	0.9999955	981324	80H1488	Terr	198° 25' 13"	223.612	223.701			
		N	5370326.388											
		El (H)	47.135 CGVD28											
118323	79H8904	E	471069.264	0.9996077	0.9999974	778696	79H8923	Terr	170° 28' 53"	105.788	105.829			
		N	5369660.418											
		El (H)	34.814 CGVD28											
119859	80H1612	E	475607.049	0.9996042	0.9999969	745398	80H2464	Terr	5° 59' 57"	119.248	119.295			
		N	5369050.878					80H1694	Terr			180° 17' 8"	140.293	140.348
		El (H)	38.741 CGVD28											
120022	80H1595	E	477007.157	0.9996006	0.9999941	146035	81H4218	Terr	112° 21' 46"	245.082	245.179			
		N	5370376.145					85H0833	Terr			236° 10' 33"	66.662	66.688
		El (H)	56.725 CGVD28						80H1592			Terr		
121129	80H1469	E	477822.574	0.9996051	0.9999991	MARKER DESTROYED								
		N	5368144.788											
		El (H)	24.846 CGVD28											

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
121277	79H8779	E	470734.056	0.9996116	1.0000011		MARKER DESTROYED				
		N	5366599.360								
		EI (H)	11.349 CGVD28								
121426	80H2471	E	479880.040	0.9996041	0.9999991		MARKER ISOLATED				
		N	5367076.721								
		EI (H)	24.501 CGVD28								
122283	80H3076	E	467397.138	0.9996085	0.9999955	216150	80H3070	Terr	29° 27' 18"	125.680	125.729
		N	5369815.150								
		EI (H)	47.088 CGVD28								
124867	85H0882	E	472805.864	0.9996059	0.9999968	848770	85H0905	Terr	118° 58' 53"	125.131	125.181
		N	5371283.415			178160	85H0900	Terr	227° 30' 16"	166.817	166.882
		EI (H)	38.817 CGVD28			267054	79H0744	Terr	357° 51' 55"	46.311	46.329
125021	79H0677	E	473797.801	0.9996052	0.9999968	243808	79H0707	Terr	0° 39' 49"	229.708	229.799
		N	5369744.283			248062	79H0991	Terr	172° 30' 2"	215.920	216.005
		EI (H)	39.112 CGVD28								
125542	79H8742	E	469089.897	0.9996130	1.0000013		MARKER DESTROYED				
		N	5366942.238								
		EI (H)	9.975 CGVD28								
125864	79H8775	E	470574.027	0.9996105	0.9999998	429399	79H8792	Terr	127° 0' 17"	207.318	207.399
		N	5366393.520			104984	79H8785	Terr	217° 51' 38"	191.517	191.592
		EI (H)	19.407 CGVD28								
126151	79H8922	E	471518.504	0.9996082	0.9999982	339192	87H2525	Terr	91° 56' 18"	207.320	207.401
		N	5368934.585			695296	79H8917	Terr	259° 51' 49"	209.565	209.647
		EI (H)	29.765 CGVD28								
126557	79H0757	E	472625.244	0.9996057	0.9999965	858464	79H0736	Terr	5° 56' 47"	98.080	98.118
		N	5368758.100			993295	79H0752	Terr	209° 29' 42"	121.329	121.377
		EI (H)	41.007 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
126672	85H0847	E	467698.545	0.9996076	0.9999948	592147	80H4055	Terr	11° 18' 51"	520.426	520.631
		N	5375772.637			21584	81H4126	Both	13° 23' 40"	1943.308	1944.082
		EI (H)	51.755 CGVD28			480392	77H6142	Both	50° 28' 32"	3539.619	3541.023
						967166	99H2282	GPS Only	70° 14' 34"	1831.489	1832.212
						378042	A-59	GPS Only	185° 21' 26"	1368.345	1368.883
						777573	87H2518	Terr	195° 59' 24"	281.900	282.010
						797811	81H4122	Both	198° 59' 35"	2876.970	2878.103
						993675	99H2281	GPS Only	266° 30' 58"	1604.118	1604.758
127092	80H1622	E	476948.156	0.9995992	0.9999927	262030	80H1660	Terr	201° 20' 2"	167.828	167.895
		N	5369911.309			893503	85H0843	Terr	350° 28' 26"	116.112	116.159
127217	80H1510	E	477356.301	0.9996034	0.9999971	MARKER DESTROYED					
		N	5370239.472								
		EI (H)	37.666 CGVD28								
127613	79H1158	E	478257.082	0.9996059	1.0000001	651661	80H1444	Terr	10° 13' 4"	159.353	159.416
		N	5368104.811			580936	80H1515	Terr	130° 0' 48"	212.708	212.792
		EI (H)	18.159 CGVD28			834952	79H1145	Terr	221° 2' 25"	167.026	167.091
						894964	79H1118	Terr	312° 2' 34"	121.463	121.511
128702	79H0716	E	473171.881	0.9996074	0.9999986	442194	79H0760	Terr	314° 12' 29"	141.150	141.205
		N	5368940.470								
		EI (H)	27.724 CGVD28								
129668	79H8888	E	470566.547	0.9996092	0.9999986	809541	79H8881	Terr	242° 37' 12"	159.896	159.959
		N	5367654.221			108118	79H8828	Terr	332° 13' 38"	85.363	85.396
		EI (H)	27.530 CGVD28								
131086	80H1641	E	478272.598	0.9996084	1.0000026	986190	80H1524	Terr	310° 44' 48"	173.715	173.783
		N	5367348.535								
		EI (H)	2.518 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)	
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
131953	99H2280	E	466522.927	0.9996040	0.9999903	797811	81H4122	Both	6° 30' 22"	2111.886	2112.722	
		N	5370954.011			211458	80H2478	Both	88° 28' 47"			
		EI (H)	80.326 CGVD28			644054	99H2285	GPS Only	176° 29' 36"			
						108530	99H2292	GPS Only	280° 50' 18"			
						821074	99H2297	GPS Only	318° 27' 56"		2799.164	2800.292
132845	79H0780	E	472548.468	0.9996039	0.9999946	MARKER ISOLATED						
		N	5371683.464									
		EI (H)	52.926 CGVD28									
133132	79H8870	E	471103.271	0.9996085	0.9999982	463794	81H4210	Terr	77° 59' 4"	123.211	123.260	
		N	5369465.359			496711	79H8919	Terr	169° 36' 22"			
		EI (H)	29.862 CGVD28			214700	79H8901	Terr	259° 59' 53"			
						778696	79H8923	Terr	349° 41' 5"			
133488	79H1043	E	472648.082	0.9995992	0.9999900	908780	85H0871	Terr	1° 59' 16"	146.651	146.710	
		N	5372594.274			607416	79H1045	Terr	172° 59' 33"			
		EI (H)	82.245 CGVD28									
134312	80H1581	E	475698.292	0.9996041	0.9999968	26021	80H1564	Terr	21° 17' 55"	105.872	105.914	
		N	5370382.398									
		EI (H)	39.202 CGVD28									
135210	80H4070	E	469949.383	0.9996040	0.9999929	479592	80H4089	Terr	166° 8' 33"	215.817	215.902	
		N	5376342.243									
		EI (H)	63.836 CGVD28									
135269	80H1657	E	475378.330	0.9996052	0.9999977	869610	80H1674	Terr	1° 0' 34"	243.791	243.887	
		N	5366689.617			84517	80H2461	Terr	93° 59' 24"			
		EI (H)	33.327 CGVD28			870873	80H2452	Terr	269° 10' 17"			
138545	79H8826	E	470039.569	0.9996097	0.9999987	625871	79H8856	Terr	123° 25' 1"	162.173	162.236	
		N	5368129.488			391631	79H8840	Terr	250° 34' 19"			
		EI (H)	26.669 CGVD28									
138891	79H1182	E	475274.498	0.9996069	0.9999994	259416	80H1448	Terr	113° 20' 52"	260.991	261.094	
		N	5371267.723			628248	79H1149	Terr	336° 30' 54"			
		EI (H)	22.477 CGVD28									

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
139741	80H1512	E	477454.447	0.9996054	0.9999992	107755	80H1534	Terr	110° 53' 25"	112.217	112.261
		N	5370422.089								
		EI (H)	24.264	CGVD28							
140731	79H0722	E	473370.468	0.9996071	0.9999984	395442	80H1458	Both	8° 29' 3"	1730.420	1731.100
		N	5371035.130			150664	80H1426	Both	88° 54' 34"	2351.881	2352.807
		EI (H)	29.022	CGVD28		895144	79H0695	Terr	89° 30' 49"	207.823	207.905
						465575	99H2279	GPS Only	170° 21' 50"	2899.745	2900.888
						836379	79H0733	Terr	178° 44' 38"	166.771	166.837
						544908	PIER 5	Both	266° 41' 13"	1885.167	1885.907
						211458	80H2478	Both	269° 46' 5"	4473.239	4474.997
						710236	87H2483	Terr	303° 39' 11"	168.407	168.473
						832576		GPS Only	310° 17' 6"	2384.288	2385.235
140921	85H0877	E	472884.437	0.9996037	0.9999947	259432	85H0896	Terr	30° 51' 31"	66.307	66.333
		N	5370910.996			390583	85H0907	Terr	259° 21' 40"	106.556	106.598
		EI (H)	52.345	CGVD28							
141168	80H3049	E	469045.942	0.9996031	0.9999913	830398	80H4026	Terr	113° 45' 35"	155.306	155.368
		N	5373687.769			592170	80H3068	Terr	316° 48' 40"	286.748	286.862
		EI (H)	74.019	CGVD28							
141499	87H2493	E	470242.089	0.9996115	1.0000006	152306	95H1743	Terr	7° 58' 51"	127.218	127.268
		N	5370195.745			945758	74H2193	Terr	142° 14' 43"	176.666	176.734
		EI (H)	14.293	CGVD28							
141994	79H0690	E	471773.696	0.9996071	0.9999973	241372	79H0731	Terr	69° 9' 14"	159.007	159.069
		N	5371400.298								
		EI (H)	35.701	CGVD28							
142166	79H8768	E	472179.348	0.9996092	0.9999997	548388	79H8859	Terr	158° 19' 43"	139.248	139.303
		N	5366819.519			789321	79H8804	Terr	260° 59' 51"	228.843	228.932
		EI (H)	20.613	CGVD28		971408	98H2196	Terr	340° 50' 14"	349.159	349.295
143263	80H1562	E	476794.169	0.9996008	0.9999942	918151	80H1578	Terr	112° 2' 33"	165.510	165.576
		N	5370902.971			696500	80H1423	Terr	291° 38' 45"	197.611	197.690
		EI (H)	56.088	CGVD28							

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
143321	80H1494	E N EI (H)	475726.864 5370226.958 41.816 CGVD28	0.9996036	0.9999964		MARKER ISOLATED				
143412	79H8893	E N EI (H)	471364.554 5370472.686 34.443 CGVD28	0.9996076	0.9999975		MARKER DESTROYED				
143446	80H1537	E N EI (H)	478882.805 5366901.336 9.752 CGVD28	0.9996069	1.0000014	104786	80H2476	Terr	109° 44' 50"	191.178	191.253
143743	79H1013	E N EI (H)	471522.454 5376024.522 72.735 CGVD28	0.9996015	0.9999915	350488	79H1120	Terr	149° 33' 3"	157.331	157.394
144063	80H1490	E N EI (H)	475017.974 5370869.853 38.973 CGVD28	0.9996045	0.9999968		MARKER DESTROYED				
146035	81H4218	E N EI (H)	477233.807 5370282.899 43.619 CGVD28	0.9996025	0.9999961	784231 11338 120022	80H1558 87H2540 80H1595	Terr Terr Terr	11° 52' 41" 115° 47' 4" 292° 21' 46"	137.570 125.940 245.082	137.624 125.990 245.179
146548	79H1122	E N EI (H)	472555.676 5374377.339 33.012 CGVD28	0.9996070	0.9999977	909945 818344	79H1113 79H1114	Terr Terr	158° 47' 13" 348° 16' 15"	183.613 348.058	183.686 348.194
146662	87H2495	E N EI (H)	472875.370 5374364.820 9.271 CGVD28	0.9996105	1.0000015		MARKER DESTROYED				
146928	79H8963	E N EI (H)	473113.579 5366794.531 24.174 CGVD28	0.9996080	0.9999991	984013	79H0601	Terr	328° 3' 51"	202.480	202.560

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
147009	79H0718	E	473274.142	0.9996085	0.9999997	89854	79H0684	Terr	153° 32' 14"	143.913	143.969
		N	5373163.812			592063	79H0670	Terr	349° 54' 57"	123.585	123.634
		EI (H)	20.437 CGVD28								
147488	80H1689	E	476059.656	0.9996029	0.9999959	MARKER DESTROYED					
		N	5368027.709								
		EI (H)	44.914 CGVD28								
148064	80H3104	E	474885.005	0.9996018	0.9999940	MARKER DESTROYED					
		N	5366875.997								
		EI (H)	56.929 CGVD28								
148437	79H0635	E	473261.202	0.9996048	0.9999960	53868	85H0880	Terr	79° 49' 57"	95.657	95.695
		N	5367402.527			849679	79H0634	Terr	256° 33' 0"	157.896	157.958
		EI (H)	44.195 CGVD28								
148965	80H2422	E	480178.584	0.9996057	1.0000009	MARKER DESTROYED					
		N	5366782.960								
		EI (H)	13.400 CGVD28								
149344	79H0696	E	469410.596	0.9996044	0.9999929	33431	79H0729	Terr	131° 21' 48"	184.315	184.388
		N	5373118.282			207522	79H0742	Terr	291° 0' 42"	118.226	118.273
		EI (H)	63.888 CGVD28			273532	80H3048	Terr	337° 57' 21"	113.122	113.167
150102	80H1535	E	477491.066	0.9996041	0.9999978	161414	80H1434	Terr	216° 44' 27"	96.067	96.105
		N	5369913.898			412015	80H1545	Terr	337° 41' 38"	196.283	196.361
		EI (H)	32.757 CGVD28								
150664	80H1426	E	475721.923	0.9996057	0.9999984	727727	80H1568	Both	109° 2' 27"	1219.537	1220.021
		N	5371079.890			520072	80H1518	Terr	110° 50' 55"	224.719	224.808
		EI (H)	28.702 CGVD28			972828	80H1659	Both	182° 56' 59"	3041.633	3042.835
						760587	80H1467	Terr	202° 8' 39"	209.256	209.339
		465575	99H2279			GPS Only	212° 43' 40"	3451.528	3452.892		
		140731	79H0722			Both	268° 54' 34"	2351.881	2352.807		
		259416	80H1448			Terr	292° 6' 15"	224.290	224.379		
395442	80H1458	Both	308° 29' 22"	2678.028	2679.082						

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
150755	80H1649	E N EI (H)	475812.886 5368027.334 39.011 CGVD28	0.9996040	0.9999968		MARKER DESTROYED				
151613	80H3105	E N EI (H)	474840.170 5366638.944 44.762 CGVD28	0.9996037	0.9999959	723098 708875	80H2494 80H2420	Terr Terr	79° 44' 30" 179° 47' 53"	131.351 197.699	131.403 197.777
152306	95H1743	E N EI (H)	470259.752 5370321.731 15.496 CGVD28	0.9996113	1.0000005	141499 785295	87H2493 79H8913	Terr Terr	187° 58' 51" 337° 43' 57"	127.218 146.979	127.268 147.036
152488	74H2183	E N EI (H)	470452.789 5369762.672 19.549 CGVD28	0.9996106	0.9999998		MARKER DESTROYED				
154500	85H0860	E N EI (H)	472815.053 5372965.611 76.608 CGVD28	0.9996000	0.9999909	248351 317602	85H0872 85H0870	Terr Terr	20° 8' 35" 287° 42' 9"	106.742 77.888	106.784 77.919
154583	80H1413	E N EI (H)	476702.285 5369551.337 65.995 CGVD28	0.9995993	0.9999926	574178	80H1626	Terr	24° 47' 12"	168.930	168.997
155077	80H1682	E N EI (H)	478102.422 5367286.671 1.644 CGVD28	0.9996086	1.0000027	229815	80H2466	Terr	311° 59' 12"	176.415	176.484
157289	79H8741	E N EI (H)	469258.922 5366569.905 2.565 CGVD28	0.9996141	1.0000025		MARKER DESTROYED				
157396	80H4071	E N EI (H)	469574.767 5376492.019 71.087 CGVD28	0.9996031	0.9999918	962886	80H4099	Terr	188° 52' 8"	105.421	105.463

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
157768	85H0878	E	472600.585	0.9995970	0.9999877	802645	85H0875	Terr	88° 32' 0"	67.551	67.578		
		N	5372871.728					Terr	200° 47' 54"			99.727	99.767
		El (H)	96.815 CGVD28										
158543	80H4088	E	467707.733	0.9996088	0.9999960	210435	80H3094	Terr	48° 29' 43"	228.236	228.325		
		N	5370174.650					Terr	166° 58' 25"			228.700	228.790
		El (H)	43.824 CGVD28										
158840	80H1449	E	476965.066	0.9996059	0.9999994	812768	80H1540	Terr	105° 51' 24"	145.239	145.296		
		N	5371239.786					Terr	203° 51' 43"			249.910	250.008
		El (H)	22.576 CGVD28										
159590	99H2283	E	471945.533	0.9995983	0.9999886	431411	79H1166	Both	8° 45' 56"	1820.916	1821.638		
		N	5374967.535					GPS Only	10° 0' 11"			3437.686	3439.051
		El (H)	91.424 CGVD28					Both	142° 53' 27"				
		GPS Only	189° 21' 21"					2422.980	2423.952				
		GPS Only	234° 57' 59"									3510.260	3511.662
		GPS Only	262° 44' 26"					4410.096	4411.849				
		Both	267° 53' 3"									2371.098	2372.055
		GPS Only	299° 26' 29"					2897.496	2898.653				
832576	80H1458	Both	142° 53' 27"	2784.903	2786.010								
822932	99H2284	GPS Only	234° 57' 59"			3510.260	3511.662						
378042	A-59	GPS Only	262° 44' 26"	4410.096	4411.849								
237073	81H4143	Both	267° 53' 3"			2371.098	2372.055						
967166	99H2282	GPS Only	299° 26' 29"	2897.496	2898.653								
161414	80H1434	E	477433.599			0.9996036	0.9999973	150102	80H1535	Terr	36° 44' 27"	96.067	96.105
		N	5369836.915	Terr	217° 37' 9"					240.815	240.911		
		El (H)	35.996 CGVD28	Terr	293° 52' 4"								
162099	79H1047	E	468852.469	0.9996082	0.9999963	MARKER DESTROYED	MARKER DESTROYED						
		N	5369427.230										
		El (H)	41.909 CGVD28										
164640	79H1054	E	472878.134	0.9996105	1.0000015	MARKER DESTROYED	MARKER DESTROYED						
		N	5374356.257										
		El (H)	9.300 CGVD28										
165126	80H3039	E	468398.181	0.9996061	0.9999938	2485	80H3062	Terr	5° 24' 45"	169.289	169.355		
		N	5370790.457					Terr	190° 35' 9"			154.250	154.311
		El (H)	57.659 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)			
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
165357	79H0660	E	473448.815	0.9996077	0.9999991	112763	79H0713	Terr	141° 2' 25"	131.400	131.452			
		N	5372987.857					89854	79H0684		Terr	293° 5' 13"	120.167	120.214
		EI (H)	24.602 CGVD28											
165472	79H0691	E	472163.299	0.9996064	0.9999969	241372	79H0731	Terr	256° 36' 51"	247.735	247.833			
		N	5371514.235											
		EI (H)	38.402 CGVD28											
168799	80H4042	E	467317.456	0.9996072	0.9999941	204271	80H4010	Terr	37° 20' 54"	271.974	272.081			
		N	5374107.616					90886	80H4006		Terr	189° 43' 29"	195.860	195.937
		EI (H)	55.988 CGVD28											
168872	79H0602	E	472587.267	0.9996061	0.9999968		MARKER DESTROYED							
169524	80H3052	E	468728.383	0.9996022	0.9999902	625046	80H2472	Terr	146° 47' 25"	128.814	128.865			
		N	5374172.045					559880	80H3060		Terr	307° 2' 42"	124.071	124.121
		EI (H)	80.963 CGVD28											
170407	80H3043	E	467652.947	0.9996069	0.9999940	690420	80H2409	Terr	117° 43' 17"	117.331	117.377			
		N	5374126.654											
		EI (H)	56.587 CGVD28											
172197	87H2528	E	476637.476	0.9995993	0.9999926	490680	80H1597	Terr	109° 56' 51"	142.520	142.577			
		N	5370507.913					468470	80H1624		Terr	294° 51' 35"	206.635	206.718
		EI (H)	66.199 CGVD28											
173195	87H2484	E	473285.750	0.9996046	0.9999958	710236	87H2483	Terr	220° 33' 32"	85.301	85.334			
		N	5371193.261					680900	87H2488		Terr	328° 53' 17"	203.071	203.151
		EI (H)	45.399 CGVD28											
173278	80H1415	E	478272.309	0.9996055	0.9999997	658591	79H1144	Terr	38° 56' 53"	140.420	140.475			
		N	5368373.876					651661	80H1444		Terr	173° 22' 21"	112.994	113.039
		EI (H)	20.909 CGVD28											

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
173906	79H8849	E N EI (H)	470319.213 5367945.109 27.059 CGVD28	0.9996095	0.9999986	625871	79H8856	Terr	303° 22' 50"	172.785	172.852
174052	80H2489	E N EI (H)	475836.358 5366760.429 59.715 CGVD28	0.9996008	0.9999936	203877	80H2499	Terr	338° 13' 39"	132.371	132.424
174821	79H8712	E N EI (H)	469537.088 5368736.088 17.971 CGVD28	0.9996115	1.0000001		MARKER ISOLATED				
175224	80H2446	E N EI (H)	479269.827 5366575.373 11.713 CGVD28	0.9996064	1.0000011		MARKER DESTROYED				
175802	80H1439	E N EI (H)	478923.833 5368081.972 13.792 CGVD28	0.9996063	1.0000008	442848	80H1414	Terr	333° 26' 44"	142.070	142.126
176339	87H2503	E N EI (H)	471600.581 5370454.458 27.653 CGVD28	0.9996085	0.9999986	561993 635177	87H2514 87H2504	Terr Terr	119° 40' 45" 206° 15' 19"	183.975 472.476	184.047 472.660
177188	79H0616	E N EI (H)	473600.891 5367489.341 59.396 CGVD28	0.9996022	0.9999936		MARKER DESTROYED				
177329	79H8972	E N EI (H)	473392.822 5366920.103 44.517 CGVD28	0.9996046	0.9999959		MARKER DESTROYED				
178160	85H0900	E N EI (H)	472682.865 5371170.725 40.606 CGVD28	0.9996057	0.9999965	124867 635441	85H0882 85H0864	Terr Terr	47° 30' 16" 251° 49' 35"	166.817 145.218	166.882 145.275

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)				
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
178442	79H1071	E	472375.290	0.9995970	0.9999877	962175	79H1063	Terr	1° 5' 7"	302.395	302.517				
		N	5373937.047					30429	79H1027			Terr	181° 11' 18"	416.575	416.743
		EI (H)	97.372 CGVD28					556175	79H1192			Terr	271° 42' 5"	244.705	244.803
178509	80H1421	E	476125.451	0.9996026	0.9999956	875161	80H1504	Terr	0° 28' 12"	301.307	301.427				
		N	5369260.629					673723	80H1495			Terr	88° 19' 18"	200.710	200.790
		EI (H)	46.867 CGVD28												
179895	81H4152	E	467607.197	0.9996014	0.9999885	110700	81H4149	Terr	127° 25' 8"	184.731	184.805				
		N	5376906.708					947457	81H4160			Terr	301° 29' 55"	168.799	168.866
		EI (H)	91.966 CGVD28												
180331	85H0910	E	472179.969	0.9996046	0.9999950	496414	85H0906	Terr	75° 55' 48"	128.239	128.290				
		N	5370129.592					585661	85H0903			Terr	287° 45' 49"	120.889	120.936
		EI (H)	50.176 CGVD28												
180364	80H1514	E	479070.281	0.9996049	0.9999995	523787	80H1450	Terr	174° 44' 21"	129.019	129.069				
		N	5368047.769												
		EI (H)	21.796 CGVD28												
180927	80H4046	E	469196.361	0.9996020	0.9999904	808485	80H4091	Terr	0° 5' 7"	176.492	176.562				
		N	5376212.102					307512	81H4134			Terr	181° 30' 59"	203.912	203.994
		EI (H)	79.938 CGVD28					404004	80H4050			Terr	258° 29' 26"	308.788	308.912
182105	79H1135	E	471973.653	0.9996073	0.9999977	830554	79H1193	Terr	162° 17' 33"	264.788	264.892				
		N	5376006.876					106450	79H1155			Terr	333° 35' 45"	306.219	306.339
		EI (H)	33.501 CGVD28												
182808	80H3061	E	468609.215	0.9996056	0.9999935	861898	80H3118	Terr	271° 53' 14"	158.962	159.025				
		N	5371283.882												
		EI (H)	59.826 CGVD28												
184630	80H1543	E	477195.132	0.9995991	0.9999927	116079	80H1667	Terr	131° 49' 57"	143.539	143.597				
		N	5369292.427					869677	79H1167			Terr	306° 10' 40"	142.395	142.452
		EI (H)	65.196 CGVD28												

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factors		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	E	N	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
184903	81H4215	E	467053.218	0.9996068	0.9999935	226985	80H4005	Terr	12° 10' 47"	74.097	74.126
		N	5371531.477								
		EI (H)	59.874	CGVD28							
184937	85H0889	E	472391.831	0.9996036	0.9999942	496414	85H0906	Terr	302° 28' 54"	103.691	103.732
		N	5370105.083								
		EI (H)	55.624	CGVD28							
185009	80H4039	E	467824.546	0.9996058	0.9999930	374975	80H3080	Terr	81° 50' 26"	145.102	145.159
		N	5371484.914			271312	80H3106	Terr	240° 11' 44"	109.764	109.807
		EI (H)	62.608	CGVD28							
186031	79H8914	E	470617.570	0.9996101	0.9999995		MARKER DESTROYED				
		N	5370614.592								
		EI (H)	21.783	CGVD28							
186635	81H4203	E	479256.542	0.9996004	0.9999951	318410	81H4205	Terr	321° 50' 23"	145.380	145.438
		N	5367301.606								
		EI (H)	49.956	CGVD28							
187856	80H3056	E	467418.632	0.9996087	0.9999956	873307	80H4014	Terr	11° 21' 53"	124.439	124.488
		N	5369998.195								
		EI (H)	46.157	CGVD28							
187930	80H1484	E	474513.079	0.9996025	0.9999945	425322	80H1425	Terr	94° 24' 40"	73.472	73.501
		N	5369962.550			206912	79H1175	Terr	266° 12' 40"	94.475	94.513
		EI (H)	53.802	CGVD28							
188698	85H0819	E	475243.822	0.9996032	0.9999956		MARKER ISOLATED				
		N	5368791.763								
		EI (H)	46.553	CGVD28							
189019	80H2404	E	467562.555	0.9996075	0.9999946	653014	80H3073	Terr	3° 43' 43"	198.796	198.874
		N	5374423.291								
		EI (H)	52.733	CGVD28							

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
189571	80H2500	E N EI (H)	479894.292 5367229.025 19.831 CGVD28	0.9996048	0.9999999		MARKER ISOLATED				
191205	79H1074	E N EI (H)	471623.074 5372653.640 87.692 CGVD28	0.9995991	0.9999892		MARKER DESTROYED				
191536	81H4140	E N EI (H)	478534.866 5368585.815 14.671 CGVD28	0.9996063	1.0000007		MARKER DESTROYED				
191825	79H1133	E N EI (H)	474719.123 5372039.156 47.418 CGVD28	0.9996034	0.9999955	892463	79H1181	Terr	319° 15' 55"	231.139	231.231
194464	80H2463	E N EI (H)	475711.073 5366436.115 39.153 CGVD28	0.9996040	0.9999968	886796	80H2465	Terr	269° 18' 15"	170.090	170.157
194589	79H0704	E N EI (H)	471438.189 5370662.333 34.103 CGVD28	0.9996076	0.9999976	566133	79H1029	Terr	16° 38' 24"	179.141	179.211
194811	79H1179	E N EI (H)	478148.856 5368824.024 11.405 CGVD28	0.9996070	1.0000012	458430	80H1442	Terr	200° 36' 41"	93.174	93.211
195149	79H8824	E N EI (H)	470283.140 5368204.511 16.137 CGVD28	0.9996112	1.0000004	790030 625871 566547	79H0725 79H8856 79H8822	Terr Terr Terr	23° 53' 0" 213° 21' 47" 306° 32' 47"	94.921 196.762 139.867	94.958 196.839 139.922
196493	80H1571	E N EI (H)	476417.225 5370224.255 70.293 CGVD28	0.9995988	0.9999919	36335 439349	81H4217 80H1549	Terr Terr	110° 24' 42" 292° 4' 21"	288.415 105.798	288.531 105.841

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
196535	85H0818	E	475452.406	0.9996064	0.9999990	411405	80H1601	Terr	94° 35' 22"	99.708	99.747		
		N	5365944.373					Terr	236° 9' 11"			108.949	108.992
		El (H)	24.841 CGVD28										
197210	79H8944	E	472743.200	0.9996072	0.9999981	952598	79H8892	Terr	182° 11' 29"	176.864	176.934		
		N	5367476.555					Terr	347° 51' 42"			195.134	195.210
		El (H)	30.753 CGVD28										
197400	79H8886	E	469809.641	0.9996136	1.0000024	MARKER DESTROYED							
		N	5367360.921										
		El (H)	2.869 CGVD28										
197756	79H8811	E	470018.937	0.9996128	1.0000018	788505	79H1040	Terr	154° 19' 57"	224.162	224.248		
		N	5368844.698					Terr	199° 19' 44"			231.363	231.453
		El (H)	7.044 CGVD28					Terr	332° 35' 25"				
197913	80H3040	E	467729.758	0.9996134	1.0000006	MARKER DESTROYED							
		N	5369092.157										
		El (H)	14.256 CGVD28										
200568	79H8964	E	472702.169	0.9996077	0.9999986	40501	79H0588	Terr	88° 59' 13"	111.311	111.355		
		N	5367667.326					Terr	167° 51' 42"			195.134	195.210
		El (H)	27.650 CGVD28										
200774	79H8916	E	470261.287	0.9996115	1.0000006	MARKER DESTROYED							
		N	5370304.701										
		El (H)	14.582 CGVD28										
201194	80H1403	E	474381.524	0.9996056	0.9999976	MARKER DESTROYED							
		N	5369375.222										
		El (H)	34.251 CGVD28										
201475	80H1496	E	474711.323	0.9996035	0.9999956	219931	80H1516	Terr	84° 43' 0"	127.201	127.252		
		N	5369935.112					Terr	279° 53' 16"			126.875	126.925
		El (H)	46.831 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
201988	79H0769	E	471910.033	0.9996063	0.9999966	491092	85H0908	Terr	144° 15' 54"	73.345	73.374		
		N	5370182.674					776948	87H2494	Terr	268° 27' 31"	105.654	105.696
		EI (H)	40.353 CGVD28					561993	87H2514	Terr	320° 22' 30"	234.590	234.683
202275	80H3036	E	468321.662	0.9996012	0.9999888	780981	80H3050	Terr	23° 41' 55"	119.348	119.396		
		N	5373878.876					960591	80H2440	Terr	154° 53' 47"	176.600	176.671
		EI (H)	89.473 CGVD28										
203877	80H2499	E	475787.259	0.9996005	0.9999933	174052	80H2489	Terr	158° 13' 39"	132.371	132.424		
		N	5366883.357					973057	80H2490	Terr	341° 11' 26"	153.687	153.749
		EI (H)	61.502 CGVD28										
203943	87H2487	E	472230.092	0.9996052	0.9999957	893396	87H2489	Terr	263° 46' 8"	82.689	82.721		
		N	5369875.029										
		EI (H)	45.962 CGVD28										
204271	80H4010	E	467482.451	0.9996073	0.9999943	168799	80H4042	Terr	217° 20' 54"	271.974	272.081		
		N	5374323.825										
		EI (H)	54.842 CGVD28										
204313	80H3081	E	467897.291	0.9996122	0.9999995	109959	80H4001	Terr	188° 31' 32"	561.918	562.136		
		N	5369775.746					62216	80H3079	Terr	343° 51' 50"	114.591	114.636
		EI (H)	21.124 CGVD28										
204396	79H0766	E	471332.062	0.9996044	0.9999942	220525	79H0768	Terr	97° 50' 51"	183.547	183.620		
		N	5371857.023					451021	79H0750	Terr	206° 57' 23"	168.577	168.643
		EI (H)	55.196 CGVD28										
205930	79H8882	E	469259.643	0.9996102	0.9999986	97444	79H8912	Terr	169° 38' 54"	263.486	263.588		
		N	5370603.374					249797	79H8806	Terr	316° 25' 35"	208.030	208.111
		EI (H)	27.366 CGVD28										
206912	79H1175	E	474418.810	0.9996023	0.9999942	187930	80H1484	Terr	86° 12' 40"	94.475	94.513		
		N	5369956.307					747733	79H1200	Terr	171° 19' 14"	144.525	144.583
		EI (H)	55.549 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS			Station Scale Factors		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)			
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
207290	80H1574	E	478272.040	0.9996078	1.0000020	317842	80H1655	Terr	124° 28' 21"	168.197	168.263		
		N	5367699.496					Terr	257° 34' 10"			182.707	182.779
		El (H)	6.123 CGVD28					Terr	310° 30' 30"				
207332	79H8786	E	471532.772	0.9996099	0.9999999	634253	79H8843	Terr	18° 19' 0"	225.128	225.216		
		N	5366716.591					Terr	108° 16' 55"			148.807	148.865
		El (H)	18.811 CGVD28										
207340	85H0831	E	472133.009	0.9996079	0.9999983	978163	87H2506	Terr	290° 35' 27"	103.332	103.373		
		N	5367400.823										
		El (H)	29.252 CGVD28										
207522	79H0742	E	469300.231	0.9996049	0.9999933	149344	79H0696	Terr	111° 0' 42"	118.226	118.273		
		N	5373160.673					Terr	190° 13' 19"			172.681	172.749
		El (H)	61.243 CGVD28										
208389	85H0902	E	472517.827	0.9996053	0.9999960	719518	85H0909	Terr	10° 56' 41"	105.393	105.435		
		N	5369543.005					Terr	264° 13' 35"			101.998	102.039
		El (H)	44.108 CGVD28										
209221	80H1691	E	474964.223	0.9996012	0.9999935		MARKER DESTROYED						
		N	5367847.894										
		El (H)	59.909 CGVD28										
209908	79H8978	E	473574.177	0.9996057	0.9999971	368969	85H0848	Terr	81° 24' 30"	119.136	119.183		
		N	5367922.979					Terr	259° 9' 35"			135.390	135.443
		El (H)	37.302 CGVD28										
210013	80H2495	E	479734.312	0.9996071	1.0000020								
		N	5366543.203										
		El (H)	6.060 CGVD28										
210435	80H3094	E	467878.659	0.9996077	0.9999950	746198	80H3086	Terr	94° 8' 24"	138.146	138.201		
		N	5370325.898					Terr	228° 29' 43"			228.236	228.325
		El (H)	50.254 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
210500	80H1452	E N EI (H)	479051.459 5367650.684 18.141 CGVD28	0.9996055	1.0000001	272443	81H4142	Terr	228° 44' 43"	160.888	160.951
210922	80H3067	E N EI (H)	467742.231 5374615.027 57.198 CGVD28	0.9996067	0.9999939	720763 653014	80H3031 80H3073	Terr Terr	89° 38' 35" 272° 16' 48"	233.088 166.880	233.179 166.946
210971	79H0755	E N EI (H)	469294.307 5372171.120 44.805 CGVD28	0.9996074	0.9999959	627372 447839	79H0735 79H0754	Terr Terr	109° 13' 37" 292° 5' 38"	151.892 245.510	151.952 245.606
211011	80H4011	E N EI (H)	468375.269 5374510.506 71.978 CGVD28	0.9996039	0.9999916	572982 713941	80H3042 80H3045	Terr Terr	146° 14' 54" 299° 13' 16"	132.580 225.254	132.633 225.344
211243	80H1493	E N EI (H)	475666.090 5370278.408 40.222 CGVD28	0.9996039	0.9999966	MARKER DESTROYED					
211433	80H1603	E N EI (H)	476479.771 5369146.407 56.488 CGVD28	0.9996009	0.9999941	218545 639336	80H1542 79H1140	Terr Terr	1° 4' 26" 270° 30' 53"	112.587 214.246	112.632 214.331
211458	80H2478	E N EI (H)	468897.266 5371017.023 48.961 CGVD28	0.9996071	0.9999952	822932 237073 832576 140731 544908 938662 644054 131953 797811	99H2284 81H4143  79H0722 PIER 5 79H0687 99H2285 99H2280 81H4122	GPS Only Both GPS Only Both Both Terr GPS Only GPS Only Both	5° 8' 15" 9° 57' 58" 59° 33' 38" 89° 46' 5" 92° 0' 28" 135° 2' 26" 217° 2' 27" 268° 28' 47" 313° 37' 46"	1943.235 3922.151 3078.729 4473.239 2592.778 174.939 3651.482 2375.175 2949.702	1944.003 3923.717 3079.951 4474.997 2593.796 175.008 3652.910 2376.112 2950.865
211920	81H4201	E N EI (H)	479322.098 5367089.504 38.540 CGVD28	0.9996022	0.9999969	639211 91256	81H4200 80H1589	Terr Terr	25° 38' 12" 165° 58' 57"	121.697 82.822	121.746 82.855

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS			Station Scale Factors		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)													
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING																	
212555	79H1165	E	477187.767	0.9995997	0.9999933	808113	79H1119	Terr	37° 20' 7"	162.967	163.032												
		N	5369516.594									869677	79H1167	Terr	217° 30' 59"	176.646	176.717						
		El (H)	61.793 CGVD28																				
213009	74H2185	E	469782.493	0.9996109	0.9999997	253518	79H8818	Terr	38° 39' 21"	166.144	166.209												
		N	5369940.033									587113	74H2191	Terr	198° 46' 11"	205.527	205.607						
		El (H)	20.372 CGVD28																				
213595	80H1477	E	477432.114	0.9996010	0.9999948	977876	80H1505	Terr	141° 10' 59"	143.800	143.857												
		N	5369205.913									348664	80H1547	Terr	335° 30' 2"	177.848	177.919						
		El (H)	52.175 CGVD28																				
214478	79H1037	E	472669.643	0.9996006	0.9999914	837922	79H1034	Terr	163° 50' 45"	186.570	186.645												
		N	5372348.407									607416	79H1045	Terr	356° 44' 3"	131.718	131.771						
		El (H)	73.573 CGVD28																				
214700	79H8901	E	470809.887	0.9996101	0.9999996	133132	79H8870	Terr	79° 59' 53"	297.912	298.028												
		N	5369413.617									813568	79H8905	Terr	170° 51' 44"	299.946	300.062						
		El (H)	20.936 CGVD28															633339	79H8838	Terr	260° 14' 13"	132.339	132.390
214726	80H4045	E	468186.705	0.9996055	0.9999931	732073	81H4145	Terr	4° 13' 0"	275.163	275.272												
		N	5374920.660									42549	81H4129	Terr	181° 38' 49"	177.300	177.370						
		El (H)	62.462 CGVD28																				
215608	80H4023	E	466851.947	0.9996059	0.9999924	722520	80H4008	Terr	5° 42' 55"	110.963	111.006												
		N	5373346.498									453662	80H4013	Terr	217° 55' 8"	98.425	98.464						
		El (H)	66.505 CGVD28																				
216010	80H4041	E	468272.784	0.9995967	0.9999843	695718	80H4073	Terr	149° 13' 24"	103.556	103.598												
		N	5377287.629									541748	80H4038	Terr	343° 59' 49"	183.537	183.611						
		El (H)	118.252 CGVD28																				
216150	80H3070	E	467458.940	0.9996086	0.9999956	122283	80H3076	Terr	209° 27' 18"	125.680	125.729												
		N	5369924.585																				
		El (H)	46.150 CGVD28																				

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
216168	80H4084	E N EI (H)	471188.161 5375986.046 67.537 CGVD28	0.9996025	0.9999923	940155	81H4166	Terr	356° 10' 36"	114.304	114.350
217356	80H2438	E N EI (H)	475077.207 5366692.006 49.667 CGVD28	0.9996028	0.9999951	870873 723098	80H2452 80H2494	Terr Terr	92° 26' 18" 254° 36' 34"	118.321 111.795	118.368 111.839
218545	80H1542	E N EI (H)	476481.881 5369258.974 57.232 CGVD28	0.9996008	0.9999940	339143 211433 673723	80H1666 80H1603 80H1495	Terr Terr Terr	90° 32' 36" 181° 4' 26" 272° 46' 5"	165.230 112.587 155.988	165.297 112.632 156.050
218776	79H0984	E N EI (H)	473390.392 5372170.131 39.449 CGVD28	0.9996054	0.9999967	MARKER DESTROYED					
219899	79H0714	E N EI (H)	472880.922 5369400.313 35.143 CGVD28	0.9996064	0.9999974	621599 389130 980516	79H0661 79H0673 79H0994	Terr Terr Terr	79° 41' 24" 167° 55' 31" 258° 34' 21"	269.678 218.187 288.690	269.785 218.273 288.804
219931	80H1516	E N EI (H)	474837.984 5369946.825 45.933 CGVD28	0.9996035	0.9999957	974006 201475	80H1455 80H1496	Terr Terr	93° 30' 43" 264° 43' 0"	95.973 127.201	96.011 127.252
220038	79H1115	E N EI (H)	477986.665 5368627.946 16.986 CGVD28	0.9996063	1.0000003	513994	80H1548	Terr	131° 3' 25"	113.726	113.771
220525	79H0768	E N EI (H)	471513.890 5371831.962 58.195 CGVD28	0.9996038	0.9999938	327262 204396	81H4193 79H0766	Terr Terr	101° 48' 49" 277° 50' 51"	304.329 183.547	304.450 183.620
220624	79H1195	E N EI (H)	477286.849 5368650.214 55.748 CGVD28	0.9996006	0.9999942	423699	80H1650	Terr	308° 13' 7"	268.246	268.353

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
220731	79H8790	E	471660.782	0.9996078	0.9999979	434274	79H8872	Terr	139° 27' 38"	220.607	220.693		
		N	5367670.112					Terr	227° 43' 40"			145.324	145.381
		El (H)	31.825 CGVD28					Terr	319° 26' 6"				
221689	79H8899	E	471271.736	0.9996096	0.9999995	MARKER ISOLATED							
		N	5370228.775										
		El (H)	21.867 CGVD28										
222166	87H2519	E	471778.435	0.9996080	0.9999982	794347	79H8833	Terr	83° 52' 23"	345.805	345.941		
		N	5368395.982					Terr	169° 9' 16"			275.607	275.715
		El (H)	29.594 CGVD28					Terr	349° 12' 10"				
222489	80H4060	E	467555.965	0.9996007	0.9999878	828939	81H4127	Terr	341° 42' 53"	203.103	203.184		
		N	5377553.531										
		El (H)	96.361 CGVD28										
222695	80H1647	E	475240.041	0.9996044	0.9999969	MARKER DESTROYED							
		N	5367710.859										
		El (H)	38.615 CGVD28										
224956	87H2512	E	473388.238	0.9996047	0.9999960	494765	79H8980	Terr	194° 29' 29"	99.943	99.982		
		N	5366901.875										
		El (H)	44.047 CGVD28										
226373	79H0600	E	473787.787	0.9996063	0.9999979	867432	79H0659	Terr	78° 1' 57"	175.905	175.975		
		N	5368597.570										
		El (H)	32.079 CGVD28										
226563	80H4016	E	467181.416	0.9996037	0.9999905	MARKER ISOLATED							
		N	5371171.605										
		El (H)	79.023 CGVD28										
226738	80H1497	E	475913.523	0.9996031	0.9999960	MARKER DESTROYED							
		N	5370160.992										
		El (H)	44.262 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
226985	80H4005	E	467068.851	0.9996067	0.9999933	184903	81H4215	Terr	192° 10' 47"	74.097	74.126
		N	5371603.906			862086	80H4025	Terr	336° 11' 55"	114.046	114.090
		EI (H)	60.715 CGVD28								
227942	80H4058	E	468821.171	0.9995983	0.9999863	228551	80H4061	Terr	312° 41' 0"	151.089	151.149
		N	5375837.069								
		EI (H)	105.728 CGVD28								
228551	80H4061	E	468710.104	0.9995973	0.9999853	227942	80H4058	Terr	132° 41' 0"	151.089	151.149
		N	5375939.499			559054	80H4049	Terr	327° 22' 27"	86.749	86.784
		EI (H)	112.380 CGVD28								
228635	79H8900	E	470315.073	0.9996082	0.9999974	398594	79H8897	Terr	13° 57' 38"	134.464	134.516
		N	5370682.804			785295	79H8913	Terr	206° 15' 23"	250.947	251.045
		EI (H)	35.097 CGVD28								
228759	80H3069	E	475940.175	0.9996032	0.9999961	666388	80H2436	Terr	91° 5' 43"	260.155	260.258
		N	5366221.635			464974	81H4188	Terr	221° 17' 17"	84.099	84.132
		EI (H)	43.725 CGVD28								
228775	80H3065	E	475724.056	0.9996049	0.9999977	850933	80H1685	Terr	181° 44' 7"	227.086	227.176
		N	5366161.382			310193	80H3113	Terr	272° 22' 16"	181.163	181.235
		EI (H)	33.505 CGVD28								
229278	80H2449	E	478960.018	0.9996026	0.9999971	MARKER DESTROYED					
		N	5367166.060								
		EI (H)	37.242 CGVD28								
229542	80H1699	E	476367.699	0.9996026	0.9999957	867705	80H1550	Terr	35° 58' 9"	294.005	294.122
		N	5368433.756			923532	80H3053	Terr	90° 13' 55"	321.024	321.152
		EI (H)	46.210 CGVD28			491068	80H1696	Terr	200° 54' 57"	214.887	214.972
229815	80H2466	E	477971.293	0.9996082	1.0000022	155077	80H1682	Terr	131° 59' 12"	176.415	176.484
		N	5367404.685								
		EI (H)	4.896 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
231191	80H4068	E N EI (H)	469619.589 5375331.293 102.758 CGVD28	0.9995981	0.9999868	68502	81H4151	Terr	354° 20' 44"	246.456	246.555
231803	80H1561	E N EI (H)	475763.315 5370840.131 34.798 CGVD28	0.9996047	0.9999975	935171 760587	80H1522 80H1467	Terr Terr	164° 32' 8" 290° 54' 18"	148.905 128.744	148.964 128.795
232280	79H8983	E N EI (H)	472703.464 5367098.607 30.211 CGVD28	0.9996073	0.9999982	MARKER DESTROYED					
232348	79H0633	E N EI (H)	473726.698 5366904.690 50.768 CGVD28	0.9996034	0.9999950	376137	79H0644	Terr	101° 57' 10"	160.599	160.663
234492	80H2496	E N EI (H)	475685.374 5367880.893 41.777 CGVD28	0.9996037	0.9999964	952549 970251	80H2448 80H2437	Terr Terr	91° 0' 14" 182° 13' 33"	309.497 233.701	309.620 233.794
234757	80H1611	E N EI (H)	476845.317 5369510.934 63.567 CGVD28	0.9995996	0.9999930	563536 591537	80H1539 80H1567	Terr Terr	20° 36' 12" 186° 38' 25"	135.972 131.050	136.026 131.103
236513	79H0771	E N EI (H)	471737.374 5369211.571 26.902 CGVD28	0.9996085	0.9999987	MARKER DESTROYED					
236539	87H2490	E N EI (H)	472874.372 5371438.613 38.192 CGVD28	0.9996060	0.9999969	695635 267054	87H2492 79H0744	Terr Terr	29° 19' 34" 212° 48' 53"	94.469 129.599	94.506 129.651
236646	79H1024	E N EI (H)	473269.792 5368843.865 30.545 CGVD28	0.9996069	0.9999981	MARKER DESTROYED					

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
236687	79H1033	E N EI (H)	468997.690 5369172.342 47.924 CGVD28	0.9996072	0.9999954		MARKER DESTROYED				
237073	81H4143	E N EI (H)	469576.052 5374879.991 123.391 CGVD28	0.9995949	0.9999836	159590 783464 211458 822932 797811 89250 378042 967166	99H2283 80H4057 80H2478 99H2284 81H4122 80H4056 A-59 99H2282	GPS Only Terr Both GPS Only Both Terr GPS Only GPS Only	87° 53' 3" 90° 22' 28" 189° 57' 58" 194° 40' 30" 236° 59' 41" 243° 51' 49" 256° 48' 59" 354° 11' 23"	2371.098 146.940 3922.151 1992.538 3355.310 212.387 2059.545 1519.562	2372.055 147.000 3923.717 1993.337 3356.653 212.473 2060.367 1520.171
237339	80H1700	E N EI (H)	474354.866 5368805.259 29.205 CGVD28	0.9996064	0.9999983	989509 320200 683052	79H1142 80H2415 79H8986	Terr Terr Terr	11° 24' 16" 99° 13' 35" 176° 53' 40"	361.237 161.107 109.991	361.380 161.171 110.034
240135	80H1499	E N EI (H)	475346.176 5370702.578 30.357 CGVD28	0.9996057	0.9999982	924712	80H1437	Terr	292° 22' 18"	118.532	118.579
240465	81H4168	E N EI (H)	472954.758 5373124.964 35.514 CGVD28	0.9996063	0.9999973	257923	79H1083	Terr	353° 5' 25"	231.322	231.413
240804	81H4103	E N EI (H)	476201.255 5366028.898 50.399 CGVD28	0.9996020	0.9999950	627232	80H3929	Terr	40° 38' 52"	352.224	352.364
241372	79H0731	E N EI (H)	471922.294 5371456.882 39.488 CGVD28	0.9996064	0.9999967	165472 141994	79H0691 79H0690	Terr Terr	76° 36' 51" 249° 9' 14"	247.735 159.007	247.833 159.069
241539	79H1055	E N EI (H)	471992.303 5374647.091 93.052 CGVD28	0.9995980	0.9999883	964726	79H1078	Terr	85° 58' 23"	97.982	98.021

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90  
 Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123  
 Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0  
 Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.  
 Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO					TABLET MARKING	
241711	80H3077	E	467979.717	0.9996117	0.9999991	894949	80H3026	Terr	124° 52' 27"	165.409	165.473
		N	5369208.888			109959	80H4001	Terr	273° 50' 55"	166.107	166.171
		EI (H)	24.003 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO					TABLET MARKING	
241869	11703	E	474381.824	0.9995757	0.9999677	939132	128-1950	GPS Only	4° 23' 54"	94100.664	
		N	5371163.302			674978	T-13	Terr	5° 14' 38"	15849.211	
		EI (H)	225.073 CGVD28			611459		Terr	5° 45' 50"	38716.760	
						778241	937011	GPS Only	11° 11' 45"	424627.278	
						119651	61R2	Terr	14° 16' 54"	12206.552	
						939728	767004	Both	21° 46' 4"	69900.380	
						6510	8779763	GPS Only	22° 39' 32"	33807.875	
						246322	61R1	Terr	23° 10' 47"	10856.176	
						647107	61R3	Terr	28° 20' 41"	9457.127	9460.989
						183095	NO MARKING	Terr	34° 41' 15"	39128.054	
						89060		Terr	37° 50' 12"	63095.839	
						598219	NO MARKING	Terr	53° 22' 13"	10124.145	
						508176		Terr	61° 43' 32"	43201.345	
						890558	887006	Both	70° 10' 37"	287917.920	
						393546	837030	Both	70° 11' 58"	288270.173	
						745737		Terr	81° 8' 40"	16059.779	
						906719	GSC 1914	Both	103° 29' 4"	35114.945	
						67959	NO MARKING	Terr	117° 39' 34"	41910.528	
						103234	NO MARKING	Both	130° 31' 3"	11619.256	
						865196	NO MARKING	Terr	146° 50' 30"	9000.175	9003.849
						794818	NO MARKING	Terr	146° 58' 39"	8470.388	8473.845
						354514	80H3866	Both	147° 57' 45"	7174.517	7177.448
						734533	NO MARKING	Terr	153° 18' 38"	38790.647	
						713529		Both	153° 20' 49"	38836.115	
						512921	669	Both	159° 3' 47"	4325.748	4327.552
						863050	NO MARKING	Terr	164° 43' 20"	11141.181	
						871954	NO MARKING	Both	170° 3' 55"	8981.463	8985.167
		848259	09714	Terr	170° 5' 0"	8985.868	8989.573				
		497610	NO MARKING	Terr	174° 34' 55"	7814.687	7817.890				
		394205	2267	Terr	180° 1' 1"	9013.202	9016.902				
		560136	2255	Terr	185° 55' 52"	4808.171	4810.153				
		671339	25-1	Both	191° 48' 3"	5585.532	5587.813				
		452102	NO MARKING	Terr	192° 15' 56"	8347.830	8351.225				
		569780	NO MARKING	Terr	197° 48' 46"	10090.770					
		949933	7-1	Terr	199° 39' 11"	8386.143	8389.552				
		50757	NO MARKING	Terr	201° 45' 20"	9504.371	9508.226				
		172205	87H3780	Terr	209° 31' 50"	9485.446	9489.308				
		920082	33-1	Terr	210° 12' 36"	5607.157	5609.444				
		276493	NO MARKING	Terr	212° 33' 24"	25632.704					

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres	Station Scale Factors		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
					508648		Both	212° 33' 47"	45009.213	
					562439	62	GPS Only	212° 44' 4"	25592.167	
					156760	66C67	Terr	214° 57' 2"	7772.927	7776.120
					432716	907001	GPS Only	222° 19' 41"	15490.879	
					902171		Terr	222° 22' 13"	15450.559	
					534933	927000	GPS Only	222° 30' 0"	15495.965	
					468165	NO MARKING	Terr	227° 13' 19"	10202.690	
					13094	79H1099	Both	229° 11' 19"	29903.228	
					93450	09700	Both	231° 59' 55"	29294.295	
					986950	66C40	Terr	235° 27' 46"	9456.302	9460.146
					535302	2269	Both	248° 22' 57"	10609.019	
					861286		Terr	248° 54' 18"	16660.263	
					895565		Both	249° 18' 2"	71024.478	
					852780	677019	Terr	250° 54' 50"	17340.084	
					339101	79H1030	Terr	250° 55' 17"	4997.482	4999.513
					740027	NO MARKING	Terr	251° 10' 54"	17380.574	
					509828		Both	253° 41' 44"	44512.400	
					711895		Both	262° 56' 59"	99254.759	
					838169		Both	263° 7' 45"	24345.534	
					924621	NO MARKING	Both	263° 21' 31"	93456.212	
					544908	PIER 5	Both	265° 18' 54"	2903.072	2904.258
					894246	2280	Terr	265° 44' 14"	14171.103	
					873968		Both	267° 1' 23"	63680.342	
					972299	32018	Both	273° 39' 25"	82365.716	
					368605	877025	GPS Only	275° 48' 49"	78122.835	
					866913		Both	277° 6' 10"	101703.667	
					427757	NO MARKING	Terr	289° 48' 43"	14150.997	
					157461	867010	Both	290° 55' 26"	194677.929	
					620963	897155	GPS Only	291° 1' 45"	37636.312	
					669846	NO MARKING	Terr	299° 31' 5"	5808.392	5810.835
					396804	21710	Terr	299° 34' 26"	5791.909	5794.343
					233882		Terr	299° 42' 2"	5800.836	5803.275
					650101	927005	GPS Only	306° 40' 34"	420666.367	
					550467	3300	Both	307° 13' 48"	16926.357	
					791764	757030	Both	311° 39' 7"	360260.061	
					644179	2696	Both	320° 54' 25"	48701.722	
					116558	867012	Both	321° 7' 48"	105833.586	
					317578		Terr	321° 13' 41"	48626.993	
					339713	77H6138	Both	321° 30' 11"	12098.233	
					964320	917000	GPS Only	323° 46' 39"	45887.755	

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS			Station Scale Factors		TO MARKER IDENTIFIERS			Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
					296756	3395	Terr	324° 12' 39"	7306.301	7309.383	
					855726	NO MARKING	Terr	327° 37' 0"	13828.002		
					399220	897152	GPS Only	331° 28' 27"	54215.510		
					112763	79H0713	Terr	333° 43' 23"	1920.873	1921.658	
					638189	NO MARKING	Terr	334° 42' 51"	12915.524		
					198150		GPS Only	336° 18' 13"	18923.238		
					946707	897153	GPS Only	336° 41' 41"	86165.214		
					537738		Terr	338° 40' 10"	27851.903		
					602912	NO MARKING	Terr	339° 3' 45"	32648.446		
					175133	11702	Both	339° 4' 9"	32666.617		
					922492	77H5677	Terr	340° 47' 33"	13445.569		
					139865	3387	Terr	341° 0' 9"	6712.268	6715.008	
					206409	3389	Terr	342° 30' 45"	5834.628	5837.004	
					108779	3373	Terr	345° 39' 27"	5312.899	5315.064	
					400507	41-1953	Terr	348° 47' 45"	17352.679		
					303321	T-11	Terr	350° 37' 49"	8830.073	8833.663	
					215483	88	Terr	351° 30' 24"	13935.850		
					147694	NO MARKING	Terr	358° 6' 48"	19841.248		
					467050		Terr	359° 3' 18"	41197.513		
					564005	NO MARKING	Terr	359° 11' 3"	10745.037		
					703769	NO MARKING	Terr	359° 33' 49"	37437.615		
					431890		Terr	359° 56' 22"	10747.086		
243287	85H0851	E N EI (H)	471519.810 5369619.005 18.005 CGVD28	0.9996100	1.0000001		MARKER DESTROYED				
243501	79H0643	E N EI (H)	472199.270 5371679.008 61.919 CGVD28	0.9996027	0.9999932	660472	79H0674	Terr	270° 42' 55"	127.117	127.167
243568	81H4214	E N EI (H)	473340.095 5371991.820 37.734 CGVD28	0.9996057	0.9999970		MARKER ISOLATED				
243675	79H0698	E N EI (H)	470536.362 5371373.612 44.741 CGVD28	0.9996065	0.9999959		MARKER ISOLATED				

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
243808	79H0707	E	473800.461	0.9996047	0.9999963	125021	79H0677	Terr	180° 39' 49"	229.708	229.799		
		N	5369973.976					Terr	356° 38' 26"			183.255	183.327
		El (H)	42.322 CGVD28										
243998	85H0853	E	476967.604	0.9995996	0.9999930	322875	80H1599	Terr	111° 17' 13"	121.246	121.295		
		N	5370053.194					Terr	234° 42' 6"			47.373	47.392
		El (H)	63.279 CGVD28										
245258	79H0772	E	472683.574	0.9996044	0.9999952	MARKER DESTROYED							
		N	5371757.235										
		El (H)	49.228 CGVD28										
246850	80H1663	E	476406.317	0.9995990	0.9999921	923797	80H1665	Terr	112° 31' 17"	188.419	188.494		
		N	5369953.193					Terr	292° 0' 45"			193.877	193.955
		El (H)	69.062 CGVD28										
247866	79H1011	E	473975.955	0.9996071	0.9999988	387035	79H1143	Terr	79° 12' 53"	182.089	182.160		
		N	5369172.562					Terr	169° 3' 0"			171.342	171.409
		El (H)	26.424 CGVD28					Terr	349° 0' 45"				
248062	79H0991	E	473825.982	0.9996062	0.9999978	307793	79H0995	Terr	144° 24' 51"	189.928	190.003		
		N	5369530.210					Terr	352° 30' 2"			215.920	216.005
		El (H)	32.533 CGVD28										
248351	85H0872	E	472851.811	0.9996016	0.9999926	422527	85H0858	Terr	168° 28' 44"	80.854	80.886		
		N	5373065.824					Terr	200° 8' 35"			106.742	106.784
		El (H)	66.019 CGVD28										
248955	79H0625	E	472914.581	0.9996093	1.0000003	MARKER ISOLATED							
		N	5366831.470										
		El (H)	16.500 CGVD28										
249797	79H8806	E	469116.251	0.9996094	0.9999977	205930	79H8882	Terr	136° 25' 35"	208.030	208.111		
		N	5370754.090					Terr	325° 34' 22"			168.692	168.758
		El (H)	32.954 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
250324	79H1177	E	469003.346	0.9996088	0.9999970	689513	79H1151	Terr	2° 9' 7"	145.831	145.888
		N	5371260.656					Terr	182° 35' 44"		
		EI (H)	37.604 CGVD28					Terr	272° 42' 42"		
253153	85H0844	E	475395.374	0.9996053	0.9999978		MARKER DESTROYED				
		N	5367507.097								
		EI (H)	32.402 CGVD28								
253237	80H1417	E	474945.219	0.9996028	0.9999951	974006	80H1455	Terr	186° 23' 29"	102.787	102.828
		N	5370043.094					Terr	353° 33' 33"		
		EI (H)	50.210 CGVD28								
253336	80H4069	E	468998.221	0.9995990	0.9999871	437137	80H4077	Terr	145° 20' 22"	87.160	87.195
		N	5375619.550					Terr	324° 19' 12"		
		EI (H)	100.405 CGVD28								
253518	79H8818	E	469886.273	0.9996111	0.9999999	3988	74H2189	Terr	26° 2' 43"	112.223	112.266
		N	5370069.777					Terr	218° 39' 21"		
		EI (H)	18.732 CGVD28								
253591	79H1194	E	472797.384	0.9996090	0.9999999		MARKER DESTROYED				
		N	5374836.085								
		EI (H)	19.237 CGVD28								
255174	85H0892	E	472433.446	0.9996047	0.9999953		MARKER DESTROYED				
		N	5369940.050								
		EI (H)	48.289 CGVD28								
256578	79H1138	E	475300.956	0.9996052	0.9999977	384651	80H1474	Terr	21° 38' 2"	184.948	185.021
		N	5370454.544					Terr	113° 45' 52"		
		EI (H)	33.475 CGVD28					Terr	201° 29' 49"		
256875	80H4067	E	467389.323	0.9996060	0.9999929	326611	80H3044	Terr	48° 30' 40"	161.487	161.550
		N	5370243.546								
		EI (H)	63.354 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
257923	79H1083	E	472926.929	0.9996065	0.9999975	240465	81H4168	Terr	173° 5' 25"	231.322	231.413		
		N	5373354.606					Terr	345° 26' 54"			222.203	222.290
		El (H)	34.527 CGVD28										
258426	79H0738	E	470664.552	0.9996096	0.9999990	93856	79H0711	Terr	111° 44' 40"	208.423	208.505		
		N	5370973.533					Terr	292° 14' 13"			130.099	130.150
		El (H)	24.495 CGVD28										
259416	80H1448	E	475514.118	0.9996064	0.9999990	150664	80H1426	Both	112° 6' 15"	224.290	224.379		
		N	5371164.289					Terr	202° 3' 1"			268.870	268.975
		El (H)	24.855 CGVD28					Terr	293° 20' 52"				
259432	85H0896	E	472918.447	0.9996043	0.9999953	705244	85H0897	Terr	16° 16' 34"	180.184	180.256		
		N	5370967.916					Terr	210° 51' 31"			66.307	66.333
		El (H)	48.716 CGVD28										
260083	80H1668	E	476523.438	0.9995996	0.9999928	952739	80H1509	Terr	182° 20' 15"	209.154	209.238		
		N	5369559.179					Terr	269° 17' 21"			221.546	221.635
		El (H)	64.631 CGVD28										
261750	80H1525	E	472120.316	0.9996104	1.0000008	MARKER DESTROYED							
262030	80H1660	E	476887.100	0.9995991	0.9999925	127092	80H1622	Terr	21° 20' 2"	167.828	167.895		
		N	5369754.981					Terr	112° 34' 43"			289.146	289.262
		El (H)	66.716 CGVD28					Terr	292° 20' 19"				
262378	79H8988	E	473368.144	0.9996039	0.9999951	53868	85H0880	Terr	350° 32' 19"	77.788	77.819		
		N	5367342.683										
		El (H)	49.583 CGVD28										
263152	80H3096	E	468512.045	0.9996064	0.9999942	832972	80H4040	Terr	93° 12' 55"	193.710	193.786		
		N	5371031.954										
		El (H)	55.318 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
264440	79H0985	E	473407.017	0.9996056	0.9999969	583153	79H8977	Terr	19° 48' 56"	100.845	100.885		
		N	5367802.642					Terr	197° 53' 50"			231.774	231.865
		EI (H)	38.099 CGVD28					Terr	271° 14' 38"				
267054	79H0744	E	472804.139	0.9996059	0.9999968	236539	87H2490	Terr	32° 48' 53"	129.599	129.651		
		N	5371329.694					Terr	177° 51' 55"			46.311	46.329
		EI (H)	38.707 CGVD28										
267559	79H8934	E	469335.685	0.9996093	0.9999977	339101	79H1030	Terr	108° 16' 36"	340.330	340.462		
		N	5369636.538					Terr	196° 51' 27"			195.274	195.351
		EI (H)	32.847 CGVD28					Terr	277° 25' 33"				
268664	81H4164	E	467417.114	0.9996024	0.9999894	869214	81H4141	Terr	272° 18' 30"	250.226	250.325		
		N	5377660.617										
		EI (H)	86.259 CGVD28										
269233	80H1459	E	477998.521	0.9996061	1.0000002	894964	79H1118	Terr	39° 52' 10"	262.631	262.734		
		N	5367984.582										
		EI (H)	17.791 CGVD28										
269563	79H0590	E	473658.785	0.9996052	0.9999967	464776	79H8957	Terr	345° 57' 16"	150.383	150.442		
		N	5368137.003										
		EI (H)	39.916 CGVD28										
270124	79H1007	E	471625.606	0.9995998	0.9999899	62448	79H1010	Terr	6° 42' 17"	399.575	399.735		
		N	5372801.305										
		EI (H)	83.086 CGVD28										
271312	80H3106	E	467729.301	0.9996058	0.9999930	185009	80H4039	Terr	60° 11' 44"	109.764	109.807		
		N	5371430.357					Terr	181° 30' 4"			177.019	177.089
		EI (H)	62.970 CGVD28										
272344	79H1015	E	469878.216	0.9996050	0.9999938	540377	79H1002	Terr	164° 54' 35"	154.076	154.137		
		N	5372782.721					Terr	307° 47' 23"			265.864	265.969
		EI (H)	57.736 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
272443	81H4142	E	478930.506	0.9996064	1.0000009	210500	80H1452	Terr	48° 44' 43"	160.888	160.951
		N	5367544.593			520379	81H4206	Terr	124° 47' 53"	187.881	187.955
		EI (H)	13.172 CGVD28			57323	81H4209	Terr	223° 14' 11"	124.991	125.040
						423715	80H1503	Terr	310° 0' 0"	268.593	268.698
272732	80H1683	E	475982.041	0.9996071	1.0000000	MARKER DESTROYED					
		N	5365108.997								
		EI (H)	18.752 CGVD28								
273060	79H1183	E	471223.550	0.9996035	0.9999933	800664	79H1186	Terr	182° 6' 18"	246.756	246.855
		N	5377254.624			856278	79H1157	Terr	356° 28' 56"	170.876	170.944
		EI (H)	61.057 CGVD28								
273128	79H8857	E	469997.558	0.9996101	0.9999990	566547	79H8822	Terr	114° 23' 25"	190.190	190.264
		N	5368366.337			665513	79H8874	Terr	287° 21' 39"	136.822	136.875
		EI (H)	24.447 CGVD28								
273532	80H3048	E	469368.139	0.9996048	0.9999932	432369	80H2487	Terr	0° 5' 58"	108.344	108.387
		N	5373223.134			149344	79H0696	Terr	157° 57' 21"	113.122	113.167
		EI (H)	61.514 CGVD28			580811	80H3111	Terr	300° 24' 42"	156.741	156.803
275693	85H0891	E	471522.287	0.9996092	0.9999992	621987	85H0911	Terr	80° 52' 22"	216.181	216.266
		N	5369928.887			819136	85H0883	Terr	183° 29' 51"	65.308	65.333
		EI (H)	23.412 CGVD28								
275818	81H4153	E	468570.244	0.9996000	0.9999879	897249	81H4167	Terr	92° 8' 27"	134.733	134.787
		N	5375195.595			305995	80H4021	Terr	270° 23' 5"	215.279	215.365
		EI (H)	95.722 CGVD28								
275875	79H0746	E	469269.587	0.9996054	0.9999938	207522	79H0742	Terr	10° 13' 19"	172.681	172.749
		N	5372990.733			530501	79H0763	Terr	205° 32' 16"	366.776	366.921
		EI (H)	58.034 CGVD28								
276337	79H0607	E	473891.884	0.9996033	0.9999949	92296	79H8979	Terr	259° 27' 19"	109.621	109.665
		N	5367982.358			428813	79H0608	Terr	349° 20' 27"	173.084	173.152
		EI (H)	51.175 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)						
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
276899	79H8842	E	470174.755	0.9996127	1.0000018	790030	79H0725	Terr	149° 56' 0"	293.041	293.154						
		N	5368544.914									788505	79H1040	Terr	329° 0' 10"	114.026	114.070
		El (H)	7.023 CGVD28														
277822	79H1198	E	474765.571	0.9996015	0.9999937	938506	79H1168	Terr	269° 57' 57"	164.044	164.109						
		N	5369431.493														
		El (H)	58.828 CGVD28														
278226	79H1017	E	472912.279	0.9996075	0.9999985	900316	79H0749	Terr	259° 37' 44"	140.883	140.938						
		N	5368891.404														
		El (H)	28.148 CGVD28														
278515	79H1127	E	470391.547	0.9996091	0.9999983	MARKER DESTROYED											
		N	5370912.327														
		El (H)	28.939 CGVD28														
280065	79H8951	E	474069.622	0.9996021	0.9999938	422782	79H0589	Terr	79° 35' 59"	215.813	215.899						
		N	5367558.458														
		El (H)	57.974 CGVD28														
281279	80H1462	E	475277.863	0.9996034	0.9999958	MARKER DESTROYED											
		N	5369261.285														
		El (H)	45.274 CGVD28														
281659	80H1536	E	476985.784	0.9995992	0.9999927	MARKER DESTROYED											
		N	5369254.536														
		El (H)	65.404 CGVD28														
282285	81H4170	E	468931.034	0.9995991	0.9999872	662239	81H4158	Terr	91° 50' 8"	263.235	263.341						
		N	5375187.424									897249	81H4167	Terr	270° 47' 42"	226.173	226.263
		El (H)	100.038 CGVD28														
283515	80H1577	E	478716.021	0.9996074	1.0000018	57323	81H4209	Terr	70° 19' 4"	136.861	136.915						
		N	5367407.438									484220	80H1532	Terr	302° 6' 53"	190.766	190.841
		El (H)	7.255 CGVD28														

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
283580	79H8740	E	471662.027	0.9996092	0.9999993	548479	79H8932	Terr	19° 16' 31"	177.954	178.024		
		N	5367096.481					Terr	199° 23' 46"			176.166	176.235
		EI (H)	22.905 CGVD28					Terr	289° 32' 23"				
284323	80H1416	E	469034.868	0.9996083	0.9999965		MARKER DESTROYED						
		N	5372039.094										
		EI (H)	40.694 CGVD28										
284463	81H4195	E	472555.246	0.9996107	1.0000014		MARKER DESTROYED						
		N	5366425.209										
		EI (H)	9.521 CGVD28										
285007	79H1036	E	468954.450	0.9996099	0.9999980		MARKER DESTROYED						
		N	5368143.082										
		EI (H)	30.858 CGVD28										
286377	80H3027	E	467901.017	0.9996045	0.9999918	722132	80H3116	Terr	306° 18' 40"	101.429	101.469		
		N	5371143.563										
		EI (H)	70.265 CGVD28										
286674	79H1125	E	472871.100	0.9996066	0.9999976	257923	79H1083	Terr	165° 26' 54"	222.203	222.290		
		N	5373569.681										
		EI (H)	34.025 CGVD28										
286997	79H1061	E	472467.421	0.9996088	0.9999995		MARKER DESTROYED						
		N	5367168.579										
		EI (H)	21.570 CGVD28										
287813	79H0770	E	472590.893	0.9996055	0.9999963	706721	79H0784	Terr	323° 59' 14"	213.305	213.389		
		N	5369028.917										
		EI (H)	42.336 CGVD28										
289975	79H0667	E	471937.775	0.9996016	0.9999919	782862	79H1064	Terr	136° 33' 8"	134.750	134.804		
		N	5372057.798										
		EI (H)	69.975 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)			
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
290643	79H8835	E	474538.220	0.9996025	0.9999945	764803	79H8947	Terr	170° 54' 17"	197.601	197.680			
		N	5368059.614					Terr	289° 52' 43"			119.214	119.262	
		EI (H)	53.374 CGVD28					Terr	327° 45' 20"					161.883
291013	79H8717	E	469151.811	0.9996128	1.0000011	584458	79H8709	Terr	216° 36' 40"	164.924	164.988			
		N	5366842.643											
		EI (H)	11.095 CGVD28											
291427	81H4182	E	474240.160	0.9996067	0.9999985	MARKER DESTROYED								
		N	5368839.453											
		EI (H)	28.187 CGVD28											
293316	87H2501	E	471449.064	0.9996100	1.0000000	570689	87H2497	Terr	163° 40' 53"	287.605	287.718			
		N	5369806.031					87H2504	Terr			345° 38' 52"	231.935	232.025
		EI (H)	18.340 CGVD28											
294686	79H8757	E	470613.643	0.9996110	1.0000004	MARKER DESTROYED								
		N	5370216.251											
		EI (H)	15.948 CGVD28											
295105	80H4035	E	468293.741	0.9995965	0.9999842	695718	80H4073	Terr	13° 8' 56"	140.811	140.868			
		N	5377061.538					81H4138	Terr			162° 0' 26"	182.340	182.414
		EI (H)	119.483 CGVD28											
295113	79H1117	E	473779.985	0.9996073	0.9999988	395442	80H1458	Both	312° 26' 20"	208.967	209.049			
		N	5372605.601											
		EI (H)	26.299 CGVD28											
295337	79H0614	E	472835.062	0.9996077	0.9999986	701458	79H0604	Terr	81° 4' 39"	165.516	165.581			
		N	5367410.585											
		EI (H)	27.544 CGVD28											
296657	79H8836	E	471899.251	0.9996078	0.9999981	971408	98H2196	Terr	108° 20' 33"	174.343	174.411			
		N	5367204.196					79H8746	Terr			202° 2' 34"	188.999	189.073
		EI (H)	30.727 CGVD28						79H8932			Terr		

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
296822	81H4216	E	471414.160	0.9996100	1.0000000		MARKER DESTROYED				
		N	5369818.224								
		EI (H)	18.495 CGVD28								
297804	85H0873	E	472565.174	0.9995962	0.9999869	157768	85H0878	Terr	20° 47' 54"	99.727	99.767
		N	5372778.500			949792	85H0876	Terr	252° 57' 55"	60.617	60.642
		EI (H)	101.894 CGVD28								
300178	79H8933	E	470694.425	0.9996117	1.0000011	709469	79H8918	Terr	209° 51' 40"	156.440	156.500
		N	5368982.334			397174	79H8903	Terr	322° 48' 7"	158.466	158.527
		EI (H)	11.330 CGVD28								
300368	74H2186	E	470079.610	0.9996115	1.0000005		MARKER DESTROYED				
		N	5369615.028								
		EI (H)	15.057 CGVD28								
300657	85H0913	E	472682.014	0.9996044	0.9999953	390583	85H0907	Terr	41° 6' 37"	148.589	148.648
		N	5370779.370			574855	85H0901	Terr	272° 49' 8"	88.085	88.119
		EI (H)	48.800 CGVD28								
301739	79H0999	E	473699.560	0.9996058	0.9999973	515163	79H0686	Terr	178° 38' 43"	274.456	274.564
		N	5371687.725			676916	79H1006	Terr	358° 40' 56"	284.126	284.238
		EI (H)	35.967 CGVD28								
302034	79H1176	E	474092.107	0.9996050	0.9999967		MARKER DESTROYED				
		N	5372295.067								
		EI (H)	39.533 CGVD28								
302687	85H0832	E	477161.379	0.9996000	0.9999936	604066	85H0814	Terr	115° 12' 14"	90.278	90.314
		N	5369929.967			310920	85H0857	Terr	199° 0' 8"	98.242	98.281
		EI (H)	59.827 CGVD28								
303131	79H0715	E	470903.859	0.9996060	0.9999955		MARKER DESTROYED				
		N	5371747.559								
		EI (H)	46.869 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
304196	79H0649	E N EI (H)	473080.820 5367512.878 43.476 CGVD28	0.9996050	0.9999961	849679	79H0634	Terr	169° 40' 0"	149.502	149.561
304469	80H1430	E N EI (H)	480318.476 5366765.536 7.238 CGVD28	0.9996066	1.0000018	336859 611566 565044 727727 418541	72C023 88H3797 99H2272 80H1568 16-1965	GPS Only Both GPS Only Both GPS Only	209° 53' 28" 230° 9' 41" 257° 21' 48" 318° 40' 30" 326° 53' 24"	5372.171 3689.295 2271.932 5215.194 1349.835	5374.282 3690.743 2272.825 5217.261 1350.366
305755	80H4075	E N EI (H)	472855.569 5372422.368 43.391 CGVD28	0.9996052	0.9999961	335810 527747	79H1048 79H1066	Terr Terr	171° 29' 45" 352° 27' 47"	126.019 151.587	126.068 151.647
305995	80H4021	E N EI (H)	468354.970 5375197.041 92.125 CGVD28	0.9996008	0.9999884	275818 732073	81H4153 81H4145	Terr Terr	90° 23' 5" 269° 14' 25"	215.279 148.046	215.365 148.105
306159	80H1533	E N EI (H)	475858.593 5370419.137 43.815 CGVD28	0.9996032	0.9999961	48124 26021	80H1468 80H1564	Terr Terr	110° 35' 49" 296° 55' 56"	135.782 136.668	135.836 136.722
306175	79H1131	E N EI (H)	473922.916 5372281.978 43.333 CGVD28	0.9996045	0.9999961	MARKER DESTROYED					
307512	81H4134	E N EI (H)	469190.965 5376008.261 90.638 CGVD28	0.9996004	0.9999887	180927 471524	80H4046 81H4124	Terr Terr	1° 30' 59" 180° 9' 9"	203.912 187.441	203.994 187.516
307793	79H0995	E N EI (H)	473936.505 5369375.752 26.567 CGVD28	0.9996071	0.9999987	893271 247866 248062	79H1169 79H1011 79H0991	Terr Terr Terr	79° 5' 33" 169° 0' 45" 324° 24' 51"	223.405 206.984 189.928	223.493 207.066 190.003
307876	79H8865	E N EI (H)	470941.527 5370622.268 29.202 CGVD28	0.9996087	0.9999983	323048 564302	85H0835 79H8924	Terr Terr	109° 10' 49" 285° 26' 6"	315.817 147.049	315.941 147.106

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
309500	79H0739	E	473446.928	0.9996072	0.9999985		MARKER ISOLATED				
		N	5368671.581								
		EI (H)	27.950 CGVD28								
310193	80H3113	E	475543.048	0.9996054	0.9999981	228775	80H3065	Terr	92° 22' 16"	181.163	181.235
		N	5366168.877			411405	80H1601	Terr	177° 50' 44"	232.646	232.738
		EI (H)	30.922 CGVD28			886796	80H2465	Terr	359° 33' 24"	265.180	265.285
310920	85H0857	E	477129.391	0.9995997	0.9999932	302687	85H0832	Terr	19° 0' 8"	98.242	98.281
		N	5369837.079			663492	85H0855	Terr	229° 42' 10"	84.204	84.237
		EI (H)	61.886 CGVD28								
311639	80H1639	E	475673.514	0.9996041	0.9999969	767038	80H2421	Terr	176° 0' 35"	157.763	157.826
		N	5366840.231			412973	80H1638	Terr	271° 14' 0"	145.008	145.065
		EI (H)	38.644 CGVD28								
313007	79H8861	E	472101.155	0.9996098	1.0000002		MARKER DESTROYED				
		N	5366248.807								
		EI (H)	17.007 CGVD28								
313585	80H1680	E	475688.288	0.9996067	0.9999995	402784	80H1661	Terr	269° 20' 0"	151.094	151.154
		N	5365647.955								
		EI (H)	22.141 CGVD28								
313601	79H8942	E	473376.085	0.9996070	0.9999983		MARKER DESTROYED				
		N	5368232.315								
		EI (H)	29.365 CGVD28								
314294	85H0890	E	475396.030	0.9996043	0.9999969		MARKER DESTROYED				
		N	5368456.147								
		EI (H)	38.674 CGVD28								
314617	80H2474	E	479963.190	0.9996055	1.0000006		MARKER DESTROYED				
		N	5367003.112								
		EI (H)	15.449 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
314815	80H1553	E	475198.127	0.9996050	0.9999974	256578	79H1138	Terr	21° 29' 49"	280.609	280.720		
		N	5370193.455					Terr	113° 5' 2"			153.962	154.023
		El (H)	35.152 CGVD28										
315671	80H1591	E	478404.395	0.9996060	1.0000002	658591	79H1144	Terr	209° 19' 1"	89.486	89.521		
		N	5368561.108										
		El (H)	17.488 CGVD28										
316562	80H1491	E	475177.467	0.9996053	0.9999978	MARKER DESTROYED							
		N	5370463.183										
		El (H)	33.010 CGVD28										
317172	79H1110	E	472594.593	0.9996083	0.9999991	524843	81H4159	Terr	91° 31' 58"	202.680	202.759		
		N	5374841.286					Terr	271° 16' 29"			114.950	114.996
		El (H)	24.411 CGVD28										
317438	79H1023	E	469973.799	0.9996085	0.9999974	531129	79H1108	Terr	22° 4' 17"	444.906	445.081		
		N	5371364.174										
		El (H)	34.717 CGVD28										
317602	85H0870	E	472740.853	0.9995984	0.9999893	154500	85H0860	Terr	107° 42' 9"	77.888	77.919		
		N	5372989.295					Terr	253° 45' 37"			60.030	60.054
		El (H)	86.986 CGVD28										
317776	80H3025	E	467537.262	0.9996088	0.9999959	752840	80H4019	Terr	345° 56' 32"	184.367	184.439		
		N	5369391.308										
		El (H)	44.437 CGVD28										
317784	81H4184	E	469279.057	0.9996085	0.9999969	267559	79H8934	Terr	16° 51' 27"	195.274	195.351		
		N	5369449.655					Terr	200° 36' 38"			178.749	178.819
		El (H)	37.791 CGVD28										
317842	80H1655	E	478410.701	0.9996082	1.0000025	986190	80H1524	Terr	242° 10' 17"	304.982	305.101		
		N	5367604.295					Terr	304° 28' 21"			168.197	168.263
		El (H)	3.245 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
317883	80H4064	E N EI (H)	469672.928 5375182.562 105.070 CGVD28	0.9995977	0.9999864	400846	80H4066	Terr	159° 17' 44"	143.485	143.543
317891	81H4121	E N EI (H)	469841.656 5367531.012 23.473 CGVD28	0.9996104	0.9999992		MARKER DESTROYED				
318113	79H0702	E N EI (H)	472129.086 5369693.172 41.797 CGVD28	0.9996059	0.9999964		MARKER DESTROYED				
318121	81H4163	E N EI (H)	468140.877 5377990.782 122.144 CGVD28	0.9995962	0.9999837	68254 784348	81H4108 81H4123	Terr Terr	2° 16' 22" 188° 47' 15"	72.871 61.505	72.901 61.530
318410	81H4205	E N EI (H)	479166.717 5367415.916 45.778 CGVD28	0.9996011	0.9999958	728238 186635 520379	81H4204 81H4203 81H4206	Terr Terr Terr	73° 38' 55" 141° 50' 23" 284° 40' 31"	98.008 145.380 84.692	98.047 145.438 84.726
318741	80H1431	E N EI (H)	475025.963 5370726.569 35.509 CGVD28	0.9996050	0.9999974	924712	80H1437	Terr	84° 16' 20"	211.659	211.742
319384	79H8946	E N EI (H)	473345.897 5368069.680 31.986 CGVD28	0.9996066	0.9999979	583153 776872	79H8977 79H0632	Terr Terr	151° 1' 56" 257° 11' 52"	196.783 238.145	196.861 238.239
319616	80H3054	E N EI (H)	467305.692 5370892.914 78.540 CGVD28	0.9996037	0.9999905		MARKER DESTROYED				
320200	80H2415	E N EI (H)	474513.889 5368779.428 32.394 CGVD28	0.9996058	0.9999978	237339	80H1700	Terr	279° 13' 35"	161.107	161.171

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
321638	87H2508	E	471628.260	0.9996086	0.9999987		MARKER DESTROYED				
		N	5371339.123								
		EI (H)	26.780 CGVD28								
322875	80H1599	E	477080.578	0.9995998	0.9999934	32433	80H1594	Terr	70° 51' 26"	110.172	
		N	5370009.177			243998	85H0853	Terr	291° 17' 13"	121.246	
		EI (H)	61.202 CGVD28							110.216	
323048	85H0835	E	471239.813	0.9996077	0.9999975	307876	79H8865	Terr	289° 10' 49"	315.817	
		N	5370518.509							315.941	
		EI (H)	34.480 CGVD28								
323352	79H8755	E	470102.937	0.9996129	1.0000020		MARKER DESTROYED				
		N	5367010.735								
		EI (H)	5.897 CGVD28								
323469	79H8718	E	471416.911	0.9996102	1.0000002	283580	79H8740	Terr	109° 32' 23"	260.095	
		N	5367183.472			79210	79H8810	Terr	200° 45' 58"	177.729	
		EI (H)	17.276 CGVD28							260.196	
324095	80H4037	E	467692.267	0.9996080	0.9999952	126672	85H0847	Both	179° 12' 12"	451.485	
		N	5376224.078			733832	80H4063	Terr	345° 18' 27"	171.375	
		EI (H)	49.075 CGVD28							451.662	
324772	80H1489	E	475855.460	0.9996027	0.9999956	102376	80H1438	Terr	197° 58' 57"	133.153	
		N	5370061.072							133.206	
		EI (H)	47.084 CGVD28								
325779	79H1197	E	474505.082	0.9996037	0.9999957	893271	79H1169	Terr	259° 36' 48"	355.026	
		N	5369482.033			591206	79H1180	Terr	349° 27' 34"	176.204	
		EI (H)	46.325 CGVD28							355.166	
325811	80H3024	E	468707.496	0.9996129	1.0000009	398925	79H1001	Terr	98° 7' 13"	280.167	
		N	5369721.838			671404	80H3090	Terr	277° 11' 50"	141.390	
		EI (H)	12.450 CGVD28							280.276	

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
326611	80H3044	E N EI (H)	467510.290 5370350.527 67.721 CGVD28	0.9996052	0.9999922	256875	80H4067	Terr	228° 30' 40"	161.487	161.550
327262	81H4193	E N EI (H)	471811.773 5371769.657 54.525 CGVD28	0.9996041	0.9999944	660472 220525	79H0674 79H0768	Terr Terr	108° 52' 57" 281° 48' 49"	275.200 304.329	275.309 304.450
327684	80H1508	E N EI (H)	476634.177 5370515.276 66.391 CGVD28	0.9995993	0.9999925	MARKER DESTROYED					
327924	80H4079	E N EI (H)	472914.269 5373799.692 15.550 CGVD28	0.9996095	1.0000005	366880 837849	79H0663 79H1203	Terr Terr	162° 57' 7" 350° 47' 1"	204.912 148.591	204.992 148.649
328005	80H1648	E N EI (H)	475395.141 5368453.092 38.758 CGVD28	0.9996043	0.9999969	MARKER DESTROYED					
328724	80H1579	E N EI (H)	476555.211 5370839.524 63.255 CGVD28	0.9995998	0.9999930	696500	80H1423	Terr	22° 4' 16"	147.121	147.180
328823	79H8796	E N EI (H)	469878.427 5366691.254 26.393 CGVD28	0.9996099	0.9999987	876136 950097	79H8780 79H8760	Terr Terr	127° 48' 23" 214° 47' 26"	218.394 130.872	218.479 130.923
328955	79H8968	E N EI (H)	474057.628 5366992.337 52.765 CGVD28	0.9996029	0.9999946	704288 553263 400259 712620	80H2454 79H0680 79H0645 79H8940	Terr Terr Terr Terr	98° 25' 38" 178° 20' 43" 261° 38' 8" 359° 19' 12"	227.877 108.632 121.036 180.121	227.968 108.675 121.085 180.192
328989	80H1600	E N EI (H)	476689.410 5369049.632 60.358 CGVD28	0.9996002	0.9999935	MARKER ISOLATED					

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)						
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
329235	79H8962	E	472655.647	0.9996078	0.9999986	663021	79H1156	Terr	141° 26' 15"	256.064	256.164						
		N	5368293.166														
		EI (H)	27.652 CGVD28														
329391	79H1107	E	471691.548	0.9995996	0.9999897	350488	79H1120	Terr	344° 42' 57"	339.000	339.136						
		N	5375561.880														
		EI (H)	84.182 CGVD28														
329409	79H1141	E	471274.154	0.9996025	0.9999923	498550	79H1081	Terr	70° 45' 40"	150.533	150.593						
		N	5376134.628									46607	79H1171	Terr	172° 35' 47"	160.340	160.403
		EI (H)	67.622 CGVD28									940155	81H4166	Terr	249° 45' 9"	99.781	99.821
												779520	79H1139	Terr	354° 38' 18"	435.284	435.457
330589	80H1528	E	479722.768	0.9996031	0.9999980	769158	80H1583	Terr	308° 59' 47"	341.665	341.801						
		N	5366827.185														
		EI (H)	31.499 CGVD28														
330738	79H1109	E	472486.297	0.9996071	0.9999978	743062	79H1041	Terr	182° 22' 22"	160.045	160.108						
		N	5375003.751									490086	79H1116	Terr	343° 45' 5"	127.678	127.728
		EI (H)	32.740 CGVD28														
331173	79H1069	E	471653.989	0.9995984	0.9999885	966218	79H1057	Terr	172° 57' 36"	279.170	279.282						
		N	5374798.812									463703	79H1076	Terr	353° 4' 9"	334.566	334.700
		EI (H)	92.071 CGVD28														
332643	80H3117	E	469109.541	0.9996127	1.0000010	97444	79H8912	Terr	95° 15' 33"	198.283	198.360						
		N	5370362.352									699835	80H3030	Terr	277° 9' 55"	113.372	113.416
		EI (H)	11.878 CGVD28														
333427	79H1067	E	469250.325	0.9996102	0.9999986	751081	79H8898	Terr	28° 28' 36"	157.872	157.933						
		N	5368112.453														
		EI (H)	27.364 CGVD28														
333559	80H1544	E	477154.084	0.9995996	0.9999932	262030	80H1660	Terr	292° 34' 43"	289.146	289.262						
		N	5369643.963														
		EI (H)	62.084 CGVD28														

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)						
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
333815	80H1687	E	477429.992	0.9996009	0.9999947	979625	80H1466	Terr	37° 38' 54"	197.570	197.649						
		N	5368064.456					Terr	130° 32' 3"			250.257	250.357				
		El (H)	52.833 CGVD28														
334458	81H4154	E	468569.607	0.9995958	0.9999837	907683	81H4157	Terr	139° 25' 24"	125.203	125.253						
		N	5376197.493														
		El (H)	122.427 CGVD28														
335810	79H1048	E	472874.205	0.9996053	0.9999962	957100	79H1044	Terr	204° 24' 48"	90.398	90.433						
		N	5372297.735					80H4075	Terr			351° 29' 45"	126.019	126.068			
		El (H)	42.722 CGVD28														
336743	79H8777	E	469393.939	0.9996126	1.0000011	MARKER DESTROYED											
		N	5367076.715														
		El (H)	11.568 CGVD28														
337873	81H4162	E	472882.779	0.9996108	1.0000017	837849	79H1203	Terr	177° 40' 15"	189.241	189.315						
		N	5374135.450														
		El (H)	7.673 CGVD28														
338574	79H8847	E	474115.108	0.9996013	0.9999931	495283	79H0762	Terr	2° 16' 56"	147.355	147.414						
		N	5367926.241					79H9000	Terr			178° 46' 0"	143.755	143.813			
		El (H)	62.592 CGVD28														
339069	79H8751	E	469811.900	0.9996104	0.9999992	561985	79H8773	Terr	34° 24' 38"	139.706	139.761						
		N	5366870.255					79H8759	Terr			212° 47' 46"	108.976	109.019			
		El (H)	23.529 CGVD28						79H8769			Terr			302° 43' 10"	289.908	290.020
339101	79H1030	E	469658.846	0.9996117	1.0000003	241869	11703	Both		70° 55' 17"	4997.482	4999.513					
		N	5369529.808					79H8928	Terr	151° 51' 51"			337.482	337.613			
		El (H)	16.185 CGVD28						79H8934	Terr					288° 16' 36"	340.330	340.462
										79H8915					Terr		
339143	80H1666	E	476647.104	0.9995998	0.9999931	721175	80H1560	Terr	90° 25' 40"		187.756	187.831					
		N	5369257.407					80H1542	Terr	270° 32' 36"			165.230	165.297			
		El (H)	62.970 CGVD28														

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
339192	87H2525	E	471725.705	0.9996084	0.9999986	794420	87H2529	Terr	182° 11' 32"	212.607	212.690		
		N	5368927.573					Terr	271° 56' 18"			207.320	207.401
		EI (H)	27.397 CGVD28					Terr	339° 37' 42"				
340059	79H1080	E	473057.180	0.9996087	0.9999998	592063	79H0670	Terr	120° 35' 48"	226.916	227.005		
		N	5373400.987					Terr	337° 46' 54"			219.063	219.148
		EI (H)	20.118 CGVD28										
340430	79H8867	E	471406.617	0.9996096	0.9999996	446633	85H0912	Terr	80° 36' 5"	295.249	295.365		
		N	5369519.184					Terr	84° 58' 46"			123.733	123.781
		EI (H)	21.242 CGVD28					Terr	169° 1' 3"				
341305	80H1673	E	475045.115	0.9996031	0.9999955		MARKER DESTROYED						
		N	5368438.365										
		EI (H)	47.583 CGVD28										
342626	81H4156	E	467575.351	0.9996007	0.9999877	828939	81H4127	Terr	207° 48' 3"	178.193	178.264		
		N	5377904.004										
		EI (H)	96.612 CGVD28										
344333	87H2509	E	475400.660	0.9996050	0.9999975		MARKER ISOLATED						
		N	5367796.643										
		EI (H)	34.452 CGVD28										
345538	80H4096	E	470452.271	0.9996016	0.9999908	474569	80H4095	Terr	90° 46' 25"	162.275	162.339		
		N	5375996.700					Terr	269° 43' 43"			199.234	199.314
		EI (H)	77.065 CGVD28										
346593	81H4185	E	472012.959	0.9996092	0.9999995		MARKER DESTROYED						
		N	5367572.821										
		EI (H)	21.342 CGVD28										
347377	80H3097	E	467724.664	0.9996056	0.9999928	271312	80H3106	Terr	1° 30' 4"	177.019	177.089		
		N	5371253.399										
		EI (H)	64.016 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
348664	80H1547	E	477358.363	0.9996007	0.9999944	213595	80H1477	Terr	155° 30' 2"	177.848	177.919		
		N	5369367.748					Terr	345° 32' 50"			287.520	287.635
		El (H)	54.422 CGVD28										
350488	79H1120	E	471602.185	0.9996002	0.9999903	329391	79H1107	Terr	164° 42' 57"	339.000	339.136		
		N	5375888.890					Terr	329° 33' 3"			157.331	157.394
		El (H)	80.670 CGVD28										
352013	79H8949	E	473013.104	0.9996053	0.9999963	728493	79H8985	Terr	252° 43' 52"	155.101	155.162		
		N	5368214.948										
		El (H)	41.946 CGVD28										
352922	80H4082	E	468440.145	0.9995950	0.9999828	815712	81H4169	Terr	3° 41' 45"	170.428	170.498		
		N	5376373.649					Terr	150° 42' 43"			113.364	113.410
		El (H)	128.275 CGVD28										
353284	80H3121	E	475833.104	0.9996059	0.9999987	468496	80H1617	Terr	4° 5' 42"	166.556	166.622		
		N	5365767.485					Terr	188° 28' 17"			185.786	185.859
		El (H)	26.787 CGVD28										
353466	79H8744	E	470669.894	0.9996106	1.0000000	985630	79H8727	Terr	292° 57' 3"	116.446	116.491		
		N	5366079.354										
		El (H)	18.265 CGVD28										
354761	87H2500	E	471633.134	0.9996098	0.9999999	339192	87H2525	Terr	159° 37' 42"	265.926	266.030		
		N	5369176.866					Terr	343° 42' 4"			367.933	368.076
		El (H)	18.820 CGVD28										
355891	80H1513	E	476751.071	0.9996001	0.9999935	745026	80H1669	Terr	292° 54' 9"	181.611	181.683		
		N	5370636.887										
		El (H)	60.483 CGVD28										
358150	79H1112	E	472788.729	0.9996086	0.9999995	524843	81H4159	Terr	175° 35' 45"	110.313	110.356		
		N	5374945.852					Terr	326° 50' 41"			190.706	190.781
		El (H)	22.114 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
359851	79H0758	E N EI (H)	472085.899 5368643.136 43.668 CGVD28	0.9996056	0.9999961		MARKER DESTROYED				
362657	85H0893	E N EI (H)	471861.750 5369959.960 38.351 CGVD28	0.9996066	0.9999969	555474 798264	79H0692 85H0899	Terr Terr	78° 7' 1" 236° 23' 58"	150.650 124.172	150.710 124.221
362970	79H8930	E N EI (H)	471729.872 5368675.703 32.319 CGVD28	0.9996077	0.9999978		MARKER DESTROYED				
363796	85H0888	E N EI (H)	473570.274 5367600.507 58.044 CGVD28	0.9996024	0.9999938	484618	79H0599	Terr	260° 19' 54"	148.334	148.393
365346	79H8935	E N EI (H)	471954.864 5368201.995 24.987 CGVD28	0.9996086	0.9999990		MARKER DESTROYED				
365536	79H1021	E N EI (H)	472304.012 5369437.871 44.654 CGVD28	0.9996053	0.9999959	974667 12021	79H0737 79H0774	Terr Terr	141° 36' 1" 319° 54' 12"	138.648 122.553	138.703 122.601
365593	80H1692	E N EI (H)	477858.486 5367413.278 16.270 CGVD28	0.9996064	1.0000004	602425 835645	80H2427 80H1671	Terr Terr	36° 21' 0" 200° 57' 30"	112.598 141.003	112.643 141.058
365916	81H4133	E N EI (H)	466678.656 5378417.276 50.286 CGVD28	0.9996086	0.9999950	999003 426494	80H4072 81H4113	Terr Terr	131° 57' 25" 312° 6' 47"	388.251 373.118	388.403 373.264
365932	85H0824	E N EI (H)	471459.525 5374961.033 65.386 CGVD28	0.9996027	0.9999927	900357 717272	79H1173 79H1190	Terr Terr	178° 52' 32" 348° 57' 23"	276.639 410.942	276.749 411.105

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)				
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
366880	79H0663	E	472974.344	0.9996088	0.9999998	340059	79H1080	Terr	157° 46' 54"	219.063	219.148				
		N	5373603.784					Terr	342° 57' 7"			204.912	204.992		
		El (H)	19.964 CGVD28												
366971	79H1172	E	477793.814	0.9996053	0.9999992	60277	80H1557	Terr	310° 26' 53"	254.640	254.740				
		N	5368494.321												
		El (H)	24.048 CGVD28												
367979	79H0662	E	471340.520	0.9996031	0.9999930	717272	79H1190	Terr	172° 36' 39"	313.248	313.373				
		N	5375675.012					46607	79H1171			Terr	351° 21' 18"	304.068	304.188
		El (H)	63.200 CGVD28												
368902	79H8829	E	471070.504	0.9996098	0.9999995	681841	79H8852	Terr	169° 19' 57"	158.167	158.229				
		N	5367947.474					452540	79H8791			Terr	257° 21' 27"	195.521	195.598
		El (H)	21.519 CGVD28												
368944	80H1472	E	479163.156	0.9996062	1.0000009	523787	80H1450	Terr	334° 30' 11"	188.273	188.348				
		N	5367749.357												
		El (H)	13.459 CGVD28												
368969	85H0848	E	473691.976	0.9996048	0.9999963	92296	79H8979	Terr	76° 51' 13"	94.618	94.655				
		N	5367940.777					78352	79H0597			Terr	167° 28' 17"	86.416	86.450
		El (H)	42.132 CGVD28									209908	79H8978		
369827	79H1132	E	474886.897	0.9996035	0.9999958	MARKER DESTROYED									
		N	5371879.383												
		El (H)	45.634 CGVD28												
369959	80H2413	E	474617.231	0.9996045	0.9999965	MARKER DESTROYED									
		N	5368652.360												
		El (H)	40.797 CGVD28												
373290	79H1137	E	472224.034	0.9996077	0.9999982	431411	79H1166	Both	359° 46' 31"	256.615	256.715				
		N	5376510.570												
		El (H)	30.226 CGVD28												

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
373951	79H1188	E	472811.084	0.9996096	1.0000005	626762	79H1174	Terr	166° 41' 36"	191.281	191.355
		N	5374685.499			524843	81H4159	Terr	354° 43' 28"	151.006	151.065
		EI (H)	15.565 CGVD28								
374645	81H4202	E	479339.949	0.9995990	0.9999937	698126	81H4197	Terr	75° 54' 6"	135.361	135.416
		N	5367368.707			728238	81H4204	Terr	313° 22' 5"	108.931	108.974
		EI (H)	59.097 CGVD28								
374975	80H3080	E	467968.179	0.9996049	0.9999923	741348	80H3084	Terr	120° 8' 43"	142.694	142.750
		N	5371505.508			185009	80H4039	Terr	261° 50' 26"	145.102	145.159
		EI (H)	67.534 CGVD28								
375261	80H3087	E	468789.421	0.9996063	0.9999943	250324	79H1177	Terr	92° 42' 42"	214.165	214.249
		N	5371270.788								
		EI (H)	54.373 CGVD28								
375311	79H0622	E	473171.203	0.9996092	1.0000003	474122	79H0642	Terr	104° 21' 51"	141.665	141.720
		N	5366617.656			992099	79H0595	Terr	194° 3' 32"	296.362	296.478
		EI (H)	16.436 CGVD28								
376129	79H0666	E	472912.294	0.9996095	1.0000005		MARKER DESTROYED				
		N	5373804.513								
		EI (H)	15.817 CGVD28								
376137	79H0644	E	473883.815	0.9996035	0.9999951	400259	79H0645	Terr	27° 37' 33"	116.593	116.640
		N	5366871.429			553263	79H0680	Terr	86° 1' 1"	177.378	177.449
		EI (H)	49.682 CGVD28			232348	79H0633	Terr	281° 57' 10"	160.599	160.663
377549	80H1670	E	475962.366	0.9996076	1.0000005		MARKER DESTROYED				
		N	5364793.925								
		EI (H)	15.200 CGVD28								
377606	85H0887	E	473335.791	0.9996046	0.9999959	264440	79H0985	Terr	17° 53' 50"	231.774	231.865
		N	5367582.084			53868	85H0880	Terr	173° 8' 29"	163.843	163.908
		EI (H)	44.737 CGVD28			14092	79H0637	Terr	271° 2' 44"	199.642	199.721

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)			
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
378042	A-59	E	467570.787	0.9996071	0.9999942	126672	85H0847	Both	5° 21' 26"	1368.345	1368.883			
		N	5374410.269					GPS Only	43° 3' 24"			2711.836	2712.907	
		El (H)	55.354 CGVD28					Both	76° 48' 59"			2059.545	2060.367	
								GPS Only	82° 44' 26"			4410.096	4411.849	
								Both	210° 46' 13"			1580.464	1581.087	
				993675	99H2281	GPS Only	310° 38' 44"	1941.864	1942.641					
378539	80H3088	E	469002.996	0.9996009	0.9999891	990135	80H3112	Terr	274° 28' 53"	117.130	117.177			
		N	5373450.046											
		El (H)	87.922 CGVD28											
383893	80H1551	E	476042.015	0.9996016	0.9999945	931535	80H1565	Terr	111° 32' 8"	175.016	175.086			
		N	5370956.746					80H1518	Terr			291° 24' 40"	118.248	118.295
		El (H)	53.920 CGVD28											
384438	87H2486	E	473065.532	0.9996050	0.9999961	680900	87H2488	Terr	119° 13' 23"	132.102	132.155			
		N	5371431.616					85H0884	Terr			329° 31' 55"	67.732	67.759
		El (H)	43.686 CGVD28											
384651	80H1474	E	475369.142	0.9996054	0.9999979	502963	80H1408	Terr	112° 23' 59"	156.829	156.891			
		N	5370626.464					79H1138	Terr			201° 38' 2"	184.948	185.021
		El (H)	32.100 CGVD28											
384925	80H2462	E	479302.636	0.9996039	0.9999986	MARKER DESTROYED								
		N	5366887.337											
		El (H)	27.955 CGVD28											
385526	80H1401	E	474898.416	0.9996035	0.9999957	13854	80H1410	Terr	161° 55' 10"	108.060	108.103			
		N	5370263.333											
		El (H)	46.096 CGVD28											
386607	79H8839	E	470830.322	0.9996117	1.0000012	648238	79H8816	Terr	79° 4' 34"	279.842	279.951			
		N	5367643.586					79H0719	Terr			171° 52' 29"	131.573	131.624
		El (H)	10.515 CGVD28						79H8771			Terr		
387035	79H1143	E	474154.827	0.9996063	0.9999981	247866	79H1011	Terr	259° 12' 53"	182.089	182.160			
		N	5369206.636											
		El (H)	30.566 CGVD28											

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
388660	80H1635	E	475400.448	0.9996050	0.9999976		MARKER DESTROYED				
		N	5367797.663								
		EI (H)	34.192 CGVD28								
389130	79H0673	E	472926.564	0.9996075	0.9999985	903799	79H0678	Terr	79° 20' 39"	267.955	268.060
		N	5369186.953			442194	79H0760	Terr	135° 46' 10"	206.637	206.718
		EI (H)	28.315 CGVD28			444471	79H0701	Terr	254° 40' 20"	176.886	176.955
						219899	79H0714	Terr	347° 55' 31"	218.187	218.273
390252	79H8929	E	470224.221	0.9996079	0.9999970	398594	79H8897	Terr	109° 1' 6"	130.411	130.462
		N	5370855.793								
		EI (H)	37.262 CGVD28								
390583	85H0907	E	472779.713	0.9996043	0.9999952	140921	85H0877	Terr	79° 21' 40"	106.556	106.598
		N	5370891.324			300657	85H0913	Terr	221° 6' 37"	148.589	148.648
		EI (H)	49.148 CGVD28								
391177	79H0759	E	471857.702	0.9996065	0.9999967		MARKER DESTROYED				
		N	5369282.047								
		EI (H)	39.335 CGVD28								
391631	79H8840	E	469953.860	0.9996096	0.9999985	138545	79H8826	Terr	70° 34' 19"	90.884	90.919
		N	5368099.258			886432	79H8860	Terr	288° 47' 55"	181.592	181.663
		EI (H)	27.859 CGVD28								
395442	80H1458	E	473625.768	0.9996073	0.9999987	150664	80H1426	Both	128° 29' 22"	2678.028	2679.082
		N	5372746.613			295113	79H1117	Terr	132° 26' 20"	208.967	209.049
		EI (H)	26.714 CGVD28			465575	99H2279	GPS Only	177° 7' 5"	4576.103	4577.907
						140731	79H0722	Both	188° 29' 3"	1730.420	1731.100
						832576		GPS Only	265° 19' 9"	2081.067	2081.893
						822932	99H2284	GPS Only	272° 35' 16"	4559.143	4560.944
						159590	99H2283	GPS Only	322° 53' 27"	2784.903	2786.010
						112763	79H0713	Terr	325° 51' 2"	168.044	168.110
395749	80H1645	E	476097.297	0.9996003	0.9999932	613240	80H3098	Terr	264° 29' 35"	227.072	227.162
		N	5367552.502								
		EI (H)	61.850 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)								
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING												
396804	21710	E	469344.492	0.9995839	0.9999723	694299	NO MARKING	Terr	52° 26' 15"	11720.875	2440.015								
		N	5374021.884			717272	79H1190	Terr	56° 36' 16"	2439.023									
		EI (H)	194.926 CGVD28			508176		Terr	67° 46' 25"	46542.622									
						241869	11703	Both	119° 34' 26"	5791.909		5794.343							
						103234	NO MARKING	Both	126° 52' 55"	17340.735									
						354514	80H3866	Both	135° 18' 47"	12575.132									
						512921	669	Both	136° 20' 28"	9535.692		9539.629							
						544908	PIER 5	Both	145° 17' 42"	3765.621		3767.145							
						871954	NO MARKING	Both	150° 37' 57"	13431.395									
						671339	25-1	Both	154° 55' 45"	9192.092		9195.808							
						790030	79H0725	Terr	170° 19' 26"	5813.281		5815.617							
						852780	677019	Terr	233° 4' 37"	14196.804									
						669846	NO MARKING	Terr	280° 34' 18"	17.431		17.438							
						550467	3300	Both	311° 10' 34"	11212.660									
397174	79H8903	E	470598.621	0.9996118	1.0000012	300178	79H8933	Terr	142° 48' 7"	158.466	158.527								
		N	5369108.560			759233	79H8805	Terr	343° 30' 23"	267.530	267.634								
		EI (H)	10.920 CGVD28																
		398271	80H1690			E	478093.616	0.9996078	1.0000019	207290	80H1574	Terr	77° 34' 10"	182.707	182.779				
						N	5367660.167			539601	80H2402	Terr	233° 50' 23"	122.431	122.479				
						EI (H)	6.893 CGVD28												
						398594	79H8897			E	470347.513	0.9996089	0.9999981	576900	79H8909	Terr	109° 17' 52"	175.177	175.245
										N	5370813.296			228635	79H8900	Terr	193° 57' 38"	134.464	134.516
										EI (H)	30.692 CGVD28			390252	79H8929	Terr	289° 1' 6"	130.411	130.462
						398925	79H1001			E	468984.854	0.9996091	0.9999973	267559	79H8934	Terr	97° 25' 33"	353.798	353.937
N	5369682.264			325811	80H3024					Terr	278° 7' 13"			280.167	280.276				
EI (H)	35.647 CGVD28																		
400259	79H0645			E	473937.879	0.9996020	0.9999937			328955	79H8968	Terr	81° 38' 8"	121.036	121.085				
		N	5366974.730	376137	79H0644			Terr	207° 37' 33"	116.593	116.640								
		EI (H)	58.850 CGVD28																

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
400408	80H1570	E	476068.529	0.9996035	0.9999965		MARKER DESTROYED				
		N	5368429.528								
		EI (H)	41.335 CGVD28								
400846	80H4066	E	469723.657	0.9995974	0.9999861	783464	80H4057	Terr	180° 13' 34"	169.314	
		N	5375048.344			317883	80H4064	Terr	339° 17' 44"	143.485	
		EI (H)	107.098 CGVD28							143.543	
401026	80H2459	E	474600.217	0.9996023	0.9999944	994095	80H2467	Terr	214° 49' 36"	132.691	
		N	5368380.754							132.744	
		EI (H)	54.409 CGVD28								
401307	80H1593	E	477065.799	0.9996032	0.9999967	667659	80H1625	Terr	23° 15' 50"	266.167	
		N	5370792.707			971127	80H1584	Terr	112° 18' 16"	135.486	
		EI (H)	39.986 CGVD28			918151	80H1578	Terr	292° 9' 38"	127.647	
401752	80H4052	E	469588.378	0.9996041	0.9999927	498998	80H4054	Terr	16° 49' 56"	386.030	
		N	5373287.017							386.184	
		EI (H)	64.779 CGVD28								
402784	80H1661	E	475537.204	0.9996070	0.9999996	313585	80H1680	Terr	89° 20' 0"	151.094	
		N	5365646.197			742338	81H4211	Terr	264° 45' 59"	88.415	
		EI (H)	21.091 CGVD28							88.449	
403147	87H2485	E	473028.713	0.9996050	0.9999961	666768	87H2482	Terr	61° 59' 35"	101.003	
		N	5371119.958			705244	85H0897	Terr	289° 17' 33"	63.322	
		EI (H)	43.660 CGVD28							63.347	
404004	80H4050	E	468893.782	0.9995994	0.9999875	180927	80H4046	Terr	78° 29' 26"	308.788	
		N	5376150.489			715144	80H4094	Terr	258° 6' 9"	143.393	
		EI (H)	98.257 CGVD28							143.451	
404095	79H8931	E	469550.690	0.9996101	0.9999987	714568	79H8848	Terr	88° 11' 6"	132.238	
		N	5367850.925							132.290	
		EI (H)	26.489 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
404467	79H0655	E N EI (H)	473749.564 5366436.873 52.818 CGVD28	0.9996031	0.9999946	182337	32-56	Terr	201° 9' 53"	105.504	105.545
405332	79H0605	E N EI (H)	473715.090 5367521.916 72.075 CGVD28	0.9996001	0.9999916	MARKER ISOLATED					
405704	80H2483	E N EI (H)	479154.476 5366704.030 15.788 CGVD28	0.9996058	1.0000005	528158 104786	80H3580 80H2476	Terr Terr	202° 41' 15" 325° 20' 47"	3721.083 161.333	3722.546 161.396
406207	79H0671	E N EI (H)	472899.908 5375718.196 13.510 CGVD28	0.9996098	1.0000008	MARKER DESTROYED					
411405	80H1601	E N EI (H)	475551.794 5365936.395 25.887 CGVD28	0.9996062	0.9999989	850933 196535 310193	80H1685 85H0818 80H3113	Terr Terr Terr	90° 41' 28" 274° 35' 22" 357° 50' 44"	165.397 99.708 232.646	165.462 99.747 232.738
411694	79H1187	E N EI (H)	471884.795 5373529.876 99.903 CGVD28	0.9995970	0.9999873	30429 739953	79H1027 79H0664	Terr Terr	91° 6' 26" 271° 54' 8"	481.946 255.471	482.141 255.573
411736	80H2475	E N EI (H)	475903.240 5366469.414 51.139 CGVD28	0.9996021	0.9999949	967497 430538	80H2488 80H3110	Terr Terr	92° 9' 16" 167° 49' 23"	124.595 114.658	124.645 114.703
412015	80H1545	E N EI (H)	477416.566 5370095.493 36.078 CGVD28	0.9996036	0.9999973	150102 920405 11338	80H1535 80H1582 87H2540	Terr Terr Terr	157° 41' 38" 250° 35' 46" 332° 23' 31"	196.283 143.658 149.665	196.361 143.715 149.725
412973	80H1638	E N EI (H)	475528.540 5366843.352 36.774 CGVD28	0.9996045	0.9999972	311639 455642	80H1639 80H1686	Terr Terr	91° 14' 0" 349° 45' 45"	145.008 90.018	145.065 90.054

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
413369	79H0741	E N EI (H)	470486.528 5371183.779 35.684 CGVD28	0.9996080	0.9999973		MARKER DESTROYED				
413690	80H2480	E N EI (H)	476193.761 5365750.905 32.802 CGVD28	0.9996048	0.9999978	651836 794412	80H3739 80H3760	Terr Terr	94° 15' 19" 172° 54' 20"	129.284 91.026	129.336 91.062
414359	80H2457	E N EI (H)	476169.499 5365093.555 18.373 CGVD28	0.9996070	1.0000001	455691 567750 776815	80H3115 80H3890 80H3773	Terr Terr Terr	2° 13' 3" 91° 26' 52" 171° 36' 34"	194.860 249.682 86.418	194.937 249.780 86.452
415588	79H8812	E N EI (H)	469873.647 5370660.499 34.064 CGVD28	0.9996087	0.9999975	785295	79H8913	Terr	121° 32' 5"	387.657	387.809
415919	80H3074	E N EI (H)	468817.201 5373476.773 90.305 CGVD28	0.9996007	0.9999887	588657	80H3092	Terr	269° 4' 32"	151.440	151.500
417097	87H2513	E N EI (H)	471944.897 5367801.682 15.406 CGVD28	0.9996102	1.0000005	978163 934612	87H2506 87H2511	Terr Terr	165° 55' 36" 340° 29' 57"	375.798 343.309	375.945 343.443
418541	16-1965	E N EI (H)	479581.129 5367896.188 3.102 CGVD28	0.9996076	1.0000025	304469 871954 362608 995464 544908 727727 384982	80H1430 NO MARKING 84H0238 94H1534 PIER 5 80H1568 99H2274	Both Both Both GPS Only Both Both GPS Only	146° 53' 24" 213° 11' 22" 243° 47' 16" 282° 27' 3" 290° 31' 35" 315° 49' 43" 331° 4' 37"	1349.835 6667.356 11183.151 21034.554 8641.314 3884.001 13812.981	1350.366 6670.000
419101	85H0904	E N EI (H)	472450.973 5371039.345 26.212 CGVD28	0.9996081	0.9999988	635441 623231	85H0864 85H0898	Terr Terr	47° 29' 28" 178° 1' 56"	127.403 212.296	127.453 212.379

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)						
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
420026	79H0650	E	474356.327	0.9996019	0.9999938	93377	79H8984	Terr	169° 16' 58"	174.302	174.372						
		N	5367968.333									761775	79H0694	Terr	349° 29' 57"	194.159	194.236
		El (H)	58.314 CGVD28														
422527	85H0858	E	472867.960	0.9996024	0.9999933	767137	85H0862	Terr	148° 11' 51"	83.230	83.264						
		N	5372986.599									248351	85H0872	Terr	348° 28' 44"	80.854	80.886
		El (H)	61.232 CGVD28														
422782	79H0589	E	474281.889	0.9996012	0.9999931	165464	79H0990	Terr	79° 54' 46"	146.970	147.028						
		N	5367597.417									280065	79H8951	Terr	259° 35' 59"	215.813	215.899
		El (H)	62.613 CGVD28														
423061	85H0821	E	470555.480	0.9996122	1.0000015	99622	79H8771	Terr	131° 20' 32"	167.562	167.627						
		N	5368037.744									625806	79H8830	Terr	300° 3' 43"	166.502	166.567
		El (H)	8.567 CGVD28														
423160	80H3099	E	476157.588	0.9996073	1.0000003	MARKER DESTROYED											
		N	5364788.524														
		El (H)	16.704 CGVD28														
423699	80H1650	E	477076.100	0.9995995	0.9999930	220624	79H1195	Terr	128° 13' 7"	268.246	268.353						
		N	5368816.168									62984	80H1620	Terr	307° 22' 27"	146.180	146.239
		El (H)	63.201 CGVD28														
423715	80H1503	E	478724.752	0.9996067	1.0000011	272443	81H4142	Terr	130° 0' 0"	268.593	268.698						
		N	5367717.241									972141	80H1587	Terr	309° 23' 10"	268.021	268.126
		El (H)	11.900 CGVD28														
423905	79H8720	E	471031.413	0.9996125	1.0000022	MARKER DESTROYED											
		N	5367128.414														
		El (H)	4.517 CGVD28														
424259	79H8759	E	469752.873	0.9996100	0.9999987	339069	79H8751	Terr	32° 47' 46"	108.976	109.019						
		N	5366778.649														
		El (H)	26.333 CGVD28														

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)				
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
424549	85H0836	E	472026.099	0.9996080	0.9999983	971408	98H2196	Terr	157° 31' 4"	101.039	101.079				
		N	5367242.691				87H2523					Terr	314° 23' 42"	168.432	168.498
		El (H)	29.030 CGVD28												
425249	79H0628	E	473676.420	0.9996062	0.9999977		MARKER DESTROYED								
		N	5368607.739												
		El (H)	33.371 CGVD28												
425322	80H1425	E	474586.333	0.9996033	0.9999954	201475	80H1496	Terr	99° 53' 16"	126.875	126.925				
		N	5369956.899				80H1484					Terr	274° 24' 40"	73.472	73.501
		El (H)	48.024 CGVD28												
426221	81H4212	E	471953.072	0.9996064	0.9999967	599779	87H2542	Terr	70° 21' 17"	187.713	187.787				
		N	5369628.901				85H0912					Terr	256° 26' 56"	262.476	262.579
		El (H)	39.415 CGVD28												
426817	80H4024	E	469197.935	0.9996008	0.9999892	662239	81H4158	Terr	180° 46' 38"	280.170	280.282				
		N	5375459.136				81H4124					Terr	358° 49' 1"	361.762	361.907
		El (H)	87.515 CGVD28												
428813	79H0608	E	473859.869	0.9996045	0.9999961	276337	79H0607	Terr	169° 20' 27"	173.084	173.152				
		N	5368152.455				79H8956					Terr	350° 54' 36"	163.620	163.685
		El (H)	43.370 CGVD28												
429340	87H2516	E	473436.706	0.9996045	0.9999958		MARKER DESTROYED								
		N	5367033.749												
		El (H)	45.355 CGVD28												
429399	79H8792	E	470739.588	0.9996113	1.0000007	614057	79H8766	Terr	37° 7' 9"	260.730	260.832				
		N	5366268.739				79H8775					Terr	307° 0' 17"	207.318	207.399
		El (H)	13.716 CGVD28												
429449	80H1684	E	475889.781	0.9996037	0.9999965		MARKER ISOLATED								
		N	5368430.905												
		El (H)	40.769 CGVD28												

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
430322	79H0751	E N EI (H)	472853.462 5371781.332 40.799 CGVD28	0.9996056	0.9999965	747337	79H0765	Terr	193° 28' 7"	151.787	151.847
430538	80H3110	E N EI (H)	475927.425 5366357.336 46.683 CGVD28	0.9996027	0.9999956	723890 411736	80H3091 80H2475	Terr Terr	90° 55' 8" 347° 49' 23"	283.819 114.658	283.932 114.703
431387	85H0861	E N EI (H)	472509.211 5372964.019 109.212 CGVD28	0.9995951	0.9999858	667865 858993	85H0874 85H0869	Terr Terr	5° 38' 52" 226° 39' 56"	120.053 85.566	120.101 85.600
431411	79H1166	E N EI (H)	472223.027 5376767.183 18.484 CGVD28	0.9996095	1.0000000	625780 740282 373290 159590 967166	79H1134 99H2273 79H1137 99H2283 99H2282	Terr GPS Only Terr GPS Only GPS Only	0° 10' 54" 11° 23' 45" 179° 46' 31" 188° 45' 56" 262° 21' 55"	400.346 1617.672 256.615 1820.916 2825.858	400.502 1618.306 256.715 1821.638 2826.970
431932	79H1022	E N EI (H)	473584.191 5372291.392 36.582 CGVD28	0.9996058	0.9999972	MARKER DESTROYED					
432237	79H8703	E N EI (H)	471356.754 5366472.697 24.000 CGVD28	0.9996092	0.9999991	MARKER DESTROYED					
432369	80H2487	E N EI (H)	469368.327 5373331.478 62.749 CGVD28	0.9996046	0.9999930	273532 658948	80H3048 80H3051	Terr Terr	180° 5' 58" 337° 24' 21"	108.344 228.395	108.387 228.485
434274	79H8872	E N EI (H)	471804.170 5367502.460 30.704 CGVD28	0.9996079	0.9999981	803197 220731	87H2523 79H8790	Terr Terr	144° 24' 34" 319° 27' 38"	174.538 220.607	174.607 220.693
435263	79H8908	E N EI (H)	472588.213 5368426.362 34.580 CGVD28	0.9996067	0.9999975	MARKER DESTROYED					

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
435396	85H0845	E N EI (H)	472353.483 5373118.777 120.538 CGVD28	0.9995934	0.9999840	652883	85H0868	Terr	135° 32' 26"	50.130	50.150
437137	80H4077	E N EI (H)	469047.790 5375547.858 98.867 CGVD28	0.9995992	0.9999874	45716 253336	80H4085 80H4069	Terr Terr	168° 2' 45" 325° 20' 22"	141.902 87.160	141.959 87.195
438036	79H8734	E N EI (H)	471057.312 5366355.443 21.557 CGVD28	0.9996098	0.9999995	694125 826495 477315 614057	79H8798 79H8763 79H8776 79H8766	Terr Terr Terr Terr	36° 49' 47" 126° 49' 45" 216° 59' 36" 307° 4' 41"	168.533 180.096 259.855 201.024	168.598 180.167 259.956 201.103
438770	80H2439	E N EI (H)	474807.434 5366964.188 55.218 CGVD28	0.9996021	0.9999943	3806	80H2433	Terr	359° 44' 23"	276.363	276.473
439349	80H1549	E N EI (H)	476319.181 5370264.012 65.774 CGVD28	0.9995995	0.9999926	49841 196493 104778	80H1555 80H1571 80H1443	Terr Terr Terr	21° 54' 44" 112° 4' 21" 201° 14' 57"	125.846 105.798 255.524	125.896 105.841 255.626
439711	79H8705	E N EI (H)	470492.378 5370163.818 18.002 CGVD28	0.9996108	1.0000001		MARKER ISOLATED				
441048	79H8937	E N EI (H)	469486.018 5368622.948 21.418 CGVD28	0.9996110	0.9999995		MARKER DESTROYED				
441329	80H1446	E N EI (H)	475727.786 5369429.439 40.688 CGVD28	0.9996038	0.9999966	64311	80H1461	Terr	175° 7' 21"	159.989	160.053
442194	79H0760	E N EI (H)	473070.703 5369038.889 26.573 CGVD28	0.9996077	0.9999987	992826 128702 389130	79H0683 79H0716 79H0673	Terr Terr Terr	78° 18' 42" 134° 12' 29" 315° 46' 10"	151.865 141.150 206.637	151.925 141.205 206.718

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
442848	80H1414	E N EI (H)	478860.321 5368209.055 7.934 CGVD28	0.9996072	1.0000017	175802	80H1439	Terr	153° 26' 44"	142.070	142.126
444471	79H0701	E N EI (H)	472755.970 5369140.195 33.116 CGVD28	0.9996068	0.9999977	389130	79H0673	Terr	74° 40' 20"	176.886	176.955
445098	79H8793	E N EI (H)	471852.931 5368175.488 27.860 CGVD28	0.9996083	0.9999985	MARKER DESTROYED					
445106	85H0834	E N EI (H)	475438.433 5365461.809 18.762 CGVD28	0.9996074	1.0000000	MARKER DESTROYED					
445403	79H8960	E N EI (H)	473227.520 5366874.116 37.419 CGVD28	0.9996059	0.9999970	952770	79H8954	Terr	55° 8' 12"	133.088	133.141
445965	79H8700	E N EI (H)	471465.418 5366390.493 26.326 CGVD28	0.9996088	0.9999988	594549 920082	79H8797 33-1	Terr Terr	37° 11' 32" 127° 27' 31"	167.149 119.729	167.214 119.776
446633	85H0912	E N EI (H)	471697.903 5369567.399 24.667 CGVD28	0.9996089	0.9999990	426221 340430	81H4212 79H8867	Terr Terr	76° 26' 56" 260° 36' 5"	262.476 295.249	262.579 295.365
447839	79H0754	E N EI (H)	469066.825 5372263.462 51.021 CGVD28	0.9996066	0.9999949	210971 92734	79H0755 80H3120	Terr Terr	112° 5' 38" 293° 7' 44"	245.510 219.640	245.606 219.727
448373	81H4190	E N EI (H)	471024.393 5368211.295 20.480 CGVD28	0.9996100	0.9999997	985887 967414	79H8733 79H8864	Terr Terr	116° 9' 3" 323° 7' 2"	139.282 368.435	139.337 368.579

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
449009	80H4090	E	470111.158	0.9996039	0.9999929	614982	80H4053	Terr	97° 6' 3"	142.978	143.034		
		N	5376013.430					Terr	317° 17' 43"			162.314	162.379
		El (H)	63.770 CGVD28										
449181	79H8958	E	474609.142	0.9996009	0.9999930	165464	79H0990	Terr	258° 8' 29"	186.536	186.611		
		N	5367661.491					Terr	348° 56' 19"			206.849	206.931
		El (H)	63.251 CGVD28										
449207	79H0630	E	473628.856	0.9996042	0.9999957		MARKER DESTROYED						
		N	5366827.836										
		El (H)	46.206 CGVD28										
449553	79H0654	E	471627.917	0.9996090	0.9999991		MARKER DESTROYED						
		N	5370239.534										
		El (H)	24.066 CGVD28										
450981	80H4032	E	467898.947	0.9996037	0.9999910	956953	81H4183	Terr	199° 46' 20"	98.825	98.865		
		N	5371055.223										
		El (H)	75.755 CGVD28										
451021	79H0750	E	471255.644	0.9996047	0.9999946	204396	79H0766	Terr	26° 57' 23"	168.577	168.643		
		N	5371706.762										
		El (H)	53.194 CGVD28										
451401	79H8817	E	471929.926	0.9996101	1.0000004		MARKER ISOLATED						
		N	5366423.220										
		El (H)	16.005 CGVD28										
451666	80H1598	E	477091.895	0.9996017	0.9999953	801415	80H1566	Terr	18° 49' 12"	103.721	103.763		
		N	5370485.183					Terr	111° 40' 34"			183.181	183.254
		El (H)	48.998 CGVD28										
452409	79H1130	E	472062.745	0.9996077	0.9999981	106450	79H1155	Terr	247° 7' 41"	244.490	244.586		
		N	5376376.176										
		El (H)	30.724 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
452540	79H8791	E N EI (H)	470879.723 5367904.681 20.208 CGVD28	0.9996101	0.9999997	368902	79H8829	Terr	77° 21' 27"	195.521	195.598
452581	80H1632	E N EI (H)	475405.545 5368029.524 35.366 CGVD28	0.9996048	0.9999974	MARKER DESTROYED					
453662	80H4013	E N EI (H)	466791.460 5373268.852 67.745 CGVD28	0.9996058	0.9999922	215608 985838	80H4023 80H4093	Terr Terr	37° 55' 8" 200° 44' 25"	98.425 109.272	98.464 109.316
453704	80H1406	E N EI (H)	477569.709 5368947.986 39.781 CGVD28	0.9996029	0.9999967	591974 977876	79H1159 80H1505	Terr Terr	37° 4' 5" 341° 58' 50"	135.692 153.410	135.745 153.471
455642	80H1686	E N EI (H)	475512.541 5366931.937 35.595 CGVD28	0.9996047	0.9999973	412973 869610	80H1638 80H1674	Terr Terr	169° 45' 45" 270° 37' 55"	90.018 129.924	90.054 129.975
455691	80H3115	E N EI (H)	476177.039 5365288.269 19.619 CGVD28	0.9996068	0.9999999	291732 508275 414359 965541	80H3766 80H3730 80H2457 80H2434	Terr Terr Terr Terr	7° 2' 7" 93° 48' 48" 182° 13' 3" 272° 12' 21"	195.065 238.204 194.860 412.561	195.141 238.298 194.937 412.723
456483	80H4004	E N EI (H)	467022.371 5372705.578 63.129 CGVD28	0.9996063	0.9999930	730192	80H4007	Terr	130° 37' 18"	132.456	132.508
457051	79H0727	E N EI (H)	474426.109 5368100.150 53.731 CGVD28	0.9996025	0.9999945	290643 761775	79H8835 79H0694	Terr Terr	109° 52' 43" 299° 19' 49"	119.214 120.631	119.262 120.678
457135	79H1129	E N EI (H)	472499.003 5373977.514 82.234 CGVD28	0.9995993	0.9999900	688903	79H1111	Terr	359° 21' 11"	124.606	124.656

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
458430	80H1442	E N EI (H)	478116.056 5368736.814 13.503 CGVD28	0.9996067	1.0000009	194811	79H1179	Terr	20° 36' 41"	93.174	93.211
460436	79H0657	E N EI (H)	472340.044 5366841.253 21.391 CGVD28	0.9996089	0.9999995	MARKER DESTROYED					
461061	79H0705	E N EI (H)	473682.725 5370842.947 47.733 CGVD28	0.9996040	0.9999954	509117 654350	79H0708 79H0721	Terr Terr	13° 57' 17" 181° 2' 23"	135.506 141.465	135.560 141.521
461673	80H2458	E N EI (H)	477620.192 5367901.813 46.986 CGVD28	0.9996017	0.9999956	988998 333815	80H1588 80H1687	Terr Terr	130° 9' 2" 310° 32' 3"	100.543 250.257	100.583 250.357
462739	79H0710	E N EI (H)	471627.634 5371331.895 26.215 CGVD28	0.9996087	0.9999988	MARKER DESTROYED					
462770	79H1189	E N EI (H)	475423.233 5368918.547 40.915 CGVD28	0.9996039	0.9999965	89839	80H1694	Terr	92° 29' 21"	183.290	183.363
463703	79H1076	E N EI (H)	471613.617 5375130.933 88.877 CGVD28	0.9995989	0.9999890	331173	79H1069	Terr	173° 4' 9"	334.566	334.700
463794	81H4210	E N EI (H)	471223.783 5369491.009 34.791 CGVD28	0.9996076	0.9999974	133132	79H8870	Terr	257° 59' 4"	123.211	123.260
464610	80H1644	E N EI (H)	477422.294 5368910.087 52.767 CGVD28	0.9996010	0.9999947	804955 786855	80H1656 80H1619	Terr Terr	33° 34' 47" 262° 59' 25"	129.679 116.606	129.731 116.652

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS			Station Scale Factors		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)	
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
464636	80H2491	E N EI (H)	476071.453 5366815.045 76.051 CGVD28	0.9995981	0.9999910	95513	80H2407	Terr	225° 55' 7"	94.157	94.195
464776	79H8957	E N EI (H)	473622.288 5368282.890 36.015 CGVD28	0.9996058	0.9999973	977371 269563 998013	79H8941 79H0590 79H8967	Terr Terr Terr	79° 39' 51" 165° 57' 16" 257° 55' 15"	100.263 150.383 123.028	100.303 150.442 123.076
464834	79H0719	E N EI (H)	470848.918 5367513.334 9.032 CGVD28	0.9996119	1.0000015	85407 386607	79H8832 79H8839	Terr Terr	189° 24' 11" 351° 52' 29"	150.442 131.573	150.501 131.624
464974	81H4188	E N EI (H)	475884.683 5366158.443 53.179 CGVD28	0.9996017	0.9999946	228759 468496	80H3069 80H1617	Terr Terr	41° 17' 17" 190° 0' 37"	84.099 228.303	84.132 228.393
465575	99H2279	E N EI (H)	473855.857 5368176.298 41.769 CGVD28	0.9996048	0.9999964	150664 727727 972828 671339 917278 519819 140731 395442	80H1426 80H1568 80H1659 25-1 79H8752 79H8880 79H0722 80H1458	Both Both Both Both Both Both Both Both	32° 43' 40" 50° 18' 24" 94° 28' 56" 193° 57' 14" 233° 11' 55" 264° 26' 23" 350° 21' 50" 357° 7' 5"	3451.528 3923.302 1714.792 2555.898 3437.526 2177.435 2899.745 4576.103	3452.892 3924.861 1715.471 2556.905 3438.875 2178.290 2900.888 4577.907
465781	79H1121	E N EI (H)	472548.414 5373735.324 67.498 CGVD28	0.9996016	0.9999923	715334	79H1082	Terr	180° 58' 56"	99.010	99.049
465948	79H8834	E N EI (H)	471262.287 5368590.443 24.129 CGVD28	0.9996093	0.9999991	752352 550384	79H8926 79H8887	Terr Terr	259° 30' 50" 349° 46' 23"	299.572 196.004	299.689 196.081
466276	79H1053	E N EI (H)	472082.290 5374290.062 91.249 CGVD28	0.9995982	0.9999886		MARKER ISOLATED				

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
466904	81H4138	E	468350.065	0.9995969	0.9999846	25734	81H4139	Terr	170° 17' 46"	146.261	146.320		
		N	5376888.115					Terr	342° 0' 26"			182.340	182.414
		El (H)	116.778 CGVD28										
467159	80H3075	E	468313.667	0.9996122	0.9999998	799452	80H3055	Terr	7° 18' 55"	277.638	277.746		
		N	5369308.917					Terr	187° 11' 23"			134.210	134.262
		El (H)	19.244 CGVD28										
467233	80H1453	E	474872.637	0.9996047	0.9999970	828350	80H1480	Terr	347° 30' 10"	149.704	149.763		
		N	5370420.730										
		El (H)	38.025 CGVD28										
468470	80H1624	E	476449.988	0.9995986	0.9999918	172197	87H2528	Terr	114° 51' 35"	206.635	206.718		
		N	5370594.782					Terr	201° 9' 22"			122.119	122.168
		El (H)	71.395 CGVD28										
468496	80H1617	E	475844.998	0.9996047	0.9999975	464974	81H4188	Terr	10° 0' 37"	228.303	228.393		
		N	5365933.616					Terr	85° 17' 40"			163.332	163.396
		El (H)	34.344 CGVD28					Terr	184° 5' 42"				
								Terr	270° 21' 5"			127.821	127.872
470880	80H2442	E	476195.634	0.9995992	0.9999923	967497	80H2488	Terr	271° 47' 1"	167.968	168.036		
		N	5366459.502										
		El (H)	68.147 CGVD28										
471524	81H4124	E	469190.466	0.9996003	0.9999887	307512	81H4134	Terr	0° 9' 9"	187.441	187.516		
		N	5375820.821					Terr	178° 49' 1"			361.762	361.907
		El (H)	90.672 CGVD28										
471763	80H4098	E	469607.634	0.9996033	0.9999919	MARKER DESTROYED							
		N	5373216.254										
		El (H)	69.991 CGVD28										
471839	80H4100	E	469754.772	0.9995985	0.9999873	498998	80H4054	Terr	189° 38' 56"	325.826	325.957		
		N	5373977.725					Terr	333° 24' 5"			130.934	130.987
		El (H)	99.515 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
473637	80H2426	E N EI (H)	475982.331 5366614.547 64.213 CGVD28	0.9996000	0.9999929		MARKER DESTROYED				
474122	79H0642	E N EI (H)	473308.439 5366582.511 24.767 CGVD28	0.9996078	0.9999990	494765 882985 375311	79H8980 79H8982 79H0622	Terr Terr Terr	13° 49' 40" 193° 40' 47" 284° 21' 51"	229.245 177.493 141.665	229.335 177.563 141.720
474171	80H1672	E N EI (H)	475684.838 5368026.373 40.664 CGVD28	0.9996038	0.9999966		MARKER DESTROYED				
474569	80H4095	E N EI (H)	470614.531 5375994.509 71.407 CGVD28	0.9996023	0.9999917	345538	80H4096	Terr	270° 46' 25"	162.275	162.339
477315	79H8776	E N EI (H)	470900.952 5366147.895 17.591 CGVD28	0.9996105	1.0000001	438036 53439	79H8734 79H8731	Terr Terr	36° 59' 36" 126° 46' 46"	259.855 179.401	259.956 179.470
478933	80H4036	E N EI (H)	467768.786 5376595.752 89.800 CGVD28	0.9996016	0.9999888	592147 110700	80H4055 81H4149	Terr Terr	174° 11' 3" 355° 43' 10"	314.421 199.262	314.546 199.341
479592	80H4089	E N EI (H)	470001.073 5376132.708 64.906 CGVD28	0.9996038	0.9999927	449009 135210	80H4090 80H4070	Terr Terr	137° 17' 43" 346° 8' 33"	162.314 215.817	162.379 215.902
482042	79H8729	E N EI (H)	471162.003 5366841.761 6.785 CGVD28	0.9996120	1.0000018		MARKER DESTROYED				
483016	79H8862	E N EI (H)	470758.570 5369100.735 17.691 CGVD28	0.9996106	1.0000001	813568	79H8905	Terr	80° 23' 46"	100.358	100.397

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
483669	79H8749	E	472064.897	0.9996083	0.9999987		MARKER DESTROYED				
		N	5367149.511								
		EI (H)	26.828 CGVD28								
484220	80H1532	E	478554.445	0.9996080	1.0000024	283515	80H1577	Terr	122° 6' 53"	190.766	190.841
		N	5367508.852								
		EI (H)	3.830 CGVD28								
484618	79H0599	E	473424.047	0.9996038	0.9999951	363796	85H0888	Terr	80° 19' 54"	148.334	148.393
		N	5367575.595								
		EI (H)	49.749 CGVD28								
485979	80H1407	E	474280.500	0.9996053	0.9999971		MARKER DESTROYED				
		N	5372326.549								
		EI (H)	36.875 CGVD28								
487041	79H0591	E	472990.826	0.9996058	0.9999968	40501	79H0588	Terr	273° 52' 5"	177.768	177.838
		N	5367657.302								
		EI (H)	38.797 CGVD28								
488189	80H1482	E	475407.208	0.9996043	0.9999969		MARKER DESTROYED				
		N	5369274.046								
		EI (H)	38.516 CGVD28								
488338	80H3066	E	468369.844	0.9996069	0.9999946	165126	80H3039	Terr	10° 35' 9"	154.250	154.311
		N	5370638.832			782920	80H4059	Terr	133° 17' 50"	129.342	129.393
		EI (H)	52.900 CGVD28								
489518	85H0816	E	473251.308	0.9996054	0.9999966		MARKER DESTROYED				
		N	5372090.342								
		EI (H)	40.187 CGVD28								
490086	79H1116	E	472450.572	0.9996071	0.9999977	948109	79H0728	Terr	95° 5' 14"	234.783	234.875
		N	5375126.329			330738	79H1109	Terr	163° 45' 5"	127.678	127.728
		EI (H)	33.153 CGVD28			710780	79H1038	Terr	271° 3' 33"	96.936	96.974
						611970	79H1184	Terr	335° 18' 46"	386.220	386.372

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)			
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
490680	80H1597	E	476771.446	0.9995996	0.9999930	37382	85H0839	Terr	144° 51' 50"	71.719	71.748			
		N	5370459.291					Terr	289° 56' 51"			142.520	142.577	
		El (H)	63.682 CGVD28											
490961	79H1128	E	471821.797	0.9995969	0.9999871	966218	79H1057	Terr	272° 43' 43"	133.744	133.798			
		N	5374515.380											
		El (H)	100.766 CGVD28											
491068	80H1696	E	476290.985	0.9996030	0.9999960	229542	80H1699	Terr	20° 54' 57"	214.887	214.972			
		N	5368233.029					80H1628	Terr			182° 11' 33"	212.196	212.281
		El (H)	43.992 CGVD28											
491092	85H0908	E	471952.869	0.9996062	0.9999965	585661	85H0903	Terr	68° 50' 34"	120.068	120.116			
		N	5370123.138					79H0692	Terr			156° 55' 28"	143.651	143.707
		El (H)	40.911 CGVD28						79H0769			Terr		
492660	79H8801	E	471471.201	0.9996088	0.9999987	105197	79H8800	Terr		20° 12' 8"	91.450	91.486		
		N	5367352.117					79H8932	Terr	109° 21' 10"			264.516	264.620
		El (H)	26.396 CGVD28											
493114	79H1000	E	471281.216	0.9996067	0.9999965	886135	79H0693	Terr	202° 13' 24"	229.154	229.244			
		N	5371388.233											
		El (H)	40.504 CGVD28											
493387	79H0669	E	474116.060	0.9996046	0.9999963	848184	80H1519	Terr	170° 30' 12"	192.745	192.821			
		N	5368445.878					79H0679	Terr			349° 36' 16"	213.425	213.510
		El (H)	41.924 CGVD28											
493858	79H0617	E	472867.257	0.9996076	0.9999986	96537	79H0618	Terr	90° 18' 19"	185.611	185.683			
		N	5367812.805											
		El (H)	27.758 CGVD28											
494765	79H8980	E	473363.229	0.9996053	0.9999966	224956	87H2512	Terr	14° 29' 29"	99.943	99.982			
		N	5366805.112					79H0642	Terr			193° 49' 40"	229.245	229.335
		El (H)	40.202 CGVD28											

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
495192	80H4028	E	467020.408	0.9996065	0.9999931	729335	80H4029	Terr	31° 4' 45"	166.346	166.412		
		N	5372002.492					Terr	184° 39' 9"			193.599	193.675
		El (H)	62.102 CGVD28										
495283	79H0762	E	474120.976	0.9996018	0.9999935	848184	80H1519	Terr	8° 23' 22"	184.268	184.341		
		N	5368073.479					Terr	182° 16' 56"			147.355	147.414
		El (H)	59.755 CGVD28										
496414	85H0906	E	472304.361	0.9996035	0.9999941	184937	85H0889	Terr	122° 28' 54"	103.691	103.732		
		N	5370160.768					Terr	255° 55' 48"			128.239	128.290
		El (H)	56.156 CGVD28										
496489	79H0647	E	473929.748	0.9996019	0.9999936	MARKER DESTROYED							
		N	5367099.600										
		El (H)	59.498 CGVD28										
496711	79H8919	E	471157.075	0.9996098	0.9999995	870618	79H8891	Terr	169° 37' 3"	196.514	196.590		
		N	5369172.025					Terr	349° 36' 22"			298.228	298.344
		El (H)	21.405 CGVD28										
497099	80H2447	E	477802.947	0.9996054	0.9999994	602425	80H2427	Terr	131° 39' 53"	163.682	163.746		
		N	5367612.777										
		El (H)	22.896 CGVD28										
497313	80H3047	E	467212.114	0.9996047	0.9999915	24331	80H3058	Terr	344° 33' 47"	70.299	70.327		
		N	5371272.773										
		El (H)	72.561 CGVD28										
498550	79H1081	E	471416.280	0.9996026	0.9999926	604777	79H0685	Terr	68° 17' 29"	160.273	160.337		
		N	5376184.230					Terr	250° 45' 40"			150.533	150.593
		El (H)	66.082 CGVD28										
498998	80H4054	E	469700.161	0.9995998	0.9999885	471839	80H4100	Terr	9° 38' 56"	325.826	325.957		
		N	5373656.508					Terr	196° 49' 56"			386.030	386.184
		El (H)	91.531 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
502120	79H8910	E	470397.778	0.9996126	1.0000018	108738	79H8894	Terr	33° 32' 39"	201.041	201.119
		N	5368374.827			790030	79H0725	Terr	222° 22' 39"	113.065	113.108
		El (H)	6.666 CGVD28								
502963	80H1408	E	475514.138	0.9996049	0.9999975	760587	80H1467	Terr	21° 58' 51"	344.402	344.538
		N	5370566.702			599621	80H1429	Terr	201° 57' 17"	188.650	188.724
		El (H)	34.781 CGVD28			384651	80H1474	Terr	292° 23' 59"	156.829	156.891
503383	79H8927	E	470880.351	0.9996092	0.9999988	MARKER ISOLATED					
		N	5370015.133								
		El (H)	26.097 CGVD28								
503904	79H1014	E	469594.611	0.9996053	0.9999939	597575	79H1032	Terr	105° 32' 30"	134.895	134.949
		N	5372507.068			627372	79H0735	Terr	202° 7' 13"	416.634	416.798
		El (H)	57.081 CGVD28								
504084	79H1154	E	477984.946	0.9996064	1.0000004	MARKER DESTROYED					
		N	5368335.713								
		El (H)	16.307 CGVD28								
505792	79H0623	E	471932.577	0.9996085	0.9999989	MARKER DESTROYED					
		N	5368398.417								
		El (H)	25.722 CGVD28								
506428	79H8769	E	469567.993	0.9996116	1.0000002	339069	79H8751	Terr	122° 43' 10"	289.908	290.020
		N	5367026.958			767079	79H8750	Terr	213° 56' 17"	336.885	337.016
		El (H)	16.741 CGVD28								
507699	80H2481	E	474631.486	0.9996022	0.9999943	594267	80H2469	Terr	177° 53' 18"	177.750	177.820
		N	5366940.053								
		El (H)	55.247 CGVD28								
508473	79H8772	E	469399.398	0.9996138	1.0000023	MARKER DESTROYED					
		N	5366487.026								
		El (H)	3.909 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
509117	79H0708	E	473715.403	0.9996044	0.9999959	461061	79H0705	Terr	193° 57' 17"	135.506	135.560		
		N	5370974.454					Terr	294° 28' 59"			150.666	150.726
		El (H)	44.925 CGVD28					Terr	358° 52' 34"				
513119	79H1012	E	473248.573	0.9996054	0.9999966	MARKER DESTROYED							
		N	5372090.032										
		El (H)	40.040 CGVD28										
513127	80H2460	E	475821.629	0.9996039	0.9999968	788794	80H2430	Terr	125° 28' 55"	156.424	156.486		
		N	5368287.588					Terr	270° 41' 22"			224.054	224.143
		El (H)	39.428 CGVD28										
513846	79H1161	E	469021.793	0.9996093	0.9999975	MARKER DESTROYED							
		N	5371730.983										
		El (H)	34.375 CGVD28										
513994	80H1548	E	478072.421	0.9996063	1.0000003	818435	80H1404	Terr	41° 34' 2"	127.768	127.818		
		N	5368553.250					Terr	181° 38' 6"			117.594	117.640
		El (H)	16.676 CGVD28					Terr	311° 3' 25"				
514323	79H0724	E	473727.877	0.9996045	0.9999960	676916	79H1006	Terr	193° 0' 28"	154.835	154.896		
		N	5372122.638										
		El (H)	44.079 CGVD28										
515031	85H0829	E	474855.602	0.9995975	0.9999897	735092	80H1637	Terr	5° 49' 18"	144.735	144.794		
		N	5367580.069					Terr	202° 51' 54"			125.728	125.779
		El (H)	84.366 CGVD28										
515163	79H0686	E	473706.049	0.9996053	0.9999968	865840	79H0709	Terr	178° 40' 5"	204.773	204.854		
		N	5371413.346					Terr	358° 38' 43"			274.456	274.564
		El (H)	39.124 CGVD28										
516278	80H3071	E	468389.433	0.9996131	1.0000009	531210	80H3032	Terr	186° 15' 6"	201.047	201.125		
		N	5369962.984										
		El (H)	12.739 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)				
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
516443	79H8704	E	471177.799	0.9996098	0.9999996	12849	79H8756	Terr	34° 17' 20"	221.912	221.998				
		N	5366611.959					Terr	309° 30' 16"			143.280	143.336		
		El (H)	20.727 CGVD28												
517102	79H8701	E	469948.805	0.9996073	0.9999962	MARKER DESTROYED									
		N	5370856.368												
		El (H)	42.582 CGVD28												
517565	79H0688	E	471117.828	0.9996085	0.9999983	782391	79H1028	Terr	201° 0' 55"	234.215	234.306				
		N	5370973.521					4093	79H0745			Terr	291° 29' 44"	133.291	133.343
		El (H)	29.354 CGVD28												
518001	79H8762	E	472084.216	0.9996099	1.0000003	37812	79H8809	Terr	258° 14' 37"	177.764	177.834				
		N	5366934.507					534909	79H8746			Terr	290° 16' 11"	272.789	272.896
		El (H)	16.633 CGVD28												
518217	79H1065	E	472362.914	0.9995946	0.9999852	MARKER DESTROYED									
		N	5373278.064												
		El (H)	113.171 CGVD28												
518746	80H3095	E	476187.825	0.9996062	0.9999992	794412	80H3760	Terr	10° 27' 53"	94.576	94.613				
		N	5365567.573					291732	80H3766			Terr	171° 18' 22"	86.704	86.738
		El (H)	23.769 CGVD28					630715	80H2417			Terr	272° 25' 15"		
519546	80H1460	E	475649.664	0.9996066	0.9999993	823427	80H1475	Terr	111° 35' 7"	139.672	139.727				
		N	5371308.418												
		El (H)	23.031 CGVD28												
519819	79H8880	E	471688.667	0.9996106	1.0000008	465575	99H2279	GPS Only	84° 26' 23"	2177.435	2178.290				
		N	5367965.319					671339	25-1			Both	145° 39' 12"	2748.776	2749.850
		El (H)	13.394 CGVD28					917278	79H8752			Both	197° 34' 19"		
								544908	PIER 5			Both	356° 7' 53"	2967.630	2968.790
520072	80H1518	E	475931.928	0.9996028	0.9999957	383893	80H1551	Terr	111° 24' 40"	118.248	118.295				
		N	5370999.913					150664	80H1426			Both	290° 50' 55"	224.719	224.808
		El (H)	46.264 CGVD28												

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)			
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
520379	81H4206	E	479084.788	0.9996024	0.9999970	318410	81H4205	Terr	104° 40' 31"	84.692	84.726			
		N	5367437.372					Terr	304° 47' 53"			187.881	187.955	
		El (H)	37.793 CGVD28											
520494	80H2455	E	475984.387	0.9996029	0.9999958	952549	80H2448	Terr	2° 31' 14"	237.322	237.416			
		N	5367638.379											
		El (H)	45.352 CGVD28											
520510	79H0587	E	472299.079	0.9996088	0.9999993	743047	79H8939	Terr	127° 2' 48"	184.425	184.498			
		N	5367450.208											
		El (H)	22.751 CGVD28											
522904	80H1427	E	475138.889	0.9996020	0.9999944	78709	80H1419	Terr	318° 38' 10"	135.377	135.431			
		N	5369262.948											
		El (H)	54.656 CGVD28											
523787	80H1450	E	479082.111	0.9996054	1.0000000	368944	80H1472	Terr	154° 30' 11"	188.273	188.348			
		N	5367919.294					80H1514	Terr			354° 44' 21"	129.019	129.069
		El (H)	18.745 CGVD28											
524595	80H4047	E	467991.381	0.9996054	0.9999928	713941	80H3045	Terr	140° 47' 59"	296.344	296.461			
		N	5374850.120					80H4020	Terr			307° 0' 14"	275.894	276.003
		El (H)	64.291 CGVD28											
524843	81H4159	E	472797.200	0.9996090	0.9999999	373951	79H1188	Terr	174° 43' 28"	151.006	151.065			
		N	5374835.865					79H1110	Terr			271° 31' 58"	202.680	202.759
		El (H)	19.223 CGVD28						79H1112			Terr		
527713	79H8821	E	472016.975	0.9996099	1.0000003	617860	79H8925	Terr		79° 24' 21"	160.577	160.640		
		N	5368114.076											
		El (H)	16.619 CGVD28											
527747	79H1066	E	472835.686	0.9996022	0.9999931	305755	80H4075	Terr	172° 27' 47"	151.587	151.647			
		N	5372572.645											
		El (H)	62.609 CGVD28											

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
527788	80H1614	E N EI (H)	476007.779 5365947.015 43.870 CGVD28	0.9996031	0.9999961	468496	80H1617	Terr	265° 17' 40"	163.332	163.396
528612	80H4002	E N EI (H)	468053.091 5374042.162 76.772 CGVD28	0.9996034	0.9999908	831487 690420	80H2416 80H2409	Terr Terr	79° 17' 2" 275° 45' 55"	125.484 297.786	125.534 297.904
528729	80H3046	E N EI (H)	467496.204 5370486.415 64.220 CGVD28	0.9996058	0.9999928	983148	80H4003	Terr	359° 48' 17"	140.329	140.384
529123	79H8831	E N EI (H)	470413.597 5367833.030 35.476 CGVD28	0.9996081	0.9999973	108118	79H8828	Terr	132° 22' 58"	153.216	153.276
529701	79H0712	E N EI (H)	470544.129 5371022.767 30.422 CGVD28	0.9996088	0.9999981	258426	79H0738	Terr	112° 14' 13"	130.099	130.150
530501	79H0763	E N EI (H)	469111.468 5372659.790 52.055 CGVD28	0.9996064	0.9999947	275875 28126	79H0746 79H0732	Terr Terr	25° 32' 16" 205° 13' 9"	366.776 224.250	366.921 224.338
530964	80H4043	E N EI (H)	469205.366 5374946.936 106.298 CGVD28	0.9995979	0.9999862	586305	85H0850	Terr	193° 48' 49"	87.644	87.679
531129	79H1108	E N EI (H)	470140.978 5371776.476 33.210 CGVD28	0.9996086	0.9999977	574434 317438	79H0989 79H1023	Terr Terr	21° 49' 57" 202° 4' 17"	373.241 444.906	373.387 445.081
531210	80H3032	E N EI (H)	468367.540 5369763.133 22.983 CGVD28	0.9996116	0.9999993	516278 671404 799452	80H3071 80H3090 80H3055	Terr Terr Terr	6° 15' 6" 96° 44' 6" 185° 54' 47"	201.047 201.068 179.795	201.125 201.146 179.864

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
532663	80H2451	E	475642.569	0.9996038	0.9999965	647263	80H2403	Terr	160° 11' 51"	201.799	201.879
		N	5367322.713								
		EI (H)	41.236 CGVD28								
534032	79H8906	E	470478.401	0.9996112	1.0000005		MARKER ISOLATED				
		N	5369621.625								
		EI (H)	15.045 CGVD28								
534131	79H0615	E	473837.404	0.9996009	0.9999924	659748	79H0998	Terr	264° 33' 16"	173.695	173.764
		N	5367274.371								
		EI (H)	66.740 CGVD28								
534909	79H8746	E	471828.320	0.9996096	0.9999998	296657	79H8836	Terr	22° 2' 34"	188.999	189.073
		N	5367029.012			518001	79H8762	Terr	110° 16' 11"	272.789	272.896
		EI (H)	19.623 CGVD28			926824	79H8845	Terr	196° 45' 0"	164.229	164.293
536813	80H4034	E	467651.908	0.9996075	0.9999946	744698	80H4020	Terr	148° 0' 16"	224.863	224.952
		N	5375206.876			777573	87H2518	Terr	353° 59' 35"	296.395	296.512
		EI (H)	52.808 CGVD28								
538207	79H0676	E	472901.826	0.9996090	0.9999999	7310	79H0658	Terr	351° 3' 51"	392.932	393.086
		N	5375129.045								
		EI (H)	19.000 CGVD28								
538371	79H8764	E	470537.253	0.9996123	1.0000016		MARKER DESTROYED				
		N	5368050.118								
		EI (H)	8.225 CGVD28								
538884	81H4219	E	469499.557	0.9996103	0.9999988		MARKER DESTROYED				
		N	5369182.824								
		EI (H)	25.658 CGVD28								
539601	80H2402	E	477994.769	0.9996077	1.0000018	398271	80H1690	Terr	53° 50' 23"	122.431	122.479
		N	5367587.927			986190	80H1524	Terr	130° 45' 11"	193.024	193.100
		EI (H)	7.502 CGVD28			602425	80H2427	Terr	219° 38' 5"	109.022	109.065
						979062	80H1520	Terr	308° 57' 35"	134.727	134.780

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)						
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
540377	79H1002	E	469918.328	0.9996043	0.9999931	69955	79H1004	Terr	192° 42' 10"	114.887	114.932						
		N	5372633.958									272344	79H1015	Terr	344° 54' 35"	154.076	154.137
		EI (H)	62.103 CGVD28														
541193	80H3037	E	467122.945	0.9996066	0.9999934	MARKER DESTROYED											
		N	5371477.574														
		EI (H)	60.605 CGVD28														
541250	79H8814	E	470083.844	0.9996101	0.9999991	625871	79H8856	Terr	33° 54' 39"	163.269	163.333						
		N	5367904.677														
		EI (H)	23.960 CGVD28														
541748	80H4038	E	468222.185	0.9995960	0.9999835	216010	80H4041	Terr	163° 59' 49"	183.537	183.611						
		N	5377464.053									21584	81H4126	Both	339° 44' 26"	212.155	212.241
		EI (H)	123.464 CGVD28														
542217	80H2411	E	475526.765	0.9996045	0.9999971	102335	80H2428	Terr	127° 0' 27"	88.693	88.728						
		N	5368343.670														
		EI (H)	36.956 CGVD28														
542480	79H8747	E	471577.988	0.9996079	0.9999979	220731	79H8790	Terr	139° 26' 6"	127.315	127.365						
		N	5367766.829														
		EI (H)	31.614 CGVD28														
542951	80H1609	E	475615.276	0.9996043	0.9999970	898049	80H1604	Terr	183° 57' 12"	162.166	162.230						
		N	5368815.851									89839	80H1694	Terr	354° 37' 3"	95.156	95.193
		EI (H)	38.001 CGVD28														
543231	79H1199	E	475339.762	0.9996046	0.9999971	599621	80H1429	Terr	21° 52' 32"	278.711	278.822						
		N	5370133.090									820084	80H1422	Terr	112° 33' 50"	157.061	157.123
		EI (H)	37.115 CGVD28									314815	80H1553	Terr	293° 5' 2"	153.962	154.023

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS			Station Scale Factors		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)	
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
544908	PIER 5	E	471488.452	0.9996074	0.9999974	832576		GPS Only	2° 11' 33"	1651.808	1652.463
		N	5370926.187			384982	99H2274	GPS Only	8° 51' 35"	9169.514	9173.095
		EI (H)	35.314 CGVD28			241869	11703	Both	85° 18' 54"	2903.072	2904.258
						140731	79H0722	Both	86° 41' 13"	1885.167	1885.907
						418541	16-1965	GPS Only	110° 31' 35"	8641.314	8644.708
						103234	NO MARKING	Both	121° 56' 40"	13819.180	
						512921	669	Both	130° 35' 13"	5845.413	5847.758
						354514	80H3866	Both	131° 6' 10"	8890.505	8893.997
						871954	NO MARKING	Both	152° 42' 17"	9688.436	9692.279
						671339	25-1	Both	161° 29' 24"	5515.701	5517.866
						519819	79H8880	Both	176° 7' 53"	2967.630	2968.790
						566133	79H1029	Terr	179° 21' 25"	92.221	92.257
						362608	84H0238	Both	193° 41' 3"	8202.388	8205.586
						43653		GPS Only	213° 47' 4"	13503.313	
						534933	927000	GPS Only	214° 6' 12"	13511.245	
						13094	79H1099	Both	225° 38' 5"	27611.462	
						853721	86H1398	Both	230° 21' 55"	8780.671	8784.116
						535302	2269	Both	242° 13' 14"	7877.310	7880.484
						852780	677019	Terr	248° 4' 7"	14546.164	
						225011	94H1529	GPS Only	248° 17' 52"	7977.249	7980.393
		211458	80H2478	Both	272° 0' 28"	2592.778	2593.796				
		995464	94H1534	GPS Only	276° 53' 40"	12537.841					
		550467	3300	Both	314° 42' 44"	14892.883					
		706895	91H0480	Both	314° 51' 14"	14885.425					
		396804	21710	Terr	325° 17' 42"	3765.621	3767.145				
545285	79H8902	E	471461.744	0.9996101	1.0000001	738997		Terr	349° 28' 1"	178.394	178.464
		N	5369227.771								
		EI (H)	17.970 CGVD28								
545848	79H0993	E	473533.135	0.9996027	0.9999940	659748		Terr	82° 37' 4"	132.456	132.509
		N	5367240.868								
		EI (H)	56.594 CGVD28								
547364	85H0894	E	472416.346	0.9996054	0.9999960	208389	85H0902	Terr	84° 13' 35"	101.998	102.039
		N	5369532.744			980516	79H0994	Terr	136° 14' 15"	262.565	262.669
		EI (H)	43.773 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
547513	80H3107	E	468180.969	0.9996058	0.9999933	741348	80H3084	Terr	307° 7' 19"	112.115	112.159
		N	5371366.185								
		EI (H)	60.975 CGVD28								
548214	79H0641	E	472889.512	0.9996058	0.9999968	849679	79H0634	Terr	78° 0' 36"	222.990	223.078
		N	5367319.477								
		EI (H)	39.151 CGVD28								
548388	79H8859	E	472230.770	0.9996094	1.0000000	573360	79H8794	Terr	159° 9' 4"	210.468	210.550
		N	5366690.113								
		EI (H)	18.731 CGVD28								
548479	79H8932	E	471720.771	0.9996087	0.9999989	296657	79H8836	Terr	108° 39' 26"	188.380	188.453
		N	5367264.460								
		EI (H)	25.600 CGVD28								
549287	79H1201	E	474913.961	0.9996010	0.9999933	78709	80H1419	Terr	81° 37' 11"	136.928	136.983
		N	5369344.596								
		EI (H)	61.690 CGVD28								
550228	79H0611	E	472872.364	0.9996088	0.9999998	964486	81H4192	Terr	351° 40' 16"	260.133	260.234
		N	5366338.635								
		EI (H)	19.934 CGVD28								
550384	79H8887	E	471227.487	0.9996091	0.9999989	465948	79H8834	Terr	169° 46' 23"	196.004	196.081
		N	5368783.333								
		EI (H)	25.208 CGVD28								
550525	80H3028	E	468273.677	0.9996115	0.9999991	721886	80H3063	Terr	115° 38' 7"	143.671	143.727
		N	5369037.106								
		EI (H)	23.800 CGVD28								
551887	79H8959	E	472981.234	0.9996064	0.9999975	710418	79H8961	Terr	253° 22' 19"	90.890	90.926
		N	5368399.847								
		EI (H)	34.746 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)			
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
553263	79H0680	E	474060.765	0.9996027	0.9999945	758839	79H0598	Terr	164° 14' 11"	115.155	115.201			
		N	5366883.750					Terr	266° 1' 1"			177.378	177.449	
		EI (H)	53.949 CGVD28					Terr	358° 20' 43"					108.632
554733	80H1613	E	476143.325	0.9996030	0.9999960	943910	80H1605	Terr	90° 46' 27"	158.813	158.877			
		N	5368954.764											
		EI (H)	44.177 CGVD28											
555474	79H0692	E	472009.172	0.9996060	0.9999963	883595	79H1202	Terr	158° 26' 13"	161.248	161.312			
		N	5369990.981					85H0893	Terr			258° 7' 1"	150.650	150.710
		EI (H)	41.940 CGVD28						85H0908			Terr		
556175	79H1192	E	472130.693	0.9995978	0.9999883	178442	79H1071	Terr	91° 42' 5"	244.705	244.803			
		N	5373944.312											
		EI (H)	93.312 CGVD28											
557090	79H8850	E	472331.502	0.9996097	1.0000003	574285	79H0594	Terr	80° 21' 50"	141.100	141.155			
		N	5368273.088					79H8878	Terr			259° 23' 14"	177.894	177.964
		EI (H)	16.390 CGVD28											
559054	80H4049	E	468663.333	0.9995973	0.9999852	228551	80H4061	Terr	147° 22' 27"	86.749	86.784			
		N	5376012.560					81H4157	Terr			352° 12' 45"	90.673	90.710
		EI (H)	112.872 CGVD28											
559559	80H3109	E	468654.603	0.9996097	0.9999976	769463	80H3093	Terr	33° 32' 59"	190.901	190.975			
		N	5371966.736					80H3114	Terr			112° 36' 52"	200.897	200.976
		EI (H)	33.651 CGVD28											
559880	80H3060	E	468629.354	0.9996023	0.9999902	169524	80H3052	Terr	127° 2' 42"	124.071	124.121			
		N	5374246.791					80H3033	Terr			322° 27' 59"	127.647	127.698
		EI (H)	80.665 CGVD28											
560037	80H1526	E	469838.518	0.9996070	0.9999958		MARKER ISOLATED							
		N	5371003.420											
		EI (H)	44.902 CGVD28											

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
560631	79H0609	E	473762.162	0.9996066	0.9999981		MARKER DESTROYED				
		N	5368750.787								
		EI (H)	30.675 CGVD28								
560797	80H1473	E	476106.649	0.9996008	0.9999937	931535	80H1565	Terr	23° 13' 1"	249.012	249.112
		N	5370663.654			847012	80H1662	Terr	198° 15' 3"	180.694	180.766
		EI (H)	58.796 CGVD28			814715	80H1501	Terr	294° 12' 49"	102.416	102.457
561209	80H1483	E	475203.445	0.9996048	0.9999973	923458	80H1485	Terr	153° 12' 42"	207.953	208.035
		N	5369676.873			903419	80H1506	Terr	274° 0' 1"	217.652	217.738
		EI (H)	36.035 CGVD28								
561274	80H1411	E	475471.097	0.9996037	0.9999963	952242	80H1432	Terr	242° 12' 51"	115.832	115.878
		N	5369444.364			878645	80H1492	Terr	357° 6' 8"	317.610	317.736
		EI (H)	42.618 CGVD28								
561472	79H8711	E	469166.368	0.9996130	1.0000013		MARKER DESTROYED				
		N	5367001.841								
		EI (H)	9.778 CGVD28								
561639	79H8911	E	469825.904	0.9996102	0.9999990		MARKER DESTROYED				
		N	5367861.653								
		EI (H)	24.581 CGVD28								
561985	79H8773	E	469890.851	0.9996110	0.9999999	624544	79H8788	Terr	34° 11' 7"	138.662	138.716
		N	5366985.514			339069	79H8751	Terr	214° 24' 38"	139.706	139.761
		EI (H)	19.238 CGVD28								
561993	87H2514	E	471760.421	0.9996082	0.9999983	201988	79H0769	Terr	140° 22' 30"	234.590	234.683
		N	5370363.364			176339	87H2503	Terr	299° 40' 45"	183.975	184.047
		EI (H)	29.037 CGVD28								
562066	80H1652	E	475201.954	0.9996036	0.9999960		MARKER DESTROYED				
		N	5368434.007								
		EI (H)	44.135 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
562645	79H0639	E	473855.944	0.9996056	0.9999972	943894	79H0682	Terr	127° 2' 33"	192.600	192.676
		N	5368470.307								
		El (H)	36.393 CGVD28								
562660	79H0761	E	472498.136	0.9996047	0.9999954	762617	79H0785	Terr	131° 53' 19"	119.218	119.265
		N	5371554.934								
		El (H)	48.179 CGVD28								
563536	80H1539	E	476893.165	0.9995993	0.9999927	234757	80H1611	Terr	200° 36' 12"	135.972	136.026
		N	5369638.209			574178	80H1626	Terr	298° 58' 49"	137.243	137.298
		El (H)	65.180 CGVD28								
564286	79H1019	E	470096.908	0.9996065	0.9999955	574434	79H0989	Terr	120° 32' 20"	212.330	212.413
		N	5372230.836			768259	79H1005	Terr	320° 15' 41"	154.984	155.045
		El (H)	47.286 CGVD28								
564302	79H8924	E	470799.782	0.9996100	0.9999995	307876	79H8865	Terr	105° 26' 6"	147.049	147.106
		N	5370661.404			576900	79H8909	Terr	288° 8' 20"	301.940	302.058
		El (H)	21.337 CGVD28								
566133	79H1029	E	471489.487	0.9996081	0.9999981	194589	79H0704	Terr	196° 38' 24"	179.141	179.211
		N	5370833.972			544908	PIER 5	Both	359° 21' 25"	92.221	92.257
		El (H)	30.289 CGVD28								
566281	80H1476	E	475287.829	0.9996029	0.9999954		MARKER DESTROYED				
		N	5368973.249								
		El (H)	47.922 CGVD28								
566547	79H8822	E	470170.774	0.9996110	1.0000001	195149	79H8824	Terr	126° 32' 47"	139.867	139.922
		N	5368287.798			273128	79H8857	Terr	294° 23' 25"	190.190	190.264
		El (H)	17.712 CGVD28								
566901	80H1643	E	476834.140	0.9996007	0.9999941		MARKER DESTROYED				
		N	5368449.439								
		El (H)	56.362 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
568972	80H3103	E	467759.282	0.9996108	0.9999981	62216	80H3079	Terr	121° 52' 25"	125.012	125.060		
		N	5369951.835					Terr	346° 58' 25"			228.700	228.790
		El (H)	30.605 CGVD28										
569731	80H2450	E	480020.932	0.9996062	1.0000013	MARKER DESTROYED							
		N	5366913.128										
		El (H)	10.421 CGVD28										
570689	87H2497	E	471529.875	0.9996099	0.9999999	354761	87H2500	Terr	163° 42' 4"	367.933	368.076		
		N	5369530.012					Terr	264° 58' 46"			123.733	123.781
		El (H)	19.106 CGVD28					Terr	343° 40' 53"				
571794	80H1529	E	476670.373	0.9996006	0.9999939	973180	80H1552	Terr	37° 18' 32"	227.078	227.169		
		N	5368841.231					Terr	217° 28' 50"			213.628	213.714
		El (H)	57.371 CGVD28					Terr	268° 24' 5"				
572982	80H3042	E	468448.930	0.9996037	0.9999915	743526	80H3033	Terr	116° 58' 40"	115.193	115.239		
		N	5374400.272					Terr	326° 14' 54"			132.580	132.633
		El (H)	72.862 CGVD28										
573360	79H8794	E	472305.677	0.9996105	1.0000010	593954	79H8868	Terr	158° 5' 47"	209.574	209.655		
		N	5366493.426					Terr	259° 40' 0"			246.744	246.840
		El (H)	11.898 CGVD28					Terr	339° 9' 4"				
574178	80H1626	E	476773.107	0.9995992	0.9999925	563536	80H1539	Terr	118° 58' 49"	137.243	137.298		
		N	5369704.704					Terr	204° 47' 12"			168.930	168.997
		El (H)	66.512 CGVD28										
574285	79H0594	E	472470.611	0.9996096	1.0000003	557090	79H8850	Terr	260° 21' 50"	141.100	141.155		
		N	5368296.707										
		El (H)	16.721 CGVD28										
574434	79H0989	E	470279.784	0.9996091	0.9999982	758987	79H1009	Terr	127° 29' 55"	152.967	153.026		
		N	5372122.946					Terr	201° 49' 57"			373.241	373.387
		El (H)	29.806 CGVD28					Terr	300° 32' 20"				

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS			Station Scale Factors		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
574855	85H0901	E N EI (H) 472594.036 5370783.702 43.992 CGVD28	0.9996052	0.9999960	300657	85H0913	Terr	92° 49' 8"	88.085	88.119
576801	80H1608	E N EI (H) 473436.641 5367031.423 45.333 CGVD28	0.9996045	0.9999958		MARKER DESTROYED				
576835	80H4030	E N EI (H) 467004.705 5371809.531 65.259 CGVD28	0.9996060	0.9999926	495192	80H4028	Terr	4° 39' 9"	193.599	193.675
576900	79H8909	E N EI (H) 470512.847 5370755.404 23.992 CGVD28	0.9996098	0.9999991	564302 398594	79H8924 79H8897	Terr Terr	108° 8' 20" 289° 17' 52"	301.940 175.177	302.058 175.245
578989	85H0885	E N EI (H) 473317.306 5368644.970 24.724 CGVD28	0.9996078	0.9999990		MARKER DESTROYED				
580183	85H0828	E N EI (H) 472151.801 5367200.377 29.271 CGVD28	0.9996078	0.9999983		MARKER DESTROYED				
580811	80H3111	E N EI (H) 469232.964 5373302.478 75.195 CGVD28	0.9996027	0.9999911	273532	80H3048	Terr	120° 24' 42"	156.741	156.803
580936	80H1515	E N EI (H) 478419.994 5367968.047 16.389 CGVD28	0.9996061	1.0000004	972141 127613	80H1587 79H1158	Terr Terr	129° 35' 43" 310° 0' 48"	126.671 212.708	126.721 212.792
581264	79H8778	E N EI (H) 471313.656 5366162.591 27.765 CGVD28	0.9996087	0.9999985	537555 826495	34-1 79H8763	Terr Terr	129° 13' 34" 307° 6' 57"	111.199 140.691	111.242 140.747

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factors		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)				
GCM-NO	TABLET MARKING	E	N	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
583153	79H8977	E	473441.203	0.9996056	0.9999969	209908	79H8978	Terr	79° 9' 35"	135.390	135.443				
		N	5367897.516					Terr	199° 48' 56"			100.845	100.885		
		EI (H)	38.239 CGVD28					Terr	331° 1' 56"			196.783	196.861		
583989	80H1575	E	476130.517	0.9996017	0.9999946	104778	80H1443	Terr	23° 44' 54"	238.517	238.612				
		N	5369807.540					Terr	180° 36' 18"			245.628	245.726		
		EI (H)	52.942 CGVD28					Terr	291° 51' 59"			340.675	340.811		
584458	79H8709	E	469053.453	0.9996142	1.0000024	291013	79H8717	Terr	36° 36' 40"	164.924	164.988				
		N	5366710.258												
		EI (H)	2.912 CGVD28												
584920	79H8966	E	473341.108	0.9996063	0.9999976	MARKER ISOLATED									
		N	5368460.072												
		EI (H)	33.838 CGVD28												
585661	85H0903	E	472064.844	0.9996052	0.9999956	180331	85H0910	Terr	107° 45' 49"	120.889	120.936				
		N	5370166.474					491092	85H0908			Terr	248° 50' 34"	120.068	120.116
		EI (H)	46.701 CGVD28												
585745	79H8783	E	469988.712	0.9996108	0.9999997	MARKER DESTROYED									
		N	5366847.234												
		EI (H)	20.213 CGVD28												
585786	79H0681	E	471645.721	0.9995985	0.9999886	717272	79H1190	Terr	270° 38' 11"	264.930	265.036				
		N	5375361.423												
		EI (H)	91.526 CGVD28												
585802	80H1530	E	476062.939	0.9996018	0.9999948	104778	80H1443	Terr	112° 55' 25"	177.665	177.736				
		N	5370095.061												
		EI (H)	52.212 CGVD28												
586305	85H0850	E	469184.440	0.9995974	0.9999857	530964	80H4043	Terr	13° 48' 49"	87.644	87.679				
		N	5374861.827												
		EI (H)	109.600 CGVD28												

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
587113	74H2191	E N EI (H)	469716.362 5369745.436 15.917 CGVD28	0.9996117	1.0000004	213009	74H2185	Terr	18° 46' 11"	205.527	205.607
587352	79H1018	E N EI (H)	468822.315 5369199.560 34.453 CGVD28	0.9996094	0.9999975	761262 62406	85H0881 79H0988	Terr Terr	7° 32' 31" 187° 20' 58"	229.658 122.730	229.748 122.778
588657	80H3092	E N EI (H)	468665.781 5373474.330 86.328 CGVD28	0.9996014	0.9999893	415919 849943	80H3074 80H2405	Terr Terr	89° 4' 32" 296° 56' 14"	151.440 145.858	151.500 145.916
589051	79H8956	E N EI (H)	473834.019 5368314.020 38.918 CGVD28	0.9996052	0.9999968	943894 428813 977371	79H0682 79H0608 79H8941	Terr Terr Terr	77° 5' 24" 170° 54' 36" 263° 22' 20"	180.211 163.620 113.856	180.283 163.685 113.901
589531	80H1569	E N EI (H)	470044.462 5370324.721 13.919 CGVD28	0.9996117	1.0000007	785295 3988	79H8913 74H2189	Terr Terr	50° 11' 15" 215° 14' 55"	207.767 188.718	207.848 188.792
591206	79H1180	E N EI (H)	474472.849 5369655.264 47.780 CGVD28	0.9996034	0.9999954	325779 747733	79H1197 79H1200	Terr Terr	169° 27' 34" 348° 28' 59"	176.204 161.423	176.274 161.487
591263	79H1035	E N EI (H)	471757.897 5373953.467 99.218 CGVD28	0.9995972	0.9999874	948281 107425 63784	79H1136 79H1178 79H1026	Terr Terr Terr	91° 7' 3" 273° 17' 56" 352° 46' 57"	105.073 187.608 340.381	105.115 187.683 340.518
591289	79H1062	E N EI (H)	472641.284 5373322.954 98.352 CGVD28	0.9995967	0.9999875	853507 42077	79H1051 79H1049	Terr Terr	180° 59' 33" 340° 21' 25"	96.120 94.122	96.159 94.160
591537	80H1567	E N EI (H)	476830.163 5369380.763 63.527 CGVD28	0.9995996	0.9999930	234757 721175	80H1611 80H1560	Terr Terr	6° 38' 25" 177° 50' 46"	131.050 124.846	131.103 124.896

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
591974	79H1159	E N EI (H)	477651.499 5369056.257 28.845 CGVD28	0.9996046	0.9999984	453704	80H1406	Terr	217° 4' 5"	135.692	135.745
592063	79H0670	E N EI (H)	473252.503 5373285.488 17.138 CGVD28	0.9996090	1.0000002	147009 340059	79H0718 79H1080	Terr Terr	169° 54' 57" 300° 35' 48"	123.585 226.916	123.634 227.005
592147	80H4055	E N EI (H)	467800.647 5376282.949 76.061 CGVD28	0.9996037	0.9999910	126672 478933	85H0847 80H4036	Both Terr	191° 18' 51" 354° 11' 3"	520.426 314.421	520.631 314.546
592170	80H3068	E N EI (H)	468849.690 5373896.837 88.764 CGVD28	0.9996009	0.9999890	141168 625046	80H3049 80H2472	Terr Terr	136° 48' 40" 343° 8' 10"	286.748 174.957	286.862 175.027
592931	79H8728	E N EI (H)	469545.249 5366474.714 3.350 CGVD28	0.9996137	1.0000023	MARKER DESTROYED					
593954	79H8868	E N EI (H)	472383.858 5366298.981 12.516 CGVD28	0.9996103	1.0000009	841593 573360	33-47 79H8794	Terr Terr	158° 15' 32" 338° 5' 47"	182.084 209.574	182.155 209.655
594267	80H2469	E N EI (H)	474638.036 5366762.424 50.163 CGVD28	0.9996030	0.9999951	779116 507699	80H2468 80H2481	Terr Terr	179° 36' 8" 357° 53' 18"	157.310 177.750	157.372 177.820
594549	79H8797	E N EI (H)	471566.458 5366523.646 23.637 CGVD28	0.9996091	0.9999992	977561 445965	79H8799 79H8700	Terr Terr	36° 20' 34" 217° 11' 32"	181.586 167.149	181.657 167.214
595165	80H2418	E N EI (H)	474838.673 5367877.131 67.592 CGVD28	0.9996001	0.9999923	MARKER ISOLATED					

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)						
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
595397	79H8761	E	468812.798	0.9996134	1.0000014	46904	79H8787	Terr	21° 42' 26"	175.102	175.170						
		N	5366923.299									752857	81H4120	Terr	127° 57' 1"	88.722	88.756
		El (H)	9.059 CGVD28														
597575	79H1032	E	469724.574	0.9996054	0.9999941	69955	79H1004	Terr	73° 10' 21"	176.029	176.098						
		N	5372470.924									503904	79H1014	Terr	285° 32' 30"	134.895	134.949
		El (H)	56.101 CGVD28														
597989	80H3108	E	475058.722	0.9996029	0.9999952	869610	80H1674	Terr	91° 31' 51"	324.019	324.147						
		N	5366942.026														
		El (H)	49.013 CGVD28														
599621	80H1429	E	475443.607	0.9996048	0.9999974	502963	80H1408	Terr	21° 57' 17"	188.650	188.724						
		N	5370391.733									925727	80H1420	Terr	112° 19' 33"	159.756	159.820
		El (H)	35.589 CGVD28														
												256578	79H1138	Terr	293° 45' 52"	155.867	155.929
599779	87H2542	E	472129.859	0.9996059	0.9999963	12021	79H0774	Terr	149° 18' 13"	186.525	186.599						
		N	5369692.009									426221	81H4212	Terr	250° 21' 17"	187.713	187.787
		El (H)	41.845 CGVD28														
599902	85H0841	E	472728.122	0.9996102	1.0000010	666552	85H0842	Terr	326° 29' 44"	250.678	250.776						
		N	5366649.697														
		El (H)	11.949 CGVD28														
601047	80H1563	E	475882.667	0.9996052	0.9999980	823427	80H1475	Terr	301° 33' 28"	121.024	121.072						
		N	5371193.696														
		El (H)	31.531 CGVD28														
601609	79H0987	E	471574.991	0.9996004	0.9999905	MARKER DESTROYED											
		N	5372292.067														
		El (H)	79.278 CGVD28														
602391	79H8716	E	470887.227	0.9996124	1.0000020	MARKER DESTROYED											
		N	5367013.372														
		El (H)	5.736 CGVD28														

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
602425	80H2427	E	477925.225	0.9996076	1.0000016	539601	80H2402	Terr	39° 38' 5"	109.022	109.065		
		N	5367503.966					Terr	216° 21' 0"			112.598	112.643
		El (H)	8.652 CGVD28					Terr	311° 39' 53"				
602755	85H0863	E	472448.801	0.9995947	0.9999853	949792	85H0876	Terr	106° 45' 29"	61.006	61.031		
		N	5372778.332					Terr	359° 10' 32"			126.980	127.032
		El (H)	112.252 CGVD28										
604066	85H0814	E	477243.062	0.9996006	0.9999942	745042	85H0815	Terr	90° 42' 37"	69.060	69.088		
		N	5369891.523					Terr	295° 12' 14"			90.278	90.314
		El (H)	55.780 CGVD28										
604777	79H0685	E	471565.186	0.9996048	0.9999949	762179	79H0620	Terr	86° 12' 25"	158.818	158.881		
		N	5376243.513					Terr	248° 17' 29"			160.273	160.337
		El (H)	51.289 CGVD28										
606038	81H4196	E	479600.277	0.9995988	0.9999937	732115	81H4198	Terr	177° 29' 31"	102.129	102.170		
		N	5367409.139										
		El (H)	59.349 CGVD28										
606343	79H0992	E	473637.212	0.9996017	0.9999932	659748	79H0998	Terr	165° 38' 25"	110.000	110.044		
		N	5367364.450										
		El (H)	62.026 CGVD28										
607416	79H1045	E	472662.139	0.9995996	0.9999904	214478	79H1037	Terr	176° 44' 3"	131.718	131.771		
		N	5372479.911					Terr	352° 59' 33"			115.224	115.270
		El (H)	80.084 CGVD28										
610741	79H8725	E	470216.015	0.9996127	1.0000018	MARKER DESTROYED							
		N	5366199.266										
		El (H)	7.100 CGVD28										
610774	87H2491	E	471931.743	0.9996080	0.9999983	MARKER DESTROYED							
		N	5367353.119										
		El (H)	29.429 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
611616	80H3114	E N EI (H)	468840.054 5371889.485 36.831 CGVD28	0.9996090	0.9999971	559559	80H3109	Terr	292° 36' 52"	200.897	200.976
611970	79H1184	E N EI (H)	472289.261 5375477.249 31.572 CGVD28	0.9996074	0.9999980	490086	79H1116	Terr	155° 18' 46"	386.220	386.372
612341	81H4136	E N EI (H)	469672.238 5374364.174 117.284 CGVD28	0.9995958	0.9999845	706614 32060	81H4125 80H4044	Terr Terr	188° 7' 39" 334° 38' 19"	153.651 214.787	153.713 214.874
613000	79H8976	E N EI (H)	474451.850 5368196.531 49.082 CGVD28	0.9996033	0.9999952	994095 290643 916429	80H2467 79H8835 79H8970	Terr Terr Terr	43° 56' 59" 147° 45' 20" 331° 26' 55"	104.589 161.883 103.336	104.631 161.947 103.377
613109	80H1628	E N EI (H)	476282.867 5368020.988 45.922 CGVD28	0.9996027	0.9999957	491068	80H1696	Terr	2° 11' 33"	212.196	212.281
613240	80H3098	E N EI (H)	475871.273 5367530.711 43.506 CGVD28	0.9996033	0.9999961	395749	80H1645	Terr	84° 29' 35"	227.072	227.162
614057	79H8766	E N EI (H)	470896.932 5366476.641 17.503 CGVD28	0.9996106	1.0000001	949024 438036 429399	79H8784 79H8734 79H8792	Terr Terr Terr	36° 56' 44" 127° 4' 41" 217° 7' 9"	283.361 201.024 260.730	283.471 201.103 260.832
614271	79H1147	E N EI (H)	470433.926 5371064.503 24.834 CGVD28	0.9996097	0.9999990	MARKER DESTROYED					
614503	79H0783	E N EI (H)	471081.400 5371666.635 50.566 CGVD28	0.9996053	0.9999950	MARKER DESTROYED					

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
614982	80H4053	E	470253.039	0.9996025	0.9999916	345538	80H4096	Terr	89° 43' 43"	199.234	199.314		
		N	5375995.756					Terr	277° 6' 3"	142.978	143.034		
		El (H)	71.966 CGVD28										
617860	79H8925	E	472174.815	0.9996100	1.0000005	527713	79H8821	Terr	259° 24' 21"	160.577	160.640		
		N	5368143.598										
		El (H)	15.131 CGVD28										
618777	80H1523	E	477079.359	0.9996004	0.9999939	MARKER DESTROYED							
		N	5368421.250										
		El (H)	57.721 CGVD28										
619379	80H1541	E	476404.269	0.9996018	0.9999950	571794	80H1529	Terr	88° 24' 5"	266.208	266.314		
		N	5368833.804					943910	80H1605	Terr	319° 18' 51"	156.686	156.748
		El (H)	50.839 CGVD28										
620708	80H1498	E	475921.591	0.9996036	0.9999965	MARKER DESTROYED							
		N	5369268.892										
		El (H)	41.104 CGVD28										
620989	81H4187	E	474048.691	0.9996069	0.9999986	MARKER DESTROYED							
		N	5368831.589										
		El (H)	27.676 CGVD28										
621193	79H8710	E	471411.894	0.9996106	1.0000005	12849	79H8756	Terr	288° 47' 3"	115.213	115.258		
		N	5366758.205										
		El (H)	14.957 CGVD28										
621334	80H1633	E	475528.129	0.9996074	1.0000001	MARKER DESTROYED							
		N	5365339.030										
		El (H)	18.237 CGVD28										
621599	79H0661	E	473146.246	0.9996063	0.9999974	903799	79H0678	Terr	168° 22' 9"	216.525	216.610		
		N	5369448.579					219899	79H0714	Terr	259° 41' 24"	269.678	269.785
		El (H)	35.162 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
621987	85H0911	E	471735.731	0.9996084	0.9999985	798264	85H0899	Terr	162° 33' 48"	75.401	75.430		
		N	5369963.179					Terr	260° 52' 22"			216.181	216.266
		El (H)	27.753 CGVD28										
622704	80H4080	E	467546.724	0.9996082	0.9999952	733832	80H4063	Terr	147° 22' 44"	189.354	189.428		
		N	5376549.333					Terr	312° 57' 21"			531.369	531.577
		El (H)	48.664 CGVD28										
623231	85H0898	E	472458.263	0.9996078	0.9999984	419101	85H0904	Terr	358° 1' 56"	212.296	212.379		
		N	5370827.174										
		El (H)	28.520 CGVD28										
624544	79H8788	E	469968.761	0.9996131	1.0000020	561985	79H8773	Terr	214° 11' 7"	138.662	138.716		
		N	5367100.219					Terr	304° 38' 44"			290.716	290.829
		El (H)	5.603 CGVD28										
624874	79H8802	E	470905.463	0.9996102	0.9999998	681841	79H8852	Terr	77° 40' 9"	198.908	198.985		
		N	5367749.562										
		El (H)	19.774 CGVD28										
625046	80H2472	E	468798.935	0.9996012	0.9999892	592170	80H3068	Terr	163° 8' 10"	174.957	175.027		
		N	5374064.270					Terr	326° 47' 25"			128.814	128.865
		El (H)	87.337 CGVD28										
625780	79H1134	E	472224.296	0.9996096	1.0000001	431411	79H1166	Both	180° 10' 54"	400.346	400.502		
		N	5377167.527										
		El (H)	17.787 CGVD28										
625806	79H8830	E	470411.375	0.9996125	1.0000017	423061	85H0821	Terr	120° 3' 43"	166.502	166.567		
		N	5368121.151					Terr	332° 10' 32"			192.398	192.472
		El (H)	7.234 CGVD28										
625814	79H8945	E	474369.759	0.9996057	0.9999976		MARKER DESTROYED						
		N	5368501.079										
		El (H)	33.938 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
625871	79H8856	E	470174.932	0.9996107	0.9999997	195149	79H8824	Terr	33° 21' 47"	196.762	196.839
		N	5368040.175			173906	79H8849	Terr	123° 22' 50"	172.785	172.852
		EI (H)	19.939 CGVD28			541250	79H8814	Terr	213° 54' 39"	163.269	163.333
						138545	79H8826	Terr	303° 25' 1"	162.173	162.236
626762	79H1174	E	472855.110	0.9996101	1.0000011	373951	79H1188	Terr	346° 41' 36"	191.281	191.355
		N	5374499.354								
		EI (H)	11.884 CGVD28								
627273	80H1651	E	476859.364	0.9996000	0.9999934	62984	80H1620	Terr	37° 18' 53"	165.901	165.967
		N	5368772.958			732628	80H1636	Terr	127° 44' 16"	124.768	124.818
		EI (H)	60.652 CGVD28								
627372	79H0735	E	469437.727	0.9996067	0.9999952	503904	79H1014	Terr	22° 7' 13"	416.634	416.798
		N	5372121.100			210971	79H0755	Terr	289° 13' 37"	151.892	151.952
		EI (H)	48.879 CGVD28								
628123	79H0703	E	473844.069	0.9996044	0.9999960	MARKER DESTROYED					
		N	5372356.136								
		EI (H)	44.044 CGVD28								
628248	79H1149	E	475224.624	0.9996068	0.9999992	138891	79H1182	Terr	156° 30' 54"	125.152	125.201
		N	5371382.508			10876	80H1447	Terr	198° 10' 19"	267.970	268.076
		EI (H)	23.819 CGVD28			100156	79H1185	Terr	328° 8' 26"	428.813	428.982
628339	79H8837	E	469942.358	0.9996122	1.0000011	197756	79H8811	Terr	19° 19' 44"	231.363	231.453
		N	5368626.376			665513	79H8874	Terr	198° 58' 43"	231.814	231.904
		EI (H)	11.662 CGVD28								
630715	80H2417	E	475805.735	0.9996065	0.9999993	353284	80H3121	Terr	8° 28' 17"	185.786	185.859
		N	5365583.726			518746	80H3095	Terr	92° 25' 15"	382.431	382.582
		EI (H)	23.002 CGVD28			965541	80H2434	Terr	188° 19' 59"	282.560	282.671
632190	79H8936	E	471157.584	0.9996104	1.0000001	MARKER DESTROYED					
		N	5369912.945								
		EI (H)	17.633 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
633339	79H8838	E	470679.465	0.9996102	0.9999996	214700	79H8901	Terr	80° 14' 13"	132.339	132.390		
		N	5369391.176					Terr	260° 33' 6"			158.954	159.016
		El (H)	20.999 CGVD28										
633610	79H0612	E	473609.768	0.9996060	0.9999975	16840	79H0624	Terr	14° 7' 13"	161.043	161.106		
		N	5366535.431										
		El (H)	34.594 CGVD28										
634253	79H8843	E	471603.523	0.9996095	0.9999995	283580	79H8740	Terr	19° 23' 46"	176.166	176.235		
		N	5366930.313					Terr	108° 15' 44"			186.880	186.953
		El (H)	21.267 CGVD28					Terr	198° 19' 0"				
635177	87H2504	E	471391.571	0.9996100	1.0000000	176339	87H2503	Terr	26° 15' 19"	472.476	472.660		
		N	5370030.727					Terr	165° 38' 52"			231.935	232.025
		El (H)	18.576 CGVD28										
635441	85H0864	E	472544.891	0.9996063	0.9999970	178160	85H0900	Terr	71° 49' 35"	145.218	145.275		
		N	5371125.432					Terr	227° 29' 28"			127.403	127.453
		El (H)	37.740 CGVD28										
638338	85H0840	E	472247.300	0.9996079	0.9999984		MARKER DESTROYED						
		N	5367321.484										
		El (H)	28.484 CGVD28										
638734	80H1658	E	475187.205	0.9996039	0.9999964		MARKER DESTROYED						
		N	5368342.208										
		El (H)	41.887 CGVD28										
639211	81H4200	E	479374.752	0.9996007	0.9999954	759068	81H4199	Terr	75° 30' 30"	144.447	144.504		
		N	5367199.221					Terr	205° 38' 12"			121.697	121.746
		El (H)	48.062 CGVD28										
639336	79H1140	E	476265.534	0.9996019	0.9999950	211433	80H1603	Terr	90° 30' 53"	214.246	214.331		
		N	5369148.332					Terr	169° 24' 38"			199.105	199.184
		El (H)	50.944 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS			Station Scale Factors		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
640763	79H1204	E N EI (H) 474793.492 5368663.685 59.126 CGVD28	0.9996015	0.9999937	887356	80H1470	Terr	91° 0' 14"	315.061	315.187
643221	80H1546	E N EI (H) 476267.007 5371029.890 57.914 CGVD28	0.9996008	0.9999939	711812 931535	80H1502 80H1565	Terr Terr	111° 41' 51" 204° 21' 20"	219.229 150.811	219.316 150.871
647263	80H2403	E N EI (H) 475710.934 5367132.847 47.167 CGVD28	0.9996028	0.9999955	973057 55764 532663	80H2490 81H4207 80H2451	Terr Terr Terr	165° 33' 54" 272° 42' 32" 340° 11' 51"	107.401 325.477 201.799	107.443 325.606 201.879
648238	79H8816	E N EI (H) 471105.093 5367696.618 23.368 CGVD28	0.9996095	0.9999992	796904 386607 681841	79H8803 79H8839 79H8852	Terr Terr Terr	188° 41' 45" 259° 4' 34" 356° 48' 52"	158.378 279.842 95.570	158.439 279.951 95.607
649483	79H8754	E N EI (H) 469970.807 5366450.164 21.047 CGVD28	0.9996107	0.9999996	876136 658161	79H8780 79H8952	Terr Terr	36° 47' 13" 217° 8' 20"	133.875 169.208	133.927 169.273
650267	79H0706	E N EI (H) 474054.967 5367365.425 64.233 CGVD28	0.9996011	0.9999928	712620	79H8940	Terr	179° 50' 41"	192.981	193.058
651661	80H1444	E N EI (H) 478285.350 5368261.637 19.283 CGVD28	0.9996057	0.9999999	127613 173278	79H1158 80H1415	Terr Terr	190° 13' 4" 353° 22' 21"	159.353 112.994	159.416 113.039
651703	80H2410	E N EI (H) 478538.329 5368161.771 19.013 CGVD28	0.9996056	1.0000000	116319	80H1572	Terr	139° 23' 0"	156.557	156.619
652537	80H1527	E N EI (H) 472684.792 5367405.811 34.364 CGVD28	0.9996067	0.9999975	71472	80H1511	Terr	304° 57' 31"	165.212	165.277

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)				
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
652883	85H0868	E	472388.594	0.9995937	0.9999843	667865	85H0874	Terr	89° 47' 14"	132.433	132.487				
		N	5373082.997					Terr	315° 32' 26"			50.130	50.150		
		El (H)	118.860 CGVD28												
653014	80H3073	E	467575.483	0.9996083	0.9999954	210922	80H3067	Terr	92° 16' 48"	166.880	166.946				
		N	5374621.666					Terr	183° 43' 43"			198.796	198.874		
		El (H)	47.499 CGVD28												
653121	80H4009	E	467116.372	0.9996063	0.9999930	40857	80H4078	Terr	178° 29' 51"	101.257	101.297				
		N	5372340.529												
		El (H)	62.844 CGVD28												
653741	80H1697	E	475398.311	0.9996051	0.9999977	MARKER DESTROYED									
		N	5367626.663												
		El (H)	33.557 CGVD28												
654350	79H0721	E	473680.158	0.9996041	0.9999956	461061	79H0705	Terr	1° 2' 23"	141.465	141.521				
		N	5370701.505					103440	79H0775			Terr	168° 5' 1"	166.099	166.165
		El (H)	46.849 CGVD28												
654418	80H4081	E	470824.195	0.9996024	0.9999919	MARKER DESTROYED									
		N	5375991.951												
		El (H)	70.340 CGVD28												
656405	87H2539	E	473384.561	0.9996042	0.9999955	MARKER DESTROYED									
		N	5367233.370												
		El (H)	47.365 CGVD28												
658161	79H8952	E	469868.648	0.9996134	1.0000023	649483	79H8754	Terr	37° 8' 20"	169.208	169.273				
		N	5366315.276					763680	79H8730			Terr	320° 27' 45"	103.229	103.269
		El (H)	3.714 CGVD28												
658591	79H1144	E	478360.579	0.9996055	0.9999997	315671	80H1591	Terr	29° 19' 1"	89.486	89.521				
		N	5368483.083					173278	80H1415			Terr	218° 56' 53"	140.420	140.475
		El (H)	20.578 CGVD28												

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
658948	80H3051	E	469280.577	0.9996032	0.9999916	432369	80H2487	Terr	157° 24' 21"	228.395	228.485		
		N	5373542.343					Terr	311° 51' 13"				
		El (H)	72.216 CGVD28										
659334	80H1615	E	477766.904	0.9996076	1.0000016		MARKER ISOLATED						
		N	5370479.376										
		El (H)	8.998 CGVD28										
659508	79H8846	E	471534.340	0.9996098	0.9999998		MARKER ISOLATED						
		N	5368638.136										
		El (H)	19.697 CGVD28										
659748	79H0998	E	473664.493	0.9996015	0.9999929	534131	79H0615	Terr	84° 33' 16"	173.695	173.764		
		N	5367257.887					Terr	262° 37' 4"			132.456	132.509
		El (H)	63.728 CGVD28					Terr	345° 38' 25"				
660472	79H0674	E	472072.163	0.9996024	0.9999928	243501	79H0643	Terr	90° 42' 55"	127.117	127.167		
		N	5371680.595					Terr	288° 52' 57"			275.200	275.309
		El (H)	64.322 CGVD28										
662239	81H4158	E	469194.134	0.9995994	0.9999877	426817	80H4024	Terr	0° 46' 38"	280.170	280.282		
		N	5375178.992					Terr	271° 50' 8"			263.235	263.341
		El (H)	96.917 CGVD28					Terr	309° 55' 14"				
662619	80H3083	E	468628.035	0.9996106	0.9999985	753855	80H3064	Terr	341° 38' 46"	293.935	294.049		
		N	5368555.602										
		El (H)	27.652 CGVD28										
662999	79H1124	E	472693.278	0.9996060	0.9999969	863076	79H0720	Terr	68° 40' 55"	100.810	100.849		
		N	5373951.895					Terr	307° 30' 43"			246.691	246.789
		El (H)	38.659 CGVD28										
663021	79H1156	E	472815.269	0.9996086	0.9999995	329235	79H8962	Terr	321° 26' 15"	256.064	256.164		
		N	5368092.942										
		El (H)	21.789 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
663492	85H0855	E N EI (H)	477065.169 5369782.620 63.413 CGVD28	0.9995995	0.9999930	310920	85H0857	Terr	49° 42' 10"	84.204	84.237
664698	81H4191	E N EI (H)	471821.081 5366629.035 21.008 CGVD28	0.9996094	0.9999996	944272	79H8819	Terr	347° 10' 43"	137.763	137.817
665109	80H3057	E N EI (H)	468296.870 5369175.762 17.225 CGVD28	0.9996125	1.0000002	467159	80H3075	Terr	7° 11' 23"	134.210	134.262
665422	79H8827	E N EI (H)	472432.669 5368392.353 24.125 CGVD28	0.9996085	0.9999991	941179	79H8871	Terr	348° 59' 6"	94.701	94.738
665513	79H8874	E N EI (H)	469866.969 5368407.163 29.490 CGVD28	0.9996094	0.9999982	628339 273128 886432	79H8837 79H8857 79H8860	Terr Terr Terr	18° 58' 43" 107° 21' 39" 198° 49' 26"	231.814 136.822 263.480	231.904 136.875 263.583
666388	80H2436	E N EI (H)	476200.282 5366216.662 49.683 CGVD28	0.9996021	0.9999951	228759	80H3069	Terr	271° 5' 43"	260.155	260.258
666552	85H0842	E N EI (H)	472589.747 5366858.723 22.585 CGVD28	0.9996086	0.9999994	599902	85H0841	Terr	146° 29' 44"	250.678	250.776
666768	87H2482	E N EI (H)	473117.888 5371167.387 43.327 CGVD28	0.9996050	0.9999961	710236 403147	87H2483 87H2485	Terr Terr	109° 6' 18" 241° 59' 35"	118.949 101.003	118.996 101.043
667659	80H1625	E N EI (H)	477170.926 5371037.233 25.855 CGVD28	0.9996053	0.9999989	401307	80H1593	Terr	203° 15' 50"	266.167	266.272

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)			
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
667865	85H0874	E	472521.026	0.9995954	0.9999861	745836	85H0865	Terr	93° 51' 20"	131.239	131.292			
		N	5373083.489					Terr	185° 38' 52"			120.053	120.101	
		El (H)	107.530 CGVD28					Terr	269° 47' 14"					132.433
670398	80H1664	E	475373.468	0.9996055	0.9999980		MARKER DESTROYED							
		N	5366440.332											
		El (H)	31.277 CGVD28											
670877	80H2473	E	475144.597	0.9996038	0.9999962	737262	80H2498	Terr	188° 42' 22"	158.054	158.117			
		N	5368038.470											
		El (H)	42.662 CGVD28											
671032	80H4087	E	468411.770	0.9996091	0.9999968	782920	80H4059	Terr	10° 18' 48"	291.625	291.739			
		N	5370263.218					80H3059	Terr			276° 49' 1"	185.596	185.669
		El (H)	38.727 CGVD28											
671404	80H3090	E	468567.220	0.9996132	1.0000011	325811	80H3024	Terr	97° 11' 50"	141.390	141.445			
		N	5369739.552					80H3032	Terr			276° 44' 6"	201.068	201.146
		El (H)	11.365 CGVD28											
672543	80H4022	E	467384.576	0.9996037	0.9999906		MARKER ISOLATED							
		N	5370778.273											
		El (H)	78.177 CGVD28											
673277	80H2456	E	476274.790	0.9996015	0.9999945		MARKER ISOLATED							
		N	5367715.920											
		El (H)	53.606 CGVD28											
673541	80H1435	E	474889.770	0.9996024	0.9999946	974006	80H1455	Terr	12° 37' 14"	201.410	201.491			
		N	5369744.402					80H1506	Terr			118° 27' 50"	109.829	109.873
		El (H)	52.890 CGVD28											
673723	80H1495	E	476326.075	0.9996013	0.9999944	218545	80H1542	Terr	92° 46' 5"	155.988	156.050			
		N	5369266.507					80H1421	Terr			268° 19' 18"	200.710	200.790
		El (H)	54.184 CGVD28											

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)												
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING																	
675116	79H0619	E	472240.220	0.9996079	0.9999984	941179	79H8871	Terr	79° 49' 56"	177.137	177.206												
		N	5368454.039									794347	79H8833	Terr	259° 50' 8"	119.836	119.883						
		El (H)	28.742 CGVD28																				
676916	79H1006	E	473693.026	0.9996055	0.9999970	514323	79H0724	Terr	13° 0' 28"	154.835	154.896												
		N	5371971.776									301739	79H0999	Terr	178° 40' 56"	284.126	284.238						
		El (H)	38.097 CGVD28																				
677484	80H1621	E	475412.649	0.9996045	0.9999971	MARKER DESTROYED																	
		N	5368336.253																				
		El (H)	37.291 CGVD28																				
679720	74H2190	E	470494.035	0.9996114	1.0000007	MARKER DESTROYED																	
		N	5369455.533																				
		El (H)	14.030 CGVD28																				
680900	87H2488	E	473180.821	0.9996048	0.9999960	173195	87H2484	Terr	148° 53' 17"	203.071	203.151												
		N	5371367.122									384438	87H2486	Terr	299° 13' 23"	132.102	132.155						
		El (H)	44.109 CGVD28																				
681841	79H8852	E	471099.782	0.9996101	0.9999998	819300	79H8873	Terr	77° 56' 27"	138.407	138.461												
		N	5367792.040									648238	79H8816	Terr	176° 48' 52"	95.570	95.607						
		El (H)	19.443 CGVD28															624874	79H8802	Terr	257° 40' 9"	198.908	198.985
682443	79H0689	E	471137.890	0.9996046	0.9999943	MARKER DESTROYED																	
		N	5371870.728																				
		El (H)	54.558 CGVD28																				
683052	79H8986	E	474360.825	0.9996063	0.9999983	237339	80H1700	Terr	356° 53' 40"	109.991	110.034												
		N	5368695.430																				
		El (H)	29.745 CGVD28																				
687848	80H2492	E	479169.180	0.9996032	0.9999979	MARKER DESTROYED																	
		N	5366997.425																				
		El (H)	32.352 CGVD28																				

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
688234	79H1003	E N EI (H)	471189.242 5371549.564 48.342 CGVD28	0.9996055	0.9999953		MARKER DESTROYED				
688465	80H2482	E N EI (H)	479416.113 5366796.229 24.100 CGVD28	0.9996044	0.9999992		MARKER DESTROYED				
688903	79H1111	E N EI (H)	472497.596 5374102.112 74.475 CGVD28	0.9996005	0.9999912	662999 457135	79H1124 79H1129	Terr Terr	127° 30' 43" 179° 21' 11"	246.691 124.606	246.789 124.656
689364	80H1440	E N EI (H)	479536.569 5366461.105 8.399 CGVD28	0.9996068	1.0000017	784090 2311	80H2479 85H0830	Terr Terr	40° 39' 2" 293° 4' 15"	184.610 268.685	184.683 268.791
689513	79H1151	E N EI (H)	469008.822 5371406.384 36.683 CGVD28	0.9996089	0.9999971	250324	79H1177	Terr	182° 9' 7"	145.831	145.888
690214	79H8858	E N EI (H)	470572.712 5370356.341 17.357 CGVD28	0.9996108	1.0000002		MARKER DESTROYED				
690420	80H2409	E N EI (H)	467756.811 5374072.075 56.880 CGVD28	0.9996067	0.9999940	528612 170407	80H4002 80H3043	Terr Terr	95° 45' 55" 297° 43' 17"	297.786 117.331	297.904 117.377
691196	85H0866	E N EI (H)	472683.218 5372972.507 93.363 CGVD28	0.9995975	0.9999883	317602 802645 745836	85H0870 85H0875 85H0865	Terr Terr Terr	73° 45' 37" 188° 40' 13" 342° 59' 28"	60.030 100.195 106.830	60.054 100.235 106.873
692152	81H4137	E N EI (H)	467699.472 5375783.600 51.584 CGVD28	0.9996076	0.9999948		MARKER DESTROYED				

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
694125	79H8798	E N EI (H)	471158.337 5366490.340 25.403 CGVD28	0.9996091	0.9999989	438036	79H8734	Terr	216° 49' 47"	168.533	168.598
694315	80H4012	E N EI (H)	466919.154 5372774.894 72.322 CGVD28	0.9996050	0.9999915	933796	80H4017	Terr	346° 24' 56"	177.114	177.184
695296	79H8917	E N EI (H)	471312.210 5368897.703 28.468 CGVD28	0.9996085	0.9999984	126151	79H8922	Terr	79° 51' 49"	209.565	209.647
695635	87H2492	E N EI (H)	472920.641 5371520.975 37.850 CGVD28	0.9996060	0.9999970	55913 111567 236539	79H0747 85H0884 87H2490	Terr Terr Terr	7° 21' 7" 105° 39' 19" 209° 19' 34"	265.805 114.806 94.469	265.910 114.851 94.506
695718	80H4073	E N EI (H)	468325.773 5377198.657 119.699 CGVD28	0.9995965	0.9999841	295105 216010	80H4035 80H4041	Terr Terr	193° 8' 56" 329° 13' 24"	140.811 103.556	140.868 103.598
696484	79H8975	E N EI (H)	473140.759 5367178.960 32.583 CGVD28	0.9996067	0.9999978	MARKER DESTROYED					
696500	80H1423	E N EI (H)	476610.493 5370975.864 59.736 CGVD28	0.9996003	0.9999936	143263 328724	80H1562 80H1579	Terr Terr	111° 38' 45" 202° 4' 16"	197.611 147.121	197.690 147.180
697573	85H0854	E N EI (H)	477078.391 5370247.119 56.821 CGVD28	0.9996005	0.9999940	730580 43950	85H0856 85H0859	Terr Terr	119° 2' 13" 215° 27' 40"	103.460 132.342	103.502 132.395
698126	81H4197	E N EI (H)	479471.233 5367401.679 67.207 CGVD28	0.9995976	0.9999924	374645	81H4202	Terr	255° 54' 6"	135.361	135.416

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
699835	80H3030	E N EI (H)	468997.054 5370376.493 11.875 CGVD28	0.9996128	1.0000010	332643	80H3117	Terr	97° 9' 55"	113.372	113.416
700245	79H8758	E N EI (H)	470510.481 5369837.361 20.667 CGVD28	0.9996103	0.9999996		MARKER DESTROYED				
701458	79H0604	E N EI (H)	472998.575 5367436.256 34.421 CGVD28	0.9996065	0.9999975	295337	79H0614	Terr	261° 4' 39"	165.516	165.581
702472	79H8745	E N EI (H)	471139.433 5367274.752 15.925 CGVD28	0.9996106	1.0000004		MARKER DESTROYED				
703462	79H8732	E N EI (H)	470812.786 5366012.812 13.615 CGVD28	0.9996112	1.0000007		MARKER DESTROYED				
704288	80H2454	E N EI (H)	474283.045 5366958.941 55.390 CGVD28	0.9996024	0.9999942	328955	79H8968	Terr	278° 25' 38"	227.877	227.968
704874	79H8896	E N EI (H)	470995.217 5368388.038 22.695 CGVD28	0.9996097	0.9999993	752352	79H8926	Terr	349° 27' 58"	150.418	150.477
705244	85H0897	E N EI (H)	472968.947 5371140.879 43.996 CGVD28	0.9996050	0.9999960	403147 259432 848770	87H2485 85H0896 85H0905	Terr Terr Terr	109° 17' 33" 196° 16' 34" 326° 47' 20"	63.322 180.184 97.898	63.347 180.256 97.936
706614	81H4125	E N EI (H)	469650.515 5374212.066 113.520 CGVD28	0.9995964	0.9999851	612341 919712	81H4136 80H4065	Terr Terr	8° 7' 39" 158° 44' 12"	153.651 125.830	153.713 125.881

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
706721	79H0784	E	472465.477	0.9996052	0.9999959	287813	79H0770	Terr	143° 59' 14"	213.305	213.389		
		N	5369201.456					Terr	329° 28' 12"			148.320	148.378
		El (H)	44.735 CGVD28										
708875	80H2420	E	474840.867	0.9996052	0.9999974	115741	80H2484	Terr	91° 30' 19"	178.146	178.217		
		N	5366441.246					Terr	182° 22' 25"			268.112	268.218
		El (H)	35.180 CGVD28					Terr	359° 47' 53"				
709469	79H8918	E	470616.534	0.9996117	1.0000011	300178	79H8933	Terr	29° 51' 40"	156.440	156.500		
		N	5368846.664										
		El (H)	11.696 CGVD28										
709477	79H1146	E	471528.629	0.9996006	0.9999906	107425	79H1178	Terr	172° 9' 27"	307.596	307.719		
		N	5374268.982					Terr	352° 15' 1"			192.038	192.115
		El (H)	78.587 CGVD28										
710236	87H2483	E	473230.285	0.9996048	0.9999959	173195	87H2484	Terr	40° 33' 32"	85.301	85.334		
		N	5371128.455					Both	123° 39' 11"			168.407	168.473
		El (H)	44.491 CGVD28					Terr	289° 6' 18"				
710418	79H8961	E	472894.145	0.9996052	0.9999962	551887	79H8959	Terr	73° 22' 19"	90.890	90.926		
		N	5368373.838										
		El (H)	42.767 CGVD28										
710616	80H1538	E	470767.571	0.9996085	0.9999980	214700	79H8901	Terr	167° 50' 21"	200.878	200.956		
		N	5369609.987										
		El (H)	31.421 CGVD28										
710780	79H1038	E	472353.653	0.9996057	0.9999963	490086	79H1116	Terr	91° 3' 33"	96.936	96.974		
		N	5375128.121					Terr	203° 28' 16"			127.257	127.308
		El (H)	42.200 CGVD28										
711812	80H1502	E	476470.703	0.9995999	0.9999931	643221	80H1546	Terr	291° 41' 51"	219.229	219.316		
		N	5370948.840										
		El (H)	62.946 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)												
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING																	
712620	79H8940	E	474055.490	0.9996026	0.9999943	328955	79H8968	Terr	179° 19' 12"	180.121	180.192												
		N	5367172.445									650267	79H0706	Terr	359° 50' 41"	192.981	193.058						
		El (H)	55.029 CGVD28																				
713123	80H1630	E	475716.427	0.9996039	0.9999967	112797	80H1627	Terr	68° 50' 52"	95.592	95.629												
		N	5368599.133																				
		El (H)	39.956 CGVD28																				
713404	79H0779	E	472055.753	0.9996035	0.9999939	MARKER DESTROYED																	
		N	5368803.812																				
		El (H)	57.587 CGVD28																				
713941	80H3045	E	468178.680	0.9996049	0.9999925	42549	81H4129	Terr	1° 21' 52"	122.997	123.046												
		N	5374620.471									211011	80H4011	Terr	119° 13' 16"	225.254	225.344						
		El (H)	66.201 CGVD28															720763	80H3031	Terr	268° 52' 32"	203.405	203.485
714568	79H8848	E	469682.862	0.9996099	0.9999986	404095	79H8931	Terr	268° 11' 6"	132.238	132.290												
		N	5367855.113																				
		El (H)	27.188 CGVD28																				
715144	80H4094	E	468753.469	0.9995979	0.9999859	404004	80H4050	Terr	78° 6' 9"	143.393	143.451												
		N	5376120.927									907683	81H4157	Terr	259° 44' 42"	104.085	104.127						
		El (H)	108.517 CGVD28																				
715334	79H1082	E	472546.717	0.9996001	0.9999908	465781	79H1121	Terr	0° 58' 56"	99.010	99.049												
		N	5373636.329																				
		El (H)	77.383 CGVD28																				
717272	79H1190	E	471380.807	0.9996029	0.9999928	585786	79H0681	Terr	90° 38' 11"	264.930	265.036												
		N	5375364.365									365932	85H0824	Terr	168° 57' 23"	410.942	411.105						
		El (H)	64.309 CGVD28															396804	21710	Terr	236° 36' 16"	2439.023	2440.015
718320	80H1675	E	475883.864	0.9996036	0.9999965	89839	80H1694	Terr	270° 43' 37"	277.536	277.646												
		N	5368907.066																				
		El (H)	41.136 CGVD28																				

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
719518	85H0909	E N EI (H)	472537.837 5369646.481 43.427 CGVD28	0.9996054	0.9999961	208389	85H0902	Terr	190° 56' 41"	105.393	105.435
720003	80H1580	E N EI (H)	476766.709 5370306.597 66.172 CGVD28	0.9995992	0.9999926	37382 36335	85H0839 81H4217	Terr Terr	26° 4' 17" 203° 24' 16"	104.696 199.331	104.738 199.411
720706	80H1424	E N EI (H)	477323.138 5370687.590 37.727 CGVD28	0.9996034	0.9999970	784231 971127	80H1558 80H1584	Terr Terr	192° 43' 51" 292° 8' 15"	276.874 142.494	276.984 142.551
720763	80H3031	E N EI (H)	467975.314 5374616.479 62.817 CGVD28	0.9996056	0.9999930	713941 210922	80H3045 80H3067	Terr Terr	88° 52' 32" 269° 38' 35"	203.405 233.088	203.485 233.179
721175	80H1560	E N EI (H)	476834.855 5369256.005 63.808 CGVD28	0.9995995	0.9999929	339143 591537	80H1666 80H1567	Terr Terr	270° 25' 40" 357° 50' 46"	187.756 124.846	187.831 124.896
721886	80H3063	E N EI (H)	468403.206 5368974.948 17.292 CGVD28	0.9996124	1.0000002	753855 550525	80H3064 80H3028	Terr Terr	136° 41' 59" 295° 38' 7"	192.868 143.671	192.943 143.727
722132	80H3116	E N EI (H)	467819.284 5371203.626 62.451 CGVD28	0.9996058	0.9999931	286377	80H3027	Terr	126° 18' 40"	101.429	101.469
722439	81H4132	E N EI (H)	468156.329 5377817.381 126.549 CGVD28	0.9995955	0.9999831	21584 784348	81H4126 81H4123	Both Terr	182° 49' 21" 347° 33' 27"	154.485 115.327	154.548 115.373
722520	80H4008	E N EI (H)	466862.997 5373456.909 68.834 CGVD28	0.9996056	0.9999921	727412 215608	80H4033 80H4023	Terr Terr	10° 19' 45" 185° 42' 55"	133.957 110.963	134.010 111.006

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)			
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
723098	80H2494	E	474969.421	0.9996032	0.9999955	217356	80H2438	Terr	74° 36' 34"	111.795	111.839			
		N	5366662.336					Terr	259° 44' 30"			131.351	131.403	
		El (H)	47.586 CGVD28											
723338	80H1418	E	474986.479	0.9996010	0.9999933	78709	80H1419	Terr	153° 44' 23"	142.271	142.328			
		N	5369492.140											
		El (H)	61.101 CGVD28											
723726	81H4189	E	471491.373	0.9996102	1.0000002	MARKER DESTROYED								
		N	5368289.613											
		El (H)	17.127 CGVD28											
723890	80H3091	E	476211.207	0.9996008	0.9999938	430538	80H3110	Terr	270° 55' 8"	283.819	283.932			
		N	5366352.784											
		El (H)	58.036 CGVD28											
724062	79H8878	E	472156.651	0.9996091	0.9999996	557090	79H8850	Terr	79° 23' 14"	177.894	177.964			
		N	5368240.325					79H8833	Terr			349° 52' 32"	195.612	195.689
		El (H)	21.313 CGVD28											
727412	80H4033	E	466887.016	0.9996073	0.9999938	20990	81H4148	Terr	22° 8' 30"	123.598	123.646			
		N	5373588.695					80H4008	Terr			190° 19' 45"	133.957	134.010
		El (H)	57.729 CGVD28											
727545	80H1642	E	475703.108	0.9996040	0.9999967	MARKER DESTROYED								
		N	5368432.609											
		El (H)	39.689 CGVD28											
727727	80H1568	E	476874.735	0.9996009	0.9999944	918151	80H1578	Terr	24° 38' 17"	174.738	174.808			
		N	5370682.026			801415	80H1566	Terr	111° 29' 21"			269.343	269.450	
		El (H)	54.795 CGVD28			418541	16-1965	GPS Only	135° 49' 43"					3884.001
						304469	80H1430	Both	138° 40' 30"			5215.194	5217.261	
		972828	80H1659			Both	206° 22' 54"	2946.620	2947.791					
		465575	99H2279			GPS Only	230° 18' 24"	3923.302	3924.861					
		150664	80H1426			Both	289° 2' 27"	1219.537	1220.021					

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
728238	81H4204	E	479260.761	0.9996000	0.9999947	374645	81H4202	Terr	133° 22' 5"	108.931	108.974		
		N	5367443.508					Terr	253° 38' 55"			98.008	98.047
		El (H)	52.540 CGVD28										
728493	79H8985	E	472864.995	0.9996065	0.9999975	352013	79H8949	Terr	72° 43' 52"	155.101	155.162		
		N	5368168.905										
		El (H)	34.618 CGVD28										
729251	80H1623	E	477619.628	0.9996043	0.9999982	MARKER DESTROYED							
		N	5370076.426										
		El (H)	30.643 CGVD28										
729335	80H4029	E	467106.280	0.9996064	0.9999931	40857	80H4078	Terr	7° 41' 40"	95.204	95.242		
		N	5372144.960					Terr	211° 4' 45"			166.346	166.412
		El (H)	62.167 CGVD28										
729715	80H3029	E	467151.954	0.9996030	0.9999898	MARKER DESTROYED							
		N	5371071.724										
		El (H)	83.556 CGVD28										
730192	80H4007	E	467122.908	0.9996085	0.9999952	456483	80H4004	Terr	310° 37' 18"	132.456	132.508		
		N	5372619.341										
		El (H)	49.049 CGVD28										
730580	85H0856	E	477168.847	0.9996015	0.9999951	697573	85H0854	Terr	299° 2' 13"	103.460	103.502		
		N	5370196.902										
		El (H)	50.108 CGVD28										
731315	85H0838	E	472294.995	0.9996082	0.9999987	39529	85H0823	Terr	124° 33' 23"	118.732	118.779		
		N	5367101.362										
		El (H)	26.674 CGVD28										
731695	79H8883	E	471896.681	0.9996090	0.9999993	MARKER DESTROYED							
		N	5368001.463										
		El (H)	22.740 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
731760	79H1077	E N EI (H)	472096.217 5374953.823 95.743 CGVD28	0.9995975	0.9999879	964726	79H1078	Terr	181° 10' 46"	299.915	300.035
732073	81H4145	E N EI (H)	468206.937 5375195.078 86.028 CGVD28	0.9996018	0.9999894	305995 214726	80H4021 80H4045	Terr Terr	89° 14' 25" 184° 13' 0"	148.046 275.163	148.105 275.272
732115	81H4198	E N EI (H)	479604.746 5367307.108 54.982 CGVD28	0.9995995	0.9999944	759068 606038	81H4199 81H4196	Terr Terr	231° 29' 7" 357° 29' 31"	115.206 102.129	115.253 102.170
732628	80H1636	E N EI (H)	476958.033 5368696.594 60.809 CGVD28	0.9995999	0.9999934	627273	80H1651	Terr	307° 44' 16"	124.768	124.818
733832	80H4063	E N EI (H)	467648.801 5376389.849 48.387 CGVD28	0.9996082	0.9999953	324095 622704	80H4037 80H4080	Terr Terr	165° 18' 27" 327° 22' 44"	171.375 189.354	171.442 189.428
735092	80H1637	E N EI (H)	474870.283 5367724.058 81.658 CGVD28	0.9995979	0.9999901	515031	85H0829	Terr	185° 49' 18"	144.735	144.794
737262	80H2498	E N EI (H)	475120.673 5367882.237 50.855 CGVD28	0.9996026	0.9999950	670877 95943	80H2473 81H4161	Terr Terr	8° 42' 22" 202° 5' 28"	158.054 108.293	158.117 108.336
737932	85H0886	E N EI (H)	471578.752 5369774.134 22.140 CGVD28	0.9996094	0.9999994	953026 819136	85H0849 85H0883	Terr Terr	143° 45' 54" 325° 59' 4"	130.263 108.057	130.314 108.099
738997	79H8853	E N EI (H)	471429.133 5369403.159 21.439 CGVD28	0.9996096	0.9999995	545285 340430	79H8902 79H8867	Terr Terr	169° 28' 1" 349° 1' 3"	178.394 118.190	178.464 118.236

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
739953	79H0664	E	471629.465	0.9996010	0.9999911	411694	79H1187	Terr	91° 54' 8"	255.471	255.573		
		N	5373538.356					Terr	172° 49' 51"			342.890	343.027
		EI (H)	75.062 CGVD28					Terr	352° 7' 51"				
741348	80H3084	E	468091.574	0.9996051	0.9999926	547513	80H3107	Terr	127° 7' 19"	112.115	112.159		
		N	5371433.848					Terr	300° 8' 43"			142.694	142.750
		EI (H)	65.514 CGVD28										
742338	81H4211	E	475449.158	0.9996071	0.9999997	402784	80H1661	Terr	84° 45' 59"	88.415	88.449		
		N	5365638.132										
		EI (H)	20.565 CGVD28										
743047	79H8939	E	472446.277	0.9996073	0.9999980	93385	79H8981	Terr	122° 55' 34"	285.561	285.673		
		N	5367339.098					Terr	307° 2' 48"			184.425	184.498
		EI (H)	31.483 CGVD28										
743062	79H1041	E	472479.671	0.9996070	0.9999977	330738	79H1109	Terr	2° 22' 22"	160.045	160.108		
		N	5374843.843					Terr	91° 16' 29"			114.950	114.996
		EI (H)	33.387 CGVD28					Terr	177° 36' 31"				
743526	80H3033	E	468551.588	0.9996033	0.9999912	559880	80H3060	Terr	142° 27' 59"	127.647	127.698		
		N	5374348.015					Terr	296° 58' 40"			115.193	115.239
		EI (H)	74.719 CGVD28										
743831	79H1079	E	469395.844	0.9996101	0.9999986	751081	79H8898	Terr	214° 9' 52"	125.089	125.137		
		N	5368354.726										
		EI (H)	27.253 CGVD28										
744698	80H4020	E	467771.053	0.9996056	0.9999928	524595	80H4047	Terr	127° 0' 14"	275.894	276.003		
		N	5375016.172					Terr	328° 0' 16"			224.863	224.952
		EI (H)	64.080 CGVD28										
744938	79H1056	E	472513.805	0.9995952	0.9999859	853507	79H1051	Terr	65° 8' 57"	138.653	138.709		
		N	5373168.578					Terr	309° 22' 27"			83.926	83.960
		EI (H)	108.557 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
745026	80H1669	E	476583.777	0.9995994	0.9999927	355891	80H1513	Terr	112° 54' 9"	181.611	181.683
		N	5370707.563								
		EI (H)	65.595 CGVD28								
745042	85H0815	E	477312.117	0.9996018	0.9999955	161414	80H1434	Terr	113° 52' 4"	132.843	132.895
		N	5369890.667			604066	85H0814	Terr	270° 42' 37"	69.060	69.088
		EI (H)	47.866 CGVD28								
745398	80H2464	E	475619.512	0.9996041	0.9999968	119859	80H1612	Terr	185° 59' 57"	119.248	119.295
		N	5369169.473								
		EI (H)	39.236 CGVD28								
745513	79H0646	E	473575.115	0.9996056	0.9999970		MARKER DESTROYED				
		N	5366411.282								
		EI (H)	37.369 CGVD28								
745620	79H1164	E	477260.305	0.9996005	0.9999942		MARKER DESTROYED				
		N	5368251.321								
		EI (H)	55.908 CGVD28								
745836	85H0865	E	472651.968	0.9995972	0.9999880	691196	85H0866	Terr	162° 59' 28"	106.830	106.873
		N	5373074.664			667865	85H0874	Terr	273° 51' 20"	131.239	131.292
		EI (H)	95.422 CGVD28			853507	79H1051	Terr	355° 21' 39"	152.684	152.746
745992	80H4015	E	469488.073	0.9995952	0.9999838	32060	80H4044	Terr	150° 9' 28"	185.217	185.292
		N	5374718.918			89250	80H4056	Terr	303° 19' 22"	122.897	122.946
		EI (H)	121.835 CGVD28								
746198	80H3086	E	468016.445	0.9996076	0.9999950	800961	80H3059	Terr	98° 16' 14"	213.259	213.343
		N	5370315.925			210435	80H3094	Terr	274° 8' 24"	138.146	138.201
		EI (H)	50.163 CGVD28								
747337	79H0765	E	472818.109	0.9996058	0.9999967	430322	79H0751	Terr	13° 28' 7"	151.787	151.847
		N	5371633.719			862573	79H0756	Terr	230° 3' 39"	197.155	197.233
		EI (H)	39.311 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
747733	79H1200	E	474440.620	0.9996031	0.9999951	591206	79H1180	Terr	168° 28' 59"	161.423	161.487		
		N	5369813.437					Terr	351° 19' 14"			144.525	144.583
		El (H)	49.995 CGVD28										
748756	80H1463	E	476652.949	0.9995989	0.9999921	15867	80H1576	Terr	105° 54' 8"	104.741	104.783		
		N	5370034.845					Terr	205° 15' 39"			170.087	170.155
		El (H)	68.922 CGVD28										
749325	79H0753	E	472676.810	0.9996061	0.9999969		MARKER DESTROYED						
		N	5368951.023										
		El (H)	38.054 CGVD28										
751081	79H8898	E	469325.598	0.9996090	0.9999974	743831	79H1079	Terr	34° 9' 52"	125.089	125.137		
		N	5368251.224					Terr	208° 28' 36"			157.872	157.933
		El (H)	34.991 CGVD28										
751438	79H0631	E	474019.732	0.9996021	0.9999938	795732	79H0627	Terr	261° 31' 14"	224.068	224.158		
		N	5367697.627										
		El (H)	58.125 CGVD28										
752311	79H0638	E	473577.849	0.9996057	0.9999971		MARKER DESTROYED						
		N	5368695.937										
		El (H)	37.269 CGVD28										
752352	79H8926	E	470967.718	0.9996099	0.9999996	465948	79H8834	Terr	79° 30' 50"	299.572	299.689		
		N	5368535.921					Terr	169° 27' 58"			150.418	150.477
		El (H)	21.124 CGVD28					Terr	349° 3' 38"				
752840	80H4019	E	467492.479	0.9996085	0.9999955	317776	80H3025	Terr	165° 56' 32"	184.367	184.439		
		N	5369570.153					Terr	340° 14' 3"			115.638	115.683
		El (H)	46.713 CGVD28										
752857	81H4120	E	468882.759	0.9996124	1.0000005	595397	79H8761	Terr	307° 57' 1"	88.722	88.756		
		N	5366868.737										
		El (H)	14.887 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)			
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
753855	80H3064	E	468535.479	0.9996118	0.9999997	662619	80H3083	Terr	161° 38' 46"	293.935	294.049			
		N	5368834.584					Terr	316° 41' 59"			192.868	192.943	
		El (H)	20.353 CGVD28											
755181	85H0817	E	478534.887	0.9996064	1.0000007	104935	80H1451	Terr	128° 16' 5"	78.906	78.937			
		N	5368590.744											
		El (H)	14.336 CGVD28											
755793	81H4147	E	466904.443	0.9996092	0.9999957	954974	81H4146	Terr	149° 10' 19"	124.695	124.744			
		N	5377197.734					81H4130	Terr			354° 12' 10"	130.680	130.731
		El (H)	45.778 CGVD28											
756932	85H0895	E	475514.404	0.9996038	0.9999965	64311	80H1461	Terr	90° 13' 57"	226.987	227.077			
		N	5369270.950											
		El (H)	41.325 CGVD28											
758839	79H0598	E	474092.049	0.9996027	0.9999944	977421	79H8948	Terr	191° 20' 0"	144.248	144.305			
		N	5366772.926					79H0680	Terr			344° 14' 11"	115.155	115.201
		El (H)	54.000 CGVD28											
758987	79H1009	E	470401.143	0.9996089	0.9999982	78105	79H0986	Terr	109° 44' 6"	163.727	163.791			
		N	5372029.829					79H0989	Terr			307° 29' 55"	152.967	153.026
		El (H)	30.157 CGVD28											
759068	81H4199	E	479514.603	0.9995996	0.9999945	732115	81H4198	Terr	51° 29' 7"	115.206	115.253			
		N	5367235.367					81H4200	Terr			255° 30' 30"	144.447	144.504
		El (H)	54.214 CGVD28											
759233	79H8805	E	470522.667	0.9996115	1.0000008	633339	79H8838	Terr	80° 33' 6"	158.954	159.016			
		N	5369365.082					79H8903	Terr			163° 30' 23"	267.530	267.634
		El (H)	13.206 CGVD28											
760058	79H0636	E	472789.968	0.9996058	0.9999967	843045	79H8841	Terr	168° 28' 25"	125.883	125.932			
		N	5368455.917											
		El (H)	39.504 CGVD28											

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
760587	80H1467	E	475643.046	0.9996054	0.9999981	150664	80H1426	Both	22° 8' 39"	209.256	209.339		
		N	5370886.069					Terr	110° 54' 18"			128.744	128.795
		EI (H)	31.100 CGVD28					Terr	201° 58' 51"			344.402	344.538
761262	85H0881	E	468852.458	0.9996082	0.9999963	587352	79H1018	Terr	187° 32' 31"	229.658	229.748		
		N	5369427.231										
		EI (H)	41.954 CGVD28										
761775	79H0694	E	474320.942	0.9996031	0.9999950	457051	79H0727	Terr	119° 19' 49"	120.631	120.678		
		N	5368159.240					Terr	169° 29' 57"			194.159	194.236
		EI (H)	50.797 CGVD28					Terr	299° 9' 1"			198.182	198.260
761999	79H8723	E	470375.942	0.9996119	1.0000012	104984	79H8785	Terr	36° 48' 26"	134.435	134.487		
		N	5366134.680					Terr	93° 2' 27"			186.987	187.060
		EI (H)	11.020 CGVD28										
762179	79H0620	E	471723.656	0.9996063	0.9999965	106450	79H1155	Terr	76° 35' 35"	117.011	117.057		
		N	5376254.019					Terr	266° 12' 25"			158.818	158.881
		EI (H)	40.973 CGVD28										
762609	79H8781	E	470245.234	0.9996110	1.0000001	817288	79H8789	Terr	37° 28' 43"	190.328	190.402		
		N	5366406.761					Terr	127° 53' 54"			267.711	267.815
		EI (H)	17.411 CGVD28					Terr	307° 47' 19"			245.809	245.904
762617	79H0785	E	472586.887	0.9996058	0.9999966	862573	79H0756	Terr	68° 19' 36"	86.148	86.182		
		N	5371475.334					Terr	311° 53' 19"			119.218	119.265
		EI (H)	40.276 CGVD28										
762625	80H3035	E	467147.147	0.9996060	0.9999928	24331	80H3058	Terr	146° 27' 8"	83.699	83.732		
		N	5371410.293										
		EI (H)	64.443 CGVD28										
763680	79H8730	E	469802.934	0.9996134	1.0000022	658161	79H8952	Terr	140° 27' 45"	103.229	103.269		
		N	5366394.887										
		EI (H)	4.209 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)						
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
764803	79H8947	E	474569.456	0.9996022	0.9999942	449181	79H8958	Terr	168° 56' 19"	206.849	206.931						
		N	5367864.497									290643	79H8835	Terr	350° 54' 17"	197.601	197.680
		EI (H)	55.550 CGVD28														
765164	80H2401	E	478718.074	0.9996062	1.0000006	986703	80H2477	Terr	142° 9' 53"	156.744	156.806						
		N	5367168.204														
		EI (H)	14.908 CGVD28														
767038	80H2421	E	475684.492	0.9996037	0.9999965	84517	80H2461	Terr	267° 54' 38"	137.407	137.462						
		N	5366682.850									311639	80H1639	Terr	356° 0' 35"	157.763	157.826
		EI (H)	41.247 CGVD28														
767079	79H8750	E	469379.911	0.9996120	1.0000005	506428	79H8769	Terr	33° 56' 17"	336.885	337.016						
		N	5366747.464														
		EI (H)	15.267 CGVD28														
767137	85H0862	E	472911.822	0.9996042	0.9999952	882068	85H0867	Terr	180° 17' 22"	109.305	109.349						
		N	5372915.864									422527	85H0858	Terr	328° 11' 51"	83.230	83.264
		EI (H)	49.348 CGVD28														
768259	79H1005	E	469997.829	0.9996053	0.9999943	564286	79H1019	Terr	140° 15' 41"	154.984	155.045						
		N	5372350.014									69955	79H1004	Terr	328° 38' 7"	201.282	201.362
		EI (H)	55.066 CGVD28														
768796	80H4097	E	469213.352	0.9996010	0.9999893	104679	80H4086	Terr	180° 47' 22"	601.024	601.263						
		N	5377590.835									953992	81H4109	Terr	359° 5' 40"	267.263	267.370
		EI (H)	86.572 CGVD28														
769158	80H1583	E	479457.231	0.9996025	0.9999974	330589	80H1528	Terr	128° 59' 47"	341.665	341.801						
		N	5367042.185									91256	80H1589	Terr	253° 58' 53"	119.721	119.768
		EI (H)	35.840 CGVD28														
769463	80H3093	E	468760.106	0.9996085	0.9999965	777458	80H3072	Terr	22° 50' 24"	134.582	134.635						
		N	5372125.834									559559	80H3109	Terr	213° 32' 59"	190.901	190.975
		EI (H)	40.920 CGVD28														

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
769612	79H1123	E	472954.355	0.9996063	0.9999973		MARKER DESTROYED				
		N	5373120.804								
		EI (H)	35.643 CGVD28								
771022	79H0675	E	472500.522	0.9996102	1.0000010	813881	80H1433	Terr	330° 14' 1"	156.958	157.020
		N	5366540.119								
		EI (H)	12.434 CGVD28								
772095	80H1486	E	474906.675	0.9996040	0.9999962	828350	80H1480	Terr	206° 48' 7"	147.332	147.390
		N	5370698.391								
		EI (H)	42.810 CGVD28								
772277	80H4051	E	467051.073	0.9996087	0.9999953	879387	81H4144	Terr	198° 23' 4"	248.674	248.771
		N	5377816.139			964890	80H4048	Terr	353° 45' 58"	225.594	225.682
		EI (H)	48.153 CGVD28								
772285	79H8722	E	469702.209	0.9996135	1.0000022		MARKER DESTROYED				
		N	5366451.247								
		EI (H)	4.282 CGVD28								
775171	79H0748	E	472107.359	0.9996071	0.9999975	794347	79H8833	Terr	169° 17' 51"	80.265	80.297
		N	5368511.760								
		EI (H)	34.430 CGVD28								
775817	80H1677	E	477328.898	0.9996000	0.9999937		MARKER DESTROYED				
		N	5368152.079								
		EI (H)	59.144 CGVD28								
776849	80H3119	E	467955.986	0.9996050	0.9999924	956953	81H4183	Terr	316° 40' 44"	131.864	131.916
		N	5370866.290								
		EI (H)	66.635 CGVD28								
776872	79H0632	E	473113.672	0.9996075	0.9999986	319384	79H8946	Terr	77° 11' 52"	238.145	238.239
		N	5368016.910								
		EI (H)	27.490 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
776948	87H2494	E N EI (H)	471804.417 5370179.832 34.244 CGVD28	0.9996073	0.9999975	201988	79H0769	Terr	88° 27' 31"	105.654	105.696
777383	80H4027	E N EI (H)	467255.550 5373808.765 56.573 CGVD28	0.9996072	0.9999940	90886	80H4006	Terr	15° 14' 17"	109.660	109.704
777458	80H3072	E N EI (H)	468812.345 5372249.864 55.740 CGVD28	0.9996061	0.9999941	769463	80H3093	Terr	202° 50' 24"	134.582	134.635
777573	87H2518	E N EI (H)	467620.890 5375501.644 47.846 CGVD28	0.9996083	0.9999954	126672 536813	85H0847 80H4034	Both Terr	15° 59' 24" 173° 59' 35"	281.900 296.395	282.010 296.512
777805	79H8928	E N EI (H)	469817.990 5369232.205 9.532 CGVD28	0.9996126	1.0000014	197756 339101	79H8811 79H1030	Terr Terr	152° 35' 25" 331° 51' 51"	436.510 337.482	436.680 337.613
777847	80H1607	E N EI (H)	475903.497 5370744.359 45.827 CGVD28	0.9996029	0.9999958	814715	80H1501	Terr	109° 25' 27"	116.370	116.416
778696	79H8923	E N EI (H)	471086.758 5369556.087 36.470 CGVD28	0.9996075	0.9999972	133132 118323	79H8870 79H8904	Terr Terr	169° 41' 5" 350° 28' 53"	92.218 105.788	92.255 105.829
779116	80H2468	E N EI (H)	474639.128 5366605.118 41.143 CGVD28	0.9996044	0.9999965	669408 594267	32-61 80H2469	Terr Terr	189° 25' 18" 359° 36' 8"	427.595 157.310	427.764 157.372
779520	79H1139	E N EI (H)	471233.480 5376568.007 78.964 CGVD28	0.9996007	0.9999905	329409 42408	79H1141 79H1162	Terr Terr	174° 38' 18" 354° 16' 27"	435.284 248.008	435.457 248.107

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
780981	80H3050	E N EI (H)	468369.631 5373988.160 89.793 CGVD28	0.9996011	0.9999888	202275	80H3036	Terr	203° 41' 55"	119.348	119.396
782391	79H1028	E N EI (H)	471033.835 5370754.885 24.146 CGVD28	0.9996094	0.9999991	517565	79H0688	Terr	21° 0' 55"	234.215	234.306
782581	80H1693	E N EI (H)	475922.492 5367072.754 118.855 CGVD28	0.9995914	0.9999843	895508	80H2486	Terr	142° 10' 49"	143.475	143.533
782862	79H1064	E N EI (H)	472030.442 5371959.969 66.946 CGVD28	0.9996020	0.9999924	864629 289975	79H1105 79H0667	Terr Terr	182° 12' 22" 316° 33' 8"	99.673 134.750	99.713 134.804
782920	80H4059	E N EI (H)	468463.980 5370550.131 53.038 CGVD28	0.9996068	0.9999945	671032 488338	80H4087 80H3066	Terr Terr	190° 18' 48" 313° 17' 50"	291.625 129.342	291.739 129.393
782953	80H1640	E N EI (H)	475370.580 5366298.625 30.037 CGVD28	0.9996057	0.9999982		MARKER ISOLATED				
783464	80H4057	E N EI (H)	469722.989 5374879.031 115.159 CGVD28	0.9995961	0.9999848	400846 237073	80H4066 81H4143	Terr Both	0° 13' 34" 270° 22' 28"	169.314 146.940	169.383 147.000
783548	79H1126	E N EI (H)	475252.437 5368658.107 46.306 CGVD28	0.9996032	0.9999957		MARKER DESTROYED				
784140	80H2485	E N EI (H)	479944.619 5367147.424 16.723 CGVD28	0.9996053	1.0000004		MARKER DESTROYED				

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
784231	80H1558	E	477262.123	0.9996029	0.9999966	720706	80H1424	Terr	12° 43' 51"	276.874	276.984
		N	5370417.523			146035	81H4218	Terr	191° 52' 41"	137.570	137.624
		EI (H)	40.703 CGVD28			451666	80H1598	Terr	291° 40' 34"	183.181	183.254
784348	81H4123	E	468131.481	0.9995963	0.9999838	318121	81H4163	Terr	8° 47' 15"	61.505	61.530
		N	5377929.999			722439	81H4132	Terr	167° 33' 27"	115.327	115.373
		EI (H)	121.763 CGVD28								
785048	79H8915	E	469518.056	0.9996108	0.9999994	339101	79H1030	Terr	154° 11' 4"	323.301	323.427
		N	5369820.844			111443	79H8866	Terr	337° 49' 5"	166.763	166.828
		EI (H)	22.368 CGVD28								
785295	79H8913	E	470204.057	0.9996103	0.9999993	228635	79H8900	Terr	26° 15' 23"	250.947	251.045
		N	5370457.749			152306	95H1743	Terr	157° 43' 57"	146.979	147.036
		EI (H)	22.599 CGVD28			589531	80H1569	Terr	230° 11' 15"	207.767	207.848
						415588	79H8812	Terr	301° 32' 5"	387.657	387.809
785816	79H8735	E	471366.452	0.9996087	0.9999986	MARKER DESTROYED					
		N	5367981.228								
		EI (H)	27.386 CGVD28								
786855	80H1619	E	477306.560	0.9996005	0.9999941	464610	80H1644	Terr	82° 59' 25"	116.606	116.652
		N	5368895.857			79418	80H1610	Terr	217° 23' 39"	110.490	110.534
		EI (H)	56.303 CGVD28								
788067	80H1471	E	478060.610	0.9996065	1.0000006	MARKER DESTROYED					
		N	5367875.209								
		EI (H)	15.181 CGVD28								
788505	79H1040	E	470116.032	0.9996128	1.0000018	276899	79H8842	Terr	149° 0' 10"	114.026	114.070
		N	5368642.656			197756	79H8811	Terr	334° 19' 57"	224.162	224.248
		EI (H)	7.010 CGVD28								
788794	80H2430	E	475949.005	0.9996038	0.9999966	99598	80H1688	Terr	100° 41' 13"	108.206	108.249
		N	5368196.792			513127	80H2460	Terr	305° 28' 55"	156.424	156.486
		EI (H)	40.146 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
789321	79H8804	E N EI (H)	471953.324 5366783.710 21.237 CGVD28	0.9996092	0.9999996	142166	79H8768	Terr	80° 59' 51"	228.843	228.932
789412	80H3100	E N EI (H)	474929.097 5367194.525 47.307 CGVD28	0.9996032	0.9999955	75994	80H3078	Terr	13° 4' 34"	213.453	213.538
790030	79H0725	E N EI (H)	470321.571 5368291.304 7.472 CGVD28	0.9996125	1.0000017	502120 625806 195149 276899 396804	79H8910 79H8830 79H8824 79H8842 21710	Terr Terr Terr Terr Terr	42° 22' 39" 152° 10' 32" 203° 53' 0" 329° 56' 0" 350° 19' 26"	113.065 192.398 94.921 293.041 5813.281	113.108 192.472 94.958 293.154 5815.617
790113	79H8702	E N EI (H)	470928.751 5366832.300 10.889 CGVD28	0.9996116	1.0000012	MARKER DESTROYED					
791988	80H2435	E N EI (H)	479946.799 5366805.592 20.091 CGVD28	0.9996048	0.9999998	MARKER DESTROYED					
793901	85H0846	E N EI (H)	478065.844 5367875.656 15.180 CGVD28	0.9996065	1.0000006	834952 207290 979062	79H1145 80H1574 80H1520	Terr Terr Terr	38° 19' 48" 130° 30' 30" 220° 53' 48"	131.526 271.199 268.578	131.578 271.306 268.684
794347	79H8833	E N EI (H)	472122.265 5368432.891 27.049 CGVD28	0.9996082	0.9999987	675116 724062 222166 775171	79H0619 79H8878 87H2519 79H0748	Terr Terr Terr Terr	79° 50' 8" 169° 52' 32" 263° 52' 23" 349° 17' 51"	119.836 195.612 345.805 80.265	119.883 195.689 345.941 80.297
794420	87H2529	E N EI (H)	471717.572 5368715.122 28.610 CGVD28	0.9996082	0.9999984	339192 222166	87H2525 87H2519	Terr Terr	2° 11' 32" 169° 12' 10"	212.607 324.892	212.690 325.019
795732	79H0627	E N EI (H)	473798.113 5367664.587 57.956 CGVD28	0.9996023	0.9999938	751438	79H0631	Terr	81° 31' 14"	224.068	224.158

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
796904	79H8803	E	471081.148	0.9996099	0.9999996	648238	79H8816	Terr	8° 41' 45"	158.378	158.439
		N	5367540.061								
		EI (H)	20.799	CGVD28							
797449	79H1170	E	471273.957	0.9996093	0.9999992	MARKER DESTROYED					
		N	5367517.823								
		EI (H)	23.651	CGVD28							
797811	81H4122	E	466762.223	0.9996049	0.9999913	126672	85H0847	Both	18° 59' 35"	2876.970	2878.103
		N	5373052.296			378042	A-59	GPS Only	30° 46' 13"	1580.464	1581.087
		EI (H)	73.547	CGVD28		237073	81H4143	Both	56° 59' 41"	3355.310	3356.653
						822932	99H2284	GPS Only	92° 28' 33"	2311.209	2312.124
						211458	80H2478	Both	133° 37' 46"	2949.702	2950.865
						131953	99H2280	GPS Only	186° 30' 22"	2111.886	2112.722
						108530	99H2292	GPS Only	237° 9' 47"	3049.448	3050.670
						821074	99H2297	GPS Only	269° 55' 10"	2095.341	2096.184
						993675	99H2281	GPS Only	345° 46' 35"	2705.810	2706.894
						985838	80H4093	Terr	355° 16' 17"	114.756	114.801
798264	85H0899	E	471758.325	0.9996075	0.9999977	362657	85H0893	Terr	56° 23' 58"	124.172	124.221
		N	5369891.243			621987	85H0911	Terr	342° 33' 48"	75.401	75.430
		EI (H)	33.449	CGVD28							
799452	80H3055	E	468349.018	0.9996119	0.9999995	531210	80H3032	Terr	5° 54' 47"	179.795	179.864
		N	5369584.295			467159	80H3075	Terr	187° 18' 55"	277.638	277.746
		EI (H)	21.199	CGVD28							
800664	79H1186	E	471214.487	0.9996017	0.9999915	273060	79H1183	Terr	2° 6' 18"	246.756	246.855
		N	5377008.034			42408	79H1162	Terr	181° 42' 15"	193.342	193.419
		EI (H)	72.522	CGVD28							
800961	80H3059	E	468227.486	0.9996078	0.9999954	671032	80H4087	Terr	96° 49' 1"	185.596	185.669
		N	5370285.248			746198	80H3086	Terr	278° 16' 14"	213.259	213.343
		EI (H)	47.719	CGVD28							
801415	80H1566	E	477125.355	0.9996024	0.9999960	451666	80H1598	Terr	198° 49' 12"	103.721	103.763
		N	5370583.359			727727	80H1568	Both	291° 29' 21"	269.343	269.450
		EI (H)	44.524	CGVD28							

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
802645	85H0875	E	472668.114	0.9995974	0.9999882	691196	85H0866	Terr	8° 40' 13"	100.195	100.235		
		N	5372873.457					Terr	186° 25' 46"			133.459	133.513
		EI (H)	93.757 CGVD28					Terr	268° 32' 0"				
803197	87H2523	E	471905.749	0.9996080	0.9999983	978163	87H2506	Terr	59° 34' 53"	151.364	151.424		
		N	5367360.526					Terr	134° 23' 42"			168.432	168.498
		EI (H)	29.521 CGVD28					Terr	324° 24' 34"				
804062	79H0782	E	471426.240	0.9996085	0.9999984	MARKER DESTROYED							
		N	5371038.375										
		EI (H)	28.514 CGVD28										
804864	79H8739	E	471481.668	0.9996082	0.9999982	MARKER DESTROYED							
		N	5367880.302										
		EI (H)	29.662 CGVD28										
804955	80H1656	E	477494.019	0.9996016	0.9999954	464610	80H1644	Terr	213° 34' 47"	129.679	129.731		
		N	5369018.125										
		EI (H)	48.312 CGVD28										
808113	79H1119	E	477286.603	0.9996014	0.9999950	161414	80H1434	Terr	37° 37' 9"	240.815	240.911		
		N	5369646.169					Terr	165° 32' 50"			287.520	287.635
		EI (H)	50.582 CGVD28					Terr	217° 20' 7"				
808485	80H4091	E	469196.624	0.9996028	0.9999912	104679	80H4086	Terr	0° 48' 17"	601.333	601.572		
		N	5376388.594					Terr	90° 6' 59"			361.891	362.035
		EI (H)	74.724 CGVD28					Terr	180° 5' 7"				
809541	79H8881	E	470424.563	0.9996094	0.9999986	129668	79H8888	Terr	62° 37' 12"	159.896	159.959		
		N	5367580.686					Terr	141° 21' 36"			145.262	145.319
		EI (H)	27.193 CGVD28										
811208	79H0665	E	476863.969	0.9996029	0.9999963	158840	80H1449	Terr	23° 51' 43"	249.910	250.008		
		N	5371011.238										
		EI (H)	42.325 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
811711	79H8955	E	473893.441	0.9996055	0.9999971		MARKER DESTROYED				
		N	5366553.524								
		EI (H)	36.937	CGVD28							
812768	80H1540	E	477104.778	0.9996065	1.0000001	158840	80H1449	Terr	285° 51' 24"	145.239	145.296
		N	5371200.102								
		EI (H)	18.562	CGVD28							
813568	79H8905	E	470857.521	0.9996102	0.9999998	483016	79H8862	Terr	260° 23' 46"	100.358	100.397
		N	5369117.478			214700	79H8901	Terr	350° 51' 44"	299.946	300.062
		EI (H)	19.771	CGVD28							
813691	79H1196	E	471215.428	0.9996088	0.9999986		MARKER DESTROYED				
		N	5367443.991								
		EI (H)	27.212	CGVD28							
813881	80H1433	E	472422.598	0.9996106	1.0000013	771022	79H0675	Terr	150° 14' 1"	156.958	157.020
		N	5366676.368								
		EI (H)	10.196	CGVD28							
814715	80H1501	E	476013.243	0.9996019	0.9999948	560797	80H1473	Terr	114° 12' 49"	102.416	102.457
		N	5370705.659			777847	80H1607	Terr	289° 25' 27"	116.370	116.416
		EI (H)	51.976	CGVD28							
815712	81H4169	E	468451.131	0.9995947	0.9999824	352922	80H4082	Terr	183° 41' 45"	170.428	170.498
		N	5376543.723								
		EI (H)	130.600	CGVD28							
816017	80H2453	E	474947.659	0.9996004	0.9999926	817916	80H2406	Terr	270° 29' 50"	207.848	207.931
		N	5368096.038			981860	80H2431	Terr	328° 47' 23"	106.315	106.357
		EI (H)	65.614	CGVD28							
817288	79H8789	E	470361.042	0.9996114	1.0000006	762609	79H8781	Terr	217° 28' 43"	190.328	190.402
		N	5366557.802								
		EI (H)	14.593	CGVD28							

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
817320	79H8748	E N EI (H)	470939.985 5365887.337 8.559 CGVD28	0.9996119	1.0000015		MARKER DESTROYED				
817601	85H0852	E N EI (H)	472608.195 5367064.632 30.942 CGVD28	0.9996073	0.9999980		MARKER DESTROYED				
817775	87H2502	E N EI (H)	475370.700 5367642.920 33.867 CGVD28	0.9996051	0.9999976		MARKER DESTROYED				
817916	80H2406	E N EI (H)	474739.819 5368097.842 73.754 CGVD28	0.9995992	0.9999914	816017	80H2453	Terr	90° 29' 50"	207.848	207.931
818344	79H1114	E N EI (H)	472484.921 5374718.129 32.970 CGVD28	0.9996071	0.9999978	146548 743062	79H1122 79H1041	Terr Terr	168° 16' 15" 357° 36' 31"	348.058 125.824	348.194 125.873
818435	80H1404	E N EI (H)	478157.195 5368648.843 15.116 CGVD28	0.9996065	1.0000006	513994	80H1548	Terr	221° 34' 2"	127.768	127.818
819136	85H0883	E N EI (H)	471518.303 5369863.701 21.564 CGVD28	0.9996095	0.9999995	275693 737932	85H0891 85H0886	Terr Terr	3° 29' 51" 145° 59' 4"	65.308 108.057	65.333 108.099
819300	79H8873	E N EI (H)	471235.135 5367820.956 27.516 CGVD28	0.9996087	0.9999986	681841	79H8852	Terr	257° 56' 27"	138.407	138.461
820084	80H1422	E N EI (H)	475484.800 5370072.824 38.187 CGVD28	0.9996043	0.9999970	925727 102376 543231	80H1420 80H1438 79H1199	Terr Terr Terr	22° 25' 47" 112° 46' 51" 292° 33' 50"	279.356 357.434 157.061	279.466 357.576 157.123

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
820639	79H8767	E N EI (H)	470549.292 5369966.857 25.100 CGVD28	0.9996096	0.9999989		MARKER DESTROYED				
822213	79H8875	E N EI (H)	471983.172 5366118.763 20.884 CGVD28	0.9996093	0.9999996		MARKER DESTROYED				
822932	99H2284	E N EI (H)	469071.274 5372952.452 73.749 CGVD28	0.9996031	0.9999913	237073 159590 395442 832576 211458 797811	81H4143 99H2283 80H1458  80H2478 81H4122	Both GPS Only Both GPS Only Both Both	14° 40' 30" 54° 57' 59" 92° 35' 16" 98° 36' 44" 185° 8' 15" 272° 28' 33"	1992.538 3510.260 4559.143 2508.655 1943.235 2311.209	1993.337 3511.662 4560.944 2509.656 1944.003 2312.124
823427	80H1475	E N EI (H)	475779.541 5371257.035 26.303 CGVD28	0.9996060	0.9999988	601047 519546	80H1563 80H1460	Terr Terr	121° 33' 28" 291° 35' 7"	121.024 139.672	121.072 139.727
823997	79H1059	E N EI (H)	469528.554 5368963.828 20.817 CGVD28	0.9996110	0.9999996		MARKER DESTROYED				
824078	79H8969	E N EI (H)	473384.280 5367233.208 47.446 CGVD28	0.9996042	0.9999955		MARKER DESTROYED				
826495	79H8763	E N EI (H)	471201.466 5366247.488 22.110 CGVD28	0.9996096	0.9999994	581264 917278 438036	79H8778 79H8752 79H8734	Terr Both Terr	127° 6' 57" 216° 57' 5" 306° 49' 45"	140.691 163.187 180.096	140.747 163.251 180.167
828350	80H1480	E N EI (H)	474840.242 5370566.887 47.017 CGVD28	0.9996033	0.9999956	772095 467233	80H1486 80H1453	Terr Terr	26° 48' 7" 167° 30' 10"	147.332 149.704	147.390 149.763
828467	79H8974	E N EI (H)	473670.290 5366784.507 44.766 CGVD28	0.9996044	0.9999959		MARKER DESTROYED				

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)								
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING												
828939	81H4127	E	467492.242	0.9996009	0.9999879	342626	81H4156	Terr	27° 48' 3"	178.193	178.264								
		N	5377746.379					Terr	161° 42' 53"			203.103	203.184						
		El (H)	95.492 CGVD28																
830398	80H4026	E	469188.085	0.9996030	0.9999913	658948	80H3051	Terr	131° 51' 13"	124.175	124.224								
		N	5373625.196					Terr	293° 45' 35"			155.306	155.368						
		El (H)	73.805 CGVD28																
830554	79H1193	E	472054.191	0.9996074	0.9999978	182105	79H1135	Terr	342° 17' 33"	264.788	264.892								
		N	5375754.633																
		El (H)	32.828 CGVD28																
831487	80H2416	E	468176.387	0.9996044	0.9999919	528612	80H4002	Terr	259° 17' 2"	125.484	125.534								
		N	5374065.495																
		El (H)	69.709 CGVD28																
832014	79H8879	E	469351.114	0.9996089	0.9999974	948596	79H8738	Terr	289° 9' 33"	142.894	142.950								
		N	5369235.450																
		El (H)	35.105 CGVD28																
832576		E	471551.642	0.9995996	0.9999897	159590	99H2283	GPS Only	9° 21' 21"	2422.980	2423.952								
		N	5372576.786					Both	85° 19' 9"			2081.067	2081.893						
		El (H)	84.542 CGVD28					Both	130° 17' 6"					2384.288	2385.235				
								Both	182° 11' 33"							1651.808	1652.463		
								Both	239° 33' 38"									3078.729	3079.951
								GPS Only	278° 36' 44"										
832972	80H4040	E	468705.450	0.9996070	0.9999950	263152	80H3096	Terr	273° 12' 55"	193.710	193.786								
		N	5371021.089																
		El (H)	50.458 CGVD28																
834952	79H1145	E	478147.415	0.9996058	0.9999999	127613	79H1158	Terr	41° 2' 25"	167.026	167.091								
		N	5367978.832					793901	85H0846			Terr	218° 19' 48"	131.526	131.578				
		El (H)	19.347 CGVD28																
834978	80H1616	E	475915.005	0.9996036	0.9999965	MARKER ISOLATED													
		N	5369093.036																
		El (H)	41.070 CGVD28																

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
835066	87H2507	E N EI (H)	475392.941 5367324.694 32.137 CGVD28	0.9996053	0.9999979		MARKER DESTROYED				
835645	80H1671	E N EI (H)	477808.051 5367281.604 22.669 CGVD28	0.9996055	0.9999994	365593 176537	80H1692 80H2445	Terr Terr	20° 57' 30" 185° 22' 43"	141.003 179.496	141.058 179.567
836379	79H0733	E N EI (H)	473374.124 5370868.399 28.266 CGVD28	0.9996072	0.9999985	140731	79H0722	Both	358° 44' 38"	166.771	166.837
836775	80H4083	E N EI (H)	469581.084 5373118.176 71.497 CGVD28	0.9996031	0.9999917	42564	79H1031	Terr	153° 14' 3"	193.249	193.326
837849	79H1203	E N EI (H)	472890.470 5373946.365 14.995 CGVD28	0.9996096	1.0000006	327924 863076 337873	80H4079 79H0720 81H4162	Terr Terr Terr	170° 47' 1" 292° 12' 53" 357° 40' 15"	148.591 111.561 189.241	148.649 111.605 189.315
837864	79H1072	E N EI (H)	468719.414 5368441.959 40.082 CGVD28	0.9996086	0.9999966	4515	79H0997	Terr	8° 2' 23"	332.472	332.602
837922	79H1034	E N EI (H)	472721.551 5372169.203 55.104 CGVD28	0.9996034	0.9999943	957100 4432 214478	79H1044 79H0776 79H1037	Terr Terr Terr	68° 9' 20" 139° 10' 53" 343° 50' 45"	124.210 298.185 186.570	124.259 298.303 186.645
840132	79H8869	E N EI (H)	469587.597 5367680.484 17.970 CGVD28	0.9996114	1.0000001		MARKER DESTROYED				
841635	80H1465	E N EI (H)	475091.344 5370169.248 34.992 CGVD28	0.9996051	0.9999974		MARKER DESTROYED				

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
841866	79H8855	E N EI (H)	470911.830 5368828.121 27.272 CGVD28	0.9996090	0.9999986	966457	79H8885	Terr	169° 23' 49"	98.606	98.644
842518	80H2441	E N EI (H)	480001.987 5366543.423 7.881 CGVD28	0.9996067	1.0000017	MARKER DESTROYED					
843045	79H8841	E N EI (H)	472815.122 5368332.573 42.944 CGVD28	0.9996053	0.9999962	760058	79H0636	Terr	348° 28' 25"	125.883	125.932
844480	79H1008	E N EI (H)	473789.722 5370156.916 46.410 CGVD28	0.9996041	0.9999956	243808 103440	79H0707 79H0775	Terr Terr	176° 38' 26" 348° 51' 20"	183.255 389.412	183.327 389.566
844506	79H9000	E N EI (H)	474118.202 5367782.519 63.386 CGVD28	0.9996012	0.9999930	338574	79H8847	Terr	358° 46' 0"	143.755	143.813
844910	79H0626	E N EI (H)	473256.036 5367805.920 26.043 CGVD28	0.9996076	0.9999988	264440 96537	79H0985 79H0618	Terr Terr	91° 14' 38" 271° 39' 44"	151.017 203.257	151.076 203.336
845313	80H2423	E N EI (H)	467599.311 5374235.350 53.943 CGVD28	0.9996073	0.9999944	964577	80H2443	Terr	350° 57' 47"	95.046	95.083
847012	80H1662	E N EI (H)	476050.060 5370492.050 54.505 CGVD28	0.9996015	0.9999944	560797 48124	80H1473 80H1468	Terr Terr	18° 15' 3" 208° 4' 23"	180.694 136.771	180.766 136.826
847236	85H0822	E N EI (H)	473552.873 5366916.971 45.444 CGVD28	0.9996044	0.9999958	MARKER DESTROYED					

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
847269	81H4208	E	471330.920	0.9996099	0.9999998		MARKER DESTROYED				
		N	5368257.494								
		EI (H)	19.750	CGVD28							
847715	80H1441	E	475413.179	0.9996059	0.9999984	259416	80H1448	Terr	22° 3' 1"	268.870	268.975
		N	5370915.086								
		EI (H)	28.614	CGVD28							
848184	80H1519	E	474147.861	0.9996037	0.9999955	761775	79H0694	Terr	119° 9' 1"	198.182	198.260
		N	5368255.775			495283	79H0762	Terr	188° 23' 22"	184.268	184.341
		EI (H)	47.552	CGVD28		943894	79H0682	Terr	305° 29' 2"	169.703	169.770
						493387	79H0669	Terr	350° 30' 12"	192.745	192.821
848481	80H3102	E	467655.479	0.9996129	1.0000001		MARKER DESTROYED				
		N	5369013.574								
		EI (H)	17.694	CGVD28							
848770	85H0905	E	472915.326	0.9996047	0.9999957	705244	85H0897	Terr	146° 47' 20"	97.898	97.936
		N	5371222.786			124867	85H0882	Terr	298° 58' 53"	125.131	125.181
		EI (H)	46.173	CGVD28							
849679	79H0634	E	473107.637	0.9996064	0.9999975	148437	79H0635	Terr	76° 33' 0"	157.896	157.958
		N	5367365.801			548214	79H0641	Terr	258° 0' 36"	222.990	223.078
		EI (H)	34.487	CGVD28		304196	79H0649	Terr	349° 40' 0"	149.502	149.561
849943	80H2405	E	468535.748	0.9996023	0.9999901	588657	80H3092	Terr	116° 56' 14"	145.858	145.916
		N	5373540.406			76042	80H3089	Terr	336° 59' 29"	72.722	72.751
		EI (H)	81.333	CGVD28							
850693	80H1698	E	475818.232	0.9996038	0.9999966		MARKER DESTROYED				
		N	5368820.498								
		EI (H)	40.269	CGVD28							
850933	80H1685	E	475717.179	0.9996056	0.9999983	228775	80H3065	Terr	1° 44' 7"	227.086	227.176
		N	5365934.400			468496	80H1617	Terr	90° 21' 5"	127.821	127.872
		EI (H)	29.442	CGVD28		411405	80H1601	Terr	270° 41' 28"	165.397	165.462

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
851915	79H8715	E	470610.350	0.9996097	0.9999991	108738	79H8894	Terr	213° 17' 7"	184.911	184.983
		N	5368696.963								
		EI (H)	24.321 CGVD28								
852863	80H1586	E	477346.632	0.9996053	0.9999989		MARKER DESTROYED				
		N	5371104.519								
		EI (H)	25.626 CGVD28								
852996	79H1153	E	471854.982	0.9995995	0.9999898		MARKER DESTROYED				
		N	5375341.856								
		EI (H)	83.791 CGVD28								
853507	79H1051	E	472639.619	0.9995968	0.9999876	591289	79H1062	Terr	0° 59' 33"	96.120	96.159
		N	5373226.848			745836	85H0865	Terr	175° 21' 39"	152.684	152.746
		EI (H)	97.994 CGVD28			744938	79H1056	Terr	245° 8' 57"	138.653	138.709
856278	79H1157	E	471213.065	0.9996040	0.9999939	273060	79H1183	Terr	176° 28' 56"	170.876	170.944
		N	5377425.178								
		EI (H)	57.789 CGVD28								
857144	79H1039	E	472448.929	0.9995946	0.9999853	744938	79H1056	Terr	129° 22' 27"	83.926	83.960
		N	5373221.819								
		EI (H)	112.505 CGVD28								
858464	79H0736	E	472635.405	0.9996056	0.9999964	126557	79H0757	Terr	185° 56' 47"	98.080	98.118
		N	5368855.652								
		EI (H)	41.769 CGVD28								
858993	85H0869	E	472446.974	0.9995938	0.9999844	431387	85H0861	Terr	46° 39' 56"	85.566	85.600
		N	5372905.299			602755	85H0863	Terr	179° 10' 32"	126.980	127.032
		EI (H)	117.900 CGVD28								
860130	79H8765	E	471828.477	0.9996076	0.9999978		MARKER DESTROYED				
		N	5368272.126								
		EI (H)	32.337 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)			
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
861898	80H3118	E	468450.339	0.9996069	0.9999947	182808	80H3061	Terr	91° 53' 14"	158.962	159.025			
		N	5371289.117					Terr	272° 55' 5"			154.462	154.523	
		El (H)	52.065 CGVD28											
862086	80H4025	E	467022.826	0.9996068	0.9999935	226985	80H4005	Terr	156° 11' 55"	114.046	114.090			
		N	5371708.252											
		El (H)	59.805 CGVD28											
862573	79H0756	E	472666.945	0.9996062	0.9999970	747337	79H0765	Terr	50° 3' 39"	197.155	197.233			
		N	5371507.150					79H0785	Terr			248° 19' 36"	86.148	86.182
		El (H)	37.491 CGVD28											
863076	79H0720	E	472787.190	0.9996080	0.9999989	837849	79H1203	Terr	112° 12' 53"	111.561	111.605			
		N	5373988.544					79H1124	Terr			248° 40' 55"	100.810	100.849
		El (H)	25.721 CGVD28											
863514	79H0586	E	473930.574	0.9996007	0.9999923	MARKER DESTROYED								
		N	5367378.282											
		El (H)	67.485 CGVD28											
864629	79H1105	E	472026.605	0.9996028	0.9999932	782862	79H1064	Terr	2° 12' 22"	99.673	99.713			
		N	5371860.370											
		El (H)	61.833 CGVD28											
865840	79H0709	E	473710.809	0.9996052	0.9999967	509117	79H0708	Terr	178° 52' 34"	234.219	234.312			
		N	5371208.628					79H0686	Terr			358° 40' 5"	204.773	204.854
		El (H)	39.546 CGVD28											
867283	79H8920	E	470895.970	0.9996096	0.9999992	MARKER DESTROYED								
		N	5368926.235											
		El (H)	23.537 CGVD28											
867432	79H0659	E	473959.869	0.9996052	0.9999969	3673	79H0679	Terr	79° 31' 34"	119.674	119.721			
		N	5368634.045					79H0600	Terr			258° 1' 57"	175.905	175.975
		El (H)	38.502 CGVD28											

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)												
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING																	
867705	80H1550	E	476540.382	0.9996013	0.9999946	571794	80H1529	Terr	37° 28' 50"	213.628	213.714												
		N	5368671.704									229542	80H1699	Terr	215° 58' 9"	294.005	294.122						
		El (H)	53.414 CGVD28																				
868844	85H0827	E	472133.335	0.9996053	0.9999957	MARKER DESTROYED																	
		N	5375531.683																				
		El (H)	45.973 CGVD28																				
869214	81H4141	E	467167.091	0.9996050	0.9999917	268664	81H4164	Terr	92° 18' 30"	250.226	250.325												
		N	5377670.695																				
		El (H)	71.025 CGVD28																				
869610	80H1674	E	475382.625	0.9996052	0.9999977	55764	81H4207	Terr	0° 51' 8"	214.884	214.969												
		N	5366933.370									455642	80H1686	Terr	90° 37' 55"	129.924	129.975						
		El (H)	33.250 CGVD28															135269	80H1657	Terr	181° 0' 34"	243.791	243.887
869677	79H1167	E	477080.192	0.9995992	0.9999927	212555	79H1165	Terr	37° 30' 59"	176.646	176.717												
		N	5369376.482									184630	80H1543	Terr	126° 10' 40"	142.395	142.452						
		El (H)	65.125 CGVD28																				
870410	79H1163	E	471502.733	0.9996010	0.9999910	709477	79H1146	Terr	172° 15' 1"	192.038	192.115												
		N	5374459.266									900357	79H1173	Terr	350° 28' 34"	228.328	228.419						
		El (H)	75.846 CGVD28																				
870618	79H8891	E	471192.490	0.9996082	0.9999980	496711	79H8919	Terr	349° 37' 3"	196.514	196.590												
		N	5368978.729																				
		El (H)	31.207 CGVD28																				
870873	80H2452	E	475195.421	0.9996048	0.9999972	135269	80H1657	Terr	89° 10' 17"	182.928	183.000												
		N	5366686.972									217356	80H2438	Terr	272° 26' 18"	118.321	118.368						
		El (H)	36.354 CGVD28																				
871566	80H1606	E	475975.605	0.9996034	0.9999963	MARKER DESTROYED																	
		N	5368816.510																				
		El (H)	42.191 CGVD28																				

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
873307	80H4014	E	467443.153	0.9996072	0.9999942	187856	80H3056	Terr	191° 21' 53"	124.439	124.488
		N	5370120.194								
		El (H)	55.274	CGVD28							
874040	79H8863	E	469389.337	0.9996105	0.9999990		MARKER DESTROYED				
		N	5368504.833								
		El (H)	24.582	CGVD28							
875161	80H1504	E	476127.923	0.9996021	0.9999951	583989	80H1575	Terr	0° 36' 18"	245.628	245.726
		N	5369561.926			879791	80H1596	Terr	91° 48' 33"	174.073	174.142
		El (H)	50.015	CGVD28		178509	80H1421	Terr	180° 28' 12"	301.307	301.427
875526	81H4194	E	472705.697	0.9996105	1.0000014	964486	81H4192	Terr	55° 12' 44"	157.055	157.117
		N	5366506.418								
		El (H)	9.870	CGVD28							
876136	79H8780	E	470050.977	0.9996104	0.9999994	762609	79H8781	Terr	127° 47' 19"	245.809	245.904
		N	5366557.380			649483	79H8754	Terr	216° 47' 13"	133.875	133.927
		El (H)	22.107	CGVD28		328823	79H8796	Terr	307° 48' 23"	218.394	218.479
877241	80H1428	E	476448.101	0.9995994	0.9999926	931535	80H1565	Terr	292° 13' 5"	262.800	262.906
		N	5370793.128								
		El (H)	66.281	CGVD28							
877415	80H1487	E	475227.115	0.9996031	0.9999956		MARKER DESTROYED				
		N	5369154.903								
		El (H)	46.953	CGVD28							
877944	79H1075	E	471988.472	0.9995982	0.9999885		MARKER DESTROYED				
		N	5374416.785								
		El (H)	91.780	CGVD28							
878645	80H1492	E	475455.040	0.9996028	0.9999954	924415	80H1436	Terr	94° 58' 7"	255.038	255.140
		N	5369761.568			561274	80H1411	Terr	177° 6' 8"	317.610	317.736
		El (H)	48.122	CGVD28							

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
879387	81H4144	E	466972.643	0.9996091	0.9999956	772277	80H4051	Terr	18° 23' 4"	248.674	248.771
		N	5377580.157			582353	81H4130	Terr	197° 52' 26"	265.212	265.315
		El (H)	46.116 CGVD28								
879601	81H4131	E	469982.224	0.9996121	1.0000010	MARKER DESTROYED					
		N	5367404.869								
		El (H)	11.837 CGVD28								
879791	80H1596	E	476301.909	0.9996010	0.9999941	260083	80H1668	Terr	89° 17' 21"	221.546	221.635
		N	5369556.430			875161	80H1504	Terr	271° 48' 33"	174.073	174.142
		El (H)	56.526 CGVD28								
882068	85H0867	E	472911.270	0.9996053	0.9999962	767137	85H0862	Terr	0° 17' 22"	109.305	109.349
		N	5372806.560								
		El (H)	42.599 CGVD28								
882191	80H2419	E	474768.655	0.9996036	0.9999958	MARKER ISOLATED					
		N	5368480.718								
		El (H)	45.515 CGVD28								
882985	79H8982	E	473266.463	0.9996070	0.9999982	474122	79H0642	Terr	13° 40' 47"	177.493	177.563
		N	5366410.053								
		El (H)	29.944 CGVD28								
883595	79H1202	E	472068.435	0.9996051	0.9999955	893396	87H2489	Terr	72° 30' 39"	83.308	83.341
		N	5369841.018			599779	87H2542	Terr	157° 35' 52"	161.173	161.236
		El (H)	46.895 CGVD28			555474	79H0692	Terr	338° 26' 13"	161.248	161.312
885152	80H2493	E	475214.532	0.9996045	0.9999969	MARKER ISOLATED					
		N	5367309.649								
		El (H)	38.286 CGVD28								
886135	79H0693	E	471194.546	0.9996086	0.9999984	493114	79H1000	Terr	22° 13' 24"	229.154	229.244
		N	5371176.101								
		El (H)	28.686 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
886432	79H8860	E	469781.955	0.9996080	0.9999968	665513	79H8874	Terr	18° 49' 26"	263.480	263.583		
		N	5368157.775					Terr	108° 47' 55"			181.592	181.663
		El (H)	38.955 CGVD28										
886796	80H2465	E	475540.996	0.9996046	0.9999972	194464	80H2463	Terr	89° 18' 15"	170.090	170.157		
		N	5366434.049					Terr	179° 33' 24"			265.180	265.285
		El (H)	36.548 CGVD28										
887356	80H1470	E	475108.505	0.9996019	0.9999942	640763	79H1204	Terr	271° 0' 14"	315.061	315.187		
		N	5368658.165										
		El (H)	55.438 CGVD28										
892463	79H1181	E	474568.291	0.9996038	0.9999958	191825	79H1133	Terr	139° 15' 55"	231.139	231.231		
		N	5372214.299										
		El (H)	45.219 CGVD28										
893271	79H1169	E	474155.874	0.9996058	0.9999976	325779	79H1197	Terr	79° 36' 48"	355.026	355.166		
		N	5369418.026					Terr	259° 5' 33"			223.405	223.493
		El (H)	33.790 CGVD28										
893396	87H2489	E	472147.892	0.9996047	0.9999952	203943	87H2487	Terr	83° 46' 8"	82.689	82.721		
		N	5369866.054					Terr	252° 30' 39"			83.308	83.341
		El (H)	49.184 CGVD28										
893503	85H0843	E	476928.940	0.9995993	0.9999927	243998	85H0853	Terr	54° 42' 6"	47.373	47.392		
		N	5370025.820					Terr	170° 28' 26"			116.112	116.159
		El (H)	65.219 CGVD28					Terr	292° 3' 48"				
894949	80H3026	E	468115.420	0.9996114	0.9999989	550525	80H3028	Terr	116° 0' 19"	176.085	176.153		
		N	5369114.311					Terr	304° 52' 27"			165.409	165.473
		El (H)	25.416 CGVD28										
894964	79H1118	E	478166.878	0.9996056	0.9999997	127613	79H1158	Terr	132° 2' 34"	121.463	121.511		
		N	5368186.153					Terr	219° 52' 10"			262.631	262.734
		El (H)	20.683 CGVD28					Terr	310° 1' 10"				

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)			
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
895144	79H0695	E	473578.284	0.9996060	0.9999974	509117	79H0708	Terr	114° 28' 59"	150.666	150.726			
		N	5371036.894					Both	269° 30' 49"			207.823	207.905	
		El (H)	35.362 CGVD28											
895508	80H2486	E	476010.468	0.9995945	0.9999875	782581	80H1693	Terr	322° 10' 49"	143.475	143.533			
		N	5366959.417											
		El (H)	98.684 CGVD28											
897249	81H4167	E	468704.883	0.9995993	0.9999873	282285	81H4170	Terr	90° 47' 42"	226.173	226.263			
		N	5375190.562					81H4153	Terr			272° 8' 27"	134.733	134.787
		El (H)	99.655 CGVD28											
898049	80H1604	E	475604.096	0.9996042	0.9999969	542951	80H1609	Terr	3° 57' 12"	162.166	162.230			
		N	5368654.071											
		El (H)	38.504 CGVD28											
900316	79H0749	E	472773.698	0.9996067	0.9999975	278226	79H1017	Terr	79° 37' 44"	140.883	140.938			
		N	5368866.042					79H0778	Terr			131° 19' 14"	254.291	254.391
		El (H)	34.191 CGVD28											
900357	79H1173	E	471464.954	0.9996022	0.9999922	870410	79H1163	Terr	170° 28' 34"	228.328	228.419			
		N	5374684.447					85H0824	Terr			358° 52' 32"	276.639	276.749
		El (H)	68.472 CGVD28											
902585	79H8938	E	473068.006	0.9996072	0.9999983	MARKER DESTROYED								
903419	80H1506	E	474986.323	0.9996038	0.9999961	561209	80H1483	Terr	94° 0' 1"	217.652	217.738			
		N	5369692.057					80H1435	Terr			298° 27' 50"	109.829	109.873
		El (H)	43.296 CGVD28											
903799	79H0678	E	473189.898	0.9996061	0.9999973	992826	79H0683	Terr	169° 57' 58"	169.437	169.503			
		N	5369236.500					79H0673	Terr			259° 20' 39"	267.955	268.060
		El (H)	35.805 CGVD28						79H0661			Terr		

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
904326	81H4165	E	470819.461	0.9996118	1.0000014		MARKER ISOLATED				
		N	5366735.044								
		EI (H)	9.579 CGVD28								
904557	79H0640	E	473801.053	0.9996052	0.9999968		MARKER DESTROYED				
		N	5366649.079								
		EI (H)	38.991 CGVD28								
904953	79H1058	E	472302.968	0.9996028	0.9999933	710780	79H1038	Terr	23° 28' 16"	127.257	127.308
		N	5375011.393								
		EI (H)	61.157 CGVD28								
905596	80H1590	E	479443.538	0.9996070	1.0000018	1008	80H1478	Terr	243° 46' 0"	170.720	170.787
		N	5367846.555								
		EI (H)	7.340 CGVD28								
907683	81H4157	E	468651.047	0.9995974	0.9999853	715144	80H4094	Terr	79° 44' 42"	104.085	104.127
		N	5376102.397			559054	80H4049	Terr	172° 12' 45"	90.673	90.710
		EI (H)	112.141 CGVD28			334458	81H4154	Terr	319° 25' 24"	125.203	125.253
908780	85H0871	E	472653.169	0.9995985	0.9999893	802645	85H0875	Terr	6° 25' 46"	133.459	133.513
		N	5372740.837			133488	79H1043	Terr	181° 59' 16"	146.651	146.710
		EI (H)	86.651 CGVD28								
909358	79H8707	E	469002.440	0.9996138	1.0000020		MARKER ISOLATED				
		N	5367049.186								
		EI (H)	5.679 CGVD28								
909945	79H1113	E	472622.114	0.9996070	0.9999978	146548	79H1122	Terr	338° 47' 13"	183.613	183.686
		N	5374206.167								
		EI (H)	32.703 CGVD28								
910562	80H1456	E	478664.451	0.9996052	0.9999996	973800	80H1500	Terr	241° 35' 14"	147.766	147.824
		N	5368374.839								
		EI (H)	21.682 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
912592	80H1602	E N EI (H)	476471.367 5369051.380 53.525 CGVD28	0.9996014	0.9999946		MARKER DESTROYED				
913640	80H1631	E N EI (H)	475974.438 5368959.398 41.764 CGVD28	0.9996035	0.9999964		MARKER DESTROYED				
913681	79H1073	E N EI (H)	469144.982 5368127.760 29.004 CGVD28	0.9996100	0.9999983		MARKER DESTROYED				
915066	79H1042	E N EI (H)	472563.841 5373512.160 100.566 CGVD28	0.9995964	0.9999872	42077	79H1049	Terr	155° 30' 43"	110.501	110.545
915595	79H1060	E N EI (H)	472468.056 5374247.485 77.796 CGVD28	0.9996000	0.9999907	962175	79H1063	Terr	264° 41' 7"	87.415	87.450
916429	79H8970	E N EI (H)	474402.461 5368287.300 43.365 CGVD28	0.9996042	0.9999961	613000	79H8976	Terr	151° 26' 55"	103.336	103.377
917278	79H8752	E N EI (H)	471103.368 5366117.078 17.757 CGVD28	0.9996104	1.0000001	519819 826495 465575 671339 53439 222869 600411	79H8880 79H8763 99H2279 25-1 79H8731 84H0154	Both Terr GPS Only Both Terr Both GPS Only	17° 34' 19" 36° 57' 5" 53° 11' 55" 101° 9' 20" 217° 28' 37" 226° 5' 47" 234° 23' 51"	1938.703 163.187 3437.526 2177.297 96.519 3069.355 3462.977	1939.459 163.251 3438.875 2178.148 96.556 3070.549 3464.329
918151	80H1578	E N EI (H)	476947.581 5370840.856 44.113 CGVD28	0.9996026	0.9999960	401307 727727 143263	80H1593 80H1568 80H1562	Terr Both Terr	112° 9' 38" 204° 38' 17" 292° 2' 33"	127.647 174.738 165.510	127.698 174.808 165.576

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
919027	80H1634	E N EI (H)	475974.091 5368646.777 41.893 CGVD28	0.9996035	0.9999964		MARKER DESTROYED				
919712	80H4065	E N EI (H)	469696.148 5374094.802 110.431 CGVD28	0.9995969	0.9999856	471839 706614	80H4100 81H4125	Terr Terr	153° 24' 5" 338° 44' 12"	130.934 125.830	130.987 125.881
920405	80H1582	E N EI (H)	477281.068 5370047.766 45.379 CGVD28	0.9996022	0.9999958	412015 32433	80H1545 80H1594	Terr Terr	70° 35' 46" 268° 32' 16"	143.658 96.441	143.715 96.480
922484	79H0778	E N EI (H)	472964.678 5368698.141 29.620 CGVD28	0.9996073	0.9999983	900316	79H0749	Terr	311° 19' 14"	254.291	254.391
922591	80H1592	E N EI (H)	476900.802 5370538.642 55.214 CGVD28	0.9996009	0.9999943	120022	80H1595	Terr	146° 47' 42"	194.208	194.285
923458	80H1485	E N EI (H)	475297.169 5369491.238 37.866 CGVD28	0.9996045	0.9999970	952242 561209	80H1432 80H1483	Terr Terr	144° 41' 17" 333° 12' 42"	123.614 207.953	123.663 208.035
923532	80H3053	E N EI (H)	476688.720 5368432.456 54.500 CGVD28	0.9996011	0.9999944	229542	80H1699	Terr	270° 13' 55"	321.024	321.152
923649	79H0652	E N EI (H)	471663.662 5370446.013 25.740 CGVD28	0.9996087	0.9999989		MARKER DESTROYED				
923797	80H1665	E N EI (H)	476580.366 5369881.023 69.815 CGVD28	0.9995988	0.9999920	748756 262030 246850	80H1463 80H1660 80H1663	Terr Terr Terr	25° 15' 39" 112° 20' 19" 292° 31' 17"	170.087 331.621 188.419	170.155 331.754 188.494

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
924415	80H1436	E	475709.120	0.9996040	0.9999967	102376	80H1438	Terr	28° 21' 38"	221.533	221.621		
		N	5369739.479					Terr	274° 58' 7"			255.038	255.140
		El (H)	39.808 CGVD28										
924712	80H1437	E	475236.565	0.9996059	0.9999984	240135	80H1499	Terr	112° 22' 18"	118.532	118.579		
		N	5370747.693					Terr	264° 16' 20"			211.659	211.742
		El (H)	28.963 CGVD28										
925727	80H1420	E	475591.388	0.9996043	0.9999970	820084	80H1422	Terr	202° 25' 47"	279.356	279.466		
		N	5370331.046					Terr	292° 19' 33"			159.756	159.820
		El (H)	38.178 CGVD28										
926824	79H8845	E	471780.990	0.9996098	1.0000000	534909	79H8746	Terr	16° 45' 0"	164.229	164.293		
		N	5366871.751					Terr	78° 23' 34"			131.888	131.940
		El (H)	18.585 CGVD28					Terr	174° 58' 50"				
								Terr	288° 15' 44"			186.880	186.953
926857	79H0734	E	473379.063	0.9996062	0.9999975	928010	79H1025	Terr	3° 38' 3"	130.586	130.637		
		N	5371716.071										
		El (H)	34.699 CGVD28										
928010	79H1025	E	473387.340	0.9996061	0.9999974	926857	79H0734	Terr	183° 38' 3"	130.586	130.637		
		N	5371846.394										
		El (H)	35.353 CGVD28										
931535	80H1565	E	476204.813	0.9996005	0.9999935	643221	80H1546	Terr	24° 21' 20"	150.811	150.871		
		N	5370892.501					Terr	112° 13' 5"			262.800	262.906
		El (H)	60.240 CGVD28					Terr	203° 13' 1"				
								Terr	291° 32' 8"			175.016	175.086
933796	80H4017	E	466877.554	0.9996058	0.9999923	694315	80H4012	Terr	166° 24' 56"	177.114	177.184		
		N	5372947.053										
		El (H)	67.215 CGVD28										
934612	87H2511	E	471830.294	0.9996087	0.9999989	417097	87H2513	Terr	160° 29' 57"	343.309	343.443		
		N	5368125.298					Terr	349° 9' 16"			275.607	275.715
		El (H)	25.171 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
934646	79H0740	E N EI (H)	471457.236 5370107.623 17.704 CGVD28	0.9996101	1.0000001		MARKER DESTROYED				
935171	80H1522	E N EI (H)	475803.019 5370696.617 39.678 CGVD28	0.9996039	0.9999967	231803	80H1561	Terr	344° 32' 8"	148.905	148.964
938365	79H8808	E N EI (H)	471553.248 5367572.359 30.282 CGVD28	0.9996081	0.9999981	220731 105197	79H8790 79H8800	Terr Terr	47° 43' 40" 200° 34' 41"	145.324 143.579	145.381 143.636
938506	79H1168	E N EI (H)	474601.527 5369431.395 50.228 CGVD28	0.9996030	0.9999950	277822	79H1198	Terr	89° 57' 57"	164.044	164.109
938662	79H0687	E N EI (H)	469020.879 5370893.235 36.867 CGVD28	0.9996089	0.9999971	249797 211458 963108	79H8806 80H2478 79H0726	Terr Both Terr	145° 34' 22" 315° 2' 26" 352° 0' 16"	168.692 174.939 185.820	168.758 175.008 185.893
940064	80H2425	E N EI (H)	474703.358 5367939.817 60.506 CGVD28	0.9996013	0.9999934		MARKER DESTROYED				
940155	81H4166	E N EI (H)	471180.539 5376100.096 71.959 CGVD28	0.9996018	0.9999916	329409 216168	79H1141 80H4084	Terr Terr	69° 45' 9" 176° 10' 36"	99.781 114.304	99.821 114.350
941179	79H8871	E N EI (H)	472414.575 5368485.309 28.474 CGVD28	0.9996078	0.9999984	665422 675116	79H8827 79H0619	Terr Terr	168° 59' 6" 259° 49' 56"	94.701 177.137	94.738 177.206
941187	80H2424	E N EI (H)	475191.331 5366436.796 28.073 CGVD28	0.9996061	0.9999985	115741	80H2484	Terr	269° 55' 25"	172.379	172.447

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
941799	79H8844	E N EI (H)	470684.192 5368661.821 27.266 CGVD28	0.9996092	0.9999986	967414	79H8864	Terr	142° 36' 54"	196.114	196.191
941815	79H8889	E N EI (H)	469738.514 5368021.155 40.287 CGVD28	0.9996078	0.9999966		MARKER DESTROYED				
942250	80H1412	E N EI (H)	475057.139 5370450.536 34.591 CGVD28	0.9996052	0.9999975		MARKER DESTROYED				
943803	80H1679	E N EI (H)	475419.757 5368656.049 40.281 CGVD28	0.9996040	0.9999966		MARKER DESTROYED				
943894	79H0682	E N EI (H)	474009.675 5368354.283 44.784 CGVD28	0.9996042	0.9999959	848184 589051 562645	80H1519 79H8956 79H0639	Terr Terr Terr	125° 29' 2" 257° 5' 24" 307° 2' 33"	169.703 180.211 192.600	169.770 180.283 192.676
943910	80H1605	E N EI (H)	476302.124 5368952.618 48.650 CGVD28	0.9996022	0.9999953	619379 554733 639336	80H1541 80H1613 79H1140	Terr Terr Terr	139° 18' 51" 270° 46' 27" 349° 24' 38"	156.686 158.813 199.105	156.748 158.877 199.184
944157	79H0723	E N EI (H)	471811.747 5371769.709 54.529 CGVD28	0.9996041	0.9999944		MARKER DESTROYED				
944272	79H8819	E N EI (H)	471790.510 5366763.363 20.573 CGVD28	0.9996094	0.9999997	664698 926824	81H4191 79H8845	Terr Terr	167° 10' 43" 354° 58' 50"	137.763 108.805	137.817 108.848
944348	79H8823	E N EI (H)	470515.268 5367467.224 23.686 CGVD28	0.9996099	0.9999992	809541	79H8881	Terr	321° 21' 36"	145.262	145.319

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
944850	79H1068	E	469445.428	0.9996098	0.9999983		MARKER DESTROYED				
		N	5367953.546								
		EI (H)	29.295 CGVD28								
945758	74H2193	E	470350.258	0.9996109	1.0000001	141499	87H2493	Terr	322° 14' 43"	176.666	176.734
		N	5370056.066								
		EI (H)	17.995 CGVD28								
946848	81H4186	E	471816.986	0.9996080	0.9999982		MARKER DESTROYED				
		N	5368400.348								
		EI (H)	29.639 CGVD28								
947457	81H4160	E	467463.270	0.9996020	0.9999890	179895	81H4152	Terr	121° 29' 55"	168.799	168.866
		N	5376994.902								
		EI (H)	88.562 CGVD28								
948109	79H0728	E	472684.430	0.9996075	0.9999983	358150	79H1112	Terr	146° 50' 41"	190.706	190.781
		N	5375105.510			490086	79H1116	Terr	275° 5' 14"	234.783	234.875
		EI (H)	29.238 CGVD28								
948281	79H1136	E	471862.950	0.9995963	0.9999866	591263	79H1035	Terr	271° 7' 3"	105.073	105.115
		N	5373951.418								
		EI (H)	104.086 CGVD28								
948596	79H8738	E	469216.135	0.9996081	0.9999965	317784	81H4184	Terr	20° 36' 38"	178.749	178.819
		N	5369282.347			832014	79H8879	Terr	109° 9' 33"	142.894	142.950
		EI (H)	40.661 CGVD28								
949024	79H8784	E	471067.248	0.9996106	1.0000003	516443	79H8704	Terr	129° 30' 16"	143.280	143.336
		N	5366703.105			614057	79H8766	Terr	216° 56' 44"	283.361	283.471
		EI (H)	16.356 CGVD28								
949792	85H0876	E	472507.216	0.9995950	0.9999857	297804	85H0873	Terr	72° 57' 55"	60.617	60.642
		N	5372760.742			602755	85H0863	Terr	286° 45' 29"	61.006	61.031
		EI (H)	110.050 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
950097	79H8760	E N EI (H)	469803.754 5366583.776 19.149 CGVD28	0.9996111	0.9999999	328823	79H8796	Terr	34° 47' 26"	130.872	130.923
950212	79H8807	E N EI (H)	472062.935 5366449.167 13.490 CGVD28	0.9996104	1.0000008	573360 68551	79H8794 79H8813	Terr Terr	79° 40' 0" 349° 48' 9"	246.744 207.849	246.840 207.930
951970	79H1106	E N EI (H)	472883.403 5374134.582 7.650 CGVD28	0.9996108	1.0000017	MARKER DESTROYED					
952242	80H1432	E N EI (H)	475368.621 5369390.367 38.175 CGVD28	0.9996044	0.9999970	561274 923458	80H1411 80H1485	Terr Terr	62° 12' 51" 324° 41' 17"	115.832 123.614	115.878 123.663
952549	80H2448	E N EI (H)	475994.824 5367875.471 44.186 CGVD28	0.9996031	0.9999960	958579 520494 234492	80H2497 80H2455 80H2496	Terr Terr Terr	90° 17' 11" 182° 31' 14" 271° 0' 14"	151.014 237.322 309.497	151.074 237.416 309.620
952598	79H8892	E N EI (H)	472736.437 5367299.820 31.604 CGVD28	0.9996071	0.9999979	197210 548214 93385	79H8944 79H0641 79H8981	Terr Terr Terr	2° 11' 29" 82° 40' 57" 203° 31' 23"	176.864 154.332 126.449	176.934 154.393 126.499
952739	80H1509	E N EI (H)	476514.907 5369350.199 59.789 CGVD28	0.9996004	0.9999936	260083	80H1668	Terr	2° 20' 15"	209.154	209.238
952770	79H8954	E N EI (H)	473336.721 5366950.192 43.005 CGVD28	0.9996049	0.9999962	445403	79H8960	Terr	235° 8' 12"	133.088	133.141
953026	85H0849	E N EI (H)	471655.750 5369669.064 21.786 CGVD28	0.9996094	0.9999995	737932	85H0886	Terr	323° 45' 54"	130.263	130.314

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
954974	81H4146	E	466968.345	0.9996088	0.9999954	40832	81H4128	Terr	133° 24' 27"	260.819	260.922		
		N	5377090.657					Terr	329° 10' 19"			124.695	124.744
		El (H)	47.508 CGVD28										
956953	81H4183	E	467865.516	0.9996038	0.9999911	450981	80H4032	Terr	19° 46' 20"	98.825	98.865		
		N	5370962.224					Terr	136° 40' 44"			131.864	131.916
		El (H)	74.783 CGVD28					Terr	278° 41' 10"				
957100	79H1044	E	472836.842	0.9996048	0.9999957	335810	79H1048	Terr	24° 24' 48"	90.398	90.433		
		N	5372215.420					Terr	248° 9' 20"			124.210	124.259
		El (H)	45.848 CGVD28										
958579	80H2497	E	476145.836	0.9996018	0.9999948	952549	80H2448	Terr	270° 17' 11"	151.014	151.074		
		N	5367874.716										
		El (H)	51.692 CGVD28										
960591	80H2440	E	468396.586	0.9996025	0.9999902	202275	80H3036	Terr	334° 53' 47"	176.600	176.671		
		N	5373718.957										
		El (H)	80.983 CGVD28										
962175	79H1063	E	472381.017	0.9995989	0.9999896	915595	79H1060	Terr	84° 41' 7"	87.415	87.450		
		N	5374239.388					Terr	181° 5' 7"			302.395	302.517
		El (H)	85.256 CGVD28										
962886	80H4099	E	469558.514	0.9996026	0.9999912	157396	80H4071	Terr	8° 52' 8"	105.421	105.463		
		N	5376387.858					Terr	270° 6' 59"			361.891	362.035
		El (H)	74.307 CGVD28										
963108	79H0726	E	468995.032	0.9996088	0.9999970	250324	79H1177	Terr	2° 35' 44"	183.595	183.667		
		N	5371077.249					Terr	172° 0' 16"			185.820	185.893
		El (H)	37.566 CGVD28										
964445	79H8724	E	471140.895	0.9996117	1.0000015	79210	79H8810	Terr	108° 19' 32"	224.380	224.468		
		N	5367087.838										
		El (H)	8.881 CGVD28										

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS			Station Scale Factors			TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
964486	81H4192	E	472834.682	0.9996102	1.0000012	550228	79H0611	Terr	171° 40' 16"	260.133	260.234
		N	5366596.024			875526	81H4194	Terr	235° 12' 44"	157.055	157.117
		EI (H)	11.144 CGVD28								
964577	80H2443	E	467584.382	0.9996082	0.9999952	845313	80H2423	Terr	170° 57' 47"	95.046	95.083
		N	5374329.216								
		EI (H)	48.665 CGVD28								
964726	79H1078	E	472090.043	0.9995979	0.9999883	731760	79H1077	Terr	1° 10' 46"	299.915	300.035
		N	5374653.972			241539	79H1055	Terr	265° 58' 23"	97.982	98.021
		EI (H)	93.148 CGVD28								
964890	80H4048	E	467026.576	0.9996087	0.9999953	772277	80H4051	Terr	173° 45' 58"	225.594	225.682
		N	5378040.399			999003	80H4072	Terr	333° 13' 18"	131.394	131.445
		EI (H)	48.042 CGVD28								
965327	85H0879	E	472399.839	0.9996042	0.9999948	MARKER DESTROYED					
		N	5371677.012								
		EI (H)	51.714 CGVD28								
965541	80H2434	E	475764.784	0.9996069	0.9999997	630715	80H2417	Terr	8° 19' 59"	282.560	282.671
		N	5365304.149			455691	80H3115	Terr	92° 12' 21"	412.561	412.723
		EI (H)	20.577 CGVD28			737387	26-30	Terr	191° 19' 9"	191.882	191.958
966218	79H1057	E	471688.205	0.9995975	0.9999877	490961	79H1128	Terr	92° 43' 43"	133.744	133.798
		N	5374521.747			63784	79H1026	Terr	173° 20' 23"	232.163	232.256
		EI (H)	97.157 CGVD28			331173	79H1069	Terr	352° 57' 36"	279.170	279.282
966457	79H8885	E	470929.974	0.9996096	0.9999992	752352	79H8926	Terr	169° 3' 38"	198.892	198.970
		N	5368731.199			841866	79H8855	Terr	349° 23' 49"	98.606	98.644
		EI (H)	23.199 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)			
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
967166	99H2282	E	469422.220	0.9996036	0.9999921	480392	77H6142	Both	31° 38' 33"	1918.777	1919.542			
		N	5376391.746				740282	99H2273	GPS Only			57° 51' 1"	3685.580	3687.033
		EI (H)	68.963 CGVD28				431411	79H1166	Both			82° 21' 55"	2825.858	2826.970
							159590	99H2283	GPS Only			119° 26' 29"	2897.496	2898.653
							237073	81H4143	Both			174° 11' 23"	1519.562	1520.171
							378042	A-59	GPS Only			223° 3' 24"	2711.836	2712.907
							126672	85H0847	Both			250° 14' 34"	1831.489	1832.212
		21584	81H4126	Both	314° 57' 5"	1799.471	1800.192							
967414	79H8864	E	470803.266	0.9996088	0.9999983	448373	81H4190	Terr	143° 7' 2"	368.435	368.579			
		N	5368505.994				941799	79H8844	Terr			322° 36' 54"	196.114	196.191
		EI (H)	29.248 CGVD28											
967497	80H2488	E	476027.747	0.9996009	0.9999938	470880	80H2442	Terr	91° 47' 1"	167.968	168.036			
		N	5366464.730				411736	80H2475	Terr			272° 9' 16"	124.595	124.645
		EI (H)	58.027 CGVD28											
967893	79H0648	E	472997.844	0.9996084	0.9999994		MARKER ISOLATED							
		N	5366324.367											
		EI (H)	22.235 CGVD28											
967901	79H0781	E	472399.436	0.9996042	0.9999948		MARKER DESTROYED							
		N	5371676.888											
		EI (H)	51.696 CGVD28											
968347	79H0773	E	472070.302	0.9996057	0.9999961		MARKER DESTROYED							
		N	5369387.360											
		EI (H)	43.596 CGVD28											
971127	80H1584	E	477191.148	0.9996033	0.9999969	720706	80H1424	Terr	112° 8' 15"	142.494	142.551			
		N	5370741.286				401307	80H1593	Terr			292° 18' 16"	135.486	135.540
		EI (H)	38.926 CGVD28											
971408	98H2196	E	472064.736	0.9996083	0.9999987	142166	79H8768	Terr	160° 50' 14"	349.159	349.295			
		N	5367149.331				296657	79H8836	Terr			288° 20' 33"	174.343	174.411
		EI (H)	26.981 CGVD28				424549	85H0836	Terr			337° 31' 4"	101.039	101.079

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS			Station Scale Factors		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)	
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
972141	80H1587	E	478517.602	0.9996066	1.0000009	423715	80H1503	Terr	129° 23' 10"	268.021	268.126
		N	5367887.312			580936	80H1515	Terr	309° 35' 43"	126.671	126.721
		EI (H)	13.176 CGVD28								
972828	80H1659	E	475565.405	0.9996040	0.9999967	150664	80H1426	Both	2° 56' 59"	3041.633	3042.835
		N	5368042.287			727727	80H1568	Both	26° 22' 54"	2946.620	2947.791
		EI (H)	39.877 CGVD28			565044	99H2272	GPS Only	124° 58' 7"	3094.908	3096.127
						465575	99H2279	GPS Only	274° 28' 56"	1714.792	1715.471
973057	80H2490	E	475737.707	0.9996016	0.9999944	203877	80H2499	Terr	161° 11' 26"	153.687	153.749
		N	5367028.837			647263	80H2403	Terr	345° 33' 54"	107.401	107.443
		EI (H)	54.580 CGVD28								
973180	80H1552	E	476808.008	0.9995998	0.9999932	100685	80H1554	Terr	37° 9' 15"	117.532	117.580
		N	5369021.844			62984	80H1620	Terr	127° 35' 13"	191.719	191.796
		EI (H)	62.351 CGVD28			571794	80H1529	Terr	217° 18' 32"	227.078	227.169
973800	80H1500	E	478534.485	0.9996053	0.9999996	910562	80H1456	Terr	61° 35' 14"	147.766	147.824
		N	5368304.529								
		EI (H)	21.494 CGVD28								
973818	79H0700	E	470733.490	0.9996083	0.9999978	78105	79H0986	Terr	309° 1' 45"	229.443	229.533
		N	5371830.059								
		EI (H)	32.726 CGVD28								
974006	80H1455	E	474933.777	0.9996025	0.9999948	253237	80H1417	Terr	6° 23' 29"	102.787	102.828
		N	5369940.946			673541	80H1435	Terr	192° 37' 14"	201.410	201.491
		EI (H)	52.138 CGVD28			219931	80H1516	Terr	273° 30' 43"	95.973	96.011
974667	79H0737	E	472390.132	0.9996053	0.9999959	706721	79H0784	Terr	149° 28' 12"	148.320	148.378
		N	5369329.213			365536	79H1021	Terr	321° 36' 1"	138.648	138.703
		EI (H)	44.455 CGVD28								
975698	80H1454	E	474890.434	0.9996026	0.9999949	MARKER ISOLATED					
		N	5368604.133								
		EI (H)	51.320 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)				
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
977371	79H8941	E	473720.924	0.9996055	0.9999970	589051	79H8956	Terr	83° 22' 20"	113.856	113.901				
		N	5368300.879					60152	79H0593			Terr	169° 4' 35"	173.822	173.891
		EI (H)	37.955 CGVD28					464776	79H8957			Terr	259° 39' 51"	100.263	100.303
977421	79H8948	E	474063.702	0.9996046	0.9999964	758839	79H0598	Terr	11° 20' 0"	144.248	144.305				
		N	5366631.491												
		EI (H)	41.801 CGVD28												
977561	79H8799	E	471674.068	0.9996101	1.0000003	594549	79H8797	Terr	216° 20' 34"	181.586	181.657				
		N	5366669.911					207332	79H8786			Terr	288° 16' 55"	148.807	148.865
		EI (H)	16.751 CGVD28												
977876	80H1505	E	477522.253	0.9996016	0.9999953	453704	80H1406	Terr	161° 58' 50"	153.410	153.471				
		N	5369093.871					213595	80H1477			Terr	321° 10' 59"	143.800	143.857
		EI (H)	48.556 CGVD28												
978163	87H2506	E	472036.278	0.9996084	0.9999988	207340	85H0831	Terr	110° 35' 27"	103.332	103.373				
		N	5367437.164					803197	87H2523			Terr	239° 34' 53"	151.364	151.424
		EI (H)	26.382 CGVD28									417097	87H2513		
979062	80H1520	E	477890.007	0.9996067	1.0000007	793901	85H0846	Terr	40° 53' 48"	268.578	268.684				
		N	5367672.640					539601	80H2402			Terr	128° 57' 35"	134.727	134.780
		EI (H)	14.661 CGVD28									988998	80H1588		
979625	80H1466	E	477550.671	0.9996023	0.9999961	56945	80H1402	Terr	39° 32' 25"	118.642	118.689				
		N	5368220.887					333815	80H1687			Terr	217° 38' 54"	197.570	197.649
		EI (H)	43.968 CGVD28												
980516	79H0994	E	472597.955	0.9996059	0.9999967	219899	79H0714	Terr	78° 34' 21"	288.690	288.804				
		N	5369343.116					547364	85H0894			Terr	316° 14' 15"	262.565	262.669
		EI (H)	39.519 CGVD28												
980904	81H4213	E	478960.890	0.9996026	0.9999971	MARKER DESTROYED									
		N	5367165.186												
		EI (H)	37.263 CGVD28												

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
981324	80H1488	E	474600.937	0.9996032	0.9999953	118125	80H1531	Terr	18° 25' 13"	223.612	223.701
		N	5370114.233								
		EI (H)	48.642 CGVD28								
981860	80H2431	E	474892.569	0.9996018	0.9999940	816017	80H2453	Terr	148° 47' 23"	106.315	106.357
		N	5368186.966								
		EI (H)	56.954 CGVD28								
982397	80H2470	E	479844.944	0.9996054	1.0000004		MARKER DESTROYED				
		N	5366668.337								
		EI (H)	16.526 CGVD28								
983148	80H4003	E	467495.726	0.9996048	0.9999918	528729	80H3046	Terr	179° 48' 17"	140.329	140.384
		N	5370626.743			95919	80H3041	Terr	345° 56' 16"	116.468	116.514
		EI (H)	70.610 CGVD28								
983478	79H8719	E	468954.619	0.9996139	1.0000021		MARKER DESTROYED				
		N	5366830.590								
		EI (H)	5.177 CGVD28								
984013	79H0601	E	473006.473	0.9996080	0.9999991	146928	79H8963	Terr	148° 3' 51"	202.480	202.560
		N	5366966.364								
		EI (H)	24.474 CGVD28								
984948	80H2414	E	474893.773	0.9996038	0.9999961		MARKER DESTROYED				
		N	5368440.274								
		EI (H)	43.784 CGVD28								
985630	79H8727	E	470562.666	0.9996109	1.0000003	353466	79H8744	Terr	112° 57' 3"	116.446	116.491
		N	5366124.761			761999	79H8723	Terr	273° 2' 27"	186.987	187.060
		EI (H)	16.475 CGVD28								
985838	80H4093	E	466752.763	0.9996048	0.9999912	453662	80H4013	Terr	20° 44' 25"	109.272	109.316
		N	5373166.661			797811	81H4122	Both	175° 16' 17"	114.756	114.801
		EI (H)	74.275 CGVD28								

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
985887	79H8733	E N EI (H)	471149.418 5368149.908 16.270 CGVD28	0.9996106	1.0000003	448373	81H4190	Terr	296° 9' 3"	139.282	139.337
986190	80H1524	E N EI (H)	478140.991 5367461.921 1.906 CGVD28	0.9996085	1.0000027	317842 131086 539601	80H1655 80H1641 80H2402	Terr Terr Terr	62° 10' 17" 130° 44' 48" 310° 45' 11"	304.982 173.715 193.024	305.101 173.783 193.100
986703	80H2477	E N EI (H)	478814.220 5367044.411 18.990 CGVD28	0.9996055	1.0000000	765164	80H2401	Terr	322° 9' 53"	156.744	156.806
988279	79H1160	E N EI (H)	474452.536 5372308.461 46.198 CGVD28	0.9996037	0.9999957	MARKER DESTROYED					
988766	80H4092	E N EI (H)	469131.564 5375231.347 92.504 CGVD28	0.9996001	0.9999884	662239 45716	81H4158 80H4085	Terr Terr	129° 55' 14" 342° 58' 58"	81.585 185.822	81.617 185.896
988998	80H1588	E N EI (H)	477697.042 5367836.983 41.878 CGVD28	0.9996025	0.9999964	979062 461673	80H1520 80H2458	Terr Terr	130° 25' 12" 310° 9' 2"	253.464 100.543	253.564 100.583
989509	79H1142	E N EI (H)	474426.295 5369159.364 35.821 CGVD28	0.9996054	0.9999973	237339	80H1700	Terr	191° 24' 16"	361.237	361.380
990135	80H3112	E N EI (H)	468886.224 5373459.198 89.794 CGVD28	0.9996007	0.9999888	378539	80H3088	Terr	94° 28' 53"	117.130	117.177
992099	79H0595	E N EI (H)	473099.211 5366330.171 23.148 CGVD28	0.9996082	0.9999993	375311 542720	79H0622 33-34	Terr Terr	14° 3' 32" 198° 3' 0"	296.362 105.924	296.478 105.965

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
992115	79H8825	E N EI (H)	470795.699 5367211.171 4.401 CGVD28	0.9996127	1.0000022	85407	79H8832	Terr	10° 33' 9"	156.387	156.447
992826	79H0683	E N EI (H)	473219.419 5369069.655 35.231 CGVD28	0.9996062	0.9999974	442194 903799	79H0760 79H0678	Terr Terr	258° 18' 42" 349° 57' 58"	151.865 169.437	151.925 169.503
993154	80H3122	E N EI (H)	468296.077 5371296.980 60.267 CGVD28	0.9996058	0.9999934	861898	80H3118	Terr	92° 55' 5"	154.462	154.523
993188	80H4062	E N EI (H)	468895.727 5375762.290 94.868 CGVD28	0.9995999	0.9999880	253336	80H4069	Terr	144° 19' 12"	175.726	175.797
993279	79H1191	E N EI (H)	471376.609 5367710.921 23.718 CGVD28	0.9996092	0.9999992	MARKER DESTROYED					
993295	79H0752	E N EI (H)	472565.508 5368652.495 44.187 CGVD28	0.9996052	0.9999960	126557	79H0757	Terr	29° 29' 42"	121.329	121.377
993675	99H2281	E N EI (H)	466097.392 5375675.158 148.501 CGVD28	0.9995937	0.9999796	131136 126672 378042 797811 821074 381673 555029 230003 779462	81H4118 85H0847 A-59 81H4122 99H2297 99H2291 99H2293 99H2296 99H2299	Both Both GPS Only Both GPS Only GPS Only GPS Only GPS Only GPS Only	2° 27' 51" 86° 30' 58" 130° 38' 44" 165° 46' 35" 208° 34' 51" 224° 16' 44" 236° 31' 24" 268° 31' 38" 308° 26' 0"	3197.603 1604.118 1941.864 2705.810 2990.192 5549.198 4734.659 2924.346 4341.006	3198.878 1604.758 1942.641 2706.894 2991.412 5551.443 4736.580 2925.545 4342.716
994095	80H2467	E N EI (H)	474524.438 5368271.830 55.826 CGVD28	0.9996022	0.9999942	401026 613000	80H2459 79H8976	Terr Terr	34° 49' 36" 223° 56' 59"	132.691 104.589	132.744 104.631

**Integrated Survey Area No: 30 SAANICH**

Order in Council No. 294/90

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-12

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
997056	79H8753	E	470736.084	0.9996097	0.9999992		MARKER DESTROYED				
		N	5370063.694								
		EI (H)	23.579 CGVD28								
998013	79H8967	E	473501.984	0.9996062	0.9999976	464776	79H8957	Terr	77° 55' 15"	123.028	123.076
		N	5368257.145								
		EI (H)	34.038 CGVD28								
999003	80H4072	E	466967.378	0.9996086	0.9999952	964890	80H4048	Terr	153° 13' 18"	131.394	131.445
		N	5378157.702			365916	81H4133	Terr	311° 57' 25"	388.251	388.403
		EI (H)	48.857 CGVD28								