

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
341529	10-112	E	476107.181	0.9996025	0.9999955	772731	80H3704	TERR	155 16 22	73.541	73.570
		N	5362403.425			510511	10-101	TERR	222 26 50	99.954	99.994
		E1	47.304	CVD28BC		315440	80H3676	TERR	349 12 5	136.867	136.921
194019	15-100	E	476140.290	0.9996071	1.0000001	142695	15-87	TERR	2 6 29	198.077	198.155
		N	5363960.411			507400	15-115	TERR	182 5 1	219.501	219.588
		E1	17.758	CVD28BC		883702	15-99	TERR	270 29 30	99.625	99.664
507400	15-115	E	476132.309	0.9996070	1.0000000	194019	15-100	TERR	2 5 1	219.501	219.588
		N	5363741.055			244053	84H0610	TERR	88 34 25	143.082	143.139
		E1	18.976	CVD28BC		15719	15-114	TERR	270 37 33	67.398	67.424
495846	15-83	E	476156.540	0.9996076	1.0000006	896365	80H3664	TERR	2 59 48	122.256	122.304
		N	5364395.926			949370	95H1737	TERR	77 56 21	110.102	110.146
		E1	14.882	CVD28BC		142695	15-87	TERR	182 9 39	237.741	237.834
						632984	15-147	TERR	253 33 56	128.681	128.732
142695	15-87	E	476147.576	0.9996073	1.0000003	495846	15-83	TERR	2 9 39	237.741	237.834
		N	5364158.354			194019	15-100	TERR	182 6 29	198.077	198.155
		E1	16.474	CVD28BC		976225	15-88	TERR	270 23 14	84.470	84.503
						512921	669	TERR	355 45 23	2972.959	2974.152
336859	72C023	E	477641.242	0.9996077	1.0000016	565044	99H2272	GPS	6 18 49	4185.899	4187.541
		N	5362108.000			304469	80H1430	GPS	29 53 28	5372.172	5374.283
		E1	8.541	CVD28BC		151068	4-70	GPS	255 2 16	3610.092	3611.505
						871954	NO MARKING	GPS	276 57 10	1722.559	1723.242
						611566	88H3797	GPS	356 7 11	2299.345	2300.245
724633	80H1654	E	476198.445	0.9996026	0.9999956	MARKER DESTROYED					
		N	5365924.323								
		E1	46.676	CVD28BC							
567255	80H1676	E	476267.093	0.9996003	0.9999933	673277	80H2456	TERR	2 32 58	173.040	173.109
		N	5367543.052			847749	88H3800	TERR	116 57 50	445.761	445.940
		E1	61.205	CVD28BC		395749	80H1645	TERR	273 11 8	170.059	170.127
176537	80H2445	E	477791.226	0.9996044	0.9999983	835645	80H1671	TERR	5 22 43	179.496	179.567
		N	5367102.899			184820	80H3854	TERR	192 21 40	129.801	129.853
		E1	29.645	CVD28BC		791574	80H3857	TERR	204 39 15	225.003	225.092

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
858530	80H3548	E	477913.506	0.9996060	1.0000000	960278	80H3591	TERR	40 36 49	157.172	157.234		
		N	5362432.503					233072	80H3570	TERR	217 47 3	353.518	353.657
		El	18.480					CVD28BC					
125567	80H3549	E	476417.432	0.9996074	1.0000005	188169	80H3672	TERR	22 46 5	101.209	101.249		
		N	5362254.535					42044	81H4669	TERR	223 55 39	205.373	205.454
		El	15.287					CVD28BC		74708	80H3677	TERR	312 9 37
306662	80H3550	E	476523.424	0.9996081	1.0000013	MARKER DESTROYED							
		N	5362147.630										
		El	10.457			CVD28BC							
947291	80H3551	E	476142.981	0.9996089	1.0000019	757658	80H3567	TERR	143 31 0	134.150	134.202		
		N	5361712.218					310078	84H0608	TERR	325 17 54	158.275	158.337
		El	6.706					CVD28BC					
262121	80H3552	E	476073.837	0.9996043	0.9999973	MARKER DESTROYED							
		N	5362074.502										
		El	35.885			CVD28BC							
812842	80H3553	E	476054.522	0.9996077	1.0000006	939991	80H3707	TERR	77 23 21	102.593	102.634		
		N	5361988.689					310078	84H0608	TERR	180 38 41	146.358	146.415
		El	14.770					CVD28BC		422147	81H4102	TERR	303 48 47
653113	80H3554	E	477279.927	0.9996087	1.0000024	449595	80H3559	TERR	133 5 59	148.831	148.890		
		N	5363594.468					510800	88H3804	TERR	349 12 11	146.635	146.692
		El	3.439					CVD28BC					
554014	80H3555	E	477491.444	0.9996087	1.0000025	MARKER DESTROYED							
		N	5363228.194										
		El	2.746			CVD28BC							
34579	80H3556	E	476142.813	0.9996085	1.0000015	395327	80H3656	TERR	143 42 52	208.027	208.110		
		N	5361846.899										
		El	9.060					CVD28BC					

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
963553	80H3557	E	476305.130	0.9996069	1.0000000	765958	80H3699	TERR	4 18 44	126.872	126.922					
		N	5362536.382					74708				80H3677	TERR	182 56 43	172.368	172.436
		El	18.375					CVD28BC								
990994	80H3558	E	477497.555	0.9996087	1.0000025	781443	83H6758	TERR	138 0 55	107.338	107.381					
		N	5363499.407					449595				80H3559	TERR	266 31 2	109.159	109.201
		El	2.819					CVD28BC								
449595	80H3559	E	477388.598	0.9996088	1.0000025	990994	80H3558	TERR	86 31 2	109.159	109.201					
		N	5363492.776					551960				80H3576	TERR	217 29 26	101.390	101.429
		El	3.002					CVD28BC				653113	80H3554	TERR	313 5 59	148.831
50187	80H3560	E	476675.967	0.9996086	1.0000019	711226	80H3611	TERR	3 47 36	126.728	126.777					
		N	5362226.589					58644				80H3564	TERR	68 18 47	143.877	143.934
		El	6.334					CVD28BC				379412	80H3894	TERR	237 11 29	97.858
383224	80H3561	E	476909.629	0.9996090	1.0000024	430918	80H3600	TERR	2 57 55	174.651	174.720					
		N	5362295.679					530287				88H3792	TERR	96 54 39	165.658	165.722
		El	3.395					CVD28BC								
442012	80H3562	E	477224.039	0.9996085	1.0000021	MARKER DESTROYED										
		N	5363841.225													
		El	5.157			CVD28BC										
547646	80H3563	E	476500.525	0.9996067	0.9999999	899690	80H3574	TERR	234 31 38	221.441	221.529					
		N	5361862.502													
		El	19.502					CVD28BC								
58644	80H3564	E	476809.660	0.9996090	1.0000024	64337	80H3614	TERR	2 35 33	185.071	185.144					
		N	5362279.757					50187				80H3560	TERR	248 18 47	143.877	143.934
		El	3.245					CVD28BC								
789388	80H3565	E	476436.698	0.9996075	1.0000007	237420	80H3575	TERR	172 42 31	108.513	108.555					
		N	5362048.243													
		El	14.334					CVD28BC								

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
591412	80H3566	E	476152.778	0.9996069	0.9999999	144246	80H3581	TERR	140 32 6	77.334	77.365
		N	5362837.284								
		El	19.517	CVD28BC							
757658	80H3567	E	476222.745	0.9996087	1.0000017	395327	80H3656	TERR	29 58 43	86.418	86.451
		N	5361604.357			507715	80H3822	TERR	210 26 41	116.721	116.766
		El	7.783	CVD28BC		947291	80H3551	TERR	323 31 0	134.150	134.202
108993	80H3568	E	478000.321	0.9996066	1.0000006	960278	80H3591	TERR	170 22 57	92.758	92.794
		N	5362643.269			954214	80H3586	TERR	330 6 45	151.514	151.573
		El	14.859	CVD28BC							
928457	80H3569	E	477570.276	0.9996087	1.0000025						
		N	5363140.623								
		El	2.509	CVD28BC							
											MARKER DESTROYED
233072	80H3570	E	477696.910	0.9996078	1.0000017	858530	80H3548	TERR	37 47 3	353.518	353.657
		N	5362153.109								
		El	7.687	CVD28BC							
901132	80H3571	E	477430.703	0.9996087	1.0000025						
		N	5363296.364								
		El	2.958	CVD28BC							
											MARKER DESTROYED
544742	80H3572	E	477193.993	0.9996084	1.0000020	551960	80H3576	TERR	142 40 7	219.146	219.232
		N	5363586.580			734475	80H3582	TERR	202 5 36	196.405	196.482
		El	5.900	CVD28BC		885566	80H3592	TERR	313 54 40	206.307	206.387
33472	80H3573	E	476047.662	0.9996088	1.0000018						
		N	5361694.485								
		El	7.350	CVD28BC							
											MARKER DESTROYED
899690	80H3574	E	476320.185	0.9996053	0.9999984	547646	80H3563	TERR	54 31 38	221.441	221.529
		N	5361733.996			395327	80H3656	TERR	224 43 29	77.105	77.136
		El	28.691	CVD28BC		342527	81H4101	TERR	331 57 39	126.305	126.354

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
237420	80H3575	E	476450.470	0.9996062	0.9999993	789388	80H3565	TERR	352 42 31	108.513	108.555
		N	5361940.608								
		El	22.891	CVD28BC							
551960	80H3576	E	477326.889	0.9996087	1.0000024	449595	80H3559	TERR	37 29 26	101.390	101.429
		N	5363412.328			61952	88H3805	TERR	138 14 37	155.986	156.047
		El	3.472	CVD28BC		540989	80H3578	TERR	243 30 59	84.145	84.178
						544742	80H3572	TERR	322 40 7	219.146	219.232
72041	80H3577	E	477442.276	0.9996075	1.0000012	243865	84H0607	TERR	274 42 43	102.405	102.444
		N	5362013.049								
		El	10.840	CVD28BC							
540989	80H3578	E	477251.574	0.9996087	1.0000023	551960	80H3576	TERR	63 30 59	84.145	84.178
		N	5363374.804			888586	80H3717	TERR	227 56 44	171.827	171.894
		El	3.863	CVD28BC							
263699	80H3579	E	477569.997	0.9996085	1.0000023	398677	83H6746	TERR	0 17 9	97.242	97.280
		N	5363043.418			244152	80H3620	TERR	185 34 17	120.914	120.962
		El	4.228	CVD28BC		355099	80H3615	TERR	273 40 48	119.953	120.000
528158	80H3580	E	477719.239	0.9996083	1.0000022	405704	80H2483	TERR	22 41 15	3721.083	3722.546
		N	5363270.876			229930	80H3583	TERR	140 38 34	114.152	114.197
		El	4.929	CVD28BC		101816	80H3585	TERR	325 4 55	129.585	129.637
						512921	669	TERR	335 3 26	4248.547	4250.250
144246	80H3581	E	476201.932	0.9996065	0.9999995	265553	80H3662	TERR	179 22 5	127.224	127.273
		N	5362777.581			591412	80H3566	TERR	320 32 6	77.334	77.365
		El	21.661	CVD28BC							
734475	80H3582	E	477120.122	0.9996083	1.0000018	544742	80H3572	TERR	22 5 36	196.405	196.482
		N	5363404.597			888586	80H3717	TERR	178 28 13	144.941	144.997
		El	7.125	CVD28BC							
229930	80H3583	E	477791.629	0.9996079	1.0000018	710624	80H3594	TERR	183 48 4	82.723	82.755
		N	5363182.613			528158	80H3580	TERR	320 38 34	114.152	114.197
		El	7.181	CVD28BC							

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
257840	80H3584	E	477603.540	0.9996079	1.0000018		MARKER DESTROYED				
		N	5362069.447								
		El	7.523	CVD28BC							
101816	80H3585	E	477645.064	0.9996085	1.0000024	528158	80H3580	TERR	145 4 55	129.585	129.637
		N	5363377.132			107680	80H3596	TERR	227 48 50	108.327	108.369
		El	3.452	CVD28BC		781443	83H6758	TERR	299 18 7	86.815	86.848
954214	80H3586	E	477924.822	0.9996061	1.0000001	108993	80H3568	TERR	150 6 45	151.514	151.573
		N	5362774.632			965632	80H3598	TERR	336 35 18	128.315	128.365
		El	17.849	CVD28BC							
604157	80H3587	E	477236.721	0.9996083	1.0000019	243865	84H0607	TERR	126 41 27	129.068	129.119
		N	5362098.579			642793	80H3681	TERR	338 10 14	154.242	154.302
		El	6.433	CVD28BC							
660357	80H3588	E	477818.284	0.9996068	1.0000007	965632	80H3598	TERR	151 51 15	117.769	117.816
		N	5362996.226			710624	80H3594	TERR	342 48 12	108.706	108.748
		El	14.144	CVD28BC							
690172	80H3589	E	476467.614	0.9996073	1.0000005	329896	80H3659	TERR	2 27 50	168.068	168.135
		N	5362481.468			187898	80H3635	TERR	90 17 57	137.475	137.529
		El	15.520	CVD28BC		188169	80H3672	TERR	184 42 45	134.063	134.116
69013	80H3590	E	477138.872	0.9996072	1.0000008	510800	88H3804	TERR	91 32 34	113.627	113.671
		N	5363741.566			885566	80H3592	TERR	262 44 41	94.261	94.298
		El	13.627	CVD28BC							
960278	80H3591	E	478015.818	0.9996068	1.0000008	858530	80H3548	TERR	220 36 49	157.172	157.234
		N	5362551.815			108993	80H3568	TERR	350 22 57	92.758	92.794
		El	13.595	CVD28BC							
885566	80H3592	E	477045.366	0.9996071	1.0000006	69013	80H3590	TERR	82 44 41	94.261	94.298
		N	5363729.662			544742	80H3572	TERR	133 54 40	206.307	206.387
		El	14.905	CVD28BC		368126	80H3632	TERR	181 23 44	221.695	221.782
						535500	80H3625	TERR	282 2 15	104.133	104.173

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
884528	80H3593	E	477684.092	0.9996084	1.0000023	710624	80H3594	TERR	84 13 44	102.573	102.614
		N	5363089.758								
		El	4.052	CVD28BC							
710624	80H3594	E	477786.145	0.9996074	1.0000013	229930	80H3583	TERR	3 48 4	82.723	82.755
		N	5363100.072			660357	80H3588	TERR	162 48 12	108.706	108.748
		El	10.298	CVD28BC		884528	80H3593	TERR	264 13 44	102.573	102.614
609081	80H3595	E	475945.206	0.9996029	0.9999958	796037	81H4670	TERR	325 15 20	100.315	100.354
		N	5362205.192								
		El	45.622	CVD28BC							
107680	80H3596	E	477564.797	0.9996087	1.0000026	101816	80H3585	TERR	47 48 50	108.327	108.369
		N	5363304.386			745281	83H6759	TERR	223 43 2	105.849	105.890
		El	2.471	CVD28BC							
699769	80H3597	E	477252.473	0.9996085	1.0000022			MARKER DESTROYED			
		N	5363738.526								
		El	4.766	CVD28BC							
965632	80H3598	E	477873.838	0.9996064	1.0000004	954214	80H3586	TERR	156 35 18	128.315	128.365
		N	5362892.383			660357	80H3588	TERR	331 51 15	117.769	117.816
		El	16.515	CVD28BC							
664839	80H3599	E	477340.354	0.9996083	1.0000020			MARKER DESTROYED			
		N	5362021.415								
		El	5.904	CVD28BC							
430918	80H3600	E	476918.664	0.9996090	1.0000024	326918	80H3607	TERR	2 9 10	174.917	174.985
		N	5362470.096			383224	80H3561	TERR	182 57 55	174.651	174.720
		El	3.191	CVD28BC							
284620	80H3601	E	476855.811	0.9996081	1.0000015	460295	80H3602	TERR	90 56 57	91.029	91.064
		N	5363264.824			236695	80H3603	TERR	180 27 3	203.775	203.856
		El	8.956	CVD28BC		715359	80H3619	TERR	269 48 18	101.121	101.161
						441923	80H3604	TERR	356 7 8	114.972	115.016

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
460295	80H3602	E	476946.827	0.9996083	1.0000017	812628	80H3642	TERR	90 9 45	81.840	81.873	
		N	5363263.316			467464	80H3624	TERR	180 15 20	202.501	202.581	
		E1	7.595			CVD28BC	284620	80H3601	TERR	270 56 57	91.029	91.064
							597617	80H3606	TERR	358 22 53	232.441	232.532
236695	80H3603	E	476854.208	0.9996084	1.0000018	284620	80H3601	TERR	0 27 3	203.775	203.856	
		N	5363061.055			467464	80H3624	TERR	90 8 55	91.716	91.752	
		E1	7.236			CVD28BC	287011	80H3626	TERR	182 32 37	125.077	125.126
							288985	80H3628	TERR	270 13 19	102.495	102.535
441923	80H3604	E	476848.029	0.9996075	1.0000009	506774	80H3617	TERR	0 28 44	112.852	112.896	
		N	5363379.532			284620	80H3601	TERR	176 7 8	114.972	115.016	
		E1	12.951			CVD28BC						
683359	80H3605	E	477568.998	0.9996086	1.0000024		MARKER DESTROYED					
		N	5363419.602									
		E1	3.329			CVD28BC						
597617	80H3606	E	476940.261	0.9996077	1.0000012	535500	80H3625	TERR	0 43 51	255.736	255.836	
		N	5363495.664			368126	80H3632	TERR	82 55 42	100.470	100.510	
		E1	11.370			CVD28BC	460295	80H3602	TERR	178 22 53	232.441	232.532
326918	80H3607	E	476925.235	0.9996090	1.0000024	496877	88H3809	TERR	2 55 23	150.608	150.667	
		N	5362644.889			509356	88H3799	TERR	90 15 41	169.301	169.367	
		E1	3.233			CVD28BC	430918	80H3600	TERR	182 9 10	174.917	174.985
603464	80H3608	E	477094.375	0.9996084	1.0000019		MARKER DESTROYED					
		N	5362644.154									
		E1	6.420			CVD28BC						
939413	80H3609	E	476932.946	0.9996089	1.0000024		MARKER DESTROYED					
		N	5362795.883									
		E1	3.578			CVD28BC						
673160	80H3610	E	477110.724	0.9996087	1.0000023	888586	80H3717	TERR	3 32 20	214.934	215.018	
		N	5363045.184			650630	80H3612	TERR	86 0 29	124.451	124.499	
		E1	3.980			CVD28BC	8623	80H3634	TERR	183 36 22	82.835	82.867
							467464	80H3624	TERR	275 25 8	165.540	165.605

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
711226	80H3611	E	476684.351	0.9996083	1.0000016	50187	80H3560	TERR	183 47 36	126.728	126.777
		N	5362353.039			679662	80H3646	TERR	271 35 20	83.881	83.914
		E1	8.321	CVD28BC		23325	80H3640	TERR	359 59 34	163.927	163.992
650630	80H3612	E	477234.873	0.9996087	1.0000023	398453	80H3613	TERR	95 2 18	121.017	121.064
		N	5363053.848			244921	80H3714	TERR	183 48 22	201.507	201.586
		E1	3.994	CVD28BC		673160	80H3610	TERR	266 0 29	124.451	124.499
398453	80H3613	E	477355.422	0.9996082	1.0000019	355099	80H3615	TERR	85 14 30	95.197	95.234
		N	5363043.220			86405	80H3691	TERR	177 29 0	197.573	197.650
		E1	6.442	CVD28BC		650630	80H3612	TERR	275 2 18	121.017	121.064
64337	80H3614	E	476818.031	0.9996090	1.0000024	58644	80H3564	TERR	182 35 33	185.071	185.144
		N	5362464.639								
		E1	3.701	CVD28BC							
355099	80H3615	E	477450.291	0.9996087	1.0000025	263699	80H3579	TERR	93 40 48	119.953	120.000
		N	5363051.117			45450	80H3629	TERR	183 32 34	113.637	113.682
		E1	2.818	CVD28BC		398453	80H3613	TERR	265 14 30	95.197	95.234
734517	80H3616	E	476842.999	0.9996086	1.0000020						
		N	5362802.540								
		E1	5.748	CVD28BC							
506774	80H3617	E	476848.972	0.9996074	1.0000008	924183	80H3816	TERR	1 20 12	255.467	255.567
		N	5363492.380			441923	80H3604	TERR	180 28 44	112.852	112.896
		E1	13.446	CVD28BC		735175	80H3651	TERR	279 39 60	94.185	94.222
867689	80H3618	E	476704.851	0.9996080	1.0000013	691204	80H3636	TERR	2 28 31	170.446	170.513
		N	5362792.251			786566	80H3639	TERR	182 26 7	132.570	132.622
		E1	10.296	CVD28BC							
715359	80H3619	E	476754.691	0.9996080	1.0000013	735175	80H3651	TERR	0 20 13	243.719	243.815
		N	5363264.480			284620	80H3601	TERR	89 48 18	101.121	101.161
		E1	10.279	CVD28BC		288985	80H3628	TERR	180 50 24	203.050	203.129
						621128	80H3700	TERR	260 58 6	123.774	123.822

MARKER DESTROYED

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
244152	80H3620	E	477558.258	0.9996082	1.0000020	263699	80H3579	TERR	5 34 17	120.914	120.962					
		N	5362923.075					887828				83H6748	TERR	203 24 54	77.350	77.379
		El	5.713					CVD28BC								
195511	80H3621	E	477552.776	0.9996067	1.0000005	869297	80H3638	TERR	326 45 54	133.103	133.155					
		N	5362192.251													
		El	15.540					CVD28BC								
883892	80H3622	E	477352.875	0.9996080	1.0000017	86405	80H3691	TERR	3 10 45	202.349	202.429					
		N	5362643.800					903682				81H4672	TERR	99 58 56	88.889	88.924
		El	7.903					CVD28BC				871640	80H3637	TERR	267 30 42	136.122
284596	80H3623	E	476481.111	0.9996074	1.0000006	MARKER DESTROYED										
		N	5362793.103													
		El	15.140			CVD28BC										
467464	80H3624	E	476945.924	0.9996084	1.0000019	460295	80H3602	TERR	0 15 20	202.501	202.581					
		N	5363060.817					673160				80H3610	TERR	95 25 8	165.540	165.605
		El	6.638					CVD28BC				282087	80H3898	TERR	183 15 59	103.531
535500	80H3625	E	476943.523	0.9996070	1.0000005	885566	80H3592	TERR	102 2 15	104.133	104.173					
		N	5363751.379					597617				80H3606	TERR	180 43 51	255.736	255.836
		El	15.761					CVD28BC				924183	80H3816	TERR	267 40 18	88.665
287011	80H3626	E	476848.657	0.9996084	1.0000018	236695	80H3603	TERR	2 32 37	125.077	125.126					
		N	5362936.101					433052				88H3807	TERR	182 27 28	133.780	133.832
		El	7.100					CVD28BC								
894881	80H3627	E	476618.891	0.9996077	1.0000010	197384	80H3630	TERR	2 38 0	89.019	89.053					
		N	5362801.637					25353				80H3641	TERR	181 21 6	143.128	143.185
		El	12.487					CVD28BC				266262	83H6754	TERR	266 18 3	137.941
288985	80H3628	E	476751.714	0.9996081	1.0000015	715359	80H3619	TERR	0 50 24	203.050	203.129					
		N	5363061.452					236695				80H3603	TERR	90 13 19	102.495	102.535
		El	9.429					CVD28BC				320689	80H3644	TERR	271 8 47	121.144

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
45450	80H3629	E	477443.269	0.9996087	1.0000024	355099	80H3615	TERR	3 32 34	113.637	113.682
		N	5362937.697			187252	80H3633	TERR	177 54 14	179.237	179.307
		E1	3.330	CVD28BC							
197384	80H3630	E	476622.981	0.9996077	1.0000010	320689	80H3644	TERR	2 30 55	173.481	173.549
		N	5362890.562			894881	80H3627	TERR	182 38 0	89.019	89.053
		E1	12.316	CVD28BC							
95927	80H3631	E	477097.633	0.9996087	1.0000023	8623	80H3634	TERR	2 31 2	179.446	179.517
		N	5362783.240			509356	88H3799	TERR	181 16 34	139.158	139.212
		E1	4.339	CVD28BC		496877	88H3809	TERR	274 11 16	165.159	165.223
368126	80H3632	E	477039.967	0.9996077	1.0000012	885566	80H3592	TERR	1 23 44	221.695	221.782
		N	5363508.033			812628	80H3642	TERR	182 38 29	245.210	245.305
		E1	11.211	CVD28BC		597617	80H3606	TERR	262 55 42	100.470	100.510
187252	80H3633	E	477449.825	0.9996085	1.0000022	903682	81H4672	TERR	184 7 58	130.527	130.578
		N	5362758.580			45450	80H3629	TERR	357 54 14	179.237	179.307
		E1	4.582	CVD28BC							
8623	80H3634	E	477105.514	0.9996088	1.0000023	673160	80H3610	TERR	3 36 22	82.835	82.867
		N	5362962.513			95927	80H3631	TERR	182 31 2	179.446	179.517
		E1	3.911	CVD28BC		282087	80H3898	TERR	268 14 56	165.566	165.631
187898	80H3635	E	476605.087	0.9996079	1.0000012	25353	80H3641	TERR	3 21 24	178.105	178.174
		N	5362480.750			679662	80H3646	TERR	182 5 39	125.469	125.518
		E1	11.093	CVD28BC		690172	80H3589	TERR	270 17 57	137.475	137.529
871640	80H3637	E	477216.881	0.9996080	1.0000016	883892	80H3622	TERR	87 30 42	136.122	136.175
		N	5362637.890			396325	88H3795	TERR	183 41 53	163.922	163.987
		E1	8.399	CVD28BC		509356	88H3799	TERR	272 54 49	122.505	122.554
869297	80H3638	E	477479.826	0.9996061	0.9999999	31880	80H3647	TERR	27 11 49	93.261	93.298
		N	5362303.582			195511	80H3621	TERR	146 45 54	133.103	133.155
		E1	19.461	CVD28BC							

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
786566	80H3639	E	476699.218	0.9996082	1.0000015	867689	80H3618	TERR	2 26 7	132.570	132.622			
		N	5362659.801					23325	80H3640	TERR	185 57 2	143.609	143.664	
		E1	9.158					CVD28BC	25353	80H3641	TERR	269 8 35	83.712	83.745
23325	80H3640	E	476684.330	0.9996083	1.0000016	786566	80H3639	TERR	5 57 2	143.609	143.664			
		N	5362516.966					711226	80H3611	TERR	179 59 34	163.927	163.992	
		E1	8.657					CVD28BC						
25353	80H3641	E	476615.515	0.9996079	1.0000011	894881	80H3627	TERR	1 21 6	143.128	143.185			
		N	5362658.549					786566	80H3639	TERR	89 8 35	83.712	83.745	
		E1	11.386					CVD28BC	187898	80H3635	TERR	183 21 24	178.105	178.174
									329896	80H3659	TERR	266 16 16	140.974	141.029
812628	80H3642	E	477028.667	0.9996084	1.0000019	368126	80H3632	TERR	2 38 29	245.210	245.305			
		N	5363263.084					888586	80H3717	TERR	92 1 42	95.384	95.421	
		E1	6.311					CVD28BC	460295	80H3602	TERR	270 9 45	81.840	81.873
873265	80H3643	E	477527.575	0.9996082	1.0000020			MARKER DESTROYED						
		N	5362852.104											
		E1	5.713					CVD28BC						
320689	80H3644	E	476630.594	0.9996078	1.0000011	621128	80H3700	TERR	0 35 15	181.184	181.255			
		N	5363063.876					288985	80H3628	TERR	91 8 47	121.144	121.191	
		E1	11.533					CVD28BC	197384	80H3630	TERR	182 30 55	173.481	173.549
178459	80H3645	E	476825.567	0.9996089	1.0000023			MARKER DESTROYED						
		N	5362645.731											
		E1	4.337					CVD28BC						
679662	80H3646	E	476600.502	0.9996080	1.0000012	187898	80H3635	TERR	2 5 39	125.469	125.518			
		N	5362355.365					711226	80H3611	TERR	91 35 20	83.881	83.914	
		E1	10.755					CVD28BC	188169	80H3672	TERR	267 0 49	144.098	144.154
31880	80H3647	E	477522.451	0.9996068	1.0000006	869297	80H3638	TERR	207 11 49	93.261	93.298			
		N	5362386.532					630582	80H3648	TERR	359 54 7	108.111	108.153	
		E1	14.975					CVD28BC						

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
630582	80H3648	E	477522.266	0.9996074	1.0000012	748145	80H3686	TERR	1 27 34	137.780	137.834						
		N	5362494.643					31880				80H3647	TERR	179 54 7	108.111	108.153	
		El	11.273					CVD28BC									
379669	80H3649	E	476486.190	0.9996075	1.0000007	MARKER DESTROYED											
		N	5362908.278														
		El	14.371			CVD28BC											
950774	80H3650	E	476390.386	0.9996076	1.0000008	458810	80H3653	TERR	179 14 12	169.130	169.196						
		N	5364195.671														
		El	13.888					CVD28BC									
735175	80H3651	E	476756.124	0.9996075	1.0000008	578310	80H3668	TERR	3 20 50	235.028	235.120						
		N	5363508.195					506774				80H3617	TERR	99 39 60	94.185	94.222	
		El	13.539					CVD28BC				715359	80H3619	TERR	180 20 13	243.719	243.815
												196089	80H3674	TERR	264 6 39	132.024	132.075
270256	80H3652	E	476283.193	0.9996060	0.9999991	MARKER DESTROYED											
		N	5363599.188														
		El	24.234			CVD28BC											
458810	80H3653	E	476392.639	0.9996066	0.9999998	941633	80H3685	TERR	181 56 43	96.310	96.348						
		N	5364026.556					950774				80H3650	TERR	359 14 12	169.130	169.196	
		El	20.019					CVD28BC									
657510	80H3654	E	476443.032	0.9996076	1.0000008	23804	80H3689	TERR	183 10 24	108.837	108.879						
		N	5363172.815														
		El	13.432					CVD28BC									
247916	80H3655	E	477073.334	0.9996087	1.0000023	MARKER DESTROYED											
		N	5362275.589														
		El	4.274			CVD28BC											
395327	80H3656	E	476265.926	0.9996085	1.0000015	899690	80H3574	TERR	44 43 29	77.105	77.136						
		N	5361679.213					757658				80H3567	TERR	209 58 43	86.418	86.451	
		El	8.911					CVD28BC				34579	80H3556	TERR	323 42 52	208.027	208.110

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
813923	80H3657	E	476372.526	0.9996072	1.0000004	560250	80H3740	TERR	1 52 24	180.348	180.419		
		N	5364601.422					774778	80H3695	TERR	56 43 56	130.431	130.482
		E1	16.221	CVD28BC				576959	80H3693	TERR	182 27 12	182.386	182.457
159616	80H3658	E	476278.738	0.9996071	1.0000002	560250	80H3740	TERR	92 27 27	99.776	99.815		
		N	5364785.952					108563	80H3696	TERR	182 6 32	183.496	183.567
		E1	17.287	CVD28BC				423160	80H3099	TERR	271 13 0	121.177	121.225
329896	80H3659	E	476474.839	0.9996074	1.0000006	266262	83H6754	TERR	2 33 20	143.499	143.555		
		N	5362649.381					25353	80H3641	TERR	86 16 16	140.974	141.029
		E1	14.590	CVD28BC				690172	80H3589	TERR	182 27 50	168.068	168.135
						765958	80H3699	TERR	274 49 22	160.738	160.802		
780858	80H3660	E	476469.376	0.9996067	0.9999999	734293	88H3806	TERR	178 44 52	131.838	131.889		
		N	5363898.472										
		E1	19.221	CVD28BC									
193185	80H3661	E	476223.242	0.9996075	1.0000005	MARKER DESTROYED							
		N	5364201.841										
		E1	15.394	CVD28BC									
265553	80H3662	E	476203.335	0.9996065	0.9999996	765958	80H3699	TERR	83 34 44	112.038	112.083		
		N	5362650.365					958470	80H3710	TERR	184 52 43	164.917	164.983
		E1	21.399	CVD28BC				144246	80H3581	TERR	359 22 5	127.224	127.273
35691	80H3663	E	476529.698	0.9996076	1.0000009	621128	80H3700	TERR	100 18 5	104.437	104.478		
		N	5363263.726					959387	80H3878	TERR	176 39 47	199.822	199.900
		E1	13.223	CVD28BC									
896365	80H3664	E	476162.931	0.9996076	1.0000006	933226	80H3688	TERR	1 51 7	147.634	147.693		
		N	5364518.015					495846	15-83	TERR	182 59 48	122.256	122.304
		E1	14.808	CVD28BC									
92585	80H3665	E	476625.956	0.9996073	1.0000006	MARKER DESTROYED							
		N	5363621.540										
		E1	15.208	CVD28BC									

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
137323	80H3666	E	476428.089	0.9996073	1.0000005	103945	80H3718	TERR	358 4 55	102.504	102.545
		N	5363387.591								
		El	15.419	CVD28BC							
526012	80H3667	E	476216.809	0.9996071	1.0000001	941633	80H3685	TERR	90 28 5	172.567	172.635
		N	5363931.712								
		El	18.027	CVD28BC							
578310	80H3668	E	476769.846	0.9996068	1.0000002	924183	80H3816	TERR	86 40 2	85.229	85.263
		N	5363742.822			735175	80H3651	TERR	183 20 50	235.028	235.120
		El	17.524	CVD28BC		765529	80H3800	TERR	274 40 7	138.221	138.274
						665976	80H3789	TERR	357 2 46	136.812	136.866
763862	80H3669	E	476472.500	0.9996070	1.0000002		MARKER DESTROYED				
		N	5363766.586								
		El	17.676	CVD28BC							
199265	80H3670	E	476284.138	0.9996064	0.9999995	103945	80H3718	TERR	88 43 16	140.555	140.610
		N	5363486.901			690347	83H6742	TERR	358 52 56	112.322	112.366
		El	21.755	CVD28BC							
894014	80H3671	E	476545.204	0.9996068	1.0000001		MARKER DESTROYED				
		N	5363636.689								
		El	18.319	CVD28BC							
188169	80H3672	E	476456.600	0.9996074	1.0000006	690172	80H3589	TERR	4 42 45	134.063	134.116
		N	5362347.858			679662	80H3646	TERR	87 0 49	144.098	144.154
		El	14.914	CVD28BC		125567	80H3549	TERR	202 46 5	101.209	101.249
89573	80H3673	E	476593.051	0.9996069	1.0000002	337436	80H3697	TERR	9 34 27	75.852	75.882
		N	5364551.405			864751	80H3811	TERR	108 0 52	130.711	130.761
		El	17.475	CVD28BC		156224	80H3910	TERR	236 50 18	139.805	139.860
196089	80H3674	E	476624.797	0.9996075	1.0000008	130245	95H1738	TERR	0 15 52	127.988	128.039
		N	5363494.649			735175	80H3651	TERR	84 6 39	132.024	132.075
		El	13.514	CVD28BC		621128	80H3700	TERR	178 14 36	249.716	249.814

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
349563	80H3675	E	477077.404	0.9996079	1.0000015		MARKER DESTROYED				
		N	5362420.740								
		El	9.237	CVD28BC							
315440	80H3676	E	476081.538	0.9996047	0.9999977	958470	80H3710	TERR	115 40 51	119.584	119.632
		N	5362537.868			341529	10-112	TERR	169 12 5	136.867	136.921
		El	33.649	CVD28BC		563338	10-57	TERR	291 41 22	82.157	82.189
74708	80H3677	E	476296.273	0.9996066	0.9999997	963553	80H3557	TERR	2 56 43	172.368	172.436
		N	5362364.242			125567	80H3549	TERR	132 9 37	163.448	163.512
		El	20.581	CVD28BC		958470	80H3710	TERR	318 42 42	162.102	162.166
356659	80H3678	E	476420.484	0.9996060	0.9999991	149401	83H6755	TERR	84 28 12	121.973	122.021
		N	5363627.199			103945	80H3718	TERR	178 15 25	137.225	137.279
		El	24.326	CVD28BC		690347	83H6742	TERR	258 34 30	141.338	141.393
229419	80H3679	E	477334.167	0.9996087	1.0000024	61952	88H3805	TERR	47 53 9	130.226	130.278
		N	5363208.634			57885	80H3682	TERR	139 7 20	86.270	86.303
		El	3.327	CVD28BC							
58206	80H3680	E	476574.054	0.9996071	1.0000004	337436	80H3697	TERR	164 13 29	116.282	116.328
		N	5364738.102			774778	80H3695	TERR	234 50 30	113.108	113.153
		El	16.226	CVD28BC		506139	80H3750	TERR	358 23 50	123.913	123.961
642793	80H3681	E	477179.367	0.9996079	1.0000015	604157	80H3587	TERR	158 10 14	154.242	154.302
		N	5362241.761			530287	88H3792	TERR	287 53 23	110.633	110.677
		El	9.306	CVD28BC							
57885	80H3682	E	477390.626	0.9996088	1.0000025	745281	83H6759	TERR	50 5 44	131.687	131.739
		N	5363143.405			229419	80H3679	TERR	319 7 20	86.270	86.303
		El	2.791	CVD28BC							
90860	80H3683	E	476052.879	0.9996087	1.0000017		MARKER DESTROYED				
		N	5361842.338								
		El	7.844	CVD28BC							

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
333443	80H3684	E	476142.858	0.9996063	0.9999993	790402	80H3713	TERR	8 27 56	160.879	160.942
		N	5363208.438								
		El	23.343	CVD28BC							
941633	80H3685	E	476389.370	0.9996063	0.9999994	458810	80H3653	TERR	1 56 43	96.310	96.348
		N	5363930.302			722371	80H3821	TERR	184 11 59	174.885	174.953
		El	22.376	CVD28BC		526012	80H3667	TERR	270 28 5	172.567	172.635
748145	80H3686	E	477525.775	0.9996079	1.0000017	887828	83H6748	TERR	0 27 18	219.724	219.810
		N	5362632.378			630582	80H3648	TERR	181 27 34	137.780	137.834
		El	7.647	CVD28BC		903682	81H4672	TERR	267 19 35	85.450	85.483
933226	80H3688	E	476167.702	0.9996074	1.0000004	896365	80H3664	TERR	181 51 7	147.634	147.693
		N	5364665.572			423160	80H3099	TERR	355 17 51	123.368	123.416
		El	16.136	CVD28BC							
23804	80H3689	E	476437.007	0.9996077	1.0000008	657510	80H3654	TERR	3 10 24	108.837	108.879
		N	5363064.145			959387	80H3878	TERR	89 56 46	104.322	104.363
		El	13.286	CVD28BC		629535	80H3698	TERR	264 31 26	118.360	118.406
396994	80H3690	E	477259.726	0.9996051	0.9999988			MARKER DESTROYED			
		N	5362375.592								
		El	26.627	CVD28BC							
86405	80H3691	E	477364.097	0.9996087	1.0000024	883892	80H3622	TERR	183 10 45	202.349	202.429
		N	5362845.838			244921	80H3714	TERR	272 47 21	142.769	142.825
		El	3.688	CVD28BC		398453	80H3613	TERR	357 29 0	197.573	197.650
410555	80H3692	E	477354.449	0.9996052	0.9999989	348540	88H3791	TERR	290 52 19	102.981	103.021
		N	5362340.007								
		El	25.896	CVD28BC							
576959	80H3693	E	476364.719	0.9996072	1.0000004	813923	80H3657	TERR	2 27 12	182.386	182.457
		N	5364419.203			156224	80H3910	TERR	63 24 8	124.469	124.518
		El	16.283	CVD28BC		949370	95H1737	TERR	269 50 44	100.507	100.547

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
921973	80H3694	E	476313.427	0.9996073	1.0000004	791095	80H3703	TERR	6 42 34	125.279	125.327					
		N	5362824.714					765958				80H3699	TERR	179 33 36	161.824	161.887
		El	16.128					CVD28BC								
774778	80H3695	E	476481.581	0.9996071	1.0000004	58206	80H3680	TERR	54 50 30	113.108	113.153					
		N	5364672.970					813923				80H3657	TERR	236 43 56	130.431	130.482
		El	16.474					CVD28BC								
108563	80H3696	E	476271.986	0.9996074	1.0000005	159616	80H3658	TERR	2 6 32	183.496	183.567					
		N	5364602.580					949370				95H1737	TERR	182 25 26	183.813	183.886
		El	15.412					CVD28BC								
337436	80H3697	E	476605.667	0.9996073	1.0000005	89573	80H3673	TERR	189 34 27	75.852	75.882					
		N	5364626.200					58206				80H3680	TERR	344 13 29	116.282	116.328
		El	15.310					CVD28BC								
629535	80H3698	E	476319.187	0.9996076	1.0000007	23804	80H3689	TERR	84 31 26	118.360	118.406					
		N	5363052.850					791095				80H3703	TERR	175 6 29	104.094	104.135
		El	14.232					CVD28BC				854067	80H3719	TERR	273 13 4	96.578
765958	80H3699	E	476314.670	0.9996071	1.0000002	329896	80H3659	TERR	94 49 22	160.738	160.802					
		N	5362662.895					963553				80H3557	TERR	184 18 44	126.872	126.922
		El	17.684					CVD28BC				265553	80H3662	TERR	263 34 44	112.038
621128	80H3700	E	476632.452	0.9996078	1.0000011	715359	80H3619	TERR	80 58 6	123.774	123.822					
		N	5363245.050					320689				80H3644	TERR	180 35 15	181.184	181.255
		El	11.898					CVD28BC				35691	80H3663	TERR	280 18 5	104.437
756395	80H3701	E	476170.850	0.9996065	0.9999995	690347	83H6742	TERR	95 29 2	111.608	111.652					
		N	5363609.868					326835				80H3716	TERR	165 59 46	115.815	115.861
		El	21.617					CVD28BC								
42101	80H3702	E	476430.760	0.9996076	1.0000007	MARKER DESTROYED										
		N	5363264.484													
		El	13.977	CVD28BC												

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
791095	80H3703	E	476328.064	0.9996075	1.0000006	921973	80H3694	TERR	186 42 34	125.279	125.327		
		N	5362949.135					629535	80H3698	TERR	355 6 29	104.094	104.135
		El	14.748					CVD28BC					
772731	80H3704	E	476137.943	0.9996028	0.9999958	477232	80H3709	TERR	124 4 34	104.145	104.187		
		N	5362336.627					341529	10-112	TERR	335 16 22	73.541	73.570
		El	45.390					CVD28BC					
719393	80H3705	E	477206.516	0.9996063	0.9999999	MARKER DESTROYED							
		N	5362474.109										
		El	19.432			CVD28BC							
949388	80H3706	E	476543.153	0.9996066	0.9999998	MARKER DESTROYED							
		N	5363488.680										
		El	19.797			CVD28BC							
939991	80H3707	E	476154.640	0.9996057	0.9999987	13250	80H3835	TERR	120 9 9	85.271	85.305		
		N	5362011.088			812842		80H3553	TERR	257 23 21	102.593	102.634	
		El	26.769			CVD28BC							
638783	80H3708	E	476069.392	0.9996011	0.9999940	413765	80H3712	TERR	150 38 40	111.882	111.927		
		N	5362246.126										
		El	56.706					CVD28BC					
477232	80H3709	E	476224.206	0.9996046	0.9999977	772731	80H3704	TERR	304 4 34	104.145	104.187		
		N	5362278.275										
		El	33.448					CVD28BC					
958470	80H3710	E	476189.310	0.9996061	0.9999991	265553	80H3662	TERR	4 52 43	164.917	164.983		
		N	5362486.045			74708		80H3677	TERR	138 42 42	162.102	162.166	
		El	24.384			CVD28BC		315440	80H3676	TERR	295 40 51	119.584	119.632
311654	80H3711	E	476212.602	0.9996069	1.0000000	854067	80H3719	TERR	4 52 26	119.571	119.619		
		N	5362939.132										
		El	18.965					CVD28BC					

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
413765	80H3712	E	476124.240	0.9996013	0.9999943	638783	80H3708	TERR	330 38 40	111.882	111.927
		N	5362148.610								
		El	55.240	CVD28BC							
790402	80H3713	E	476166.542	0.9996060	0.9999990	326835	80H3716	TERR	13 58 28	133.894	133.946
		N	5363367.564			333443	80H3684	TERR	188 27 56	160.879	160.942
		El	25.202	CVD28BC							
244921	80H3714	E	477221.497	0.9996085	1.0000021	650630	80H3612	TERR	3 48 22	201.507	201.586
		N	5362852.785			86405	80H3691	TERR	92 47 21	142.769	142.825
		El	5.282	CVD28BC							
974618	80H3715	E	477082.850	0.9996080	1.0000016						
		N	5362525.797								
		El	8.810	CVD28BC							
											MARKER DESTROYED
326835	80H3716	E	476198.876	0.9996066	0.9999997	790402	80H3713	TERR	193 58 28	133.894	133.946
		N	5363497.495			756395	80H3701	TERR	345 59 46	115.815	115.861
		El	20.909	CVD28BC							
888586	80H3717	E	477123.991	0.9996086	1.0000022	540989	80H3578	TERR	47 56 44	171.827	171.894
		N	5363259.708			673160	80H3610	TERR	183 32 20	214.934	215.018
		El	4.774	CVD28BC		812628	80H3642	TERR	272 1 42	95.384	95.421
						734475	80H3582	TERR	358 28 13	144.941	144.997
103945	80H3718	E	476424.658	0.9996068	0.9999999	137323	80H3666	TERR	178 4 55	102.504	102.545
		N	5363490.038			199265	80H3670	TERR	268 43 16	140.555	140.610
		El	19.118	CVD28BC		356659	80H3678	TERR	358 15 25	137.225	137.279
854067	80H3719	E	476222.761	0.9996073	1.0000004	629535	80H3698	TERR	93 13 4	96.578	96.616
		N	5363058.271			311654	80H3711	TERR	184 52 26	119.571	119.619
		El	16.389	CVD28BC		60830	10-52	TERR	271 42 37	142.544	142.600
816819	80H3720	E	476563.521	0.9996066	0.9999999	567750	80H3890	TERR	270 50 13	144.435	144.492
		N	5365085.137								
		El	19.494	CVD28BC							

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
785642	80H3721	E	476532.815	0.9996049	0.9999981	173369	80H3769	TERR	89 52 8	114.147	114.192					
		N	5365665.850					357103				80H3803	TERR	288 27 8	122.498	122.546
		E1	30.883					CVD28BC								
43190	80H3722	E	476680.622	0.9996064	0.9999997	MARKER DESTROYED										
		N	5365355.455													
		E1	20.759			CVD28BC										
349415	80H3723	E	477084.102	0.9996050	0.9999985	689661	80H3743	TERR	53 5 40	110.582	110.625					
		N	5365494.741					336370				80H3732	TERR	140 14 2	220.444	220.531
		E1	28.219					CVD28BC				808519	80H3736	TERR	232 44 25	96.683
580480	80H3724	E	476404.747	0.9996021	0.9999952	MARKER DESTROYED										
		N	5365915.999													
		E1	49.243			CVD28BC										
306431	80H3725	E	476687.565	0.9996018	0.9999951	709774	83H6752	TERR	90 38 30	190.673	190.748					
		N	5365900.141					111997				83H6750	TERR	277 8 2	148.113	148.172
		E1	49.692					CVD28BC								
334979	80H3726	E	476894.521	0.9996055	0.9999990	94383	80H3764	TERR	183 56 26	177.938	178.007					
		N	5365333.647					604579				94H1629	TERR	275 38 55	214.052	214.137
		E1	25.379					CVD28BC				605139	80H3754	TERR	355 30 45	95.501
672683	80H3727	E	477249.055	0.9996059	0.9999995	679	80H3778	TERR	140 15 45	162.188	162.251					
		N	5365440.420					689661				80H3743	TERR	327 37 44	142.938	142.994
		E1	21.857					CVD28BC								
829291	80H3728	E	476890.190	0.9996015	0.9999950	MARKER DESTROYED										
		N	5365886.807													
		E1	50.892			CVD28BC										
147900	80H3729	E	476509.612	0.9996017	0.9999949	978577	80H3761	TERR	7 50 40	144.172	144.229					
		N	5366075.399					839142				80H3818	TERR	182 53 53	76.071	76.102
		E1	51.125					CVD28BC								

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
508275	80H3730	E	476414.716	0.9996067	0.9999998	182626	80H3795	TERR	2 19 59	196.304	196.381
		N	5365272.428			567750	80H3890	TERR	178 38 37	185.233	185.305
		E1	19.760	CVD28BC		455691	80H3115	TERR	273 48 47	238.204	238.297
580134	80H3731	E	477320.395	0.9996058	0.9999995	458356	80H3872	TERR	328 28 37	131.642	131.694
		N	5365507.224								
		E1	21.956	CVD28BC							
336370	80H3732	E	477225.110	0.9996062	0.9999998	16501	80H3788	TERR	148 12 26	140.184	140.239
		N	5365325.294			259341	80H3781	TERR	227 4 50	97.965	98.003
		E1	19.965	CVD28BC		349415	80H3723	TERR	320 14 2	220.444	220.531
767129	80H3734	E	476563.657	0.9996009	0.9999941	376863	80H3937	TERR	19 40 41	164.090	164.156
		N	5366314.473			978577	80H3761	TERR	199 38 60	102.203	102.243
		E1	56.240	CVD28BC							
873919	80H3735	E	476677.683	0.9996067	1.0000000	665307	80H3737	TERR	182 26 53	174.517	174.586
		N	5364872.637								
		E1	18.538	CVD28BC							
808519	80H3736	E	477007.152	0.9996051	0.9999986	349415	80H3723	TERR	52 44 25	96.683	96.721
		N	5365436.206			259341	80H3781	TERR	140 32 21	230.064	230.155
		E1	27.532	CVD28BC							
665307	80H3737	E	476670.229	0.9996072	1.0000005	873919	80H3735	TERR	2 26 53	174.517	174.586
		N	5364698.279			131904	80H3799	TERR	83 5 35	83.988	84.020
		E1	15.431	CVD28BC							
975011	80H3738	E	476969.717	0.9996062	0.9999997	117085	80H3749	TERR	4 41 55	173.863	173.932
		N	5365137.572			974097	80H3745	TERR	90 19 50	143.551	143.608
		E1	20.737	CVD28BC		94383	80H3764	TERR	281 59 5	89.372	89.407
651836	80H3739	E	476322.689	0.9996048	0.9999979	866814	80H3762	TERR	30 3 36	97.573	97.611
		N	5365741.312			357103	80H3803	TERR	111 20 13	100.838	100.878
		E1	32.343	CVD28BC		413690	80H2480	TERR	274 15 21	129.285	129.336

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
560250	80H3740	E	476378.422	0.9996068	1.0000000	303271	80H3804	TERR	90 52 8	84.010	84.042					
		N	5364781.674					813923	80H3657			TERR	181 52 24	180.348	180.419	
		E1	18.811					CVD28BC	159616			80H3658	TERR	272 27 27	99.776	99.815
720060	80H3741	E	476428.025	0.9996065	0.9999997	185819	80H3774	TERR	278 53 20	78.844	78.876					
		N	5364879.608					245191	80H3757			TERR	354 51 2	108.808	108.851	
		E1	20.612					CVD28BC								
385195	80H3742	E	477076.745	0.9996066	1.0000002	547620	80H3897	TERR	110 29 7	129.655	129.707					
		N	5365051.403					959544	80H3916			TERR	270 14 7	208.874	208.956	
		E1	17.795					CVD28BC								
689661	80H3743	E	477172.526	0.9996049	0.9999985	458356	80H3872	TERR	53 35 25	98.213	98.252					
		N	5365561.145					672683	80H3727			TERR	147 37 44	142.938	142.994	
		E1	28.313					CVD28BC	349415			80H3723	TERR	233 5 40	110.582	110.625
									651109			80H3935	TERR	319 46 18	184.217	184.290
935957	80H3744	E	476540.320	0.9996019	0.9999952	MARKER DESTROYED										
		N	5365918.586													
		E1	49.533			CVD28BC										
974097	80H3745	E	477113.266	0.9996064	1.0000000	547620	80H3897	TERR	146 59 8	155.887	155.948					
		N	5365136.744					975011	80H3738			TERR	270 19 50	143.551	143.608	
		E1	18.697					CVD28BC	117085			80H3749	TERR	323 23 57	216.872	216.957
420711	80H3746	E	477135.878	0.9996068	1.0000004	547620	80H3897	TERR	23 49 26	154.293	154.353					
		N	5364864.882					479907	80H3906			TERR	206 39 52	175.595	175.664	
		E1	16.126					CVD28BC								
893933	80H3747	E	476724.253	0.9996059	0.9999993	605139	80H3754	TERR	95 42 17	163.606	163.671					
		N	5365445.118					604579	94H1629			TERR	205 18 23	99.998	100.039	
		E1	23.382					CVD28BC	593384			80H3814	TERR	274 17 50	158.745	158.808
147603	80H3748	E	476797.731	0.9996051	0.9999985	909630	80H3755	TERR	6 48 21	106.348	106.391					
		N	5365564.593													
		E1	28.333					CVD28BC								

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
117085	80H3749	E	476983.959	0.9996058	0.9999993	974097	80H3745	TERR	143 23 57	216.872	216.957
		N	5365310.851			975011	80H3738	TERR	184 41 55	173.863	173.932
		E1	23.513	CVD28BC		605139	80H3754	TERR	320 36 20	152.697	152.758
506139	80H3750	E	476570.588	0.9996067	1.0000000	184796	80H3753	TERR	22 45 28	174.681	174.750
		N	5364861.966			58206	80H3680	TERR	178 23 50	123.913	123.961
		E1	18.989	CVD28BC		303271	80H3804	TERR	232 58 51	135.473	135.527
410753	80H3751	E	477249.534	0.9996067	1.0000003	16501	80H3788	TERR	27 25 28	107.326	107.369
		N	5365110.878			547620	80H3897	TERR	206 5 8	116.742	116.788
		E1	16.602	CVD28BC		259341	80H3781	TERR	326 56 0	176.251	176.321
213769	80H3752	E	477412.949	0.9996066	1.0000004	209759	80H3904	TERR	28 26 50	119.620	119.668
		N	5365010.818								
		E1	16.380	CVD28BC							
184796	80H3753	E	476638.161	0.9996066	0.9999998	487199	80H3756	TERR	22 45 31	130.545	130.596
		N	5365023.048			253567	80H3770	TERR	76 59 40	110.739	110.782
		E1	19.711	CVD28BC		506139	80H3750	TERR	202 45 28	174.681	174.750
605139	80H3754	E	476887.049	0.9996050	0.9999984	941294	80H3885	TERR	5 59 37	156.292	156.354
		N	5365428.855			117085	80H3749	TERR	140 36 20	152.697	152.758
		E1	28.670	CVD28BC		334979	80H3726	TERR	175 30 45	95.501	95.539
						893933	80H3747	TERR	275 42 17	163.606	163.671
909630	80H3755	E	476810.334	0.9996043	0.9999977	449991	80H3863	TERR	24 24 54	130.904	130.956
		N	5365670.192			147603	80H3748	TERR	186 48 21	106.348	106.391
		E1	33.665	CVD28BC		173369	80H3769	TERR	268 34 9	163.423	163.488
487199	80H3756	E	476688.662	0.9996065	0.9999998	94383	80H3764	TERR	86 14 50	194.047	194.124
		N	5365143.429			184796	80H3753	TERR	202 45 31	130.545	130.596
		E1	19.779	CVD28BC		604579	94H1629	TERR	358 3 39	211.408	211.491
245191	80H3757	E	476418.259	0.9996063	0.9999994	567750	80H3890	TERR	0 29 9	99.274	99.313
		N	5364987.977			720060	80H3741	TERR	174 51 2	108.808	108.851
		E1	22.372	CVD28BC		776815	80H3773	TERR	274 51 42	237.003	237.096

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
467662	80H3758	E	476401.865	0.9996058	0.9999990	357103	80H3803	TERR	7 53 57	107.326	107.369			
		N	5365598.314					182626	80H3795	TERR	170 52 27	131.408	131.460	
		El	25.123					CVD28BC						
368506	80H3759	E	477553.200	0.9996066	1.0000004	486019	80H3899	TERR	29 0 12	212.889	212.973			
		N	5365081.924					209759	80H3904	TERR	292 15 9	89.971	90.006	
		El	16.262					CVD28BC						
794412	80H3760	E	476205.003	0.9996056	0.9999987	518746	80H3095	TERR	190 27 53	94.577	94.614			
		N	5365660.577					413690	80H2480	TERR	352 54 20	91.026	91.061	
		El	27.312					CVD28BC						
978577	80H3761	E	476529.289	0.9996015	0.9999947	767129	80H3734	TERR	19 38 60	102.203	102.243			
		N	5366218.222					839563	80H3924	TERR	97 7 48	134.047	134.100	
		El	52.626					CVD28BC		147900	80H3729	TERR	187 50 40	144.172
866814	80H3762	E	476371.564	0.9996035	0.9999966	651836	80H3739	TERR	210 3 36	97.573	97.611			
		N	5365825.762											
		El	40.339					CVD28BC						
753707	80H3763	E	477359.746	0.9996077	1.0000014	MARKER ISOLATED								
		N	5364685.323											
		El	9.723			CVD28BC								
94383	80H3764	E	476882.293	0.9996062	0.9999997	334979	80H3726	TERR	3 56 26	177.938	178.007			
		N	5365156.130					975011	80H3738	TERR	101 59 5	89.372	89.407	
		El	20.917					CVD28BC	959544	80H3916	TERR	187 54 14	104.865	104.907
									487199	80H3756	TERR	266 14 50	194.047	194.124
220210	80H3765	E	476282.157	0.9996026	0.9999957	MARKER ISOLATED								
		N	5365936.904											
		El	46.359			CVD28BC								
291732	80H3766	E	476200.931	0.9996066	0.9999996	182626	80H3795	TERR	93 25 52	222.174	222.262			
		N	5365481.866					455691	80H3115	TERR	187 2 7	195.066	195.142	
		El	21.237					CVD28BC		518746	80H3095	TERR	351 18 21	86.703

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
998138	80H3767	E	477012.550	0.9996067	1.0000002	547620	80H3897	TERR	76 30 32	190.919	190.995
		N	5364961.488			745224	80H3883	TERR	252 46 24	162.160	162.224
		El	17.649	CVD28BC							
100347	80H3768	E	476772.464	0.9996078	1.0000012	762344	80H3797	TERR	47 15 51	105.320	105.361
		N	5364043.346			895722	80H3777	TERR	61 59 9	222.928	223.016
		El	11.380	CVD28BC		665976	80H3789	TERR	183 22 33	164.179	164.243
173369	80H3769	E	476646.962	0.9996048	0.9999981	909630	80H3755	TERR	88 34 9	163.423	163.488
		N	5365666.111			785642	80H3721	TERR	269 52 8	114.147	114.192
		El	31.154	CVD28BC							
253567	80H3770	E	476746.059	0.9996065	0.9999999	959544	80H3916	TERR	87 58 55	121.890	121.938
		N	5365047.969			184796	80H3753	TERR	256 59 40	110.739	110.782
		El	19.622	CVD28BC							
803239	80H3771	E	477385.292	0.9996080	1.0000018						
		N	5364559.242								
		El	7.538	CVD28BC							
130641	80H3772	E	477267.910	0.9996081	1.0000018	126813	80H3936	TERR	17 54 30	112.727	112.771
		N	5364254.253			80721	88H3802	TERR	188 23 46	103.429	103.469
		El	7.266	CVD28BC							
776815	80H3773	E	476182.109	0.9996071	1.0000001	245191	80H3757	TERR	94 51 42	237.003	237.096
		N	5365008.063			880898	80H3820	TERR	182 19 2	119.910	119.957
		El	17.926	CVD28BC		414359	80H2457	TERR	351 36 34	86.418	86.452
185819	80H3774	E	476350.128	0.9996066	0.9999998	720060	80H3741	TERR	98 53 20	78.844	78.876
		N	5364891.791			880898	80H3820	TERR	268 49 37	172.903	172.971
		El	20.165	CVD28BC							
240838	80H3775	E	477716.551	0.9996086	1.0000025	429175	LEGAL RP116	TERR	210 57 16	146.931	146.989
		N	5364902.906								
		El	3.023	CVD28BC							

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
558304	80H3776	E	477148.923	0.9996074	1.0000010	512327	80H3812	TERR	26 15 5	150.835	150.894
		N	5364678.910			854307	80H3790	TERR	118 11 14	134.103	134.157
		E1	12.569	CVD28BC		479907	80H3906	TERR	287 33 10	96.331	96.369
895722	80H3777	E	476969.272	0.9996079	1.0000014	140129	80H3808	TERR	27 8 17	103.945	103.987
		N	5364148.053			100347	80H3768	TERR	241 59 9	222.928	223.016
		E1	10.041	CVD28BC							
679	80H3778	E	477352.737	0.9996065	1.0000002	16501	80H3788	TERR	206 8 30	122.042	122.090
		N	5365315.701			672683	80H3727	TERR	320 15 45	162.188	162.251
		E1	17.388	CVD28BC							
231530	80H3779	E	477274.352	0.9996075	1.0000012		MARKER DESTROYED				
		N	5364723.010								
		E1	11.126	CVD28BC							
529677	80H3780	E	477352.163	0.9996081	1.0000018	915363	88H3798	TERR	17 47 54	109.789	109.832
		N	5364453.703			611566	88H3797	TERR	111 8 45	143.118	143.174
		E1	7.390	CVD28BC		126813	80H3936	TERR	208 16 39	104.677	104.718
						347823	80H3802	TERR	295 25 18	188.301	188.375
259341	80H3781	E	477153.369	0.9996062	0.9999998	336370	80H3732	TERR	47 4 50	97.965	98.003
		N	5365258.583			410753	80H3751	TERR	146 56 0	176.251	176.321
		E1	20.328	CVD28BC		808519	80H3736	TERR	320 32 21	230.064	230.155
85043	80H3783	E	477091.312	0.9996076	1.0000012	126813	80H3936	TERR	113 53 34	231.062	231.152
		N	5364455.104			140129	80H3808	TERR	199 10 46	227.157	227.245
		E1	11.304	CVD28BC		602235	80H3817	TERR	302 40 36	81.314	81.345
641597	80H3784	E	476761.706	0.9996077	1.0000011	849646	80H3813	TERR	220 46 12	137.034	137.088
		N	5364191.814								
		E1	11.781	CVD28BC							
755637	80H3785	E	476840.591	0.9996071	1.0000005	745224	80H3883	TERR	4 44 50	206.290	206.371
		N	5364707.882			479907	80H3906	TERR	89 58 44	216.486	216.571
		E1	15.387	CVD28BC		140418	82H5866	TERR	179 17 35	127.411	127.461
						131904	80H3799	TERR	270 19 39	86.985	87.020

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
150383	80H3786	E	476665.051	0.9996070	1.0000003	849646	80H3813	TERR	2 44 13	150.119	150.178
		N	5363938.085								
		E1	16.588	CVD28BC							
99085	80H3787	E	477537.362	0.9996079	1.0000017		MARKER DESTROYED				
		N	5364815.330								
		E1	7.890	CVD28BC							
16501	80H3788	E	477298.966	0.9996066	1.0000003	679	80H3778	TERR	26 8 30	122.042	122.090
		N	5365206.143			56176	80H3819	TERR	115 33 53	104.690	104.732
		E1	16.758	CVD28BC		410753	80H3751	TERR	207 25 28	107.326	107.369
						336370	80H3732	TERR	328 12 26	140.184	140.239
665976	80H3789	E	476762.796	0.9996071	1.0000005	100347	80H3768	TERR	3 22 33	164.179	164.243
		N	5363879.452			578310	80H3668	TERR	177 2 46	136.812	136.866
		E1	15.484	CVD28BC							
854307	80H3790	E	477267.123	0.9996077	1.0000013	915363	88H3798	TERR	115 47 54	131.728	131.780
		N	5364615.566			558304	80H3776	TERR	298 11 14	134.103	134.157
		E1	10.276	CVD28BC							
473355	80H3792	E	477452.127	0.9996075	1.0000012		MARKER DESTROYED				
		N	5364860.164								
		E1	11.005	CVD28BC							
791954	80H3793	E	477102.635	0.9996078	1.0000014	80721	88H3802	TERR	109 53 6	159.694	159.758
		N	5364206.250			140129	80H3808	TERR	291 45 30	92.543	92.579
		E1	9.976	CVD28BC							
346940	80H3794	E	476984.664	0.9996072	1.0000007	479907	80H3906	TERR	41 26 14	109.419	109.461
		N	5364625.933			347823	80H3802	TERR	114 50 27	217.560	217.646
		E1	14.359	CVD28BC		491563	83H6753	TERR	211 38 32	118.520	118.567
182626	80H3795	E	476422.707	0.9996064	0.9999996	593384	80H3814	TERR	94 36 44	143.712	143.768
		N	5365468.569			508275	80H3730	TERR	182 19 59	196.304	196.381
		E1	21.331	CVD28BC		291732	80H3766	TERR	273 25 52	222.174	222.262
						467662	80H3758	TERR	350 52 27	131.408	131.460

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
788497	80H3796	E N E1	477624.986 5365019.629 13.535	0.9996070	1.0000008	832998	80H3884	TERR	38 9 8	162.845	162.909
762344	80H3797	E N E1	476849.820 5364114.818 10.608	0.9996079	1.0000013	871715 100347	80H3908 80H3768	TERR TERR	26 4 59 227 15 51	187.575 105.320	187.649 105.361
368092	80H3798	E N E1	477367.872 5364902.911 13.450	0.9996071	1.0000008	MARKER DESTROYED					
131904	80H3799	E N E1	476753.607 5364708.379 15.276	0.9996072	1.0000005	755637 665307	80H3785 80H3737	TERR TERR	90 19 39 263 5 35	86.985 83.988	87.020 84.020
765529	80H3800	E N E1	476632.084 5363754.072 15.074	0.9996073	1.0000006	578310 130245 734293	80H3668 95H1738 88H3806	TERR TERR TERR	94 40 7 182 54 59 274 30 20	138.221 131.607 160.322	138.274 131.659 160.386
84327	80H3801	E N E1	477272.958 5364949.184 16.288	0.9996067	1.0000004	56176 512327 547620	80H3819 80H3812 80H3897	TERR TERR TERR	29 37 43 203 0 21 307 14 56	243.638 146.661 93.914	243.734 146.718 93.950
347823	80H3802	E N E1	477182.095 5364534.536 10.757	0.9996077	1.0000013	529677 346940	80H3780 80H3794	TERR TERR	115 25 18 294 50 27	188.301 217.560	188.375 217.646
357103	80H3803	E N E1	476416.615 5365704.622 31.576	0.9996048	0.9999980	111997 785642 467662 651836	83H6750 80H3721 80H3758 80H3739	TERR TERR TERR TERR	30 5 48 108 27 8 187 53 57 291 20 13	247.246 122.498 107.326 100.838	247.344 122.546 107.369 100.878
303271	80H3804	E N E1	476462.422 5364780.400 20.643	0.9996065	0.9999997	506139 560250	80H3750 80H3740	TERR TERR	52 58 51 270 52 8	135.473 84.010	135.527 84.042

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
284521	80H3806	E	476927.029	0.9996071	1.0000006		MARKER DESTROYED				
		N	5364531.116								
		E1	15.109	CVD28BC							
662817	80H3807	E	476663.642	0.9996071	1.0000004		MARKER DESTROYED				
		N	5364402.916								
		E1	16.412	CVD28BC							
140129	80H3808	E	477016.685	0.9996078	1.0000013	85043	80H3783	TERR	19 10 46	227.157	227.245
		N	5364240.555			791954	80H3793	TERR	111 45 30	92.543	92.579
		E1	10.614	CVD28BC		895722	80H3777	TERR	207 8 17	103.945	103.987
						871715	80H3908	TERR	296 51 24	94.596	94.634
336248	80H3809	E	476744.927	0.9996068	1.0000002	871715	80H3908	TERR	110 43 59	200.339	200.418
		N	5364354.213			395962	95H1739	TERR	301 2 25	95.150	95.187
		E1	17.511	CVD28BC							
212860	80H3810	E	477400.953	0.9996063	1.0000000		MARKER DESTROYED				
		N	5365411.589								
		E1	18.520	CVD28BC							
864751	80H3811	E	476717.354	0.9996064	0.9999997	140418	82H5866	TERR	60 53 21	142.855	142.911
		N	5364510.982			395962	95H1739	TERR	206 36 26	120.463	120.510
		E1	20.455	CVD28BC		89573	80H3673	TERR	288 0 52	130.711	130.761
512327	80H3812	E	477215.639	0.9996072	1.0000008	84327	80H3801	TERR	23 0 21	146.661	146.718
		N	5364814.188			558304	80H3776	TERR	206 15 5	150.835	150.894
		E1	13.460	CVD28BC							
849646	80H3813	E	476672.219	0.9996077	1.0000010	641597	80H3784	TERR	40 46 12	137.034	137.088
		N	5364088.033			150383	80H3786	TERR	182 44 13	150.119	150.178
		E1	12.376	CVD28BC							
593384	80H3814	E	476565.954	0.9996063	0.9999996	893933	80H3747	TERR	94 17 50	158.745	158.808
		N	5365457.013			182626	80H3795	TERR	274 36 44	143.712	143.768
		E1	21.462	CVD28BC							

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
239434	80H3815	E	476264.947	0.9996074	1.0000005		MARKER DESTROYED				
		N	5364418.808								
		E1	15.423	CVD28BC							
924183	80H3816	E	476854.931	0.9996065	0.9999999	535500	80H3625	TERR	87 40 18	88.665	88.700
		N	5363747.777			506774	80H3617	TERR	181 20 12	255.467	255.567
		E1	19.120	CVD28BC		578310	80H3668	TERR	266 40 2	85.229	85.263
602235	80H3817	E	477022.868	0.9996074	1.0000010	85043	80H3783	TERR	122 40 36	81.314	81.345
		N	5364499.005			871715	80H3908	TERR	202 46 37	233.959	234.051
		E1	12.678	CVD28BC		491563	83H6753	TERR	284 32 8	103.700	103.741
839142	80H3818	E	476505.766	0.9996016	0.9999948	147900	80H3729	TERR	2 53 53	76.071	76.102
		N	5365999.425			111997	83H6750	TERR	156 42 8	88.071	88.106
		E1	51.935	CVD28BC							
56176	80H3819	E	477393.407	0.9996066	1.0000003	58123	80H3907	TERR	25 0 17	218.540	218.626
		N	5365160.966			209759	80H3904	TERR	120 26 31	88.759	88.794
		E1	16.914	CVD28BC		84327	80H3801	TERR	209 37 43	243.638	243.734
						16501	80H3788	TERR	295 33 53	104.690	104.732
880898	80H3820	E	476177.261	0.9996072	1.0000002	776815	80H3773	TERR	2 19 2	119.910	119.957
		N	5364888.251			185819	80H3774	TERR	88 49 37	172.903	172.971
		E1	17.187	CVD28BC		423160	80H3099	TERR	191 9 34	101.648	101.688
722371	80H3821	E	476376.563	0.9996068	0.9999999	941633	80H3685	TERR	4 11 59	174.885	174.953
		N	5363755.887			734293	88H3806	TERR	83 34 24	96.299	96.337
		E1	19.350	CVD28BC		244053	84H0610	TERR	263 38 47	101.842	101.881
507715	80H3822	E	476163.602	0.9996080	1.0000010	757658	80H3567	TERR	30 26 41	116.721	116.766
		N	5361503.730			271601	83H6760	TERR	328 42 15	222.718	222.805
		E1	12.106	CVD28BC							
299115	80H3823	E	476348.710	0.9995992	0.9999923	547794	80H3834	TERR	21 46 52	97.402	97.440
		N	5366735.349			617407	80H3850	TERR	111 56 46	103.819	103.860
		E1	67.735	CVD28BC							

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
362749	80H3824	E	476562.532	0.9995997	0.9999930	854406	80H3869	TERR	165 26 36	129.392	129.444		
		N	5367173.675					4150	80H3838	TERR	353 42 30	97.993	98.032
		El	63.635					CVD28BC					
403790	80H3825	E	476647.988	0.9995999	0.9999932	847749	88H3800	TERR	9 53 9	95.575	95.613		
		N	5367246.776					952614	80H3841	TERR	159 57 55	175.459	175.529
		El	62.024					CVD28BC		4150	80H3838	TERR	284 10 41
591255	80H3826	E	476349.965	0.9995981	0.9999912	970871	80H3843	TERR	17 34 11	120.887	120.935		
		N	5367235.088					833814	80H3852	TERR	155 24 45	129.474	129.526
		El	74.763					CVD28BC					
533182	80H3827	E	477376.573	0.9996004	0.9999941	792127	80H3887	TERR	45 30 48	362.898	363.042		
		N	5366544.658					570002	80H3896	TERR	224 26 35	256.847	256.949
		El	56.369					CVD28BC					
441980	80H3828	E	478300.128	0.9996081	1.0000023	597278	80H3902	TERR	0 4 12	160.153	160.216		
		N	5365619.007					450197	80H3855	TERR	190 0 6	119.522	119.569
		El	4.046					CVD28BC		511279	80H3862	TERR	287 55 45
57216	80H3829	E	477756.390	0.9996047	0.9999986	184820	80H3854	TERR	1 48 54	222.545	222.633		
		N	5366753.674					489310	80H3856	TERR	158 0 58	187.164	187.237
		El	27.874					CVD28BC		889162	80H3913	TERR	191 52 40
322958	80H3830	E	476562.053	0.9996002	0.9999934	933580	80H3846	TERR	20 29 23	280.281	280.393		
		N	5366676.169					238774	80H3930	TERR	105 22 42	116.556	116.603
		El	60.577					CVD28BC		617407	80H3850	TERR	279 52 36
896472	80H3831	E	476352.410	0.9995988	0.9999919								
		N	5366964.137										
		El	70.552	CVD28BC									
787648	80H3832	E	478237.801	0.9996073	1.0000015	354514	80H3866	TERR	197 16 29	168.643	168.709		
		N	5365242.493					489641	80H3847	TERR	343 19 58	142.344	142.400
		El	9.289					CVD28BC					

MARKER DESTROYED

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
236984	80H3842	E	476770.371	0.9996004	0.9999938		MARKER DESTROYED				
		N	5367555.849								
		E1	58.443	CVD28BC							
970871	80H3843	E	476386.457	0.9995992	0.9999923	4150	80H3838	TERR	115 36 43	183.352	183.426
		N	5367350.336			591255	80H3826	TERR	197 34 11	120.887	120.935
		E1	67.579	CVD28BC							
945196	80H3844	E	476845.463	0.9996005	0.9999939		MARKER ISOLATED				
		N	5367734.932								
		E1	57.514	CVD28BC							
219998	80H3845	E	478087.289	0.9996073	1.0000014	280297	80H3871	TERR	38 4 32	85.114	85.148
		N	5365755.306			817221	80H3925	TERR	253 9 15	183.211	183.283
		E1	10.017	CVD28BC							
933580	80H3846	E	476660.162	0.9996002	0.9999935	510321	80H3836	TERR	93 53 5	115.545	115.591
		N	5366938.718			322958	80H3830	TERR	200 29 23	280.281	280.393
		E1	60.102	CVD28BC		402669	94H1630	TERR	274 41 53	309.132	309.255
						41590	80H3837	TERR	276 21 45	122.560	122.609
						854406	80H3869	TERR	329 18 52	127.583	127.635
489641	80H3847	E	478196.975	0.9996072	1.0000013	450197	80H3855	TERR	33 56 15	147.586	147.644
		N	5365378.857			787648	80H3832	TERR	163 19 58	142.344	142.400
		E1	10.332	CVD28BC							
498535	80H3848	E	478020.439	0.9996071	1.0000011		MARKER DESTROYED				
		N	5365108.573								
		E1	11.517	CVD28BC							
965376	80H3849	E	476664.428	0.9996000	0.9999934		MARKER DESTROYED				
		N	5367340.932								
		E1	61.176	CVD28BC							
617407	80H3850	E	476445.006	0.9995992	0.9999924	322958	80H3830	TERR	99 52 36	118.808	118.856
		N	5366696.548			299115	80H3823	TERR	291 56 46	103.819	103.860
		E1	67.545	CVD28BC							

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
838219	80H3860	E	477314.913	0.9996049	0.9999985	190900	80H3900	TERR	49 29 36	208.399	208.482
		N	5365665.569			652651	80H3876	TERR	139 33 8	181.918	181.989
		E1	28.156	CVD28BC		458356	80H3872	TERR	233 56 15	78.362	78.394
890210	80H3861	E	478084.339	0.9996079	1.0000020	440297	80H3879	TERR	10 25 7	172.987	173.055
		N	5366190.092			713776	80H3865	TERR	176 22 5	190.345	190.419
		E1	5.866	CVD28BC							
511279	80H3862	E	478200.895	0.9996078	1.0000020	441980	80H3828	TERR	107 55 45	104.298	104.339
		N	5365651.114								
		E1	6.139	CVD28BC							
449991	80H3863	E	476864.442	0.9996027	0.9999961	709774	83H6752	TERR	7 13 57	109.487	109.531
		N	5365789.390			909630	80H3755	TERR	204 24 54	130.904	130.956
		E1	43.773	CVD28BC							
621268	80H3864	E	477858.987	0.9996050	0.9999989	906180	80H3873	TERR	9 32 25	195.858	195.935
		N	5366146.324			140822	80H3875	TERR	215 37 13	142.329	142.384
		E1	25.530	CVD28BC							
713776	80H3865	E	478096.397	0.9996073	1.0000014	280297	80H3871	TERR	166 17 23	183.036	183.108
		N	5366000.129			890210	80H3861	TERR	356 22 5	190.345	190.419
		E1	9.667	CVD28BC							
354514	80H3866	E	478187.722	0.9996075	1.0000017	787648	80H3832	TERR	17 16 29	168.643	168.709
		N	5365081.457			871954	NO MARKING	GPS	219 13 0	3568.770	3570.186
		E1	8.302	CVD28BC		362608	84H0238	GPS	256 10 59	8897.171	8900.640
						853721	86H1398	GPS	271 2 12	13463.700	13468.985
						671339	25-1	GPS	277 4 39	4986.191	4988.148
						544908	PIER 5	GPS	311 6 10	8890.506	8893.997
						512921	669	GPS	312 5 35	3045.785	3047.006
						550467	3300	GPS	313 21 47	23772.343	23782.069
						396804	21710	GPS	315 18 47	12575.132	12580.218
						339713	77H6138	GPS	323 54 25	19244.139	19251.705
						241869	11703	GPS	327 57 45	7174.518	7177.449
369546	80H3867	E	477533.465	0.9996004	0.9999942	792127	80H3887	TERR	135 34 11	145.712	145.769
		N	5366903.009			969493	80H3882	TERR	305 15 12	156.159	156.222
		E1	56.057	CVD28BC							

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING					
684316	80H3868	E	477540.257	0.9996063	1.0000001	785246 58123	80H3858	TERR	15 12 43	238.523	238.617	
		N	5365540.229				80H3907	TERR	196 43 55	189.217	189.292	
		El	18.413	CVD28BC								
854406	80H3869	E	476595.053	0.9995999	0.9999931	933580 391193 362749	80H3846	TERR	149 18 52	127.583	127.635	
		N	5367048.437				80H3833	TERR	270 26 34	110.645	110.689	
		El	62.568	CVD28BC			80H3824	TERR	345 26 36	129.392	129.444	
376731	80H3870	E	477978.887	0.9996063	1.0000003	59675	80H3877	TERR	342 13 44	101.961	102.002	
		N	5365837.264									
		El	16.955	CVD28BC								
280297	80H3871	E	478139.779	0.9996076	1.0000017	898023 219998 713776	80H3853	TERR	37 36 36	163.432	163.496	
		N	5365822.308				80H3845	TERR	218 4 32	85.114	85.148	
		El	7.733	CVD28BC			80H3865	TERR	346 17 23	183.036	183.108	
458356	80H3872	E	477251.567	0.9996049	0.9999986	838219 580134 689661	80H3860	TERR	53 56 15	78.362	78.394	
		N	5365619.440				80H3731	TERR	148 28 37	131.642	131.694	
		El	27.845	CVD28BC			80H3743	TERR	233 35 25	98.213	98.252	
906180	80H3873	E	477891.449	0.9996063	1.0000003	654657 621268	80H3859	TERR	140 41 9	136.464	136.518	
		N	5366339.473				80H3864	TERR	189 32 25	195.858	195.935	
		El	16.736	CVD28BC								
771576	80H3874	E	477211.129	0.9996084	1.0000020	80721 702548	88H3802	TERR	14 15 26	169.238	169.303	
		N	5363987.908				88H3796	TERR	175 3 26	147.157	147.215	
		El	5.773	CVD28BC								
140822	80H3875	E	477776.093	0.9996042	0.9999981	621268 285817 94391	80H3864	TERR	35 37 13	142.329	142.384	
		N	5366030.626				80H3880	TERR	161 10 21	145.812	145.869	
		El	30.794	CVD28BC			80H3934	TERR	271 52 50	66.579	66.606	
652651	80H3876	E	477432.933	0.9996059	0.9999997	838219	80H3860	TERR	319 33 8	181.918	181.989	
		N	5365527.130									
		El	20.765	CVD28BC								

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING								
59675	80H3877	E	477947.767	0.9996057	0.9999997	983163	80H3888	TERR	3 13 40	92.073	92.109				
		N	5365934.360					80H3870				TERR	162 13 44	101.961	102.002
		El	20.762					CVD28BC							
959387	80H3878	E	476541.329	0.9996077	1.0000009	23804	80H3689	TERR	269 56 46	104.322	104.363				
		N	5363064.243					80H3663				TERR	356 39 47	199.822	199.900
		El	12.651					CVD28BC							
440297	80H3879	E	478115.622	0.9996081	1.0000022	841569	94H1631	TERR	138 21 22	159.008	159.070				
		N	5366360.227					80H3861				TERR	190 25 7	172.987	173.055
		El	4.869					CVD28BC				951756	80H3909	TERR	305 32 51
285817	80H3880	E	477823.149	0.9996051	0.9999990	110775	80H3892	TERR	202 37 52	184.228	184.301				
		N	5365892.616					80H3875				TERR	341 10 21	145.812	145.869
		El	25.066					CVD28BC							
969493	80H3882	E	477405.944	0.9995998	0.9999936	369546	80H3867	TERR	125 15 12	156.159	156.222				
		N	5366993.143					80H3927				TERR	295 30 22	442.888	443.065
		El	59.959					CVD28BC							
745224	80H3883	E	476857.664	0.9996063	0.9999997	959544	80H3916	TERR	4 12 24	139.172	139.227				
		N	5364913.464					80H3767				TERR	72 46 24	162.160	162.224
		El	20.436					CVD28BC				755637	80H3785	TERR	184 44 50
832998	80H3884	E	477725.584	0.9996067	1.0000006	310342	80H3840	TERR	81 59 16	134.483	134.536				
		N	5365147.686					80H3796				TERR	218 9 8	162.845	162.909
		El	15.046					CVD28BC				486019	80H3899	TERR	330 7 52
941294	80H3885	E	476903.369	0.9996041	0.9999976	825463	80H3922	TERR	20 31 17	320.495	320.623				
		N	5365584.293					80H3935				TERR	51 57 43	190.684	190.760
		El	34.202					CVD28BC				605139	80H3754	TERR	185 59 37
957464	80H3886	E	477570.866	0.9996065	1.0000003	486019	80H3899	TERR	118 30 47	97.365	97.403				
		N	5365314.593					80H3904				TERR	206 56 30	222.776	222.863
		El	16.839					CVD28BC				58123	80H3907	TERR	297 34 23

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
792127	80H3887	E	477635.469	0.9996014	0.9999953	791574	80H3857	TERR	31 53 54	117.141	117.188	
		N	5366798.956			303230	80H3895	TERR	189 11 24	189.501	189.577	
		E1	49.068			CVD28BC	533182	80H3827	TERR	225 30 48	362.898	363.042
							369546	80H3867	TERR	315 34 11	145.712	145.769
983163	80H3888	E	477952.951	0.9996058	0.9999999	579185	80H3851	TERR	16 20 45	102.471	102.512	
		N	5366026.287			59675	80H3877	TERR	183 13 40	92.073	92.109	
		E1	19.644			CVD28BC						
903740	80H3889	E	477229.626	0.9996024	0.9999960	586297	80H3926	TERR	19 26 13	171.296	171.364	
		N	5365873.232			190900	80H3900	TERR	106 31 19	254.236	254.337	
		E1	44.041			CVD28BC	376855	80H3932	TERR	216 37 30	130.497	130.549
							825463	80H3922	TERR	273 0 7	214.199	214.284
567750	80H3890	E	476419.101	0.9996067	0.9999999	816819	80H3720	TERR	90 50 13	144.435	144.492	
		N	5365087.247			245191	80H3757	TERR	180 29 9	99.274	99.313	
		E1	19.582			CVD28BC	414359	80H2457	TERR	271 26 52	249.682	249.780
							508275	80H3730	TERR	358 38 37	185.233	185.305
744672	80H3891	E	477248.416	0.9996082	1.0000019	MARKER DESTROYED						
		N	5364153.315									
		E1	6.742			CVD28BC						
110775	80H3892	E	477752.259	0.9996060	0.9999999	285817	80H3880	TERR	22 37 52	184.228	184.301	
		N	5365722.573			817221	80H3925	TERR	97 15 60	160.974	161.038	
		E1	19.610			CVD28BC	785246	80H3858	TERR	287 44 52	156.882	156.944
379412	80H3894	E	476593.719	0.9996083	1.0000016	50187	80H3560	TERR	57 11 29	97.858	97.896	
		N	5362173.566									
		E1	8.779			CVD28BC						
303230	80H3895	E	477605.204	0.9996022	0.9999960	792127	80H3887	TERR	9 11 24	189.501	189.577	
		N	5366611.887			212191	80H3912	TERR	193 55 45	204.373	204.454	
		E1	44.190			CVD28BC						
570002	80H3896	E	477196.729	0.9996001	0.9999937	533182	80H3827	TERR	44 26 35	256.847	256.949	
		N	5366361.283			811463	80H3911	TERR	201 24 56	231.986	232.079	
		E1	58.726			CVD28BC						

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
547620	80H3897	E	477198.201	0.9996067	1.0000003	410753	80H3751	TERR	26 5 8	116.742	116.788	
		N	5365006.028			84327	80H3801	TERR	127 14 56	93.914	93.950	
		E1	16.803			CVD28BC	420711	80H3746	TERR	203 49 26	154.293	154.353
							998138	80H3767	TERR	256 30 32	190.919	190.995
							385195	80H3742	TERR	290 29 7	129.655	129.707
						974097	80H3745	TERR	326 59 8	155.887	155.948	
282087	80H3898	E	476940.025	0.9996087	1.0000022	467464	80H3624	TERR	3 15 59	103.531	103.571	
		N	5362957.454			8623	80H3634	TERR	88 14 56	165.566	165.631	
		E1	4.629			CVD28BC	496877	88H3809	TERR	182 30 38	162.309	162.372
486019	80H3899	E	477656.421	0.9996065	1.0000004	832998	80H3884	TERR	150 7 52	138.876	138.931	
		N	5365268.115			368506	80H3759	TERR	209 0 12	212.889	212.973	
		E1	16.265			CVD28BC	957464	80H3886	TERR	298 30 47	97.365	97.403
190900	80H3900	E	477473.365	0.9996045	0.9999982	785246	80H3858	TERR	103 16 14	133.030	133.083	
		N	5365800.932			838219	80H3860	TERR	229 29 36	208.399	208.482	
		E1	30.091			CVD28BC	903740	80H3889	TERR	286 31 19	254.236	254.337
763474	80H3901	E	477714.874	0.9996043	0.9999982	94391	80H3934	TERR	182 58 27	102.612	102.652	
		N	5366135.285			792820	80H3917	TERR	355 18 12	164.132	164.197	
		E1	30.444			CVD28BC						
597278	80H3902	E	478300.324	0.9996079	1.0000021	441980	80H3828	TERR	180 4 12	160.153	160.216	
		N	5365779.160			898023	80H3853	TERR	340 35 42	183.012	183.084	
		E1	5.540			CVD28BC						
416271	80H3903	E	477410.052	0.9996085	1.0000023	470310	80H3914	TERR	12 20 19	128.116	128.166	
		N	5364176.526									
		E1	4.282			CVD28BC						
209759	80H3904	E	477469.930	0.9996066	1.0000004	957464	80H3886	TERR	26 56 30	222.776	222.863	
		N	5365115.995			368506	80H3759	TERR	112 15 9	89.971	90.006	
		E1	16.472			CVD28BC	213769	80H3752	TERR	208 26 50	119.620	119.668
							56176	80H3819	TERR	300 26 31	88.759	88.794
409680	80H3905	E	477470.436	0.9996032	0.9999970	245217	80H3919	TERR	62 16 1	134.018	134.071	
		N	5366009.052			19596	80H3921	TERR	266 13 39	107.352	107.395	
		E1	38.236			CVD28BC						

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
959544	80H3916	E	476867.873	0.9996063	0.9999997	94383	80H3764	TERR	7 54 14	104.865	104.907				
		N	5365052.261					TERR	90 14 7			208.874	208.956		
		E1	20.367					CVD28BC	745224			TERR	184 12 24	139.172	139.227
						253567	80H3770	TERR	267 58 55	121.890	121.938				
792820	80H3917	E	477701.435	0.9996044	0.9999983	889162	80H3913	TERR	2 15 26	238.340	238.434				
		N	5366298.866					TERR	175 18 12			164.132	164.197		
		E1	29.548					CVD28BC	763474			TERR			
256057	80H3918	E	477564.727	0.9996021	0.9999960	901561	80H3920	TERR	168 59 40	109.527	109.571				
		N	5366316.517					TERR	354 51 48			97.398	97.437		
		E1	44.632					CVD28BC	212191			TERR			
245217	80H3919	E	477589.059	0.9996036	0.9999975	94391	80H3934	TERR	107 45 58	126.525	126.575				
		N	5366071.418					TERR	242 16 1			134.018	134.071		
		E1	34.911					CVD28BC	901561			TERR	358 34 29	137.629	137.684
901561	80H3920	E	477585.636	0.9996027	0.9999966	245217	80H3919	TERR	178 34 29	137.629	137.684				
		N	5366209.004					TERR	348 59 40			109.527	109.571		
		E1	40.681					CVD28BC	256057			TERR			
19596	80H3921	E	477363.317	0.9996024	0.9999961	409680	80H3905	TERR	86 13 39	107.352	107.395				
		N	5366001.989					TERR	293 8 31			83.400	83.433		
		E1	43.472					CVD28BC	586297			TERR			
825463	80H3922	E	477015.721	0.9996014	0.9999949	811463	80H3911	TERR	20 15 45	278.073	278.183				
		N	5365884.450					TERR	93 0 7			214.199	214.284		
		E1	51.264					CVD28BC	941294			TERR	200 31 17	320.495	320.623
									709774			TERR	275 37 51	138.162	138.217
897447	80H3923	E	476275.346	0.9996070	1.0000001			MARKER DESTROYED							
		N	5363744.618												
		E1	17.973					CVD28BC							
839563	80H3924	E	476662.299	0.9996009	0.9999942	978577	80H3761	TERR	277 7 48	134.047	134.100				
		N	5366201.584												
		E1	55.757					CVD28BC							

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
817221	80H3925	E	477911.940	0.9996063	1.0000003	219998	80H3845	TERR	73 9 15	183.211	183.283	
		N	5365702.212			110775	80H3892	TERR	277 15 60	160.974	161.038	
		El	16.667	CVD28BC								
586297	80H3926	E	477286.628	0.9996018	0.9999955	975953	80H3915	TERR	22 19 10	101.143	101.183	
		N	5366034.766			19596	80H3921	TERR	113 8 31	83.400	83.433	
		El	47.753	CVD28BC			903740	80H3889	TERR	199 26 13	171.296	171.364
							811463	80H3911	TERR	302 20 22	206.658	206.740
62364	80H3927	E	477006.220	0.9996005	0.9999940	969493	80H3882	TERR	115 30 22	442.888	443.065	
		N	5367183.853			847749	88H3800	TERR	294 40 49	376.187	376.337	
		El	57.161	CVD28BC								
59709	80H3928	E	477483.091	0.9996016	0.9999954	212191	80H3912	TERR	48 1 32	98.079	98.118	
		N	5366347.929			983940	80H3931	TERR	221 58 17	142.039	142.095	
		El	48.088	CVD28BC								
627232	80H3929	E	476430.696	0.9996013	0.9999944	150425	83H6744	TERR	48 55 38	36.931	36.946	
		N	5366296.141			240804	81H4103	TERR	220 38 52	352.224	352.364	
		El	54.301	CVD28BC								
238774	80H3930	E	476674.436	0.9996006	0.9999939	510321	80H3836	TERR	19 28 29	302.964	303.085	
		N	5366645.259			376863	80H3937	TERR	197 28 60	184.817	184.891	
		El	57.428	CVD28BC			322958	80H3830	TERR	285 22 42	116.556	116.603
983940	80H3931	E	477388.101	0.9996016	0.9999953	59709	80H3928	TERR	41 58 17	142.039	142.095	
		N	5366242.326			975953	80H3915	TERR	208 57 5	130.275	130.328	
		El	48.606	CVD28BC								
376855	80H3932	E	477151.775	0.9996027	0.9999962	903740	80H3889	TERR	36 37 30	130.497	130.549	
		N	5365768.501			651109	80H3935	TERR	235 48 59	118.736	118.782	
		El	42.710	CVD28BC								
940270	80H3933	E	476745.235	0.9996008	0.9999941		MARKER DESTROYED					
		N	5366417.825									
		El	56.291	CVD28BC								

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
94391	80H3934	E	477709.550	0.9996041	0.9999980	763474	80H3901	TERR	2 58 27	102.612	102.652
		N	5366032.811			140822	80H3875	TERR	91 52 50	66.579	66.606
		E1	31.311	CVD28BC		245217	80H3919	TERR	287 45 58	126.525	126.575
651109	80H3935	E	477053.552	0.9996029	0.9999964	376855	80H3932	TERR	55 48 59	118.736	118.782
		N	5365701.790			689661	80H3743	TERR	139 46 18	184.217	184.290
		E1	41.853	CVD28BC		941294	80H3885	TERR	231 57 43	190.684	190.760
126813	80H3936	E	477302.573	0.9996082	1.0000019	529677	80H3780	TERR	28 16 39	104.677	104.718
		N	5364361.518			470310	80H3914	TERR	113 55 36	147.534	147.593
		E1	6.941	CVD28BC		130641	80H3772	TERR	197 54 30	112.727	112.771
						85043	80H3783	TERR	293 53 34	231.062	231.152
376863	80H3937	E	476618.912	0.9996007	0.9999940	238774	80H3930	TERR	17 28 60	184.817	184.891
		N	5366468.980			767129	80H3734	TERR	199 40 41	164.090	164.156
		E1	57.026	CVD28BC							
342527	81H4101	E	476260.812	0.9996052	0.9999983	899690	80H3574	TERR	151 57 39	126.305	126.354
		N	5361845.476			13250	80H3835	TERR	345 12 1	126.993	127.043
		E1	29.798	CVD28BC							
422147	81H4102	E	475952.716	0.9996077	1.0000006	812842	80H3553	TERR	123 48 47	122.531	122.579
		N	5362056.876			985465	3-14	TERR	305 55 40	142.987	143.043
		E1	14.788	CVD28BC							
42044	81H4669	E	476274.955	0.9995994	0.9999925	125567	80H3549	TERR	43 55 39	205.373	205.454
		N	5362106.622								
		E1	66.557	CVD28BC							
796037	81H4670	E	475888.035	0.9996015	0.9999944	871954	NO MARKING	TERR	56 17 39	52.068	52.089
		N	5362287.621			609081	80H3595	TERR	145 15 20	100.315	100.354
		E1	54.455	CVD28BC		985465	3-14	TERR	199 11 19	155.483	155.544
903682	81H4672	E	477440.418	0.9996080	1.0000017	187252	80H3633	TERR	4 7 58	130.527	130.578
		N	5362628.392			748145	80H3686	TERR	87 19 35	85.450	85.483
		E1	7.881	CVD28BC		883892	80H3622	TERR	279 58 56	88.889	88.924

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
140418	82H5866	E	476842.163	0.9996070	1.0000004	491563	83H6753	TERR	124 37 5	97.604	97.642
		N	5364580.481			864751	80H3811	TERR	240 53 21	142.855	142.911
		E1	16.347	CVD28BC		755637	80H3785	TERR	359 17 35	127.411	127.461
448829	82H5867	E	477485.844	0.9996087	1.0000024						
		N	5364402.368								
		E1	3.203	CVD28BC							
784637	83H6741	E	476364.801	0.9996005	0.9999937	497784	83H6757	TERR	9 47 55	141.458	141.515
		N	5366455.664			150425	83H6744	TERR	145 16 39	164.564	164.630
		E1	59.170	CVD28BC		416248	83H6743	TERR	261 33 36	87.121	87.155
690347	83H6742	E	476281.947	0.9996061	0.9999991	356659	80H3678	TERR	78 34 30	141.338	141.393
		N	5363599.202			199265	80H3670	TERR	178 52 56	112.322	112.366
		E1	24.153	CVD28BC		756395	80H3701	TERR	275 29 2	111.608	111.652
						244053	84H0610	TERR	357 24 5	145.565	145.623
416248	83H6743	E	476278.624	0.9996003	0.9999934	993345	83H6745	TERR	2 31 29	180.273	180.345
		N	5366442.877			784637	83H6741	TERR	81 33 36	87.121	87.155
		E1	60.663	CVD28BC							
150425	83H6744	E	476458.537	0.9996011	0.9999943	627232	80H3929	TERR	228 55 38	36.931	36.946
		N	5366320.405			784637	83H6741	TERR	325 16 39	164.564	164.630
		E1	55.414	CVD28BC							
993345	83H6745	E	476286.565	0.9996001	0.9999932	497784	83H6757	TERR	105 15 45	106.050	106.093
		N	5366622.975			416248	83H6743	TERR	182 31 29	180.273	180.345
		E1	62.062	CVD28BC							
398677	83H6746	E	477570.482	0.9996087	1.0000025	263699	80H3579	TERR	180 17 9	97.242	97.280
		N	5363140.659								
		E1	2.517	CVD28BC							
529404	83H6747	E	477074.091	0.9996087	1.0000022						
		N	5362276.126								
		E1	4.447	CVD28BC							

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
887828	83H6748	E	477527.520	0.9996082	1.0000020	244152	80H3620	TERR	23 24 54	77.350	77.379
		N	5362852.095			748145	80H3686	TERR	180 27 18	219.724	219.810
		E1	5.723	CVD28BC							
415257	83H6749	E	476663.395	0.9996070	1.0000003						
		N	5364403.268								
		E1	16.567	CVD28BC							
111997	83H6750	E	476540.599	0.9996019	0.9999952	306431	80H3725	TERR	97 8 2	148.113	148.172
		N	5365918.535			357103	80H3803	TERR	210 5 48	247.246	247.344
		E1	49.537	CVD28BC		839142	80H3818	TERR	336 42 8	88.071	88.106
967620	83H6751	E	476523.440	0.9996081	1.0000013						
		N	5362147.615								
		E1	10.453	CVD28BC							
709774	83H6752	E	476878.226	0.9996015	0.9999949	825463	80H3922	TERR	95 37 51	138.162	138.217
		N	5365898.006			449991	80H3863	TERR	187 13 57	109.487	109.531
		E1	51.257	CVD28BC		306431	80H3725	TERR	270 38 30	190.673	190.748
491563	83H6753	E	476922.487	0.9996070	1.0000005	346940	80H3794	TERR	31 38 32	118.520	118.567
		N	5364525.032			602235	80H3817	TERR	104 32 8	103.700	103.741
		E1	15.605	CVD28BC		140418	82H5866	TERR	304 37 5	97.604	97.642
266262	83H6754	E	476481.237	0.9996074	1.0000006	894881	80H3627	TERR	86 18 3	137.941	137.997
		N	5362792.737			329896	80H3659	TERR	182 33 20	143.499	143.555
		E1	15.086	CVD28BC							
149401	83H6755	E	476541.889	0.9996068	1.0000000	130245	95H1738	TERR	101 3 26	85.078	85.112
		N	5363638.953			356659	80H3678	TERR	264 28 12	121.973	122.021
		E1	18.684	CVD28BC							
41434	83H6756	E	476625.385	0.9996073	1.0000005						
		N	5363622.626								
		E1	15.223	CVD28BC							

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING	Metres	Metres			GCM-NO	TABLET MARKING				
497784	83H6757	E	476388.875	0.9995997	0.9999929	784637	83H6741	TERR	189 47 55	141.458	141.515
		N	5366595.058			993345	83H6745	TERR	285 15 45	106.050	106.093
		El	64.352	CVD28BC							
781443	83H6758	E	477569.357	0.9996086	1.0000024	101816	80H3585	TERR	119 18 7	86.815	86.848
		N	5363419.620			61952	88H3805	TERR	228 15 32	185.734	185.806
		El	3.345	CVD28BC		990994	80H3558	TERR	318 0 55	107.338	107.381
745281	83H6759	E	477491.645	0.9996087	1.0000025	107680	80H3596	TERR	43 43 2	105.849	105.890
		N	5363227.883			57885	80H3682	TERR	230 5 44	131.687	131.739
		El	2.696	CVD28BC		61952	88H3805	TERR	318 11 56	91.329	91.365
271601	83H6760	E	476047.910	0.9996088	1.0000018	310078	84H0608	TERR	1 55 3	148.381	148.440
		N	5361694.042			507715	80H3822	TERR	148 42 15	222.718	222.805
		El	7.442	CVD28BC							
243865	84H0607	E	477340.217	0.9996083	1.0000020	72041	80H3577	TERR	94 42 43	102.405	102.444
		N	5362021.461			604157	80H3587	TERR	306 41 27	129.068	129.119
		El	6.039	CVD28BC							
310078	84H0608	E	476052.875	0.9996087	1.0000017	812842	80H3553	TERR	0 38 41	146.358	146.415
		N	5361842.340			947291	80H3551	TERR	145 17 54	158.275	158.337
		El	7.838	CVD28BC		271601	83H6760	TERR	181 55 3	148.381	148.440
613844	84H0609	E	476264.950	0.9996074	1.0000005		MARKER DESTROYED				
		N	5364418.807								
		El	15.430	CVD28BC							
244053	84H0610	E	476275.347	0.9996070	1.0000001	722371	80H3821	TERR	83 38 47	101.842	101.881
		N	5363744.617			690347	83H6742	TERR	177 24 5	145.565	145.623
		El	17.962	CVD28BC		507400	15-115	TERR	268 34 25	143.082	143.139
404475	84H0611	E	477485.846	0.9996087	1.0000024		MARKER DESTROYED				
		N	5364402.359								
		El	3.178	CVD28BC							

Integrated Survey Area No:34 The Corporation of the District of Oak Bay
 Order in Council No. 981/85
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
348540	88H3791	E	477258.226	0.9996051	0.9999988	410555	80H3692	TERR	110 52 19	102.981	103.021					
		N	5362376.697					TERR	331 59 32			110.560	110.604			
		El	26.535					CVD28BC								
530287	88H3792	E	477074.083	0.9996087	1.0000023	614370	88H3793	TERR	1 34 23	144.770	144.827					
		N	5362275.746					TERR	107 53 23			110.633	110.677			
		El	4.275					CVD28BC	TERR					276 54 39	165.658	165.722
614370	88H3793	E	477078.057	0.9996079	1.0000015	783613	88H3794	TERR	2 38 11	106.089	106.131					
		N	5362420.461					TERR	181 34 23			144.770	144.827			
		El	9.257					CVD28BC								
783613	88H3794	E	477082.937	0.9996080	1.0000016	509356	88H3799	TERR	5 37 42	118.249	118.295					
		N	5362526.438					TERR	182 38 11			106.089	106.131			
		El	8.768					CVD28BC								
396325	88H3795	E	477206.308	0.9996063	0.9999999	871640	80H3637	TERR	3 41 53	163.922	163.987					
		N	5362474.309					TERR	151 59 32			110.560	110.604			
		El	19.415					CVD28BC								
611566	88H3797	E	477485.644	0.9996087	1.0000024	565044	99H2272	GPS	18 15 47	1965.441	1966.211					
		N	5364402.074					TERR	22 30 35			405.738	405.897			
		El	3.243					CVD28BC	LEGAL RP116					TERR	50 9 41	3689.295
												80H1430	GPS	176 7 11	2299.345	
												336859	GPS	267 40 22		4025.660
												254201	GPS	291 8 45	143.118	
												529677	TERR	309 21 31		2764.521
				526442	LEGAL 1											
915363	88H3798	E	477385.722	0.9996081	1.0000018	529677	80H3780	TERR	197 47 54	109.789	109.832					
		N	5364558.237					TERR	295 47 54			131.728	131.780			
		El	7.435					CVD28BC								
509356	88H3799	E	477094.534	0.9996084	1.0000019	95927	80H3631	TERR	1 16 34	139.158	139.212					
		N	5362644.117					TERR	92 54 49			122.505	122.554			
		El	6.461					CVD28BC	80H3637					TERR	185 37 42	118.249
												783613	TERR	270 15 41	169.301	
				326918	TERR											
847749	88H3800	E	476664.397	0.9996001	0.9999934	62364	80H3927	TERR	114 40 49	376.187	376.337					
		N	5367340.932					TERR	189 53 9			95.575	95.613			
		El	61.056					CVD28BC	80H1676					TERR	296 57 50	445.761
				403790	TERR											
				567255	TERR											

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
80721	88H3802	E	477252.808	0.9996082	1.0000019	130641	80H3772	TERR	8 23 46	103.429	103.469
		N	5364151.933			771576	80H3874	TERR	194 15 26	169.238	169.303
		E1	6.912	CVD28BC		791954	80H3793	TERR	289 53 6	159.694	159.758
510800	88H3804	E	477252.458	0.9996086	1.0000022	653113	80H3554	TERR	169 12 11	146.635	146.692
		N	5363738.507			69013	80H3590	TERR	271 32 34	113.627	113.671
		E1	4.754	CVD28BC							
61952	88H3805	E	477430.770	0.9996087	1.0000025	781443	83H6758	TERR	48 15 32	185.734	185.806
		N	5363295.965			745281	83H6759	TERR	138 11 56	91.329	91.365
		E1	2.883	CVD28BC		229419	80H3679	TERR	227 53 9	130.226	130.278
						551960	80H3576	TERR	318 14 37	155.986	156.047
734293	88H3806	E	476472.257	0.9996069	1.0000001	765529	80H3800	TERR	94 30 20	160.322	160.386
		N	5363766.666			722371	80H3821	TERR	263 34 24	96.299	96.337
		E1	17.834	CVD28BC		780858	80H3660	TERR	358 44 52	131.838	131.889
433052	88H3807	E	476842.920	0.9996086	1.0000020	287011	80H3626	TERR	2 27 28	133.780	133.832
		N	5362802.444			496877	88H3809	TERR	94 32 17	90.278	90.314
		E1	5.737	CVD28BC							
496877	88H3809	E	476932.915	0.9996089	1.0000024	282087	80H3898	TERR	2 30 38	162.309	162.372
		N	5362795.301			95927	80H3631	TERR	94 11 16	165.159	165.223
		E1	3.556	CVD28BC		326918	80H3607	TERR	182 55 23	150.608	150.667
						433052	88H3807	TERR	274 32 17	90.278	90.314
604579	94H1629	E	476681.508	0.9996064	0.9999997	893933	80H3747	TERR	25 18 23	99.998	100.039
		N	5365354.716			334979	80H3726	TERR	95 38 55	214.052	214.137
		E1	20.740	CVD28BC		487199	80H3756	TERR	178 3 39	211.408	211.491
402669	94H1630	E	476352.069	0.9995988	0.9999919	41590	80H3837	TERR	93 36 20	186.657	186.732
		N	5366964.038			933580	80H3846	TERR	94 41 53	309.132	309.255
		E1	70.572	CVD28BC		547794	80H3834	TERR	166 39 33	142.075	142.132
						778290	94H1632	TERR	332 46 53	89.502	89.538
841569	94H1631	E	478221.283	0.9996081	1.0000023	777151	80H3881	TERR	185 41 16	139.220	139.275
		N	5366241.402			440297	80H3879	TERR	318 21 22	159.008	159.070
		E1	4.158	CVD28BC							

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
778290	94H1632	E	476311.132	0.9995978	0.9999909	833814	80H3852	TERR	51 30 22	118.447	118.494		
		N	5367043.629			402669	94H1630	TERR	152 46 53	89.502	89.538		
		E1	76.520			CVD28BC							
949370	95H1737	E	476264.212	0.9996074	1.0000005	108563	80H3696	TERR	2 25 26	183.813	183.886		
		N	5364418.932			576959	80H3693	TERR	89 50 44	100.507	100.547		
		E1	15.420			CVD28BC		495846	15-83	TERR	257 56 21	110.102	110.146
130245	95H1738	E	476625.388	0.9996073	1.0000005	765529	80H3800	TERR	2 54 59	131.607	131.659		
		N	5363622.636			196089	80H3674	TERR	180 15 52	127.988	128.039		
		E1	15.230			CVD28BC		149401	83H6755	TERR	281 3 26	85.078	85.112
395962	95H1739	E	476663.402	0.9996070	1.0000003	864751	80H3811	TERR	26 36 26	120.463	120.510		
		N	5364403.276			336248	80H3809	TERR	121 2 25	95.150	95.187		
		E1	16.560			CVD28BC		156224	80H3910	TERR	290 55 35	200.619	200.698
565044	99H2272	E	478101.577	0.9996081	1.0000022	304469	80H1430	GPS	77 21 48	2271.932	2272.825		
		N	5366268.510			336859	72C023	GPS	186 18 49	4185.899	4187.541		
		E1	4.890			CVD28BC		611566	88H3797	GPS	198 15 47	1965.441	1966.211
						526442	LEGAL 1	GPS	267 38 41	2755.766	2756.849		
						972828	80H1659	GPS	304 58 7	3094.908	3096.127		
						775817	80H1677	GPS	337 41 44	2035.894	2036.700		
429175	LEGAL RP116	E	477640.976	0.9996086	1.0000025	240838	80H3775	TERR	30 57 16	146.931	146.989		
		N	5364776.901			611566	88H3797	TERR	202 30 35	405.738	405.897		
		E1	2.933			CVD28BC							

END OF REPORT