

Official Integrated Survey Area Coordinate Listing

ISA_34_OAK BAY

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Remote Sensing and Geodetic Engineering branch. For up-to-date information on the status of geodetic control monuments, please refer to the Province's website at:

<https://geonetbc.gov.bc.ca/geonetbc>

GeoNet BC provides location details on each geodetic control monument including location sketches, site photos and descriptions, as well as a current assessment of the physical condition of the monument and its useability for georeferencing surveys in the field. The GeoNet BC system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports by downloading the template from the following link:

[https://geonetbc.gov.bc.ca/geonetbc/SiteDocuments/GeoNetBC Condition Report Template.xlsx](https://geonetbc.gov.bc.ca/geonetbc/SiteDocuments/GeoNetBC%20Condition%20Report%20Template.xlsx)

and submitting it to the GeoNet BC Operations team as per the instructions located on the GeoNet BC website at:

<https://geonetbc.gov.bc.ca/geonetbc/MonumentCondition>

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
679	80H3778	E	477352.737	0.9996065	1.0000002	16501	80H3788	Terr	206° 8' 30"	122.042	122.090		
		N	5365315.701					Terr	320° 15' 44"			162.187	162.251
		El (H)	17.388 CGVD28										
4150	80H3838	E	476551.793	0.9995999	0.9999931	403790	80H3825	Terr	104° 10' 41"	99.217	99.257		
		N	5367271.077					Terr	173° 42' 30"			97.992	98.031
		El (H)	62.810 CGVD28					Terr	295° 36' 43"				
8623	80H3634	E	477105.514	0.9996088	1.0000023	673160	80H3610	Terr	3° 36' 22"	82.835	82.867		
		N	5362962.513					Terr	182° 31' 2"			179.447	179.517
		El (H)	3.911 CGVD28					Terr	268° 14' 55"				
13250	80H3835	E	476228.373	0.9996047	0.9999977	342527	81H4101	Terr	165° 12' 1"	126.993	127.043		
		N	5361968.255					Terr	300° 9' 11"			85.271	85.305
		El (H)	33.205 CGVD28										
16501	80H3788	E	477298.966	0.9996067	1.0000003	679	80H3778	Terr	26° 8' 30"	122.042	122.090		
		N	5365206.143					Terr	115° 33' 55"			104.691	104.732
		El (H)	16.758 CGVD28					Terr	207° 25' 27"				
								Terr	328° 12' 25"			140.184	140.239
19596	80H3921	E	477363.317	0.9996024	0.9999961	409680	80H3905	Terr	86° 13' 37"	107.352	107.394		
		N	5366001.988					Terr	293° 8' 31"			83.400	83.433
		El (H)	43.472 CGVD28										
23325	80H3640	E	476684.330	0.9996083	1.0000016	786566	80H3639	Terr	5° 57' 2"	143.608	143.664		
		N	5362516.966					Terr	179° 59' 34"			163.928	163.992
		El (H)	8.657 CGVD28										
23804	80H3689	E	476437.007	0.9996077	1.0000009	657510	80H3654	Terr	3° 10' 24"	108.837	108.880		
		N	5363064.144					Terr	89° 56' 46"			104.322	104.363
		El (H)	13.286 CGVD28					Terr	264° 31' 26"				
25353	80H3641	E	476615.515	0.9996079	1.0000012	894881	80H3627	Terr	1° 21' 6"	143.129	143.185		
		N	5362658.548					Terr	89° 8' 35"			83.712	83.745
		El (H)	11.386 CGVD28					Terr	183° 21' 24"				
								Terr	266° 16' 16"			140.974	141.030

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
31880	80H3647	E	477522.451	0.9996068	1.0000006	869297	80H3638	Terr	207° 11' 48"	93.262	93.298		
		N	5362386.532				80H3648	Terr	359° 54' 7"			108.110	108.153
		El (H)	14.975 CGVD28										
33472	80H3573	E	476047.662	0.9996088	1.0000018	MARKER DESTROYED							
		N	5361694.484										
		El (H)	7.350 CGVD28										
34579	80H3556	E	476142.813	0.9996085	1.0000015	395327	80H3656	Terr	143° 42' 52"	208.028	208.110		
		N	5361846.899										
		El (H)	9.060 CGVD28										
35691	80H3663	E	476529.698	0.9996076	1.0000009	621128	80H3700	Terr	100° 18' 5"	104.437	104.478		
		N	5363263.726				80H3878	Terr	176° 39' 47"			199.823	199.901
		El (H)	13.223 CGVD28										
41434	83H6756	E	476625.385	0.9996073	1.0000006	MARKER DESTROYED							
		N	5363622.626										
		El (H)	15.223 CGVD28										
41590	80H3837	E	476538.357	0.9995995	0.9999927	933580	80H3846	Terr	96° 21' 45"	122.560	122.609		
		N	5366952.299				94H1630	Terr	273° 36' 20"			186.657	186.732
		El (H)	65.351 CGVD28										
42044	81H4669	E	476274.955	0.9995994	0.9999925	125567	80H3549	Terr	43° 55' 39"	205.373	205.454		
		N	5362106.621										
		El (H)	66.557 CGVD28										
42101	80H3702	E	476430.760	0.9996076	1.0000007	MARKER DESTROYED							
		N	5363264.484										
		El (H)	13.977 CGVD28										
43190	80H3722	E	476680.622	0.9996064	0.9999997	MARKER DESTROYED							
		N	5365355.454										
		El (H)	20.759 CGVD28										

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
45450	80H3629	E	477443.269	0.9996087	1.0000024	355099	80H3615	Terr	3° 32' 34"	113.637	113.682		
		N	5362937.696					Terr	177° 54' 14"			179.237	179.307
		El (H)	3.330 CGVD28										
50187	80H3560	E	476675.967	0.9996086	1.0000019	711226	80H3611	Terr	3° 47' 36"	126.728	126.777		
		N	5362226.588					Terr	68° 18' 46"			143.877	143.934
		El (H)	6.334 CGVD28					Terr	237° 11' 28"				
56176	80H3819	E	477393.407	0.9996066	1.0000003	58123	80H3907	Terr	25° 0' 17"	218.540	218.626		
		N	5365160.965					Terr	120° 26' 31"			88.759	88.794
		El (H)	16.914 CGVD28					Terr	209° 37' 43"				
57216	80H3829	E	477756.390	0.9996047	0.9999986	184820	80H3854	Terr	1° 48' 54"	222.545	222.633		
		N	5366753.673					Terr	158° 0' 58"			187.164	187.238
		El (H)	27.874 CGVD28					Terr	191° 52' 40"				
57885	80H3682	E	477390.626	0.9996088	1.0000025	745281	83H6759	Terr	50° 5' 44"	131.687	131.738		
		N	5363143.404					Terr	319° 7' 20"			86.270	86.303
		El (H)	2.791 CGVD28										
58123	80H3907	E	477485.782	0.9996065	1.0000003	684316	80H3868	Terr	16° 43' 55"	189.217	189.292		
		N	5365359.022					Terr	117° 34' 23"			95.986	96.024
		El (H)	17.108 CGVD28					Terr	205° 0' 17"				
58206	80H3680	E	476574.054	0.9996071	1.0000004	MARKER DESTROYED							
		N	5364738.102										
		El (H)	16.226 CGVD28										
58644	80H3564	E	476809.660	0.9996090	1.0000024	64337	80H3614	Terr	2° 35' 33"	185.071	185.144		
		N	5362279.756					Terr	248° 18' 46"			143.877	143.934
		El (H)	3.245 CGVD28										
59675	80H3877	E	477947.767	0.9996057	0.9999997	983163	80H3888	Terr	3° 13' 39"	92.073	92.109		
		N	5365934.359					Terr	162° 13' 44"			101.961	102.001
		El (H)	20.762 CGVD28										

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
59709	80H3928	E	477483.091	0.9996016	0.9999954	212191	80H3912	Terr	48° 1' 32"	98.079	98.118		
		N	5366347.928			983940	80H3931	Terr	221° 58' 18"			142.038	142.095
		EI (H)	48.088 CGVD28										
61952	88H3805	E	477430.770	0.9996088	1.0000025	781443	83H6758	Terr	48° 15' 33"	185.733	185.805		
		N	5363295.965			745281	83H6759	Terr	138° 11' 57"			91.329	91.365
		EI (H)	2.883 CGVD28			229419	80H3679	Terr	227° 53' 8"			130.227	130.278
						551960	80H3576	Terr	318° 14' 36"			155.985	156.046
62364	80H3927	E	477006.220	0.9996005	0.9999940	969493	80H3882	Terr	115° 30' 22"	442.888	443.065		
		N	5367183.852			847749	88H3800	Terr	294° 40' 49"			376.187	376.338
		EI (H)	57.161 CGVD28										
64337	80H3614	E	476818.031	0.9996090	1.0000024	58644	80H3564	Terr	182° 35' 33"	185.071	185.144		
		N	5362464.638										
		EI (H)	3.701 CGVD28										
69013	80H3590	E	477138.872	0.9996072	1.0000008	510800	88H3804	Terr	91° 32' 35"	113.627	113.672		
		N	5363741.566			885566	80H3592	Terr	262° 44' 41"			94.261	94.298
		EI (H)	13.627 CGVD28										
72041	80H3577	E	477442.276	0.9996075	1.0000012	243865	84H0607	Terr	274° 42' 41"	102.405	102.445		
		N	5362013.049										
		EI (H)	10.840 CGVD28										
74708	80H3677	E	476296.273	0.9996066	0.9999997	963553	80H3557	Terr	2° 56' 43"	172.368	172.436		
		N	5362364.241			125567	80H3549	Terr	132° 9' 37"			163.448	163.512
		EI (H)	20.581 CGVD28			958470	80H3710	Terr	318° 42' 42"			162.102	162.166
80721	88H3802	E	477252.808	0.9996082	1.0000019	130641	80H3772	Terr	8° 23' 46"	103.428	103.469		
		N	5364151.932			771576	80H3874	Terr	194° 15' 26"			169.237	169.303
		EI (H)	6.912 CGVD28			791954	80H3793	Terr	289° 53' 7"			159.695	159.757
84327	80H3801	E	477272.958	0.9996067	1.0000004	56176	80H3819	Terr	29° 37' 43"	243.638	243.734		
		N	5364949.183			512327	80H3812	Terr	203° 0' 21"			146.661	146.718
		EI (H)	16.288 CGVD28			547620	80H3897	Terr	307° 14' 56"			93.914	93.951

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
85043	80H3783	E N EI (H)	477091.312 5364455.103 11.304 CGVD28	0.9996076	1.0000012		MARKER DESTROYED				
86405	80H3691	E N EI (H)	477364.097 5362845.837 3.688 CGVD28	0.9996087	1.0000024	883892 244921 398453	80H3622 80H3714 80H3613	Terr Terr Terr	183° 10' 45" 272° 47' 21" 357° 29' 0"	202.349 142.769 197.573	202.429 142.825 197.650
89573	80H3673	E N EI (H)	476593.051 5364551.404 17.475 CGVD28	0.9996069	1.0000002	337436 864751 156224	80H3697 80H3811 80H3910	Terr Terr Terr	9° 34' 27" 108° 0' 52" 236° 50' 18"	75.852 130.711 139.805	75.881 130.762 139.860
90860	80H3683	E N EI (H)	476052.879 5361842.338 7.844 CGVD28	0.9996087	1.0000017		MARKER DESTROYED				
92585	80H3665	E N EI (H)	476625.956 5363621.539 15.208 CGVD28	0.9996073	1.0000006		MARKER DESTROYED				
94383	80H3764	E N EI (H)	476882.293 5365156.130 20.917 CGVD28	0.9996062	0.9999997	334979 975011 959544 487199	80H3726 80H3738 80H3916 80H3756	Terr Terr Terr Terr	3° 56' 26" 101° 59' 7" 187° 54' 13" 266° 14' 49"	177.937 89.372 104.866 194.047	178.007 89.407 104.907 194.124
94391	80H3934	E N EI (H)	477709.550 5366032.810 31.311 CGVD28	0.9996042	0.9999980	763474 140822 245217	80H3901 80H3875 80H3919	Terr Terr Terr	2° 58' 27" 91° 52' 47" 287° 45' 58"	102.612 66.579 126.525	102.653 66.605 126.575
95927	80H3631	E N EI (H)	477097.633 5362783.239 4.339 CGVD28	0.9996087	1.0000023	8623 509356 496877	80H3634 88H3799 88H3809	Terr Terr Terr	2° 31' 2" 181° 16' 34" 274° 11' 16"	179.447 139.158 165.159	179.517 139.212 165.224
99085	80H3787	E N EI (H)	477537.362 5364815.329 7.890 CGVD28	0.9996079	1.0000017		MARKER DESTROYED				

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
100347	80H3768	E	476772.464	0.9996078	1.0000012	MARKER DESTROYED					
		N	5364043.345								
		EI (H)	11.380	CGVD28							
101816	80H3585	E	477645.064	0.9996085	1.0000024	528158	80H3580	Terr	145° 4' 56"	129.586	129.637
		N	5363377.132			107680	80H3596	Terr	227° 48' 49"	108.328	108.370
		EI (H)	3.452	CGVD28		781443	83H6758	Terr	299° 18' 5"	86.814	86.848
103945	80H3718	E	476424.658	0.9996068	0.9999999	137323	80H3666	Terr	178° 4' 55"	102.504	102.545
		N	5363490.037			199265	80H3670	Terr	268° 43' 16"	140.555	140.610
		EI (H)	19.118	CGVD28		356659	80H3678	Terr	358° 15' 25"	137.224	137.279
107680	80H3596	E	477564.797	0.9996087	1.0000026	101816	80H3585	Terr	47° 48' 49"	108.328	108.370
		N	5363304.385			745281	83H6759	Terr	223° 43' 2"	105.849	105.890
		EI (H)	2.471	CGVD28							
108563	80H3696	E	476271.986	0.9996074	1.0000005	159616	80H3658	Terr	2° 6' 32"	183.495	183.567
		N	5364602.580			949370	95H1737	Terr	182° 25' 26"	183.813	183.886
		EI (H)	15.412	CGVD28							
108993	80H3568	E	478000.321	0.9996066	1.0000006	960278	80H3591	Terr	170° 22' 57"	92.758	92.794
		N	5362643.268			954214	80H3586	Terr	330° 6' 45"	151.513	151.573
		EI (H)	14.859	CGVD28							
110775	80H3892	E	477752.259	0.9996060	0.9999999	285817	80H3880	Terr	22° 37' 52"	184.228	184.301
		N	5365722.573			817221	80H3925	Terr	97° 16' 0"	160.974	161.037
		EI (H)	19.610	CGVD28		785246	80H3858	Terr	287° 44' 51"	156.882	156.944
111997	83H6750	E	476540.599	0.9996019	0.9999952	306431	80H3725	Terr	97° 8' 2"	148.113	148.172
		N	5365918.534			839142	80H3818	Terr	336° 42' 8"	88.071	88.106
		EI (H)	49.537	CGVD28							
117085	80H3749	E	476983.959	0.9996058	0.9999992	974097	80H3745	Terr	143° 23' 57"	216.872	216.958
		N	5365310.850			975011	80H3738	Terr	184° 41' 55"	173.863	173.932
		EI (H)	23.513	CGVD28		605139	80H3754	Terr	320° 36' 21"	152.698	152.758

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)				
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
125567	80H3549	E	476417.432	0.9996074	1.0000005	188169	80H3672	Terr	22° 46' 5"	101.209	101.249				
		N	5362254.534					42044	81H4669			Terr	223° 55' 39"	205.373	205.454
		EI (H)	15.287 CGVD28					74708	80H3677			Terr	312° 9' 37"	163.448	163.512
126813	80H3936	E	477302.573	0.9996082	1.0000019	529677	80H3780	Terr	28° 16' 39"	104.677	104.718				
		N	5364361.517					470310	80H3914			Terr	113° 55' 36"	147.534	147.592
		EI (H)	6.941 CGVD28					130641	80H3772			Terr	197° 54' 30"	112.727	112.771
130245	95H1738	E	476625.388	0.9996073	1.0000006	765529	80H3800	Terr	2° 54' 59"	131.607	131.659				
		N	5363622.635					196089	80H3674			Terr	180° 15' 52"	127.988	128.039
		EI (H)	15.230 CGVD28					149401	83H6755			Terr	281° 3' 26"	85.078	85.112
130641	80H3772	E	477267.910	0.9996082	1.0000018	126813	80H3936	Terr	17° 54' 30"	112.727	112.771				
		N	5364254.252					80721	88H3802			Terr	188° 23' 46"	103.428	103.469
		EI (H)	7.266 CGVD28												
131904	80H3799	E	476753.607	0.9996072	1.0000005	755637	80H3785	Terr	90° 19' 39"	86.985	87.020				
		N	5364708.378					665307	80H3737			Terr	263° 5' 38"	83.987	84.020
		EI (H)	15.276 CGVD28												
137323	80H3666	E	476428.089	0.9996073	1.0000005	103945	80H3718	Terr	358° 4' 55"	102.504	102.545				
		N	5363387.590												
		EI (H)	15.419 CGVD28												
140129	80H3808	E	477016.686	0.9996078	1.0000013	791954	80H3793	Terr	111° 45' 31"	92.542	92.579				
		N	5364240.555					895722	80H3777			Terr	207° 8' 17"	103.947	103.987
		EI (H)	10.614 CGVD28					871715	80H3908			Terr	296° 51' 23"	94.597	94.634
140418	82H5866	E	476842.163	0.9996070	1.0000004	864751	80H3811	Terr	240° 53' 21"	142.854	142.911				
		N	5364580.480					755637	80H3785			Terr	359° 17' 35"	127.411	127.461
		EI (H)	16.347 CGVD28												
140822	80H3875	E	477776.093	0.9996042	0.9999981	285817	80H3880	Terr	161° 10' 21"	145.812	145.869				
		N	5366030.626					94391	80H3934			Terr	271° 52' 47"	66.579	66.605
		EI (H)	30.794 CGVD28												

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
142695	15-87	E	476147.576	0.9996073	1.0000004	495846	15-83	Terr	2° 9' 39"	237.741	237.834
		N	5364158.353			194019	15-100	Terr	182° 6' 29"	198.076	198.154
		EI (H)	16.474 CGVD28			512921	669	Both	355° 45' 23"	2972.959	2974.152
144246	80H3581	E	476201.932	0.9996065	0.9999995	265553	80H3662	Terr	179° 22' 5"	127.223	127.273
		N	5362777.580			591412	80H3566	Terr	320° 32' 6"	77.334	77.365
		EI (H)	21.661 CGVD28								
147603	80H3748	E	476797.731	0.9996051	0.9999985	909630	80H3755	Terr	6° 48' 21"	106.348	106.390
		N	5365564.592								
		EI (H)	28.333 CGVD28								
147900	80H3729	E	476509.612	0.9996017	0.9999949	978577	80H3761	Terr	7° 50' 40"	144.171	144.229
		N	5366075.399			839142	80H3818	Terr	182° 53' 53"	76.072	76.103
		EI (H)	51.125 CGVD28								
149401	83H6755	E	476541.889	0.9996068	1.0000000	130245	95H1738	Terr	101° 3' 26"	85.078	85.112
		N	5363638.952			356659	80H3678	Terr	264° 28' 12"	121.973	122.021
		EI (H)	18.684 CGVD28								
150383	80H3786	E	476665.051	0.9996070	1.0000003	849646	80H3813	Terr	2° 44' 13"	150.119	150.178
		N	5363938.085								
		EI (H)	16.588 CGVD28								
150425	83H6744	E	476458.537	0.9996011	0.9999942	627232	80H3929	Terr	228° 55' 34"	36.931	36.946
		N	5366320.405			784637	83H6741	Terr	325° 16' 39"	164.564	164.629
		EI (H)	55.414 CGVD28								
156224	80H3910	E	476476.016	0.9996072	1.0000004	89573	80H3673	Terr	56° 50' 18"	139.805	139.860
		N	5364474.930			395962	95H1739	Terr	110° 55' 35"	200.619	200.698
		EI (H)	16.234 CGVD28			576959	80H3693	Terr	243° 24' 8"	124.469	124.518
159616	80H3658	E	476278.738	0.9996071	1.0000002	560250	80H3740	Terr	92° 27' 27"	99.776	99.815
		N	5364785.951			108563	80H3696	Terr	182° 6' 32"	183.495	183.567
		EI (H)	17.287 CGVD28								

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
173369	80H3769	E	476646.962	0.9996048	0.9999981	909630	80H3755	Terr	88° 34' 9"	163.423	163.488		
		N	5365666.110					Terr	269° 52' 8"			114.147	114.192
		El (H)	31.154 CGVD28										
176537	80H2445	E	477791.226	0.9996044	0.9999983	835645	80H1671	Terr	5° 22' 43"	179.496	179.567		
		N	5367102.898					Terr	192° 21' 40"			129.801	129.852
		El (H)	29.645 CGVD28					Terr	204° 39' 15"				
178459	80H3645	E	476825.567	0.9996089	1.0000023	MARKER DESTROYED							
		N	5362645.730										
		El (H)	4.337 CGVD28										
182626	80H3795	E	476422.707	0.9996064	0.9999996	593384	80H3814	Terr	94° 36' 45"	143.712	143.769		
		N	5365468.569					Terr	182° 19' 59"			196.305	196.382
		El (H)	21.331 CGVD28					Terr	273° 25' 51"				
184796	80H3753	E	476638.161	0.9996066	0.9999998	487199	80H3756	Terr	22° 45' 31"	130.544	130.595		
		N	5365023.048					Terr	76° 59' 42"			110.738	110.782
		El (H)	19.711 CGVD28					Terr	202° 45' 28"				
184820	80H3854	E	477763.439	0.9996042	0.9999981	176537	80H2445	Terr	12° 21' 40"	129.801	129.852		
		N	5366976.106					Terr	181° 48' 54"			222.545	222.633
		El (H)	30.959 CGVD28										
185819	80H3774	E	476350.128	0.9996066	0.9999998	720060	80H3741	Terr	98° 53' 20"	78.844	78.875		
		N	5364891.790					Terr	268° 49' 37"			172.903	172.971
		El (H)	20.165 CGVD28										
187252	80H3633	E	477449.825	0.9996085	1.0000022	903682	81H4672	Terr	184° 7' 58"	130.527	130.579		
		N	5362758.579					Terr	357° 54' 14"			179.237	179.307
		El (H)	4.582 CGVD28										
187898	80H3635	E	476605.087	0.9996079	1.0000012	25353	80H3641	Terr	3° 21' 24"	178.105	178.174		
		N	5362480.749					Terr	182° 5' 39"			125.469	125.518
		El (H)	11.093 CGVD28					Terr	270° 17' 57"				

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
188169	80H3672	E	476456.600	0.9996074	1.0000006	690172	80H3589	Terr	4° 42' 45"	134.063	134.116
		N	5362347.857			679662	80H3646	Terr	87° 0' 49"	144.098	144.154
		EI (H)	14.914 CGVD28			125567	80H3549	Terr	202° 46' 5"	101.209	101.249
190900	80H3900	E	477473.365	0.9996045	0.9999982	785246	80H3858	Terr	103° 16' 15"	133.031	133.083
		N	5365800.932			838219	80H3860	Terr	229° 29' 35"	208.400	208.482
		EI (H)	30.091 CGVD28			903740	80H3889	Terr	286° 31' 19"	254.236	254.337
193185	80H3661	E	476223.242	0.9996075	1.0000005	MARKER DESTROYED					
		N	5364201.840								
		EI (H)	15.394 CGVD28								
194019	15-100	E	476140.290	0.9996071	1.0000002	142695	15-87	Terr	2° 6' 29"	198.076	198.154
		N	5363960.411			507400	15-115	Terr	182° 5' 1"	219.502	219.588
		EI (H)	17.758 CGVD28			883702	15-99	Terr	270° 29' 28"	99.625	99.664
195511	80H3621	E	477552.776	0.9996067	1.0000005	869297	80H3638	Terr	326° 45' 54"	133.103	133.155
		N	5362192.250								
		EI (H)	15.540 CGVD28								
196089	80H3674	E	476624.797	0.9996075	1.0000008	130245	95H1738	Terr	0° 15' 52"	127.988	128.039
		N	5363494.648			735175	80H3651	Terr	84° 6' 39"	132.024	132.076
		EI (H)	13.514 CGVD28			621128	80H3700	Terr	178° 14' 36"	249.715	249.813
197384	80H3630	E	476622.981	0.9996077	1.0000010	320689	80H3644	Terr	2° 30' 55"	173.481	173.549
		N	5362890.561			894881	80H3627	Terr	182° 38' 0"	89.018	89.053
		EI (H)	12.316 CGVD28								
199265	80H3670	E	476284.138	0.9996064	0.9999995	103945	80H3718	Terr	88° 43' 16"	140.555	140.610
		N	5363486.900			690347	83H6742	Terr	358° 52' 56"	112.322	112.367
		EI (H)	21.755 CGVD28								
209759	80H3904	E	477469.930	0.9996066	1.0000004	957464	80H3886	Terr	26° 56' 30"	222.776	222.864
		N	5365115.994			368506	80H3759	Terr	112° 15' 9"	89.971	90.006
		EI (H)	16.472 CGVD28			213769	80H3752	Terr	208° 26' 50"	119.620	119.667
						56176	80H3819	Terr	300° 26' 31"	88.759	88.794

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS			Station Scale Factors		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)							
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
212191	80H3912	E	477556.007	0.9996021	0.9999959	303230	80H3895	Terr	13° 55' 45"	204.373	204.454						
		N	5366413.523									256057	80H3918	Terr	174° 51' 48"	97.398	97.437
		EI (H)	44.797 CGVD28									59709	80H3928	Terr	228° 1' 32"	98.079	98.118
212860	80H3810	E	477400.953	0.9996063	1.0000001	MARKER DESTROYED											
		N	5365411.588														
		EI (H)	18.520 CGVD28														
213769	80H3752	E	477412.949	0.9996066	1.0000004	209759	80H3904	Terr	28° 26' 50"	119.620	119.667						
		N	5365010.817														
		EI (H)	16.380 CGVD28														
219998	80H3845	E	478087.289	0.9996073	1.0000014	280297	80H3871	Terr	38° 4' 32"	85.114	85.148						
		N	5365755.305									817221	80H3925	Terr	253° 9' 16"	183.211	183.283
		EI (H)	10.017 CGVD28														
220210	80H3765	E	476282.157	0.9996026	0.9999957	MARKER ISOLATED											
		N	5365936.904														
		EI (H)	46.359 CGVD28														
229419	80H3679	E	477334.167	0.9996087	1.0000024	61952	88H3805	Terr	47° 53' 8"	130.227	130.278						
		N	5363208.633									57885	80H3682	Terr	139° 7' 20"	86.270	86.303
		EI (H)	3.327 CGVD28														
229930	80H3583	E	477791.629	0.9996079	1.0000018	710624	80H3594	Terr	183° 48' 4"	82.723	82.755						
		N	5363182.612									528158	80H3580	Terr	320° 38' 34"	114.152	114.197
		EI (H)	7.181 CGVD28														
231530	80H3779	E	477274.352	0.9996075	1.0000012	MARKER DESTROYED											
		N	5364723.009														
		EI (H)	11.126 CGVD28														
233072	80H3570	E	477696.910	0.9996079	1.0000017	858530	80H3548	Terr	37° 47' 2"	353.519	353.658						
		N	5362153.108														
		EI (H)	7.687 CGVD28														

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)				
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
236695	80H3603	E	476854.208	0.9996084	1.0000018	284620	80H3601	Terr	0° 27' 3"	203.776	203.856				
		N	5363061.054					Terr	182° 32' 37"			125.077	125.126		
		El (H)	7.236 CGVD28					Terr	270° 13' 19"					102.495	102.535
236984	80H3842	E	476770.371	0.9996004	0.9999938	MARKER DESTROYED									
		N	5367555.848												
		El (H)	58.443 CGVD28												
237420	80H3575	E	476450.470	0.9996062	0.9999993	789388	80H3565	Terr	352° 42' 31"	108.512	108.555				
		N	5361940.607												
		El (H)	22.891 CGVD28												
238774	80H3930	E	476674.436	0.9996006	0.9999939	510321	80H3836	Terr	19° 28' 29"	302.964	303.085				
		N	5366645.258					376863	80H3937			Terr	197° 29' 0"	184.817	184.890
		El (H)	57.428 CGVD28									322958	80H3830		
239434	80H3815	E	476264.947	0.9996074	1.0000005	MARKER DESTROYED									
		N	5364418.808												
		El (H)	15.423 CGVD28												
240838	80H3775	E	477716.551	0.9996086	1.0000025	429175	LEGAL RP116	Terr	210° 57' 16"	146.931	146.989				
		N	5364902.905												
		El (H)	3.023 CGVD28												
243865	84H0607	E	477340.217	0.9996083	1.0000020	72041	80H3577	Terr	94° 42' 41"	102.405	102.445				
		N	5362021.460					604157	80H3587			Terr	306° 41' 27"	129.068	129.119
		El (H)	6.039 CGVD28												
244053	84H0610	E	476275.347	0.9996070	1.0000001	722371	80H3821	Terr	83° 38' 49"	101.841	101.881				
		N	5363744.617					690347	83H6742			Terr	177° 24' 5"	145.566	145.623
		El (H)	17.962 CGVD28									507400	15-115		
244152	80H3620	E	477558.258	0.9996082	1.0000020	MARKER DESTROYED									
		N	5362923.074												
		El (H)	5.713 CGVD28												

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
244921	80H3714	E	477221.497	0.9996085	1.0000021	650630	80H3612	Terr	3° 48' 22"	201.507	201.586
		N	5362852.784			86405	80H3691	Terr	92° 47' 21"	142.769	142.825
		EI (H)	5.282 CGVD28								
245191	80H3757	E	476418.259	0.9996063	0.9999994	567750	80H3890	Terr	0° 29' 9"	99.274	99.313
		N	5364987.977			720060	80H3741	Terr	174° 51' 2"	108.809	108.852
		EI (H)	22.372 CGVD28			776815	80H3773	Terr	274° 51' 41"	237.003	237.096
245217	80H3919	E	477589.059	0.9996037	0.9999975	94391	80H3934	Terr	107° 45' 58"	126.525	126.575
		N	5366071.417			409680	80H3905	Terr	242° 16' 2"	134.018	134.071
		EI (H)	34.911 CGVD28			901561	80H3920	Terr	358° 34' 29"	137.629	137.683
247916	80H3655	E	477073.334	0.9996087	1.0000023	MARKER DESTROYED					
		N	5362275.588								
		EI (H)	4.274 CGVD28								
253567	80H3770	E	476746.059	0.9996065	0.9999999	959544	80H3916	Terr	87° 58' 55"	121.890	121.938
		N	5365047.968			184796	80H3753	Terr	256° 59' 42"	110.738	110.782
		EI (H)	19.622 CGVD28								
256057	80H3918	E	477564.727	0.9996021	0.9999960	901561	80H3920	Terr	168° 59' 40"	109.527	109.571
		N	5366316.516			212191	80H3912	Terr	354° 51' 48"	97.398	97.437
		EI (H)	44.632 CGVD28								
257840	80H3584	E	477603.540	0.9996079	1.0000018	MARKER DESTROYED					
		N	5362069.446								
		EI (H)	7.523 CGVD28								
259341	80H3781	E	477153.369	0.9996062	0.9999998	336370	80H3732	Terr	47° 4' 52"	97.964	98.003
		N	5365258.583			410753	80H3751	Terr	146° 56' 1"	176.252	176.321
		EI (H)	20.328 CGVD28			808519	80H3736	Terr	320° 32' 21"	230.064	230.155
262121	80H3552	E	476073.837	0.9996043	0.9999973	MARKER DESTROYED					
		N	5362074.501								
		EI (H)	35.885 CGVD28								

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
263699	80H3579	E	477569.997	0.9996085	1.0000023	398677	83H6746	Terr	0° 17' 9"	97.241	97.279		
		N	5363043.418					Terr	273° 40' 46"			119.953	120.000
		El (H)	4.228 CGVD28										
265553	80H3662	E	476203.335	0.9996065	0.9999996	765958	80H3699	Terr	83° 34' 44"	112.038	112.082		
		N	5362650.365					Terr	184° 52' 42"			164.918	164.983
		El (H)	21.399 CGVD28					Terr	359° 22' 5"				
266262	83H6754	E	476481.237	0.9996074	1.0000006	894881	80H3627	Terr	86° 18' 1"	137.941	137.996		
		N	5362792.736					Terr	182° 33' 20"			143.499	143.555
		El (H)	15.086 CGVD28										
270256	80H3652	E	476283.193	0.9996060	0.9999991	MARKER DESTROYED							
		N	5363599.187										
		El (H)	24.234 CGVD28										
271601	83H6760	E	476047.910	0.9996088	1.0000018	310078	84H0608	Terr	1° 55' 3"	148.381	148.439		
		N	5361694.041					Terr	148° 42' 15"			222.718	222.805
		El (H)	7.442 CGVD28										
280297	80H3871	E	478139.779	0.9996076	1.0000017	898023	80H3853	Terr	37° 36' 35"	163.433	163.497		
		N	5365822.307					Terr	218° 4' 32"			85.114	85.148
		El (H)	7.733 CGVD28					Terr	346° 17' 23"				
282087	80H3898	E	476940.025	0.9996087	1.0000022	8623	80H3634	Terr	88° 14' 55"	165.566	165.631		
		N	5362957.453					Terr	182° 30' 38"			162.309	162.372
		El (H)	4.629 CGVD28										
284521	80H3806	E	476927.029	0.9996071	1.0000006	MARKER DESTROYED							
		N	5364531.115										
		El (H)	15.109 CGVD28										
284596	80H3623	E	476481.111	0.9996074	1.0000006	MARKER DESTROYED							
		N	5362793.102										
		El (H)	15.140 CGVD28										

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
284620	80H3601	E	476855.811	0.9996081	1.0000015	460295	80H3602	Terr	90° 56' 57"	91.028	91.064
		N	5363264.824			236695	80H3603	Terr	180° 27' 3"	203.776	203.856
		EI (H)	8.956 CGVD28			715359	80H3619	Terr	269° 48' 16"	101.121	101.160
						441923	80H3604	Terr	356° 7' 8"	114.971	115.016
285817	80H3880	E	477823.149	0.9996051	0.9999990	110775	80H3892	Terr	202° 37' 52"	184.228	184.301
		N	5365892.616			140822	80H3875	Terr	341° 10' 21"	145.812	145.869
		EI (H)	25.066 CGVD28								
287011	80H3626	E	476848.657	0.9996084	1.0000018	236695	80H3603	Terr	2° 32' 37"	125.077	125.126
		N	5362936.100			433052	88H3807	Terr	182° 27' 28"	133.779	133.831
		EI (H)	7.100 CGVD28								
288985	80H3628	E	476751.714	0.9996081	1.0000015	715359	80H3619	Terr	0° 50' 24"	203.050	203.129
		N	5363061.451			236695	80H3603	Terr	90° 13' 19"	102.495	102.535
		EI (H)	9.429 CGVD28			320689	80H3644	Terr	271° 8' 47"	121.144	121.192
291732	80H3766	E	476200.931	0.9996066	0.9999996	182626	80H3795	Terr	93° 25' 51"	222.174	222.262
		N	5365481.865			455691	80H3115	Terr	187° 2' 7"	195.065	195.141
		EI (H)	21.237 CGVD28			518746	80H3095	Terr	351° 18' 22"	86.704	86.738
299115	80H3823	E	476348.710	0.9995992	0.9999923	547794	80H3834	Terr	21° 46' 53"	97.401	97.440
		N	5366735.349			617407	80H3850	Terr	111° 56' 48"	103.820	103.861
		EI (H)	67.735 CGVD28								
303230	80H3895	E	477605.204	0.9996022	0.9999960	792127	80H3887	Terr	9° 11' 24"	189.501	189.577
		N	5366611.886			212191	80H3912	Terr	193° 55' 45"	204.373	204.454
		EI (H)	44.190 CGVD28								
303271	80H3804	E	476462.422	0.9996065	0.9999997	506139	80H3750	Terr	52° 58' 51"	135.473	135.526
		N	5364780.399			560250	80H3740	Terr	270° 52' 8"	84.010	84.043
		EI (H)	20.643 CGVD28								
303552	80H3839	E	478217.903	0.9996081	1.0000023	MARKER DESTROYED					
		N	5366254.126								
		EI (H)	4.189 CGVD28								

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
306431	80H3725	E	476687.565	0.9996018	0.9999951	709774	83H6752	Terr	90° 38' 30"	190.673	190.749
		N	5365900.140					Terr	277° 8' 2"	148.113	148.172
		EI (H)	49.692 CGVD28								
306662	80H3550	E	476523.424	0.9996081	1.0000013	MARKER DESTROYED					
		N	5362147.630								
		EI (H)	10.457 CGVD28								
310078	84H0608	E	476052.875	0.9996087	1.0000017	812842	80H3553	Terr	0° 38' 41"	146.358	146.416
		N	5361842.339			947291	80H3551	Terr	145° 17' 54"	158.275	158.336
		EI (H)	7.838 CGVD28			271601	83H6760	Terr	181° 55' 3"	148.381	148.439
310342	80H3840	E	477858.754	0.9996068	1.0000008	832998	80H3884	Terr	261° 59' 16"	134.483	134.536
		N	5365166.430								
		EI (H)	13.870 CGVD28								
311654	80H3711	E	476212.602	0.9996069	1.0000000	854067	80H3719	Terr	4° 52' 26"	119.571	119.618
		N	5362939.131								
		EI (H)	18.965 CGVD28								
315440	80H3676	E	476081.538	0.9996047	0.9999976	958470	80H3710	Terr	115° 40' 51"	119.584	119.632
		N	5362537.867			341529	10-112	Terr	169° 12' 5"	136.867	136.921
		EI (H)	33.649 CGVD28								
320689	80H3644	E	476630.594	0.9996078	1.0000011	621128	80H3700	Terr	0° 35' 15"	181.185	181.256
		N	5363063.875			288985	80H3628	Terr	91° 8' 47"	121.144	121.192
		EI (H)	11.533 CGVD28			197384	80H3630	Terr	182° 30' 55"	173.481	173.549
322958	80H3830	E	476562.053	0.9996002	0.9999934	933580	80H3846	Terr	20° 29' 23"	280.281	280.393
		N	5366676.168			238774	80H3930	Terr	105° 22' 42"	116.556	116.603
		EI (H)	60.577 CGVD28			617407	80H3850	Terr	279° 52' 36"	118.808	118.855
326835	80H3716	E	476198.876	0.9996066	0.9999996	790402	80H3713	Terr	193° 58' 29"	133.893	133.946
		N	5363497.494			756395	80H3701	Terr	345° 59' 46"	115.815	115.861
		EI (H)	20.909 CGVD28								

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
326918	80H3607	E	476925.235	0.9996090	1.0000024	496877	88H3809	Terr	2° 55' 23"	150.608	150.667
		N	5362644.888			509356	88H3799	Terr	90° 15' 41"	169.301	169.367
		EI (H)	3.233 CGVD28			430918	80H3600	Terr	182° 9' 11"	174.915	174.984
329896	80H3659	E	476474.839	0.9996074	1.0000006	266262	83H6754	Terr	2° 33' 20"	143.499	143.555
		N	5362649.380			25353	80H3641	Terr	86° 16' 16"	140.974	141.030
		EI (H)	14.590 CGVD28			690172	80H3589	Terr	182° 27' 50"	168.068	168.134
						765958	80H3699	Terr	274° 49' 23"	160.738	160.801
333443	80H3684	E	476142.858	0.9996063	0.9999993	790402	80H3713	Terr	8° 27' 56"	160.879	160.942
		N	5363208.438								
		EI (H)	23.343 CGVD28								
334979	80H3726	E	476894.521	0.9996055	0.9999990	94383	80H3764	Terr	183° 56' 26"	177.937	178.007
		N	5365333.646			604579	94H1629	Terr	275° 38' 55"	214.052	214.137
		EI (H)	25.379 CGVD28			605139	80H3754	Terr	355° 30' 45"	95.502	95.539
336248	80H3809	E	476744.927	0.9996068	1.0000002	871715	80H3908	Terr	110° 43' 58"	200.339	200.417
		N	5364354.212			395962	95H1739	Terr	301° 2' 25"	95.150	95.187
		EI (H)	17.511 CGVD28								
336370	80H3732	E	477225.110	0.9996062	0.9999998	16501	80H3788	Terr	148° 12' 25"	140.184	140.239
		N	5365325.293			259341	80H3781	Terr	227° 4' 52"	97.964	98.003
		EI (H)	19.965 CGVD28								
336859	72C023	E	477641.242	0.9996077	1.0000016	565044	99H2272	GPS Only	6° 18' 49"	4185.899	4187.541
		N	5362108.000			304469	80H1430	Both	29° 53' 28"	5372.171	5374.282
		EI (H)	8.541 CGVD28			151068	4-70	Terr	255° 2' 16"	3610.092	3611.505
						871954	NO MARKING	Both	276° 57' 10"	1722.559	1723.242
						611566	88H3797	Both	356° 7' 11"	2299.344	2300.245
337436	80H3697	E	476605.667	0.9996073	1.0000005	89573	80H3673	Terr	189° 34' 27"	75.852	75.881
		N	5364626.199								
		EI (H)	15.310 CGVD28								
341529	10-112	E	476107.181	0.9996025	0.9999955	772731	80H3704	Terr	155° 16' 21"	73.540	73.569
		N	5362403.424			510511	10-101	Terr	222° 26' 50"	99.954	99.994
		EI (H)	47.304 CGVD28			315440	80H3676	Terr	349° 12' 5"	136.867	136.921

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
342527	81H4101	E	476260.812	0.9996052	0.9999983	899690	80H3574	Terr	151° 57' 38"	126.304	126.354		
		N	5361845.475					Terr	345° 12' 1"			126.993	127.043
		El (H)	29.798 CGVD28										
346940	80H3794	E	476984.664	0.9996072	1.0000007	479907	80H3906	Terr	41° 26' 15"	109.418	109.461		
		N	5364625.933					Terr	114° 50' 27"			217.560	217.646
		El (H)	14.359 CGVD28										
347823	80H3802	E	477182.095	0.9996077	1.0000013	529677	80H3780	Terr	115° 25' 19"	188.301	188.375		
		N	5364534.536					Terr	294° 50' 27"			217.560	217.646
		El (H)	10.757 CGVD28										
348540	88H3791	E	477258.226	0.9996051	0.9999988	410555	80H3692	Terr	110° 52' 19"	102.981	103.021		
		N	5362376.696					Terr	331° 59' 32"			110.560	110.604
		El (H)	26.535 CGVD28										
349415	80H3723	E	477084.102	0.9996050	0.9999985		MARKER DESTROYED						
		N	5365494.740										
		El (H)	28.219 CGVD28										
349563	80H3675	E	477077.404	0.9996079	1.0000015		MARKER DESTROYED						
		N	5362420.739										
		El (H)	9.237 CGVD28										
354514	80H3866	E	478187.722	0.9996075	1.0000016	787648	80H3832	Terr	17° 16' 29"	168.642	168.708		
		N	5365081.457			871954	NO MARKING	Both	219° 13' 0"			3568.770	3570.185
		El (H)	8.302 CGVD28			362608	84H0238	Both	256° 10' 59"			8897.171	8900.639
		853721	86H1398			Both	271° 2' 12"	13463.700					
		671339	25-1			Both	277° 4' 39"	4986.191	4988.148				
		544908	PIER 5			Both	311° 6' 10"	8890.505	8893.997				
		512921	669			Both	312° 5' 35"	3045.784	3047.006				
		550467	3300			Both	313° 21' 47"	23772.343					
		396804	21710			Terr	315° 18' 47"	12575.132					
		339713	77H6138			Both	323° 54' 25"	19244.139					
		241869	11703			Both	327° 57' 45"	7174.517	7177.448				

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors			TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)							
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
355099	80H3615	E	477450.291	0.9996088	1.0000025	263699	80H3579	Terr	93° 40' 46"	119.953	120.000						
		N	5363051.116									45450	80H3629	Terr	183° 32' 34"	113.637	113.682
		EI (H)	2.818 CGVD28									398453	80H3613	Terr	265° 14' 30"	95.197	95.234
356659	80H3678	E	476420.484	0.9996060	0.9999991	149401	83H6755	Terr	84° 28' 12"	121.973	122.021						
		N	5363627.198									103945	80H3718	Terr	178° 15' 25"	137.224	137.279
		EI (H)	24.326 CGVD28									690347	83H6742	Terr	258° 34' 30"	141.338	141.393
357103	80H3803	E	476416.615	0.9996048	0.9999980	MARKER DESTROYED											
		N	5365704.622														
		EI (H)	31.576 CGVD28														
362749	80H3824	E	476562.532	0.9995997	0.9999930	4150	80H3838	Terr	353° 42' 30"	97.992	98.031						
		N	5367173.675														
		EI (H)	63.635 CGVD28														
368092	80H3798	E	477367.872	0.9996071	1.0000008	MARKER DESTROYED											
		N	5364902.910														
		EI (H)	13.450 CGVD28														
368126	80H3632	E	477039.967	0.9996077	1.0000012	885566	80H3592	Terr	1° 23' 44"	221.696	221.783						
		N	5363508.032									812628	80H3642	Terr	182° 38' 29"	245.209	245.305
		EI (H)	11.211 CGVD28									597617	80H3606	Terr	262° 55' 44"	100.470	100.510
368506	80H3759	E	477553.200	0.9996066	1.0000004	486019	80H3899	Terr	29° 0' 12"	212.889	212.973						
		N	5365081.923									209759	80H3904	Terr	292° 15' 9"	89.971	90.006
		EI (H)	16.262 CGVD28														
369546	80H3867	E	477533.465	0.9996004	0.9999942	792127	80H3887	Terr	135° 34' 11"	145.712	145.770						
		N	5366903.008									969493	80H3882	Terr	305° 15' 12"	156.159	156.222
		EI (H)	56.057 CGVD28														
376731	80H3870	E	477978.887	0.9996063	1.0000003	59675	80H3877	Terr	342° 13' 44"	101.961	102.001						
		N	5365837.263														
		EI (H)	16.955 CGVD28														

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)						
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
376855	80H3932	E	477151.775	0.9996027	0.9999962	903740	80H3889	Terr	36° 37' 29"	130.497	130.549						
		N	5365768.500									651109	80H3935	Terr	235° 49' 1"	118.735	118.782
		El (H)	42.710 CGVD28														
376863	80H3937	E	476618.912	0.9996007	0.9999940	238774	80H3930	Terr	17° 29' 0"	184.817	184.890						
		N	5366468.979									767129	80H3734	Terr	199° 40' 41"	164.090	164.156
		El (H)	57.026 CGVD28														
379412	80H3894	E	476593.719	0.9996083	1.0000016	50187	80H3560	Terr	57° 11' 28"	97.858	97.896						
		N	5362173.565														
		El (H)	8.779 CGVD28														
379669	80H3649	E	476486.190	0.9996075	1.0000007	MARKER DESTROYED											
		N	5362908.277														
		El (H)	14.371 CGVD28														
383224	80H3561	E	476909.629	0.9996090	1.0000024	430918	80H3600	Terr	2° 57' 55"	174.652	174.720						
		N	5362295.678									530287	88H3792	Terr	96° 54' 39"	165.658	165.722
		El (H)	3.395 CGVD28														
385195	80H3742	E	477076.745	0.9996066	1.0000002	547620	80H3897	Terr	110° 29' 9"	129.655	129.706						
		N	5365051.403									959544	80H3916	Terr	270° 14' 6"	208.874	208.956
		El (H)	17.795 CGVD28														
391193	80H3833	E	476484.411	0.9995991	0.9999923	833814	80H3852	Terr	310° 11' 18"	105.473	105.516						
		N	5367049.291														
		El (H)	67.852 CGVD28														
395327	80H3656	E	476265.926	0.9996085	1.0000015	899690	80H3574	Terr	44° 43' 27"	77.106	77.136						
		N	5361679.212									757658	80H3567	Terr	209° 58' 43"	86.418	86.452
		El (H)	8.911 CGVD28														
395962	95H1739	E	476663.402	0.9996070	1.0000003	864751	80H3811	Terr	26° 36' 26"	120.463	120.511						
		N	5364403.275									336248	80H3809	Terr	121° 2' 25"	95.150	95.187
		El (H)	16.560 CGVD28														

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
396325	88H3795	E	477206.308	0.9996063	0.9999999	871640	80H3637	Terr	3° 41' 53"	163.922	163.987		
		N	5362474.308			348540	88H3791	Terr	151° 59' 32"			110.560	110.604
		EI (H)	19.415 CGVD28										
396994	80H3690	E	477259.726	0.9996051	0.9999988	MARKER DESTROYED							
		N	5362375.591										
		EI (H)	26.627 CGVD28										
398453	80H3613	E	477355.422	0.9996082	1.0000019	355099	80H3615	Terr	85° 14' 30"	95.197	95.234		
		N	5363043.219			86405	80H3691	Terr	177° 29' 0"			197.573	197.650
		EI (H)	6.442 CGVD28			650630	80H3612	Terr	275° 2' 18"			121.017	121.064
398677	83H6746	E	477570.482	0.9996087	1.0000026	263699	80H3579	Terr	180° 17' 9"	97.241	97.279		
		N	5363140.658										
		EI (H)	2.517 CGVD28										
402669	94H1630	E	476352.069	0.9995988	0.9999919	41590	80H3837	Terr	93° 36' 20"	186.657	186.732		
		N	5366964.037			933580	80H3846	Terr	94° 41' 53"			309.132	309.256
		EI (H)	70.572 CGVD28			547794	80H3834	Terr	166° 39' 33"			142.075	142.132
						778290	94H1632	Terr	332° 46' 53"			89.502	89.538
403790	80H3825	E	476647.988	0.9995999	0.9999932	847749	88H3800	Terr	9° 53' 9"	95.575	95.613		
		N	5367246.775			952614	80H3841	Terr	159° 57' 55"			175.459	175.529
		EI (H)	62.024 CGVD28			4150	80H3838	Terr	284° 10' 41"			99.217	99.257
404475	84H0611	E	477485.846	0.9996087	1.0000024	MARKER DESTROYED							
		N	5364402.359										
		EI (H)	3.178 CGVD28										
409680	80H3905	E	477470.436	0.9996032	0.9999969	245217	80H3919	Terr	62° 16' 2"	134.018	134.071		
		N	5366009.052			19596	80H3921	Terr	266° 13' 37"			107.352	107.394
		EI (H)	38.236 CGVD28										
410555	80H3692	E	477354.449	0.9996052	0.9999989	348540	88H3791	Terr	290° 52' 19"	102.981	103.021		
		N	5362340.006										
		EI (H)	25.896 CGVD28										

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
410753	80H3751	E	477249.534	0.9996067	1.0000003	16501	80H3788	Terr	27° 25' 27"	107.327	107.369		
		N	5365110.877					547620	80H3897	Terr	206° 5' 8"	116.742	116.788
		EI (H)	16.602 CGVD28					259341	80H3781	Terr	326° 56' 1"	176.252	176.321
413765	80H3712	E	476124.240	0.9996013	0.9999943	638783	80H3708	Terr	330° 38' 40"	111.882	111.927		
		N	5362148.609										
		EI (H)	55.240 CGVD28										
415257	83H6749	E	476663.395	0.9996070	1.0000003	MARKER DESTROYED							
		N	5364403.267										
		EI (H)	16.567 CGVD28										
416248	83H6743	E	476278.624	0.9996003	0.9999934	993345	83H6745	Terr	2° 31' 29"	180.272	180.344		
		N	5366442.877					784637	83H6741	Terr	81° 33' 38"	87.120	87.155
		EI (H)	60.663 CGVD28										
416271	80H3903	E	477410.052	0.9996085	1.0000023	470310	80H3914	Terr	12° 20' 19"	128.115	128.165		
		N	5364176.526										
		EI (H)	4.282 CGVD28										
420711	80H3746	E	477135.878	0.9996068	1.0000004	547620	80H3897	Terr	23° 49' 26"	154.292	154.353		
		N	5364864.882					479907	80H3906	Terr	206° 39' 52"	175.596	175.665
		EI (H)	16.126 CGVD28										
422147	81H4102	E	475952.716	0.9996077	1.0000006	812842	80H3553	Terr	123° 48' 49"	122.532	122.580		
		N	5362056.876					985465	3-14	Terr	305° 55' 40"	142.987	143.043
		EI (H)	14.788 CGVD28										
429175	LEGAL RP116	E	477640.976	0.9996086	1.0000025	240838	80H3775	Terr	30° 57' 16"	146.931	146.989		
		N	5364776.900					611566	88H3797	Both	202° 30' 35"	405.738	405.897
		EI (H)	2.933 CGVD28										
430918	80H3600	E	476918.664	0.9996090	1.0000024	326918	80H3607	Terr	2° 9' 11"	174.915	174.984		
		N	5362470.096					383224	80H3561	Terr	182° 57' 55"	174.652	174.720
		EI (H)	3.191 CGVD28										

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
433052	88H3807	E	476842.920	0.9996086	1.0000020	287011	80H3626	Terr	2° 27' 28"	133.779	133.831		
		N	5362802.444					Terr	94° 32' 19"			90.278	90.313
		El (H)	5.737 CGVD28										
440297	80H3879	E	478115.622	0.9996081	1.0000022	841569	94H1631	Terr	138° 21' 21"	159.008	159.070		
		N	5366360.226					Terr	190° 25' 7"			172.987	173.055
		El (H)	4.869 CGVD28					Terr	305° 32' 51"				
441923	80H3604	E	476848.029	0.9996075	1.0000009	506774	80H3617	Terr	0° 28' 44"	112.852	112.896		
		N	5363379.531					Terr	176° 7' 8"			114.971	115.016
		El (H)	12.951 CGVD28										
441980	80H3828	E	478300.128	0.9996081	1.0000023	597278	80H3902	Terr	0° 4' 12"	160.154	160.217		
		N	5365619.006					Terr	190° 0' 6"			119.522	119.569
		El (H)	4.046 CGVD28					Terr	287° 55' 45"				
442012	80H3562	E	477224.039	0.9996085	1.0000021	MARKER DESTROYED							
		N	5363841.224										
		El (H)	5.157 CGVD28										
448829	82H5867	E	477485.844	0.9996087	1.0000024	MARKER DESTROYED							
		N	5364402.368										
		El (H)	3.203 CGVD28										
449595	80H3559	E	477388.598	0.9996088	1.0000025	990994	80H3558	Terr	86° 31' 1"	109.159	109.201		
		N	5363492.775					Terr	217° 29' 26"			101.390	101.429
		El (H)	3.002 CGVD28					Terr	313° 5' 59"				
449991	80H3863	E	476864.442	0.9996027	0.9999961	709774	83H6752	Terr	7° 13' 57"	109.487	109.531		
		N	5365789.389					Terr	204° 24' 54"			130.904	130.956
		El (H)	43.773 CGVD28										
450197	80H3855	E	478279.370	0.9996077	1.0000019	441980	80H3828	Terr	10° 0' 6"	119.522	119.569		
		N	5365501.300					Terr	213° 56' 15"			147.585	147.643
		El (H)	6.807 CGVD28										

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
458356	80H3872	E	477251.567	0.9996049	0.9999986	838219	80H3860	Terr	53° 56' 15"	78.362	78.393		
		N	5365619.439					Terr	148° 28' 36"			131.642	131.694
		EI (H)	27.845 CGVD28					Terr	233° 35' 25"				
458810	80H3653	E	476392.639	0.9996066	0.9999998	941633	80H3685	Terr	181° 56' 42"	96.310	96.348		
		N	5364026.556										
		EI (H)	20.019 CGVD28										
460295	80H3602	E	476946.827	0.9996083	1.0000017	812628	80H3642	Terr	90° 9' 45"	81.840	81.872		
		N	5363263.316					Terr	270° 56' 57"			91.028	91.064
		EI (H)	7.595 CGVD28					Terr	358° 22' 53"				
467464	80H3624	E	476945.924	0.9996084	1.0000019		MARKER DESTROYED						
		N	5363060.816										
		EI (H)	6.638 CGVD28										
467662	80H3758	E	476401.865	0.9996058	0.9999990		MARKER DESTROYED						
		N	5365598.313										
		EI (H)	25.123 CGVD28										
470310	80H3914	E	477437.429	0.9996087	1.0000024	416271	80H3903	Terr	192° 20' 19"	128.115	128.165		
		N	5364301.682					Terr	293° 55' 36"			147.534	147.592
		EI (H)	3.360 CGVD28										
473355	80H3792	E	477452.127	0.9996075	1.0000012		MARKER DESTROYED						
		N	5364860.164										
		EI (H)	11.005 CGVD28										
477232	80H3709	E	476224.206	0.9996046	0.9999977	772731	80H3704	Terr	304° 4' 36"	104.146	104.187		
		N	5362278.274										
		EI (H)	33.448 CGVD28										
479907	80H3906	E	477057.077	0.9996072	1.0000007	420711	80H3746	Terr	26° 39' 52"	175.596	175.665		
		N	5364707.961					Terr	107° 33' 10"			96.331	96.369
		EI (H)	14.094 CGVD28					Terr	221° 26' 15"				
								Terr	269° 58' 44"			216.486	216.571

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
486019	80H3899	E	477656.421	0.9996065	1.0000004	832998	80H3884	Terr	150° 7' 52"	138.876	138.931
		N	5365268.114			368506	80H3759	Terr	209° 0' 12"	212.889	212.973
		EI (H)	16.265 CGVD28			957464	80H3886	Terr	298° 30' 47"	97.365	97.403
487199	80H3756	E	476688.662	0.9996065	0.9999998	94383	80H3764	Terr	86° 14' 49"	194.047	194.124
		N	5365143.428			184796	80H3753	Terr	202° 45' 31"	130.544	130.595
		EI (H)	19.779 CGVD28			604579	94H1629	Terr	358° 3' 39"	211.408	211.491
489310	80H3856	E	477826.454	0.9996058	0.9999998	951756	80H3909	Terr	129° 17' 23"	165.404	165.469
		N	5366580.118			57216	80H3829	Terr	338° 0' 58"	187.164	187.238
		EI (H)	20.367 CGVD28								
489641	80H3847	E	478196.975	0.9996072	1.0000013	450197	80H3855	Terr	33° 56' 15"	147.585	147.643
		N	5365378.856			787648	80H3832	Terr	163° 19' 58"	142.344	142.400
		EI (H)	10.332 CGVD28								
491563	83H6753	E	476922.487	0.9996070	1.0000005	MARKER DESTROYED					
		N	5364525.031								
		EI (H)	15.605 CGVD28								
495846	15-83	E	476156.540	0.9996076	1.0000006	896365	80H3664	Terr	2° 59' 48"	122.256	122.304
		N	5364395.925			949370	95H1737	Terr	77° 56' 21"	110.102	110.146
		EI (H)	14.882 CGVD28			142695	15-87	Terr	182° 9' 39"	237.741	237.834
						632984	15-147	Terr	253° 33' 56"	128.681	128.732
496877	88H3809	E	476932.915	0.9996089	1.0000024	282087	80H3898	Terr	2° 30' 38"	162.309	162.372
		N	5362795.300			95927	80H3631	Terr	94° 11' 16"	165.159	165.224
		EI (H)	3.556 CGVD28			326918	80H3607	Terr	182° 55' 23"	150.608	150.667
						433052	88H3807	Terr	274° 32' 19"	90.278	90.313
497784	83H6757	E	476388.875	0.9995997	0.9999928	784637	83H6741	Terr	189° 47' 55"	141.459	141.515
		N	5366595.058			993345	83H6745	Terr	285° 15' 43"	106.050	106.093
		EI (H)	64.352 CGVD28								
498535	80H3848	E	478020.439	0.9996071	1.0000011	MARKER DESTROYED					
		N	5365108.572								
		EI (H)	11.517 CGVD28								

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
506139	80H3750	E	476570.588	0.9996067	1.0000000	184796	80H3753	Terr	22° 45' 28"	174.682	174.751
		N	5364861.965			303271	80H3804	Terr	232° 58' 51"	135.473	135.526
		EI (H)	18.989 CGVD28								
506774	80H3617	E	476848.972	0.9996074	1.0000008	924183	80H3816	Terr	1° 20' 12"	255.467	255.567
		N	5363492.379			441923	80H3604	Terr	180° 28' 44"	112.852	112.896
		EI (H)	13.446 CGVD28			735175	80H3651	Terr	279° 40' 0"	94.185	94.222
507400	15-115	E	476132.309	0.9996070	0.9999999	194019	15-100	Terr	2° 5' 1"	219.502	219.588
		N	5363741.054			244053	84H0610	Terr	88° 34' 23"	143.082	143.139
		EI (H)	18.976 CGVD28			15719	15-114	Terr	270° 37' 32"	67.398	67.425
507715	80H3822	E	476163.602	0.9996080	1.0000010	757658	80H3567	Terr	30° 26' 41"	116.721	116.766
		N	5361503.729			271601	83H6760	Terr	328° 42' 15"	222.718	222.805
		EI (H)	12.106 CGVD28								
508275	80H3730	E	476414.716	0.9996067	0.9999998	182626	80H3795	Terr	2° 19' 59"	196.305	196.382
		N	5365272.427			567750	80H3890	Terr	178° 38' 37"	185.232	185.305
		EI (H)	19.760 CGVD28			455691	80H3115	Terr	273° 48' 48"	238.204	238.298
509356	88H3799	E	477094.534	0.9996084	1.0000019	95927	80H3631	Terr	1° 16' 34"	139.158	139.212
		N	5362644.116			871640	80H3637	Terr	92° 54' 49"	122.505	122.553
		EI (H)	6.461 CGVD28			783613	88H3794	Terr	185° 37' 42"	118.249	118.295
						326918	80H3607	Terr	270° 15' 41"	169.301	169.367
510321	80H3836	E	476775.441	0.9996004	0.9999937	238774	80H3930	Terr	199° 28' 29"	302.964	303.085
		N	5366930.889			933580	80H3846	Terr	273° 53' 5"	115.544	115.591
		EI (H)	58.845 CGVD28			952614	80H3841	Terr	335° 58' 14"	165.377	165.443
510800	88H3804	E	477252.458	0.9996086	1.0000022	653113	80H3554	Terr	169° 12' 11"	146.635	146.692
		N	5363738.506			69013	80H3590	Terr	271° 32' 35"	113.627	113.672
		EI (H)	4.754 CGVD28								
511279	80H3862	E	478200.895	0.9996078	1.0000020	441980	80H3828	Terr	107° 55' 45"	104.298	104.339
		N	5365651.113								
		EI (H)	6.139 CGVD28								

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
512327	80H3812	E	477215.639	0.9996072	1.0000008	84327	80H3801	Terr	23° 0' 21"	146.661	146.718
		N	5364814.187			558304	80H3776	Terr	206° 15' 5"	150.835	150.894
		EI (H)	13.460 CGVD28								
526012	80H3667	E	476216.809	0.9996071	1.0000001	941633	80H3685	Terr	90° 28' 5"	172.567	172.635
		N	5363931.711								
		EI (H)	18.027 CGVD28								
528158	80H3580	E	477719.239	0.9996083	1.0000022	405704	80H2483	Terr	22° 41' 15"	3721.083	3722.546
		N	5363270.875			229930	80H3583	Terr	140° 38' 34"	114.152	114.197
		EI (H)	4.929 CGVD28			101816	80H3585	Terr	325° 4' 56"	129.586	129.637
						512921	669	Both	335° 3' 26"	4248.547	4250.250
529404	83H6747	E	477074.091	0.9996087	1.0000022	MARKER DESTROYED					
		N	5362276.125								
		EI (H)	4.447 CGVD28								
529677	80H3780	E	477352.163	0.9996081	1.0000018	915363	88H3798	Terr	17° 47' 54"	109.789	109.832
		N	5364453.702			611566	88H3797	Both	111° 8' 45"	143.118	143.174
		EI (H)	7.390 CGVD28			126813	80H3936	Terr	208° 16' 39"	104.677	104.718
						347823	80H3802	Terr	295° 25' 19"	188.301	188.375
530287	88H3792	E	477074.083	0.9996087	1.0000023	614370	88H3793	Terr	1° 34' 23"	144.771	144.827
		N	5362275.745			642793	80H3681	Terr	107° 53' 23"	110.633	110.677
		EI (H)	4.275 CGVD28			383224	80H3561	Terr	276° 54' 39"	165.658	165.722
533182	80H3827	E	477376.573	0.9996004	0.9999941	792127	80H3887	Terr	45° 30' 48"	362.898	363.042
		N	5366544.657			570002	80H3896	Terr	224° 26' 35"	256.847	256.949
		EI (H)	56.369 CGVD28								
535500	80H3625	E	476943.523	0.9996070	1.0000005	885566	80H3592	Terr	102° 2' 13"	104.133	104.173
		N	5363751.378			597617	80H3606	Terr	180° 43' 51"	255.735	255.835
		EI (H)	15.761 CGVD28			924183	80H3816	Terr	267° 40' 18"	88.665	88.700
540989	80H3578	E	477251.574	0.9996087	1.0000023	551960	80H3576	Terr	63° 30' 59"	84.145	84.178
		N	5363374.803			888586	80H3717	Terr	227° 56' 44"	171.827	171.894
		EI (H)	3.863 CGVD28								

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
544742	80H3572	E	477193.993	0.9996084	1.0000020	551960	80H3576	Terr	142° 40' 7"	219.147	219.233
		N	5363586.580			734475	80H3582	Terr	202° 5' 36"	196.405	196.482
		EI (H)	5.900 CGVD28			885566	80H3592	Terr	313° 54' 40"	206.307	206.388
547620	80H3897	E	477198.201	0.9996067	1.0000003	410753	80H3751	Terr	26° 5' 8"	116.742	116.788
		N	5365006.027			84327	80H3801	Terr	127° 14' 56"	93.914	93.951
		EI (H)	16.803 CGVD28			420711	80H3746	Terr	203° 49' 26"	154.292	154.353
						998138	80H3767	Terr	256° 30' 33"	190.919	190.994
						385195	80H3742	Terr	290° 29' 9"	129.655	129.706
						974097	80H3745	Terr	326° 59' 8"	155.887	155.948
547646	80H3563	E	476500.525	0.9996067	0.9999999	899690	80H3574	Terr	234° 31' 38"	221.441	221.529
		N	5361862.502								
		EI (H)	19.502 CGVD28								
547794	80H3834	E	476384.852	0.9995987	0.9999919	299115	80H3823	Terr	201° 46' 53"	97.401	97.440
		N	5366825.796			402669	94H1630	Terr	346° 39' 33"	142.075	142.132
		EI (H)	70.597 CGVD28								
551960	80H3576	E	477326.889	0.9996087	1.0000024	449595	80H3559	Terr	37° 29' 26"	101.390	101.429
		N	5363412.327			61952	88H3805	Terr	138° 14' 36"	155.985	156.046
		EI (H)	3.472 CGVD28			540989	80H3578	Terr	243° 30' 59"	84.145	84.178
						544742	80H3572	Terr	322° 40' 7"	219.147	219.233
554014	80H3555	E	477491.444	0.9996087	1.0000025	MARKER DESTROYED					
		N	5363228.193								
		EI (H)	2.746 CGVD28								
558304	80H3776	E	477148.923	0.9996074	1.0000010	512327	80H3812	Terr	26° 15' 5"	150.835	150.894
		N	5364678.909			854307	80H3790	Terr	118° 11' 14"	134.103	134.156
		EI (H)	12.569 CGVD28			479907	80H3906	Terr	287° 33' 10"	96.331	96.369
560250	80H3740	E	476378.422	0.9996068	1.0000000	303271	80H3804	Terr	90° 52' 8"	84.010	84.043
		N	5364781.673			159616	80H3658	Terr	272° 27' 27"	99.776	99.815
		EI (H)	18.811 CGVD28								

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)						
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
565044	99H2272	E	478101.577	0.9996081	1.0000022	304469	80H1430	Both	77° 21' 48"	2271.932	2272.825						
		N	5366268.510									336859	72C023	GPS Only	186° 18' 49"	4185.899	4187.541
		EI (H)	4.890									611566	88H3797	Both	198° 15' 47"	1965.442	1966.212
			CGVD28									972828	80H1659	Both	304° 58' 7"	3094.908	3096.127
567255	80H1676	E	476267.093	0.9996003	0.9999933	MARKER DESTROYED											
		N	5367543.051														
		EI (H)	61.205								CGVD28						
567750	80H3890	E	476419.101	0.9996067	0.9999999	816819	80H3720	Terr	90° 50' 13"	144.435	144.492						
		N	5365087.247			245191	80H3757	Terr	180° 29' 9"	99.274	99.313						
		EI (H)	19.582			414359	80H2457	Terr	271° 26' 52"	249.682	249.780						
			CGVD28			508275	80H3730	Terr	358° 38' 37"	185.232	185.305						
570002	80H3896	E	477196.729	0.9996001	0.9999937	533182	80H3827	Terr	44° 26' 35"	256.847	256.949						
		N	5366361.282			811463	80H3911	Terr	201° 24' 56"	231.986	232.079						
		EI (H)	58.726			CGVD28											
576959	80H3693	E	476364.719	0.9996072	1.0000004	156224	80H3910	Terr	63° 24' 8"	124.469	124.518						
		N	5364419.202			949370	95H1737	Terr	269° 50' 44"	100.507	100.547						
		EI (H)	16.283			CGVD28											
578310	80H3668	E	476769.846	0.9996068	1.0000002	924183	80H3816	Terr	86° 40' 2"	85.229	85.263						
		N	5363742.821			735175	80H3651	Terr	183° 20' 50"	235.028	235.120						
		EI (H)	17.524			765529	80H3800	Terr	274° 40' 8"	138.221	138.275						
			CGVD28			665976	80H3789	Terr	357° 2' 46"	136.812	136.866						
579185	80H3851	E	477981.790	0.9996061	1.0000001	983163	80H3888	Terr	196° 20' 45"	102.471	102.511						
		N	5366124.615			654657	80H3859	Terr	357° 57' 58"	109.347	109.390						
		EI (H)	18.134			CGVD28											
580134	80H3731	E	477320.395	0.9996058	0.9999995	458356	80H3872	Terr	328° 28' 36"	131.642	131.694						
		N	5365507.224														
		EI (H)	21.956									CGVD28					
580480	80H3724	E	476404.747	0.9996021	0.9999952	MARKER DESTROYED											
		N	5365915.998														
		EI (H)	49.243								CGVD28						

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
586297	80H3926	E	477286.628	0.9996018	0.9999955	975953	80H3915	Terr	22° 19' 10"	101.143	101.183
		N	5366034.765			19596	80H3921	Terr	113° 8' 31"	83.400	83.433
		El (H)	47.753 CGVD28			903740	80H3889	Terr	199° 26' 13"	171.295	171.364
						811463	80H3911	Terr	302° 20' 22"	206.658	206.740
591255	80H3826	E	476349.965	0.9995981	0.9999912	970871	80H3843	Terr	17° 34' 12"	120.886	120.935
		N	5367235.088			833814	80H3852	Terr	155° 24' 45"	129.475	129.527
		El (H)	74.763 CGVD28								
591412	80H3566	E	476152.778	0.9996069	0.9999999	144246	80H3581	Terr	140° 32' 6"	77.334	77.365
		N	5362837.283								
		El (H)	19.517 CGVD28								
593384	80H3814	E	476565.954	0.9996063	0.9999996	893933	80H3747	Terr	94° 17' 49"	158.745	158.808
		N	5365457.012			182626	80H3795	Terr	274° 36' 45"	143.712	143.769
		El (H)	21.462 CGVD28								
597278	80H3902	E	478300.324	0.9996079	1.0000021	441980	80H3828	Terr	180° 4' 12"	160.154	160.217
		N	5365779.160			898023	80H3853	Terr	340° 35' 42"	183.012	183.084
		El (H)	5.540 CGVD28								
597617	80H3606	E	476940.261	0.9996077	1.0000012	535500	80H3625	Terr	0° 43' 51"	255.735	255.835
		N	5363495.664			368126	80H3632	Terr	82° 55' 44"	100.470	100.510
		El (H)	11.370 CGVD28			460295	80H3602	Terr	178° 22' 53"	232.441	232.532
602235	80H3817	E	477022.868	0.9996074	1.0000010	MARKER DESTROYED					
		N	5364499.005								
		El (H)	12.678 CGVD28								
603464	80H3608	E	477094.375	0.9996084	1.0000019	MARKER DESTROYED					
		N	5362644.153								
		El (H)	6.420 CGVD28								
604157	80H3587	E	477236.721	0.9996083	1.0000019	243865	84H0607	Terr	126° 41' 27"	129.068	129.119
		N	5362098.578			642793	80H3681	Terr	338° 10' 14"	154.242	154.302
		El (H)	6.433 CGVD28								

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS			Station Scale Factors		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)	
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
604579	94H1629	E	476681.508	0.9996064	0.9999997	893933	80H3747	Terr	25° 18' 22"	99.999	100.039
		N	5365354.715			334979	80H3726	Terr	95° 38' 55"	214.052	214.137
		EI (H)	20.740 CGVD28			487199	80H3756	Terr	178° 3' 39"	211.408	211.491
605139	80H3754	E	476887.049	0.9996050	0.9999984	941294	80H3885	Terr	5° 59' 38"	156.291	156.353
		N	5365428.855			117085	80H3749	Terr	140° 36' 21"	152.698	152.758
		EI (H)	28.670 CGVD28			334979	80H3726	Terr	175° 30' 45"	95.502	95.539
						893933	80H3747	Terr	275° 42' 17"	163.606	163.671
609081	80H3595	E	475945.206	0.9996029	0.9999958	796037	81H4670	Terr	325° 15' 19"	100.314	100.354
		N	5362205.192								
		EI (H)	45.622 CGVD28								
611566	88H3797	E	477485.644	0.9996087	1.0000024	565044	99H2272	GPS Only	18° 15' 47"	1965.442	1966.212
		N	5364402.073			429175	LEGAL RP116	Terr	22° 30' 35"	405.738	405.897
		EI (H)	3.243 CGVD28			304469	80H1430	Both	50° 9' 41"	3689.295	3690.743
						336859	72C023	GPS Only	176° 7' 11"	2299.344	2300.245
						529677	80H3780	Terr	291° 8' 45"	143.118	143.174
613844	84H0609	E	476264.950	0.9996074	1.0000005	MARKER DESTROYED					
		N	5364418.806								
		EI (H)	15.430 CGVD28								
614370	88H3793	E	477078.057	0.9996079	1.0000015	783613	88H3794	Terr	2° 38' 11"	106.088	106.130
		N	5362420.461			530287	88H3792	Terr	181° 34' 23"	144.771	144.827
		EI (H)	9.257 CGVD28								
617407	80H3850	E	476445.006	0.9995992	0.9999923	322958	80H3830	Terr	99° 52' 36"	118.808	118.855
		N	5366696.547			299115	80H3823	Terr	291° 56' 48"	103.820	103.861
		EI (H)	67.545 CGVD28								
621128	80H3700	E	476632.452	0.9996078	1.0000011	715359	80H3619	Terr	80° 58' 8"	123.773	123.822
		N	5363245.050			320689	80H3644	Terr	180° 35' 15"	181.185	181.256
		EI (H)	11.898 CGVD28			35691	80H3663	Terr	280° 18' 5"	104.437	104.478
						196089	80H3674	Terr	358° 14' 36"	249.715	249.813

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
621268	80H3864	E N EI (H)	477858.987 5366146.324 25.530 CGVD28	0.9996050	0.9999989		MARKER DESTROYED				
627232	80H3929	E N EI (H)	476430.696 5366296.140 54.301 CGVD28	0.9996013	0.9999944	150425 240804	83H6744 81H4103	Terr Terr	48° 55' 34" 220° 38' 52"	36.931 352.224	36.946 352.364
629535	80H3698	E N EI (H)	476319.187 5363052.849 14.232 CGVD28	0.9996076	1.0000007	23804 791095 854067	80H3689 80H3703 80H3719	Terr Terr Terr	84° 31' 26" 175° 6' 29" 273° 13' 4"	118.360 104.094 96.578	118.407 104.135 96.616
630582	80H3648	E N EI (H)	477522.266 5362494.642 11.273 CGVD28	0.9996074	1.0000012	748145 31880	80H3686 80H3647	Terr Terr	1° 27' 34" 179° 54' 7"	137.780 108.110	137.834 108.153
638783	80H3708	E N EI (H)	476069.392 5362246.125 56.706 CGVD28	0.9996011	0.9999940	413765	80H3712	Terr	150° 38' 40"	111.882	111.927
641597	80H3784	E N EI (H)	476761.706 5364191.814 11.781 CGVD28	0.9996077	1.0000011	849646	80H3813	Terr	220° 46' 12"	137.034	137.088
642793	80H3681	E N EI (H)	477179.367 5362241.760 9.306 CGVD28	0.9996079	1.0000015	604157 530287	80H3587 88H3792	Terr Terr	158° 10' 14" 287° 53' 23"	154.242 110.633	154.302 110.677
650630	80H3612	E N EI (H)	477234.873 5363053.847 3.994 CGVD28	0.9996087	1.0000023	398453 244921 673160	80H3613 80H3714 80H3610	Terr Terr Terr	95° 2' 18" 183° 48' 22" 266° 0' 30"	121.017 201.507 124.451	121.064 201.586 124.500
651109	80H3935	E N EI (H)	477053.552 5365701.790 41.853 CGVD28	0.9996029	0.9999964	376855 689661 941294	80H3932 80H3743 80H3885	Terr Terr Terr	55° 49' 1" 139° 46' 18" 231° 57' 42"	118.735 184.218 190.685	118.782 184.291 190.760

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)			
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
651836	80H3739	E	476322.689	0.9996048	0.9999979	866814	80H3762	Terr	30° 3' 37"	97.573	97.611			
		N	5365741.312					Terr	274° 15' 19"			129.284	129.336	
		El (H)	32.343 CGVD28											
652651	80H3876	E	477432.933	0.9996060	0.9999997	838219	80H3860	Terr	319° 33' 7"	181.917	181.989			
		N	5365527.130											
		El (H)	20.765 CGVD28											
653113	80H3554	E	477279.927	0.9996087	1.0000024	449595	80H3559	Terr	133° 5' 59"	148.831	148.889			
		N	5363594.467					88H3804	Terr			349° 12' 11"	146.635	146.692
		El (H)	3.439 CGVD28											
654657	80H3859	E	477977.909	0.9996063	1.0000004	579185	80H3851	Terr	177° 57' 58"	109.347	109.390			
		N	5366233.893					80H3873	Terr			320° 41' 9"	136.464	136.518
		El (H)	16.512 CGVD28											
657510	80H3654	E	476443.032	0.9996076	1.0000008	23804	80H3689	Terr	183° 10' 24"	108.837	108.880			
		N	5363172.814											
		El (H)	13.432 CGVD28											
660357	80H3588	E	477818.284	0.9996068	1.0000007	965632	80H3598	Terr	151° 51' 16"	117.770	117.817			
		N	5362996.226					80H3594	Terr			342° 48' 12"	108.705	108.747
		El (H)	14.144 CGVD28											
662817	80H3807	E	476663.642	0.9996071	1.0000004	MARKER DESTROYED								
		N	5364402.915											
		El (H)	16.412 CGVD28											
664839	80H3599	E	477340.354	0.9996083	1.0000020	MARKER DESTROYED								
		N	5362021.414											
		El (H)	5.904 CGVD28											
665307	80H3737	E	476670.229	0.9996072	1.0000005	873919	80H3735	Terr	2° 26' 53"	174.517	174.586			
		N	5364698.279					80H3799	Terr			83° 5' 38"	83.987	84.020
		El (H)	15.431 CGVD28											

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
665976	80H3789	E	476762.796	0.9996071	1.0000005	578310	80H3668	Terr	177° 2' 46"	136.812	136.866
		N	5363879.451								
		El (H)	15.484	CGVD28							
672683	80H3727	E	477249.055	0.9996059	0.9999995	679	80H3778	Terr	140° 15' 44"	162.187	162.251
		N	5365440.419			689661	80H3743	Terr	327° 37' 44"	142.938	142.994
		El (H)	21.857	CGVD28							
673160	80H3610	E	477110.724	0.9996088	1.0000023	888586	80H3717	Terr	3° 32' 20"	214.933	215.017
		N	5363045.184			650630	80H3612	Terr	86° 0' 30"	124.451	124.500
		El (H)	3.980	CGVD28		8623	80H3634	Terr	183° 36' 22"	82.835	82.867
679662	80H3646	E	476600.502	0.9996080	1.0000012	187898	80H3635	Terr	2° 5' 39"	125.469	125.518
		N	5362355.364			711226	80H3611	Terr	91° 35' 20"	83.881	83.914
		El (H)	10.755	CGVD28		188169	80H3672	Terr	267° 0' 49"	144.098	144.154
683359	80H3605	E	477568.998	0.9996086	1.0000024	MARKER DESTROYED					
		N	5363419.601								
		El (H)	3.329	CGVD28							
684316	80H3868	E	477540.257	0.9996063	1.0000001	785246	80H3858	Terr	15° 12' 43"	238.523	238.617
		N	5365540.228			58123	80H3907	Terr	196° 43' 55"	189.217	189.292
		El (H)	18.413	CGVD28							
689661	80H3743	E	477172.526	0.9996049	0.9999985	458356	80H3872	Terr	53° 35' 25"	98.213	98.252
		N	5365561.144			672683	80H3727	Terr	147° 37' 44"	142.938	142.994
		El (H)	28.313	CGVD28		651109	80H3935	Terr	319° 46' 18"	184.218	184.291
690172	80H3589	E	476467.614	0.9996073	1.0000005	329896	80H3659	Terr	2° 27' 50"	168.068	168.134
		N	5362481.467			187898	80H3635	Terr	90° 17' 57"	137.475	137.529
		El (H)	15.520	CGVD28		188169	80H3672	Terr	184° 42' 45"	134.063	134.116
690347	83H6742	E	476281.947	0.9996061	0.9999991	356659	80H3678	Terr	78° 34' 30"	141.338	141.393
		N	5363599.201			199265	80H3670	Terr	178° 52' 56"	112.322	112.367
		El (H)	24.153	CGVD28		756395	80H3701	Terr	275° 29' 2"	111.608	111.652
						244053	84H0610	Terr	357° 24' 5"	145.566	145.623

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
699769	80H3597	E N EI (H)	477252.473 5363738.525 4.766 CGVD28	0.9996086	1.0000022	MARKER DESTROYED					
709774	83H6752	E N EI (H)	476878.226 5365898.005 51.257 CGVD28	0.9996015	0.9999949	825463 449991 306431	80H3922 80H3863 80H3725	Terr Terr Terr	95° 37' 49" 187° 13' 57" 270° 38' 30"	138.162 109.487 190.673	138.217 109.531 190.749
710624	80H3594	E N EI (H)	477786.145 5363100.071 10.298 CGVD28	0.9996074	1.0000013	229930 660357 884528	80H3583 80H3588 80H3593	Terr Terr Terr	3° 48' 4" 162° 48' 12" 264° 13' 44"	82.723 108.705 102.573	82.755 108.747 102.613
711226	80H3611	E N EI (H)	476684.351 5362353.038 8.321 CGVD28	0.9996083	1.0000016	50187 679662 23325	80H3560 80H3646 80H3640	Terr Terr Terr	183° 47' 36" 271° 35' 20" 359° 59' 34"	126.728 83.881 163.928	126.777 83.914 163.992
713776	80H3865	E N EI (H)	478096.397 5366000.128 9.667 CGVD28	0.9996073	1.0000014	280297 890210	80H3871 80H3861	Terr Terr	166° 17' 23" 356° 22' 5"	183.036 190.345	183.108 190.420
715359	80H3619	E N EI (H)	476754.691 5363264.479 10.279 CGVD28	0.9996080	1.0000013	735175 284620 288985 621128	80H3651 80H3601 80H3628 80H3700	Terr Terr Terr Terr	0° 20' 13" 89° 48' 16" 180° 50' 24" 260° 58' 8"	243.719 101.121 203.050 123.773	243.815 101.160 203.129 123.822
719393	80H3705	E N EI (H)	477206.516 5362474.108 19.432 CGVD28	0.9996063	0.9999999	MARKER DESTROYED					
720060	80H3741	E N EI (H)	476428.025 5364879.607 20.612 CGVD28	0.9996065	0.9999997	185819 245191	80H3774 80H3757	Terr Terr	278° 53' 20" 354° 51' 2"	78.844 108.809	78.875 108.852
722371	80H3821	E N EI (H)	476376.563 5363755.886 19.350 CGVD28	0.9996068	0.9999999	941633 734293 244053	80H3685 88H3806 84H0610	Terr Terr Terr	4° 11' 59" 83° 34' 24" 263° 38' 49"	174.885 96.299 101.841	174.953 96.337 101.881

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
724633	80H1654	E N EI (H)	476198.445 5365924.323 46.676 CGVD28	0.9996026	0.9999956		MARKER DESTROYED				
734293	88H3806	E N EI (H)	476472.257 5363766.665 17.834 CGVD28	0.9996069	1.0000001	765529 722371 780858	80H3800 80H3821 80H3660	Terr Terr Terr	94° 30' 18" 263° 34' 24" 358° 44' 52"	160.322 96.299 131.837	160.385 96.337 131.889
734475	80H3582	E N EI (H)	477120.122 5363404.596 7.125 CGVD28	0.9996083	1.0000018	544742 888586	80H3572 80H3717	Terr Terr	22° 5' 36" 178° 28' 13"	196.405 144.941	196.482 144.997
734517	80H3616	E N EI (H)	476842.999 5362802.540 5.748 CGVD28	0.9996086	1.0000020		MARKER DESTROYED				
735175	80H3651	E N EI (H)	476756.124 5363508.194 13.539 CGVD28	0.9996075	1.0000008	578310 506774 715359 196089	80H3668 80H3617 80H3619 80H3674	Terr Terr Terr Terr	3° 20' 50" 99° 40' 0" 180° 20' 13" 264° 6' 39"	235.028 94.185 243.719 132.024	235.120 94.222 243.815 132.076
744672	80H3891	E N EI (H)	477248.416 5364153.315 6.742 CGVD28	0.9996082	1.0000019		MARKER DESTROYED				
745224	80H3883	E N EI (H)	476857.664 5364913.463 20.436 CGVD28	0.9996063	0.9999997	959544 998138 755637	80H3916 80H3767 80H3785	Terr Terr Terr	4° 12' 24" 72° 46' 23" 184° 44' 50"	139.172 162.161 206.290	139.227 162.224 206.371
745281	83H6759	E N EI (H)	477491.645 5363227.882 2.696 CGVD28	0.9996087	1.0000025	107680 57885 61952	80H3596 80H3682 88H3805	Terr Terr Terr	43° 43' 2" 230° 5' 44" 318° 11' 57"	105.849 131.687 91.329	105.890 131.738 91.365
748145	80H3686	E N EI (H)	477525.775 5362632.377 7.647 CGVD28	0.9996080	1.0000017	887828 630582 903682	83H6748 80H3648 81H4672	Terr Terr Terr	0° 27' 18" 181° 27' 34" 267° 19' 35"	219.725 137.780 85.450	219.811 137.834 85.484

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
753707	80H3763	E N EI (H)	477359.746 5364685.323 9.723 CGVD28	0.9996077	1.0000014	MARKER DESTROYED					
755637	80H3785	E N EI (H)	476840.591 5364707.881 15.387 CGVD28	0.9996071	1.0000005	745224 479907 140418 131904	80H3883 80H3906 82H5866 80H3799	Terr Terr Terr Terr	4° 44' 50" 89° 58' 44" 179° 17' 35" 270° 19' 39"	206.290 216.486 127.411 86.985	206.371 216.571 127.461 87.020
756395	80H3701	E N EI (H)	476170.850 5363609.867 21.617 CGVD28	0.9996065	0.9999995	690347 326835	83H6742 80H3716	Terr Terr	95° 29' 2" 165° 59' 46"	111.608 115.815	111.652 115.861
757658	80H3567	E N EI (H)	476222.745 5361604.356 7.783 CGVD28	0.9996087	1.0000017	395327 507715 947291	80H3656 80H3822 80H3551	Terr Terr Terr	29° 58' 43" 210° 26' 41" 323° 31' 0"	86.418 116.721 134.150	86.452 116.766 134.203
762344	80H3797	E N EI (H)	476849.820 5364114.817 10.608 CGVD28	0.9996079	1.0000013	871715	80H3908	Terr	26° 4' 59"	187.576	187.650
763474	80H3901	E N EI (H)	477714.874 5366135.284 30.444 CGVD28	0.9996043	0.9999982	94391 792820	80H3934 80H3917	Terr Terr	182° 58' 27" 355° 18' 12"	102.612 164.132	102.653 164.197
763862	80H3669	E N EI (H)	476472.500 5363766.585 17.676 CGVD28	0.9996070	1.0000002	MARKER DESTROYED					
765529	80H3800	E N EI (H)	476632.084 5363754.072 15.074 CGVD28	0.9996073	1.0000006	578310 130245 734293	80H3668 95H1738 88H3806	Terr Terr Terr	94° 40' 8" 182° 54' 59" 274° 30' 18"	138.221 131.607 160.322	138.275 131.659 160.385
765958	80H3699	E N EI (H)	476314.670 5362662.895 17.684 CGVD28	0.9996071	1.0000002	329896 963553 265553 921973	80H3659 80H3557 80H3662 80H3694	Terr Terr Terr Terr	94° 49' 23" 184° 18' 44" 263° 34' 44" 359° 33' 36"	160.738 126.873 112.038 161.824	160.801 126.923 112.082 161.887

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
767129	80H3734	E	476563.657	0.9996009	0.9999941	376863	80H3937	Terr	19° 40' 41"	164.090	164.156		
		N	5366314.472					Terr	199° 39' 0"			102.203	102.244
		El (H)	56.240 CGVD28										
771576	80H3874	E	477211.129	0.9996084	1.0000020	80721	88H3802	Terr	14° 15' 26"	169.237	169.303		
		N	5363987.908					Terr	175° 3' 26"			147.158	147.216
		El (H)	5.773 CGVD28										
772731	80H3704	E	476137.943	0.9996028	0.9999958	477232	80H3709	Terr	124° 4' 36"	104.146	104.187		
		N	5362336.627					Terr	335° 16' 21"			73.540	73.569
		El (H)	45.390 CGVD28										
774778	80H3695	E	476481.581	0.9996072	1.0000004	MARKER ISOLATED							
776815	80H3773	E	476182.109	0.9996071	1.0000001	245191	80H3757	Terr	94° 51' 41"	237.003	237.096		
		N	5365008.062					Terr	182° 19' 2"			119.910	119.957
		El (H)	17.926 CGVD28					Terr	351° 36' 34"				
778290	94H1632	E	476311.132	0.9995978	0.9999909	833814	80H3852	Terr	51° 30' 22"	118.447	118.494		
		N	5367043.628					Terr	152° 46' 53"			89.502	89.538
		El (H)	76.520 CGVD28										
780858	80H3660	E	476469.376	0.9996067	0.9999999	734293	88H3806	Terr	178° 44' 52"	131.837	131.889		
		N	5363898.471										
		El (H)	19.221 CGVD28										
781443	83H6758	E	477569.357	0.9996086	1.0000024	101816	80H3585	Terr	119° 18' 5"	86.814	86.848		
		N	5363419.619					Terr	228° 15' 33"			185.733	185.805
		El (H)	3.345 CGVD28					Terr	318° 0' 56"				
783613	88H3794	E	477082.937	0.9996080	1.0000016	509356	88H3799	Terr	5° 37' 42"	118.249	118.295		
		N	5362526.437					Terr	182° 38' 11"			106.088	106.130
		El (H)	8.768 CGVD28										

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)	
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
784637	83H6741	E	476364.801	0.9996005	0.9999937	497784	83H6757	Terr	9° 47' 55"	141.459	141.515	
		N	5366455.663					Terr	145° 16' 39"			164.629
		EI (H)	59.170 CGVD28					Terr	261° 33' 38"			
785246	80H3858	E	477602.843	0.9996055	0.9999993	110775	80H3892	Terr	107° 44' 51"	156.882	156.944	
		N	5365770.394					Terr	195° 12' 43"			238.617
		EI (H)	23.336 CGVD28					Terr	283° 16' 15"			
785642	80H3721	E	476532.815	0.9996049	0.9999981	173369	80H3769	Terr	89° 52' 8"	114.147	114.192	
		N	5365665.849									
		EI (H)	30.883 CGVD28									
786566	80H3639	E	476699.218	0.9996082	1.0000015	867689	80H3618	Terr	2° 26' 7"	132.570	132.622	
		N	5362659.800					Terr	185° 57' 2"			143.608
		EI (H)	9.158 CGVD28					Terr	269° 8' 35"			
787648	80H3832	E	478237.801	0.9996073	1.0000015	354514	80H3866	Both	197° 16' 29"	168.642	168.708	
		N	5365242.492					Terr	343° 19' 58"			142.344
		EI (H)	9.289 CGVD28									
788497	80H3796	E	477624.986	0.9996070	1.0000008	832998	80H3884	Terr	38° 9' 8"	162.845	162.909	
		N	5365019.628									
		EI (H)	13.535 CGVD28									
789388	80H3565	E	476436.698	0.9996075	1.0000007	237420	80H3575	Terr	172° 42' 31"	108.512	108.555	
		N	5362048.242									
		EI (H)	14.334 CGVD28									
790402	80H3713	E	476166.542	0.9996060	0.9999990	326835	80H3716	Terr	13° 58' 29"	133.893	133.946	
		N	5363367.564					Terr	188° 27' 56"			160.879
		EI (H)	25.202 CGVD28									
791095	80H3703	E	476328.064	0.9996075	1.0000006	921973	80H3694	Terr	186° 42' 34"	125.278	125.327	
		N	5362949.134					Terr	355° 6' 29"			104.094
		EI (H)	14.748 CGVD28									

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
791574	80H3857	E	477697.368	0.9996021	0.9999960	176537	80H2445	Terr	24° 39' 15"	225.003	225.092		
		N	5366898.406			792127	80H3887	Terr	211° 53' 54"			117.141	117.188
		EI (H)	44.582 CGVD28										
791954	80H3793	E	477102.635	0.9996078	1.0000014	80721	88H3802	Terr	109° 53' 7"	159.695	159.757		
		N	5364206.250			140129	80H3808	Terr	291° 45' 31"			92.542	92.579
		EI (H)	9.976 CGVD28										
792127	80H3887	E	477635.469	0.9996014	0.9999953	791574	80H3857	Terr	31° 53' 54"	117.141	117.188		
		N	5366798.955			303230	80H3895	Terr	189° 11' 24"			189.501	189.577
		EI (H)	49.068 CGVD28			533182	80H3827	Terr	225° 30' 48"			362.898	363.042
						369546	80H3867	Terr	315° 34' 11"			145.712	145.770
792820	80H3917	E	477701.435	0.9996044	0.9999983	889162	80H3913	Terr	2° 15' 26"	238.340	238.434		
		N	5366298.865			763474	80H3901	Terr	175° 18' 12"			164.132	164.197
		EI (H)	29.548 CGVD28										
794412	80H3760	E	476205.003	0.9996056	0.9999986	518746	80H3095	Terr	190° 27' 53"	94.576	94.613		
		N	5365660.576			413690	80H2480	Terr	352° 54' 20"			91.026	91.062
		EI (H)	27.312 CGVD28										
796037	81H4670	E	475888.035	0.9996015	0.9999944	871954	NO MARKING	Both	56° 17' 35"	52.068	52.089		
		N	5362287.620			609081	80H3595	Terr	145° 15' 19"			100.314	100.354
		EI (H)	54.455 CGVD28			985465	3-14	Terr	199° 11' 19"			155.482	155.544
803239	80H3771	E	477385.292	0.9996080	1.0000018	MARKER DESTROYED							
		N	5364559.242										
		EI (H)	7.538 CGVD28										
808519	80H3736	E	477007.152	0.9996051	0.9999986	259341	80H3781	Terr	140° 32' 21"	230.064	230.155		
		N	5365436.206										
		EI (H)	27.532 CGVD28										
811463	80H3911	E	477112.024	0.9996004	0.9999940	570002	80H3896	Terr	21° 24' 56"	231.986	232.079		
		N	5366145.313			586297	80H3926	Terr	122° 20' 22"			206.658	206.740
		EI (H)	57.041 CGVD28			825463	80H3922	Terr	200° 15' 46"			278.072	278.183

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
812628	80H3642	E	477028.667	0.9996084	1.0000020	368126	80H3632	Terr	2° 38' 29"	245.209	245.305
		N	5363263.084			888586	80H3717	Terr	92° 1' 44"	95.384	95.421
		EI (H)	6.311 CGVD28			460295	80H3602	Terr	270° 9' 45"	81.840	81.872
812842	80H3553	E	476054.522	0.9996077	1.0000006	939991	80H3707	Terr	77° 23' 19"	102.593	102.634
		N	5361988.688			310078	84H0608	Terr	180° 38' 41"	146.358	146.416
		EI (H)	14.770 CGVD28			422147	81H4102	Terr	303° 48' 49"	122.532	122.580
813923	80H3657	E	476372.526	0.9996073	1.0000004	MARKER DESTROYED					
		N	5364601.421								
		EI (H)	16.221 CGVD28								
816819	80H3720	E	476563.521	0.9996066	0.9999999	567750	80H3890	Terr	270° 50' 13"	144.435	144.492
		N	5365085.137								
		EI (H)	19.494 CGVD28								
817221	80H3925	E	477911.940	0.9996063	1.0000003	219998	80H3845	Terr	73° 9' 16"	183.211	183.283
		N	5365702.212			110775	80H3892	Terr	277° 16' 0"	160.974	161.037
		EI (H)	16.667 CGVD28								
825463	80H3922	E	477015.721	0.9996014	0.9999949	811463	80H3911	Terr	20° 15' 46"	278.072	278.183
		N	5365884.450			903740	80H3889	Terr	93° 0' 7"	214.199	214.284
		EI (H)	51.264 CGVD28			941294	80H3885	Terr	200° 31' 17"	320.496	320.624
						709774	83H6752	Terr	275° 37' 49"	138.162	138.217
829291	80H3728	E	476890.190	0.9996015	0.9999950	MARKER DESTROYED					
		N	5365886.807								
		EI (H)	50.892 CGVD28								
832998	80H3884	E	477725.584	0.9996067	1.0000006	310342	80H3840	Terr	81° 59' 16"	134.483	134.536
		N	5365147.685			788497	80H3796	Terr	218° 9' 8"	162.845	162.909
		EI (H)	15.046 CGVD28			486019	80H3899	Terr	330° 7' 52"	138.876	138.931
833814	80H3852	E	476403.837	0.9995987	0.9999919	391193	80H3833	Terr	130° 11' 18"	105.473	105.516
		N	5367117.353			778290	94H1632	Terr	231° 30' 22"	118.447	118.494
		EI (H)	70.734 CGVD28			591255	80H3826	Terr	335° 24' 45"	129.475	129.527

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)		
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
838219	80H3860	E	477314.913	0.9996049	0.9999985	190900	80H3900	Terr	49° 29' 35"	208.400	208.482		
		N	5365665.568					Terr	139° 33' 7"			181.917	181.989
		El (H)	28.156 CGVD28					Terr	233° 56' 15"				
839142	80H3818	E	476505.766	0.9996016	0.9999948	147900	80H3729	Terr	2° 53' 53"	76.072	76.103		
		N	5365999.424					Terr	156° 42' 8"			88.071	88.106
		El (H)	51.935 CGVD28										
839563	80H3924	E	476662.299	0.9996009	0.9999942	978577	80H3761	Terr	277° 7' 48"	134.047	134.100		
		N	5366201.583										
		El (H)	55.757 CGVD28										
841569	94H1631	E	478221.283	0.9996081	1.0000023	777151	80H3881	Terr	185° 41' 16"	139.220	139.275		
		N	5366241.402					Terr	318° 21' 21"			159.008	159.070
		El (H)	4.158 CGVD28										
847749	88H3800	E	476664.397	0.9996001	0.9999934	62364	80H3927	Terr	114° 40' 49"	376.187	376.338		
		N	5367340.931					Terr	189° 53' 9"			95.575	95.613
		El (H)	61.056 CGVD28										
849646	80H3813	E	476672.219	0.9996077	1.0000010	641597	80H3784	Terr	40° 46' 12"	137.034	137.088		
		N	5364088.033					Terr	182° 44' 13"			150.119	150.178
		El (H)	12.376 CGVD28										
854067	80H3719	E	476222.761	0.9996073	1.0000004	629535	80H3698	Terr	93° 13' 4"	96.578	96.616		
		N	5363058.270					Terr	184° 52' 26"			119.571	119.618
		El (H)	16.389 CGVD28										
854307	80H3790	E	477267.123	0.9996077	1.0000013	915363	88H3798	Terr	115° 47' 54"	131.728	131.780		
		N	5364615.565					Terr	298° 11' 14"			134.103	134.156
		El (H)	10.276 CGVD28										
854406	80H3869	E	476595.053	0.9995999	0.9999931		MARKER DESTROYED						
		N	5367048.436										
		El (H)	62.568 CGVD28										

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
858530	80H3548	E	477913.506	0.9996060	1.0000001	960278	80H3591	Terr	40° 36' 50"	157.171	157.233
		N	5362432.503			233072	80H3570	Terr	217° 47' 2"	353.519	353.658
		EI (H)	18.480 CGVD28								
864751	80H3811	E	476717.354	0.9996064	0.9999997	140418	82H5866	Terr	60° 53' 21"	142.854	142.911
		N	5364510.981			395962	95H1739	Terr	206° 36' 26"	120.463	120.511
		EI (H)	20.455 CGVD28			89573	80H3673	Terr	288° 0' 52"	130.711	130.762
866814	80H3762	E	476371.564	0.9996035	0.9999966	651836	80H3739	Terr	210° 3' 37"	97.573	97.611
		N	5365825.761								
		EI (H)	40.339 CGVD28								
867689	80H3618	E	476704.851	0.9996080	1.0000013	786566	80H3639	Terr	182° 26' 7"	132.570	132.622
		N	5362792.250								
		EI (H)	10.296 CGVD28								
869297	80H3638	E	477479.826	0.9996061	0.9999999	31880	80H3647	Terr	27° 11' 48"	93.262	93.298
		N	5362303.581			195511	80H3621	Terr	146° 45' 54"	133.103	133.155
		EI (H)	19.461 CGVD28								
871640	80H3637	E	477216.881	0.9996080	1.0000016	883892	80H3622	Terr	87° 30' 42"	136.122	136.176
		N	5362637.889			396325	88H3795	Terr	183° 41' 53"	163.922	163.987
		EI (H)	8.399 CGVD28			509356	88H3799	Terr	272° 54' 49"	122.505	122.553
871715	80H3908	E	476932.292	0.9996077	1.0000012	140129	80H3808	Terr	116° 51' 23"	94.597	94.634
		N	5364283.290			762344	80H3797	Terr	206° 4' 59"	187.576	187.650
		EI (H)	11.225 CGVD28			336248	80H3809	Terr	290° 43' 58"	200.339	200.417
873265	80H3643	E	477527.575	0.9996083	1.0000021	MARKER DESTROYED					
		N	5362852.103								
		EI (H)	5.713 CGVD28								
873919	80H3735	E	476677.683	0.9996067	1.0000000	665307	80H3737	Terr	182° 26' 53"	174.517	174.586
		N	5364872.637								
		EI (H)	18.538 CGVD28								

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
880898	80H3820	E	476177.261	0.9996072	1.0000002	776815	80H3773	Terr	2° 19' 2"	119.910	119.957
		N	5364888.250			185819	80H3774	Terr	88° 49' 37"	172.903	172.971
		EI (H)	17.187 CGVD28								
883892	80H3622	E	477352.875	0.9996080	1.0000017	86405	80H3691	Terr	3° 10' 45"	202.349	202.429
		N	5362643.799			903682	81H4672	Terr	99° 58' 56"	88.889	88.923
		EI (H)	7.903 CGVD28			871640	80H3637	Terr	267° 30' 42"	136.122	136.176
884528	80H3593	E	477684.092	0.9996084	1.0000023	710624	80H3594	Terr	84° 13' 44"	102.573	102.613
		N	5363089.757								
		EI (H)	4.052 CGVD28								
885566	80H3592	E	477045.366	0.9996071	1.0000006	69013	80H3590	Terr	82° 44' 41"	94.261	94.298
		N	5363729.662			544742	80H3572	Terr	133° 54' 40"	206.307	206.388
		EI (H)	14.905 CGVD28			368126	80H3632	Terr	181° 23' 44"	221.696	221.783
						535500	80H3625	Terr	282° 2' 13"	104.133	104.173
887828	83H6748	E	477527.520	0.9996083	1.0000021	748145	80H3686	Terr	180° 27' 18"	219.725	219.811
		N	5362852.095								
		EI (H)	5.723 CGVD28								
888586	80H3717	E	477123.991	0.9996086	1.0000022	540989	80H3578	Terr	47° 56' 44"	171.827	171.894
		N	5363259.707			673160	80H3610	Terr	183° 32' 20"	214.933	215.017
		EI (H)	4.774 CGVD28			812628	80H3642	Terr	272° 1' 44"	95.384	95.421
						734475	80H3582	Terr	358° 28' 13"	144.941	144.997
889162	80H3913	E	477710.822	0.9996042	0.9999981	57216	80H3829	Terr	11° 52' 40"	221.393	221.481
		N	5366537.020			792820	80H3917	Terr	182° 15' 26"	238.340	238.434
		EI (H)	31.048 CGVD28								
890210	80H3861	E	478084.339	0.9996079	1.0000020	440297	80H3879	Terr	10° 25' 7"	172.987	173.055
		N	5366190.091			713776	80H3865	Terr	176° 22' 5"	190.345	190.420
		EI (H)	5.866 CGVD28								
893933	80H3747	E	476724.253	0.9996059	0.9999993	605139	80H3754	Terr	95° 42' 17"	163.606	163.671
		N	5365445.118			604579	94H1629	Terr	205° 18' 22"	99.999	100.039
		EI (H)	23.382 CGVD28			593384	80H3814	Terr	274° 17' 49"	158.745	158.808

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS			Station Scale Factors		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)	
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
894014	80H3671	E N EI (H)	476545.204 5363636.688 18.319 CGVD28	0.9996068	1.0000001					MARKER DESTROYED	
894881	80H3627	E N EI (H)	476618.891 5362801.637 12.487 CGVD28	0.9996077	1.0000010	197384 25353 266262	80H3630 80H3641 83H6754	Terr Terr Terr	2° 38' 0" 181° 21' 6" 266° 18' 1"	89.018 143.129 137.941	89.053 143.185 137.996
895722	80H3777	E N EI (H)	476969.272 5364148.052 10.041 CGVD28	0.9996079	1.0000014	140129	80H3808	Terr	27° 8' 17"	103.947	103.987
896365	80H3664	E N EI (H)	476162.931 5364518.014 14.808 CGVD28	0.9996076	1.0000006	933226 495846	80H3688 15-83	Terr Terr	1° 51' 7" 182° 59' 48"	147.635 122.256	147.693 122.304
896472	80H3831	E N EI (H)	476352.410 5366964.136 70.552 CGVD28	0.9995988	0.9999919						MARKER DESTROYED
897447	80H3923	E N EI (H)	476275.346 5363744.617 17.973 CGVD28	0.9996070	1.0000001						MARKER DESTROYED
898023	80H3853	E N EI (H)	478239.519 5365951.776 5.748 CGVD28	0.9996079	1.0000021	597278 280297 777151	80H3902 80H3871 80H3881	Terr Terr Terr	160° 35' 42" 217° 36' 35" 348° 1' 46"	183.012 163.433 154.450	183.084 163.497 154.510
899690	80H3574	E N EI (H)	476320.185 5361733.996 28.691 CGVD28	0.9996053	0.9999984	547646 395327 342527	80H3563 80H3656 81H4101	Terr Terr Terr	54° 31' 38" 224° 43' 27" 331° 57' 38"	221.441 77.106 126.304	221.529 77.136 126.354
901132	80H3571	E N EI (H)	477430.703 5363296.363 2.958 CGVD28	0.9996087	1.0000025						MARKER DESTROYED

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
901561	80H3920	E	477585.636	0.9996028	0.9999966	245217	80H3919	Terr	178° 34' 29"	137.629	137.683
		N	5366209.003			256057	80H3918	Terr	348° 59' 40"	109.527	109.571
		EI (H)	40.681 CGVD28								
903682	81H4672	E	477440.418	0.9996080	1.0000017	187252	80H3633	Terr	4° 7' 58"	130.527	130.579
		N	5362628.391			748145	80H3686	Terr	87° 19' 35"	85.450	85.484
		EI (H)	7.881 CGVD28			883892	80H3622	Terr	279° 58' 56"	88.889	88.923
903740	80H3889	E	477229.626	0.9996024	0.9999960	586297	80H3926	Terr	19° 26' 13"	171.295	171.364
		N	5365873.232			190900	80H3900	Terr	106° 31' 19"	254.236	254.337
		EI (H)	44.041 CGVD28			376855	80H3932	Terr	216° 37' 29"	130.497	130.549
						825463	80H3922	Terr	273° 0' 7"	214.199	214.284
906180	80H3873	E	477891.449	0.9996063	1.0000003	654657	80H3859	Terr	140° 41' 9"	136.464	136.518
		N	5366339.473								
		EI (H)	16.736 CGVD28								
909630	80H3755	E	476810.334	0.9996043	0.9999977	449991	80H3863	Terr	24° 24' 54"	130.904	130.956
		N	5365670.191			147603	80H3748	Terr	186° 48' 21"	106.348	106.390
		EI (H)	33.665 CGVD28			173369	80H3769	Terr	268° 34' 9"	163.423	163.488
915363	88H3798	E	477385.722	0.9996081	1.0000018	529677	80H3780	Terr	197° 47' 54"	109.789	109.832
		N	5364558.236			854307	80H3790	Terr	295° 47' 54"	131.728	131.780
		EI (H)	7.435 CGVD28								
921973	80H3694	E	476313.427	0.9996073	1.0000004	791095	80H3703	Terr	6° 42' 34"	125.278	125.327
		N	5362824.714			765958	80H3699	Terr	179° 33' 36"	161.824	161.887
		EI (H)	16.128 CGVD28								
924183	80H3816	E	476854.931	0.9996065	0.9999999	535500	80H3625	Terr	87° 40' 18"	88.665	88.700
		N	5363747.776			506774	80H3617	Terr	181° 20' 12"	255.467	255.567
		EI (H)	19.120 CGVD28			578310	80H3668	Terr	266° 40' 2"	85.229	85.263
928457	80H3569	E	477570.276	0.9996087	1.0000026	MARKER DESTROYED					
		N	5363140.623								
		EI (H)	2.509 CGVD28								

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
933226	80H3688	E N EI (H)	476167.702 5364665.572 16.136 CGVD28	0.9996074	1.0000004	896365	80H3664	Terr	181° 51' 7"	147.635	147.693
933580	80H3846	E N EI (H)	476660.162 5366938.717 60.102 CGVD28	0.9996002	0.9999935	510321 322958 402669 41590	80H3836 80H3830 94H1630 80H3837	Terr Terr Terr Terr	93° 53' 5" 200° 29' 23" 274° 41' 53" 276° 21' 45"	115.544 280.281 309.132 122.560	115.591 280.393 309.256 122.609
935957	80H3744	E N EI (H)	476540.320 5365918.585 49.533 CGVD28	0.9996019	0.9999952	MARKER DESTROYED					
939413	80H3609	E N EI (H)	476932.946 5362795.882 3.578 CGVD28	0.9996089	1.0000024	MARKER DESTROYED					
939991	80H3707	E N EI (H)	476154.640 5362011.088 26.769 CGVD28	0.9996057	0.9999987	13250 812842	80H3835 80H3553	Terr Terr	120° 9' 11" 257° 23' 19"	85.271 102.593	85.305 102.634
940270	80H3933	E N EI (H)	476745.235 5366417.824 56.291 CGVD28	0.9996008	0.9999941	MARKER DESTROYED					
941294	80H3885	E N EI (H)	476903.369 5365584.292 34.202 CGVD28	0.9996041	0.9999976	825463 651109 605139	80H3922 80H3935 80H3754	Terr Terr Terr	20° 31' 17" 51° 57' 42" 185° 59' 38"	320.496 190.685 156.291	320.624 190.760 156.353
941633	80H3685	E N EI (H)	476389.370 5363930.301 22.376 CGVD28	0.9996063	0.9999994	458810 722371 526012	80H3653 80H3821 80H3667	Terr Terr Terr	1° 56' 42" 184° 11' 59" 270° 28' 5"	96.310 174.885 172.567	96.348 174.953 172.635
945196	80H3844	E N EI (H)	476845.463 5367734.931 57.514 CGVD28	0.9996005	0.9999939	MARKER ISOLATED					

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
947291	80H3551	E	476142.981	0.9996089	1.0000019	757658	80H3567	Terr	143° 31' 0"	134.150	134.203
		N	5361712.217			310078	84H0608	Terr	325° 17' 54"	158.275	158.336
		EI (H)	6.706 CGVD28								
949370	95H1737	E	476264.212	0.9996074	1.0000005	108563	80H3696	Terr	2° 25' 26"	183.813	183.886
		N	5364418.931			576959	80H3693	Terr	89° 50' 44"	100.507	100.547
		EI (H)	15.420 CGVD28			495846	15-83	Terr	257° 56' 21"	110.102	110.146
949388	80H3706	E	476543.153	0.9996066	0.9999998	MARKER DESTROYED					
		N	5363488.679								
		EI (H)	19.797 CGVD28								
950774	80H3650	E	476390.386	0.9996076	1.0000008	MARKER DESTROYED					
		N	5364195.670								
		EI (H)	13.888 CGVD28								
952614	80H3841	E	476708.098	0.9996002	0.9999935	510321	80H3836	Terr	155° 58' 14"	165.377	165.443
		N	5367081.934			403790	80H3825	Terr	339° 57' 55"	175.459	175.529
		EI (H)	59.987 CGVD28								
954214	80H3586	E	477924.822	0.9996061	1.0000001	108993	80H3568	Terr	150° 6' 45"	151.513	151.573
		N	5362774.631			965632	80H3598	Terr	336° 35' 18"	128.315	128.365
		EI (H)	17.849 CGVD28								
957464	80H3886	E	477570.866	0.9996065	1.0000003	486019	80H3899	Terr	118° 30' 47"	97.365	97.403
		N	5365314.592			209759	80H3904	Terr	206° 56' 30"	222.776	222.864
		EI (H)	16.839 CGVD28			58123	80H3907	Terr	297° 34' 23"	95.986	96.024
958470	80H3710	E	476189.310	0.9996061	0.9999991	265553	80H3662	Terr	4° 52' 42"	164.918	164.983
		N	5362486.044			74708	80H3677	Terr	138° 42' 42"	162.102	162.166
		EI (H)	24.384 CGVD28			315440	80H3676	Terr	295° 40' 51"	119.584	119.632
959387	80H3878	E	476541.329	0.9996077	1.0000010	23804	80H3689	Terr	269° 56' 46"	104.322	104.363
		N	5363064.242			35691	80H3663	Terr	356° 39' 47"	199.823	199.901
		EI (H)	12.651 CGVD28								

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
959544	80H3916	E	476867.873	0.9996063	0.9999997	94383	80H3764	Terr	7° 54' 13"	104.866	104.907
		N	5365052.260			385195	80H3742	Terr	90° 14' 6"	208.874	208.956
		EI (H)	20.367 CGVD28			745224	80H3883	Terr	184° 12' 24"	139.172	139.227
						253567	80H3770	Terr	267° 58' 55"	121.890	121.938
960278	80H3591	E	478015.818	0.9996068	1.0000008	858530	80H3548	Terr	220° 36' 50"	157.171	157.233
		N	5362551.814			108993	80H3568	Terr	350° 22' 57"	92.758	92.794
		EI (H)	13.595 CGVD28								
963553	80H3557	E	476305.130	0.9996070	1.0000001	765958	80H3699	Terr	4° 18' 44"	126.873	126.923
		N	5362536.381			74708	80H3677	Terr	182° 56' 43"	172.368	172.436
		EI (H)	18.375 CGVD28								
965376	80H3849	E	476664.428	0.9996001	0.9999934	MARKER DESTROYED					
		N	5367340.932								
		EI (H)	61.176 CGVD28								
965632	80H3598	E	477873.838	0.9996064	1.0000004	954214	80H3586	Terr	156° 35' 18"	128.315	128.365
		N	5362892.382			660357	80H3588	Terr	331° 51' 16"	117.770	117.817
		EI (H)	16.515 CGVD28								
967620	83H6751	E	476523.440	0.9996081	1.0000013	MARKER DESTROYED					
		N	5362147.614								
		EI (H)	10.453 CGVD28								
969493	80H3882	E	477405.944	0.9995998	0.9999936	369546	80H3867	Terr	125° 15' 12"	156.159	156.222
		N	5366993.142			62364	80H3927	Terr	295° 30' 22"	442.888	443.065
		EI (H)	59.959 CGVD28								
970871	80H3843	E	476386.457	0.9995992	0.9999923	4150	80H3838	Terr	115° 36' 43"	183.352	183.425
		N	5367350.335			591255	80H3826	Terr	197° 34' 12"	120.886	120.935
		EI (H)	67.579 CGVD28								
974097	80H3745	E	477113.266	0.9996065	1.0000000	547620	80H3897	Terr	146° 59' 8"	155.887	155.948
		N	5365136.743			975011	80H3738	Terr	270° 19' 50"	143.551	143.608
		EI (H)	18.697 CGVD28			117085	80H3749	Terr	323° 23' 57"	216.872	216.958

Integrated Survey Area No: 34 OAK BAY

Order in Council No. 981/85

Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123

Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0

Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		Station Scale Factors				TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
974618	80H3715	E	477082.850	0.9996080	1.0000016	MARKER DESTROYED					
		N	5362525.797								
		EI (H)	8.810	CGVD28							
975011	80H3738	E	476969.717	0.9996062	0.9999997	117085	80H3749	Terr	4° 41' 55"	173.863	173.932
		N	5365137.571			974097	80H3745	Terr	90° 19' 50"	143.551	143.608
		EI (H)	20.737	CGVD28		94383	80H3764	Terr	281° 59' 7"	89.372	89.407
975953	80H3915	E	477325.039	0.9996015	0.9999951	983940	80H3931	Terr	28° 57' 4"	130.276	130.328
		N	5366128.330			586297	80H3926	Terr	202° 19' 10"	101.143	101.183
		EI (H)	49.787	CGVD28							
978577	80H3761	E	476529.289	0.9996015	0.9999947	767129	80H3734	Terr	19° 39' 0"	102.203	102.244
		N	5366218.221			839563	80H3924	Terr	97° 7' 48"	134.047	134.100
		EI (H)	52.626	CGVD28		147900	80H3729	Terr	187° 50' 40"	144.171	144.229
983163	80H3888	E	477952.951	0.9996058	0.9999999	579185	80H3851	Terr	16° 20' 45"	102.471	102.511
		N	5366026.286			59675	80H3877	Terr	183° 13' 39"	92.073	92.109
		EI (H)	19.644	CGVD28							
983940	80H3931	E	477388.101	0.9996016	0.9999953	59709	80H3928	Terr	41° 58' 18"	142.038	142.095
		N	5366242.326			975953	80H3915	Terr	208° 57' 4"	130.276	130.328
		EI (H)	48.606	CGVD28							
990994	80H3558	E	477497.555	0.9996087	1.0000025	781443	83H6758	Terr	138° 0' 56"	107.339	107.381
		N	5363499.407			449595	80H3559	Terr	266° 31' 1"	109.159	109.201
		EI (H)	2.819	CGVD28							
993345	83H6745	E	476286.565	0.9996001	0.9999932	497784	83H6757	Terr	105° 15' 43"	106.050	106.093
		N	5366622.974			416248	83H6743	Terr	182° 31' 29"	180.272	180.344
		EI (H)	62.062	CGVD28							
998138	80H3767	E	477012.550	0.9996067	1.0000002	547620	80H3897	Terr	76° 30' 33"	190.919	190.994
		N	5364961.488			745224	80H3883	Terr	252° 46' 23"	162.161	162.224
		EI (H)	17.649	CGVD28							