

## Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
691782	14H2740	E	510572.587	0.9996033	1.0000019	756155	02H2445	GPS	117 43 35	13592.099	13597.463			
		N	5458464.117					GPS	182 14 20			9653.038	9656.940	
		E1	6.488					CVD28GVRD2018	GPS			217 54 20	4602.092	4603.931
									GPS			239 49 30	12959.844	12965.114
					875864	NO MARKING	GPS	268 49 45	17073.668	17080.489				
137067	75H3766	E	507716.381	0.9995820	0.9999812	471268	75H3767	TERR	178 3 7	149.743	149.805			
		N	5458707.044											
		E1	138.337					CVD28GVRD2018						
679159	80H1400	E	510066.024	0.9995996	0.9999983	MARKER DESTROYED								
		N	5458099.601											
		E1	29.283			CVD28GVRD2018								
948158	80H2566	E	512418.378	0.9996008	0.9999989	286880	80H3245	TERR	182 51 28	176.521	176.591			
		N	5458183.837											
		E1	25.196					CVD28GVRD2018						
597492	80H2567	E	512568.984	0.9996008	0.9999989	MARKER DESTROYED								
		N	5458333.939											
		E1	25.642			CVD28GVRD2018								
821207	80H2568	E	512574.771	0.9996028	1.0000008	MARKER DESTROYED								
		N	5458679.689											
		E1	13.097			CVD28GVRD2018								
497719	80H2569	E	512747.190	0.9996011	0.9999991	850396	82H5263	TERR	42 54 45	169.201	169.269			
		N	5458856.945					TERR	42 57 36			267.042	267.149	
		E1	24.310					CVD28GVRD2018						
494641	80H2570	E	512929.176	0.9995997	0.9999977	497719	80H2569	TERR	222 57 36	267.042	267.149			
		N	5459052.374					TERR	223 2 32			97.841	97.880	
		E1	33.264					CVD28GVRD2018						
40808	80H3125	E	511784.438	0.9996029	1.0000012	MARKER DESTROYED								
		N	5458461.481											
		E1	10.758			CVD28GVRD2018								

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
993089	80H3126	E	508514.820	0.9995997	0.9999989	196881	80H3132	TERR	69 12 58	400.543	400.703			
		N	5459706.874					34488	80H3225	TERR	265 47 56	238.455	238.550	
		E1	25.732					CVD28GVRD2018						
560128	80H3127	E	508740.267	0.9995860	0.9999851	840884	80H3156	TERR	90 31 28	382.931	383.089			
		N	5458779.517					183145	80H3149	TERR	204 37 36	199.000	199.083	
		E1	113.685					CVD28GVRD2018						
644047	80H3128	E	508939.216	0.9995849	0.9999839	308825	80H3144	TERR	10 31 1	95.761	95.801			
		N	5458891.126											
		E1	121.307					CVD28GVRD2018						
1206	80H3129	E	512258.975	0.9995975	0.9999956	491688	80H3153	TERR	358 21 55	182.487	182.560			
		N	5457981.611											
		E1	46.531					CVD28GVRD2018						
332163	80H3130	E	510577.614	0.9996033	1.0000020	MARKER DESTROYED								
		N	5458468.005											
		E1	6.004			CVD28GVRD2018								
937557	80H3131	E	510303.634	0.9996000	0.9999987	861153	80H3268	TERR	318 41 15	196.685	196.764			
		N	5460236.070											
		E1	26.715					CVD28GVRD2018						
196881	80H3132	E	508889.298	0.9995998	0.9999988	770610	84H9903	GPS	52 40 39	1850.117	1850.871			
		N	5459849.004					795492	80H3208	TERR	102 17 58	316.882	317.009	
		E1	25.843					CVD28GVRD2018	698134	10H2607	GPS	162 23 50	9041.891	9045.491
									898734	NO MARKING	GPS	173 14 48	11107.623	11112.133
									183145	80H3149	GPS	190 30 33	1271.719	1272.236
									406223	94H1459	GPS	215 31 54	5886.288	5888.641
									613281	90H6710	GPS	229 38 35	3114.305	3115.618
									993089	80H3126	TERR	249 12 58	400.543	400.703
									365049	79H9652	GPS	256 19 58	1411.558	1412.124
									139790	85H0618	GPS	282 31 7	10204.810	10208.890
31211	80H3133	E	510510.545	0.9995983	0.9999969	126714	80H3171	TERR	238 41 2	139.055	139.111			
		N	5457983.446											
		E1	38.236					CVD28GVRD2018						

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----								
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING								
915983	80H3134	E	512012.874	0.9996009	0.9999991	848408	80H3150	TERR	137 50 8	126.854	126.904				
		N	5459251.298					80H3183				TERR	345 21 54	120.748	120.796
		El	24.046					CVD28GVRD2018							
242370	80H3135	E	511579.664	0.9996009	0.9999993	881904	82H5266	TERR	107 18 37	334.978	335.112				
		N	5459541.580					80H3136				TERR	316 12 26	179.482	179.555
		El	22.887									CVD28GVRD2018			
971200	80H3136	E	511455.453	0.9996000	0.9999984	242370	80H3135	TERR	136 12 26	179.482	179.555				
		N	5459671.139					80H3161				TERR	328 26 44	134.107	134.160
		El	28.536									CVD28GVRD2018			
935452	80H3137	E	509177.819	0.9995843	0.9999832	136515	80H3181	TERR	128 54 37	238.049	238.147				
		N	5459198.010												
		El	125.490					CVD28GVRD2018							
273599	80H3139	E	512550.596	0.9995980	0.9999961	113555	80H3247	TERR	90 35 50	258.711	258.815				
		N	5458006.680					80H3245				TERR	270 20 52	141.022	141.078
		El	43.350									CVD28GVRD2018			
501502	80H3140	E	511538.186	0.9996031	1.0000015	MARKER DESTROYED									
		N	5458467.818												
		El	9.216			CVD28GVRD2018									
293654	80H3141	E	508689.812	0.9995829	0.9999820	760199	80H3152	TERR	90 17 58	193.683	193.764				
		N	5457767.505					80H3142				TERR	357 42 6	219.519	219.611
		El	133.494									CVD28GVRD2018			
885731	80H3142	E	508681.009	0.9995823	0.9999814	293654	80H3141	TERR	177 42 6	219.519	219.611				
		N	5457986.847					80H3192				TERR	270 36 4	258.756	258.865
		El	137.173									80H3148			
264333	80H3143	E	511788.378	0.9996037	1.0000020	MARKER DESTROYED									
		N	5458659.222												
		El	5.841			CVD28GVRD2018									

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
308825	80H3144	E	508956.695	0.9995835	0.9999825	965962	80H3160	TERR	10 24 35	215.886	215.976
		N	5458985.278			164095	80H3200	TERR	90 17 2	108.162	108.208
		El	130.118	CVD28GVRD2018		644047	80H3128	TERR	190 31 1	95.761	95.801
369421	80H3145	E	509208.889	0.9995877	0.9999866	784512	80H3221	TERR	270 8 14	193.278	193.357
		N	5457755.590								
		El	103.785	CVD28GVRD2018							
413724	80H3146	E	509581.228	0.9995996	0.9999985	334664	80H3151	TERR	162 52 50	215.049	215.135
		N	5459446.596			977496	80H3214	TERR	322 20 44	206.096	206.178
		El	28.280	CVD28GVRD2018							
556530	80H3147	E	510564.122	0.9996023	1.0000009	569285	95H1978	TERR	90 31 49	162.521	162.585
		N	5458238.538			348615	A32	TERR	258 50 19	145.449	145.507
		El	12.633	CVD28GVRD2018		955260	95H1977	TERR	270 13 56	287.590	287.705
648204	80H3148	E	508673.196	0.9995827	0.9999818	975060	80H3195	TERR	1 5 30	127.755	127.808
		N	5458188.837			786491	80H3206	TERR	89 4 43	188.935	189.014
		El	134.683	CVD28GVRD2018		885731	80H3142	TERR	177 47 6	202.141	202.226
183145	80H3149	E	508657.343	0.9995861	0.9999852	196881	80H3132	GPS	10 30 33	1271.719	1272.236
		N	5458598.618			560128	80H3127	TERR	24 37 36	199.000	199.083
		El	112.834	CVD28GVRD2018		770610	84H9903	GPS	35 40 45	2920.261	2921.471
						692343	91H0428	GPS	68 44 39	4158.354	4160.087
						669861	80H3162	GPS	83 18 43	3832.716	3834.272
						509430	80H3166	GPS	101 33 9	2457.173	2458.173
						909333	NO MARKING	GPS	104 30 30	25768.579	25779.055
						256636	73H0331	GPS	114 31 27	4092.538	4094.247
						277749	94H1655	GPS	125 58 56	6178.963	6181.506
						223347	73H0371	GPS	125 59 28	2547.855	2548.919
						377705	80H3196	TERR	175 5 8	154.702	154.765
						169128	73H0289	GPS	191 44 32	2029.482	2030.322
						859504	462	GPS	205 59 34	6653.931	6656.686
						869792	NO MARKING	GPS	226 36 18	26688.731	26699.568
						613281	90H6710	GPS	250 18 34	2274.209	2275.183
				875864	NO MARKING	GPS	268 10 24	15162.566	15168.752		
				365049	79H9652	GPS	308 49 3	1462.671	1463.267		
848408	80H3150	E	512098.026	0.9996020	1.0000003	194530	80H3164	TERR	115 56 46	266.630	266.736
		N	5459157.271			915983	80H3134	TERR	317 50 8	126.854	126.904
		El	16.815	CVD28GVRD2018							

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING						
334664	80H3151	E	509644.531	0.9995997	0.9999986	861153	80H3268	TERR	24 51 5	1259.343	1259.847		
		N	5459241.075					982751	80H3169	TERR	175 8 52	306.182	306.305
		E1	27.511	CVD28GVRD2018				657684	80H3235	TERR	319 4 26	236.989	237.084
						413724	80H3146	TERR	342 52 50	215.049	215.135		
760199	80H3152	E	508883.492	0.9995835	0.9999826	784512	80H3221	TERR	94 31 5	132.532	132.587		
		N	5457766.493					293654	80H3141	TERR	270 17 58	193.683	193.764
		E1	129.851	CVD28GVRD2018									
491688	80H3153	E	512253.769	0.9995997	0.9999978	1206	80H3129	TERR	178 21 55	182.487	182.560		
		N	5458164.024										
		E1	32.407	CVD28GVRD2018									
289751	80H3154	E	511267.909	0.9996000	0.9999984	674556	80H3161	TERR	108 16 21	123.597	123.647		
		N	5459824.169										
		E1	28.416	CVD28GVRD2018									
542571	80H3155	E	510929.598	0.9996005	0.9999990	221580	80H3222	TERR	110 10 2	205.780	205.862		
		N	5459920.841					466722	80H3157	TERR	285 57 42	252.947	253.049
		E1	24.492	CVD28GVRD2018									
840884	80H3156	E	509123.182	0.9995900	0.9999890	252882	80H3243	TERR	87 54 29	144.363	144.422		
		N	5458776.012					749812	80H3199	TERR	198 0 40	222.587	222.678
		E1	88.641	CVD28GVRD2018				560128	80H3127	TERR	270 31 28	382.931	383.089
466722	80H3157	E	510686.403	0.9996018	1.0000004	542571	80H3155	TERR	105 57 42	252.947	253.049		
		N	5459990.400					786707	80H3231	TERR	316 48 10	133.061	133.114
		E1	15.817	CVD28GVRD2018									
20321	80H3158	E	511626.919	0.9996013	0.9999996	87775	80H3223	TERR	269 34 31	371.607	371.755		
		N	5458103.304										
		E1	20.790	CVD28GVRD2018									
775932	80H3159	E	510550.294	0.9995902	0.9999888	859363	80H3216	TERR	223 23 20	147.872	147.933		
		N	5457782.995										
		E1	90.048	CVD28GVRD2018									

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
965962	80H3160	E	508995.703	0.9995834	0.9999824	570069	84H9904	TERR	0 33 10	175.524	175.597					
		N	5459197.611					308825				80H3144	TERR	190 24 35	215.886	215.976
		E1	130.757					CVD28GVRD2018								
674556	80H3161	E	511385.274	0.9995994	0.9999978	971200	80H3136	TERR	148 26 44	134.107	134.160					
		N	5459785.417					289751				80H3154	TERR	288 16 21	123.597	123.647
		E1	32.667					CVD28GVRD2018								
669861	80H3162	E	512463.976	0.9996022	1.0000003	692343	91H0428	GPS	3 42 40	1063.399	1063.833					
		N	5459044.996					292540				83H6606	GPS	18 58 33	1686.758	1687.456
		E1	16.545					298166				NO MARKING	GPS	25 25 0	8485.955	8489.425
								932020				S23T39	GPS	32 30 33	4848.678	4850.726
								323543				95H1746	GPS	53 42 31	5020.737	5022.752
								456855				94H1583	GPS	54 22 44	3326.589	3327.947
								909333				80H3275	TERR	66 14 7	111.186	111.230
								858704				NO MARKING	GPS	108 4 52	22238.382	22247.240
								256636				82H5097	GPS	137 13 42	3162.343	3163.599
								898734				73H0331	GPS	182 13 26	2146.713	2147.592
								223347				NO MARKING	GPS	192 30 25	10475.129	10479.369
								509430				73H0371	GPS	221 55 11	2612.138	2613.207
								169128				80H3166	GPS	236 9 1	1684.810	1685.482
								183145				73H0289	GPS	240 1 44	4871.022	4872.999
								194530				80H3149	GPS	263 18 43	3832.716	3834.272
								489690				80H3164	TERR	268 0 39	126.271	126.321
								770610				02H2493	GPS	285 35 0	19590.993	19598.909
		318030	84H9903	GPS	312 28 31	2851.795	2852.954									
		298398	02H2418	GPS	316 58 18	6201.696	6204.182									
			02H2414	GPS	339 57 37	6633.072	6635.770									
208181	80H3163	E	508429.311	0.9995828	0.9999819	687939	80H3192	TERR	357 41 34	174.974	175.047					
		N	5457814.730													
		E1	133.913					CVD28GVRD2018								
194530	80H3164	E	512337.781	0.9996026	1.0000007	393017	84H9898	TERR	20 37 25	177.820	177.891					
		N	5459040.613					478925				80H3281	TERR	23 34 44	425.550	425.720
		E1	13.887					669861				80H3162	TERR	88 0 39	126.271	126.321
								848408				80H3150	TERR	295 56 46	266.630	266.736
768598	80H3165	E	509871.090	0.9996023	1.0000011			MARKER DESTROYED								
		N	5458399.367													
		E1	11.689					CVD28GVRD2018								

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
509430	80H3166	E	511064.738	0.9996006	0.9999991	56259	80H3173	TERR	0 1 41	129.008	129.060						
		N	5458106.530					692343	91H0428			GPS	36 17 6	2480.678	2481.693		
		El	24.054					CVD28GVRD2018	669861			80H3162	GPS	56 9 1	1684.810	1685.482	
									87775			80H3223	TERR	91 47 51	190.678	190.754	
									256636			73H0331	GPS	132 31 8	1785.400	1786.133	
									491225			80H3168	TERR	180 31 54	109.359	109.402	
									898734			NO MARKING	GPS	185 20 48	9328.669	9332.453	
									223347			73H0371	GPS	198 59 21	1063.030	1063.466	
			183145	80H3149	GPS	281 33 9	2457.173	2458.173									
341313	80H3167	E	507989.694	0.9995832	0.9999824												
		N	5457831.062														
		El	130.605									CVD28GVRD2018					
491225	80H3168	E	511063.723	0.9995992	0.9999977	509430	80H3166	TERR	0 31 54	109.359	109.402						
		N	5457997.176														
		El	32.932									CVD28GVRD2018					
982751	80H3169	E	509670.430	0.9996002	0.9999991	259713	80H3212	TERR	176 34 17	250.976	251.077						
		N	5458935.990									334664	80H3151	TERR	355 8 52	306.182	306.305
		El	24.416									CVD28GVRD2018					
357376	80H3170	E	508121.338	0.9995832	0.9999824	448308	80H3190	TERR	89 35 56	208.537	208.624						
		N	5457990.215									821058	84H9889	TERR	216 45 54	157.457	157.523
		El	130.716									CVD28GVRD2018	340968	80H3178	TERR	272 58 31	196.597
126714	80H3171	E	510391.749	0.9995948	0.9999934	31211	80H3133	TERR	58 41 2	139.055	139.111						
		N	5457911.171														
		El	60.381									CVD28GVRD2018					
266882	80H3172	E	508330.953	0.9995837	0.9999828	448308	80H3190	TERR	359 33 16	139.289	139.347						
		N	5457852.390														
		El	128.038									CVD28GVRD2018					
56259	80H3173	E	511064.801	0.9996014	0.9999999	762500	80H3253	TERR	90 12 12	172.407	172.476						
		N	5458235.538									509430	80H3166	TERR	180 1 41	129.008	129.060
		El	18.989									CVD28GVRD2018	965277	95H2006	TERR	271 0 58	174.974



Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
571844	80H3174	E	508997.389	0.9995848	0.9999838		MARKER DESTROYED				
		N	5459373.135								
		El	122.033		CVD28GVRD2018						
603951	80H3176	E	507860.264	0.9995843	0.9999835	470625	80H3188	TERR	91 13 15	168.491	168.561
		N	5457581.959								
		El	123.838		CVD28GVRD2018						
550095	80H3177	E	507792.937	0.9995817	0.9999810	340968	80H3178	TERR	90 27 35	132.073	132.128
		N	5458001.479			860809	80H3175	TERR	178 17 35	217.039	217.130
		El	139.940		CVD28GVRD2018						
340968	80H3178	E	507925.006	0.9995819	0.9999812	357376	80H3170	TERR	92 58 31	196.597	196.679
		N	5458000.419			550095	80H3177	TERR	270 27 35	132.073	132.128
		El	138.744		CVD28GVRD2018						
365882	80H3179	E	508497.016	0.9995838	0.9999829		MARKER ISOLATED				
		N	5457544.662								
		El	127.720		CVD28GVRD2018						
99002	80H3180	E	508699.527	0.9995837	0.9999828		MARKER DESTROYED				
		N	5457538.324								
		El	128.634		CVD28GVRD2018						
136515	80H3181	E	509363.052	0.9995884	0.9999873	6049	80H3241	TERR	6 52 16	215.862	215.951
		N	5459048.491			726505	80H3242	TERR	179 24 40	148.786	148.847
		El	99.485		CVD28GVRD2018	935452	80H3137	TERR	308 54 37	238.049	238.147
795070	80H3182	E	508375.285	0.9995837	0.9999828	793323	80H3193	TERR	179 10 44	125.945	125.997
		N	5457714.051								
		El	128.141		CVD28GVRD2018						
640995	80H3183	E	511982.366	0.9995999	0.9999982	915983	80H3134	TERR	165 21 54	120.748	120.796
		N	5459368.128			881904	82H5266	TERR	311 40 12	110.974	111.018
		El	29.989		CVD28GVRD2018	605006	84H9901	TERR	359 30 16	549.959	550.182

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
376160	80H3184	E	509422.728	0.9995941	0.9999930	72231	80H3213	TERR	222 47 41	138.585	138.642
		N	5457929.969								
		El	63.294	CVD28GVRD2018							
391425	80H3185	E	507878.367	0.9995831	0.9999824	821058	84H9889	TERR	41 14 24	225.614	225.708
		N	5457694.425								
		El	131.121	CVD28GVRD2018							
769364	80H3186	E	508189.372	0.9995847	0.9999839	548487	80H3191	TERR	179 34 49	117.142	117.190
		N	5457703.410								
		El	121.274	CVD28GVRD2018							
177683	80H3187	E	508862.430	0.9995841	0.9999832			MARKER DESTROYED			
		N	5457567.889								
		El	126.028	CVD28GVRD2018							
470625	80H3188	E	508028.717	0.9995856	0.9999848	548487	80H3191	TERR	87 11 57	161.706	161.773
		N	5457578.369			603951	80H3176	TERR	271 13 15	168.491	168.561
		El	115.413	CVD28GVRD2018							
776542	80H3189	E	508954.663	0.9995844	0.9999834			MARKER DESTROYED			
		N	5457677.589								
		El	124.327	CVD28GVRD2018							
448308	80H3190	E	508329.870	0.9995834	0.9999825	687939	80H3192	TERR	91 18 36	92.421	92.460
		N	5457991.675			266882	80H3172	TERR	179 33 16	139.289	139.347
		El	129.896	CVD28GVRD2018		357376	80H3170	TERR	269 35 56	208.537	208.624
548487	80H3191	E	508190.230	0.9995852	0.9999844	793323	80H3193	TERR	89 26 0	186.869	186.947
		N	5457586.271			470625	80H3188	TERR	267 11 57	161.706	161.773
		El	118.220	CVD28GVRD2018		769364	80H3186	TERR	359 34 49	117.142	117.190
687939	80H3192	E	508422.267	0.9995826	0.9999817	885731	80H3142	TERR	90 36 4	258.756	258.865
		N	5457989.562			208181	80H3163	TERR	177 41 34	174.974	175.047
		El	135.471	CVD28GVRD2018		448308	80H3190	TERR	271 18 36	92.421	92.460

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
793323	80H3193	E	508377.090	0.9995843	0.9999834	548487	80H3191	TERR	269 26 0	186.869	186.947				
		N	5457588.119					80H3182				TERR	359 10 44	125.945	125.997
		El	124.227					CVD28GVRD2018							
227264	80H3194	E	509065.443	0.9995869	0.9999859	MARKER DESTROYED									
		N	5457863.155												
		El	108.789			CVD28GVRD2018									
975060	80H3195	E	508675.630	0.9995835	0.9999826	648204	80H3148	TERR	181 5 30	127.755	127.808				
		N	5458316.569					80H3196				TERR	357 44 47	128.015	128.069
		El	129.711									CVD28GVRD2018			
377705	80H3196	E	508670.596	0.9995852	0.9999843	723767	80H3197	TERR	88 56 18	143.338	143.397				
		N	5458444.485					80H3195				TERR	177 44 47	128.015	128.069
		El	119.003					CVD28GVRD2018				80H3149	TERR	355 5 8	154.702
723767	80H3197	E	508813.909	0.9995864	0.9999854	419549	80H3198	TERR	86 45 38	231.955	232.051				
		N	5458447.141					80H3196				TERR	268 56 18	143.338	143.397
		El	111.646									CVD28GVRD2018			
419549	80H3198	E	509045.493	0.9995884	0.9999874	749812	80H3199	TERR	4 52 6	104.461	104.504				
		N	5458460.249					80H3207				TERR	174 13 48	193.679	193.760
		El	98.963					CVD28GVRD2018				80H3197	TERR	266 45 38	231.955
749812	80H3199	E	509054.358	0.9995888	0.9999878	840884	80H3156	TERR	18 0 40	222.587	222.678				
		N	5458564.333					80H3198				TERR	184 52 6	104.461	104.504
		El	96.641									CVD28GVRD2018			
164095	80H3200	E	509064.856	0.9995830	0.9999820	525147	80H3201	TERR	89 49 28	173.643	173.715				
		N	5458984.742					80H3144				TERR	270 17 2	108.162	108.208
		El	133.525									CVD28GVRD2018			
525147	80H3201	E	509238.498	0.9995859	0.9999849	726505	80H3242	TERR	124 9 40	152.373	152.436				
		N	5458985.274					80H3200				TERR	269 49 28	173.643	173.715
		El	114.922									CVD28GVRD2018			

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
592824	80H3202	E	508887.348	0.9995831	0.9999821	888230	80H3203	TERR	353 58 39	118.780	118.829
		N	5457953.780								
		E1	132.928	CVD28GVRD2018							
888230	80H3203	E	508874.886	0.9995823	0.9999813	592824	80H3202	TERR	173 58 39	118.780	118.829
		N	5458071.904			786491	80H3206	TERR	353 55 12	120.650	120.700
		E1	137.746	CVD28GVRD2018							
878959	80H3204	E	509503.595	0.9995986	0.9999975						
		N	5458219.773								
		E1	34.542	CVD28GVRD2018							
176636	80H3205	E	509286.228	0.9995925	0.9999914						
		N	5458034.679								
		E1	73.161	CVD28GVRD2018							
786491	80H3206	E	508862.107	0.9995828	0.9999819	888230	80H3203	TERR	173 55 12	120.650	120.700
		N	5458191.875			648204	80H3148	TERR	269 4 43	188.935	189.014
		E1	134.220	CVD28GVRD2018							
137190	80H3207	E	509064.965	0.9995879	0.9999869	419549	80H3198	TERR	354 13 48	193.679	193.760
		N	5458267.551								
		E1	102.018	CVD28GVRD2018							
795492	80H3208	E	509198.907	0.9995989	0.9999979	977496	80H3214	TERR	123 48 44	308.616	308.740
		N	5459781.501			196881	80H3132	TERR	282 17 58	316.882	317.009
		E1	31.814	CVD28GVRD2018							
954750	80H3209	E	509358.011	0.9995947	0.9999936						
		N	5458190.791								
		E1	59.229	CVD28GVRD2018							
408229	80H3210	E	511848.968	0.9996002	0.9999985						
		N	5458063.119								
		E1	28.147	CVD28GVRD2018							

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
737239	80H3211	E	509691.372	0.9996018	1.0000006	259713	80H3212	TERR	358 49 45	290.296	290.411
		N	5458395.228								
		E1	14.381	CVD28GVRD2018							
259713	80H3212	E	509685.440	0.9996006	0.9999994	737239	80H3211	TERR	178 49 45	290.296	290.411
		N	5458685.463			982751	80H3169	TERR	356 34 17	250.976	251.077
		E1	22.169	CVD28GVRD2018							
72231	80H3213	E	509328.577	0.9995915	0.9999904	376160	80H3184	TERR	42 47 41	138.585	138.642
		N	5457828.276								
		E1	79.661	CVD28GVRD2018							
977496	80H3214	E	509455.325	0.9995990	0.9999979	413724	80H3146	TERR	142 20 44	206.096	206.178
		N	5459609.764			795492	80H3208	TERR	303 48 44	308.616	308.740
		E1	31.905	CVD28GVRD2018							
681890	80H3215	E	512005.554	0.9995959	0.9999941	822809	73H0075	TERR	177 14 10	86.705	86.740
		N	5457909.739								
		E1	56.021	CVD28GVRD2018							
859363	80H3216	E	510448.714	0.9995875	0.9999862	775932	80H3159	TERR	43 23 20	147.872	147.933
		N	5457675.535								
		E1	106.875	CVD28GVRD2018							
699694	80H3217	E	509360.642	0.9995942	0.9999932			MARKER DESTROYED			
		N	5458329.697								
		E1	62.181	CVD28GVRD2018							
889469	80H3218	E	510904.515	0.9996018	1.0000004			MARKER DESTROYED			
		N	5458456.293								
		E1	16.194	CVD28GVRD2018							
855676	80H3219	E	509699.299	0.9995994	0.9999982	974055	80H3229	TERR	88 39 53	224.410	224.500
		N	5458090.965								
		E1	29.776	CVD28GVRD2018							

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
784512	80H3221	E	509015.612	0.9995854	0.9999844	369421	80H3145	TERR	90 8 14	193.278	193.357				
		N	5457756.053					760199	80H3152	TERR	274 31 5	132.532	132.587		
		E1	117.932					CVD28GVRD2018							
221580	80H3222	E	511122.762	0.9996003	0.9999988	661249	98H2211	GPS	25 57 7	526.221	526.436				
		N	5459849.896					970830	98H2212	GPS	57 15 51	473.878	474.071		
		E1	26.065					CVD28GVRD2018		711465	91H0435	GPS	72 55 16	621.809	622.062
									821058	84H9889	GPS	237 19 14	3677.857	3679.359	
									542571	80H3155	TERR	290 10 2	205.780	205.862	
									921874	77C107	GPS	292 23 29	6347.997	6350.527	
87775	80H3223	E	511255.322	0.9996018	1.0000003	20321	80H3158	TERR	89 34 31	371.607	371.755				
		N	5458100.549					509430	80H3166	TERR	271 47 51	190.678	190.754		
		E1	16.897					CVD28GVRD2018		762500	80H3253	TERR	352 19 21	135.593	135.646
473165	80H3224	E	512219.113	0.9996035	1.0000017		MARKER DESTROYED								
		N	5458645.299												
		E1	7.835	CVD28GVRD2018											
34488	80H3225	E	508277.006	0.9995993	0.9999984	993089	80H3126	TERR	85 47 56	238.455	238.550				
		N	5459689.405					184994	80H3226	TERR	279 1 41	349.395	349.535		
		E1	28.356					CVD28GVRD2018							
184994	80H3226	E	507931.940	0.9995988	0.9999981	34488	80H3225	TERR	99 1 41	349.395	349.535				
		N	5459744.232					253179	75H3758	TERR	256 22 43	262.491	262.597		
		E1	30.841					CVD28GVRD2018							
498204	80H3227	E	510165.194	0.9995977	0.9999965		MARKER DESTROYED								
		N	5458102.223												
		E1	41.172	CVD28GVRD2018											
974055	80H3229	E	509923.648	0.9995988	0.9999976	855676	80H3219	TERR	268 39 53	224.410	224.500				
		N	5458096.194												
		E1	34.054					CVD28GVRD2018							
422220	80H3230	E	510252.239	0.9995983	0.9999970	451526	80H3228	TERR	86 39 54	167.827	167.895				
		N	5458103.868												
		E1	37.777					CVD28GVRD2018							

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
786707	80H3231	E	510595.321	0.9996012	0.9999998	466722	80H3157	TERR	136 48 10	133.061	133.114
		N	5460087.402								
		E1	19.748	CVD28GVRD2018							
346775	80H3232	E	510724.315	0.9995998	0.9999984		MARKER DESTROYED				
		N	5458004.779								
		E1	28.563	CVD28GVRD2018							
311613	80H3233	E	510908.600	0.9995992	0.9999978		MARKER DESTROYED				
		N	5457992.345								
		E1	32.869	CVD28GVRD2018							
657684	80H3235	E	509489.283	0.9995967	0.9999955	334664	80H3151	TERR	139 4 26	236.989	237.084
		N	5459420.133			869768	82H5265	TERR	169 3 28	206.773	206.857
		E1	46.863	CVD28GVRD2018							
181495	80H3236	E	509067.500	0.9995885	0.9999875		MARKER ISOLATED				
		N	5458149.463								
		E1	98.457	CVD28GVRD2018							
916940	80H3237	E	509000.576	0.9995868	0.9999858	584888	80H3238	TERR	71 2 50	102.239	102.281
		N	5459507.891			570069	84H9904	TERR	181 21 6	134.802	134.857
		E1	108.965	CVD28GVRD2018							
584888	80H3238	E	509097.272	0.9995882	0.9999872	342808	80H3239	TERR	114 48 14	79.902	79.935
		N	5459541.097			916940	80H3237	TERR	251 2 50	102.239	102.281
		E1	100.413	CVD28GVRD2018							
342808	80H3239	E	509169.803	0.9995888	0.9999878	758995	80H3240	TERR	142 21 51	153.412	153.474
		N	5459507.577			584888	80H3238	TERR	294 48 14	79.902	79.935
		E1	96.226	CVD28GVRD2018							
758995	80H3240	E	509263.482	0.9995886	0.9999875	6049	80H3241	TERR	134 30 51	175.850	175.922
		N	5459386.089			342808	80H3239	TERR	322 21 51	153.412	153.474
		E1	98.099	CVD28GVRD2018							

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
6049	80H3241	E	509388.877	0.9995902	0.9999891	136515 758995	80H3181 80H3240	TERR	186 52 16	215.862	215.951
		N	5459262.803					TERR	314 30 51	175.850	175.922
		E1	87.948	CVD28GVRD2018							
726505	80H3242	E	509364.581	0.9995884	0.9999874	922765 525147 136515	80H3260 80H3201 80H3181	TERR	18 4 24	2392.320	2393.304
		N	5458899.713					TERR	304 9 40	152.373	152.436
		E1	99.096	CVD28GVRD2018						TERR	359 24 40
252882	80H3243	E	509267.449	0.9995903	0.9999892	840884	80H3156	TERR	267 54 29	144.363	144.422
		N	5458781.282								
		E1	87.149	CVD28GVRD2018							
502898	80H3244	E	509499.438	0.9995990	0.9999979	MARKER DESTROYED					
		N	5458392.743								
		E1	32.218	CVD28GVRD2018							
286880	80H3245	E	512409.577	0.9995998	0.9999979	948158 273599	80H2566 80H3139	TERR	2 51 28	176.521	176.591
		N	5458007.536					TERR	90 20 52	141.022	141.078
		E1	31.796	CVD28GVRD2018							
498873	80H3246	E	509503.363	0.9995968	0.9999956	MARKER DESTROYED					
		N	5458082.514								
		E1	46.282	CVD28GVRD2018							
113555	80H3247	E	512809.293	0.9995997	0.9999977	273599	80H3139	TERR	270 35 50	258.711	258.815
		N	5458003.983								
		E1	33.189	CVD28GVRD2018							
798850	80H3248	E	509679.481	0.9996004	0.9999992	MARKER DESTROYED					
		N	5458206.500								
		E1	23.508	CVD28GVRD2018							
120840	80H3249	E	509881.071	0.9996006	0.9999994	91124	80H3250	TERR	88 44 43	169.057	169.125
		N	5458230.906								
		E1	22.600	CVD28GVRD2018							



Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
91124	80H3250	E	510050.087	0.9996008	0.9999995	418186	95H1980	TERR	89 13 39	120.301	120.349						
		N	5458234.608									120840	80H3249	TERR	268 44 43	169.057	169.125
		El	21.524									CVD28GVRD2018					
395004	80H3251	E	510726.254	0.9996016	1.0000002	MARKER DESTROYED											
		N	5458237.506														
		El	17.308			CVD28GVRD2018											
762500	80H3253	E	511237.207	0.9996023	1.0000008	87775	80H3223	TERR	172 19 21	135.593	135.646						
		N	5458234.926									56259	80H3173	TERR	270 12 12	172.407	172.476
		El	13.638														
895755	80H3254	E	511625.166	0.9996017	1.0000000	MARKER DESTROYED											
		N	5458232.475														
		El	18.341			CVD28GVRD2018											
288159	80H3255	E	511850.213	0.9996013	0.9999995	MARKER DESTROYED											
		N	5458236.838														
		El	21.496			CVD28GVRD2018											
868463	80H3256	E	512023.721	0.9996014	0.9999997	MARKER DESTROYED											
		N	5458240.688														
		El	20.690			CVD28GVRD2018											
872366	80H3257	E	509929.572	0.9995949	0.9999937	245688	80H3258	TERR	126 18 7	83.650	83.683						
		N	5461030.629														
		El	58.361									CVD28GVRD2018					
245688	80H3258	E	509996.986	0.9995940	0.9999928	203703	80H3259	TERR	159 20 39	173.789	173.859						
		N	5460981.105									872366	80H3257	TERR	306 18 7	83.650	83.683
		El	64.358														
203703	80H3259	E	510058.291	0.9995944	0.9999932	160655	80H3262	TERR	101 23 24	77.144	77.176						
		N	5460818.488									245688	80H3258	TERR	339 20 39	173.789	173.859
		El	61.980														

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
922765	80H3260	E	510106.757	0.9995890	0.9999878	485813	84H9886	TERR	55 46 2	91.566	91.604		
		N	5461173.997					TERR	183 48 8			119.889	119.938
		E1	96.263					CVD28GVRD2018	726505			80H3242	TERR
758169	80H3261	E	510098.807	0.9995905	0.9999893	922765	80H3260	TERR	3 48 8	119.889	119.938		
		N	5461054.372					TERR	87 1 12			106.273	106.317
		E1	86.781					CVD28GVRD2018	160655			80H3262	TERR
160655	80H3262	E	510133.916	0.9995932	0.9999920	433672	80H3263	TERR	173 4 15	100.298	100.339		
		N	5460803.253					TERR	281 23 24			77.144	77.176
		E1	69.633					CVD28GVRD2018	758169			80H3261	TERR
433672	80H3263	E	510146.016	0.9995946	0.9999933	265785	80H3264	TERR	264 38 29	84.806	84.840		
		N	5460703.688					TERR	353 4 15			100.298	100.339
		E1	61.100					CVD28GVRD2018					
265785	80H3264	E	510061.581	0.9995961	0.9999949	433672	80H3263	TERR	84 38 29	84.806	84.840		
		N	5460695.768					TERR	167 15 7			46.564	46.582
		E1	50.994					CVD28GVRD2018	226092			80H3265	TERR
226092	80H3265	E	509939.128	0.9995977	0.9999965	265785	80H3264	TERR	128 32 23	156.554	156.617		
		N	5460793.310					TERR	290 26 14			124.085	124.134
		E1	40.577					CVD28GVRD2018					
360024	80H3266	E	509822.854	0.9995992	0.9999980	426361	80H3271	TERR	0 14 49	159.844	159.908		
		N	5460836.638					TERR	110 26 14			124.085	124.134
		E1	31.198					CVD28GVRD2018	989814			80H3270	TERR
973230	80H3267	E	510479.158	0.9996013	1.0000000			MARKER DESTROYED					
		N	5460190.293										
		E1	18.470					CVD28GVRD2018					
861153	80H3268	E	510173.789	0.9995993	0.9999980	937557	80H3131	TERR	138 41 15	196.685	196.764		
		N	5460383.804					TERR	204 51 5			1259.343	1259.847
		E1	30.991					CVD28GVRD2018	140244			80H3269	TERR

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
140244	80H3269	E	509940.095	0.9995998	0.9999985	861153	80H3268	TERR	137 50 26	348.175	348.315		
		N	5460641.899					989814	80H3270	TERR	308 36 9	135.140	135.194
		El	27.631					CVD28GVRD2018					
989814	80H3270	E	509834.484	0.9996006	0.9999994	140244	80H3269	TERR	128 36 9	135.140	135.194		
		N	5460726.215					360024	80H3266	TERR	353 59 16	111.034	111.078
		El	21.935					CVD28GVRD2018					
426361	80H3271	E	509823.543	0.9995972	0.9999960	360024	80H3266	TERR	180 14 49	159.844	159.908		
		N	5460996.480										
		El	43.915					CVD28GVRD2018					
784991	80H3272	E	512500.730	0.9996033	1.0000014	MARKER DESTROYED							
		N	5458850.951										
		El	9.701			CVD28GVRD2018							
456855	80H3275	E	512565.734	0.9996020	1.0000001	669861	80H3162	TERR	246 14 7	111.186	111.230		
		N	5459089.802					271163	80H3276	TERR	348 20 36	132.847	132.900
		El	18.046					CVD28GVRD2018					
271163	80H3276	E	512538.893	0.9996007	0.9999988	156315	80H3277	TERR	21 18 38	78.501	78.531		
		N	5459219.909					456855	80H3275	TERR	168 20 36	132.847	132.900
		El	26.219					CVD28GVRD2018					
156315	80H3277	E	512567.422	0.9995997	0.9999978	579086	80H3278	TERR	91 3 14	120.315	120.364		
		N	5459293.042					271163	80H3276	TERR	201 18 38	78.501	78.531
		El	32.522					CVD28GVRD2018					
579086	80H3278	E	512687.717	0.9995989	0.9999969	702126	80H3279	TERR	58 20 1	80.117	80.149		
		N	5459290.829					156315	80H3277	TERR	271 3 14	120.315	120.364
		El	38.281					CVD28GVRD2018					
702126	80H3279	E	512755.906	0.9995979	0.9999959	839118	84H9915	TERR	3 24 27	86.493	86.528		
		N	5459332.888					579086	80H3278	TERR	238 20 1	80.117	80.149
		El	44.350					CVD28GVRD2018					

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
478925	80H3281	E	512508.006	0.9995950	0.9999930	839118	84H9915	TERR	92 34 51	253.298	253.400		
		N	5459430.634					194530	80H3164	TERR	203 34 44	425.550	425.720
		El	62.854					CVD28GVRD2018					
956821	80H3282	E	512433.304	0.9995928	0.9999909	530857	80H3283	TERR	62 41 22	118.403	118.451		
		N	5459523.094										
		El	76.312					CVD28GVRD2018					
530857	80H3283	E	512538.509	0.9995912	0.9999893	671503	80H3284	TERR	79 15 18	287.889	288.007		
		N	5459577.419					956821	80H3282	TERR	242 41 22	118.403	118.451
		El	86.878					CVD28GVRD2018					
671503	80H3284	E	512821.350	0.9995881	0.9999861	19489	80H3285	TERR	49 3 22	89.511	89.548		
		N	5459631.093					530857	80H3283	TERR	259 15 18	287.889	288.007
		El	107.314					CVD28GVRD2018					
19489	80H3285	E	512888.962	0.9995866	0.9999845	671503	80H3284	TERR	229 3 22	89.511	89.548		
		N	5459689.751					208173	80H3286	TERR	352 59 16	100.866	100.908
		El	116.978					CVD28GVRD2018					
767947	80H3287	E	512782.131	0.9995830	0.9999809	400291	84H9897	TERR	0 16 55	75.829	75.860		
		N	5459887.235					208173	80H3286	TERR	135 51 10	135.702	135.758
		El	139.896					CVD28GVRD2018					
850396	82H5263	E	512862.396	0.9996002	0.9999982	494641	80H2570	TERR	43 2 32	97.841	97.880		
		N	5458980.867					497719	80H2569	TERR	222 54 45	169.201	169.269
		El	29.863					CVD28GVRD2018					
400929	82H5264	E	510890.865	0.9996013	0.9999998			MARKER DESTROYED					
		N	5458238.136										
		El	19.673					CVD28GVRD2018					
869768	82H5265	E	509528.533	0.9995955	0.9999943	657684	80H3235	TERR	349 3 28	206.773	206.857		
		N	5459217.119										
		El	54.540					CVD28GVRD2018					

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
881904	82H5266	E	511899.470	0.9996004	0.9999987	640995	80H3183	TERR	131 40 12	110.974	111.018			
		N	5459441.908					80H3135	TERR			287 18 37	334.978	335.112
		El	26.928					CVD28GVRD2018						
471995	84H9885	E	510342.336	0.9995957	0.9999944	544304	84H9919	TERR	139 34 44	98.086	98.127			
		N	5460363.427					84H9899	TERR			319 41 54	155.394	155.456
		El	54.015					CVD28GVRD2018						
485813	84H9886	E	510182.460	0.9995873	0.9999861	910620	84H9908	TERR	107 35 18	107.407	107.451			
		N	5461225.508					80H3260	TERR			235 46 2	91.566	91.604
		El	107.180					CVD28GVRD2018						
279620	84H9887	E	512957.685	0.9995832	0.9999811	124370	84H9892	TERR	257 23 54	88.908	88.945			
		N	5459917.585					84H9894	TERR			342 14 13	88.973	89.010
		El	138.810					CVD28GVRD2018						
929174	84H9888	E	510290.690	0.9995864	0.9999851	6569	84H9910	TERR	40 8 19	85.818	85.855			
		N	5461045.764											
		El	113.237					CVD28GVRD2018						
821058	84H9889	E	508027.095	0.9995833	0.9999825	357376	80H3170	TERR	36 45 54	157.457	157.523			
		N	5457864.077			221580	80H3222	GPS	57 19 14	3677.857	3679.359			
		El	129.972			828079	84H9900	GPS	64 19 52	5485.674	5487.978			
		257162	94H1683			GPS	101 24 37	5536.897	5539.219					
		546473	85H0764			GPS	102 7 12	26437.642	26448.431					
		825034	3340			GPS	115 4 6	54453.709	54476.852					
		996132	73H0413			GPS	140 42 5	3162.283	3163.603					
		985606	86H1304			GPS	149 12 39	10337.359	10341.644					
		308429	90H6222			GPS	184 24 10	13479.739	13485.330					
		709113	90H6573			GPS	193 53 30	5025.964	5028.058					
		307751	94H1457			GPS	212 59 19	3051.742	3052.989					
		391425	80H3185			TERR	221 14 24	225.614	225.708					
		258020	19713			GPS	234 15 46	27460.904	27472.059					
		670653	432			GPS	236 25 46	11450.205	11454.953					
		681239	677011			GPS	293 34 20	13334.006	13339.567					
921874	77C107	GPS	327 47 48	5204.662	5206.781									
821454	84H9891	E	510737.557	0.9995972	0.9999958	325423	84H9918	TERR	162 28 26	62.150	62.175			
		N	5460210.148											
		El	45.057					CVD28GVRD2018						

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
124370	84H9892	E N El	512870.919 5459898.188 140.211	0.9995829	0.9999809	279620	84H9887	TERR	77 23 54	88.908	88.945
				CVD28GVRD2018							
796664	84H9893	E N El	512831.121 5460028.257 150.050	0.9995814	0.9999794	557850 262634 400291	84H9907 84H9894 84H9897	TERR TERR TERR	47 16 34 104 37 26 216 42 47	161.307 102.749 81.326	161.375 102.792 81.360
262634	84H9894	E N El	512930.541 5460002.316 149.198	0.9995816	0.9999795	279620 796664	84H9887 84H9893	TERR TERR	162 14 13 284 37 26	88.973 102.749	89.010 102.792
317735	84H9895	E N El	510529.472 5460241.851 29.451	0.9995996	0.9999983	544304	84H9919	TERR	290 47 25	132.141	132.194
859660	84H9896	E N El	512083.161 5459868.529 92.227	0.9995902	0.9999884	955716 605006	84H9906 84H9901	TERR TERR	167 6 5 295 8 29	224.113 116.598	224.205 116.645
400291	84H9897	E N El	512782.504 5459963.063 145.186	0.9995821	0.9999801	796664 767947	84H9893 80H3287	TERR TERR	36 42 47 180 16 55	81.326 75.829	81.360 75.860
393017	84H9898	E N El	512400.414 5459207.037 28.352	0.9996003	0.9999984	194530 269431	80H3164 84H9909	TERR TERR	200 37 25 312 7 25	177.820 370.036	177.891 370.185
592618	84H9899	E N El	510241.825 5460481.938 53.248	0.9995958	0.9999945	471995 371278	84H9885 84H9905	TERR TERR	139 41 54 314 44 12	155.394 239.275	155.456 239.373
828079	84H9900	E N El	512971.405 5460240.297 177.228	0.9995772	0.9999751	797878 451831 557850 821058 602268	83H6622 93H1005 84H9907 84H9889 91H0454	GPS GPS TERR GPS GPS	39 24 1 143 24 12 191 59 12 244 19 52 284 48 35	925.173 1454.163 104.886 5485.674 421.327	925.568 1454.759 104.929 5487.978 421.506

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
605006	84H9901	E	511977.609	0.9995892	0.9999874	859660	84H9896	TERR	115 8 29	116.598	116.645					
		N	5459918.066					TERR	179 30 16			549.959	550.182			
		E1	98.600					CVD28GVRD2018	63651			91H0440	TERR	303 26 56	139.893	139.950
557835	84H9902	E	510826.425	0.9995993	0.9999979	114868	84H9917	TERR	171 51 3	76.917	76.947					
		N	5460073.095					TERR	255 19 39			83.109	83.142			
		E1	31.977					CVD28GVRD2018	325423			84H9918	TERR	317 57 17	104.749	104.791
770610	84H9903	E	510360.578	0.9995854	0.9999840	821538	02H2490	GPS	3 3 56	2372.036	2373.027					
		N	5460970.730					TERR	43 42 47			66.520	66.547			
		E1	120.189					CVD28GVRD2018	298166			S23T39	GPS	65 19 42	5182.314	5184.547
									932020			95H1746	GPS	80 20 52	6238.511	6241.068
									323543			94H1583	GPS	89 51 36	4807.548	4809.552
									292540			83H6606	GPS	97 6 25	2672.410	2673.539
									801852			02H2460	GPS	102 12 19	14695.283	14701.203
									669861			80H3162	GPS	132 28 31	2851.795	2852.954
									898734			NO MARKING	GPS	180 46 42	12153.403	12158.425
									183145			80H3149	GPS	215 40 45	2920.261	2921.471
									613281			90H6710	GPS	230 46 26	4962.795	4964.923
									196881			80H3132	GPS	232 40 39	1850.117	1850.871
									365049			79H9652	GPS	242 53 32	3193.691	3194.994
									359497			02H2417	GPS	284 51 27	2655.938	2657.046
			318030	02H2418	GPS	320 46 47	3366.111	3367.488								
			812123	02H2416	GPS	329 36 31	4360.339	4362.114								
			298398	02H2414	GPS	357 44 41	4309.076	4310.865								
570069	84H9904	E	508997.396	0.9995848	0.9999838	916940	80H3237	TERR	1 21 6	134.802	134.857					
		N	5459373.127					TERR	180 33 10			175.524	175.597			
		E1	121.998					CVD28GVRD2018								
371278	84H9905	E	510071.856	0.9995967	0.9999954	592618	84H9899	TERR	134 44 12	239.275	239.373					
		N	5460650.352					TERR	347 15 7			46.564	46.582			
		E1	47.367					CVD28GVRD2018								
955716	84H9906	E	512133.189	0.9995925	0.9999907	608422	91H0467	TERR	90 54 58	100.270	100.310					
		N	5459650.071					TERR	182 7 32			194.973	195.053			
		E1	77.888					CVD28GVRD2018	859660			84H9896	TERR	347 6 5	224.113	224.205
557850	84H9907	E	512949.622	0.9995791	0.9999771	828079	84H9900	TERR	11 59 12	104.886	104.929					
		N	5460137.698					TERR	227 16 34			161.307	161.375			
		E1	164.677					CVD28GVRD2018	796664			84H9893				

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
910620	84H9908	E	510284.846	0.9995855	0.9999842	6569	84H9910	TERR	143 10 22	102.044	102.087		
		N	5461193.052					485813	84H9886	TERR	287 35 18	107.407	107.451
		El	119.391					CVD28GVRD2018					
269431	84H9909	E	512125.958	0.9995949	0.9999931	955716	84H9906	TERR	2 7 32	194.973	195.053		
		N	5459455.232					393017	84H9898	TERR	132 7 25	370.036	370.185
		El	62.267					CVD28GVRD2018					
6569	84H9910	E	510346.012	0.9995853	0.9999840	614651	84H9912	TERR	146 48 56	110.597	110.643		
		N	5461111.371					929174	84H9888	TERR	220 8 19	85.818	85.855
		El	120.522					CVD28GVRD2018		910620	84H9908	TERR	323 10 22
226308	84H9911	E	510746.026	0.9996007	0.9999993	557835	84H9902	TERR	75 19 39	83.109	83.142		
		N	5460052.044										
		El	22.693					CVD28GVRD2018					
614651	84H9912	E	510406.546	0.9995850	0.9999836	770610	84H9903	TERR	223 42 47	66.520	66.547		
		N	5461018.811					6569	84H9910	TERR	326 48 56	110.597	110.643
		El	122.693					CVD28GVRD2018					
165043	84H9913	E	511833.864	0.9996036	1.0000019	MARKER ISOLATED							
		N	5458663.376										
		El	6.652			CVD28GVRD2018							
666354	84H9914	E	511669.859	0.9996029	1.0000012	MARKER DESTROYED							
		N	5458469.776										
		El	10.858			CVD28GVRD2018							
839118	84H9915	E	512761.047	0.9995969	0.9999949	702126	80H3279	TERR	183 24 27	86.493	86.528		
		N	5459419.228					478925	80H3281	TERR	272 34 51	253.298	253.400
		El	50.862					CVD28GVRD2018					
655027	84H9916	E	510204.936	0.9995885	0.9999872	758169	80H3261	TERR	267 1 12	106.273	106.317		
		N	5461059.897										
		El	99.998					CVD28GVRD2018					



Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
114868	84H9917	E	510837.328	0.9996007	0.9999992	557835	84H9902	TERR	351 51 3	76.917	76.947
		N	5459996.955								
		El	23.416	CVD28GVRD2018							
325423	84H9918	E	510756.273	0.9995984	0.9999970	557835	84H9902	TERR	137 57 17	104.749	104.791
		N	5460150.883			821454	84H9891	TERR	342 28 26	62.150	62.175
		El	37.529	CVD28GVRD2018							
544304	84H9919	E	510405.935	0.9995972	0.9999959	317735	84H9895	TERR	110 47 25	132.141	132.194
		N	5460288.754			471995	84H9885	TERR	319 34 44	98.086	98.127
		El	44.559	CVD28GVRD2018							
692343	91H0428	E	512532.806	0.9995811	0.9999792	526905	91H0432	TERR	23 18 34	88.738	88.775
		N	5460106.165			801092	91H0466	TERR	172 23 23	69.204	69.232
		El	151.335	CVD28GVRD2018		669861	80H3162	GPS	183 42 40	1063.399	1063.833
						509430	80H3166	GPS	216 17 6	2480.678	2481.693
						183145	80H3149	GPS	248 44 39	4158.354	4160.087
						267732	91H0439	TERR	318 37 20	66.484	66.512
371260	91H0429	E	511983.989	0.9995801	0.9999783	779546	98H2214	GPS	22 8 33	289.462	289.584
		N	5460352.244			158592	98H2215	GPS	40 21 22	517.479	517.699
		El	156.911	CVD28GVRD2018		145862	91H0450	TERR	79 51 32	189.068	189.147
						602268	91H0454	GPS	90 25 12	580.101	580.345
						579177	91H0451	TERR	194 32 40	88.452	88.488
						711465	91H0435	GPS	219 50 51	416.450	416.623
						970830	98H2212	GPS	241 59 20	523.996	524.215
						554709	98H2213	GPS	267 10 56	284.124	284.243
						426742	98H2210	GPS	283 14 54	917.144	917.529
46557	91H0430	E	512308.617	0.9995851	0.9999833	578997	91H0461	TERR	181 24 18	69.574	69.602
		N	5460064.565			761494	91H0437	TERR	333 38 25	144.980	145.040
		El	125.089	CVD28GVRD2018							
526905	91H0432	E	512567.919	0.9995795	0.9999776	732461	91H0447	TERR	13 18 56	114.404	114.453
		N	5460187.660			692343	91H0428	TERR	203 18 34	88.738	88.775
		El	161.387	CVD28GVRD2018							

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
711465	91H0435	E	511717.150	0.9995870	0.9999853	546481	91H0436	TERR	34 31 14	131.586	131.641			
		N	5460032.514					371260	91H0429	GPS	39 50 51	416.450	416.623	
		E1	112.316					CVD28GVRD2018	706812	98H2216	GPS	57 10 43	1017.706	1018.134
									602268	91H0454	GPS	69 34 11	903.774	904.152
									63651	91H0440	TERR	104 33 45	148.507	148.568
									221580	80H3222	GPS	252 55 16	621.809	622.062
									970830	98H2212	GPS	290 36 48	209.165	209.252
546481	91H0436	E	511791.720	0.9995857	0.9999839	950238	91H0455	TERR	67 8 42	112.124	112.170			
		N	5460140.931					711465	91H0435	TERR	214 31 14	131.586	131.641	
		E1	120.844					CVD28GVRD2018						
761494	91H0437	E	512244.245	0.9995827	0.9999809	46557	91H0430	TERR	153 38 25	144.980	145.040			
		N	5460194.471											
		E1	140.346					CVD28GVRD2018						
267732	91H0439	E	512488.859	0.9995804	0.9999785	692343	91H0428	TERR	138 37 20	66.484	66.512			
		N	5460156.052					232231	91H0460	TERR	286 31 46	77.735	77.767	
		E1	155.830					CVD28GVRD2018						
63651	91H0440	E	511860.886	0.9995880	0.9999863	605006	84H9901	TERR	123 26 56	139.893	139.950			
		N	5459995.174					711465	91H0435	TERR	284 33 45	148.507	148.568	
		E1	105.719					CVD28GVRD2018						
790261	91H0443	E	512318.775	0.9995783	0.9999764	370239	91H0452	TERR	95 27 11	160.875	160.944			
		N	5460354.730					145862	91H0450	TERR	281 42 21	151.830	151.893	
		E1	168.988					CVD28GVRD2018						
79509	91H0446	E	512203.774	0.9995813	0.9999795	328138	91H0463	TERR	113 25 59	120.343	120.394			
		N	5460284.218					579177	91H0451	TERR	265 50 33	242.637	242.738	
		E1	149.118					CVD28GVRD2018						
732461	91H0447	E	512594.268	0.9995775	0.9999755	526905	91H0432	TERR	193 18 56	114.404	114.453			
		N	5460298.988					602268	91H0454	TERR	328 21 38	57.559	57.584	
		E1	174.582					CVD28GVRD2018						

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
752865	91H0449	E	512290.532	0.9995910	0.9999892	225060	91H0462	TERR	2 8 56	88.724	88.761						
		N	5459698.857					TERR	228 33 56			76.144	76.175				
		E1	87.486					CVD28GVRD2018									
145862	91H0450	E	512170.103	0.9995789	0.9999771	790261	91H0443	TERR	101 42 21	151.830	151.893						
		N	5460385.534					TERR	259 51 32			189.068	189.147				
		E1	164.414					CVD28GVRD2018									
579177	91H0451	E	511961.776	0.9995817	0.9999799	371260	91H0429	TERR	14 32 40	88.452	88.488						
		N	5460266.627					TERR	85 50 33			242.637	242.738				
		E1	146.633					CVD28GVRD2018						TERR	219 5 24	105.838	105.883
370239	91H0452	E	512478.922	0.9995762	0.9999742	602268	91H0454	TERR	84 15 58	85.580	85.616						
		N	5460339.442					TERR	275 27 11			160.875	160.944				
		E1	182.735					CVD28GVRD2018									
602268	91H0454	E	512564.074	0.9995766	0.9999746	706812	98H2216	GPS	2 1 3	236.289	236.389						
		N	5460347.992					GPS	58 35 41			1165.280	1165.779				
		E1	180.300					CVD28GVRD2018						GPS	104 48 35	421.327	421.506
														GPS	148 21 38	57.559	57.584
														GPS	249 34 11	903.774	904.152
														TERR	264 15 58	85.580	85.616
														GPS	270 25 12	580.101	580.345
														GPS	328 25 21	467.865	468.064
950238	91H0455	E	511895.041	0.9995836	0.9999819	579177	91H0451	TERR	39 5 24	105.838	105.883						
		N	5460184.480					TERR	247 8 42			112.124	112.170				
		E1	133.853					CVD28GVRD2018									
582007	91H0456	E	512477.013	0.9995843	0.9999824	801092	91H0466	TERR	38 9 50	105.125	105.169						
		N	5459954.917					TERR	268 14 7			94.655	94.694				
		E1	130.961					CVD28GVRD2018									
614941	91H0457	E	512201.215	0.9995892	0.9999874	833111	91H0459	TERR	15 30 22	79.554	79.587						
		N	5459880.929					TERR	135 14 9			131.561	131.615				
		E1	99.004					CVD28GVRD2018									
226886	91H0458	E	512382.403	0.9995860	0.9999841	582007	91H0456	TERR	88 14 7	94.655	94.694						
		N	5459952.002					TERR	299 40 17			86.884	86.920				
		E1	119.885					CVD28GVRD2018									

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
833111	91H0459	E	512222.483	0.9995887	0.9999869	578997	91H0461	TERR	66 5 36	92.351	92.389		
		N	5459957.587					614941	91H0457	TERR	195 30 22	79.554	79.587
		El	102.206					CVD28GVRD2018					
232231	91H0460	E	512414.337	0.9995803	0.9999784	267732	91H0439	TERR	106 31 46	77.735	77.767		
		N	5460178.168					328138	91H0463	TERR	300 9 36	115.825	115.873
		El	156.082					CVD28GVRD2018					
578997	91H0461	E	512306.911	0.9995876	0.9999857	46557	91H0430	TERR	1 24 18	69.574	69.602		
		N	5459995.012					226886	91H0458	TERR	119 40 17	86.884	86.920
		El	109.599					CVD28GVRD2018		833111	91H0459	TERR	246 5 36
225060	91H0462	E	512293.859	0.9995903	0.9999884	752865	91H0449	TERR	182 8 56	88.724	88.761		
		N	5459787.519					614941	91H0457	TERR	315 14 9	131.561	131.615
		El	92.229					CVD28GVRD2018					
328138	91H0463	E	512314.192	0.9995811	0.9999793	232231	91H0460	TERR	120 9 36	115.825	115.873		
		N	5460236.360					79509	91H0446	TERR	293 25 59	120.343	120.394
		El	150.628					CVD28GVRD2018					
801092	91H0466	E	512541.971	0.9995824	0.9999804	582007	91H0456	TERR	218 9 50	105.125	105.169		
		N	5460037.571					692343	91H0428	TERR	352 23 23	69.204	69.232
		El	143.167					CVD28GVRD2018					
608422	91H0467	E	512233.446	0.9995918	0.9999900	752865	91H0449	TERR	48 33 56	76.144	76.175		
		N	5459648.468					955716	84H9906	TERR	270 54 58	100.270	100.310
		El	82.391					CVD28GVRD2018					
955260	95H1977	E	510276.534	0.9996022	1.0000009	556530	80H3147	TERR	90 13 56	287.590	287.705		
		N	5458239.704					418186	95H1980	TERR	268 7 32	106.214	106.256
		El	13.065					CVD28GVRD2018					
569285	95H1978	E	510726.636	0.9996016	1.0000002	965277	95H2006	TERR	89 26 9	163.227	163.292		
		N	5458237.034					556530	80H3147	TERR	270 31 49	162.521	162.585
		El	17.347					CVD28GVRD2018					

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
790964	95H1979	E	510904.570	0.9996019	1.0000004	719252	80H3138	TERR	88 51 38	339.316	339.451		
		N	5458459.433			965277	95H2006	TERR	183 48 47	221.282	221.370		
		E1	16.001			CVD28GVRD2018							
418186	95H1980	E	510170.377	0.9996011	0.9999999	955260	95H1977	TERR	88 7 32	106.214	106.256		
		N	5458236.230			91124	80H3250	TERR	269 13 39	120.301	120.349		
		E1	19.345			CVD28GVRD2018							
965277	95H2006	E	510889.855	0.9996013	0.9999998	790964	95H1979	TERR	3 48 47	221.282	221.370		
		N	5458238.641			56259	80H3173	TERR	91 0 58	174.974	175.043		
		E1	19.644			CVD28GVRD2018		569285	95H1978	TERR	269 26 9	163.227	163.292
426742	98H2210	E	511091.254	0.9995806	0.9999791	779546	98H2214	GPS	86 41 26	1003.510	1003.933		
		N	5460562.426			371260	91H0429	GPS	103 14 54	917.144	917.529		
		E1	151.695			CVD28GVRD2018		711465	91H0435	GPS	130 15 10	820.093	820.434
						661249	98H2211	GPS	132 26 19	354.730	354.878		
						221580	80H3222	GPS	177 28 5	713.226	713.518		
661249	98H2211	E	511353.045	0.9995823	0.9999807	779546	98H2214	GPS	68 6 46	797.531	797.867		
		N	5460323.054			554709	98H2213	GPS	87 29 21	347.498	347.643		
		E1	141.284			CVD28GVRD2018		970830	98H2212	GPS	142 11 9	274.557	274.671
						221580	80H3222	GPS	205 57 7	526.221	526.436		
						426742	98H2210	GPS	312 26 19	354.730	354.878		
970830	98H2212	E	511521.376	0.9995861	0.9999844	554709	98H2213	GPS	37 36 41	293.024	293.145		
		N	5460106.153			371260	91H0429	GPS	61 59 20	523.996	524.215		
		E1	117.619			CVD28GVRD2018		711465	91H0435	GPS	110 36 48	209.165	209.252
						221580	80H3222	GPS	237 15 51	473.878	474.071		
						661249	98H2211	GPS	322 11 9	274.557	274.671		
554709	98H2213	E	511700.209	0.9995814	0.9999797	371260	91H0429	GPS	87 10 56	284.124	284.243		
		N	5460338.277			711465	91H0435	GPS	176 49 43	306.232	306.359		
		E1	147.619			CVD28GVRD2018		970830	98H2212	GPS	217 36 41	293.024	293.145
						661249	98H2211	GPS	267 29 21	347.498	347.643		
779546	98H2214	E	512093.090	0.9995750	0.9999732	158592	98H2215	GPS	60 48 53	258.847	258.958		
		N	5460620.358			706812	98H2216	GPS	94 19 19	480.670	480.876		
		E1	189.362			CVD28GVRD2018		371260	91H0429	GPS	202 8 33	289.462	289.584
						661249	98H2211	GPS	248 6 46	797.531	797.867		
						426742	98H2210	GPS	266 41 26	1003.510	1003.933		

Order in Council No. 1065/86

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
158592	98H2215	E	512319.076	0.9995711	0.9999692	797878	83H6622	GPS	80 26 47	1257.001	1257.542	
		N	5460746.581			706812	98H2216	GPS	122 40 16	300.929	301.058	
		E1	214.862			CVD28GVRD2018	602268	91H0454	GPS	148 25 21	467.865	468.064
							371260	91H0429	GPS	220 21 22	517.479	517.699
							779546	98H2214	GPS	240 48 53	258.847	258.958
						921874	77C107	GPS	282 9 8	7227.644	7230.631	
706812	98H2216	E	512572.393	0.9995724	0.9999705	602268	91H0454	GPS	182 1 3	236.289	236.389	
		N	5460584.134			711465	91H0435	GPS	237 10 43	1017.706	1018.134	
		E1	206.710			CVD28GVRD2018	779546	98H2214	GPS	274 19 19	480.670	480.876
							158592	98H2215	GPS	302 40 16	300.929	301.058
348615	A32	E	510421.424	0.9996023	1.0000009	556530	80H3147	TERR	78 50 19	145.449	145.507	
		N	5458210.383			451526	80H3228	TERR	180 58 20	96.766	96.804	
		E1	12.508			CVD28GVRD2018						

END OF REPORT