Official Integrated Survey Area Coordinate Listing

ISA_35_PORT MOODY

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Remote Sensing and Geodetic Engineering branch. For up-to-date information on the status of geodetic control monuments, please refer to the Province's website at:

https://geonetbc.gov.bc.ca/geonetbc

GeoNet BC provides location details on each geodetic control monument including location sketches, site photos and descriptions, as well as a current assessment of the physical condition of the monument and its useability for georeferencing surveys in the field. The GeoNet BC system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports by downloading the template from the following link:

https://geonetbc.gov.bc.ca/geonetbc/SiteDocuments/GeoNetBC_Condition_Report_Template.xlsx

and submitting it to the GeoNet BC Operations team as per the instructions located on the GeoNet BC website at:

https://geonetbc.gov.bc.ca/geonetbc/MonumentCondition

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS				Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
1206	80H3129	E 512258.975		0.9995975	0.9999956	491688	80H3153	Terr	358° 21' 55"	182.487	182.561
		N 5457981.610									
		El (H) 46.531	CGVD28								
6049	80H3241	E 509388.877		0.9995902	0.9999891	136515	80H3181	Terr	186° 52' 16"	215.862	215.951
		N 5459262.802				758995	80H3240	Terr	314° 30' 51"	175.850	175.923
		El (H) 87.948	CGVD28								
6569	84H9910	E 510346.012		0.9995853	0.9999840	614651	84H9912	Terr	146° 48' 57"	110.598	110.644
		N 5461111.371				929174	84H9888	Terr	220° 8' 18"	85.819	85.855
		El (H) 120.522	CGVD28			910620	84H9908	Terr	323° 10' 22"	102.044	102.087
19489	80H3285	E 512888.962		0.9995866	0.9999845	208173	80H3286	Terr	352° 59' 16"	100.865	100.907
		N 5459689.750									
		El (H) 116.978	CGVD28								
20321	80H3158	E 511626.919		0.9996013	0.9999996	MARKER ISOLATED					
		N 5458103.303									
		El (H) 20.790	CGVD28								
31211	80H3133	E 510510.545		0.9995983	0.9999969	126714	80H3171	Terr	238° 41' 2"	139.055	139.111
		N 5457983.445									
		El (H) 38.236	CGVD28								
34488	80H3225	E 508277.006		0.9995993	0.9999984	993089	80H3126	Terr	85° 47' 56"	238.455	238.550
		N 5459689.404				184994	80H3226	Terr	279° 1' 41"	349.395	349.535
		El (H) 28.356	CGVD28								
40808	80H3125	E 511784.438		0.9996029	1.0000012	MARKER DESTROYED					
		N 5458461.480									
		El (H) 10.758	CGVD28								
46557	91H0430	E 512308.617		0.9995851	0.9999833	578997	91H0461	Terr	181° 24' 18"	69.573	69.602
		N 5460064.564				761494	91H0437	Terr	333° 38' 25"	144.980	145.041
		El (H) 125.089	CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS				Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
56259	80H3173	E 511064.801		0.9996014	0.9999999	509430	80H3166	Both	180° 1' 41"	129.008	129.060
		N 5458235.537									
		El (H) 18.989	CGVD28								
63651	91H0440	E 511860.886		0.9995880	0.9999863	605006	84H9901	Terr	123° 26' 55"	139.892	139.949
		N 5459995.173				711465	91H0435	Both	284° 33' 46"	148.507	148.568
		El (H) 105.719	CGVD28								
72231	80H3213	E 509328.577		0.9995915	0.9999904	376160	80H3184	Terr	42° 47' 42"	138.585	138.641
		N 5457828.276									
		El (H) 79.661	CGVD28								
79509	91H0446	E 512203.774		0.9995813	0.9999795	328138	91H0463	Terr	113° 25' 59"	120.343	120.394
		N 5460284.217				579177	91H0451	Terr	265° 50' 34"	242.636	242.738
		El (H) 149.118	CGVD28								
87775	80H3223	E 511255.322		0.9996018	1.0000003	MARKER DESTROYED					
		N 5458100.549									
		El (H) 16.897	CGVD28								
91124	80H3250	E 510050.087		0.9996008	0.9999995	MARKER DESTROYED					
		N 5458234.608									
		El (H) 21.524	CGVD28								
99002	80H3180	E 508699.527		0.9995837	0.9999828	MARKER DESTROYED					
		N 5457538.323									
		El (H) 128.634	CGVD28								
113555	80H3247	E 512809.293		0.9995997	0.9999977	273599	80H3139	Terr	270° 35' 50"	258.711	258.815
		N 5458003.982									
		El (H) 33.189	CGVD28								
114868	84H9917	E 510837.328		0.9996007	0.9999992	557835	84H9902	Terr	351° 51' 3"	76.916	76.946
		N 5459996.955									
		El (H) 23.416	CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS					Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres			Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
120840	80H3249	E	509881.071		0.9996006	0.9999994		MARKER ISOLATED				
		N	5458230.905									
		El (H)	22.600	CGVD28								
124370	84H9892	E	512870.919		0.9995829	0.9999809	279620	84H9887	Terr	77° 23' 57"	88.908	88.945
		N	5459898.188									
		El (H)	140.211	CGVD28								
126714	80H3171	E	510391.749		0.9995948	0.9999934	31211	80H3133	Terr	58° 41' 2"	139.055	139.111
		N	5457911.170									
		El (H)	60.381	CGVD28								
136515	80H3181	E	509363.052		0.9995884	0.9999873	6049	80H3241	Terr	6° 52' 16"	215.862	215.951
		N	5459048.490				726505	80H3242	Terr	179° 24' 40"	148.786	148.847
		El (H)	99.485	CGVD28			935452	80H3137	Terr	308° 54' 37"	238.049	238.147
137067	75H3766	E	507716.381		0.9995820	0.9999812		MARKER ISOLATED				
		N	5458707.044									
		El (H)	138.337	CGVD28								
137190	80H3207	E	509064.965		0.9995879	0.9999869	419549	80H3198	Terr	354° 13' 48"	193.679	193.759
		N	5458267.550									
		El (H)	102.018	CGVD28								
140244	80H3269	E	509940.095		0.9995998	0.9999985	861153	80H3268	Terr	137° 50' 26"	348.175	348.315
		N	5460641.898				989814	80H3270	Terr	308° 36' 9"	135.140	135.194
		El (H)	27.631	CGVD28								
145862	91H0450	E	512170.103		0.9995789	0.9999771	790261	91H0443	Terr	101° 42' 21"	151.830	151.894
		N	5460385.533				371260	91H0429	Both	259° 51' 32"	189.068	189.147
		El (H)	164.414	CGVD28								
156315	80H3277	E	512567.422		0.9995997	0.9999978	579086	80H3278	Terr	91° 3' 14"	120.315	120.364
		N	5459293.041				271163	80H3276	Terr	201° 18' 38"	78.501	78.532
		El (H)	32.522	CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS					Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres			Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
158592	98H2215	E	512319.076		0.9995711	0.9999692	797878	83H6622	GPS Only	80° 26' 47"	1257.001	1257.543
		N	5460746.580				706812	98H2216	GPS Only	122° 40' 16"	300.929	301.058
		El (H)	214.862	CGVD28			602268	91H0454	Both	148° 25' 21"	467.865	468.064
							371260	91H0429	Both	220° 21' 22"	517.479	517.699
							779546	98H2214	GPS Only	240° 48' 53"	258.847	258.958
							921874	77C107	GPS Only	282° 9' 8"	7227.644	7230.631
160655	80H3262	E	510133.916		0.9995932	0.9999920	433672	80H3263	Terr	173° 4' 15"	100.298	100.338
		N	5460803.252				203703	80H3259	Terr	281° 23' 24"	77.144	77.176
		El (H)	69.633	CGVD28			758169	80H3261	Terr	352° 2' 28"	253.561	253.665
164095	80H3200	E	509064.856		0.9995830	0.9999820	MARKER DESTROYED					
		N	5458984.741									
		El (H)	133.525	CGVD28								
165043	84H9913	E	511833.864		0.9996036	1.0000019	MARKER ISOLATED					
		N	5458663.375									
		El (H)	6.652	CGVD28								
176636	80H3205	E	509286.228		0.9995925	0.9999914	MARKER DESTROYED					
		N	5458034.678									
		El (H)	73.161	CGVD28								
177683	80H3187	E	508862.430		0.9995841	0.9999832	MARKER DESTROYED					
		N	5457567.888									
		El (H)	126.028	CGVD28								
181495	80H3236	E	509067.500		0.9995885	0.9999875	MARKER ISOLATED					
		N	5458149.462									
		El (H)	98.457	CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS				Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
183145	80H3149	E	508657.343	0.9995861	0.9999852	196881	80H3132	Both	10° 30' 33"	1271.719	1272.236
		N	5458598.617			560128	80H3127	Terr	24° 37' 36"	199.001	199.083
		El (H)	112.834 CGVD28			770610	84H9903	Both	35° 40' 45"	2920.261	2921.471
						692343	91H0428	Both	68° 44' 39"	4158.354	4160.087
						669861	80H3162	Both	83° 18' 43"	3832.716	3834.272
						509430	80H3166	Both	101° 33' 9"	2457.173	2458.173
						909333	NO MARKING	GPS Only	104° 30' 30"	25768.579	
						256636	73H0331	Both	114° 31' 27"	4092.538	4094.247
						277749	94H1655	GPS Only	125° 58' 56"	6178.963	6181.506
						223347	73H0371	Both	125° 59' 28"	2547.855	2548.919
						904904	NO MARKING	GPS Only	140° 5' 0"	25483.913	
						377705	80H3196	Terr	175° 5' 8"	154.701	154.765
						169128	73H0289	Both	191° 44' 32"	2029.482	2030.322
						859504	462	Both	205° 59' 34"	6653.931	6656.686
						869792	NO MARKING	GPS Only	226° 36' 18"	26688.731	
						875864	NO MARKING	GPS Only	268° 10' 24"	15162.566	
						365049	79H9652	Both	308° 49' 3"	1462.671	1463.267
184994	80H3226	E	507931.940	0.9995988	0.9999981	34488	80H3225	Terr	99° 1' 41"	349.395	349.535
		N	5459744.231			253179	75H3758	Terr	256° 22' 43"	262.491	262.596
		El (H)	30.841 CGVD28								
194530	80H3164	E	512337.781	0.9996026	1.0000007	393017	84H9898	Terr	20° 37' 25"	177.821	177.892
		N	5459040.612			478925	80H3281	Terr	23° 34' 44"	425.550	425.721
		El (H)	13.887 CGVD28			669861	80H3162	Both	88° 0' 39"	126.271	126.321
						848408	80H3150	Terr	295° 56' 46"	266.630	266.736
196881	80H3132	E	508889.298	0.9995998	0.9999988	770610	84H9903	Both	52° 40' 39"	1850.117	1850.871
		N	5459849.003			795492	80H3208	Terr	102° 17' 58"	316.882	317.009
		El (H)	25.843 CGVD28			698134	10H2607	GPS Only	162° 23' 50"	9041.890	9045.491
						183145	80H3149	Both	190° 30' 33"	1271.719	1272.236
						993089	80H3126	Terr	249° 12' 58"	400.543	400.703
						365049	79H9652	Both	256° 19' 58"	1411.558	1412.124
						139790	85H0618	Both	282° 31' 7"	10204.810	
203703	80H3259	E	510058.291	0.9995944	0.9999932	160655	80H3262	Terr	101° 23' 24"	77.144	77.176
		N	5460818.487			245688	80H3258	Terr	339° 20' 39"	173.789	173.859
		El (H)	61.980 CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS				Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
208181	80H3163	E	508429.311	0.9995828	0.9999819	687939	80H3192	Terr	357° 41' 34"	174.974	175.047
		N	5457814.729								
		El (H)	133.913 CGVD28								
221580	80H3222	E	511122.762	0.9996003	0.9999988	661249	98H2211	GPS Only	25° 57' 7"	526.220	526.435
		N	5459849.896			970830	98H2212	GPS Only	57° 15' 52"	473.878	474.071
		El (H)	26.065 CGVD28			711465	91H0435	Both	72° 55' 16"	621.809	622.062
						821058	84H9889	Both	237° 19' 14"	3677.857	3679.359
						542571	80H3155	Terr	290° 10' 1"	205.780	205.862
						921874	77C107	GPS Only	292° 23' 29"	6347.996	6350.526
						426742	98H2210	GPS Only	357° 28' 5"	713.225	713.518
225060	91H0462	E	512293.859	0.9995903	0.9999884	752865	91H0449	Terr	182° 8' 56"	88.724	88.761
		N	5459787.518			614941	91H0457	Terr	315° 14' 9"	131.561	131.615
		El (H)	92.229 CGVD28								
226092	80H3265	E	509939.128	0.9995977	0.9999965	265785	80H3264	Terr	128° 32' 22"	156.553	156.617
		N	5460793.309			360024	80H3266	Terr	290° 26' 14"	124.084	124.134
		El (H)	40.577 CGVD28								
226308	84H9911	E	510746.026	0.9996007	0.9999993	557835	84H9902	Terr	75° 19' 39"	83.109	83.142
		N	5460052.043								
		El (H)	22.693 CGVD28								
226886	91H0458	E	512382.403	0.9995860	0.9999841	582007	91H0456	Terr	88° 14' 9"	94.655	94.694
		N	5459952.002			578997	91H0461	Terr	299° 40' 17"	86.884	86.920
		El (H)	119.885 CGVD28								
227264	80H3194	E	509065.443	0.9995869	0.9999859	MARKER DESTROYED					
		N	5457863.155								
		El (H)	108.789 CGVD28								
232231	91H0460	E	512414.337	0.9995803	0.9999784	267732	91H0439	Terr	106° 31' 48"	77.735	77.767
		N	5460178.168			328138	91H0463	Terr	300° 9' 34"	115.824	115.873
		El (H)	156.082 CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS					Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres			Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
242370	80H3135	E	511579.664		0.9996009	0.9999993	881904	82H5266	Terr	107° 18' 37"	334.978	335.112
		N	5459541.579				971200	80H3136	Terr	316° 12' 26"	179.482	179.554
		El (H)	22.887	CGVD28								
245688	80H3258	E	509996.986		0.9995940	0.9999928	203703	80H3259	Terr	159° 20' 39"	173.789	173.859
		N	5460981.104				872366	80H3257	Terr	306° 18' 7"	83.650	83.684
		El (H)	64.358	CGVD28								
252882	80H3243	E	509267.449		0.9995903	0.9999892	840884	80H3156	Terr	267° 54' 29"	144.363	144.422
		N	5458781.281									
		El (H)	87.149	CGVD28								
259713	80H3212	E	509685.440		0.9996006	0.9999994	982751	80H3169	Terr	356° 34' 17"	250.976	251.077
		N	5458685.462									
		El (H)	22.169	CGVD28								
262634	84H9894	E	512930.541		0.9995816	0.9999795	279620	84H9887	Terr	162° 14' 13"	88.973	89.010
		N	5460002.315				796664	84H9893	Terr	284° 37' 26"	102.749	102.792
		El (H)	149.198	CGVD28								
264333	80H3143	E	511788.378		0.9996037	1.0000020	MARKER DESTROYED					
		N	5458659.221									
		El (H)	5.841	CGVD28								
265785	80H3264	E	510061.581		0.9995961	0.9999949	433672	80H3263	Terr	84° 38' 31"	84.806	84.840
		N	5460695.768				371278	84H9905	Terr	167° 15' 7"	46.564	46.583
		El (H)	50.994	CGVD28			226092	80H3265	Terr	308° 32' 22"	156.553	156.617
266882	80H3172	E	508330.953		0.9995837	0.9999828	448308	80H3190	Terr	359° 33' 16"	139.289	139.347
		N	5457852.389									
		El (H)	128.038	CGVD28								
267732	91H0439	E	512488.859		0.9995804	0.9999784	692343	91H0428	Both	138° 37' 20"	66.483	66.511
		N	5460156.051				232231	91H0460	Terr	286° 31' 48"	77.735	77.767
		El (H)	155.830	CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS			UTM Coordinates Metres		Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING				Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
269431	84H9909	E	512125.958		0.9995949	0.9999931	955716	84H9906	Terr	2° 7' 32"	194.973	195.052
		N	5459455.231				393017	84H9898	Terr	132° 7' 24"	370.036	370.185
		El (H)	62.267	CGVD28								
271163	80H3276	E	512538.893		0.9996007	0.9999988	156315	80H3277	Terr	21° 18' 38"	78.501	78.532
		N	5459219.908				456855	80H3275	Terr	168° 20' 36"	132.847	132.900
		El (H)	26.219	CGVD28								
273599	80H3139	E	512550.596		0.9995980	0.9999961	113555	80H3247	Terr	90° 35' 50"	258.711	258.815
		N	5458006.679				286880	80H3245	Terr	270° 20' 52"	141.022	141.078
		El (H)	43.350	CGVD28								
279620	84H9887	E	512957.685		0.9995832	0.9999811	124370	84H9892	Terr	257° 23' 57"	88.908	88.945
		N	5459917.584				262634	84H9894	Terr	342° 14' 13"	88.973	89.010
		El (H)	138.810	CGVD28								
286880	80H3245	E	512409.577		0.9995998	0.9999979	948158	80H2566	Terr	2° 51' 28"	176.521	176.591
		N	5458007.535				273599	80H3139	Terr	90° 20' 52"	141.022	141.078
		El (H)	31.796	CGVD28								
288159	80H3255	E	511850.213		0.9996013	0.9999995	MARKER DESTROYED					
		N	5458236.838									
		El (H)	21.496	CGVD28								
289751	80H3154	E	511267.909		0.9996000	0.9999984	674556	80H3161	Terr	108° 16' 19"	123.597	123.646
		N	5459824.168									
		El (H)	28.416	CGVD28								
293654	80H3141	E	508689.812		0.9995829	0.9999820	760199	80H3152	Terr	90° 17' 58"	193.683	193.763
		N	5457767.504				885731	80H3142	Terr	357° 42' 6"	219.519	219.610
		El (H)	133.494	CGVD28								
308825	80H3144	E	508956.695		0.9995835	0.9999825	965962	80H3160	Terr	10° 24' 35"	215.886	215.976
		N	5458985.278				644047	80H3128	Terr	190° 31' 1"	95.762	95.802
		El (H)	130.118	CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS			UTM Coordinates Metres		Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING				Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
311613	80H3233	E	510908.600		0.9995992	0.9999977		MARKER DESTROYED				
		N	5457992.345									
		El (H)	32.869	CGVD28								
317735	84H9895	E	510529.472		0.9995996	0.9999983	544304	84H9919	Terr	290° 47' 25"	132.141	132.194
		N	5460241.850									
		El (H)	29.451	CGVD28								
325423	84H9918	E	510756.273		0.9995984	0.9999970	557835	84H9902	Terr	137° 57' 18"	104.749	104.791
		N	5460150.883				821454	84H9891	Terr	342° 28' 26"	62.150	62.175
		El (H)	37.529	CGVD28								
328138	91H0463	E	512314.192		0.9995811	0.9999793	232231	91H0460	Terr	120° 9' 34"	115.824	115.873
		N	5460236.359				79509	91H0446	Terr	293° 25' 59"	120.343	120.394
		El (H)	150.628	CGVD28								
332163	80H3130	E	510577.614		0.9996033	1.0000020		MARKER DESTROYED				
		N	5458468.005									
		El (H)	6.004	CGVD28								
334664	80H3151	E	509644.531		0.9995997	0.9999986	861153	80H3268	Terr	24° 51' 5"	1259.343	1259.847
		N	5459241.074				982751	80H3169	Terr	175° 8' 52"	306.182	306.305
		El (H)	27.511	CGVD28			657684	80H3235	Terr	319° 4' 26"	236.989	237.084
							413724	80H3146	Terr	342° 52' 50"	215.049	215.135
340968	80H3178	E	507925.006		0.9995819	0.9999812	357376	80H3170	Terr	92° 58' 30"	196.597	196.679
		N	5458000.418				550095	80H3177	Terr	270° 27' 35"	132.073	132.129
		El (H)	138.744	CGVD28								
341313	80H3167	E	507989.694		0.9995832	0.9999824		MARKER DESTROYED				
		N	5457831.062									
		El (H)	130.605	CGVD28								
342808	80H3239	E	509169.803		0.9995889	0.9999878	758995	80H3240	Terr	142° 21' 51"	153.412	153.475
		N	5459507.576				584888	80H3238	Terr	294° 48' 14"	79.902	79.935
		El (H)	96.226	CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS			UTM Coordinates Metres		Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING				Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
346775	80H3232	E	510724.315		0.9995998	0.9999984		MARKER DESTROYED				
		N	5458004.778									
		El (H)	28.563	CGVD28								
348615	A32	E	510421.424		0.9996023	1.0000010	556530	80H3147	Terr	78° 50' 19"	145.449	145.507
		N	5458210.382				451526	80H3228	Terr	180° 58' 20"	96.765	96.803
		El (H)	12.508	CGVD28								
357376	80H3170	E	508121.338		0.9995832	0.9999824	448308	80H3190	Terr	89° 35' 57"	208.537	208.624
		N	5457990.215				821058	84H9889	Both	216° 45' 53"	157.457	157.523
		El (H)	130.716	CGVD28			340968	80H3178	Terr	272° 58' 30"	196.597	196.679
360024	80H3266	E	509822.854		0.9995992	0.9999980	426361	80H3271	Terr	0° 14' 49"	159.843	159.908
		N	5460836.637				226092	80H3265	Terr	110° 26' 14"	124.084	124.134
		El (H)	31.198	CGVD28			989814	80H3270	Terr	173° 59' 16"	111.034	111.078
365882	80H3179	E	508497.016		0.9995838	0.9999829		MARKER ISOLATED				
		N	5457544.661									
		El (H)	127.720	CGVD28								
369421	80H3145	E	509208.889		0.9995877	0.9999866	784512	80H3221	Terr	270° 8' 14"	193.278	193.357
		N	5457755.589									
		El (H)	103.785	CGVD28								
370239	91H0452	E	512478.922		0.9995762	0.9999742	602268	91H0454	Both	84° 15' 58"	85.580	85.616
		N	5460339.441				790261	91H0443	Terr	275° 27' 11"	160.875	160.943
		El (H)	182.735	CGVD28								
371260	91H0429	E	511983.989		0.9995801	0.9999783	779546	98H2214	GPS Only	22° 8' 33"	289.462	289.584
		N	5460352.243				158592	98H2215	GPS Only	40° 21' 22"	517.479	517.699
		El (H)	156.911	CGVD28			145862	91H0450	Terr	79° 51' 32"	189.068	189.147
							602268	91H0454	Both	90° 25' 12"	580.101	580.345
							579177	91H0451	Terr	194° 32' 41"	88.451	88.488
							711465	91H0435	Both	219° 50' 52"	416.449	416.622
							970830	98H2212	GPS Only	241° 59' 20"	523.996	524.214
							554709	98H2213	GPS Only	267° 10' 56"	284.124	284.243
							426742	98H2210	GPS Only	283° 14' 54"	917.144	917.529

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS				Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
371278	84H9905	E	510071.856	0.9995967	0.9999954	592618	84H9899	Terr	134° 44' 13"	239.276	239.373
		N	5460650.352			265785	80H3264	Terr	347° 15' 7"	46.564	46.583
		El (H)	47.367 CGVD28								
376160	80H3184	E	509422.728	0.9995941	0.9999930	72231	80H3213	Terr	222° 47' 42"	138.585	138.641
		N	5457929.968								
		El (H)	63.294 CGVD28								
377705	80H3196	E	508670.596	0.9995852	0.9999843	723767	80H3197	Terr	88° 56' 18"	143.338	143.397
		N	5458444.485			975060	80H3195	Terr	177° 44' 47"	128.016	128.069
		El (H)	119.003 CGVD28			183145	80H3149	Both	355° 5' 8"	154.701	154.765
391425	80H3185	E	507878.367	0.9995831	0.9999824	821058	84H9889	Both	41° 14' 24"	225.614	225.708
		N	5457694.425								
		El (H)	131.121 CGVD28								
393017	84H9898	E	512400.414	0.9996003	0.9999984	194530	80H3164	Terr	200° 37' 25"	177.821	177.892
		N	5459207.037			269431	84H9909	Terr	312° 7' 24"	370.036	370.185
		El (H)	28.352 CGVD28								
395004	80H3251	E	510726.254	0.9996016	1.0000002	MARKER DESTROYED					
		N	5458237.505								
		El (H)	17.308 CGVD28								
400291	84H9897	E	512782.504	0.9995821	0.9999801	796664	84H9893	Terr	36° 42' 47"	81.326	81.360
		N	5459963.062			767947	80H3287	Terr	180° 16' 55"	75.829	75.861
		El (H)	145.186 CGVD28								
400929	82H5264	E	510890.865	0.9996013	0.9999998	MARKER DESTROYED					
		N	5458238.135								
		El (H)	19.673 CGVD28								
408229	80H3210	E	511848.968	0.9996002	0.9999985	MARKER ISOLATED					
		N	5458063.118								
		El (H)	28.147 CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS				Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
413724	80H3146	E 509581.228		0.9995996	0.9999985	334664	80H3151	Terr	162° 52' 50"	215.049	215.135
		N 5459446.595				977496	80H3214	Terr	322° 20' 44"	206.096	206.178
		El (H) 28.280	CGVD28								
418186	95H1980	E 510170.377		0.9996011	0.9999999	955260	95H1977	Terr	88° 7' 32"	106.214	106.256
		N 5458236.229									
		El (H) 19.345	CGVD28								
419549	80H3198	E 509045.493		0.9995884	0.9999874	749812	80H3199	Terr	4° 52' 6"	104.461	104.504
		N 5458460.248				137190	80H3207	Terr	174° 13' 48"	193.679	193.759
		El (H) 98.963	CGVD28			723767	80H3197	Terr	266° 45' 38"	231.955	232.050
422220	80H3230	E 510252.239		0.9995983	0.9999970		MARKER DESTROYED				
		N 5458103.867									
		El (H) 37.777	CGVD28								
426361	80H3271	E 509823.543		0.9995972	0.9999960	360024	80H3266	Terr	180° 14' 49"	159.843	159.908
		N 5460996.479									
		El (H) 43.915	CGVD28								
426742	98H2210	E 511091.254		0.9995806	0.9999791	779546	98H2214	GPS Only	86° 41' 26"	1003.510	1003.933
		N 5460562.425				371260	91H0429	Both	103° 14' 54"	917.144	917.529
		El (H) 151.695	CGVD28			711465	91H0435	Both	130° 15' 10"	820.092	820.434
						661249	98H2211	GPS Only	132° 26' 19"	354.730	354.879
						221580	80H3222	Both	177° 28' 5"	713.225	713.518
433672	80H3263	E 510146.016		0.9995946	0.9999933	265785	80H3264	Terr	264° 38' 31"	84.806	84.840
		N 5460703.687				160655	80H3262	Terr	353° 4' 15"	100.298	100.338
		El (H) 61.100	CGVD28								
448308	80H3190	E 508329.870		0.9995834	0.9999826	687939	80H3192	Terr	91° 18' 36"	92.421	92.460
		N 5457991.674				266882	80H3172	Terr	179° 33' 16"	139.289	139.347
		El (H) 129.896	CGVD28			357376	80H3170	Terr	269° 35' 57"	208.537	208.624
456855	80H3275	E 512565.734		0.9996020	1.0000001	669861	80H3162	Both	246° 14' 7"	111.186	111.230
		N 5459089.801				271163	80H3276	Terr	348° 20' 36"	132.847	132.900
		El (H) 18.046	CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS			UTM Coordinates Metres		Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING				Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
466722	80H3157	E	510686.403		0.9996018	1.0000004	542571	80H3155	Terr	105° 57' 42"	252.947	253.048
		N	5459990.399				786707	80H3231	Terr	316° 48' 10"	133.061	133.114
		El (H)	15.817	CGVD28								
470625	80H3188	E	508028.717		0.9995856	0.9999848	548487	80H3191	Terr	87° 11' 55"	161.706	161.773
		N	5457578.368				603951	80H3176	Terr	271° 13' 16"	168.491	168.561
		El (H)	115.413	CGVD28								
471995	84H9885	E	510342.336		0.9995957	0.9999944	544304	84H9919	Terr	139° 34' 46"	98.087	98.126
		N	5460363.427				592618	84H9899	Terr	319° 41' 53"	155.393	155.456
		El (H)	54.015	CGVD28								
473165	80H3224	E	512219.113		0.9996035	1.0000017		MARKER DESTROYED				
		N	5458645.298									
		El (H)	7.835	CGVD28								
478925	80H3281	E	512508.006		0.9995950	0.9999930	839118	84H9915	Terr	92° 34' 51"	253.298	253.400
		N	5459430.633				194530	80H3164	Terr	203° 34' 44"	425.550	425.721
		El (H)	62.854	CGVD28								
485813	84H9886	E	510182.460		0.9995874	0.9999861	910620	84H9908	Terr	107° 35' 17"	107.407	107.451
		N	5461225.507				922765	80H3260	Terr	235° 46' 2"	91.566	91.604
		El (H)	107.180	CGVD28								
491225	80H3168	E	511063.723		0.9995993	0.9999977	509430	80H3166	Both	0° 31' 54"	109.359	109.402
		N	5457997.175									
		El (H)	32.932	CGVD28								
491688	80H3153	E	512253.769		0.9995997	0.9999978	1206	80H3129	Terr	178° 21' 55"	182.487	182.561
		N	5458164.023									
		El (H)	32.407	CGVD28								
494641	80H2570	E	512929.176		0.9995997	0.9999977	497719	80H2569	Terr	222° 57' 36"	267.042	267.149
		N	5459052.373				850396	82H5263	Terr	223° 2' 32"	97.841	97.880
		El (H)	33.264	CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS					Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres			Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
497719	80H2569	E	512747.190		0.9996011	0.9999991	850396	82H5263	Terr	42° 54' 45"	169.201	169.269
		N	5458856.944				494641	80H2570	Terr	42° 57' 36"	267.042	267.149
		El (H)	24.310	CGVD28								
498204	80H3227	E	510165.194		0.9995977	0.9999964		MARKER DESTROYED				
		N	5458102.222									
		El (H)	41.172	CGVD28								
498873	80H3246	E	509503.363		0.9995968	0.9999956		MARKER DESTROYED				
		N	5458082.513									
		El (H)	46.282	CGVD28								
501502	80H3140	E	511538.186		0.9996031	1.0000015		MARKER DESTROYED				
		N	5458467.817									
		El (H)	9.216	CGVD28								
502898	80H3244	E	509499.438		0.9995990	0.9999978		MARKER DESTROYED				
		N	5458392.742									
		El (H)	32.218	CGVD28								
509430	80H3166	E	511064.738		0.9996006	0.9999991	56259	80H3173	Terr	0° 1' 41"	129.008	129.060
		N	5458106.529				692343	91H0428	Both	36° 17' 6"	2480.678	2481.693
		El (H)	24.054	CGVD28			669861	80H3162	Both	56° 9' 1"	1684.810	1685.482
							256636	73H0331	Both	132° 31' 8"	1785.400	1786.133
							491225	80H3168	Terr	180° 31' 54"	109.359	109.402
							223347	73H0371	Both	198° 59' 21"	1063.030	1063.466
							183145	80H3149	Both	281° 33' 9"	2457.173	2458.173
525147	80H3201	E	509238.498		0.9995859	0.9999849		MARKER DESTROYED				
		N	5458985.273									
		El (H)	114.922	CGVD28								
526905	91H0432	E	512567.919		0.9995795	0.9999776	732461	91H0447	Terr	13° 18' 56"	114.405	114.453
		N	5460187.659				692343	91H0428	Both	203° 18' 34"	88.738	88.775
		El (H)	161.387	CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS				Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
530857	80H3283	E 512538.509		0.9995912	0.9999893	956821	80H3282	Terr	242° 41' 23"	118.403	118.451
		N 5459577.418									
		El (H) 86.878	CGVD28								
542571	80H3155	E 510929.598		0.9996005	0.9999990	221580	80H3222	Both	110° 10' 1"	205.780	205.862
		N 5459920.840				466722	80H3157	Terr	285° 57' 42"	252.947	253.048
		El (H) 24.492	CGVD28								
544304	84H9919	E 510405.935		0.9995972	0.9999959	317735	84H9895	Terr	110° 47' 25"	132.141	132.194
		N 5460288.753				471995	84H9885	Terr	319° 34' 46"	98.087	98.126
		El (H) 44.559	CGVD28								
546481	91H0436	E 511791.720		0.9995857	0.9999839	950238	91H0455	Terr	67° 8' 44"	112.123	112.170
		N 5460140.931				711465	91H0435	Both	214° 31' 14"	131.586	131.641
		El (H) 120.844	CGVD28								
548487	80H3191	E 508190.230		0.9995852	0.9999844	793323	80H3193	Terr	89° 26' 0"	186.869	186.947
		N 5457586.271				470625	80H3188	Terr	267° 11' 55"	161.706	161.773
		El (H) 118.220	CGVD28			769364	80H3186	Terr	359° 34' 49"	117.141	117.190
550095	80H3177	E 507792.937		0.9995817	0.9999810	340968	80H3178	Terr	90° 27' 35"	132.073	132.129
		N 5458001.478				860809	80H3175	Terr	178° 17' 35"	217.039	217.130
		El (H) 139.940	CGVD28								
554709	98H2213	E 511700.209		0.9995814	0.9999797	371260	91H0429	Both	87° 10' 56"	284.124	284.243
		N 5460338.276				711465	91H0435	Both	176° 49' 43"	306.231	306.358
		El (H) 147.619	CGVD28			970830	98H2212	GPS Only	217° 36' 41"	293.024	293.146
						661249	98H2211	GPS Only	267° 29' 21"	347.498	347.643
556530	80H3147	E 510564.122		0.9996023	1.0000009	569285	95H1978	Terr	90° 31' 49"	162.521	162.586
		N 5458238.537				348615	A32	Terr	258° 50' 19"	145.449	145.507
		El (H) 12.633	CGVD28			955260	95H1977	Terr	270° 13' 56"	287.590	287.705
557835	84H9902	E 510826.425		0.9995993	0.9999979	114868	84H9917	Terr	171° 51' 3"	76.916	76.946
		N 5460073.094				226308	84H9911	Terr	255° 19' 39"	83.109	83.142
		El (H) 31.977	CGVD28			325423	84H9918	Terr	317° 57' 18"	104.749	104.791

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS				Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
557850	84H9907	E	512949.622	0.9995791	0.9999771	828079	84H9900	Both	11° 59' 12"	104.885	104.929
		N	5460137.698			796664	84H9893	Terr	227° 16' 33"	161.307	161.375
		El (H)	164.677 CGVD28								
560128	80H3127	E	508740.267	0.9995860	0.9999851	840884	80H3156	Terr	90° 31' 29"	382.931	383.089
		N	5458779.517			183145	80H3149	Both	204° 37' 36"	199.001	199.083
		El (H)	113.685 CGVD28								
569285	95H1978	E	510726.636	0.9996016	1.0000002	556530	80H3147	Terr	270° 31' 49"	162.521	162.586
		N	5458237.033								
		El (H)	17.347 CGVD28								
570069	84H9904	E	508997.396	0.9995848	0.9999838	916940	80H3237	Terr	1° 21' 6"	134.802	134.857
		N	5459373.126			965962	80H3160	Terr	180° 33' 10"	175.523	175.596
		El (H)	121.998 CGVD28								
571844	80H3174	E	508997.389	0.9995848	0.9999838	MARKER DESTROYED					
		N	5459373.134								
		El (H)	122.033 CGVD28								
578997	91H0461	E	512306.911	0.9995876	0.9999857	46557	91H0430	Terr	1° 24' 18"	69.573	69.602
		N	5459995.012			226886	91H0458	Terr	119° 40' 17"	86.884	86.920
		El (H)	109.599 CGVD28			833111	91H0459	Terr	246° 5' 34"	92.351	92.390
579086	80H3278	E	512687.717	0.9995989	0.9999969	702126	80H3279	Terr	58° 20' 1"	80.117	80.149
		N	5459290.828			156315	80H3277	Terr	271° 3' 14"	120.315	120.364
		El (H)	38.281 CGVD28								
579177	91H0451	E	511961.776	0.9995817	0.9999799	371260	91H0429	Both	14° 32' 41"	88.451	88.488
		N	5460266.627			79509	91H0446	Terr	85° 50' 34"	242.636	242.738
		El (H)	146.633 CGVD28			950238	91H0455	Terr	219° 5' 22"	105.839	105.883
582007	91H0456	E	512477.013	0.9995843	0.9999824	801092	91H0466	Terr	38° 9' 50"	105.125	105.169
		N	5459954.916			226886	91H0458	Terr	268° 14' 9"	94.655	94.694
		El (H)	130.961 CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS					Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres			Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
584888	80H3238	E	509097.272		0.9995882	0.9999872	342808	80H3239	Terr	114° 48' 14"	79.902	79.935
		N	5459541.096				916940	80H3237	Terr	251° 2' 50"	102.239	102.281
		El (H)	100.413	CGVD28								
592618	84H9899	E	510241.825		0.9995958	0.9999945	471995	84H9885	Terr	139° 41' 53"	155.393	155.456
		N	5460481.937				371278	84H9905	Terr	314° 44' 13"	239.276	239.373
		El (H)	53.248	CGVD28								
592824	80H3202	E	508887.348		0.9995831	0.9999821	888230	80H3203	Terr	353° 58' 39"	118.780	118.829
		N	5457953.780									
		El (H)	132.928	CGVD28								
597492	80H2567	E	512568.984		0.9996008	0.9999989		MARKER DESTROYED				
		N	5458333.939									
		El (H)	25.642	CGVD28								
602268	91H0454	E	512564.074		0.9995766	0.9999746	706812	98H2216	GPS Only	2° 1' 3"	236.289	236.390
		N	5460347.991				797878	83H6622	GPS Only	58° 35' 41"	1165.280	1165.779
		El (H)	180.300	CGVD28			828079	84H9900	Both	104° 48' 35"	421.327	421.506
							732461	91H0447	Terr	148° 21' 36"	57.558	57.583
							711465	91H0435	Both	249° 34' 11"	903.773	904.151
							370239	91H0452	Terr	264° 15' 58"	85.580	85.616
							371260	91H0429	Both	270° 25' 12"	580.101	580.345
							158592	98H2215	GPS Only	328° 25' 21"	467.865	468.064
603951	80H3176	E	507860.264		0.9995843	0.9999835	470625	80H3188	Terr	91° 13' 16"	168.491	168.561
		N	5457581.959									
		El (H)	123.838	CGVD28								
605006	84H9901	E	511977.609		0.9995892	0.9999874	859660	84H9896	Terr	115° 8' 29"	116.598	116.646
		N	5459918.066				640995	80H3183	Terr	179° 30' 16"	549.960	550.183
		El (H)	98.600	CGVD28			63651	91H0440	Terr	303° 26' 55"	139.892	139.949
608422	91H0467	E	512233.446		0.9995918	0.9999900	752865	91H0449	Terr	48° 33' 58"	76.143	76.174
		N	5459648.468				955716	84H9906	Terr	270° 54' 56"	100.270	100.311
		El (H)	82.391	CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS				Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
614651	84H9912	E	510406.546	0.9995850	0.9999836	770610	84H9903	Both	223° 42' 47"	66.519	66.547
		N	5461018.810			6569	84H9910	Terr	326° 48' 57"	110.598	110.644
		El (H)	122.693 CGVD28								
614941	91H0457	E	512201.215	0.9995892	0.9999874	833111	91H0459	Terr	15° 30' 22"	79.554	79.586
		N	5459880.928			225060	91H0462	Terr	135° 14' 9"	131.561	131.615
		El (H)	99.004 CGVD28								
640995	80H3183	E	511982.366	0.9996000	0.9999982	915983	80H3134	Terr	165° 21' 54"	120.748	120.796
		N	5459368.127			881904	82H5266	Terr	311° 40' 12"	110.974	111.018
		El (H)	29.989 CGVD28			605006	84H9901	Terr	359° 30' 16"	549.960	550.183
644047	80H3128	E	508939.216	0.9995849	0.9999839	308825	80H3144	Terr	10° 31' 1"	95.762	95.802
		N	5458891.125								
		El (H)	121.307 CGVD28								
648204	80H3148	E	508673.196	0.9995827	0.9999818	975060	80H3195	Terr	1° 5' 30"	127.755	127.808
		N	5458188.836			786491	80H3206	Terr	89° 4' 42"	188.935	189.014
		El (H)	134.683 CGVD28			885731	80H3142	Terr	177° 47' 6"	202.141	202.225
655027	84H9916	E	510204.936	0.9995885	0.9999872	758169	80H3261	Terr	267° 1' 12"	106.273	106.316
		N	5461059.896								
		El (H)	99.998 CGVD28								
657684	80H3235	E	509489.283	0.9995967	0.9999955	334664	80H3151	Terr	139° 4' 26"	236.989	237.084
		N	5459420.132			869768	82H5265	Terr	169° 3' 28"	206.773	206.857
		El (H)	46.863 CGVD28								
661249	98H2211	E	511353.045	0.9995823	0.9999807	779546	98H2214	GPS Only	68° 6' 46"	797.531	797.868
		N	5460323.053			554709	98H2213	GPS Only	87° 29' 21"	347.498	347.643
		El (H)	141.284 CGVD28			970830	98H2212	GPS Only	142° 11' 9"	274.557	274.671
						221580	80H3222	Both	205° 57' 7"	526.220	526.435
						426742	98H2210	GPS Only	312° 26' 19"	354.730	354.879
666354	84H9914	E	511669.859	0.9996029	1.0000012	MARKER DESTROYED					
		N	5458469.775								
		El (H)	10.858 CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS			UTM Coordinates Metres		Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING				Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
669861	80H3162	E	512463.976		0.9996022	1.0000003	692343	91H0428	Both	3° 42' 40"	1063.399	1063.833
		N	5459044.995				292540	83H6606	GPS Only	18° 58' 33"	1686.758	1687.456
		El (H)	16.545	CGVD28			831958	NO MARKING	GPS Only	25° 25' 0"	8485.955	8489.425
							298166	S23T39	GPS Only	32° 30' 33"	4848.678	4850.726
							932020	95H1746	Both	53° 42' 31"	5020.737	5022.752
							323543	94H1583	GPS Only	54° 22' 44"	3326.589	3327.947
							456855	80H3275	Terr	66° 14' 7"	111.186	111.230
							909333	NO MARKING	GPS Only	108° 4' 52"	22238.382	
							858704	82H5097	Both	137° 13' 42"	3162.343	3163.600
							256636	73H0331	Both	182° 13' 26"	2146.713	2147.592
							223347	73H0371	Both	221° 55' 11"	2612.138	2613.207
							509430	80H3166	Both	236° 9' 1"	1684.810	1685.482
							169128	73H0289	Both	240° 1' 44"	4871.022	4872.999
							183145	80H3149	Both	263° 18' 43"	3832.716	3834.272
							194530	80H3164	Terr	268° 0' 39"	126.271	126.321
							489690	02H2493	GPS Only	285° 35' 0"	19590.993	
							770610	84H9903	Both	312° 28' 31"	2851.795	2852.954
							318030	02H2418	GPS Only	316° 58' 18"	6201.696	6204.181
							298398	02H2414	GPS Only	339° 57' 37"	6633.072	6635.770
671503	80H3284	E	512821.350		0.9995881	0.9999861	MARKER DESTROYED					
		N	5459631.092									
		El (H)	107.314	CGVD28								
674556	80H3161	E	511385.274		0.9995994	0.9999978	971200	80H3136	Terr	148° 26' 45"	134.107	134.161
		N	5459785.417				289751	80H3154	Terr	288° 16' 19"	123.597	123.646
		El (H)	32.667	CGVD28								
679159	80H1400	E	510066.024		0.9995996	0.9999983	MARKER DESTROYED					
		N	5458099.600									
		El (H)	29.283	CGVD28								
681890	80H3215	E	512005.554		0.9995959	0.9999941	822809	73H0075	Terr	177° 14' 10"	86.705	86.740
		N	5457909.738									
		El (H)	56.021	CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS					Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres			Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
687939	80H3192	E	508422.267		0.9995826	0.9999817	885731	80H3142	Terr	90° 36' 4"	258.756	258.864
		N	5457989.561				208181	80H3163	Terr	177° 41' 34"	174.974	175.047
		El (H)	135.471	CGVD28			448308	80H3190	Terr	271° 18' 36"	92.421	92.460
691782	14H2740	E	510572.587		0.9996033	1.0000019	756155	02H2445	GPS Only	117° 43' 35"	13592.099	
		N	5458464.116				252106	14H2750	GPS Only	217° 54' 20"	4602.092	4603.931
		El (H)	6.488	CGVD28			293399	87H3273	Both	239° 49' 30"	12959.844	
							875864	NO MARKING	GPS Only	268° 49' 45"	17073.668	
692343	91H0428	E	512532.806		0.9995811	0.9999792	526905	91H0432	Terr	23° 18' 34"	88.738	88.775
		N	5460106.164				801092	91H0466	Terr	172° 23' 23"	69.204	69.233
		El (H)	151.335	CGVD28			669861	80H3162	Both	183° 42' 40"	1063.399	1063.833
							509430	80H3166	Both	216° 17' 6"	2480.678	2481.693
							183145	80H3149	Both	248° 44' 39"	4158.354	4160.087
							267732	91H0439	Terr	318° 37' 20"	66.483	66.511
699694	80H3217	E	509360.642		0.9995942	0.9999931	MARKER DESTROYED					
		N	5458329.696									
		El (H)	62.181	CGVD28								
702126	80H3279	E	512755.906		0.9995979	0.9999959	839118	84H9915	Terr	3° 24' 27"	86.493	86.528
		N	5459332.887				579086	80H3278	Terr	238° 20' 1"	80.117	80.149
		El (H)	44.350	CGVD28								
706812	98H2216	E	512572.393		0.9995724	0.9999705	602268	91H0454	Both	182° 1' 3"	236.289	236.390
		N	5460584.134				711465	91H0435	Both	237° 10' 43"	1017.706	1018.134
		El (H)	206.710	CGVD28			779546	98H2214	GPS Only	274° 19' 19"	480.670	480.875
							158592	98H2215	GPS Only	302° 40' 16"	300.929	301.058
711465	91H0435	E	511717.150		0.9995870	0.9999853	546481	91H0436	Terr	34° 31' 14"	131.586	131.641
		N	5460032.514				371260	91H0429	Both	39° 50' 52"	416.449	416.622
		El (H)	112.316	CGVD28			706812	98H2216	GPS Only	57° 10' 43"	1017.706	1018.134
							602268	91H0454	Both	69° 34' 11"	903.773	904.151
							63651	91H0440	Terr	104° 33' 46"	148.507	148.568
							221580	80H3222	Both	252° 55' 16"	621.809	622.062
							970830	98H2212	GPS Only	290° 36' 47"	209.165	209.252
							426742	98H2210	GPS Only	310° 15' 10"	820.092	820.434
							554709	98H2213	GPS Only	356° 49' 43"	306.231	306.358

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS			UTM Coordinates Metres		Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING				Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
723767	80H3197	E	508813.909		0.9995864	0.9999854	419549	80H3198	Terr	86° 45' 38"	231.955	232.050
		N	5458447.141				377705	80H3196	Terr	268° 56' 18"	143.338	143.397
		El (H)	111.646	CGVD28								
726505	80H3242	E	509364.581		0.9995885	0.9999874	922765	80H3260	Terr	18° 4' 24"	2392.320	2393.304
		N	5458899.712				136515	80H3181	Terr	359° 24' 40"	148.786	148.847
		El (H)	99.096	CGVD28								
732461	91H0447	E	512594.268		0.9995775	0.9999755	526905	91H0432	Terr	193° 18' 56"	114.405	114.453
		N	5460298.988				602268	91H0454	Both	328° 21' 36"	57.558	57.583
		El (H)	174.582	CGVD28								
737239	80H3211	E	509691.372		0.9996018	1.0000007		MARKER DESTROYED				
		N	5458395.228									
		El (H)	14.381	CGVD28								
749812	80H3199	E	509054.358		0.9995888	0.9999878	840884	80H3156	Terr	18° 0' 40"	222.586	222.678
		N	5458564.332				419549	80H3198	Terr	184° 52' 6"	104.461	104.504
		El (H)	96.641	CGVD28								
752865	91H0449	E	512290.532		0.9995910	0.9999892	225060	91H0462	Terr	2° 8' 56"	88.724	88.761
		N	5459698.856				608422	91H0467	Terr	228° 33' 58"	76.143	76.174
		El (H)	87.486	CGVD28								
758169	80H3261	E	510098.807		0.9995905	0.9999893	922765	80H3260	Terr	3° 48' 8"	119.889	119.938
		N	5461054.371				655027	84H9916	Terr	87° 1' 12"	106.273	106.316
		El (H)	86.781	CGVD28			160655	80H3262	Terr	172° 2' 28"	253.561	253.665
758995	80H3240	E	509263.482		0.9995886	0.9999875	6049	80H3241	Terr	134° 30' 51"	175.850	175.923
		N	5459386.088				342808	80H3239	Terr	322° 21' 51"	153.412	153.475
		El (H)	98.099	CGVD28								
760199	80H3152	E	508883.492		0.9995835	0.9999826	784512	80H3221	Terr	94° 31' 5"	132.532	132.587
		N	5457766.492				293654	80H3141	Terr	270° 17' 58"	193.683	193.763
		El (H)	129.851	CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS					Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres			Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
761494	91H0437	E	512244.245		0.9995827	0.9999809	46557	91H0430	Terr	153° 38' 25"	144.980	145.041
		N	5460194.470									
		El (H)	140.346	CGVD28								
762500	80H3253	E	511237.207		0.9996023	1.0000008		MARKER DESTROYED				
		N	5458234.925									
		El (H)	13.638	CGVD28								
767947	80H3287	E	512782.131		0.9995830	0.9999809	400291	84H9897	Terr	0° 16' 55"	75.829	75.861
		N	5459887.234				208173	80H3286	Terr	135° 51' 10"	135.702	135.758
		El (H)	139.896	CGVD28								
768598	80H3165	E	509871.090		0.9996023	1.0000011		MARKER DESTROYED				
		N	5458399.366									
		El (H)	11.689	CGVD28								
769364	80H3186	E	508189.372		0.9995847	0.9999839	548487	80H3191	Terr	179° 34' 49"	117.141	117.190
		N	5457703.409									
		El (H)	121.274	CGVD28								
770610	84H9903	E	510360.578		0.9995854	0.9999840	821538	02H2490	GPS Only	3° 3' 56"	2372.036	2373.027
		N	5460970.729				614651	84H9912	Terr	43° 42' 47"	66.519	66.547
		El (H)	120.189	CGVD28			298166	S23T39	GPS Only	65° 19' 42"	5182.314	5184.547
							932020	95H1746	Both	80° 20' 52"	6238.511	6241.068
							323543	94H1583	GPS Only	89° 51' 36"	4807.548	4809.553
							292540	83H6606	GPS Only	97° 6' 25"	2672.410	2673.539
							801852	02H2460	GPS Only	102° 12' 19"	14695.283	
							669861	80H3162	Both	132° 28' 31"	2851.795	2852.954
							183145	80H3149	Both	215° 40' 45"	2920.261	2921.471
							196881	80H3132	Both	232° 40' 39"	1850.117	1850.871
							365049	79H9652	Both	242° 53' 32"	3193.691	3194.994
							359497	02H2417	GPS Only	284° 51' 27"	2655.937	2657.046
							318030	02H2418	GPS Only	320° 46' 47"	3366.111	3367.488
							812123	02H2416	GPS Only	329° 36' 31"	4360.339	4362.114
							298398	02H2414	GPS Only	357° 44' 41"	4309.076	4310.865

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS					Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres			Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
775932	80H3159	E	510550.294		0.9995902	0.9999888	859363	80H3216	Terr	223° 23' 20"	147.872	147.933
		N	5457782.994									
		El (H)	90.048	CGVD28								
776542	80H3189	E	508954.663		0.9995844	0.9999834		MARKER DESTROYED				
		N	5457677.588									
		El (H)	124.327	CGVD28								
779546	98H2214	E	512093.090		0.9995750	0.9999732	158592	98H2215	GPS Only	60° 48' 53"	258.847	258.958
		N	5460620.357				706812	98H2216	GPS Only	94° 19' 19"	480.670	480.875
		El (H)	189.362	CGVD28			371260	91H0429	Both	202° 8' 33"	289.462	289.584
							661249	98H2211	GPS Only	248° 6' 46"	797.531	797.868
							426742	98H2210	GPS Only	266° 41' 26"	1003.510	1003.933
784512	80H3221	E	509015.612		0.9995854	0.9999844	369421	80H3145	Terr	90° 8' 14"	193.278	193.357
		N	5457756.052				760199	80H3152	Terr	274° 31' 5"	132.532	132.587
		El (H)	117.932	CGVD28								
784991	80H3272	E	512500.730		0.9996033	1.0000014		MARKER DESTROYED				
		N	5458850.950									
		El (H)	9.701	CGVD28								
786491	80H3206	E	508862.107		0.9995828	0.9999819	888230	80H3203	Terr	173° 55' 12"	120.650	120.700
		N	5458191.875				648204	80H3148	Terr	269° 4' 42"	188.935	189.014
		El (H)	134.220	CGVD28								
786707	80H3231	E	510595.321		0.9996012	0.9999998	466722	80H3157	Terr	136° 48' 10"	133.061	133.114
		N	5460087.401									
		El (H)	19.748	CGVD28								
790261	91H0443	E	512318.775		0.9995783	0.9999764	370239	91H0452	Terr	95° 27' 11"	160.875	160.943
		N	5460354.729				145862	91H0450	Terr	281° 42' 21"	151.830	151.894
		El (H)	168.988	CGVD28								
790964	95H1979	E	510904.570		0.9996019	1.0000004		MARKER DESTROYED				
		N	5458459.432									
		El (H)	16.001	CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS				Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
793323	80H3193	E 508377.090		0.9995843	0.9999834	548487	80H3191	Terr	269° 26' 0"	186.869	186.947
		N 5457588.119				795070	80H3182	Terr	359° 10' 44"	125.944	125.996
		El (H) 124.227	CGVD28								
795070	80H3182	E 508375.285		0.9995837	0.9999828	793323	80H3193	Terr	179° 10' 44"	125.944	125.996
		N 5457714.050									
		El (H) 128.141	CGVD28								
795492	80H3208	E 509198.907		0.9995989	0.9999979	977496	80H3214	Terr	123° 48' 45"	308.616	308.740
		N 5459781.501				196881	80H3132	Both	282° 17' 58"	316.882	317.009
		El (H) 31.814	CGVD28								
796664	84H9893	E 512831.121		0.9995814	0.9999794	557850	84H9907	Terr	47° 16' 33"	161.307	161.375
		N 5460028.256				262634	84H9894	Terr	104° 37' 26"	102.749	102.792
		El (H) 150.050	CGVD28			400291	84H9897	Terr	216° 42' 47"	81.326	81.360
798850	80H3248	E 509679.481		0.9996004	0.9999992	MARKER DESTROYED					
		N 5458206.499									
		El (H) 23.508	CGVD28								
801092	91H0466	E 512541.971		0.9995824	0.9999804	582007	91H0456	Terr	218° 9' 50"	105.125	105.169
		N 5460037.570				692343	91H0428	Both	352° 23' 23"	69.204	69.233
		El (H) 143.167	CGVD28								
821058	84H9889	E 508027.095		0.9995833	0.9999825	357376	80H3170	Terr	36° 45' 53"	157.457	157.523
		N 5457864.076				221580	80H3222	Both	57° 19' 14"	3677.857	3679.359
		El (H) 129.972	CGVD28			828079	84H9900	Both	64° 19' 52"	5485.674	5487.978
						257162	94H1683	Both	101° 24' 37"	5536.897	5539.219
						546473	85H0764	Both	102° 7' 12"	26437.642	
						825034	3340	Both	115° 4' 6"	54453.709	
						996132	73H0413	Both	140° 42' 5"	3162.283	3163.603
						985606	86H1304	Both	149° 12' 39"	10337.358	
						308429	90H6222	GPS Only	184° 24' 10"	13479.739	
						709113	90H6573	Both	193° 53' 30"	5025.964	5028.058
						391425	80H3185	Terr	221° 14' 24"	225.614	225.708
						258020	19713	Both	234° 15' 46"	27460.904	
						681239	677011	Both	293° 34' 20"	13334.006	
						921874	77C107	GPS Only	327° 47' 48"	5204.662	5206.781

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS				Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
821207	80H2568	E	512574.771	0.9996028	1.0000008		MARKER DESTROYED				
		N	5458679.688								
		El (H)	13.097 CGVD28								
821454	84H9891	E	510737.557	0.9995972	0.9999958	325423	84H9918	Terr	162° 28' 26"	62.150	62.175
		N	5460210.148								
		El (H)	45.057 CGVD28								
828079	84H9900	E	512971.405	0.9995772	0.9999751	797878	83H6622	GPS Only	39° 24' 1"	925.173	925.569
		N	5460240.296			451831	93H1005	Both	143° 24' 12"	1454.162	1454.760
		El (H)	177.228 CGVD28			557850	84H9907	Terr	191° 59' 12"	104.885	104.929
						821058	84H9889	Both	244° 19' 52"	5485.674	5487.978
						602268	91H0454	Both	284° 48' 35"	421.327	421.506
833111	91H0459	E	512222.483	0.9995887	0.9999869	578997	91H0461	Terr	66° 5' 34"	92.351	92.390
		N	5459957.586			614941	91H0457	Terr	195° 30' 22"	79.554	79.586
		El (H)	102.206 CGVD28								
839118	84H9915	E	512761.047	0.9995969	0.9999949	702126	80H3279	Terr	183° 24' 27"	86.493	86.528
		N	5459419.227			478925	80H3281	Terr	272° 34' 51"	253.298	253.400
		El (H)	50.862 CGVD28								
840884	80H3156	E	509123.182	0.9995900	0.9999890	252882	80H3243	Terr	87° 54' 29"	144.363	144.422
		N	5458776.011			749812	80H3199	Terr	198° 0' 40"	222.586	222.678
		El (H)	88.641 CGVD28			560128	80H3127	Terr	270° 31' 29"	382.931	383.089
848408	80H3150	E	512098.026	0.9996021	1.0000003	194530	80H3164	Terr	115° 56' 46"	266.630	266.736
		N	5459157.270			915983	80H3134	Terr	317° 50' 8"	126.854	126.905
		El (H)	16.815 CGVD28								
850396	82H5263	E	512862.396	0.9996002	0.9999982	494641	80H2570	Terr	43° 2' 32"	97.841	97.880
		N	5458980.866			497719	80H2569	Terr	222° 54' 45"	169.201	169.269
		El (H)	29.863 CGVD28								
855676	80H3219	E	509699.299	0.9995994	0.9999982		MARKER ISOLATED				
		N	5458090.965								
		El (H)	29.776 CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS				Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
859363	80H3216	E 510448.714		0.9995875	0.9999862	775932	80H3159	Terr	43° 23' 20"	147.872	147.933
		N 5457675.534									
		El (H) 106.875	CGVD28								
859660	84H9896	E 512083.161		0.9995902	0.9999884	955716	84H9906	Terr	167° 6' 5"	224.114	224.206
		N 5459868.529				605006	84H9901	Terr	295° 8' 29"	116.598	116.646
		El (H) 92.227	CGVD28								
861153	80H3268	E 510173.789		0.9995993	0.9999980	937557	80H3131	Terr	138° 41' 14"	196.684	196.763
		N 5460383.803				334664	80H3151	Terr	204° 51' 5"	1259.343	1259.847
		El (H) 30.991	CGVD28			140244	80H3269	Terr	317° 50' 26"	348.175	348.315
868463	80H3256	E 512023.721		0.9996014	0.9999996	MARKER DESTROYED					
		N 5458240.687									
		El (H) 20.690	CGVD28								
869768	82H5265	E 509528.533		0.9995955	0.9999943	657684	80H3235	Terr	349° 3' 28"	206.773	206.857
		N 5459217.118									
		El (H) 54.540	CGVD28								
872366	80H3257	E 509929.572		0.9995949	0.9999937	245688	80H3258	Terr	126° 18' 7"	83.650	83.684
		N 5461030.628									
		El (H) 58.361	CGVD28								
878959	80H3204	E 509503.595		0.9995986	0.9999975	MARKER DESTROYED					
		N 5458219.772									
		El (H) 34.542	CGVD28								
881904	82H5266	E 511899.470		0.9996004	0.9999987	640995	80H3183	Terr	131° 40' 12"	110.974	111.018
		N 5459441.907				242370	80H3135	Terr	287° 18' 37"	334.978	335.112
		El (H) 26.928	CGVD28								
885731	80H3142	E 508681.009		0.9995823	0.9999814	293654	80H3141	Terr	177° 42' 6"	219.519	219.610
		N 5457986.846				687939	80H3192	Terr	270° 36' 4"	258.756	258.864
		El (H) 137.173	CGVD28			648204	80H3148	Terr	357° 47' 6"	202.141	202.225

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates Metres		Station Scale Factors		TO MARKER IDENTIFIERS		Obs.	UTM Grid	UTM Grid	Ground
GCM-NO	TABLET MARKING			Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Type	Bearing (DMS)	Distance (m)	Distance (m)
888230	80H3203	E	508874.886	0.9995823	0.9999813	592824	80H3202	Terr	173° 58' 39"	118.780	118.829
		N	5458071.904			786491	80H3206	Terr	353° 55' 12"	120.650	120.700
		El (H)	137.746 CGVD28								
889469	80H3218	E	510904.515	0.9996018	1.0000004		MARKER DESTROYED				
		N	5458456.293								
		El (H)	16.194 CGVD28								
895755	80H3254	E	511625.166	0.9996017	1.0000000		MARKER DESTROYED				
		N	5458232.474								
		El (H)	18.341 CGVD28								
910620	84H9908	E	510284.846	0.9995855	0.9999842	6569	84H9910	Terr	143° 10' 22"	102.044	102.087
		N	5461193.052			485813	84H9886	Terr	287° 35' 17"	107.407	107.451
		El (H)	119.391 CGVD28								
915983	80H3134	E	512012.874	0.9996009	0.9999991	848408	80H3150	Terr	137° 50' 8"	126.854	126.905
		N	5459251.297			640995	80H3183	Terr	345° 21' 54"	120.748	120.796
		El (H)	24.046 CGVD28								
916940	80H3237	E	509000.576	0.9995868	0.9999858	584888	80H3238	Terr	71° 2' 50"	102.239	102.281
		N	5459507.890			570069	84H9904	Terr	181° 21' 6"	134.802	134.857
		El (H)	108.965 CGVD28								
922765	80H3260	E	510106.757	0.9995890	0.9999878	485813	84H9886	Terr	55° 46' 2"	91.566	91.604
		N	5461173.996			758169	80H3261	Terr	183° 48' 8"	119.889	119.938
		El (H)	96.263 CGVD28			726505	80H3242	Terr	198° 4' 24"	2392.320	2393.304
929174	84H9888	E	510290.690	0.9995864	0.9999851	6569	84H9910	Terr	40° 8' 18"	85.819	85.855
		N	5461045.763								
		El (H)	113.237 CGVD28								
935452	80H3137	E	509177.819	0.9995843	0.9999832	136515	80H3181	Terr	128° 54' 37"	238.049	238.147
		N	5459198.009								
		El (H)	125.490 CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS				Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING	UTM Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
937557	80H3131	E 510303.634		0.9996000	0.9999987	861153	80H3268	Terr	318° 41' 14"	196.684	196.763
		N 5460236.070									
		El (H) 26.715	CGVD28								
948158	80H2566	E 512418.378		0.9996008	0.9999989	286880	80H3245	Terr	182° 51' 28"	176.521	176.591
		N 5458183.836									
		El (H) 25.196	CGVD28								
950238	91H0455	E 511895.041		0.9995836	0.9999819	579177	91H0451	Terr	39° 5' 22"	105.839	105.883
		N 5460184.479				546481	91H0436	Terr	247° 8' 44"	112.123	112.170
		El (H) 133.853	CGVD28								
954750	80H3209	E 509358.011		0.9995947	0.9999936		MARKER ISOLATED				
		N 5458190.791									
		El (H) 59.229	CGVD28								
955260	95H1977	E 510276.534		0.9996022	1.0000009	556530	80H3147	Terr	90° 13' 56"	287.590	287.705
		N 5458239.703				418186	95H1980	Terr	268° 7' 32"	106.214	106.256
		El (H) 13.065	CGVD28								
955716	84H9906	E 512133.189		0.9995925	0.9999907	608422	91H0467	Terr	90° 54' 56"	100.270	100.311
		N 5459650.070				269431	84H9909	Terr	182° 7' 32"	194.973	195.052
		El (H) 77.888	CGVD28			859660	84H9896	Terr	347° 6' 5"	224.114	224.206
956821	80H3282	E 512433.304		0.9995928	0.9999909	530857	80H3283	Terr	62° 41' 23"	118.403	118.451
		N 5459523.094									
		El (H) 76.312	CGVD28								
965277	95H2006	E 510889.855		0.9996013	0.9999998		MARKER DESTROYED				
		N 5458238.640									
		El (H) 19.644	CGVD28								
965962	80H3160	E 508995.703		0.9995834	0.9999824	570069	84H9904	Terr	0° 33' 10"	175.523	175.596
		N 5459197.611				308825	80H3144	Terr	190° 24' 35"	215.886	215.976
		El (H) 130.757	CGVD28								

Integrated Survey Area No: 35 PORT MOODY

Order in Council No. 1065/86
Universal Transverse Mercator Coordinates: Zone: 10, Central Meridian 123
Scale Factor at Reference Central Meridian = 0.9996

Generated from GeoNetBC v1.0.1.0
Issued 2026-03-08

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors. Ground distance not calculated for baselines longer than 10000 metres due to increasing inaccuracy of mean combined scale factor.
Datum: NAD83 (CSRS)

MARKER IDENTIFIERS			UTM Coordinates Metres		Station Scale Factors		TO MARKER IDENTIFIERS					
GCM-NO	TABLET MARKING				Combined	Ellipsoidal	GCM-NO	TABLET MARKING	Obs. Type	UTM Grid Bearing (DMS)	UTM Grid Distance (m)	Ground Distance (m)
970830	98H2212	E	511521.376		0.9995861	0.9999844	554709	98H2213	GPS Only	37° 36' 41"	293.024	293.146
		N	5460106.152				371260	91H0429	Both	61° 59' 20"	523.996	524.214
		El (H)	117.619	CGVD28			711465	91H0435	Both	110° 36' 47"	209.165	209.252
							221580	80H3222	Both	237° 15' 52"	473.878	474.071
							661249	98H2211	GPS Only	322° 11' 9"	274.557	274.671
971200	80H3136	E	511455.453		0.9996000	0.9999984	242370	80H3135	Terr	136° 12' 26"	179.482	179.554
		N	5459671.138				674556	80H3161	Terr	328° 26' 45"	134.107	134.161
		El (H)	28.536	CGVD28								
973230	80H3267	E	510479.158		0.9996013	1.0000000		MARKER DESTROYED				
		N	5460190.292									
		El (H)	18.470	CGVD28								
974055	80H3229	E	509923.648		0.9995988	0.9999976		MARKER DESTROYED				
		N	5458096.193									
		El (H)	34.054	CGVD28								
975060	80H3195	E	508675.630		0.9995835	0.9999826	648204	80H3148	Terr	181° 5' 30"	127.755	127.808
		N	5458316.568				377705	80H3196	Terr	357° 44' 47"	128.016	128.069
		El (H)	129.711	CGVD28								
977496	80H3214	E	509455.325		0.9995990	0.9999979	413724	80H3146	Terr	142° 20' 44"	206.096	206.178
		N	5459609.763				795492	80H3208	Terr	303° 48' 45"	308.616	308.740
		El (H)	31.905	CGVD28								
982751	80H3169	E	509670.430		0.9996002	0.9999991	259713	80H3212	Terr	176° 34' 17"	250.976	251.077
		N	5458935.989				334664	80H3151	Terr	355° 8' 52"	306.182	306.305
		El (H)	24.416	CGVD28								
989814	80H3270	E	509834.484		0.9996006	0.9999994	140244	80H3269	Terr	128° 36' 9"	135.140	135.194
		N	5460726.214				360024	80H3266	Terr	353° 59' 16"	111.034	111.078
		El (H)	21.935	CGVD28								
993089	80H3126	E	508514.820		0.9995998	0.9999989	196881	80H3132	Both	69° 12' 58"	400.543	400.703
		N	5459706.873				34488	80H3225	Terr	265° 47' 56"	238.455	238.550
		El (H)	25.732	CGVD28								