

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Integrated Survey Area No:38 Corporation of the Township of Esquimalt
 Order in Council No. 1362/89
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-04

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING					
6841	23-29	E	470864.543	0.9996116	1.0000011	37309	23-27	TERR	18 32 23	97.475	97.512	
		N	5364911.580			715029	23-30	TERR	72 33 19	165.419	165.483	
		El	11.210	CVD28BC								
156760	66C67	E	469928.940	0.9996030	0.9999919	241869	11703	TERR	34 57 2	7772.927	7776.120	
		N	5364792.258			638569	84H0193	TERR	75 37 19	818.922	819.243	
		El	70.104	CVD28BC			127894	84H0201	TERR	255 11 37	245.482	245.579
							180067	66C66	TERR	305 9 28	774.261	774.567
153767	84H0144	E	470244.324	0.9996117	1.0000008	9977	84H0163	TERR	106 35 53	120.648	120.695	
		N	5363792.201									
		El	13.047	CVD28BC								
411348	84H0145	E	469360.230	0.9996117	1.0000002							
		N	5363150.191									
		El	17.123	CVD28BC								
949610	84H0146	E	469137.358	0.9996115	0.9999998	756353	84H0169	TERR	178 52 58	126.676	126.725	
		N	5363795.196									
		El	19.710	CVD28BC								
509182	84H0147	E	470452.165	0.9996122	1.0000015							
		N	5364062.328									
		El	8.700	CVD28BC								
216911	84H0148	E	469142.148	0.9996108	0.9999991							
		N	5363993.888									
		El	23.726	CVD28BC								
604470	84H0149	E	469318.591	0.9996112	0.9999997							
		N	5363758.698									
		El	20.479	CVD28BC								
986257	84H0150	E	469641.586	0.9996118	1.0000005							
		N	5363701.842									
		El	15.154	CVD28BC								

Integrated Survey Area No:38 Corporation of the Township of Esquimalt
 Order in Council No. 1362/89
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-04

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
401893	84H0151	E	468907.381	0.9996110	0.9999991	613265	84H0184	TERR	87 0 59	88.340	88.374					
		N	5364147.688					TERR	185 34 9			159.797	159.860			
		E1	24.025					CVD28BC	712323			84H0198	TERR	260 27 39	214.609	214.693
599662	84H0152	E	469164.013	0.9996108	0.9999991	MARKER DESTROYED										
		N	5364176.992													
		E1	23.742			CVD28BC										
430850	84H0153	E	469002.875	0.9996114	0.9999996	222869	84H0154	TERR	271 50 7	111.059	111.102					
		N	5363985.088					TERR	357 30 32			167.356	167.421			
		E1	20.542					CVD28BC	613265			84H0184	TERR			
222869	84H0154	E	468891.873	0.9996123	1.0000004	401893	84H0151	TERR	5 34 9	159.797	159.860					
		N	5363988.645					79H8752	GPS			46 5 47	3069.355	3070.549		
		E1	15.829					CVD28BC	842088			2251	GPS	81 12 10	2884.568	2885.691
		430850	84H0153					TERR	91 50 7			111.059	111.102			
		855999	M5 1954 285					GPS	119 48 9			3013.862	3015.031			
		362608	84H0238					GPS	147 33 10			1222.929	1223.402			
		23275	84H0202					TERR	178 5 48			195.622	195.698			
		432716	907001					GPS	229 6 59			6535.669	6538.205			
		533224	88H3936					GPS	253 25 33			5007.517	5009.473			
		6916	84H0156					TERR	270 54 22			187.928	188.000			
		255885	89H4895					GPS	273 44 21			2767.436	2768.504			
600411		GPS	280 32 32	614.541	614.781											
133009	84H0155	E	469688.966	0.9996107	0.9999994	MARKER DESTROYED										
		N	5364164.363													
		E1	22.082			CVD28BC										
6916	84H0156	E	468703.969	0.9996124	1.0000004	222869	84H0154	TERR	90 54 22	187.928	188.000					
		N	5363991.617					84H0237	TERR			185 19 53	230.147	230.235		
		E1	15.927					CVD28BC	505180							
406249	84H0157	E	470514.949	0.9996105	0.9999998	641639	84H0235	TERR	176 25 12	174.767	174.835					
		N	5364671.393													
		E1	19.752					CVD28BC								
490649	84H0158	E	469712.865	0.9996126	1.0000013	784611	84H0236	TERR	10 45 10	222.944	223.030					
		N	5363236.167					84H0176	TERR			281 25 21	155.271	155.331		
		E1	9.989					CVD28BC	209122							

Integrated Survey Area No:38 Corporation of the Township of Esquimalt
 Order in Council No. 1362/89
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-04

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
843524	84H0159	E	469449.501	0.9996109	0.9999994	549121	84H0171	TERR	201 24 2	99.009	99.049
		N	5364060.978								
		El	21.896	CVD28BC							
215079	84H0160	E	470680.689	0.9996103	0.9999997		MARKER DESTROYED				
		N	5364197.874								
		El	20.174	CVD28BC							
332098	84H0161	E	469637.333	0.9996111	0.9999997		MARKER DESTROYED				
		N	5364998.574								
		El	19.929	CVD28BC							
199935	84H0162	E	470083.114	0.9996117	1.0000007		MARKER DESTROYED				
		N	5363811.670								
		El	14.020	CVD28BC							
9977	84H0163	E	470359.945	0.9996121	1.0000013	463679	84H0164	TERR	53 17 20	117.203	117.249
		N	5363757.737			153767	84H0144	TERR	286 35 53	120.648	120.695
		El	9.977	CVD28BC							
463679	84H0164	E	470453.902	0.9996126	1.0000019	702092	84H0178	TERR	11 24 54	172.581	172.648
		N	5363827.799			9977	84H0163	TERR	233 17 20	117.203	117.249
		El	6.309	CVD28BC							
307405	84H0165	E	469754.583	0.9996069	0.9999957	261982	84H0173	TERR	71 47 44	148.952	149.011
		N	5364404.032								
		El	45.733	CVD28BC							
806158	84H0166	E	470125.036	0.9996076	0.9999966		MARKER DESTROYED				
		N	5364502.394								
		El	39.893	CVD28BC							
1776	84H0167	E	469326.417	0.9996125	1.0000009	445650	84H0232	TERR	152 24 13	144.216	144.272
		N	5363442.882			651893	87H3781	TERR	324 36 10	147.540	147.597
		El	12.295	CVD28BC							

Order in Council No. 1362/89

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
206557	84H0168	E N E1	469712.891 5363781.192 18.007	0.9996113	1.0000000	549345	84H0204	TERR	280 17 54	242.691	242.785
756353	84H0169	E N E1	469139.828 5363668.544 21.490	0.9996112	0.9999995	949610	84H0146	TERR	358 52 58	126.676	126.725
70318	84H0170	E N E1	470262.185 5365146.049 11.650	0.9996119	1.0000010		MARKER DESTROYED				
549121	84H0171	E N E1	469413.374 5363968.795 21.094	0.9996111	0.9999996	843524 430017 739078	84H0159 84H0174 87H3779	TERR TERR TERR	21 24 2 105 41 40 204 1 59	99.009 242.140 232.849	99.049 242.234 232.939
92726	84H0172	E N E1	470606.867 5364369.465 24.720	0.9996096	0.9999990	231084 357061	84H0200 87H3783	TERR TERR	85 51 10 243 40 6	180.813 268.370	180.884 268.475
261982	84H0173	E N E1	469896.080 5364450.566 49.895	0.9996062	0.9999951	807826 307405	84H0261 84H0165	TERR TERR	65 1 55 251 47 44	119.984 148.952	120.032 149.011
430017	84H0174	E N E1	469646.486 5363903.294 19.683	0.9996111	0.9999998	585521 549121	84H0231 84H0171	TERR TERR	97 48 30 285 41 40	209.906 242.140	209.988 242.234
60871	84H0175	E N E1	468928.316 5366348.823 10.440	0.9996131	1.0000012		MARKER DESTROYED				
209122	84H0176	E N E1	469560.669 5363266.917 5.417	0.9996134	1.0000020	753244 490649 362608 445650	84H0187 84H0158 84H0238 84H0232	TERR TERR TERR TERR	12 53 27 101 25 21 182 20 16 286 2 42	237.189 155.271 310.543 174.232	237.281 155.331 310.664 174.300

Order in Council No. 1362/89

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
795112	84H0177	E	470790.078	0.9996123	1.0000018	75432	23-31	TERR	68 30 27	85.897	85.930						
		N	5364814.895									694802	84H0246	TERR	271 10 52	292.231	292.345
		El	6.814									CVD28BC					
702092	84H0178	E	470488.058	0.9996126	1.0000019	463679	84H0164	TERR	191 24 54	172.581	172.648						
		N	5363996.966														
		El	6.280									CVD28BC					
28415	84H0179	E	470489.686	0.9996126	1.0000019	292433	84H0253	TERR	89 4 23	230.308	230.397						
		N	5365148.014														
		El	6.162									CVD28BC					
521120	84H0180	E	469062.358	0.9996115	0.9999997	319905	87H3782	TERR	184 25 16	171.093	171.160						
		N	5363834.492														
		El	20.240									CVD28BC					
34868	84H0181	E	470226.807	0.9996120	1.0000012	MARKER ISOLATED											
		N	5363894.403														
		El	10.984			CVD28BC											
999466	84H0182	E	470205.100	0.9996101	0.9999992	MARKER DESTROYED											
		N	5364816.067														
		El	23.734			CVD28BC											
575514	84H0183	E	469394.656	0.9996105	0.9999990	MARKER ISOLATED											
		N	5364189.602														
		El	24.535			CVD28BC											
613265	84H0184	E	468995.601	0.9996108	0.9999990	430850	84H0153	TERR	177 30 32	167.356	167.421						
		N	5364152.286									401893	84H0151	TERR	267 0 59	88.340	88.374
		El	24.779									CVD28BC					
575951	84H0185	E	469342.604	0.9996102	0.9999986	MARKER DESTROYED											
		N	5366124.463														
		El	27.086			CVD28BC											

Order in Council No. 1362/89

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----						
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING						
154856	84H0186	E	468915.520	0.9996141	1.0000023	479162	84H0217	TERR	128 56 40	111.095	111.139		
		N	5363292.163					505180	84H0237	TERR	333 39 5	524.827	525.030
		El	3.841					CVD28BC	23275	84H0202	TERR	358 2 22	501.262
753244	84H0187	E	469613.584	0.9996125	1.0000011	784611	84H0236	TERR	106 56 55	147.273	147.331		
		N	5363498.128					209122	84H0176	TERR	192 53 27	237.189	237.281
		El	11.031					CVD28BC	651893	87H3781	TERR	279 53 54	378.259
427450	84H0188	E	469240.701	0.9996120	1.0000004	MARKER DESTROYED							
		N	5363563.692										
		El	15.991			CVD28BC							
42689	84H0189	E	470152.293	0.9996082	0.9999972	MARKER ISOLATED							
		N	5364652.616										
		El	35.944			CVD28BC							
878793	84H0190	E	470795.458	0.9996105	1.0000000	MARKER ISOLATED							
		N	5364272.260										
		El	18.137			CVD28BC							
58289	84H0191	E	469153.522	0.9996115	0.9999998	332411	84H0230	TERR	77 40 22	203.455	203.534		
		N	5364908.709										
		El	19.251					CVD28BC					
67199	84H0192	E	469275.044	0.9996117	1.0000001	62612	84H0229	TERR	31 22 15	120.870	120.917		
		N	5366306.250										
		El	17.929					CVD28BC					
638569	84H0193	E	470722.212	0.9996114	1.0000009	156760	66C67	TERR	255 37 19	818.922	819.243		
		N	5364995.610					292433	84H0253	TERR	359 10 30	156.146	156.207
		El	12.788					CVD28BC					
578666	84H0194	E	470495.775	0.9996128	1.0000021	MARKER DESTROYED							
		N	5364980.131										
		El	5.178			CVD28BC							

Order in Council No. 1362/89

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
457648	84H0195	E	469485.890	0.9996107	0.9999992		MARKER DESTROYED				
		N	5364199.428								
		El	23.138	CVD28BC							
606830	84H0196	E	469292.877	0.9996089	0.9999973	892711	84H0244	TERR	145 41 33	125.706	125.755
		N	5364691.711								
		El	35.570	CVD28BC							
131722	84H0197	E	469577.665	0.9996083	0.9999969	737148	84H0207	TERR	14 41 57	198.019	198.097
		N	5364402.043								
		El	37.910	CVD28BC							
712323	84H0198	E	468695.739	0.9996124	1.0000003	401893	84H0151	TERR	80 27 39	214.609	214.693
		N	5364112.123								
		El	16.186	CVD28BC							
190991	84H0199	E	468775.895	0.9996140	1.0000020		MARKER DESTROYED				
		N	5366414.618								
		El	5.508	CVD28BC							
231084	84H0200	E	470787.207	0.9996101	0.9999997	809939	18-29	TERR	119 8 18	122.772	122.820
		N	5364382.541			92726	84H0172	TERR	265 51 10	180.813	180.884
		El	20.517	CVD28BC							
127894	84H0201	E	469691.609	0.9996076	0.9999963	178582	84H0220	TERR	51 27 4	168.222	168.288
		N	5364729.524			156760	66C67	TERR	75 11 37	245.482	245.579
		El	41.748	CVD28BC		737148	84H0207	TERR	205 6 22	150.126	150.185
23275	84H0202	E	468898.370	0.9996133	1.0000015	154856	84H0186	TERR	178 2 22	501.262	501.455
		N	5363793.131			222869	84H0154	TERR	358 5 48	195.622	195.698
		El	8.985	CVD28BC							
452995	84H0203	E	470626.089	0.9996111	1.0000005	783381	87H3784	TERR	109 56 44	110.994	111.037
		N	5365529.773			518050	84H0254	TERR	203 19 34	201.966	202.045
		El	15.460	CVD28BC		584706	84H0251	TERR	288 16 46	360.569	360.708

Order in Council No. 1362/89

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
549345	84H0204	E	469474.110	0.9996113	0.9999999	206557	84H0168	TERR	100 17 54	242.691	242.785
		N	5363824.579								
		E1	19.031	CVD28BC							
362483	84H0205	E	469789.638	0.9996126	1.0000014		MARKER DESTROYED				
		N	5365827.510								
		E1	9.459	CVD28BC							
426940	84H0206	E	469895.517	0.9996104	0.9999992		MARKER DESTROYED				
		N	5364138.188								
		E1	23.224	CVD28BC							
737148	84H0207	E	469627.911	0.9996079	0.9999966	127894	84H0201	TERR	25 6 22	150.126	150.185
		N	5364593.581			131722	84H0197	TERR	194 41 57	198.019	198.097
		E1	40.306	CVD28BC		50559	84H0262	TERR	302 29 20	137.818	137.872
45625	84H0208	E	469954.852	0.9996080	0.9999969	812958	84H0239	TERR	88 55 38	95.171	95.207
		N	5364931.257			178582	84H0220	TERR	233 39 6	163.491	163.555
		E1	38.143	CVD28BC							
650135	84H0209	E	469963.008	0.9996084	0.9999973	240275	84H0211	TERR	44 28 53	140.360	140.415
		N	5364257.443								
		E1	35.560	CVD28BC							
821686	84H0210	E	469676.653	0.9996083	0.9999970		MARKER ISOLATED				
		N	5364817.058								
		E1	37.163	CVD28BC							
240275	84H0211	E	470061.355	0.9996073	0.9999963	650135	84H0209	TERR	224 28 53	140.360	140.415
		N	5364357.587								
		E1	42.029	CVD28BC							
900977	84H0212	E	470336.153	0.9996118	1.0000010		MARKER DESTROYED				
		N	5365851.482								
		E1	11.872	CVD28BC							

Order in Council No. 1362/89

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
60434	84H0213	E	469559.768	0.9996108	0.9999994	772285	79H8722	TERR	25 5 17	335.936	336.067
		N	5366147.005								
		E1	21.899	CVD28BC							
312397	84H0214	E	469081.522	0.9996134	1.0000016		MARKER DESTROYED				
		N	5364649.826								
		E1	7.950	CVD28BC							
104356	84H0215	E	468441.937	0.9996095	0.9999972		MARKER ISOLATED				
		N	5365390.504								
		E1	35.822	CVD28BC							
17525	84H0216	E	468865.153	0.9996107	0.9999988	901223	84H0256	TERR	320 29 8	145.535	145.592
		N	5365149.182								
		E1	25.973	CVD28BC							
479162	84H0217	E	469001.925	0.9996139	1.0000021	362608	84H0238	TERR	115 56 45	607.286	607.520
		N	5363222.332			9761	79H1084	TERR	259 9 7	4649.386	4651.200
		E1	4.829	CVD28BC		467068	89H4870	TERR	272 18 54	3561.000	3562.370
						154856	84H0186	TERR	308 56 40	111.095	111.139
294058	84H0218	E	469019.728	0.9996070	0.9999952	11536	84H0252	TERR	178 8 32	104.968	105.010
		N	5365572.745								
		E1	48.664	CVD28BC							
914705	84H0219	E	470263.308	0.9996115	1.0000006	584706	84H0251	TERR	6 58 32	168.036	168.101
		N	5365476.074			518050	84H0254	TERR	114 58 50	311.997	312.118
		E1	14.199	CVD28BC		231076	84H0250	TERR	309 47 19	209.761	209.843
178582	84H0220	E	469823.172	0.9996076	0.9999964	45625	84H0208	TERR	53 39 6	163.491	163.555
		N	5364834.357			127894	84H0201	TERR	231 27 4	168.222	168.288
		E1	41.517	CVD28BC							
142026	84H0221	E	469474.592	0.9996105	0.9999991	608778	84H0227	TERR	255 33 20	219.975	220.059
		N	5364301.881								
		E1	24.294	CVD28BC							

Integrated Survey Area No:38 Corporation of the Township of Esquimalt
 Order in Council No. 1362/89
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-04

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
151688	84H0222	E	469855.920	0.9996123	1.0000011		MARKER ISOLATED				
		N	5365140.275								
		E1	11.113	CVD28BC							
407346	84H0223	E	469392.759	0.9996124	1.0000009		MARKER ISOLATED				
		N	5365068.818								
		E1	12.806	CVD28BC							
358986	84H0224	E	469390.019	0.9996092	0.9999976	332411	84H0230	TERR	347 22 48	172.703	172.770
		N	5364783.615								
		E1	33.360	CVD28BC							
633503	84H0225	E	470171.997	0.9996125	1.0000016		MARKER DESTROYED				
		N	5365144.353								
		E1	8.300	CVD28BC							
754879	84H0226	E	469637.217	0.9996122	1.0000009		MARKER DESTROYED				
		N	5365094.742								
		E1	12.716	CVD28BC							
608778	84H0227	E	469261.571	0.9996106	0.9999990	944603	84H0241	TERR	1 16 6	253.884	253.983
		N	5364247.010			142026	84H0221	TERR	75 33 20	219.975	220.059
		E1	24.413	CVD28BC							
207902	84H0228	E	469157.454	0.9996130	1.0000013	944603	84H0241	TERR	95 44 32	110.290	110.333
		N	5364511.867			969162	84H0260	TERR	177 10 33	177.119	177.188
		E1	10.116	CVD28BC							
62612	84H0229	E	469337.966	0.9996138	1.0000022	67199	84H0192	TERR	211 22 15	120.870	120.917
		N	5366409.451								
		E1	3.996	CVD28BC							
332411	84H0230	E	469352.286	0.9996119	1.0000003	358986	84H0224	TERR	167 22 48	172.703	172.770
		N	5364952.145			58289	84H0191	TERR	257 40 22	203.455	203.534
		E1	16.250	CVD28BC							

Order in Council No. 1362/89

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
585521	84H0231	E	469854.446	0.9996115	1.0000003	430017	84H0174	TERR	277 48 30	209.906	209.988
		N	5363874.776								
		E1	16.324	CVD28BC							
445650	84H0232	E	469393.224	0.9996127	1.0000012	209122	84H0176	TERR	106 2 42	174.232	174.300
		N	5363315.073			1776	84H0167	TERR	332 24 13	144.216	144.272
		E1	10.399	CVD28BC							
429779	84H0233	E	470727.276	0.9996103	0.9999997	98368	23-19	TERR	116 24 23	153.367	153.427
		N	5365315.315			292433	84H0253	TERR	182 33 34	163.738	163.802
		E1	20.050	CVD28BC		518050	84H0254	TERR	279 5 40	183.464	183.536
127738	84H0234	E	470369.305	0.9996097	0.9999989		MARKER DESTROYED				
		N	5364249.273								
		E1	25.476	CVD28BC							
641639	84H0235	E	470525.862	0.9996101	0.9999995	185504	18-2	TERR	90 10 37	356.098	356.237
		N	5364496.967			406249	84H0157	TERR	356 25 12	174.767	174.835
		E1	21.849	CVD28BC							
784611	84H0236	E	469754.460	0.9996117	1.0000004	490649	84H0158	TERR	190 45 10	222.944	223.030
		N	5363455.196			753244	84H0187	TERR	286 56 55	147.273	147.331
		E1	15.652	CVD28BC							
505180	84H0237	E	468682.585	0.9996137	1.0000017	6916	84H0156	TERR	5 19 53	230.147	230.235
		N	5363762.466			154856	84H0186	TERR	153 39 5	524.827	525.030
		E1	7.574	CVD28BC							

Order in Council No. 1362/89

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
362608	84H0238	E	469548.002	0.9996132	1.0000018	209122	84H0176	TERR	2 20 16	310.543	310.664						
		N	5362956.632			544908	PIER 5	GPS	13 41 3	8202.388	8205.585						
		E1	7.057			671339	25-1	GPS	53 25 26	4596.794	4598.586						
						418541	16-1965	GPS	63 47 16	11183.151	11187.510						
						20727	NO MARKING	GPS	70 6 32	3678.614	3680.053						
						354514	80H3866	GPS	76 10 59	8897.171	8900.640						
						871954	NO MARKING	GPS	95 43 35	6415.363	6417.889						
						855999	M5 1954 285	GPS	103 22 39	2013.769	2014.549						
						172205	87H3780	TERR	106 21 44	165.274	165.338						
						432716	907001	GPS	239 53 31	6470.342	6472.850						
						479162	84H0217	TERR	295 56 45	607.286	607.520						
						853721	86H1398	GPS	296 9 36	5372.061	5374.153						
						995464	94H1534	GPS	312 2 35	14147.785	14153.361						
		600411		GPS	312 14 31	1702.384	1703.046										
		222869	84H0154	GPS	327 33 10	1222.929	1223.402										
812958	84H0239	E	470050.006	0.9996095	0.9999985	45625	84H0208	TERR	268 55 38	95.171	95.207						
		N	5364933.039														
		E1	27.931														
765891	84H0240	E	470229.506	0.9996117	1.0000008	MARKER ISOLATED											
		N	5364987.167														
		E1	13.299														
944603	84H0241	E	469267.191	0.9996109	0.9999993	608778	84H0227	TERR	181 16 6	253.884	253.983						
		N	5364500.832									207902	84H0228	TERR	275 44 32	110.290	110.333
		E1	22.528														
703983	84H0242	E	469003.800	0.9996115	0.9999997	MARKER DESTROYED											
		N	5365000.952														
		E1	20.140														
290619	84H0243	E	468666.795	0.9996111	0.9999991	MARKER ISOLATED											
		N	5365131.607														
		E1	24.190														
892711	84H0244	E	469363.729	0.9996082	0.9999966	606830	84H0196	TERR	325 41 33	125.706	125.755						
		N	5364587.875														
		E1	39.708														

Order in Council No. 1362/89

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Coordinates	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING		Metres			GCM-NO	TABLET MARKING				
16568	84H0245	E	468654.846	0.9996088	0.9999967	702340	84H0249	TERR	44 58 53	170.877	170.944
		N	5365343.719								
		E1	39.077	CVD28BC							
694802	84H0246	E	470497.909	0.9996111	1.0000005	795112	84H0177	TERR	91 10 52	292.231	292.345
		N	5364820.918								
		E1	15.483	CVD28BC							
490870	84H0247	E	468870.976	0.9996083	0.9999963	901223	84H0256	TERR	224 18 51	140.888	140.943
		N	5365362.265								
		E1	41.551	CVD28BC							
605063	84H0248	E	468825.892	0.9996071	0.9999951	702340	84H0249	TERR	216 44 55	83.999	84.031
		N	5365531.893								
		E1	49.214	CVD28BC							
702340	84H0249	E	468775.635	0.9996075	0.9999955	605063	84H0248	TERR	36 44 55	83.999	84.031
		N	5365464.587			757534	84H0258	TERR	87 58 20	115.329	115.374
		E1	47.101	CVD28BC		16568	84H0245	TERR	224 58 53	170.877	170.944
231076	84H0250	E	470102.125	0.9996119	1.0000009	914705	84H0219	TERR	129 47 19	209.761	209.843
		N	5365610.312								
		E1	12.709	CVD28BC							
584706	84H0251	E	470283.715	0.9996126	1.0000018	452995	84H0203	TERR	108 16 46	360.569	360.708
		N	5365642.866			914705	84H0219	TERR	186 58 32	168.036	168.101
		E1	7.016	CVD28BC							
11536	84H0252	E	469023.131	0.9996072	0.9999954	757534	84H0258	TERR	270 21 44	132.242	132.293
		N	5365467.832			294058	84H0218	TERR	358 8 32	104.968	105.010
		E1	47.414	CVD28BC							
292433	84H0253	E	470719.964	0.9996113	1.0000008	429779	84H0233	TERR	2 33 34	163.738	163.802
		N	5365151.740			638569	84H0193	TERR	179 10 30	156.146	156.207
		E1	13.214	CVD28BC		28415	84H0179	TERR	269 4 23	230.308	230.397

Integrated Survey Area No:38 Corporation of the Township of Esquimalt
 Order in Council No. 1362/89
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-04

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
518050	84H0254	E	470546.118	0.9996105	0.9999998	452995	84H0203	TERR	23 19 34	201.966	202.045	
		N	5365344.314					84H0233	TERR	99 5 40	183.464	183.536
		E1	19.505	CVD28BC				84H0219	TERR	294 58 50	311.997	312.118
673830	84H0255	E	468565.186	0.9996104	0.9999983	MARKER DESTROYED						
		N	5365249.192									
		E1	29.205	CVD28BC								
901223	84H0256	E	468772.553	0.9996097	0.9999977	490870	84H0247	TERR	44 18 51	140.888	140.943	
		N	5365261.457					84H0216	TERR	140 29 8	145.535	145.592
		E1	32.907	CVD28BC	17525							
507434	84H0257	E	469216.020	0.9996109	0.9999993	MARKER DESTROYED						
		N	5366195.341									
		E1	22.876	CVD28BC								
757534	84H0258	E	468890.892	0.9996079	0.9999960	11536	84H0252	TERR	90 21 44	132.242	132.293	
		N	5365468.668					84H0249	TERR	267 58 20	115.329	115.374
		E1	43.518	CVD28BC	702340							
802157	84H0259	E	470143.793	0.9996102	0.9999992	MARKER DESTROYED						
		N	5364064.123									
		E1	23.424	CVD28BC								
969162	84H0260	E	469166.181	0.9996114	0.9999997	207902	84H0228	TERR	357 10 33	177.119	177.188	
		N	5364334.963									
		E1	19.945	CVD28BC								
807826	84H0261	E	470004.851	0.9996065	0.9999955	261982	84H0173	TERR	245 1 55	119.984	120.032	
		N	5364501.213									
		E1	47.101	CVD28BC								
50559	84H0262	E	469511.662	0.9996082	0.9999968	737148	84H0207	TERR	122 29 20	137.818	137.872	
		N	5364667.608									
		E1	38.832	CVD28BC								

Order in Council No. 1362/89

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
708792	84H0263	E	468795.137	0.9996116	0.9999996		MARKER DESTROYED				
		N	5365068.955								
		E1	20.683	CVD28BC							
298513	84H0612	E	469804.316	0.9996108	0.9999996		MARKER DESTROYED				
		N	5363661.953								
		E1	20.659	CVD28BC							
26179	84H0613	E	469791.676	0.9996088	0.9999976	782417	84H0615	TERR	55 56 44	177.953	178.022
		N	5364269.883								
		E1	33.403	CVD28BC							
470823	84H0614	E	469478.563	0.9996108	0.9999994		MARKER DESTROYED				
		N	5366033.955								
		E1	22.342	CVD28BC							
782417	84H0615	E	469939.111	0.9996070	0.9999959	26179	84H0613	TERR	235 56 44	177.953	178.022
		N	5364369.533								
		E1	44.285	CVD28BC							
88492	87H3777	E	468570.260	0.9996104	0.9999983		MARKER DESTROYED				
		N	5365243.132								
		E1	29.035	CVD28BC							
739078	87H3779	E	469318.543	0.9996112	0.9999997	549121	84H0171	TERR	24 1 59	232.849	232.939
		N	5363756.132			651893	87H3781	TERR	201 54 8	207.995	208.075
		E1	20.453	CVD28BC							
172205	87H3780	E	469706.582	0.9996105	0.9999992	241869	11703	TERR	29 31 50	9485.446	9489.308
		N	5362910.073			362608	84H0238	TERR	286 21 44	165.274	165.338
		E1	23.492	CVD28BC							
651893	87H3781	E	469240.956	0.9996120	1.0000004	739078	87H3779	TERR	21 54 8	207.995	208.075
		N	5363563.150			753244	84H0187	TERR	99 53 54	378.259	378.405
		E1	15.848	CVD28BC		1776	84H0167	TERR	144 36 10	147.540	147.597

Order in Council No. 1362/89

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
319905	87H3782	E	469049.169	0.9996123	1.0000005	521120	84H0180	TERR	4 25 16	171.093	171.160
		N	5363663.908								
		El	14.916	CVD28BC							
357061	87H3783	E	470366.343	0.9996097	0.9999989	92726	84H0172	TERR	63 40 6	268.370	268.475
		N	5364250.425								
		El	25.495	CVD28BC							
783381	87H3784	E	470730.425	0.9996103	0.9999998	301846	23-61	TERR	113 12 48	210.100	210.182
		N	5365491.910			452995	84H0203	TERR	289 56 44	110.994	111.037
		El	19.535	CVD28BC							
104331	87H3785	E	469688.929	0.9996107	0.9999994						
		N	5364164.369								
		El	22.080	CVD28BC							
600411		E	468287.705	0.9996090	0.9999966	482398	NO MARKING	GPS	35 51 10	48485.094	48504.208
		N	5364101.080			917278	79H8752	GPS	54 23 51	3462.977	3464.330
		El	39.678	CVD28BC		842088	2251	GPS	84 33 53	3470.405	3471.763
						222869	84H0154	GPS	100 32 32	614.541	614.781
						871954	NO MARKING	GPS	103 8 29	7849.203	7852.310
						855999	M5 1954 285	GPS	116 34 28	3599.719	3601.121
						362608	84H0238	GPS	132 14 31	1702.384	1703.046
						432716	907001	GPS	224 39 5	6171.215	6173.620
						534933	927000	GPS	225 4 48	6178.285	6180.695
						533224	88H3936	GPS	249 49 58	4469.310	4471.062
						255885	89H4895	GPS	271 48 23	2158.450	2159.286
						368605	877025	GPS	281 48 33	73175.686	73200.338
						853721	86H1398	GPS	288 57 60	3765.939	3767.413
						202408	99H2266	GPS	292 44 10	23746.510	23755.927
						502674	No Marking	GPS	298 18 36	30985.971	30999.849
						109132	94H1524	GPS	304 39 11	5414.356	5416.478
						760983	95H2063	GPS	315 50 58	6414.224	6416.748
						420265	99H2286	GPS	321 57 15	3700.828	3702.264
						644054	99H2285	GPS	338 19 42	4305.654	4307.334
						399220	897152	GPS	340 6 10	58168.500	58190.407
						937227	NO MARKING	GPS	356 28 4	24425.002	24434.493
						495762		GPS			
						816868		GPS			
						934364		GPS			