

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
503441	787002	E	511907.349	0.9995004	0.9998987	26963	86H1759	GPS	3 24 16	4949.183	4951.637	
		N	5973920.968			243519	897040	GPS	17 58 52	16451.003	16459.247	
		E1	660.180			CVD28BC	11874	89H5924	GPS	31 1 42	25001.651	25014.148
							855601	89H5925	GPS	36 41 19	20955.427	20965.829
							25171	89H5926	GPS	51 46 47	17895.682	17904.557
							13458	79H9415	TERR	65 47 55	4462.342	4464.577
							968875	89H5927	GPS	66 0 27	15467.989	15475.683
							510867	89H5928	GPS	76 34 56	14541.921	14549.156
							981084	89H5929	GPS	89 31 42	14263.927	14271.074
							442178	787000	TERR	89 47 1	23952.872	23965.804
							145136	85H12520	GPS	89 53 11	5606.636	5609.391
							256321	85H1225	TERR	92 55 29	755.426	755.800
							864488	79H9416	TERR	93 46 50	4529.952	4532.195
							246090	36717	TERR	99 18 12	7493.425	7497.201
							895532	79H9425	GPS	116 14 14	11922.651	11928.592
							792630	LEGAL RP2	GPS	119 40 42	5514.272	5516.995
							209387	88H4253	GPS	133 51 9	7349.311	7352.937
							390245	2404	TERR	143 13 36	46656.714	46683.515
							86249	88H4252	GPS	158 40 57	26445.373	26458.485
							132001	86H1484	GPS	160 36 40	6001.009	6004.013
							321935	88H4248	GPS	160 37 42	80885.262	80925.011
							945725	88H4378	GPS	161 51 20	37059.159	37077.647
							518910	88H4251	GPS	166 35 38	38304.073	38322.868
			354472	88H4379	GPS	166 49 55	51295.344	51321.237				
			848200	86H1500	GPS	192 56 59	11127.362	11133.001				
			50831	79H9437	GPS	313 26 57	7941.495	7945.443				
			894105	787001	GPS	341 35 11	15603.909	15612.127				
			237347		GPS							
148627	79H8442	E	515721.553	0.9995159	0.9999128	13458	79H9415	TERR	19 26 16	769.085	769.465	
		N	5975025.042			962340	79H8441	TERR	113 49 12	1060.202	1060.715	
		E1	569.910			CVD28BC						
980821	79H8443	E	517392.871	0.9995155	0.9999117	608547	85H1086	TERR	114 54 55	111.958	112.012	
		N	5973727.038			278325	79H8444	TERR	179 49 59	360.965	361.139	
		E1	576.975			CVD28BC	377960	85H1289	TERR	288 24 40	290.488	290.629
278325	79H8444	E	517393.922	0.9995155	0.9999118	89771	85H1216	TERR	87 42 58	372.541	372.722	
		N	5973366.075			826339	79H8445	TERR	270 15 6	1126.846	1127.393	
		E1	576.460			CVD28BC	188243	85H1088	TERR	272 19 27	282.480	282.616
							980821	79H8443	TERR	359 49 59	360.965	361.139
826339	79H8445	E	516267.087	0.9995141	0.9999109	766766	85H1083	TERR	89 50 40	286.947	287.086	
		N	5973371.026			278325	79H8444	TERR	90 15 6	1126.846	1127.393	
		E1	582.332			CVD28BC	708511	85H1118	TERR	265 22 58	192.545	192.638
							129890	79H8446	TERR	268 31 59	733.061	733.416

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
129890	79H8446	E	515534.266	0.9995159	0.9999129	864488	79H9416	TERR	73 10 43	933.104	933.558	
		N	5973352.259			826339	79H8445	TERR	88 31 59	733.061	733.416	
		El	569.534			CVD28BC						
465336	79H8447	E	514315.498	0.9995107	0.9999081	829697	79H8465	TERR	4 1 36	1929.943	1930.899	
		N	5974765.982			13458	79H9415	TERR	59 21 51	1931.603	1932.561	
		El	599.840			CVD28BC	671768	79H8448	TERR	175 18 35	656.925	657.246
671768	79H8448	E	514369.213	0.9995107	0.9999081	726299	85H1348	TERR	0 9 33	266.191	266.322	
		N	5974111.257			897140	79H8449	TERR	179 56 27	519.467	519.722	
		El	600.027			CVD28BC	672063	85H1097	TERR	179 58 4	229.619	229.731
							465336	79H8447	TERR	355 18 35	656.925	657.246
897140	79H8449	E	514369.750	0.9995106	0.9999080	88575	79H8452	TERR	91 47 59	961.103	961.573	
		N	5973591.790			135202	85H1344	TERR	95 58 42	298.195	298.341	
		El	600.366			CVD28BC	61655	85H1096	TERR	178 17 23	362.445	362.623
							963470	79H8450	TERR	180 0 37	3466.883	3468.590
							143750	85H1195	TERR	265 58 6	282.074	282.212
							672063	85H1097	TERR	359 55 10	289.848	289.991
							671768	79H8448	TERR	359 56 27	519.467	519.722
963470	79H8450	E	514369.127	0.9995049	0.9999023	897140	79H8449	TERR	0 0 37	3466.883	3468.590	
		N	5970124.907			829697	79H8465	TERR	0 42 52	6566.765	6570.036	
		El	636.948			CVD28BC	13458	79H9415	TERR	15 57 21	5850.794	5853.713
908517	79H8451	E	517628.231	0.9995168	0.9999130	MARKER DESTROYED						
88575	79H8452	E	515330.379	0.9995128	0.9999099	833053	85H1082	TERR	7 30 30	139.436	139.503	
		N	5973561.605			260802	85H1100	TERR	82 47 33	199.262	199.358	
		El	588.376			CVD28BC	864488	79H9416	TERR	86 50 2	1098.742	1099.278
							943456	98SG055	TERR	89 51 29	180.154	180.241
							321141	85H1338	TERR	269 28 16	166.066	166.148
			897140	79H8449	TERR	271 47 59	961.103	961.573				
99796	79H8457	E	513345.710	0.9994982	0.9998960	13458	79H9415	TERR	29 40 29	5315.909	5318.579	
		N	5971131.568			864488	79H9416	TERR	51 3 15	3962.420	3964.387	
		El	677.294			CVD28BC	442178	787000	TERR	82 42 38	22697.783	22710.062
							792630	LEGAL RP2	TERR	88 59 23	3353.065	3354.724

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres							
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
395145	79H8459	E	512088.468	0.9994833	0.9998815	782326	86H1509	TERR	200 48 32	365.911	366.100							
		N	5967948.716					755322				79H9438	TERR	209 13 39	3577.802	3579.656		
		El	769.990					CVD28BC										
395103	79H8475	E	526079.045	0.9994954	0.9998870	759241	79H8482	TERR	2 34 38	3273.500	3275.150							
		N	5970745.663					869131				79H9426	TERR	193 50 29	1926.904	1927.876		
		El	734.916					CVD28BC										
759241	79H8482	E	526226.238	0.9994969	0.9998884	395103	79H8475	TERR	182 34 38	3273.500	3275.150							
		N	5974015.852					413922				79H9431	TERR	359 9 53	4163.136	4165.217		
		El	726.012					CVD28BC										
616250	79H8483	E	514080.076	0.9994941	0.9998916	974675	79H9430	TERR	90 26 56	3622.835	3624.634							
		N	5966032.612															
		El	705.269					CVD28BC										
707513	79H9413	E	513038.718	0.9994887	0.9998865	442178	787000	TERR	118 2 21	25856.140	25870.250							
		N	5986165.763					193292				79H9414	TERR	121 39 9	934.307	934.785		
		El	737.550					CVD28BC										
193292	79H9414	E	513834.045	0.9994897	0.9998873	502617	86H1690	TERR	36 58 17	401.331	401.536							
		N	5985675.472					9464				79H9419	TERR	221 16 37	860.432	860.873		
		El	732.420					CVD28BC				707513	79H9413	TERR	301 39 9	934.307	934.785	
13458	79H9415	E	515977.493	0.9994978	0.9998947	442178	787000	TERR	94 59 53	19958.446	19969.244							
		N	5975750.291					65680				79HA114	TERR	95 55 29	4237.846	4239.939		
		El	685.820					CVD28BC				246090	36717	TERR	132 26 43	4505.518	4507.795	
		864488	79H9416					TERR				168 3 40	2175.052	2176.132				
		974675	79H9430					TERR				169 57 40	9897.589	9902.488				
		792630	LEGAL RP2					TERR				171 1 2	4616.219	4618.505				
		963470	79H8450					TERR				195 57 21	5850.794	5853.713				
		148627	79H8442					TERR				199 26 16	769.085	769.465				
		99796	79H8457					TERR				209 40 29	5315.909	5318.579				
		12062	85H1197					TERR				236 48 49	986.662	987.150				
		465336	79H8447					TERR				239 21 51	1931.603	1932.561				
		755991	79H8466					TERR				242 0 10	6291.187	6294.411				
		503441	787002					TERR				245 47 55	4462.342	4464.577				

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid		UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING		Bearing			
864488	79H9416	E	516427.444	0.9995094	0.9999061	99796	79H8457	TERR	231 3 15	3962.420	3964.387	
		N	5973622.288			129890	79H8446	TERR	253 10 43	933.104	933.558	
		E1	612.981			CVD28BC	88575	79H8452	TERR	266 50 2	1098.742	1099.278
							503441	787002	TERR	273 46 50	4529.952	4532.195
				13458	79H9415	TERR	348 3 40	2175.052	2176.132			
434407	79H9417	E	516025.269	0.9994943	0.9998911	348326	79H9418	TERR	38 14 24	1759.612	1760.500	
		N	5988331.254			242289	86H1718	TERR	221 44 54	537.204	537.475	
		E1	708.300			CVD28BC	894105	787001	TERR	272 29 54	9055.382	9060.179
9464	79H9419	E	513266.419	0.9994870	0.9998848	193292	79H9414	TERR	41 16 37	860.432	860.873	
		N	5985028.831			323196	86H1804	TERR	273 31 29	227.481	227.598	
		E1	748.450			CVD28BC						
765669	79H9422	E	510619.155	0.9994831	0.9998817	789545	79H9423	TERR	1 29 54	545.981	546.264	
		N	5984704.191			497214	86H1633	TERR	67 18 43	338.757	338.933	
		E1	768.336			CVD28BC						
789545	79H9423	E	510633.430	0.9994792	0.9998778	765669	79H9422	TERR	181 29 54	545.981	546.264	
		N	5985249.985			924746	79H9424	TERR	359 6 56	2017.925	2018.975	
		E1	793.308			CVD28BC						
930701	79H9429	E	521758.872	0.9995010	0.9998951	14084	86H1791	TERR	162 40 9	507.721	507.974	
		N	5973901.025			750638	86H1836	TERR	272 29 47	3654.658	3656.457	
		E1	682.841			CVD28BC	65680	79HA114	TERR	312 1 60	2108.592	2109.630
							842054	79H9435	TERR	330 15 46	6209.848	6212.947
974675	79H9430	E	517702.800	0.9995127	0.9999088	366997	86H1767	TERR	137 37 58	281.509	281.647	
		N	5966004.236			768283	79H9433	TERR	169 24 20	2504.785	2506.007	
		E1	595.589			CVD28BC	750661	86H1792	TERR	258 52 48	180.006	180.093
							616250	79H8483	TERR	270 26 56	3622.835	3624.634
				13458	79H9415	TERR	349 57 40	9897.589	9902.488			
768283	79H9433	E	518163.318	0.9995132	0.9999091	163832	79H9434	TERR	155 58 29	601.348	601.641	
		N	5963542.149			974675	79H9430	TERR	349 24 20	2504.785	2506.007	
		E1	593.507			CVD28BC						
163832	79H9434	E	518408.150	0.9995127	0.9999085	813147	79H8484	TERR	266 16 14	1309.722	1310.363	
		N	5962992.898			768283	79H9433	TERR	335 58 29	601.348	601.641	
		E1	597.611			CVD28BC						

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING					
842054	79H9435	E	518678.641	0.9995014	0.9998970	465849	79H8467	TERR	106 12 18	4495.466	4497.688	
		N	5979293.092			930701	79H9429	TERR	150 15 46	6209.848	6212.947	
		El	670.595	CVD28BC								
755322	79H9438	E	510341.509	0.9994807	0.9998794	395145	79H8459	TERR	29 13 39	3577.802	3579.656	
		N	5964826.409			27144	86H1698	TERR	33 59 32	474.781	475.026	
		El	783.236	CVD28BC			238758	86H1502	TERR	243 2 43	1045.472	1046.014
							815217	79H9439	TERR	243 31 57	2814.656	2816.111
815217	79H9439	E	507821.863	0.9994862	0.9998854	571190	86H1519	TERR	61 57 24	741.465	741.845	
		N	5963571.948			755322	79H9438	TERR	63 31 57	2814.656	2816.111	
		El	744.580	CVD28BC			420695	79H9440	TERR	247 36 40	930.029	930.505
							453068	85H1284	TERR	346 54 27	124.617	124.681
420695	79H9440	E	506961.939	0.9994907	0.9998901	815217	79H9439	TERR	67 36 40	930.029	930.505	
		N	5963217.710									
		El	715.065	CVD28BC								
65680	79HA114	E	520192.702	0.9995147	0.9999097	930701	79H9429	TERR	132 1 60	2108.592	2109.630	
		N	5975312.858			10827	86H1587	TERR	275 50 35	296.191	296.335	
		El	589.793	CVD28BC			13458	79H9415	TERR	275 55 29	4237.846	4239.939
581108	80H2145	E	511656.357	0.9995109	0.9999092	740407	86H1843	TERR	145 21 45	360.278	360.454	
		N	5977638.897			563221	86H1721	TERR	320 30 25	243.568	243.687	
		El	592.940	CVD28BC								
255125	85H1042	E	516745.215	0.9995149	0.9999114	723791	85H1349	TERR	89 45 9	194.690	194.785	
		N	5973025.494			652214	85H1044	TERR	269 0 43	194.756	194.851	
		El	578.845	CVD28BC			59832	85H1045	TERR	358 5 18	333.747	333.908
903609	85H1043	E	516381.042	0.9995150	0.9999117	652214	85H1044	TERR	95 0 25	170.095	170.177	
		N	5973036.981			555979	85H1075	TERR	177 46 35	347.984	348.153	
		El	577.299	CVD28BC			671099	85H1330	TERR	266 41 10	303.128	303.275
652214	85H1044	E	516550.488	0.9995145	0.9999111	766766	85H1083	TERR	0 34 51	349.687	349.857	
		N	5973022.136			255125	85H1042	TERR	89 0 43	194.756	194.851	
		El	581.074	CVD28BC			903609	85H1043	TERR	275 0 25	170.095	170.177

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
59832	85H1045	E	516734.082	0.9995147	0.9999112	130138	85H1332	TERR	89 14 0	187.386	187.477		
		N	5973359.055					255125	85H1042	TERR	178 5 18	333.747	333.908
		E1	580.053					CVD28BC	766766	85H1083	TERR	274 3 2	180.500
323568	85H1046	E	514371.604	0.9995110	0.9999084	22228	85H1057	TERR	89 49 14	298.329	298.474		
		N	5975049.836					312595	85H1081	TERR	178 24 14	323.635	323.793
		E1	597.740					CVD28BC	142398	85H1120	TERR	268 5 41	295.554
						165589	85H1302	TERR	347 55 6	220.378	220.486		
825513	85H1047	E	516926.790	0.9995162	0.9999127	723791	85H1349	TERR	3 41 5	204.035	204.134		
		N	5972822.722					383869	85H1074	TERR	152 57 7	164.500	164.580
		E1	570.914					CVD28BC					
377127	85H1048	E	516473.322	0.9995152	0.9999119	265082	85H1089	TERR	0 30 7	133.658	133.723		
		N	5972025.618					357137	85H1080	TERR	41 21 10	128.349	128.412
		E1	576.015					CVD28BC					
416453	85H1049	E	515736.192	0.9995135	0.9999104	500967	85H1342	TERR	183 15 0	233.397	233.511		
		N	5972102.195					386979	85H1052	TERR	357 2 28	258.150	258.276
		E1	585.217					CVD28BC					
720383	85H1050	E	516885.114	0.9995140	0.9999105	91413	85H1076	TERR	232 18 13	178.527	178.613		
		N	5972473.968										
		E1	584.914					CVD28BC					
970525	85H1051	E	517580.372	0.9995161	0.9999122	89771	85H1216	TERR	32 1 5	350.434	350.604		
		N	5973083.795					162933	85H1073	TERR	200 45 41	265.481	265.609
		E1	573.646					CVD28BC					
386979	85H1052	E	515722.867	0.9995150	0.9999119	156638	85H1333	TERR	2 11 29	309.861	310.011		
		N	5972360.001					416453	85H1049	TERR	177 2 28	258.150	258.276
		E1	575.770					CVD28BC					
836452	85H1053	E	516386.033	0.9995165	0.9999132	555979	85H1075	TERR	1 27 30	334.439	334.601		
		N	5972354.928										
		E1	567.556					CVD28BC					

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres							
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING											
902395	85H1054	E	515345.678	0.9995128	0.9999098	99705	85H1078	TERR	182 57 39	247.532	247.653							
		N	5974390.693					121400				85H1058	TERR	265 21 44	200.587	200.685		
		El	588.808					CVD28BC										
6015	85H1055	E	517122.526	0.9995155	0.9999118	147074	85H1290	TERR	166 52 3	167.214	167.295							
		N	5973027.772					723791				85H1349	TERR	269 32 57	182.629	182.717		
		El	576.191					CVD28BC				188243	85H1088	TERR	358 13 22	349.926	350.097	
714154	85H1056	E	516355.204	0.9995149	0.9999116	840074	85H1318	TERR	115 13 60	256.835	256.959							
		N	5974475.749					345298				85H1297	TERR	203 29 50	286.538	286.677		
		El	577.659					CVD28BC				901736	85H1299	TERR	295 38 38	375.999	376.182	
22228	85H1057	E	514669.931	0.9995114	0.9999087	630319	85H1063	TERR	89 55 33	188.458	188.551							
		N	5975050.770					539031				85H1269	TERR	180 55 0	347.448	347.617		
		El	595.896					CVD28BC				323568	85H1046	TERR	269 49 14	298.329	298.474	
121400	85H1058	E	515145.748	0.9995127	0.9999099	398636	85H1079	TERR	1 56 39	355.876	356.049							
		N	5974374.474					902395				85H1054	TERR	85 21 44	200.587	200.685		
		El	588.622					CVD28BC				554352	85H1325	TERR	176 21 43	245.544	245.664	
												190736	85H1273	TERR	270 1 18	284.880	285.019	
367656	85H1059	E	515533.465	0.9995129	0.9999099	603118	85H1067	TERR	96 51 23	199.219	199.316							
		N	5974729.093					563445				85H1068	TERR	355 8 19	202.234	202.333		
		El	588.281					CVD28BC										
551648	85H1060	E	516474.007	0.9995138	0.9999105	834085	LEGAL RP1	TERR	182 57 19	300.241	300.387							
		N	5971800.717					177048				85H1326	TERR	269 2 38	385.372	385.560		
		El	584.795					CVD28BC										
560839	85H1061	E	516773.132	0.9995160	0.9999125	191312	85H1319	TERR	112 23 17	254.395	254.518							
		N	5974268.642					132779				85H1090	TERR	201 13 16	288.845	288.985		
		El	571.655					CVD28BC				840074	85H1318	TERR	297 44 32	209.706	209.808	
177766	85H1062	E	517122.210	0.9995166	0.9999130	954008	85H1091	TERR	112 21 59	325.762	325.920							
		N	5974371.625					191312				85H1319	TERR	209 40 4	230.031	230.142		
		El	568.652					CVD28BC										

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
630319	85H1063	E	514858.389	0.9995125	0.9999097	369033	85H1323	TERR	91 59 5	288.526	288.666					
		N	5975051.014					920967	85H1258			TERR	179 43 47	343.261	343.429	
		E1	589.649					CVD28BC	22228			85H1057	TERR	269 55 33	188.458	188.551
136572	85H1064	E	515684.657	0.9995159	0.9999128	577346	85H1322	TERR	118 3 11	379.341	379.524					
		N	5975060.416													
		E1	569.713					CVD28BC								
27284	85H1065	E	517005.759	0.9995154	0.9999118	82909	85H1317	TERR	182 14 34	409.287	409.485					
		N	5972255.244					842435	85H1329			TERR	354 39 39	217.992	218.098	
		E1	576.241					CVD28BC								
934687	85H1066	E	515347.506	0.9995130	0.9999101	833053	85H1082	TERR	179 42 20	212.778	212.882					
		N	5973912.620					521492	85H1110			TERR	267 51 39	199.759	199.856	
		E1	587.161					CVD28BC	99705			85H1078	TERR	356 22 41	231.333	231.446
603118	85H1067	E	515731.259	0.9995133	0.9999102	901736	85H1299	TERR	103 11 57	292.715	292.857					
		N	5974705.310					367656	85H1059			TERR	276 51 23	199.219	199.316	
		E1	586.547					CVD28BC								
563445	85H1068	E	515516.327	0.9995132	0.9999102	367656	85H1059	TERR	175 8 19	202.234	202.333					
		N	5974930.599					933549	85H1071			TERR	274 24 6	188.169	188.260	
		E1	586.416					CVD28BC								
252627	85H1069	E	514866.115	0.9995119	0.9999091	554352	85H1325	TERR	92 32 46	295.506	295.650					
		N	5974142.552					956896	85H1085			TERR	183 6 16	226.343	226.454	
		E1	593.477					CVD28BC	205526			85H1070	TERR	265 11 39	209.724	209.827
									190736			85H1273	TERR	358 42 16	232.089	232.203
205526	85H1070	E	514657.128	0.9995108	0.9999082	117036	85H1347	TERR	1 46 50	248.925	249.047					
		N	5974124.981					252627	85H1069			TERR	85 11 39	209.724	209.827	
		E1	599.544					CVD28BC	969220			85H1084	TERR	177 27 51	224.715	224.826
933549	85H1071	E	515328.713	0.9995128	0.9999099	563445	85H1068	TERR	94 24 6	188.169	188.260					
		N	5974945.041													
		E1	588.640					CVD28BC								

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
597153	85H1072	E	515990.863	0.9995160	0.9999129	481507 296160 442459	85H1266	TERR	27 31 31	275.679	275.812
		N	5973709.697				85H1335	TERR	131 13 57	156.046	156.121
		E1	569.637	CVD28BC			85H1087	TERR	292 11 45	275.375	275.508
162933	85H1073	E	517486.265	0.9995164	0.9999126	970525 147074	85H1051	TERR	20 45 41	265.481	265.609
		N	5972835.553				85H1290	TERR	275 9 12	327.069	327.228
		E1	571.051	CVD28BC							
383869	85H1074	E	517001.594	0.9995164	0.9999128	147074 842435 825513	85H1290	TERR	40 6 6	246.720	246.840
		N	5972676.214				85H1329	TERR	184 31 10	204.560	204.658
		E1	570.189	CVD28BC			85H1047	TERR	332 57 7	164.500	164.580
555979	85H1075	E	516394.544	0.9995162	0.9999129	836452 156265 903609	85H1053	TERR	181 27 30	334.439	334.601
		N	5972689.259				85H1139	TERR	272 53 20	298.607	298.752
		E1	569.509	CVD28BC			85H1043	TERR	357 46 35	347.984	348.153
91413	85H1076	E	516743.852	0.9995140	0.9999105	720383 357137	85H1050	TERR	52 18 13	178.527	178.613
		N	5972364.803				85H1080	TERR	217 24 36	305.723	305.872
		E1	584.606	CVD28BC							
672238	85H1077	E	517774.605	0.9995157	0.9999118	89771 608547	85H1216	TERR	181 21 1	358.077	358.251
		N	5973738.899				85H1086	TERR	258 6 14	286.346	286.485
		E1	576.572	CVD28BC							
99705	85H1078	E	515332.892	0.9995128	0.9999099	902395 934687 554352	85H1054	TERR	2 57 39	247.532	247.653
		N	5974143.491				85H1066	TERR	176 22 41	231.333	231.446
		E1	588.454	CVD28BC			85H1325	TERR	265 18 47	172.139	172.222
398636	85H1079	E	515157.822	0.9995127	0.9999098	121400 920967 369033	85H1058	TERR	181 56 39	355.876	356.049
		N	5974730.145				85H1258	TERR	265 42 3	298.654	298.800
		E1	588.852	CVD28BC			85H1323	TERR	357 57 32	311.073	311.226
357137	85H1080	E	516558.121	0.9995151	0.9999117	91413 377127	85H1076	TERR	37 24 36	305.723	305.872
		N	5972121.964				85H1048	TERR	221 21 10	128.349	128.412
		E1	577.062	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
312595	85H1081	E	514380.618	0.9995109	0.9999084	539031	85H1269	TERR	94 37 34	284.681	284.821		
		N	5974726.327					726299	85H1348	TERR	181 45 4	349.043	349.214
		E1	598.349					CVD28BC	323568	85H1046	TERR	358 24 14	323.635
833053	85H1082	E	515348.599	0.9995129	0.9999100	88575	79H8452	TERR	187 30 30	139.436	139.503		
		N	5973699.845					934687	85H1066	TERR	359 42 20	212.778	212.882
		E1	588.026					CVD28BC					
766766	85H1083	E	516554.033	0.9995146	0.9999112	59832	85H1045	TERR	94 3 2	180.500	180.588		
		N	5973371.805					652214	85H1044	TERR	180 34 51	349.687	349.857
		E1	580.161					CVD28BC	826339	79H8445	TERR	269 50 40	286.947
969220	85H1084	E	514667.070	0.9995111	0.9999085	956896	85H1085	TERR	85 5 14	187.476	187.568		
		N	5973900.486					135202	85H1344	TERR	180 7 34	339.755	339.921
		E1	597.636					CVD28BC	205526	85H1070	TERR	357 27 51	224.715
956896	85H1085	E	514853.857	0.9995118	0.9999090	252627	85H1069	TERR	3 6 16	226.343	226.454		
		N	5973916.541					521492	85H1110	TERR	92 12 57	294.249	294.393
		E1	594.059					CVD28BC	650176	85H1105	TERR	178 14 13	356.886
608547	85H1086	E	517494.409	0.9995155	0.9999117	672238	85H1077	TERR	78 6 14	286.346	286.485		
		N	5973679.873					980821	79H8443	TERR	294 54 55	111.958	112.012
		E1	577.038					CVD28BC					
442459	85H1087	E	515735.894	0.9995141	0.9999110	597153	85H1072	TERR	112 11 45	275.375	275.508		
		N	5973813.726					812651	85H12510	TERR	302 48 10	106.247	106.299
		E1	581.213					CVD28BC					
188243	85H1088	E	517111.674	0.9995153	0.9999117	377960	85H1289	TERR	0 43 27	441.289	441.503		
		N	5973377.530					278325	79H8444	TERR	92 19 27	282.480	282.616
		E1	576.972					CVD28BC	6015	85H1055	TERR	178 13 22	349.926
265082	85H1089	E	516474.493	0.9995163	0.9999129	377127	85H1048	TERR	180 30 7	133.658	133.723		
		N	5972159.271					842229	85H1099	TERR	271 59 52	394.701	394.892
		E1	569.185					CVD28BC					

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING						
132779	85H1090	E	516668.579	0.9995163	0.9999129	560839	85H1061	TERR	21 13 16	288.845	288.985		
		N	5973999.384					460063	85H1235	TERR	213 25 4	348.874	349.043
		E1	569.501	CVD28BC				896209	85H1341	TERR	298 45 27	242.184	242.301
954008	85H1091	E	517423.465	0.9995167	0.9999130	177766	85H1062	TERR	292 21 59	325.762	325.920		
		N	5974247.663										
		E1	569.027	CVD28BC									
836478	85H1092	E	517304.065	0.9995168	0.9999131			MARKER DESTROYED					
		N	5974011.277										
		E1	568.327	CVD28BC									
705293	85H1093	E	516317.358	0.9995162	0.9999129			MARKER DESTROYED					
		N	5974742.378										
		E1	569.572	CVD28BC									
561696	85H1094	E	514805.335	0.9995124	0.9999096	821942	85H1095	TERR	212 23 58	227.424	227.535		
		N	5973354.312										
		E1	590.121	CVD28BC									
821942	85H1095	E	514683.477	0.9995127	0.9999100	561696	85H1094	TERR	32 23 58	227.424	227.535		
		N	5973162.290					131607	85H1311	TERR	178 24 9	163.244	163.324
		E1	587.702	CVD28BC									
61655	85H1096	E	514380.567	0.9995110	0.9999085	576546	85H1324	TERR	181 20 23	391.490	391.681		
		N	5973229.506					473678	85H1234	TERR	270 19 34	470.355	470.585
		E1	597.625	CVD28BC				897140	79H8449	TERR	358 17 23	362.445	362.623
672063	85H1097	E	514369.342	0.9995106	0.9999080	897140	79H8449	TERR	179 55 10	289.848	289.991		
		N	5973881.638					302331	85H1239	TERR	268 57 18	248.663	248.785
		E1	600.618	CVD28BC				671768	79H8448	TERR	359 58 4	229.619	229.731
742577	85H1098	E	515418.005	0.9995159	0.9999129	183467	85H1320	TERR	88 44 22	305.072	305.219		
		N	5973024.464					777409	85H1286	TERR	305 9 46	153.992	154.066
		E1	569.272	CVD28BC									

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING								
842229	85H1099	E	516080.032	0.9995162	0.9999130	156265	85H1139	TERR	1 45 21	531.529	531.786				
		N	5972173.030					265082	85H1089			TERR	91 59 52	394.701	394.892
		E1	568.808					CVD28BC	177048			85H1326	TERR	178 41 26	378.843
						655894	85H1117	TERR	292 7 25	202.390	202.488				
260802	85H1100	E	515528.066	0.9995135	0.9999105	812651	85H12510	TERR	22 36 14	308.367	308.518				
		N	5973586.605					526038	85H1340			TERR	105 11 17	148.755	148.828
		E1	584.509					CVD28BC	88575			79H8452	TERR	262 47 33	199.262
659664	85H1101	E	515157.816	0.9995132	0.9999103	321141	85H1338	TERR	1 20 5	279.235	279.372				
		N	5973280.913					777409	85H1286			TERR	141 19 20	214.898	215.002
		E1	585.940					CVD28BC							
244962	85H1102	E	515617.338	0.9995129	0.9999099	468678	85H1103	TERR	178 33 35	280.852	280.988				
		N	5971181.826					220798	85H1328			TERR	267 53 49	337.741	337.905
		E1	588.409					CVD28BC							
468678	85H1103	E	515624.397	0.9995130	0.9999100	102244	85H1327	TERR	266 18 29	340.800	340.966				
		N	5970901.063					244962	85H1102			TERR	358 33 35	280.852	280.988
		E1	588.066					CVD28BC							
163964	85H1104	E	515154.773	0.9995157	0.9999128	777409	85H1286	TERR	53 54 38	169.956	170.039				
		N	5973013.036					374280	85H1108			TERR	259 8 50	281.416	281.552
		E1	569.910					CVD28BC							
650176	85H1105	E	514864.837	0.9995121	0.9999094	321141	85H1338	TERR	89 57 9	299.483	299.628				
		N	5973559.824					135202	85H1344			TERR	270 15 43	198.516	198.613
		E1	591.840					CVD28BC	956896			85H1085	TERR	358 14 13	356.886
900084	85H1106	E	515900.531	0.9995132	0.9999101	110536	85H1301	TERR	82 38 59	192.035	192.128				
		N	5971161.433												
		E1	587.152					CVD28BC							
655340	85H1107	E	514856.578	0.9995155	0.9999127	374280	85H1108	TERR	3 30 53	355.784	355.957				
		N	5972604.934					267807	85H1199			TERR	232 36 7	328.008	328.166
		E1	570.378					CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----							
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING							
374280	85H1108	E	514878.390	0.9995153	0.9999125	777409	85H1286	TERR	69 41 35	441.143	441.357			
		N	5972960.049					163964	85H1104	TERR	79 8 50	281.416	281.552	
		E1	571.564					CVD28BC	655340	85H1107	TERR	183 30 53	355.784	355.957
									131607	85H1311	TERR	281 35 44	194.328	194.423
469122	85H1109	E	515376.995	0.9995128	0.9999099	609206	85H1111	TERR	0 38 41	190.282	190.374			
		N	5971412.475					36764	85H1315	TERR	89 22 54	341.782	341.949	
		E1	588.675					CVD28BC						
521492	85H1110	E	515147.886	0.9995126	0.9999097	554352	85H1325	TERR	3 25 49	224.664	224.773			
		N	5973905.164					934687	85H1066	TERR	87 51 39	199.759	199.856	
		E1	589.451					CVD28BC	321141	85H1338	TERR	177 16 25	345.483	345.651
									956896	85H1085	TERR	272 12 57	294.249	294.393
609206	85H1111	E	515379.136	0.9995130	0.9999100	795674	85H1113	TERR	90 56 53	356.962	357.136			
		N	5971602.745					469122	85H1109	TERR	180 38 41	190.282	190.374	
		E1	587.662					CVD28BC						
63818	85H1112	E	515894.671	0.9995160	0.9999129	296160	85H1335	TERR	64 23 25	236.809	236.924			
		N	5973504.487					526038	85H1340	TERR	280 56 53	227.181	227.290	
		E1	569.493					CVD28BC						
795674	85H1113	E	515736.049	0.9995130	0.9999099	36764	85H1315	TERR	185 28 1	181.502	181.590			
		N	5971596.839					609206	85H1111	TERR	270 56 53	356.962	357.136	
		E1	588.345					CVD28BC	500967	85H1342	TERR	357 14 54	272.648	272.782
788778	85H1114	E	513879.807	0.9995099	0.9999075									
		N	5975264.212											
		E1	603.898	CVD28BC										
100735	85H1115	E	513864.711	0.9995100	0.9999076	142398	85H1120	TERR	90 1 23	211.502	211.606			
		N	5975040.094					695627	85H1119	TERR	269 24 29	196.285	196.381	
		E1	603.358					CVD28BC						
995530	85H1116	E	515731.307	0.9995157	0.9999126	708511	85H1118	TERR	91 57 29	344.061	344.227			
		N	5973367.281					183467	85H1320	TERR	181 24 55	336.209	336.372	
		E1	571.090					CVD28BC	291823	85H1124	TERR	258 53 34	299.733	299.879
									526038	85H1340	TERR	341 41 23	189.971	190.062

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
655894	85H1117	E	515892.543	0.9995161	0.9999129	842229	85H1099	TERR	112 7 25	202.390	202.488
		N	5972249.251								
		El	569.122	CVD28BC							
708511	85H1118	E	516075.167	0.9995155	0.9999123	296160	85H1335	TERR	7 29 30	253.483	253.606
		N	5973355.526			826339	79H8445	TERR	85 22 58	192.545	192.638
		El	573.378	CVD28BC		671099	85H1330	TERR	179 26 43	336.084	336.246
						995530	85H1116	TERR	271 57 29	344.061	344.227
695627	85H1119	E	513668.437	0.9995095	0.9999072	175596	85H1141	TERR	3 15 6	239.279	239.397
		N	5975038.066			100735	85H1115	TERR	89 24 29	196.285	196.381
		El	605.542	CVD28BC							
142398	85H1120	E	514076.213	0.9995099	0.9999074	323568	85H1046	TERR	88 5 41	295.554	295.699
		N	5975040.009			100735	85H1115	TERR	270 1 23	211.502	211.606
		El	604.160	CVD28BC		588863	85H1129	TERR	356 36 52	238.119	238.236
301499	85H1121	E	513743.851	0.9995105	0.9999081	594564	85H1135	TERR	47 21 57	164.296	164.376
		N	5972280.831			843078	85H1237	TERR	136 35 29	176.929	177.016
		El	599.893	CVD28BC		814525	85H1123	TERR	234 17 53	225.372	225.482
						383109	85H1184	TERR	312 20 18	278.728	278.864
814418	85H1122	E	513280.122	0.9995097	0.9999075	210674	85H1136	TERR	126 9 45	151.822	151.897
		N	5972379.534			74781	85H1133	TERR	219 46 24	203.717	203.817
		El	603.654	CVD28BC							
814525	85H1123	E	513560.835	0.9995100	0.9999077	301499	85H1121	TERR	54 17 53	225.372	225.482
		N	5972149.311			210674	85H1136	TERR	311 38 50	211.629	211.732
		El	602.574	CVD28BC							
291823	85H1124	E	515437.188	0.9995160	0.9999130	995530	85H1116	TERR	78 53 34	299.733	299.879
		N	5973309.539			777409	85H1286	TERR	216 27 12	244.164	244.282
		El	568.601	CVD28BC							
381665	85H1125	E	513978.908	0.9995114	0.9999089	304493	85H1240	TERR	177 47 5	158.694	158.772
		N	5971257.648			158337	85H1190	TERR	339 22 10	306.621	306.771
		El	594.554	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
976100	85H1126	E	514495.914	0.9995123	0.9999097	740647	85H1134	TERR	183 29 16	249.834	249.955
		N	5971541.208			934893	85H1128	TERR	267 56 6	351.114	351.285
		E1	589.609	CVD28BC		441188	85H1130	TERR	359 18 15	260.860	260.987
408815	85H1127	E	514343.199	0.9995126	0.9999101	194852	85H1241	TERR	147 54 40	259.800	259.927
		N	5972223.135								
		E1	587.371	CVD28BC							
934893	85H1128	E	514145.028	0.9995116	0.9999091	976100	85H1126	TERR	87 56 6	351.114	351.285
		N	5971528.557			158337	85H1190	TERR	273 21 1	274.624	274.758
		E1	593.691	CVD28BC		852202	85H1138	TERR	359 56 20	271.586	271.719
588863	85H1129	E	514062.151	0.9995101	0.9999076	165589	85H1302	TERR	92 41 29	263.618	263.746
		N	5975277.712			142398	85H1120	TERR	176 36 52	238.119	238.236
		E1	602.943	CVD28BC							
441188	85H1130	E	514492.746	0.9995124	0.9999098	976100	85H1126	TERR	179 18 15	260.860	260.987
		N	5971802.049			194852	85H1241	TERR	356 42 58	201.308	201.406
		E1	589.364	CVD28BC							
966291	85H1131	E	513983.138	0.9995108	0.9999084	594564	85H1135	TERR	287 1 35	123.844	123.905
		N	5972355.848								
		E1	597.999	CVD28BC							
176024	85H1132	E	513669.317	0.9995095	0.9999071	305938	85H1140	TERR	128 41 20	256.357	256.483
		N	5975721.553			175596	85H1141	TERR	178 21 53	444.774	444.992
		E1	606.059	CVD28BC							
74781	85H1133	E	513149.794	0.9995099	0.9999078	814418	85H1122	TERR	39 46 24	203.717	203.817
		N	5972222.961			22616	85H1137	TERR	204 59 41	182.368	182.458
		E1	602.067	CVD28BC		4812	85H1167	TERR	307 27 53	174.100	174.185
740647	85H1134	E	514480.715	0.9995122	0.9999096	976100	85H1126	TERR	3 29 16	249.834	249.955
		N	5971291.837			516609	85H1231	TERR	175 18 58	191.482	191.576
		E1	590.387	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
594564	85H1135	E	513864.722	0.9995111	0.9999087	548768	85H1178	TERR	17 30 41	457.847	458.071				
		N	5972392.111					966291	85H1131			TERR	107 1 35	123.844	123.905
		El	595.947					CVD28BC	301499			85H1121	TERR	227 21 57	164.296
210674	85H1136	E	513402.695	0.9995098	0.9999076	814525	85H1123	TERR	131 38 50	211.629	211.732				
		N	5972289.947					814418	85H1122			TERR	306 9 45	151.822	151.897
		El	603.227					CVD28BC	563833			85H1232	TERR	324 58 19	1806.708
22616	85H1137	E	513072.737	0.9995096	0.9999075	74781	85H1133	TERR	24 59 41	182.368	182.458				
		N	5972057.672					335141	85H1153			TERR	309 3 55	172.232	172.317
		El	603.924					CVD28BC							
852202	85H1138	E	514144.738	0.9995115	0.9999090	47266	85H1157	TERR	3 51 14	145.359	145.430				
		N	5971800.143					934893	85H1128			TERR	179 56 20	271.586	271.719
		El	594.016					CVD28BC							
156265	85H1139	E	516096.317	0.9995159	0.9999127	555979	85H1075	TERR	92 53 20	298.607	298.752				
		N	5972704.309					842229	85H1099			TERR	181 45 21	531.529	531.786
		El	570.704					CVD28BC	671099			85H1330	TERR	356 44 60	315.657
305938	85H1140	E	513869.417	0.9995097	0.9999073	176024	85H1132	TERR	308 41 20	256.357	256.483				
		N	5975561.307												
		El	604.753					CVD28BC							
175596	85H1141	E	513682.009	0.9995097	0.9999074	695627	85H1119	TERR	183 15 6	239.279	239.397				
		N	5975276.960					176024	85H1132			TERR	358 21 53	444.774	444.992
		El	604.512					CVD28BC							
23069	85H1142	E	513828.771	0.9995099	0.9999076	378935	85H1207	TERR	189 59 51	324.779	324.938				
		N	5974697.533					596999	85H1288			TERR	269 41 16	301.957	302.104
		El	603.352					CVD28BC							
652727	85H1143	E	511810.299	0.9995069	0.9999051	447243	85H1305	TERR	12 45 14	238.183	238.300				
		N	5975651.950					229658	85H1308			TERR	175 50 33	962.220	962.695
		El	618.986					CVD28BC	770347			85H1185	TERR	186 22 59	179.715

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
669002	85H1144	E	514159.400	0.9995103	0.9999079	440107	85H1196	TERR	177 43 37	350.567	350.739
		N	5974721.061								
		E1	601.530	CVD28BC							
692764	85H1145	E	512909.171	0.9995091	0.9999070	974949	85H1313	TERR	8 44 32	198.088	198.185
		N	5975242.003			33084	85H1204	TERR	217 42 45	388.397	388.588
		E1	606.897	CVD28BC							
111641	85H1146	E	512137.376	0.9995085	0.9999066	708354	85H1209	TERR	192 23 26	170.594	170.677
		N	5975212.633								
		E1	609.278	CVD28BC							
451997	85H1147	E	513510.650	0.9995095	0.9999073	362525	85H1303	TERR	2 21 23	295.861	296.007
		N	5975445.038			549576	85H1192	TERR	176 31 2	269.618	269.750
		E1	605.212	CVD28BC							
35998	85H1148	E	513743.164	0.9995098	0.9999075	114553	85H1198	TERR	1 53 59	360.965	361.142
		N	5973583.136			143750	85H1195	TERR	91 51 17	345.391	345.560
		E1	604.039	CVD28BC		959189	85H1163	GPS	197 40 58	822.787	823.191
						106526	UNMARKED	GPS	233 22 50	443.156	443.374
						196980	85H1300	TERR	268 55 1	435.497	435.710
						429886	85H1189	GPS	269 12 45	791.262	791.650
815928	85H1149	E	512858.222	0.9995090	0.9999069	318873	85H1187	TERR	3 17 17	285.134	285.275
		N	5975909.756			929901	85H1170	TERR	87 29 32	190.630	190.724
		E1	607.583	CVD28BC		241836	85H1179	TERR	179 9 18	164.409	164.490
178970	85H1150	E	512011.969	0.9995080	0.9999062	627760	85H1155	TERR	50 47 2	194.514	194.610
		N	5975469.879			770347	85H1185	TERR	270 53 49	221.677	221.785
		E1	612.079	CVD28BC							
756494	85H1151	E	512717.471	0.9995094	0.9999074	974949	85H1313	TERR	92 55 21	222.096	222.204
		N	5975449.114			244186	85H1183	TERR	293 1 22	251.419	251.543
		E1	604.198	CVD28BC							
170332	85H1152	E	512177.520	0.9995081	0.9999063	71068	85H1174	TERR	126 55 1	156.200	156.277
		N	5975844.133			869909	85H1159	TERR	283 28 5	175.379	175.465
		E1	611.508	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
335141	85H1153	E	512939.011	0.9995094	0.9999073	4812	85H1167	TERR	24 3 10	178.113	178.200
		N	5972166.214			22616	85H1137	TERR	129 3 55	172.232	172.317
		El	604.938	CVD28BC							
260810	85H1154	E	513173.743	0.9995092	0.9999070	606467	85H1176	TERR	30 11 40	191.667	191.760
		N	5975563.841								
		El	606.680	CVD28BC							
627760	85H1155	E	512162.672	0.9995083	0.9999065	71068	85H1174	TERR	41 35 16	210.512	210.615
		N	5975592.860			178970	85H1150	TERR	230 47 2	194.514	194.610
		El	610.280	CVD28BC							
759142	85H1156	E	513001.708	0.9995097	0.9999076	721456	85H1227	TERR	39 59 22	223.820	223.930
		N	5974309.750			696278	85H1228	TERR	188 15 54	230.749	230.861
		El	602.960	CVD28BC							
47266	85H1157	E	514154.508	0.9995116	0.9999091	852202	85H1138	TERR	183 51 14	145.359	145.430
		N	5971945.173			428623	85H1175	TERR	271 11 17	285.657	285.797
		El	593.344	CVD28BC							
656686	85H1158	E	511790.295	0.9995066	0.9999049	770347	85H1185	TERR	0 0 31	157.280	157.358
		N	5975316.069								
		El	620.566	CVD28BC							
869909	85H1159	E	512006.964	0.9995082	0.9999064	170332	85H1152	TERR	103 28 5	175.379	175.465
		N	5975884.979			447243	85H1305	TERR	269 42 45	144.085	144.156
		El	610.596	CVD28BC							
853374	85H1160	E	511869.769	0.9995066	0.9999048	229658	85H1308	TERR	2 15 8	261.843	261.973
		N	5974430.621			362533	85H1214	TERR	85 33 53	234.314	234.429
		El	620.728	CVD28BC							
252635	85H1161	E	513345.656	0.9995127	0.9999105	733345	85H1177	TERR	176 36 16	190.367	190.460
		N	5976246.535			686618	85H1307	TERR	322 36 24	362.078	362.254
		El	584.472	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
982769	85H1162	E	513165.914	0.9995098	0.9999077	596999	85H1288	TERR	90 12 56	360.908	361.085					
		N	5974697.245					TERR	185 23 12			216.971	217.077			
		E1	602.732					CVD28BC	616359			85H1211	TERR	275 34 3	225.475	225.585
959189	85H1163	E	513493.247	0.9995097	0.9999074	35998	85H1148	GPS	17 40 58	822.787	823.191					
		N	5972799.223					TERR	219 58 33			190.837	190.929			
		E1	604.317					CVD28BC	429886			85H1189	GPS	325 0 3	943.695	944.158
									106526			UNMARKED	GPS	348 29 38	530.227	530.487
533190	85H1164	E	514105.260	0.9995105	0.9999080	440107	85H1196	TERR	21 14 8	187.863	187.955					
		N	5974195.663													
		E1	600.446					CVD28BC								
447391	85H1165	E	513291.833	0.9995102	0.9999080	676411	85H1224	TERR	152 7 33	168.561	168.644					
		N	5972801.986													
		E1	600.833					CVD28BC								
994566	85H1166	E	513849.783	0.9995103	0.9999079			MARKER DESTROYED								
		N	5972812.984													
		E1	601.261	CVD28BC												
4812	85H1167	E	513011.606	0.9995099	0.9999078	74781	85H1133	TERR	127 27 53	174.100	174.185					
		N	5972328.861					TERR	204 3 10			178.113	178.200			
		E1	601.997					CVD28BC	335141							
194795	85H1168	E	513521.467	0.9995103	0.9999080	362525	85H1303	TERR	179 31 37	163.106	163.185					
		N	5975903.749					TERR	312 52 24			224.512	224.622			
		E1	600.676					CVD28BC	733345							
963504	85H1169	E	513232.968	0.9995099	0.9999077	676411	85H1224	TERR	52 53 21	172.637	172.722					
		N	5972548.820					TERR	271 55 39			237.747	237.863			
		E1	602.412					CVD28BC	285148							
929901	85H1170	E	513048.669	0.9995091	0.9999070	72108	85H1186	TERR	60 25 13	145.304	145.375					
		N	5975918.097					TERR	267 29 32			190.630	190.724			
		E1	606.910					CVD28BC	815928							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
195925	85H1171	E	513043.725	0.9995096	0.9999074	256321	85H1225	TERR	269 45 24	381.937	382.125
		N	5973884.048								
		El	604.109	CVD28BC							
129650	85H1172	E	512675.103	0.9995090	0.9999070	696278	85H1228	TERR	85 4 13	294.523	294.669
		N	5974056.089			256321	85H1225	TERR	184 23 0	174.174	174.260
		El	606.724	CVD28BC		655266	85H1309	TERR	275 25 2	220.960	221.068
						40931	85H1180	TERR	359 51 0	318.844	319.000
15768	85H1173	E	511848.690	0.9995072	0.9999054		MARKER DESTROYED				
		N	5975199.122								
		El	616.808	CVD28BC							
71068	85H1174	E	512302.403	0.9995088	0.9999069	244186	85H1183	TERR	137 50 33	273.663	273.798
		N	5975750.310			627760	85H1155	TERR	221 35 16	210.512	210.615
		El	607.421	CVD28BC		170332	85H1152	TERR	306 55 1	156.200	156.277
428623	85H1175	E	513868.912	0.9995113	0.9999089	47266	85H1157	TERR	91 11 17	285.657	285.797
		N	5971951.096			158337	85H1190	TERR	179 43 25	406.495	406.693
		El	594.697	CVD28BC		766634	86H1844	TERR	269 20 7	355.853	356.028
						843078	85H1237	TERR	359 0 37	201.231	201.329
606467	85H1176	E	513270.139	0.9995091	0.9999069	654301	85H1181	TERR	44 10 53	119.320	119.379
		N	5975729.503			260810	85H1154	TERR	210 11 40	191.667	191.760
		El	607.709	CVD28BC							
733345	85H1177	E	513356.931	0.9995121	0.9999098	194795	85H1168	TERR	132 52 24	224.512	224.622
		N	5976056.502			252635	85H1161	TERR	356 36 16	190.367	190.460
		El	588.824	CVD28BC							
548768	85H1178	E	514002.485	0.9995110	0.9999086	576546	85H1324	TERR	88 32 35	369.047	369.228
		N	5972828.740			594564	85H1135	TERR	197 30 41	457.847	458.071
		El	597.021	CVD28BC							
241836	85H1179	E	512860.647	0.9995091	0.9999071	815928	85H1149	TERR	359 9 18	164.409	164.490
		N	5975745.365								
		El	606.401	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing			UTM Grid Distance		Ground Distance	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					Metres	Metres		
40931	85H1180	E	512674.269	0.9995096	0.9999076	388652	85H1236	TERR	66	21	6	134.443	134.509		
		N	5974374.932					129650	85H1172	TERR	179	51	0	318.844	319.000
		E1	603.197	CVD28BC				766071	85H1312	TERR	353	29	41	345.097	345.267
654301	85H1181	E	513353.297	0.9995094	0.9999072	362525	85H1303	TERR	113	42	10	185.135	185.225		
		N	5975815.072					606467	85H1176	TERR	224	10	53	119.320	119.379
		E1	605.567	CVD28BC				72108	85H1186	TERR	314	25	50	249.630	249.753
716431	85H1182	E	513673.848	0.9995099	0.9999076	MARKER DESTROYED									
		N	5972831.553												
		E1	603.139	CVD28BC											
244186	85H1183	E	512486.078	0.9995088	0.9999069	756494	85H1151	TERR	113	1	22	251.419	251.543		
		N	5975547.443					345959	85H1230	TERR	208	5	44	143.440	143.511
		E1	607.825	CVD28BC				71068	85H1174	TERR	317	50	33	273.663	273.798
383109	85H1184	E	513537.820	0.9995103	0.9999081	301499	85H1121	TERR	132	20	18	278.728	278.864		
		N	5972468.556					676411	85H1224	TERR	317	48	30	248.921	249.043
		E1	600.164	CVD28BC											
770347	85H1185	E	511790.319	0.9995072	0.9999054	652727	85H1143	TERR	6	22	59	179.715	179.804		
		N	5975473.349					178970	85H1150	TERR	90	53	49	221.677	221.785
		E1	616.893	CVD28BC				656686	85H1158	TERR	180	0	31	157.280	157.358
72108	85H1186	E	513175.036	0.9995091	0.9999069	654301	85H1181	TERR	134	25	50	249.630	249.753		
		N	5975989.824					929901	85H1170	TERR	240	25	13	145.304	145.375
		E1	607.646	CVD28BC											
318873	85H1187	E	512874.576	0.9995091	0.9999070	815928	85H1149	TERR	183	17	17	285.134	285.275		
		N	5976194.421					200329	85H1306	TERR	359	45	52	198.197	198.294
		E1	607.005	CVD28BC											
285148	85H1188	E	512995.356	0.9995095	0.9999074	963504	85H1169	TERR	91	55	39	237.747	237.863		
		N	5972556.816												
		E1	604.490	CVD28BC											

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----							
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING							
429886	85H1189	E	512951.977	0.9995096	0.9999075	35998	85H1148	GPS	89 12 45	791.262	791.650			
		N	5973572.260					196980	85H1300	TERR	89 34 27	355.778	355.953	
		E1	603.552					CVD28BC	106526	UNMARKED	GPS	120 11 59	503.894	504.142
									959189	85H1163	GPS	145 0 3	943.695	944.158
				832659	85H1206	TERR	269 9 41	265.295	265.426					
158337	85H1190	E	513870.873	0.9995110	0.9999087	934893	85H1128	TERR	93 21 1	274.624	274.758			
		N	5971544.606					381665	85H1125	TERR	159 22 10	306.621	306.771	
		E1	596.423					CVD28BC	409904	86H1840	TERR	267 17 22	350.172	350.343
									428623	85H1175	TERR	359 43 25	406.495	406.693
363184	85H1191	E	513319.629	0.9995095	0.9999073			MARKER DESTROYED						
		N	5973240.171											
		E1	604.916					CVD28BC						
549576	85H1192	E	513527.029	0.9995098	0.9999075	596999	85H1288	TERR	180 1 30	480.031	480.266			
		N	5975175.918					598938	85H1226	TERR	271 57 39	301.477	301.624	
		E1	603.791					CVD28BC	451997	85H1147	TERR	356 31 2	269.618	269.750
486613	85H1193	E	513157.408	0.9995097	0.9999075	807032	85H1314	TERR	106 8 10	246.774	246.894			
		N	5974324.018											
		E1	603.573					CVD28BC						
341552	85H1194	E	515888.916	0.9995143	0.9999112	901736	85H1299	TERR	25 7 11	299.934	300.080			
		N	5974366.906					345298	85H1297	TERR	113 37 4	384.228	384.415	
		E1	580.308					CVD28BC						
143750	85H1195	E	514088.374	0.9995106	0.9999082	302331	85H1239	TERR	6 3 3	306.855	307.005			
		N	5973571.958					897140	79H8449	TERR	85 58 6	282.074	282.212	
		E1	599.458					CVD28BC	35998	85H1148	TERR	271 51 17	345.391	345.560
440107	85H1196	E	514173.305	0.9995106	0.9999081	533190	85H1164	TERR	201 14 8	187.863	187.955			
		N	5974370.770					669002	85H1144	TERR	357 43 37	350.567	350.739	
		E1	600.222					CVD28BC						
12062	85H1197	E	515151.761	0.9995129	0.9999101	790758	86H1802	TERR	51 30 11	551.164	551.432			
		N	5975210.228					13458	79H9415	TERR	56 48 49	986.662	987.150	
		E1	587.233					CVD28BC	369033	85H1323	TERR	181 41 56	169.281	169.364

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING									
114553	85H1198	E	513755.130	0.9995098	0.9999074	17921	85H1208	TERR	8 31 47	277.012	277.148					
		N	5973943.903					35998				85H1148	TERR	181 53 59	360.965	361.142
		El	604.335					CVD28BC								
267807	85H1199	E	514595.997	0.9995124	0.9999098	655340	85H1107	TERR	52 36 7	328.008	328.166					
		N	5972405.719					701367				85H1345	TERR	116 4 17	329.108	329.268
		El	589.154					CVD28BC								
320275	85H1200	E	512251.588	0.9995090	0.9999071	698308	85H1217	TERR	2 54 52	224.919	225.029					
		N	5974707.473					231563				85H1220	TERR	85 35 44	176.975	177.061
		El	606.393					CVD28BC				229658	85H1308	TERR	267 39 20	371.840
432310	85H1201	E	512277.545	0.9995089	0.9999070	883637	85H1202	TERR	267 37 30	155.239	155.316					
		N	5974266.971													
		El	607.004					CVD28BC								
883637	85H1202	E	512122.439	0.9995083	0.9999065	432310	85H1201	TERR	87 37 30	155.239	155.316					
		N	5974260.538					264879				85H1215	TERR	186 13 25	236.839	236.955
		El	610.221					CVD28BC				362533	85H1214	TERR	354 13 4	189.166
237529	85H1203	E	512424.398	0.9995090	0.9999070	231563	85H1220	TERR	0 49 31	252.834	252.959					
		N	5974468.256													
		El	606.640					CVD28BC								
33084	85H1204	E	512671.588	0.9995095	0.9999075	692764	85H1145	TERR	37 42 45	388.397	388.588					
		N	5974934.746					935213				85H1238	TERR	279 10 44	208.577	208.679
		El	603.647					CVD28BC								
342162	85H1205	E	513571.984	0.9995097	0.9999074	17921	85H1208	TERR	85 35 46	224.897	225.007					
		N	5974200.582					807032				85H1314	TERR	287 10 14	185.805	185.897
		El	604.634					CVD28BC								
832659	85H1206	E	512686.710	0.9995095	0.9999075	429886	85H1189	TERR	89 9 41	265.295	265.426					
		N	5973568.377					462440				85H1310	TERR	266 27 13	314.994	315.149
		El	603.515					CVD28BC				256321	85H1225	TERR	355 27 48	315.035

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
378935	85H1207	E	513772.387	0.9995103	0.9999080	23069	85H1142	TERR	9 59 51	324.779	324.938				
		N	5974377.686					17921	85H1208			TERR	171 31 13	161.602	161.680
		El	600.793					CVD28BC							
17921	85H1208	E	513796.217	0.9995102	0.9999078	114553	85H1198	TERR	188 31 47	277.012	277.148				
		N	5974217.851					342162	85H1205			TERR	265 35 46	224.897	225.007
		El	601.544					CVD28BC				378935	85H1207	TERR	351 31 13
708354	85H1209	E	512100.771	0.9995083	0.9999065	111641	85H1146	TERR	12 23 26	170.594	170.677				
		N	5975046.013					698308	85H1217			TERR	125 4 17	198.247	198.344
		El	610.064					CVD28BC							
825075	85H1210	E	512455.120	0.9995089	0.9999070	655266	85H1309	TERR	179 59 50	204.840	204.940				
		N	5974281.789												
		El	606.898					CVD28BC							
616359	85H1211	E	512941.503	0.9995091	0.9999070	982769	85H1162	TERR	95 34 3	225.475	225.585				
		N	5974719.120					589085	85H1229			TERR	178 21 9	254.653	254.779
		El	606.682					CVD28BC				766071	85H1312	TERR	269 45 16
949602	85H1212	E	511894.097	0.9995063	0.9999045	MARKER DESTROYED									
		N	5974219.207												
		El	622.988			CVD28BC									
366385	85H1213	E	513291.049	0.9995094	0.9999072	807032	85H1314	TERR	15 15 5	393.116	393.309				
		N	5973876.164					196980	85H1300			TERR	176 49 40	301.721	301.870
		El	605.816					CVD28BC							
362533	85H1214	E	512103.381	0.9995080	0.9999062	883637	85H1202	TERR	174 13 4	189.166	189.258				
		N	5974448.741					853374	85H1160			TERR	265 33 53	234.314	234.429
		El	612.315					CVD28BC							
264879	85H1215	E	512096.764	0.9995081	0.9999062	883637	85H1202	TERR	6 13 25	236.839	236.955				
		N	5974025.095					563833	85H1232			TERR	133 33 20	371.072	371.255
		El	611.784					CVD28BC				305060	86H1790	TERR	313 50 42

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
89771	85H1216	E	517766.167	0.9995160	0.9999121	672238	85H1077	TERR	1 21 1	358.077	358.251
		N	5973380.921			970525	85H1051	TERR	212 1 5	350.434	350.604
		E1	574.611	CVD28BC		278325	79H8444	TERR	267 42 58	372.541	372.722
698308	85H1217	E	512263.024	0.9995089	0.9999070	935213	85H1238	TERR	79 56 59	205.816	205.918
		N	5974932.101			320275	85H1200	TERR	182 54 52	224.919	225.029
		E1	607.003	CVD28BC		708354	85H1209	TERR	305 4 17	198.247	198.344
569814	85H1218	E	514887.195	0.9995128	0.9999100	60608	85H1223	TERR	92 6 43	294.173	294.316
		N	5970707.352			822767	85H1222	TERR	270 26 31	405.370	405.568
		E1	587.696	CVD28BC							
281634	85H1219	E	512428.744	0.9995090	0.9999070	935213	85H1238	TERR	170 45 7	229.841	229.954
		N	5975194.871			345959	85H1230	TERR	357 24 42	226.266	226.377
		E1	606.609	CVD28BC							
231563	85H1220	E	512428.040	0.9995093	0.9999074	766071	85H1312	TERR	90 54 3	207.158	207.260
		N	5974721.064			237529	85H1203	TERR	180 49 31	252.834	252.959
		E1	604.417	CVD28BC		320275	85H1200	TERR	265 35 44	176.975	177.061
372359	85H1221	E	513689.064	0.9995096	0.9999073	473678	85H1234	TERR	87 23 57	221.384	221.493
		N	5973222.138								
		E1	605.056	CVD28BC							
822767	85H1222	E	514481.837	0.9995122	0.9999096	516609	85H1231	TERR	2 7 43	390.786	390.976
		N	5970710.479			569814	85H1218	TERR	90 26 31	405.370	405.568
		E1	590.137	CVD28BC		945527	86H1838	TERR	267 10 32	356.195	356.368
60608	85H1223	E	515181.168	0.9995127	0.9999098	102244	85H1327	TERR	29 27 28	209.720	209.822
		N	5970696.511			569814	85H1218	TERR	272 6 43	294.173	294.316
		E1	589.078	CVD28BC							
676411	85H1224	E	513370.641	0.9995101	0.9999079	959189	85H1163	TERR	39 58 33	190.837	190.929
		N	5972652.982			383109	85H1184	TERR	137 48 30	248.921	249.043
		E1	601.366	CVD28BC		963504	85H1169	TERR	232 53 21	172.637	172.722
						447391	85H1165	TERR	332 7 33	168.561	168.644

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING	Coordinates	Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
256321	85H1225	E	512661.791	0.9995095	0.9999075	129650	85H1172	TERR	4 23 0	174.174	174.260				
		N	5973882.425					TERR	89 45 24			381.937	382.125		
		E1	603.936					CVD28BC	85H1171			TERR	175 27 48	315.035	315.189
									85H1206			TERR	272 55 29	755.426	755.800
598938	85H1226	E	513225.729	0.9995095	0.9999073	549576	85H1192	TERR	91 57 39	301.477	301.624				
		N	5975186.233												
		E1	605.165					CVD28BC							
721456	85H1227	E	513145.545	0.9995098	0.9999077	982769	85H1162	TERR	5 23 12	216.971	217.077				
		N	5974481.232					TERR	219 59 22			223.820	223.930		
		E1	602.642					CVD28BC							
696278	85H1228	E	512968.537	0.9995095	0.9999074	759142	85H1156	TERR	8 15 54	230.749	230.861				
		N	5974081.398					TERR	265 4 13			294.523	294.669		
		E1	604.323					CVD28BC							
589085	85H1229	E	512948.824	0.9995092	0.9999071	388652	85H1236	TERR	256 43 41	155.557	155.633				
		N	5974464.572					TERR	358 21 9			254.653	254.779		
		E1	606.235					CVD28BC							
345959	85H1230	E	512418.526	0.9995089	0.9999070	244186	85H1183	TERR	28 5 44	143.440	143.511				
		N	5975420.906					TERR	177 24 42			226.266	226.377		
		E1	606.803					CVD28BC							
516609	85H1231	E	514496.351	0.9995125	0.9999099	959155	85H1304	TERR	90 29 1	381.860	382.046				
		N	5971100.995					TERR	182 7 43			390.786	390.976		
		E1	588.641					CVD28BC	85H1222			TERR	269 40 55	220.855	220.964
									85H1233			TERR	355 18 58	191.482	191.576
563833	85H1232	E	512365.682	0.9995090	0.9999070	210674	85H1136	TERR	144 58 19	1806.708	1807.594				
		N	5973769.405					TERR	178 16 34			220.613	220.721		
		E1	606.673					CVD28BC	85H1310			TERR	313 33 20	371.072	371.255
									85H1215			TERR			
196188	85H1233	E	514275.499	0.9995119	0.9999094	516609	85H1231	TERR	89 40 55	220.855	220.964				
		N	5971099.769					TERR	269 51 46			290.458	290.600		
		E1	591.968					CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
473678	85H1234	E	513910.220	0.9995099	0.9999075	61655	85H1096	TERR	90 19 34	470.355	470.585						
		N	5973232.184					372359				85H1221	TERR	267 23 57	221.384	221.493	
		El	603.735					CVD28BC									
460063	85H1235	E	516476.441	0.9995161	0.9999127	132779	85H1090	TERR	33 25 4	348.874	349.043						
		N	5973708.187					786087				85H1336	TERR	69 54 43	405.058	405.254	
		El	570.421					CVD28BC				296160	85H1335	TERR	254 36 44	381.916	382.101
												112888	85H1346	TERR	313 38 40	190.921	191.014
388652	85H1236	E	512797.422	0.9995092	0.9999071	589085	85H1229	TERR	76 43 41	155.557	155.633						
		N	5974428.860					40931				85H1180	TERR	246 21 6	134.443	134.509	
		El	606.096					CVD28BC									
843078	85H1237	E	513865.436	0.9995113	0.9999089	428623	85H1175	TERR	179 0 37	201.231	201.329						
		N	5972152.297					301499				85H1121	TERR	316 35 29	176.929	177.016	
		El	594.865					CVD28BC									
935213	85H1238	E	512465.682	0.9995092	0.9999072	33084	85H1204	TERR	99 10 44	208.577	208.679						
		N	5974968.018					698308				85H1217	TERR	259 56 59	205.816	205.918	
		El	605.409					CVD28BC				281634	85H1219	TERR	350 45 7	229.841	229.954
302331	85H1239	E	514120.720	0.9995106	0.9999081	672063	85H1097	TERR	88 57 18	248.663	248.785						
		N	5973877.103					143750				85H1195	TERR	186 3 3	306.855	307.005	
		El	599.976					CVD28BC									
304493	85H1240	E	513985.042	0.9995113	0.9999088	196188	85H1233	TERR	89 51 46	290.458	290.600						
		N	5971099.073					85316				86H1849	TERR	173 24 5	153.496	153.570	
		El	595.266					CVD28BC				381665	85H1125	TERR	357 47 5	158.694	158.772
194852	85H1241	E	514481.214	0.9995128	0.9999102	441188	85H1130	TERR	176 42 58	201.308	201.406						
		N	5972003.026					408815				85H1127	TERR	327 54 40	259.800	259.927	
		El	586.298					CVD28BC									
536797	85H1250	E	523350.484	0.9995020	0.9998952		MARKER DESTROYED										
		N	5972276.100														
		El	682.267	CVD28BC													

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
812651	85H12510	E	515646.589	0.9995138	0.9999108	266635	85H1291	TERR	27 47 42	267.299	267.429					
		N	5973871.285					TERR	122 48 10			106.247	106.299			
		El	582.986					CVD28BC	260802			85H1100	TERR	202 36 14	308.367	308.518
									943456			98SG055	TERR	203 44 55	337.842	338.007
145136	85H12520	E	517513.974	0.9995169	0.9999131	792630	LEGAL RP2	GPS	196 34 15	2860.186	2861.575					
		N	5973932.086					GPS	269 53 11			5606.636	5609.391			
		El	567.955					CVD28BC	503441			787002				
629253	85H12530	E	522205.855	0.9995024	0.9998963	454959	85H1274	TERR	145 4 56	411.489	411.694					
		N	5970337.943					TERR	349 34 29			971.208	971.692			
		El	675.405					CVD28BC	412163			85H1281				
234393	85H12540	E	524149.938	0.9995027	0.9998955		MARKER ISOLATED									
		N	5972277.310													
		El	680.218													
383091	85H12550	E	524607.056	0.9995038	0.9998963	595108	85H1270	TERR	89 44 30	554.646	554.921					
		N	5974699.833					TERR	269 22 49			612.944	613.248			
		El	675.460					CVD28BC	403410			85H1280				
902445	85H12560	E	521978.145	0.9995022	0.9998962	412163	85H1281	TERR	173 7 0	433.621	433.838					
		N	5971723.614					TERR	359 27 59			539.775	540.044			
		El	676.152					CVD28BC	450379			85H1259				
926667	85H1257	E	521966.172	0.9995020	0.9998960	366674	85H1287	TERR	0 24 45	548.881	549.156					
		N	5972651.558					TERR	178 58 30			388.254	388.447			
		El	677.162					CVD28BC	668418			85H1260	TERR	269 55 31	808.177	808.581
920967	85H1258	E	514860.008	0.9995120	0.9999092	398636	85H1079	TERR	85 42 3	298.654	298.800					
		N	5974707.757					TERR	179 51 8			333.176	333.339			
		El	592.683					CVD28BC	539031			85H1269	TERR	268 42 52	195.685	195.781
									630319			85H1063	TERR	359 43 47	343.261	343.429
450379	85H1259	E	521973.118	0.9995022	0.9998963	238949	85H1263	TERR	89 22 14	910.547	911.000					
		N	5972263.366					TERR	179 27 59			539.775	540.044			
		El	675.586					CVD28BC	926667			85H1257	TERR	358 58 30	388.254	388.447

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
668418	85H1260	E	521157.996	0.9995004	0.9998948	926667	85H1257	TERR	89 55 31	808.177	808.581
		N	5972650.505								
		El	684.824	CVD28BC							
542522	85H1261	E	515343.528	0.9995128	0.9999098		MARKER DESTROYED				
		N	5974709.464								
		El	588.884	CVD28BC							
543413	85H1262	E	523120.318	0.9995021	0.9998955	797936	85H1271	TERR	216 13 42	879.701	880.140
		N	5974710.573								
		El	680.669	CVD28BC							
238949	85H1263	E	522883.610	0.9995027	0.9998963	450379	85H1259	TERR	269 22 14	910.547	911.000
		N	5972273.370								
		El	675.666	CVD28BC							
481507	85H1266	E	516118.265	0.9995150	0.9999118	345298	85H1297	TERR	25 21 55	286.411	286.550
		N	5973954.171			112888	85H1346	TERR	117 26 4	247.897	248.017
		El	576.537	CVD28BC		597153	85H1072	TERR	207 31 31	275.679	275.812
						266635	85H1291	TERR	293 52 15	379.494	379.679
50278	85H1267	E	523588.278	0.9995026	0.9998958	216234	86H1834	TERR	91 8 24	276.667	276.804
		N	5972788.991			859546	85H1275	TERR	358 4 43	297.394	297.543
		El	678.933	CVD28BC							
433060	85H1268	E	523567.497	0.9995041	0.9998972		MARKER DESTROYED				
		N	5974237.503								
		El	669.673	CVD28BC							
539031	85H1269	E	514664.372	0.9995111	0.9999084	22228	85H1057	TERR	0 55 0	347.448	347.617
		N	5974703.367			920967	85H1258	TERR	88 42 52	195.685	195.781
		El	598.011	CVD28BC		117036	85H1347	TERR	179 54 53	329.581	329.742
						312595	85H1081	TERR	274 37 34	284.681	284.821
595108	85H1270	E	525161.696	0.9995037	0.9998959	383091	85H12550	TERR	269 44 30	554.646	554.921
		N	5974702.335								
		El	678.241	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
797936	85H1271	E	522600.409	0.9995013	0.9998950	543413	85H1262	TERR	36 13 42	879.701	880.140						
		N	5974000.947					897488				86H1795	TERR	216 54 49	627.190	627.504	
		El	683.475					CVD28BC									
862722	85H1272	E	523595.772	0.9995027	0.9998959	300467	85H1285	TERR	179 32 29	544.982	545.253						
		N	5970906.467					980078				85H1279	TERR	359 32 57	723.379	723.739	
		El	678.163					CVD28BC									
190736	85H1273	E	514860.868	0.9995120	0.9999092	121400	85H1058	TERR	90 1 18	284.880	285.019						
		N	5974374.582					252627				85H1069	TERR	178 42 16	232.089	232.203	
		El	592.645					CVD28BC				117036	85H1347	TERR	269 46 2	196.008	196.103
												920967	85H1258	TERR	359 51 8	333.176	333.339
454959	85H1274	E	522441.391	0.9995024	0.9998962	895532	79H9425	TERR	173 14 2	1359.929	1360.605						
		N	5970000.532					629253				85H12530	TERR	325 4 56	411.489	411.694	
		El	676.300					CVD28BC									
859546	85H1275	E	523578.307	0.9995033	0.9998965	50278	85H1267	TERR	178 4 43	297.394	297.543						
		N	5973086.218														
		El	674.262					CVD28BC									
98855	85H1276	E	507811.818	0.9994861	0.9998853	283879	85H1296	TERR	91 6 39	569.926	570.219						
		N	5964127.719					453068				85H1284	TERR	182 23 49	434.773	434.998	
		El	745.714					CVD28BC									
798660	85H1278	E	523593.803	0.9995027	0.9998958			MARKER DESTROYED									
		N	5972267.842														
		El	678.714					CVD28BC									
980078	85H1279	E	523590.081	0.9995027	0.9998958	862722	85H1272	TERR	179 32 57	723.379	723.739						
		N	5971629.824														
		El	678.611					CVD28BC									
403410	85H1280	E	523994.148	0.9995039	0.9998968	383091	85H12550	TERR	89 22 49	612.944	613.248						
		N	5974693.204														
		El	672.551					CVD28BC									

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres									
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING													
412163	85H1281	E	522030.113	0.9995021	0.9998961	629253	85H12530	TERR	169 34 29	971.208	971.692									
		N	5971293.118					902445				85H12560	TERR	353 7 0	433.621	433.838				
		E1	676.843					CVD28BC												
181693	85H1282	E	524587.726	0.9994980	0.9998906	MARKER DESTROYED														
		N	5972289.750																	
		E1	712.063			CVD28BC														
322669	85H1283	E	524816.889	0.9994984	0.9998908	MARKER DESTROYED														
		N	5972288.786																	
		E1	710.836			CVD28BC														
453068	85H1284	E	507793.634	0.9994862	0.9998854	98855	85H1276	TERR	2 23 49	434.773	434.998									
		N	5963693.326			815217	79H9439	TERR				166 54 27	124.617	124.681						
		E1	744.702			CVD28BC														
300467	85H1285	E	523600.134	0.9995017	0.9998948	809244	85H1298	TERR	179 35 31	499.703	499.951									
		N	5970361.503			862722	85H1272	TERR				359 32 29	544.982	545.253						
		E1	684.936			CVD28BC														
777409	85H1286	E	515292.114	0.9995157	0.9999128	291823	85H1124	TERR	36 27 12	244.164	244.282									
		N	5973113.148			742577	85H1098	TERR				125 9 46	153.992	154.066						
		E1	570.194			CVD28BC		163964							85H1104	TERR	233 54 38	169.956	170.039	
						374280	85H1108	TERR							249 41 35	441.143				441.357
						659664	85H1101	TERR												
366674	85H1287	E	521970.123	0.9995004	0.9998944	926667	85H1257	TERR	180 24 45	548.881	549.156									
		N	5973200.425																	
		E1	687.479					CVD28BC												
596999	85H1288	E	513526.819	0.9995098	0.9999075	549576	85H1192	TERR	0 1 30	480.031	480.266									
		N	5974695.887			23069	85H1142	TERR				89 41 16	301.957	302.104						
		E1	603.438			CVD28BC		807032							85H1314	TERR	196 43 33	459.910	460.135	
						982769	85H1162	TERR							270 12 56	360.908				361.085
377960	85H1289	E	517117.252	0.9995152	0.9999115	980821	79H8443	TERR	108 24 40	290.488	290.629									
		N	5973818.784			188243	85H1088	TERR				180 43 27	441.289	441.503						
		E1	578.084			CVD28BC														

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
147074	85H1290	E	517160.518	0.9995161	0.9999125	162933	85H1073	TERR	95 9 12	327.069	327.228
		N	5972864.931			383869	85H1074	TERR	220 6 6	246.720	246.840
		E1	572.115	CVD28BC		6015	85H1055	TERR	346 52 3	167.214	167.295
266635	85H1291	E	515771.233	0.9995138	0.9999107	481507	85H1266	TERR	113 52 15	379.494	379.679
		N	5974107.744			812651	85H12510	TERR	207 47 42	267.299	267.429
		E1	583.318	CVD28BC							
323394	85H1292	E	523564.827	0.9995020	0.9998951		MARKER DESTROYED				
		N	5974689.301								
		E1	683.064	CVD28BC							
923383	85H1293	E	525865.003	0.9994985	0.9998902		MARKER DESTROYED				
		N	5972290.393								
		E1	714.282	CVD28BC							
504431	85H1294	E	523572.931	0.9995037	0.9998968		MARKER DESTROYED				
		N	5973641.018								
		E1	672.151	CVD28BC							
75275	85H1295	E	523577.738	0.9995047	0.9998979		MARKER DESTROYED				
		N	5973885.721								
		E1	665.433	CVD28BC							
283879	85H1296	E	508381.637	0.9994864	0.9998855	571190	86H1519	TERR	154 14 30	217.768	217.880
		N	5964116.669			98855	85H1276	TERR	271 6 39	569.926	570.219
		E1	743.951	CVD28BC							
345298	85H1297	E	516240.960	0.9995149	0.9999116	714154	85H1056	TERR	23 29 50	286.538	286.677
		N	5974212.971			896209	85H1341	TERR	114 16 6	236.176	236.290
		E1	577.429	CVD28BC		481507	85H1266	TERR	205 21 55	286.411	286.550
						341552	85H1194	TERR	293 37 4	384.228	384.415
809244	85H1298	E	523603.692	0.9995014	0.9998945	300467	85H1285	TERR	359 35 31	499.703	499.951
		N	5969861.813								
		E1	686.939	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
901736	85H1299	E	516016.241	0.9995143	0.9999112	714154	85H1056	TERR	115 38 38	375.999	376.182
		N	5974638.473			341552	85H1194	TERR	205 7 11	299.934	300.080
		El	580.422	CVD28BC		603118	85H1067	TERR	283 11 57	292.715	292.857
196980	85H1300	E	513307.745	0.9995094	0.9999072	35998	85H1148	TERR	88 55 1	435.497	435.710
		N	5973574.905			429886	85H1189	TERR	269 34 27	355.778	355.953
		El	605.575	CVD28BC		366385	85H1213	TERR	356 49 40	301.721	301.870
110536	85H1301	E	516090.988	0.9995133	0.9999101	834085	LEGAL RP1	TERR	49 24 47	483.974	484.209
		N	5971186.001			900084	85H1106	TERR	262 38 59	192.035	192.128
		El	587.280	CVD28BC		177048	85H1326	TERR	359 47 0	608.289	608.585
165589	85H1302	E	514325.478	0.9995110	0.9999085	323568	85H1046	TERR	167 55 6	220.378	220.486
		N	5975265.333			588863	85H1129	TERR	272 41 29	263.618	263.746
		El	597.615	CVD28BC							
362525	85H1303	E	513522.814	0.9995095	0.9999073	451997	85H1147	TERR	182 21 23	295.861	296.007
		N	5975740.649			654301	85H1181	TERR	293 42 10	185.135	185.225
		El	605.299	CVD28BC		194795	85H1168	TERR	359 31 37	163.106	163.185
959155	85H1304	E	514878.197	0.9995128	0.9999100	289918	85H1337	TERR	68 56 17	206.107	206.207
		N	5971097.772			516609	85H1231	TERR	270 29 1	381.860	382.046
		El	587.729	CVD28BC							
447243	85H1305	E	511862.881	0.9995080	0.9999062	869909	85H1159	TERR	89 42 45	144.085	144.156
		N	5975884.256			652727	85H1143	TERR	192 45 14	238.183	238.300
		El	611.693	CVD28BC		81141	86H1771	TERR	353 55 13	298.521	298.668
200329	85H1306	E	512873.761	0.9995093	0.9999072	686618	85H1307	TERR	60 40 19	289.060	289.201
		N	5976392.616			318873	85H1187	TERR	179 45 52	198.197	198.294
		El	605.539	CVD28BC							
686618	85H1307	E	513125.772	0.9995132	0.9999110	252635	85H1161	TERR	142 36 24	362.078	362.254
		N	5976534.200			200329	85H1306	TERR	240 40 19	289.060	289.201
		El	581.294	CVD28BC		214759	87H3534	TERR	319 43 23	244.812	244.931

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING					
229658	85H1308	E	511880.059	0.9995079	0.9999061	320275	85H1200	TERR	87 39 20	371.840	372.024	
		N	5974692.262			853374	85H1160	TERR	182 15 8	261.843	261.973	
		E1	612.501	CVD28BC		652727	85H1143	TERR	355 50 33	962.220	962.695	
655266	85H1309	E	512455.130	0.9995088	0.9999069	129650	85H1172	TERR	95 25 2	220.960	221.068	
		N	5974076.949			825075	85H1210	TERR	359 59 50	204.840	204.940	
		E1	607.502	CVD28BC								
131607	85H1311	E	514688.028	0.9995129	0.9999102	374280	85H1108	TERR	101 35 44	194.328	194.423	
		N	5972999.109			821942	85H1095	TERR	358 24 9	163.244	163.324	
		E1	586.329	CVD28BC								
766071	85H1312	E	512635.172	0.9995097	0.9999077	616359	85H1211	TERR	89 45 16	306.334	306.485	
		N	5974717.807			40931	85H1180	TERR	173 29 41	345.097	345.267	
		E1	602.698	CVD28BC		231563	85H1220	TERR	270 54 3	207.158	207.260	
974949	85H1313	E	512939.278	0.9995093	0.9999072	692764	85H1145	TERR	188 44 32	198.088	198.185	
		N	5975437.790			756494	85H1151	TERR	272 55 21	222.096	222.204	
		E1	605.861	CVD28BC								
807032	85H1314	E	513394.460	0.9995097	0.9999075	596999	85H1288	TERR	16 43 33	459.910	460.135	
		N	5974255.435			342162	85H1205	TERR	107 10 14	185.805	185.897	
		E1	603.741	CVD28BC			366385	85H1213	TERR	195 15 5	393.116	393.309
							486613	85H1193	TERR	286 8 10	246.774	246.894
36764	85H1315	E	515718.757	0.9995132	0.9999101	795674	85H1113	TERR	5 28 1	181.502	181.590	
		N	5971416.163			469122	85H1109	TERR	269 22 54	341.782	341.949	
		E1	586.993	CVD28BC								
355172	85H1316	E	515288.828	0.9995122	0.9999093	500967	85H1342	TERR	116 8 23	483.593	483.829	
		N	5972082.225			220798	85H1328	TERR	180 33 54	912.837	913.283	
		E1	592.595	CVD28BC			701367	85H1345	TERR	294 14 27	435.621	435.834
							81422	85H1334	TERR	328 25 2	186.866	186.957
82909	85H1317	E	516989.742	0.9995163	0.9999127	27284	85H1065	TERR	2 14 34	409.287	409.485	
		N	5971846.271			787168	85H1343	TERR	246 44 4	435.303	435.514	
		E1	570.729	CVD28BC								

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
840074	85H1318	E	516587.532	0.9995156	0.9999122	962340	79H8441	TERR	24 15 25	252.935	253.057			
		N	5974366.259					560839	85H1061	TERR	117 44 32	209.706	209.808	
		E1	574.019					CVD28BC	896209	85H1341	TERR	207 40 7	282.685	282.821
									714154	85H1056	TERR	295 13 60	256.835	256.959
191312	85H1319	E	517008.352	0.9995164	0.9999128	177766	85H1062	TERR	29 40 4	230.031	230.142			
		N	5974171.749					786087	85H1336	TERR	205 1 47	358.067	358.240	
		E1	569.968					CVD28BC	560839	85H1061	TERR	292 23 17	254.395	254.518
183467	85H1320	E	515723.003	0.9995156	0.9999125	995530	85H1116	TERR	1 24 55	336.209	336.372			
		N	5973031.175					671099	85H1330	TERR	91 53 17	355.611	355.783	
		E1	571.961					CVD28BC	156638	85H1333	TERR	178 8 40	361.730	361.905
									515379	85H1331	TERR	240 57 1	188.059	188.150
									742577	85H1098	TERR	268 44 22	305.072	305.219
263459	85H1321	E	515207.872	0.9995134	0.9999105	515379	85H1331	TERR	35 25 23	605.115	605.409			
		N	5972446.754					81422	85H1334	TERR	184 42 29	206.036	206.137	
		E1	584.469					CVD28BC						
577346	85H1322	E	516019.430	0.9995161	0.9999129	136572	85H1064	TERR	298 3 11	379.341	379.524			
		N	5974882.016											
		E1	569.545					CVD28BC						
369033	85H1323	E	515146.742	0.9995125	0.9999097	12062	85H1197	TERR	1 41 56	169.281	169.364			
		N	5975041.021					398636	85H1079	TERR	177 57 32	311.073	311.226	
		E1	589.903					CVD28BC	630319	85H1063	TERR	271 59 5	288.526	288.666
576546	85H1324	E	514371.413	0.9995117	0.9999091	61655	85H1096	TERR	1 20 23	391.490	391.681			
		N	5972838.123					548768	85H1178	TERR	268 32 35	369.047	369.228	
		E1	593.372					CVD28BC						
554352	85H1325	E	515161.329	0.9995129	0.9999100	99705	85H1078	TERR	85 18 47	172.139	172.222			
		N	5974129.425					521492	85H1110	TERR	183 25 49	224.664	224.773	
		E1	587.846					CVD28BC	252627	85H1069	TERR	272 32 46	295.506	295.650
									121400	85H1058	TERR	356 21 43	245.544	245.664
177048	85H1326	E	516088.689	0.9995132	0.9999100	551648	85H1060	TERR	89 2 38	385.372	385.560			
		N	5971794.286					110536	85H1301	TERR	179 47 0	608.289	608.585	
		E1	587.627					CVD28BC	500967	85H1342	TERR	281 34 19	373.317	373.499
									842229	85H1099	TERR	358 41 26	378.843	379.027

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING										
102244	85H1327	E	515284.304	0.9995125	0.9999096	468678	85H1103	TERR	86 18 29	340.800	340.966						
		N	5970879.118					60608				85H1223	TERR	209 27 28	209.720	209.822	
		E1	590.441					CVD28BC				220798	85H1328	TERR	359 6 58	290.349	290.490
220798	85H1328	E	515279.825	0.9995127	0.9999098	355172	85H1316	TERR	0 33 54	912.837	913.283						
		N	5971169.432					244962				85H1102	TERR	87 53 49	337.741	337.905	
		E1	589.185					CVD28BC				102244	85H1327	TERR	179 6 58	290.349	290.490
												289918	85H1337	TERR	270 39 35	209.304	209.406
842435	85H1329	E	516985.475	0.9995155	0.9999119	383869	85H1074	TERR	4 31 10	204.560	204.658						
		N	5972472.290					27284				85H1065	TERR	174 39 39	217.992	218.098	
		E1	575.719					CVD28BC									
671099	85H1330	E	516078.421	0.9995154	0.9999122	903609	85H1043	TERR	86 41 10	303.128	303.275						
		N	5973019.458					156265				85H1139	TERR	176 44 60	315.657	315.809	
		E1	574.114					CVD28BC				183467	85H1320	TERR	271 53 17	355.611	355.783
												708511	85H1118	TERR	359 26 43	336.084	336.246
515379	85H1331	E	515558.602	0.9995155	0.9999125	183467	85H1320	TERR	60 57 1	188.059	188.150						
		N	5972939.859					263459				85H1321	TERR	215 25 23	605.115	605.409	
		E1	571.727					CVD28BC									
130138	85H1332	E	516921.451	0.9995150	0.9999115	188243	85H1088	TERR	85 12 6	190.892	190.985						
		N	5973361.562					723791				85H1349	TERR	176 50 58	335.734	335.898	
		E1	578.411					CVD28BC				59832	85H1045	TERR	269 14 0	187.386	187.477
156638	85H1333	E	515734.716	0.9995158	0.9999128	386979	85H1052	TERR	182 11 29	309.861	310.011						
		N	5972669.635					183467				85H1320	TERR	358 8 40	361.730	361.905	
		E1	570.276					CVD28BC									
81422	85H1334	E	515190.961	0.9995123	0.9999095	263459	85H1321	TERR	4 42 29	206.036	206.137						
		N	5972241.413					355172				85H1316	TERR	148 25 2	186.866	186.957	
		E1	591.336					CVD28BC									
296160	85H1335	E	516108.216	0.9995162	0.9999129	460063	85H1235	TERR	74 36 44	381.916	382.101						
		N	5973606.845					708511				85H1118	TERR	187 29 30	253.483	253.606	
		E1	569.122					CVD28BC				63818	85H1112	TERR	244 23 25	236.809	236.924
												597153	85H1072	TERR	311 13 57	156.046	156.121

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
786087	85H1336	E	516856.858	0.9995161	0.9999126	191312	85H1319	TERR	25 1 47	358.067	358.240	
		N	5973847.309			460063	85H1235	TERR	249 54 43	405.058	405.254	
		E1	571.423			CVD28BC						
289918	85H1337	E	515070.535	0.9995129	0.9999101	220798	85H1328	TERR	90 39 35	209.304	209.406	
		N	5971171.842			959155	85H1304	TERR	248 56 17	206.107	206.207	
		E1	587.398			CVD28BC						
321141	85H1338	E	515164.320	0.9995129	0.9999101	88575	79H8452	TERR	89 28 16	166.066	166.148	
		N	5973560.072			659664	85H1101	TERR	181 20 5	279.235	279.372	
		E1	587.275			CVD28BC	650176	85H1105	TERR	269 57 9	299.483	299.628
							521492	85H1110	TERR	357 16 25	345.483	345.651
295097	85H1339	E	516890.991	0.9995165	0.9999129	MARKER DESTROYED						
		N	5974501.042									
		E1	569.194			CVD28BC						
526038	85H1340	E	515671.625	0.9995152	0.9999121	63818	85H1112	TERR	100 56 53	227.181	227.290	
		N	5973547.633			995530	85H1116	TERR	161 41 23	189.971	190.062	
		E1	574.225			CVD28BC	943456	98SG055	TERR	275 6 52	161.737	161.816
							260802	85H1100	TERR	285 11 17	148.755	148.828
896209	85H1341	E	516456.265	0.9995159	0.9999125	840074	85H1318	TERR	27 40 7	282.685	282.821	
		N	5974115.900			132779	85H1090	TERR	118 45 27	242.184	242.301	
		E1	571.595			CVD28BC	112888	85H1346	TERR	203 8 58	300.107	300.253
							345298	85H1297	TERR	294 16 6	236.176	236.290
500967	85H1342	E	515722.960	0.9995128	0.9999098	416453	85H1049	TERR	3 15 0	233.397	233.511	
		N	5971869.173			177048	85H1326	TERR	101 34 19	373.317	373.499	
		E1	589.269			CVD28BC	795674	85H1113	TERR	177 14 54	272.648	272.782
							355172	85H1316	TERR	296 8 23	483.593	483.829
787168	85H1343	E	516589.836	0.9995140	0.9999105	82909	85H1317	TERR	66 44 4	435.303	435.514	
		N	5971674.330			834085	LEGAL RP1	TERR	217 7 35	217.552	217.657	
		E1	584.390			CVD28BC						
135202	85H1344	E	514666.323	0.9995114	0.9999087	969220	85H1084	TERR	0 7 34	339.755	339.921	
		N	5973560.732			650176	85H1105	TERR	90 15 43	198.516	198.613	
		E1	596.017			CVD28BC		897140	79H8449	TERR	275 58 42	298.195

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
701367	85H1345	E	514891.617	0.9995127	0.9999099	355172	85H1316	TERR	114 14 27	435.621	435.834						
		N	5972261.079					85H1199	TERR			296 4 17	329.108	329.268			
		El	588.365					CVD28BC									
112888	85H1346	E	516338.283	0.9995160	0.9999127	896209	85H1341	TERR	23 8 58	300.107	300.253						
		N	5973839.957					85H1235	TERR			133 38 40	190.921	191.014			
		El	570.636					CVD28BC				481507			85H1266	TERR	297 26 4
117036	85H1347	E	514664.862	0.9995110	0.9999083	190736	85H1273	TERR	89 46 2	196.008	196.103						
		N	5974373.786					85H1070	TERR			181 46 50	248.925	249.047			
		El	598.654					CVD28BC				726299			85H1348	TERR	270 42 40
												539031	85H1269	TERR	359 54 53	329.581	329.742
726299	85H1348	E	514369.952	0.9995108	0.9999082	312595	85H1081	TERR	1 45 4	349.043	349.214						
		N	5974377.447					85H1347	TERR			90 42 40	294.933	295.077			
		El	599.148					CVD28BC				671768			79H8448	TERR	180 9 33
723791	85H1349	E	516939.903	0.9995153	0.9999117	6015	85H1055	TERR	89 32 57	182.629	182.717						
		N	5973026.335					85H1047	TERR			183 41 5	204.035	204.134			
		El	576.937					CVD28BC				255125			85H1042	TERR	269 45 9
												130138	85H1332	TERR	356 50 58	335.734	335.898
980441	86H1471	E	511966.438	0.9994862	0.9998844	840819	86H1511	TERR	88 54 58	331.795	331.966						
		N	5967085.527					86H1485	TERR			358 16 35	206.767	206.873			
		El	751.459					CVD28BC									
66290	86H1472	E	514571.910	0.9995027	0.9999001	509273	86H1569	TERR	88 33 7	365.099	365.280						
		N	5967471.786					86H1474	TERR			351 52 27	183.059	183.150			
		El	651.162					CVD28BC									
860320	86H1473	E	514557.446	0.9995023	0.9998997	903047	86H1489	TERR	179 43 2	330.949	331.113						
		N	5968249.178					86H1491	TERR			234 21 55	79.684	79.723			
		El	653.552					CVD28BC				998070			86H1486	TERR	359 14 28
68148	86H1476	E	509680.474	0.9994872	0.9998860	543561	86H1498	TERR	2 44 26	181.114	181.206						
		N	5963078.126					86H1510	TERR			93 36 18	160.243	160.326			
		El	741.141					CVD28BC									

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
237669	86H1477	E	511272.053	0.9994847	0.9998831	464057	86H1512	TERR	156 9 59	302.871	303.027						
		N	5965197.942					493734	86H1513			TERR	358 13 8	167.172	167.259		
		El	759.610					CVD28BC									
549964	86H1478	E	514558.637	0.9995024	0.9998998	998070	86H1486	TERR	181 10 33	235.309	235.426						
		N	5968759.056														
		El	653.031					CVD28BC									
457119	86H1479	E	514008.238	0.9994991	0.9998966	572248	86H1494	TERR	91 46 39	149.202	149.276						
		N	5968208.504					132001	86H1484			TERR	295 28 50	120.389	120.450		
		El	673.153									CVD28BC					
579979	86H1480	E	512736.234	0.9994863	0.9998843	604355	86H1470	TERR	0 6 35	178.269	178.362						
		N	5967316.896					429456	86H1483			TERR	179 31 41	225.217	225.332		
		El	751.924									CVD28BC					
429456	86H1483	E	512738.089	0.9994876	0.9998855	840819	86H1511	TERR	270 0 54	439.915	440.141						
		N	5967091.687					579979	86H1480			TERR	359 31 41	225.217	225.332		
		El	744.075									CVD28BC					
132001	86H1484	E	513899.559	0.9994990	0.9998966	792630	LEGAL RP2	GPS	43 40 59	4052.147	4054.150						
		N	5968260.296					79H9425	GPS			87 26 7	8710.780	8715.127			
		El	673.488					CVD28BC				457119	86H1479	TERR	115 28 50	120.389	120.450
		750661	86H1792					GPS	122 16 44			4289.522	4291.642				
		234534	729-J2					GPS	128 14 6			11102.025	11107.555				
		848200	86H1500					GPS	220 52 18			6855.142	6858.621				
		214965	86H1671					TERR	314 49 36			367.618	367.802				
		503441	787002					GPS	340 36 40			6001.009	6004.013				
431791	86H1485	E	511960.219	0.9994831	0.9998813	980441	86H1471	TERR	178 16 35	206.767	206.873						
		N	5967292.200					782326	86H1509			TERR	359 40 57	314.478	314.641		
		El	771.153									CVD28BC					
998070	86H1486	E	514553.808	0.9995019	0.9998992	549964	86H1478	TERR	1 10 33	235.309	235.426						
		N	5968523.797					860320	86H1473			TERR	179 14 28	274.643	274.780		
		El	656.683									CVD28BC					
903047	86H1489	E	514559.079	0.9995021	0.9998994	860320	86H1473	TERR	359 43 2	330.949	331.113						
		N	5967918.233														
		El	655.314					CVD28BC									

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
324426	86H1491	E	514492.683	0.9995022	0.9998996	860320	86H1473	TERR	54 21 55	79.684	79.723		
		N	5968202.753					572248	86H1494	TERR	270 11 31	335.317	335.485
		El	654.469					CVD28BC					
556316	86H1492	E	511560.539	0.9994846	0.9998829	55285	86H1695	TERR	176 55 5	164.013	164.097		
		N	5964841.709					464057	86H1512	TERR	295 29 23	184.013	184.108
		El	760.792					CVD28BC					
217166	86H1493	E	514707.240	0.9995035	0.9999008	17772	86H1561	TERR	96 29 15	188.998	189.091		
		N	5968912.465					33159	86H1673	TERR	289 42 58	270.522	270.657
		El	646.281					CVD28BC					
572248	86H1494	E	514157.368	0.9994997	0.9998972	324426	86H1491	TERR	90 11 31	335.317	335.485		
		N	5968203.876					457119	86H1479	TERR	271 46 39	149.202	149.276
		El	669.802					CVD28BC					
721993	86H1495	E	510612.927	0.9994826	0.9998812	449769	86H1497	TERR	201 44 9	163.201	163.286		
		N	5963708.834					568907	86H1490	TERR	356 25 58	199.210	199.312
		El	771.592					CVD28BC					
78303	86H1496	E	512175.426	0.9994878	0.9998860	667345	86H1506	TERR	180 55 27	397.252	397.456		
		N	5965076.022					860510	86H1504	TERR	359 37 54	412.388	412.599
		El	741.304					CVD28BC					
449769	86H1497	E	510552.489	0.9994839	0.9998825	721993	86H1495	TERR	21 44 9	163.201	163.286		
		N	5963557.236					540682	86H1507	TERR	246 0 51	451.207	451.440
		El	763.278					CVD28BC					
543561	86H1498	E	509689.134	0.9994862	0.9998850	68148	86H1476	TERR	182 44 26	181.114	181.206		
		N	5963259.033					492850	86H1518	TERR	359 56 6	597.772	598.081
		El	747.224					CVD28BC					
871772	86H1499	E	512302.155	0.9994842	0.9998823	79046	86H1475	TERR	359 57 10	125.057	125.122		
		N	5967334.203										
		El	764.896					CVD28BC					

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
848200	86H1500	E	509413.771	0.9994866	0.9998855	503441	787002	GPS	12 56 59	11127.362	11133.001	
		N	5963076.603			132001	86H1484	GPS	40 52 18	6855.142	6858.621	
		E1	744.429			CVD28BC	750661	86H1792	GPS	70 22 25	8612.784	8617.094
							234534	729-J2	GPS	97 16 50	13313.552	13320.267
						470021	86H1517	TERR	359 46 14	819.674	820.096	
884783	86H1501	E	509125.553	0.9994837	0.9998826	238758	86H1502	TERR	64 25 14	314.925	315.087	
		N	5964216.539			571190	86H1519	TERR	245 29 32	713.568	713.936	
		E1	762.435			CVD28BC						
238758	86H1502	E	509409.611	0.9994837	0.9998825	755322	79H9438	TERR	63 2 43	1045.472	1046.014	
		N	5964352.512			470021	86H1517	TERR	179 53 23	456.243	456.479	
		E1	763.229			CVD28BC	884783	86H1501	TERR	244 25 14	314.925	315.087
279844	86H1503	E	515108.054	0.9995068	0.9999039	702407	86H1554	TERR	84 35 14	360.394	360.571	
		N	5966730.910			579052	86H1551	TERR	356 35 43	164.421	164.502	
		E1	626.531			CVD28BC						
860510	86H1504	E	512172.775	0.9994864	0.9998846	78303	86H1496	TERR	179 37 54	412.388	412.599	
		N	5965488.401			535252	86H1505	TERR	268 36 46	401.885	402.092	
		E1	750.134			CVD28BC						
535252	86H1505	E	511771.008	0.9994867	0.9998849	860510	86H1504	TERR	88 36 46	401.885	402.092	
		N	5965478.672			433524	86H1714	TERR	180 10 29	265.480	265.616	
		E1	747.745			CVD28BC	789396	86H1683	TERR	269 6 46	204.835	204.940
667345	86H1506	E	512169.018	0.9994854	0.9998836	78303	86H1496	TERR	0 55 27	397.252	397.456	
		N	5964678.822									
		E1	756.565			CVD28BC						
657452	86H1508	E	511772.650	0.9994846	0.9998828	433524	86H1714	TERR	359 43 26	508.744	509.007	
		N	5964704.455									
		E1	761.182			CVD28BC						
782326	86H1509	E	511958.477	0.9994863	0.9998845	395145	79H8459	TERR	20 48 32	365.911	366.100	
		N	5967606.673			431791	86H1485	TERR	179 40 57	314.478	314.641	
		E1	750.294			CVD28BC	303651	86H1732	TERR	250 36 35	219.067	219.178

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
733212	86H1523	E	516041.024	0.9995051	0.9999019	987669	86H1528	TERR	25 44 10	523.326	523.585
		N	5978063.284								
		E1	639.390	CVD28BC							
347427	86H1524	E	515833.046	0.9995018	0.9998987	40261	86H1527	TERR	112 15 40	324.972	325.134
		N	5979614.598			50880	86H1539	TERR	289 28 2	250.005	250.129
		E1	659.777	CVD28BC							
981068	86H1525	E	516647.140	0.9995045	0.9999010	857235	86H1522	TERR	45 30 15	216.304	216.410
		N	5979317.764			365353	86H1531	TERR	205 52 28	470.786	471.019
		E1	645.228	CVD28BC		40261	86H1527	TERR	288 41 49	541.943	542.212
550202	86H1526	E	515425.056	0.9995160	0.9999130	591123	86H1765	TERR	2 11 16	403.930	404.126
		N	5970323.657								
		E1	568.702	CVD28BC							
40261	86H1527	E	516133.797	0.9995029	0.9998996	981068	86H1525	TERR	108 41 49	541.943	542.212
		N	5979491.490			347427	86H1524	TERR	292 15 40	324.972	325.134
		E1	654.063	CVD28BC							
987669	86H1528	E	516268.266	0.9995049	0.9999016	365353	86H1531	TERR	25 45 15	399.122	399.319
		N	5978534.698			733212	86H1523	TERR	205 44 10	523.326	523.585
		E1	641.505	CVD28BC							
578658	86H1529	E	514615.828	0.9995048	0.9999021	945600	86H1548	TERR	74 59 3	126.873	126.936
		N	5969795.900			114892	86H1552	TERR	222 5 59	144.038	144.110
		E1	638.098	CVD28BC							
308619	86H1530	E	517563.795	0.9995035	0.9998997	184515	86H1534	TERR	99 44 59	442.491	442.711
		N	5979501.679			88724	86H1563	TERR	278 25 24	433.356	433.571
		E1	653.948	CVD28BC							
365353	86H1531	E	516441.688	0.9995047	0.9999014	981068	86H1525	TERR	25 52 28	470.786	471.019
		N	5978894.174			987669	86H1528	TERR	205 45 15	399.122	399.319
		E1	642.931	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
856179	86H1532	E	515956.161	0.9995022	0.9998990	681742	86H1535	TERR	196 32 19	538.250	538.517
		N	5979333.469								
		El	658.073	CVD28BC							
419176	86H1533	E	515630.795	0.9995092	0.9999061	484246	86H1828	TERR	11 59 60	181.650	181.739
		N	5967816.852			916221	86H1859	TERR	113 2 26	219.862	219.969
		El	612.504	CVD28BC							
184515	86H1534	E	517999.895	0.9995029	0.9998989	556969	86H1562	TERR	123 30 22	354.894	355.071
		N	5979426.746			308619	86H1530	TERR	279 44 59	442.491	442.711
		El	658.682	CVD28BC							
681742	86H1535	E	515802.941	0.9995038	0.9999007	856179	86H1532	TERR	16 32 19	538.250	538.517
		N	5978817.488			77032	86H1867	TERR	183 49 22	241.794	241.914
		El	647.400	CVD28BC							
928176	86H1536	E	515280.020	0.9995024	0.9998995	50880	86H1539	TERR	93 32 26	317.920	318.079
		N	5979717.549			85191	86H1852	TERR	190 2 16	410.222	410.427
		El	655.151	CVD28BC							
965566	86H1537	E	514756.442	0.9995036	0.9999009	434159	86H1560	TERR	87 31 22	269.714	269.847
		N	5967804.141			624783	86H1474	TERR	234 18 38	259.061	259.190
		El	646.096	CVD28BC							
78014	86H1538	E	515763.985	0.9995064	0.9999033	729392	86H1745	TERR	241 43 52	546.347	546.615
		N	5976055.310								
		El	630.669	CVD28BC							
50880	86H1539	E	515597.333	0.9995020	0.9998990	347427	86H1524	TERR	109 28 2	250.005	250.129
		N	5979697.916			928176	86H1536	TERR	273 32 26	317.920	318.079
		El	658.020	CVD28BC							
694604	86H1540	E	515079.554	0.9995081	0.9999052	409151	86H1558	TERR	6 44 32	223.866	223.976
		N	5967105.385			579052	86H1551	TERR	174 54 37	211.177	211.281
		El	618.269	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
561068	86H1541	E	515185.724	0.9995052	0.9999023	333856	86H1823	TERR	169 34 3	139.122	139.191						
		N	5968737.068					17772				86H1561	TERR	297 55 11	328.989	329.152	
		El	637.133					CVD28BC									
982538	86H1543	E	514695.708	0.9995026	0.9998999	229047	86H1831	TERR	22 43 40	196.939	197.037						
		N	5966932.678														
		El	652.468					CVD28BC									
610626	86H1544	E	514317.584	0.9995042	0.9999016	843698	86H1753	TERR	7 3 51	330.937	331.101						
		N	5969976.194					518514				86H1817	TERR	220 26 33	229.272	229.385	
		El	641.172					CVD28BC									
981241	86H1545	E	515051.785	0.9995057	0.9999029	822098	86H1821	TERR	21 14 38	190.081	190.175						
		N	5967552.811					413443				86H1700	TERR	77 52 52	2952.137	2953.596	
		El	633.042					CVD28BC				409151	86H1558	TERR	166 29 54	231.506	231.620
												509273	86H1569	TERR	237 59 52	135.483	135.549
150623	86H1546	E	515386.013	0.9995088	0.9999058	751776	86H1818	TERR	265 20 47	125.152	125.213						
		N	5967865.103					230748				86H1835	TERR	359 0 5	318.871	319.028	
		El	614.470					CVD28BC									
747931	86H1547	E	514887.510	0.9995056	0.9999028	945600	86H1548	TERR	287 42 38	156.561	156.639						
		N	5969781.144														
		El	633.591					CVD28BC									
945600	86H1548	E	514738.369	0.9995045	0.9999018	747931	86H1547	TERR	107 42 38	156.561	156.639						
		N	5969828.771					578658				86H1529	TERR	254 59 3	126.873	126.936	
		El	640.253					CVD28BC									
407023	86H1549	E	515337.803	0.9995087	0.9999058	950626	86H1827	TERR	40 55 52	276.365	276.501						
		N	5968372.724					230748				86H1835	TERR	167 16 11	193.556	193.651	
		El	614.947					CVD28BC				333856	86H1823	TERR	330 51 7	260.512	260.641
741181	86H1550	E	515716.463	0.9995056	0.9999026	23986	86H1568	TERR	192 11 53	112.384	112.440						
		N	5977349.363														
		El	635.256					CVD28BC									

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING						
579052	86H1551	E	515098.289	0.9995075	0.9999046	279844	86H1503	TERR	176 35 43	164.421	164.502		
		N	5966895.041					694604	86H1540	TERR	354 54 37	211.177	211.281
		El	622.162					CVD28BC					
114892	86H1552	E	514519.262	0.9995039	0.9999013	578658	86H1529	TERR	42 5 59	144.038	144.110		
		N	5969689.027					724294	86H1826	TERR	182 37 7	158.188	158.266
		El	643.293					CVD28BC					
372573	86H1553	E	515823.333	0.9995053	0.9999022	MARKER DESTROYED							
		N	5977613.188										
		El	637.576			CVD28BC							
702407	86H1554	E	515466.841	0.9995083	0.9999054	995035	86H1542	TERR	72 38 4	229.816	229.929		
		N	5966764.906					279844	86H1503	TERR	264 35 14	360.394	360.571
		El	617.446					CVD28BC					
237719	86H1555	E	514972.123	0.9995049	0.9999021	335539	86H1521	TERR	64 32 46	165.091	165.174		
		N	5969326.306					793638	86H1556	TERR	259 36 43	194.693	194.789
		El	638.525					CVD28BC		161117	86H1820	TERR	344 22 53
793638	86H1556	E	514780.621	0.9995045	0.9999018	237719	86H1555	TERR	79 36 43	194.693	194.789		
		N	5969291.200					296087	86H1672	TERR	289 51 17	269.864	269.998
		El	640.033					CVD28BC					
409151	86H1558	E	515105.836	0.9995083	0.9999055	934174	86H1559	TERR	92 45 56	311.377	311.530		
		N	5967327.703					694604	86H1540	TERR	186 44 32	223.866	223.976
		El	616.577					CVD28BC		981241	86H1545	TERR	346 29 54
934174	86H1559	E	515416.850	0.9995087	0.9999058	547448	86H1845	TERR	76 10 58	376.129	376.315		
		N	5967312.680					707604	86H1825	TERR	173 24 2	253.548	253.673
		El	614.972					CVD28BC		409151	86H1558	TERR	272 45 56
17772	86H1561	E	514895.028	0.9995043	0.9999015	561068	86H1541	TERR	117 55 11	328.989	329.152		
		N	5968891.111					217166	86H1493	TERR	276 29 15	188.998	189.091
		El	642.111					CVD28BC					

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
556969	86H1562	E	518295.815	0.9995022	0.9998980	184515	86H1534	TERR	303 30 22	354.894	355.071
		N	5979230.836								
		El	664.421	CVD28BC							
88724	86H1563	E	517135.114	0.9995038	0.9999002	308619	86H1530	TERR	98 25 24	433.356	433.571
		N	5979565.159			857235	86H1522	TERR	253 58 55	347.163	347.335
		El	650.529	CVD28BC							
638767	86H1564	E	515633.349	0.9995088	0.9999057	78121	86H1819	TERR	39 13 30	195.484	195.580
		N	5967044.363			707604	86H1825	TERR	275 1 3	188.080	188.172
		El	615.028	CVD28BC							
466292	86H1565	E	515633.722	0.9995093	0.9999062	849323	86H1855	TERR	176 50 29	292.670	292.813
		N	5968475.737			950626	86H1827	TERR	312 38 38	156.147	156.223
		El	611.884	CVD28BC							
617753	86H1566	E	515436.940	0.9995089	0.9999060	187609	86H1567	TERR	11 54 29	341.350	341.518
		N	5968741.546			950626	86H1827	TERR	152 53 26	179.780	179.868
		El	613.687	CVD28BC							
187609	86H1567	E	515507.375	0.9995088	0.9999058	617753	86H1566	TERR	191 54 29	341.350	341.518
		N	5969075.550			215772	86H1842	TERR	343 1 51	205.794	205.895
		El	614.515	CVD28BC							
23986	86H1568	E	515692.717	0.9995056	0.9999025	741181	86H1550	TERR	12 11 53	112.384	112.440
		N	5977239.516			108852	86H1570	TERR	175 6 47	550.849	551.122
		El	635.790	CVD28BC		131789	86H1580	TERR	340 9 3	366.726	366.908
108852	86H1570	E	515739.643	0.9995052	0.9999021	23986	86H1568	TERR	355 6 47	550.849	551.122
		N	5976690.669								
		El	638.400	CVD28BC							
393462	86H1572	E	512560.970	0.9994806	0.9998786	605360	86H1579	TERR	129 50 48	453.123	453.358
		N	5981618.267			504365	86H1616	TERR	321 5 42	226.441	226.559
		El	788.198	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING					
692731	86H1574	E	512310.075	0.9995038	0.9999019	732693 26963	86H1606	TERR	53 55 36	241.217	241.338	
		N	5979375.640				86H1759	TERR	191 56 54	525.612	525.870	
		El	639.490	CVD28BC								
787333	86H1575	E	513009.268	0.9994871	0.9998849	184762 466185 605360	86H1612	TERR	80 0 10	208.878	208.985	
		N	5981071.228				86H1604	TERR	157 39 7	451.200	451.431	
		El	747.739	CVD28BC				86H1579	TERR	338 38 16	275.645	275.787
514182	86H1576	E	514784.434	0.9995012	0.9998985	403162	86H1619	TERR	350 54 7	332.900	333.066	
		N	5980027.761									
		El	661.059	CVD28BC								
331272	86H1577	E	517364.075	0.9995164	0.9999127	167767 879999	86H1591	TERR	91 10 42	578.591	578.871	
		N	5975733.736				86H1596	TERR	270 24 52	556.968	557.238	
		El	570.728	CVD28BC								
37895	86H1578	E	518354.118	0.9995162	0.9999120	909713 167767	86H1585	TERR	102 27 51	612.239	612.537	
		N	5975709.138				86H1591	TERR	271 46 3	411.770	411.969	
		El	575.222	CVD28BC								
605360	86H1579	E	512908.861	0.9994842	0.9998821	787333 393462	86H1575	TERR	158 38 16	275.645	275.787	
		N	5981327.935				86H1572	TERR	309 50 48	453.123	453.358	
		El	765.981	CVD28BC								
131789	86H1580	E	515568.197	0.9995052	0.9999022	23986	86H1568	TERR	160 9 3	366.726	366.908	
		N	5977584.455									
		El	637.784	CVD28BC								
856856	86H1581	E	515192.811	0.9994967	0.9998938	827535 203620	86H1854	TERR	176 41 22	558.652	558.933	
		N	5980882.910				86H1592	TERR	318 21 24	772.021	772.410	
		El	691.201	CVD28BC								
808311	86H1582	E	512782.648	0.9994997	0.9998977	916353 732693	86H1586	TERR	88 1 37	316.078	316.236	
		N	5979562.300				86H1606	TERR	260 52 3	281.170	281.310	
		El	666.282	CVD28BC								

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
28712	86H1584	E	513456.875	0.9994979	0.9998956	181404	86H1615	TERR	192 42 47	339.370	339.540		
		N	5980113.442					466185	86H1604	TERR	332 56 40	606.889	607.196
		El	679.514					CVD28BC					
909713	86H1585	E	518951.927	0.9995140	0.9999096	10827	86H1587	TERR	103 53 28	974.627	975.101		
		N	5975576.998					37895	86H1578	TERR	282 27 51	612.239	612.537
		El	590.527					CVD28BC					
916353	86H1586	E	513098.539	0.9994998	0.9998977	181404	86H1615	TERR	53 35 21	352.459	352.635		
		N	5979573.182					808311	86H1582	TERR	268 1 37	316.078	316.236
		El	666.420					CVD28BC					
10827	86H1587	E	519898.050	0.9995145	0.9999096	65680	79HA114	TERR	95 50 35	296.191	296.335		
		N	5975343.011					909713	86H1585	TERR	283 53 28	974.627	975.101
		El	590.644					CVD28BC					
754697	86H1588	E	511096.672	0.9994830	0.9998815	497214	86H1633	TERR	282 53 51	169.243	169.331		
		N	5984797.078										
		El	769.905					CVD28BC					
546341	86H1589	E	515613.533	0.9995037	0.9999007	550558	86H1520	TERR	217 20 50	203.555	203.656		
		N	5979327.620										
		El	647.445					CVD28BC					
728253	86H1590	E	513705.922	0.9994890	0.9998866	108613	86H1713	TERR	152 40 39	325.543	325.709		
		N	5980246.645					396069	86H1641	TERR	303 57 42	180.563	180.655
		El	736.875					CVD28BC					
167767	86H1591	E	517942.544	0.9995168	0.9999128	37895	86H1578	TERR	91 46 3	411.770	411.969		
		N	5975721.839					331272	86H1577	TERR	271 10 42	578.591	578.871
		El	570.140					CVD28BC					
203620	86H1592	E	514679.811	0.9994948	0.9998921	856856	86H1581	TERR	138 21 24	772.021	772.410		
		N	5981459.839					84129	86H1605	TERR	260 50 12	214.813	214.922
		El	702.150					CVD28BC		541136	86H1624	TERR	326 53 38

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
517896	86H1593	E	511361.538	0.9994835	0.9998818	49767	86H1647	TERR	85 48 14	260.972	261.106
		N	5984513.179								
		E1	767.430	CVD28BC							
431874	86H1594	E	515563.228	0.9995048	0.9999018	263343	86H1850	TERR	337 59 58	260.725	260.854
		N	5978046.331								
		E1	639.952	CVD28BC							
315390	86H1595	E	513390.035	0.9994878	0.9998855	184762	86H1612	TERR	330 12 46	352.392	352.573
		N	5980801.656								
		E1	743.946	CVD28BC							
879999	86H1596	E	516807.122	0.9995161	0.9999126	331272	86H1577	TERR	90 24 52	556.968	557.238
		N	5975737.765			299354	86H1687	TERR	254 36 23	586.365	586.648
		E1	571.402	CVD28BC							
687475	86H1597	E	513435.445	0.9994860	0.9998837	587865	86H1638	TERR	328 29 28	179.930	180.023
		N	5981444.093								
		E1	755.718	CVD28BC							
862193	86H1598	E	511827.589	0.9994837	0.9998820						
		N	5984571.517								
		E1	766.558	CVD28BC							
296186	86H1599	E	513792.589	0.9994882	0.9998859	761486	86H1640	TERR	180 8 3	241.922	242.046
		N	5980823.734								
		E1	741.861	CVD28BC							
63594	86H1600	E	515863.086	0.9995156	0.9999125	299354	86H1687	TERR	92 44 6	379.139	379.323
		N	5975600.207			790758	86H1802	TERR	260 29 27	283.861	283.999
		E1	571.999	CVD28BC							
823237	86H1601	E	513675.783	0.9994873	0.9998849	800581	86H1617	TERR	177 11 43	152.216	152.294
		N	5981089.687			31195	86H1608	TERR	339 53 3	189.329	189.426
		E1	747.934	CVD28BC							

MARKER DESTROYED

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
635888	86H1603	E	512291.319	0.9994804	0.9998785	685396	86H1666	TERR	315 38 28	269.233	269.373
		N	5982176.609								
		El	788.664	CVD28BC							
466185	86H1604	E	513180.829	0.9994917	0.9998895	28712	86H1584	TERR	152 56 40	606.889	607.196
		N	5980653.917			787333	86H1575	TERR	337 39 7	451.200	451.431
		El	718.423	CVD28BC							
84129	86H1605	E	514467.739	0.9994950	0.9998924	203620	86H1592	TERR	80 50 12	214.813	214.922
		N	5981425.630								
		El	700.057	CVD28BC							
732693	86H1606	E	512505.042	0.9995013	0.9998993	808311	86H1582	TERR	80 52 3	281.170	281.310
		N	5979517.673			692731	86H1574	TERR	233 55 36	241.217	241.338
		El	656.089	CVD28BC							
88948	86H1607	E	513911.392	0.9994907	0.9998882	152686	86H1611	TERR	113 20 6	264.797	264.932
		N	5981458.322			660001	86H1609	TERR	265 33 55	112.656	112.713
		El	726.664	CVD28BC							
31195	86H1608	E	513610.669	0.9994868	0.9998845	441626	86H1614	TERR	5 0 25	176.633	176.723
		N	5981267.467			823237	86H1601	TERR	159 53 3	189.329	189.426
		El	750.442	CVD28BC							
660001	86H1609	E	513799.073	0.9994902	0.9998879	88948	86H1607	TERR	85 33 55	112.656	112.713
		N	5981449.611								
		El	729.153	CVD28BC							
981035	86H1610	E	511828.414	0.9994840	0.9998822	96529	86H1571	TERR	182 13 35	409.102	409.313
		N	5984145.351								
		El	765.127	CVD28BC							
152686	86H1611	E	514154.530	0.9994923	0.9998898	750786	86H1642	TERR	163 10 34	192.888	192.986
		N	5981353.434			88948	86H1607	TERR	293 20 6	264.797	264.932
		El	716.646	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
184762	86H1612	E	513214.974	0.9994856	0.9998835	269001	86H1865	TERR	58 54 26	186.668	186.764
		N	5981107.489			315390	86H1595	TERR	150 12 46	352.392	352.573
		E1	757.229	CVD28BC		787333	86H1575	TERR	260 0 10	208.878	208.985
702555	86H1613	E	514006.742	0.9994897	0.9998872	108613	86H1713	TERR	309 43 0	196.819	196.920
		N	5979831.655								
		E1	733.187	CVD28BC							
441626	86H1614	E	513626.085	0.9994872	0.9998849	31195	86H1608	TERR	185 0 25	176.633	176.723
		N	5981443.426								
		E1	747.950	CVD28BC							
181404	86H1615	E	513382.191	0.9994999	0.9998976	28712	86H1584	TERR	12 42 47	339.370	339.540
		N	5979782.392			916353	86H1586	TERR	233 35 21	352.459	352.635
		E1	666.693	CVD28BC							
504365	86H1616	E	512418.758	0.9994794	0.9998774	104836	86H1863	TERR	83 33 10	144.386	144.461
		N	5981794.481			393462	86H1572	TERR	141 5 42	226.441	226.559
		E1	795.714	CVD28BC							
800581	86H1617	E	513683.231	0.9994873	0.9998849	804757	86H1618	TERR	218 35 30	191.694	191.793
		N	5980937.653			823237	86H1601	TERR	357 11 43	152.216	152.294
		E1	747.816	CVD28BC							
804757	86H1618	E	513563.659	0.9994879	0.9998856	800581	86H1617	TERR	38 35 30	191.694	191.793
		N	5980787.823								
		E1	743.400	CVD28BC							
403162	86H1619	E	514731.794	0.9994987	0.9998960	514182	86H1576	TERR	170 54 7	332.900	333.066
		N	5980356.473								
		E1	677.322	CVD28BC							
997882	86H1620	E	514429.739	0.9994900	0.9998874	541136	86H1624	TERR	169 23 0	241.712	241.834
		N	5982012.636			732594	86H1656	TERR	306 8 23	290.248	290.396
		E1	731.960	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
232835	86H1621	E	514178.211	0.9994897	0.9998872	719187	86H1662	TERR	89 41 43	408.150	408.358					
		N	5982815.679					762104				86H1654	TERR	253 18 57	236.096	236.217
		E1	733.321					CVD28BC								
745828	86H1623	E	513823.931	0.9994887	0.9998863	523118	86H1664	TERR	273 32 22	342.133	342.307					
		N	5982032.653													
		E1	739.299					CVD28BC								
541136	86H1624	E	514474.271	0.9994912	0.9998886	203620	86H1592	TERR	146 53 38	376.314	376.505					
		N	5981775.062					997882				86H1620	TERR	349 23 0	241.712	241.834
		E1	724.547					CVD28BC								
277426	86H1625	E	512403.752	0.9994822	0.9998803	740290	86H1856	TERR	90 1 13	342.612	342.790					
		N	5982808.290					662114				86H1658	TERR	181 12 57	314.358	314.521
		E1	777.573					CVD28BC								
620831	86H1626	E	513048.586	0.9994829	0.9998808	18531	86H1864	TERR	268 36 20	203.530	203.635					
		N	5981904.489					95554				86H1628	TERR	357 57 19	400.370	400.577
		E1	774.212					CVD28BC								
95554	86H1628	E	513034.300	0.9994844	0.9998823	193987	86H1646	TERR	91 55 12	325.499	325.667					
		N	5982304.604					620831				86H1626	TERR	177 57 19	400.370	400.577
		E1	764.542					CVD28BC				445049	86H1860	TERR	359 15 19	291.223
476622	86H1630	E	513024.094	0.9994864	0.9998843	625558	86H1704	TERR	1 6 17	401.094	401.300					
		N	5983935.686					844167				86H1639	TERR	178 33 13	420.988	421.204
		E1	751.850					CVD28BC				679381	86H1622	TERR	310 5 57	341.200
169250	86H1631	E	513798.148	0.9994888	0.9998864	838235	86H1814	TERR	62 22 3	200.145	200.247					
		N	5982293.780													
		E1	738.595					CVD28BC								
53595	86H1632	E	512764.558	0.9994854	0.9998834	693499	86H1643	TERR	182 52 17	177.937	178.029					
		N	5983690.520					679381				86H1622	TERR	359 49 13	464.939	465.179
		E1	757.626					CVD28BC								

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
497214	86H1633	E	510931.699	0.9994822	0.9998807	754697	86H1588	TERR	102 53 51	169.243	169.331
		N	5984834.854			765669	79H9422	TERR	247 18 43	338.757	338.933
		El	774.519	CVD28BC							
662916	86H1634	E	513233.333	0.9994842	0.9998820	875153	86H1644	TERR	0 50 27	187.804	187.901
		N	5981896.077								
		El	766.457	CVD28BC							
549808	86H1635	E	513449.054	0.9994863	0.9998840	688853	86H1655	TERR	90 13 53	269.270	269.408
		N	5982590.071			445049	86H1860	TERR	270 47 4	418.578	418.793
		El	753.607	CVD28BC							
529560	86H1636	E	513665.364	0.9994930	0.9998906	116913	86H1645	TERR	53 30 21	128.681	128.746
		N	5981715.789			869149	86H1649	TERR	176 24 5	128.543	128.609
		El	711.353	CVD28BC							
587865	86H1638	E	513341.408	0.9994849	0.9998827	687475	86H1597	TERR	148 29 28	179.930	180.023
		N	5981597.494			258129	86H1652	TERR	293 14 41	237.867	237.990
		El	762.183	CVD28BC							
844167	86H1639	E	513034.721	0.9994860	0.9998838	404145	86H1857	TERR	180 54 26	409.301	409.512
		N	5983514.832			476622	86H1630	TERR	358 33 13	420.988	421.204
		El	754.843	CVD28BC							
761486	86H1640	E	513792.023	0.9994889	0.9998865	296186	86H1599	TERR	0 8 3	241.922	242.046
		N	5980581.813			396069	86H1641	TERR	225 11 26	332.456	332.626
		El	737.977	CVD28BC							
396069	86H1641	E	513556.161	0.9994888	0.9998865	761486	86H1640	TERR	45 11 26	332.456	332.626
		N	5980347.514			728253	86H1590	TERR	123 57 42	180.563	180.655
		El	738.011	CVD28BC			596221	86H1667	TERR	320 24 8	143.121
750786	86H1642	E	514210.358	0.9994932	0.9998906	419671	86H1668	TERR	92 56 15	253.471	253.599
		N	5981168.802			152686	86H1611	TERR	343 10 34	192.888	192.986
		El	711.389	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
693499	86H1643	E	512755.644	0.9994857	0.9998837	53595	86H1632	TERR	2 52 17	177.937	178.029
		N	5983512.806								
		El	755.872	CVD28BC							
875153	86H1644	E	513236.089	0.9994849	0.9998828	662916	86H1634	TERR	180 50 27	187.804	187.901
		N	5982083.861								
		El	761.736	CVD28BC							
116913	86H1645	E	513768.813	0.9994922	0.9998898	698944	86H1660	TERR	84 10 2	249.857	249.983
		N	5981792.321			529560	86H1636	TERR	233 30 21	128.681	128.746
		El	716.755	CVD28BC							
193987	86H1646	E	513359.616	0.9994859	0.9998837	95554	86H1628	TERR	271 55 12	325.499	325.667
		N	5982293.698								
		El	755.706	CVD28BC							
49767	86H1647	E	511621.810	0.9994836	0.9998819	571240	86H1637	TERR	179 42 21	390.388	390.590
		N	5984532.274			517896	86H1593	TERR	265 48 14	260.972	261.106
		El	766.812	CVD28BC							
917302	86H1648	E	514013.489	0.9994894	0.9998870	646182	86H1653	TERR	90 1 41	158.541	158.622
		N	5983068.069								
		El	734.841	CVD28BC							
425769	86H1650	E	513410.773	0.9994870	0.9998847	515916	86H1663	TERR	89 33 20	232.498	232.617
		N	5983118.214								
		El	749.092	CVD28BC							
258129	86H1652	E	513122.849	0.9994828	0.9998807	587865	86H1638	TERR	113 14 41	237.867	237.990
		N	5981691.370								
		El	774.996	CVD28BC							
646182	86H1653	E	514172.030	0.9994896	0.9998871	917302	86H1648	TERR	270 1 41	158.541	158.622
		N	5983067.991								
		El	733.864	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
762104	86H1654	E	513952.054	0.9994892	0.9998868	232835	86H1621	TERR	73 18 57	236.096	236.217
		N	5982747.897								
		El	735.999	CVD28BC							
688853	86H1655	E	513718.322	0.9994885	0.9998862	838235	86H1814	TERR	128 12 13	327.228	327.396
		N	5982588.984			549808	86H1635	TERR	270 13 53	269.270	269.408
		El	739.824	CVD28BC							
732594	86H1656	E	514195.340	0.9994896	0.9998870	997882	86H1620	TERR	126 8 23	290.248	290.396
		N	5982183.811			250787	86H1651	TERR	214 0 4	182.344	182.437
		El	734.349	CVD28BC		838235	86H1814	TERR	312 41 9	299.118	299.271
333120	86H1657	E	514098.496	0.9994914	0.9998890	698944	86H1660	TERR	246 6 7	88.727	88.772
		N	5981853.657			250787	86H1651	TERR	358 21 37	179.059	179.151
		El	722.146	CVD28BC							
662114	86H1658	E	512397.081	0.9994823	0.9998803	277426	86H1625	TERR	1 12 57	314.358	314.521
		N	5982494.003			277756	86H1861	TERR	134 21 31	287.226	287.375
		El	777.149	CVD28BC							
785113	86H1659	E	513644.170	0.9994888	0.9998865	515916	86H1663	TERR	180 9 34	325.604	325.770
		N	5983445.621								
		El	738.053	CVD28BC							
698944	86H1660	E	514017.376	0.9994911	0.9998886	333120	86H1657	TERR	66 6 7	88.727	88.772
		N	5981817.713			116913	86H1645	TERR	264 10 2	249.857	249.983
		El	724.292	CVD28BC							
719187	86H1662	E	514586.355	0.9994900	0.9998873	232835	86H1621	TERR	269 41 43	408.150	408.358
		N	5982817.850								
		El	732.718	CVD28BC							
515916	86H1663	E	513643.264	0.9994887	0.9998864	785113	86H1659	TERR	0 9 34	325.604	325.770
		N	5983120.018			425769	86H1650	TERR	269 33 20	232.498	232.617
		El	738.526	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
523118	86H1664	E	513482.451	0.9994871	0.9998848	745828	86H1623	TERR	93 32 22	342.133	342.307
		N	5982053.775								
		El	748.344	CVD28BC							
105874	86H1665	E	514632.093	0.9994901	0.9998875	73395	86H1805	TERR	177 5 9	155.939	156.018
		N	5982546.434								
		El	731.694	CVD28BC							
685396	86H1666	E	512103.085	0.9994816	0.9998798	635888	86H1603	TERR	135 38 28	269.233	269.373
		N	5982369.104			873430	86H1583	TERR	311 51 30	771.919	772.319
		El	780.633	CVD28BC							
596221	86H1667	E	513464.937	0.9994885	0.9998862	396069	86H1641	TERR	140 24 8	143.121	143.194
		N	5980457.794			79954	86H1669	TERR	334 12 40	178.841	178.933
		El	739.646	CVD28BC							
419671	86H1668	E	514463.496	0.9994943	0.9998917	750786	86H1642	TERR	272 56 15	253.471	253.599
		N	5981155.813								
		El	704.631	CVD28BC							
79954	86H1669	E	513387.131	0.9994883	0.9998860	596221	86H1667	TERR	154 12 40	178.841	178.933
		N	5980618.823								
		El	740.700	CVD28BC							
682450	86H1670	E	513361.587	0.9994932	0.9998909	214965	86H1671	TERR	67 16 8	300.588	300.739
		N	5968403.304			10819	86H1746	TERR	228 41 3	428.444	428.662
		El	709.555	CVD28BC							
214965	86H1671	E	513638.828	0.9994961	0.9998937	105403	86H1706	TERR	71 25 32	366.607	366.791
		N	5968519.453			132001	86H1484	TERR	134 49 36	367.618	367.802
		El	691.692	CVD28BC		682450	86H1670	TERR	247 16 8	300.588	300.739
296087	86H1672	E	514526.799	0.9995035	0.9999009	793638	86H1556	TERR	109 51 17	269.864	269.998
		N	5969382.856			636571	86H1691	TERR	194 24 34	176.596	176.684
		El	645.911	CVD28BC		724294	86H1826	TERR	354 18 32	148.882	148.956

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
33159	86H1673	E	514452.577	0.9995026	0.9999000	636571	86H1691	TERR	8 16 42	210.278	210.382		
		N	5969003.728					TERR	109 42 58			270.522	270.657
		E1	651.803					CVD28BC	288357			86H1685	TERR
831305	86H1674	E	513261.252	0.9995096	0.9999074	MARKER DESTROYED							
		N	5977775.185										
		E1	604.522			CVD28BC							
398842	86H1675	E	510944.393	0.9994864	0.9998849	566463	86H1681	TERR	31 26 5	627.222	627.544		
		N	5965800.715					TERR	138 55 43			435.660	435.885
		E1	748.285					CVD28BC	870857			86H1708	TERR
504167	86H1676	E	513110.244	0.9995101	0.9999079	MARKER DESTROYED							
		N	5977402.508										
		E1	600.903			CVD28BC							
557124	86H1677	E	511675.062	0.9994881	0.9998864	303651	86H1732	TERR	9 38 25	458.456	458.692		
		N	5967081.961					TERR	200 33 1			323.242	323.407
		E1	738.281					CVD28BC	710962			86H1679	TERR
25155	86H1678	E	513938.319	0.9995118	0.9999094	334383	86H1768	TERR	170 18 37	288.212	288.352		
		N	5976493.142					TERR	342 8 23			232.145	232.258
		E1	591.563					CVD28BC	642397			86H1697	TERR
562561	86H1680	E	514237.860	0.9995014	0.9998988	288357	86H1685	TERR	48 27 52	141.520	141.591		
		N	5968734.296					TERR	248 41 59			269.963	270.098
		E1	659.120					CVD28BC	105403			86H1706	TERR
566463	86H1681	E	511271.505	0.9994888	0.9998871	710962	86H1679	TERR	33 11 38	529.869	530.139		
		N	5966335.883					TERR	211 26 5			627.222	627.544
		E1	733.676					CVD28BC	398842			86H1675	TERR
617274	86H1682	E	513257.659	0.9995104	0.9999082	MARKER DESTROYED							
		N	5977414.392										
		E1	599.465			CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
288357	86H1685	E	514343.794	0.9995021	0.9998995	33159	86H1673	TERR	31 46 45	206.558	206.661				
		N	5968828.136					86H1680				TERR	228 27 52	141.520	141.591
		El	654.599					CVD28BC							
359240	86H1686	E	513700.286	0.9995103	0.9999080	642397	86H1697	TERR	152 17 21	358.777	358.952				
		N	5977031.726												
		El	600.523					CVD28BC							
299354	86H1687	E	516241.793	0.9995158	0.9999126	879999	86H1596	TERR	74 36 23	586.365	586.648				
		N	5975582.115					86H1600				TERR	272 44 6	379.139	379.323
		El	571.556									CVD28BC			
885590	86H1688	E	510474.540	0.9994823	0.9998809	795195	86H1689	TERR	3 13 54	290.144	290.294				
		N	5964657.181					86H1705				TERR	87 26 22	369.742	369.933
		El	773.296					CVD28BC				86H1488	TERR	166 49 1	192.848
502617	86H1690	E	514075.412	0.9994899	0.9998874	119552	86H1709	TERR	39 27 54	679.667	680.014				
		N	5985996.110					79H9414				TERR	216 58 17	401.331	401.536
		El	731.706									CVD28BC			
636571	86H1691	E	514482.853	0.9995028	0.9999002	296087	86H1672	TERR	14 24 34	176.596	176.684				
		N	5969211.815					86H1673				TERR	188 16 42	210.278	210.382
		El	650.307									CVD28BC			
272377	86H1694	E	513422.615	0.9995104	0.9999082		MARKER DESTROYED								
55285	86H1695	E	511569.357	0.9994833	0.9998816	695205	86H1701	TERR	269 41 44	354.291	354.474				
		N	5964677.933					86H1492				TERR	356 55 5	164.013	164.097
		El	769.371									CVD28BC			
114595	86H1696	E	519089.170	0.9995016	0.9998971		MARKER DESTROYED								
		N	5967216.997												
		El	670.556	CVD28BC											

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
642397	86H1697	E	513867.121	0.9995107	0.9999083	25155	86H1678	TERR	162 8 23	232.145	232.258
		N	5976714.099			359240	86H1686	TERR	332 17 21	358.777	358.952
		El	598.715	CVD28BC							
27144	86H1698	E	510606.950	0.9994842	0.9998828	870857	86H1708	TERR	28 51 51	320.037	320.203
		N	5965220.056			795195	86H1689	TERR	203 0 58	296.821	296.974
		El	761.714	CVD28BC		755322	79H9438	TERR	213 59 32	474.781	475.026
904813	86H1699	E	511230.621	0.9994848	0.9998833	789396	86H1683	TERR	89 26 57	335.593	335.765
		N	5965472.274			493734	86H1513	TERR	161 19 49	113.198	113.255
		El	758.561	CVD28BC		398842	86H1675	TERR	318 55 43	435.660	435.885
413443	86H1700	E	517938.132	0.9995067	0.9999027	981241	86H1545	TERR	257 52 52	2952.137	2953.596
		N	5968172.581			893339	86H1749	TERR	264 25 16	185.086	185.177
		El	634.513	CVD28BC		916742	86H1711	TERR	312 34 5	252.917	253.043
695205	86H1701	E	511215.071	0.9994836	0.9998820	55285	86H1695	TERR	89 41 44	354.291	354.474
		N	5964676.051								
		El	766.289	CVD28BC							
138313	86H1702	E	518650.544	0.9995018	0.9998974		MARKER DESTROYED				
		N	5967652.041								
		El	668.116	CVD28BC							
619304	86H1703	E	515136.547	0.9994912	0.9998884	242289	86H1718	TERR	39 27 49	835.481	835.906
		N	5987285.442			519314	86H1707	TERR	219 23 26	504.788	505.045
		El	725.901	CVD28BC							
625558	86H1704	E	513031.827	0.9994865	0.9998844	775668	86H1803	TERR	1 5 43	381.686	381.881
		N	5984336.705			476622	86H1630	TERR	181 6 17	401.094	401.300
		El	751.441	CVD28BC							
660282	86H1705	E	510843.913	0.9994833	0.9998818	885590	86H1688	TERR	267 26 22	369.742	369.933
		N	5964673.699								
		El	767.789	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
242289	86H1718	E	515667.567	0.9994936	0.9998906	434407	79H9417	TERR	41 44 54	537.204	537.475					
		N	5987930.458					619304				86H1703	TERR	219 27 49	835.481	835.906
		El	711.822					CVD28BC								
54742	86H1720	E	512731.156	0.9994884	0.9998864	387944	86H1722	TERR	64 21 14	148.533	148.609					
		N	5967907.847					604355				86H1470	TERR	179 14 52	412.718	412.929
		El	738.440					CVD28BC				532093	86H1735	TERR	258 7 26	448.717
563221	86H1721	E	511501.451	0.9995107	0.9999091	581108	80H2145	TERR	140 30 25	243.568	243.687					
		N	5977826.859					740407				86H1843	TERR	143 24 15	603.325	603.619
		El	593.673					CVD28BC				996363	86H1763	TERR	311 17 30	536.887
387944	86H1722	E	512865.056	0.9994889	0.9998868	10819	86H1746	TERR	49 40 36	229.188	229.306					
		N	5967972.134					54742				86H1720	TERR	244 21 14	148.533	148.609
		El	736.028					CVD28BC								
871673	86H1723	E	517347.996	0.9995125	0.9999087	976381	86H1731	TERR	250 19 53	335.155	335.319					
		N	5969816.898													
		El	595.897					CVD28BC								
549758	86H1724	E	517572.569	0.9995137	0.9999098	395707	86H1761	TERR	15 35 15	240.116	240.234					
		N	5965169.561													
		El	588.876					CVD28BC								
930842	86H1726	E	517964.029	0.9995120	0.9999080	16014	86H1758	TERR	189 14 45	581.582	581.866					
		N	5967158.090					773630				86H1727	TERR	350 3 14	712.947	713.295
		El	600.905					CVD28BC								
773630	86H1727	E	517840.887	0.9995119	0.9999080	930842	86H1726	TERR	170 3 14	712.947	713.295					
		N	5967860.322					893339				86H1749	TERR	343 32 10	306.847	306.998
		El	600.902					CVD28BC								
15115	86H1728	E	517244.660	0.9995122	0.9999085	MARKER DESTROYED										
		N	5970213.634													
		El	597.527	CVD28BC												

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
221648	86H1729	E	517063.157	0.9995145	0.9999109	436899	86H1742	TERR	128 13 60	452.130	452.349				
		N	5964995.265					86H1833				TERR	354 36 8	249.533	249.654
		El	582.382					CVD28BC							
976381	86H1731	E	517032.396	0.9995129	0.9999093	871673	86H1723	TERR	70 19 53	335.155	335.319				
		N	5969704.091					86H1740				TERR	339 36 56	570.738	571.015
		El	592.076					CVD28BC							
303651	86H1732	E	511751.836	0.9994868	0.9998851	782326	86H1509	TERR	70 36 35	219.067	219.178				
		N	5967533.943					86H1677				TERR	189 38 25	458.456	458.692
		El	746.825					CVD28BC							
294447	86H1733	E	516727.048	0.9995130	0.9999096	775429	86H1741	TERR	43 22 17	358.220	358.395				
		N	5970519.691					86H1740				TERR	159 12 27	300.153	300.299
		El	590.640					CVD28BC							
532093	86H1735	E	512292.044	0.9994870	0.9998851	54742	86H1720	TERR	78 7 26	448.717	448.947				
		N	5967815.503					86H1475				TERR	178 23 27	356.384	356.567
		El	746.747					CVD28BC							
890764	86H1736	E	508703.548	0.9995083	0.9999074			MARKER DESTROYED							
		N	5980128.044												
		El	604.532					CVD28BC							
570465	86H1737	E	516980.750	0.9995143	0.9999108	141986	86H1816	TERR	174 13 32	321.583	321.739				
		N	5965889.506												
		El	583.073					CVD28BC							
799791	86H1738	E	515003.260	0.9995122	0.9999094			MARKER DESTROYED							
		N	5975838.878												
		El	591.826					CVD28BC							
250696	86H1739	E	509733.593	0.9995102	0.9999090	459222	86H1762	TERR	136 59 57	390.941	391.133				
		N	5979516.228					86H1755				TERR	299 42 12	368.402	368.583
		El	594.255					CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
939447	86H1740	E	516833.598	0.9995130	0.9999094	976381	86H1731	TERR	159 36 56	570.738	571.015				
		N	5970239.087					86H1733				TERR	339 12 27	300.153	300.299
		El	591.477					CVD28BC							
775429	86H1741	E	516973.047	0.9995119	0.9999083	294447	86H1733	TERR	223 22 17	358.220	358.395				
		N	5970780.087					LEGAL RP2				TERR	326 12 28	494.069	494.310
		El	598.817					CVD28BC							
436899	86H1742	E	517418.304	0.9995150	0.9999113	221648	86H1729	TERR	308 13 60	452.130	452.349				
		N	5964715.458												
		El	579.823					CVD28BC							
568014	86H1744	E	513110.993	0.9995091	0.9999070	MARKER DESTROYED									
		N	5978060.411												
		El	606.942			CVD28BC									
729392	86H1745	E	515282.798	0.9995108	0.9999079	78014	86H1538	TERR	61 43 52	546.347	546.615				
		N	5975796.555												
		El	601.480					CVD28BC							
10819	86H1746	E	513039.790	0.9994896	0.9998875	682450	86H1670	TERR	48 41 3	428.444	428.662				
		N	5968120.442					86H1722				TERR	229 40 36	229.188	229.306
		El	731.371					CVD28BC							
670463	86H1747	E	515582.591	0.9995099	0.9999069	215772	86H1842	TERR	231 18 33	173.316	173.401				
		N	5969380.727												
		El	607.648					CVD28BC							
850552	86H1748	E	515325.650	0.9995126	0.9999097	911875	87H3528	TERR	288 52 59	217.119	217.225				
		N	5969843.577												
		El	589.832					CVD28BC							
893339	86H1749	E	517753.923	0.9995108	0.9999068	413443	86H1700	TERR	84 25 16	185.086	185.177				
		N	5968154.588					86H1727				TERR	163 32 10	306.847	306.998
		El	608.035					CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
806125	86H1750	E	508698.396	0.9995096	0.9999087	206292	86H1778	TERR	118 43 24	243.572	243.691
		N	5980748.335								
		El	596.030	CVD28BC							
163089	86H1751	E	512702.484	0.9995089	0.9999069		MARKER DESTROYED				
		N	5978673.417								
		El	607.594	CVD28BC							
303073	86H1752	E	515619.108	0.9995111	0.9999081		MARKER DESTROYED				
		N	5969492.550								
		El	600.246	CVD28BC							
843698	86H1753	E	514358.283	0.9995078	0.9999052	191833	86H1830	TERR	91 40 9	393.631	393.824
		N	5970304.619			610626	86H1544	TERR	187 3 51	330.937	331.101
		El	618.253	CVD28BC		945527	86H1838	TERR	329 7 14	452.443	452.665
407494	86H1754	E	511897.548	0.9995085	0.9999068	233718	86H1806	TERR	290 23 59	571.133	571.414
		N	5979122.333								
		El	608.317	CVD28BC							
16014	86H1758	E	517870.586	0.9995126	0.9999086	930842	86H1726	TERR	9 14 45	581.582	581.866
		N	5966584.064								
		El	596.716	CVD28BC							
26963	86H1759	E	512201.258	0.9995086	0.9999067	692731	86H1574	TERR	11 56 54	525.612	525.870
		N	5978861.416			243519	897040	GPS	24 4 41	11727.459	11733.290
		El	608.756	CVD28BC		638858	86H1775	TERR	177 58 23	516.661	516.916
						503441	787002	GPS	183 24 16	4949.183	4951.637
						50831	79H9437	GPS	274 54 52	6081.665	6084.663
997437	86H1760	E	512902.989	0.9995092	0.9999071		MARKER DESTROYED				
		N	5978441.083								
		El	606.147	CVD28BC							
395707	86H1761	E	517637.091	0.9995137	0.9999098	309450	86H1692	TERR	45 29 43	923.045	923.498
		N	5965400.846			549758	86H1724	TERR	195 35 15	240.116	240.234
		El	589.143	CVD28BC		750661	86H1792	TERR	348 57 48	579.389	579.670

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
459222	86H1762	E	510000.219	0.9995097	0.9999084	966093	86H1769	TERR	137 19 52	502.518	502.764
		N	5979230.316			250696	86H1739	TERR	316 59 57	390.941	391.133
		El	597.749	CVD28BC							
996363	86H1763	E	511098.055	0.9995105	0.9999090	563221	86H1721	TERR	131 17 30	536.887	537.150
		N	5978181.146			930586	86H1764	TERR	312 4 28	478.247	478.481
		El	594.295	CVD28BC							
930586	86H1764	E	510743.065	0.9995104	0.9999089	996363	86H1763	TERR	132 4 28	478.247	478.481
		N	5978501.618			966093	86H1769	TERR	311 45 50	539.297	539.561
		El	594.435	CVD28BC							
591123	86H1765	E	515440.475	0.9995151	0.9999121	550202	86H1526	TERR	182 11 16	403.930	404.126
		N	5970727.293								
		El	574.421	CVD28BC							
861906	86H1766	E	507523.947	0.9995075	0.9999067	731513	86H1757	TERR	98 19 48	334.675	334.840
		N	5980562.310								
		El	608.544	CVD28BC							
334383	86H1768	E	513986.828	0.9995130	0.9999105	795807	86H1800	TERR	164 14 7	294.008	294.151
		N	5976209.042			25155	86H1678	TERR	350 18 37	288.212	288.352
		El	584.298	CVD28BC							
966093	86H1769	E	510340.806	0.9995102	0.9999089	930586	86H1764	TERR	131 45 50	539.297	539.561
		N	5978860.824			459222	86H1762	TERR	317 19 52	502.518	502.764
		El	595.009	CVD28BC							
552968	86H1770	E	512357.362	0.9995110	0.9999091	716688	87H3530	TERR	105 58 11	432.465	432.676
		N	5976946.536			87452	86H1841	TERR	141 39 31	229.246	229.358
		El	593.452	CVD28BC			792598	86H1756	TERR	301 13 24	361.776
81141	86H1771	E	511831.264	0.9995078	0.9999061	447243	85H1305	TERR	173 55 13	298.521	298.668
		N	5976181.098			408617	86H1772	TERR	337 29 57	399.458	399.654
		El	612.918	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
408617	86H1772	E	511678.392	0.9995066	0.9999049	81141	86H1771	TERR	157 29 57	399.458	399.654
		N	5976550.146			558247	86H1773	TERR	354 47 18	318.152	318.309
		El	620.105	CVD28BC							
558247	86H1773	E	511649.492	0.9995088	0.9999071	740407	86H1843	TERR	23 59 38	520.464	520.720
		N	5976866.983			634477	86H1774	TERR	26 38 15	1231.684	1232.289
		El	606.281	CVD28BC		408617	86H1772	TERR	174 47 18	318.152	318.309
634477	86H1774	E	512201.708	0.9995102	0.9999084	638858	86H1775	TERR	2 42 22	377.561	377.746
		N	5977967.938			558247	86H1773	TERR	206 38 15	1231.684	1232.289
		El	598.071	CVD28BC		740407	86H1843	TERR	208 34 8	712.178	712.527
638858	86H1775	E	512219.533	0.9995090	0.9999072	634477	86H1774	TERR	182 42 22	377.561	377.746
		N	5978345.078			26963	86H1759	TERR	357 58 23	516.661	516.916
		El	605.858	CVD28BC							
206292	86H1778	E	508911.996	0.9995085	0.9999075	401398	86H1777	TERR	118 28 11	396.046	396.241
		N	5980631.279			806125	86H1750	TERR	298 43 24	243.572	243.691
		El	603.445	CVD28BC							
499582	86H1779	E	508775.741	0.9995101	0.9999091	756411	86H1719	TERR	110 11 14	266.210	266.341
		N	5980463.627								
		El	593.407	CVD28BC							
720292	86H1780	E	509833.589	0.9995103	0.9999090	156570	86H1784	TERR	138 12 36	571.668	571.948
		N	5979862.899			507012	86H1776	TERR	355 45 11	94.793	94.840
		El	593.838	CVD28BC							
75861	86H1781	E	515535.938	0.9995133	0.9999103		MARKER DESTROYED				
		N	5969716.474								
		El	586.018	CVD28BC							
552125	86H1783	E	510375.336	0.9995085	0.9999072	787887	86H1811	TERR	115 45 33	277.313	277.449
		N	5979717.748			292680	86H1782	TERR	283 41 43	340.598	340.765
		El	605.644	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
156570	86H1784	E	510214.550	0.9995105	0.9999092	634303	86H1810	TERR	132 5 20	380.691	380.877						
		N	5979436.668					TERR	318 12 36			571.668	571.948				
		El	593.080					CVD28BC									
713586	86H1786	E	511193.700	0.9995096	0.9999080	762518	86H1787	TERR	286 34 30	255.358	255.482						
		N	5978820.896														
		El	600.510					CVD28BC									
762518	86H1787	E	510948.953	0.9995105	0.9999090	713586	86H1786	TERR	106 34 30	255.358	255.482						
		N	5978893.742					TERR	321 21 4			336.834	336.998				
		El	593.801					CVD28BC									
939959	86H1788	E	510738.585	0.9995102	0.9999088	762518	86H1787	TERR	141 21 4	336.834	336.998						
		N	5979156.805					TERR	275 50 14			242.781	242.901				
		El	595.515					CVD28BC									
555854	86H1789	E	518434.423	0.9995043	0.9999001	MARKER DESTROYED											
305060	86H1790	E	511893.556	0.9995063	0.9999045	264879	85H1215	TERR	133 50 42	281.758	281.896						
		N	5974220.272														
		El	622.897					CVD28BC									
14084	86H1791	E	521910.117	0.9995002	0.9998943	897488	86H1795	TERR	75 9 13	324.426	324.587						
		N	5973416.355					TERR	342 40 9			507.721	507.974				
		El	688.150					CVD28BC									
750661	86H1792	E	517526.174	0.9995129	0.9999091	895532	79H9425	GPS	62 9 34	5739.815	5742.638						
		N	5965969.519					TERR	78 52 48			180.006	180.093				
		El	593.479					CVD28BC						234534	729-J2	GPS	131 57 38
								395707	86H1761			TERR	168 57 48	579.389	579.670		
								848200	86H1500			GPS	250 22 25	8612.784	8617.094		
								132001	86H1484			GPS	302 16 44	4289.522	4291.642		
								792630	LEGAL RP2			GPS	350 59 23	5286.403	5288.981		
123497	86H1793	E	517180.161	0.9995135	0.9999098	MARKER DESTROYED											
		N	5965954.108														
		El	589.204			CVD28BC											

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
472662	86H1794	E	518540.765	0.9995030	0.9998988		MARKER DESTROYED				
		N	5966745.627								
		E1	659.506	CVD28BC							
897488	86H1795	E	522223.712	0.9995003	0.9998942	797936	85H1271	TERR	36 54 49	627.190	627.504
		N	5973499.482			14084	86H1791	TERR	255 9 13	324.426	324.587
		E1	688.554	CVD28BC							
42424	86H1796	E	518796.172	0.9995024	0.9998980		MARKER ISOLATED				
		N	5966769.430								
		E1	664.706	CVD28BC							
204131	86H1797	E	519328.856	0.9995025	0.9998979		MARKER DESTROYED				
		N	5966782.451								
		E1	665.083	CVD28BC							
795807	86H1800	E	514066.707	0.9995146	0.9999121	361642	86H1848	TERR	101 0 49	336.064	336.227
		N	5975926.093			334383	86H1768	TERR	344 14 7	294.008	294.151
		E1	574.189	CVD28BC							
790758	86H1802	E	515583.125	0.9995155	0.9999125	63594	86H1600	TERR	80 29 27	283.861	283.999
		N	5975553.312			12062	85H1197	TERR	231 30 11	551.164	551.432
		E1	571.800	CVD28BC							
775668	86H1803	E	513039.123	0.9994862	0.9998841	323196	86H1804	TERR	0 2 36	324.495	324.662
		N	5984718.321			625558	86H1704	TERR	181 5 43	381.686	381.881
		E1	753.076	CVD28BC							
323196	86H1804	E	513039.368	0.9994853	0.9998832	9464	79H9419	TERR	93 31 29	227.481	227.598
		N	5985042.816			775668	86H1803	TERR	180 2 36	324.495	324.662
		E1	758.949	CVD28BC							
73395	86H1805	E	514640.021	0.9994901	0.9998875	838235	86H1814	TERR	269 38 51	664.570	664.909
		N	5982390.697			832907	87H3535	TERR	270 5 42	345.400	345.576
		E1	731.626	CVD28BC		105874	86H1665	TERR	357 5 9	155.939	156.018

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
233718	86H1806	E	511362.234	0.9995085	0.9999069	407494	86H1754	TERR	110 23 59	571.133	571.414			
		N	5979321.411					TERR	182 12 39			327.250	327.411	
		E1	607.402					CVD28BC	TERR					277 14 27
658476	86H1807	E	511106.673	0.9995083	0.9999067	233718	86H1806	TERR	97 14 27	257.616	257.742			
		N	5979353.881					TERR	298 43 43			257.434	257.561	
		E1	608.488					CVD28BC						
707687	86H1808	E	510880.928	0.9995083	0.9999068	658476	86H1807	TERR	118 43 43	257.434	257.561			
		N	5979477.620					TERR	295 3 27			282.416	282.555	
		E1	607.953					CVD28BC						
927798	86H1809	E	511349.609	0.9995088	0.9999072	233718	86H1806	TERR	2 12 39	327.250	327.411			
		N	5978994.405					TERR	178 11 38			269.135	269.266	
		E1	605.785					CVD28BC						
634303	86H1810	E	510497.063	0.9995106	0.9999092	939959	86H1788	TERR	95 50 14	242.781	242.901			
		N	5979181.497					TERR	312 5 20			380.691	380.877	
		E1	592.539					CVD28BC						
912261	86H1812	E	517941.282	0.9995167	0.9999127			MARKER DESTROYED						
		N	5974007.082											
		E1	570.513					CVD28BC						
901025	86H1813	E	510619.056	0.9995088	0.9999074	787887	86H1811	TERR	1 39 22	208.845	208.948			
		N	5979388.473											
		E1	604.279					CVD28BC						
838235	86H1814	E	513975.464	0.9994891	0.9998867	832907	87H3535	TERR	89 9 47	319.192	319.355			
		N	5982386.607					TERR	89 38 51			664.570	664.909	
		E1	736.525					CVD28BC	TERR					132 41 9
									TERR			242 22 3	200.145	200.247
									TERR			308 12 13		
141986	86H1816	E	517013.105	0.9995144	0.9999108	392514	86H1833	TERR	175 20 13	326.946	327.105			
		N	5965569.555					TERR	354 13 32			321.583	321.739	
		E1	582.681					CVD28BC						

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
518514	86H1817	E	514168.859	0.9995022	0.9998997	610626	86H1544	TERR	40 26 33	229.272	229.385					
		N	5969801.705					91777				86H1832	TERR	126 38 31	171.853	171.939
		El	653.460					CVD28BC								
751776	86H1818	E	515261.274	0.9995085	0.9999056	150623	86H1546	TERR	85 20 47	125.152	125.213					
		N	5967854.949					822098				86H1821	TERR	228 22 13	188.125	188.217
		El	615.959					CVD28BC								
78121	86H1819	E	515756.967	0.9995088	0.9999057	547448	86H1845	TERR	6 55 51	208.233	208.336					
		N	5967195.798					638767				86H1564	TERR	219 13 30	195.484	195.580
		El	615.511					CVD28BC								
161117	86H1820	E	514895.814	0.9995046	0.9999018	747972	86H1839	TERR	66 12 7	167.563	167.646					
		N	5969599.273					237719				86H1555	TERR	164 22 53	283.433	283.573
		El	640.046					CVD28BC								
822098	86H1821	E	515120.659	0.9995074	0.9999045	751776	86H1818	TERR	48 22 13	188.125	188.217					
		N	5967729.975					981241				86H1545	TERR	201 14 38	190.081	190.175
		El	622.816					CVD28BC								
333856	86H1823	E	515210.916	0.9995062	0.9999033	407023	86H1549	TERR	150 51 7	260.512	260.641					
		N	5968600.246					561068				86H1541	TERR	349 34 3	139.122	139.191
		El	630.416					CVD28BC								
54890	86H1824	E	515228.431	0.9995058	0.9999029	215772	86H1842	TERR	137 35 50	324.588	324.748					
		N	5969512.067					335539				86H1521	TERR	223 2 55	157.103	157.181
		El	633.284					CVD28BC				747972	86H1839	TERR	310 48 34	236.893
707604	86H1825	E	515445.990	0.9995086	0.9999056	638767	86H1564	TERR	95 1 3	188.080	188.172					
		N	5967060.812					934174				86H1559	TERR	353 24 2	253.548	253.673
		El	616.017					CVD28BC								
724294	86H1826	E	514512.035	0.9995044	0.9999017	114892	86H1552	TERR	2 37 7	158.188	158.266					
		N	5969531.004					296087				86H1672	TERR	174 18 32	148.882	148.956
		El	640.636					CVD28BC				391847	86H1829	TERR	287 5 20	114.968

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING						
950626	86H1827	E	515518.864	0.9995090	0.9999060	466292	86H1565	TERR	132 38 38	156.147	156.223		
		N	5968581.517					407023	86H1549	TERR	220 55 52	276.365	276.501
		El	613.209					CVD28BC	617753	86H1566	TERR	332 53 26	179.780
484246	86H1828	E	515668.562	0.9995093	0.9999062	419176	86H1533	TERR	191 59 60	181.650	181.739		
		N	5967994.532					849323	86H1855	TERR	354 20 41	189.904	189.998
		El	611.955					CVD28BC					
391847	86H1829	E	514402.143	0.9995035	0.9999009	724294	86H1826	TERR	107 5 20	114.968	115.025		
		N	5969564.788					91777	86H1832	TERR	324 37 30	164.774	164.856
		El	646.129					CVD28BC					
229047	86H1831	E	514771.796	0.9995033	0.9999006	982538	86H1543	TERR	202 43 40	196.939	197.037		
		N	5967114.325										
		El	648.181					CVD28BC					
91777	86H1832	E	514306.751	0.9995033	0.9999007	391847	86H1829	TERR	144 37 30	164.774	164.856		
		N	5969699.141					518514	86H1817	TERR	306 38 31	171.853	171.939
		El	646.984					CVD28BC					
392514	86H1833	E	517039.684	0.9995142	0.9999106	221648	86H1729	TERR	174 36 8	249.533	249.654		
		N	5965243.691					141986	86H1816	TERR	355 20 13	326.946	327.105
		El	584.201					CVD28BC					
216234	86H1834	E	523864.890	0.9995036	0.9998966	50278	85H1267	TERR	271 8 24	276.667	276.804		
		N	5972783.487										
		El	673.385					CVD28BC					
230748	86H1835	E	515380.455	0.9995090	0.9999061	150623	86H1546	TERR	179 0 5	318.871	319.028		
		N	5968183.926					407023	86H1549	TERR	347 16 11	193.556	193.651
		El	612.869					CVD28BC					
750638	86H1836	E	518107.682	0.9995153	0.9999112	930701	79H9429	TERR	92 29 47	3654.658	3656.457		
		N	5974060.210										
		El	580.285					CVD28BC					

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
391961	86H1837	E	514966.976	0.9995048	0.9999020		MARKER ISOLATED				
		N	5969136.867								
		El	639.140	CVD28BC							
945527	86H1838	E	514126.075	0.9995111	0.9999086	822767	85H1222	TERR	87 10 32	356.195	356.368
		N	5970692.928			843698	86H1753	TERR	149 7 14	452.443	452.665
		El	596.838	CVD28BC		85316	86H1849	TERR	334 3 35	282.086	282.225
747972	86H1839	E	515049.130	0.9995055	0.9999027	54890	86H1824	TERR	130 48 34	236.893	237.010
		N	5969666.887			161117	86H1820	TERR	246 12 7	167.563	167.646
		El	634.696	CVD28BC							
409904	86H1840	E	513521.093	0.9995100	0.9999077	158337	85H1190	TERR	87 17 22	350.172	350.343
		N	5971528.047			766634	86H1844	TERR	358 54 17	418.997	419.202
		El	602.328	CVD28BC							
87452	86H1841	E	512499.574	0.9995094	0.9999075	86181	86H1846	TERR	176 22 17	271.596	271.728
		N	5976766.732			552968	86H1770	TERR	321 39 31	229.246	229.358
		El	603.983	CVD28BC							
215772	86H1842	E	515447.313	0.9995084	0.9999054	670463	86H1747	TERR	51 18 33	173.316	173.401
		N	5969272.384			187609	86H1567	TERR	163 1 51	205.794	205.895
		El	617.226	CVD28BC		54890	86H1824	TERR	317 35 50	324.588	324.748
740407	86H1843	E	511861.133	0.9995110	0.9999092	634477	86H1774	TERR	28 34 8	712.178	712.527
		N	5977342.473			792598	86H1756	TERR	138 7 13	279.903	280.040
		El	592.596	CVD28BC		558247	86H1773	TERR	203 59 38	520.464	520.720
						563221	86H1721	TERR	323 24 15	603.325	603.619
						581108	80H2145	TERR	325 21 45	360.278	360.454
766634	86H1844	E	513513.083	0.9995098	0.9999075	428623	85H1175	TERR	89 20 7	355.853	356.028
		N	5971946.967			409904	86H1840	TERR	178 54 17	418.997	419.202
		El	603.478	CVD28BC							
547448	86H1845	E	515782.095	0.9995089	0.9999058	78121	86H1819	TERR	186 55 51	208.233	208.336
		N	5967402.509			934174	86H1559	TERR	256 10 58	376.129	376.315
		El	614.447	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING								
86181	86H1846	E	512516.763	0.9995093	0.9999074	104596	86H1847	TERR	134 46 20	298.730	298.877				
		N	5976495.681					86H1841				TERR	356 22 17	271.596	271.728
		El	604.555					CVD28BC							
104596	86H1847	E	512728.835	0.9995090	0.9999069	86181	86H1846	TERR	314 46 20	298.730	298.877				
		N	5976285.289												
		El	607.329					CVD28BC							
361642	86H1848	E	514396.581	0.9995150	0.9999124	795807	86H1800	TERR	281 0 49	336.064	336.227				
		N	5975861.891												
		El	572.255					CVD28BC							
85316	86H1849	E	514002.681	0.9995111	0.9999086	945527	86H1838	TERR	154 3 35	282.086	282.225				
		N	5970946.594					85H1240				TERR	353 24 5	153.496	153.570
		El	596.674					CVD28BC							
263343	86H1850	E	515465.557	0.9995044	0.9999015	563965	86H1868	TERR	29 2 17	184.712	184.803				
		N	5978288.070					86H1594				TERR	157 59 58	260.725	260.854
		El	642.380					CVD28BC				86H1851	TERR	350 40 10	506.688
616888	86H1851	E	515383.408	0.9995039	0.9999010	263343	86H1850	TERR	170 40 10	506.688	506.939				
		N	5978788.054					86H1866				TERR	337 56 36	332.900	333.065
		El	645.573					CVD28BC							
85191	86H1852	E	515208.519	0.9995031	0.9999003	928176	86H1536	TERR	10 2 16	410.222	410.427				
		N	5979313.606					86H1866				TERR	167 3 23	222.674	222.784
		El	649.955					CVD28BC							
663971	86H1853	E	515945.251	0.9995089	0.9999058	916221	86H1859	TERR	332 11 30	240.363	240.481				
		N	5967518.198												
		El	614.847					CVD28BC							
827535	86H1854	E	515225.073	0.9994994	0.9998965	856856	86H1581	TERR	356 41 22	558.652	558.933				
		N	5980325.190												
		El	674.148					CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
849323	86H1855	E	515649.848	0.9995093	0.9999062	484246	86H1828	TERR	174 20 41	189.904	189.998		
		N	5968183.512					TERR	356 50 29			292.670	292.813
		El	611.815					CVD28BC					
740290	86H1856	E	512746.364	0.9994841	0.9998820	155309	86H1858	TERR	86 57 2	296.917	297.070		
		N	5982808.168					TERR	270 1 13			342.612	342.790
		El	766.416					CVD28BC					
404145	86H1857	E	513028.240	0.9994856	0.9998835	844167	86H1639	TERR	0 54 26	409.301	409.512		
		N	5983105.582					TERR	177 1 42			281.997	282.143
		El	756.876					CVD28BC					
155309	86H1858	E	513042.860	0.9994853	0.9998832	445049	86H1860	TERR	183 5 49	228.496	228.613		
		N	5982823.964					TERR	266 57 2			296.917	297.070
		El	758.924					CVD28BC					
916221	86H1859	E	515833.118	0.9995091	0.9999060	663971	86H1853	TERR	152 11 30	240.363	240.481		
		N	5967730.802					TERR	293 2 26			219.862	219.969
		El	613.327					CVD28BC					
445049	86H1860	E	513030.515	0.9994850	0.9998828	155309	86H1858	TERR	3 5 49	228.496	228.613		
		N	5982595.802					TERR	90 47 4			418.578	418.793
		El	761.121					CVD28BC					
277756	86H1861	E	512602.441	0.9994830	0.9998810	33746	86H1862	TERR	85 39 50	165.290	165.375		
		N	5982293.190					TERR	314 21 31			287.226	287.375
		El	772.676					CVD28BC					
33746	86H1862	E	512767.258	0.9994834	0.9998814	277756	86H1861	TERR	265 39 50	165.290	165.375		
		N	5982305.687										
		El	770.526					CVD28BC					
104836	86H1863	E	512562.231	0.9994798	0.9998779	504365	86H1616	TERR	263 33 10	144.386	144.461		
		N	5981810.694										
		El	792.947					CVD28BC					

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
18531	86H1864	E	512845.116	0.9994814	0.9998793	620831	86H1626	TERR	88 36 20	203.530	203.635
		N	5981899.536								
		El	783.461	CVD28BC							
269001	86H1865	E	513374.824	0.9994859	0.9998837	184762	86H1612	TERR	238 54 26	186.668	186.764
		N	5981203.889								
		El	755.883	CVD28BC							
326538	86H1866	E	515258.396	0.9995035	0.9999006	616888	86H1851	TERR	157 56 36	332.900	333.065
		N	5979096.590			85191	86H1852	TERR	347 3 23	222.674	222.784
		El	647.856	CVD28BC							
77032	86H1867	E	515786.820	0.9995041	0.9999010	681742	86H1535	TERR	3 49 22	241.794	241.914
		N	5978576.232			563965	86H1868	TERR	241 19 30	263.982	264.112
		El	645.430	CVD28BC							
563965	86H1868	E	515555.214	0.9995041	0.9999011	77032	86H1867	TERR	61 19 30	263.982	264.112
		N	5978449.563			263343	86H1850	TERR	209 2 17	184.712	184.803
		El	644.674	CVD28BC							
911875	87H3528	E	515120.216	0.9995119	0.9999091	850552	86H1748	TERR	108 52 59	217.119	217.225
		N	5969913.845								
		El	593.566	CVD28BC							
833939	87H3529	E	515141.998	0.9995127	0.9999099						
		N	5970310.503								
		El	588.563	CVD28BC							
716688	87H3530	E	512773.137	0.9995120	0.9999100	214759	87H3534	TERR	118 44 14	221.671	221.779
		N	5976827.552			552968	86H1770	TERR	285 58 11	432.465	432.676
		El	587.795	CVD28BC							
214759	87H3534	E	512967.505	0.9995129	0.9999108	686618	85H1307	TERR	139 43 23	244.812	244.931
		N	5976720.974			716688	87H3530	TERR	298 44 14	221.671	221.779
		El	582.721	CVD28BC							

MARKER DESTROYED

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
832907	87H3535	E	514294.622	0.9994897	0.9998871	73395	86H1805	TERR	90 5 42	345.400	345.576	
		N	5982391.269			838235	86H1814	TERR	269 9 47	319.192	319.355	
		E1	733.789			CVD28BC						
943456	98SG055	E	515510.532	0.9995135	0.9999105	812651	85H12510	TERR	23 44 55	337.842	338.007	
		N	5973562.051			526038	85H1340	TERR	95 6 52	161.737	161.816	
		E1	584.694			CVD28BC		88575	79H8452	TERR	269 51 29	180.154
834085	LEGAL RP1	E	516458.527	0.9995132	0.9999098	551648	85H1060	TERR	2 57 19	300.241	300.387	
		N	5971500.875			787168	85H1343	TERR	37 7 35	217.552	217.657	
		E1	589.043			CVD28BC	792630	LEGAL RP2	TERR	142 18 5	392.027	392.217
							110536	85H1301	TERR	229 24 47	483.974	484.209
792630	LEGAL RP2	E	516698.254	0.9995124	0.9999089	145136	85H12520	GPS	16 34 15	2860.186	2861.575	
		N	5971190.688			895532	79H9425	GPS	113 17 8	6426.848	6430.012	
		E1	594.927			CVD28BC	775429	86H1741	TERR	146 12 28	494.069	494.310
							750661	86H1792	GPS	170 59 23	5286.403	5288.981
							132001	86H1484	GPS	223 40 59	4052.147	4054.150
							99796	79H8457	TERR	268 59 23	3353.065	3354.724
							503441	787002	GPS	299 40 42	5514.272	5516.995
							834085	LEGAL RP1	TERR	322 18 5	392.027	392.217
							13458	79H9415	TERR	351 1 2	4616.219	4618.505

END OF REPORT