

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
556654	677018	E	462181.983	0.9995858	0.9999682		MARKER DESTROYED				
		N	5362816.581								
		E1	220.968	CVD28BC							
661207	78H7481	E	464055.569	0.9996120	0.9999962		MARKER DESTROYED				
		N	5361797.040								
		E1	42.391	CVD28BC							
9761	79H1084	E	464435.625	0.9996065	0.9999909	479162	84H0217	TERR	79 9 7	4649.386	4651.200
		N	5362347.292			270835	79H1085	TERR	177 48 33	2940.996	2942.142
		E1	75.889	CVD28BC		809822	87H3435	TERR	264 14 8	217.143	217.228
653188	86H1388	E	462901.845	0.9996019	0.9999850	386086	89H4847	TERR	58 19 36	123.381	123.431
		N	5362923.761			428078	86H1389	TERR	179 50 15	65.212	65.238
		E1	113.858	CVD28BC		337329	89H4848	TERR	332 5 21	136.844	136.899
428078	86H1389	E	462902.030	0.9996014	0.9999845	65367	86H1390	TERR	114 11 13	138.437	138.492
		N	5362858.549			653188	86H1388	TERR	359 50 15	65.212	65.238
		E1	117.026	CVD28BC							
65367	86H1390	E	463028.314	0.9995998	0.9999830	715078	86H1394	TERR	96 18 17	60.174	60.198
		N	5362801.829			243030	86H1391	TERR	141 17 32	105.228	105.270
		E1	126.411	CVD28BC		428078	86H1389	TERR	294 11 13	138.437	138.492
243030	86H1391	E	463094.118	0.9995994	0.9999827	512657	86H1392	TERR	171 47 7	138.470	138.525
		N	5362719.715			65367	86H1390	TERR	321 17 32	105.228	105.270
		E1	128.497	CVD28BC							
512657	86H1392	E	463113.903	0.9995992	0.9999825	281527	86H1393	TERR	206 58 30	132.469	132.522
		N	5362582.666			243030	86H1391	TERR	351 47 7	138.470	138.525
		E1	129.485	CVD28BC							
281527	86H1393	E	463053.815	0.9995994	0.9999827	512657	86H1392	TERR	26 58 30	132.469	132.522
		N	5362464.609								
		E1	128.600	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
715078	86H1394	E	463088.124	0.9996006	0.9999839	381608	86H1395	TERR	112 55 17	97.951	97.990		
		N	5362795.221					65367	86H1390	TERR	276 18 17	60.174	60.198
		El	120.863	CVD28BC									
381608	86H1395	E	463178.341	0.9996021	0.9999855	715078	86H1394	TERR	292 55 17	97.951	97.990		
		N	5362757.072										
		El	110.671	CVD28BC									
168435	86H1396	E	462659.035	0.9996099	0.9999928	747402	86H1436	TERR	271 55 32	112.589	112.632		
		N	5364562.485					227280	86H1397	TERR	338 59 33	118.402	118.448
		El	63.712	CVD28BC									
227280	86H1397	E	462616.589	0.9996099	0.9999927	168435	86H1396	TERR	158 59 33	118.402	118.448		
		N	5364673.017					507186	87H3416	TERR	356 9 25	76.975	77.005
		El	64.423	CVD28BC									
853721	86H1398	E	464726.226	0.9996082	0.9999929	34421	94H1523	GPS	18 57 19	1174.926	1175.387		
		N	5365325.074			420265	99H2286	GPS	37 8 50	2120.811	2121.636		
		El	63.165	CVD28BC		544908	PIER 5	GPS	50 21 55	8780.671	8784.117		
						309005	88H3952	TERR	72 56 31	231.548	231.639		
						512921	669	GPS	80 52 50	11344.753	11349.302		
						671339	25-1	GPS	87 30 23	8521.368	8524.711		
						354514	80H3866	GPS	91 2 12	13463.700	13468.985		
						871954	NO MARKING	GPS	105 1 46	11601.993	11606.591		
						600411		GPS	108 57 60	3765.939	3767.413		
						362608	84H0238	GPS	116 9 36	5372.061	5374.153		
						255885	89H4895	GPS	129 27 49	1818.718	1819.424		
						533224	88H3936	GPS	192 54 41	2836.563	2837.677		
						95067	86H1415	TERR	249 12 42	250.346	250.444		
						589077	94H1514	GPS	259 20 34	3705.764	3707.212		
						716712	87H3404	GPS	259 41 26	2560.274	2561.275		
						852780	677019	GPS	271 25 53	6733.360	6736.172		
						322032	94H1517	GPS	279 29 7	2456.426	2457.388		
						904359	88H3961	TERR	287 23 55	325.943	326.070		
						209098	13H2705	GPS	300 29 14	1613.353	1613.986		
						488486	94H1522	GPS	319 55 52	1282.732	1283.235		
						109132	94H1524	GPS	334 18 13	2058.179	2058.986		
						535302	2269	GPS	353 52 16	1940.849	1941.630		
						179028	13H2704	GPS	357 55 1	1156.502	1156.956		
173476	86H1399	E	464145.944	0.9996090	0.9999932		MARKER DESTROYED						
		N	5365491.106										
		El	61.394	CVD28BC									

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
549840	86H1400	E	463945.028	0.9996085	0.9999925	854752 839688	97H2185	TERR	83 26 21	192.012	192.087
		N	5365471.555				NO MARKING	TERR	286 37 30	74.340	74.368
		E1	65.898	CVD28BC							
401562	86H1401	E	463778.998	0.9996085	0.9999923	839688 88955	NO MARKING	TERR	71 51 58	99.753	99.792
		N	5365461.777				86H1402	TERR	289 48 59	186.516	186.589
		E1	66.804	CVD28BC							
88955	86H1402	E	463603.527	0.9996087	0.9999925	401562 134478	86H1401	TERR	109 48 59	186.516	186.589
		N	5365525.007				86H1403	TERR	256 33 48	127.198	127.248
		E1	66.070	CVD28BC							
134478	86H1403	E	463479.811	0.9996087	0.9999923	88955 952119	86H1402	TERR	76 33 48	127.198	127.248
		N	5365495.450				86H1404	TERR	164 7 48	122.071	122.119
		E1	66.770	CVD28BC							
952119	86H1404	E	463513.192	0.9996087	0.9999924	5777 134478	86H1405	TERR	256 13 3	167.103	167.168
		N	5365378.032				86H1403	TERR	344 7 48	122.071	122.119
		E1	66.708	CVD28BC							
5777	86H1405	E	463350.900	0.9996087	0.9999922	952119 932327	86H1404	TERR	76 13 3	167.103	167.168
		N	5365338.222				86H1406	TERR	281 16 60	121.548	121.596
		E1	67.519	CVD28BC							
932327	86H1406	E	463231.701	0.9996089	0.9999923	5777 210880 19422	86H1405	TERR	101 16 60	121.548	121.596
		N	5365362.004				86H1407	TERR	202 31 40	196.156	196.232
		E1	67.038	CVD28BC			87H3442	TERR	294 44 31	191.466	191.541
210880	86H1407	E	463156.548	0.9996089	0.9999922	932327 610642 293753	86H1406	TERR	22 31 40	196.156	196.232
		N	5365180.816				86H1408	TERR	112 35 34	181.866	181.938
		E1	67.554	CVD28BC			87H3448	TERR	199 38 32	201.147	201.226
610642	86H1408	E	463324.457	0.9996086	0.9999921	720524 210880	86H1409	TERR	111 45 22	164.629	164.693
		N	5365110.947				86H1407	TERR	292 35 34	181.866	181.938
		E1	68.617	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
----- GCM-NO	----- TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING						
720524	86H1409	E	463477.359	0.9996084	0.9999920	891176	86H1410	TERR	110 9 20	141.945	142.000		
		N	5365049.926					947614	86H1421	TERR	207 29 8	203.602	203.683
		E1	69.100	CVD28BC				610642	86H1408	TERR	291 45 22	164.629	164.693
891176	86H1410	E	463610.611	0.9996083	0.9999921	416099	86H1411	TERR	59 28 41	189.364	189.438		
		N	5365001.016					720524	86H1409	TERR	290 9 20	141.945	142.000
		E1	68.590	CVD28BC									
416099	86H1411	E	463773.736	0.9996083	0.9999922	72678	86H1412	TERR	145 30 12	242.287	242.381		
		N	5365097.188					891176	86H1410	TERR	239 28 41	189.364	189.438
		E1	67.635	CVD28BC									
72678	86H1412	E	463910.957	0.9996082	0.9999922	19372	86H1413	TERR	46 0 42	224.353	224.440		
		N	5364897.505					885202	87H3444	TERR	232 24 17	97.356	97.394
		E1	67.662	CVD28BC				416099	86H1411	TERR	325 30 12	242.287	242.381
19372	86H1413	E	464072.375	0.9996084	0.9999925	417964	86H1414	TERR	65 14 21	235.707	235.800		
		N	5365053.321					72678	86H1412	TERR	226 0 42	224.353	224.440
		E1	65.703	CVD28BC									
417964	86H1414	E	464286.412	0.9996082	0.9999926	95067	86H1415	TERR	67 45 2	222.319	222.406		
		N	5365152.043					19372	86H1413	TERR	245 14 21	235.707	235.800
		E1	65.498	CVD28BC									
95067	86H1415	E	464492.178	0.9996080	0.9999925	853721	86H1398	TERR	69 12 42	250.346	250.444		
		N	5365236.222					417964	86H1414	TERR	247 45 2	222.319	222.406
		E1	65.748	CVD28BC									
36855	86H1416	E	463484.005	0.9996071	0.9999908	667147	86H1417	TERR	108 36 36	184.794	184.868		
		N	5363720.538					464172	88H3942	TERR	290 29 7	113.877	113.922
		E1	76.944	CVD28BC									
667147	86H1417	E	463659.137	0.9996072	0.9999909	883660	89H4877	TERR	16 58 10	154.163	154.223		
		N	5363661.566					944116	86H1430	TERR	204 41 49	164.488	164.553
		E1	75.761	CVD28BC				36855	86H1416	TERR	288 36 36	184.794	184.868

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
737023	86H1418	E	463502.006	0.9996086	0.9999923	438952	88H3938	TERR	111 21 30	251.223	251.320
		N	5364517.867								
		El	67.245	CVD28BC							
420273	86H1420	E	463125.953	0.9996076	0.9999909	798256	87H3422	TERR	233 7 52	151.498	151.558
		N	5364421.241								
		El	76.234	CVD28BC							
947614	86H1421	E	463383.391	0.9996087	0.9999922	720524	86H1409	TERR	27 29 8	203.602	203.683
		N	5364869.305			783621	87H3407	TERR	109 27 52	331.949	332.080
		El	67.777	CVD28BC		181164	88H3939	TERR	190 14 2	188.594	188.668
						293753	87H3448	TERR	292 31 0	318.758	318.882
253716	86H1422	E	463798.231	0.9996071	0.9999910		MARKER DESTROYED				
		N	5364037.085								
		El	75.139	CVD28BC							
115188	86H1423	E	463886.159	0.9996085	0.9999925	885202	87H3444	TERR	340 7 23	153.943	154.003
		N	5364693.338								
		El	66.046	CVD28BC							
860163	86H1424	E	462657.229	0.9996077	0.9999906	890491	87H3433	TERR	90 32 12	137.320	137.373
		N	5364166.153			722900	87H3421	TERR	213 4 34	107.137	107.179
		El	77.953	CVD28BC		532051	89H4893	TERR	305 13 54	118.506	118.553
165449	86H1426	E	463022.553	0.9996087	0.9999919	293753	87H3448	TERR	20 48 17	186.890	186.963
		N	5364816.670			468454	88H3937	TERR	111 29 5	160.190	160.253
		El	69.440	CVD28BC		415943	87H3420	TERR	200 38 0	210.740	210.823
994947	86H1427	E	463803.991	0.9996085	0.9999924	695494	87H3406	TERR	199 54 16	199.209	199.288
		N	5364317.835								
		El	66.283	CVD28BC							
810119	86H1428	E	463403.819	0.9996072	0.9999907	721647	88H3940	TERR	107 35 51	189.019	189.094
		N	5364237.553			954727	87H3441	TERR	150 12 28	273.895	274.002
		El	77.265	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----				
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING				
90894	86H1429	E	463102.794	0.9996076	0.9999909	468454	88H3937	TERR	18 45 49	213.944	214.027
		N	5364555.426			415943	87H3420	TERR	292 30 28	167.242	167.308
		El	75.861	CVD28BC							
944116	86H1430	E	463590.411	0.9996068	0.9999905	667147	86H1417	TERR	24 41 49	164.488	164.553
		N	5363512.124			430595	86H1432	TERR	196 8 30	167.484	167.550
		El	78.289	CVD28BC							
207613	86H1431	E	464523.080	0.9996128	0.9999973	94821	89H4866	TERR	123 22 15	317.991	318.114
		N	5363127.342			258996	89H4867	TERR	312 56 0	85.004	85.037
		El	35.204	CVD28BC							
430595	86H1432	E	463543.848	0.9996070	0.9999906	944116	86H1430	TERR	16 8 30	167.484	167.550
		N	5363351.243			962332	86H1433	TERR	227 27 18	91.105	91.141
		El	77.778	CVD28BC							
962332	86H1433	E	463476.727	0.9996071	0.9999907	430595	86H1432	TERR	47 27 18	91.105	91.141
		N	5363289.641			945766	89H4863	TERR	115 21 22	218.473	218.559
		El	77.452	CVD28BC		963892	87H3434	TERR	237 4 16	134.830	134.883
209064	86H1435	E	463341.347	0.9996067	0.9999902	963892	87H3434	TERR	7 29 40	170.290	170.356
		N	5363047.513			908087	87H3410	TERR	160 26 28	115.087	115.132
		El	80.659	CVD28BC		741652	89H4844	TERR	287 16 1	200.738	200.817
747402	86H1436	E	462546.510	0.9996100	0.9999927	168435	86H1396	TERR	91 55 32	112.589	112.632
		N	5364566.268			839902	86H1437	TERR	313 34 44	150.646	150.705
		El	64.346	CVD28BC							
839902	86H1437	E	462437.378	0.9996101	0.9999928	747402	86H1436	TERR	133 34 44	150.646	150.705
		N	5364670.116			842039	87H3447	TERR	202 52 46	263.797	263.900
		El	64.000	CVD28BC		211995	87H3403	TERR	351 48 3	139.319	139.374
211995	87H3403	E	462417.509	0.9996101	0.9999928	507186	87H3416	TERR	106 42 13	202.464	202.543
		N	5364808.011			839902	86H1437	TERR	171 48 3	139.319	139.374
		El	63.852	CVD28BC		716712	87H3404	TERR	285 38 29	218.306	218.391

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
716712	87H3404	E	462207.287	0.9996103	0.9999927	847764	13H2712	GPS	2 11 28	1945.819	1946.580	
		N	5364866.870			747303	13H2710	GPS	14 12 8	1694.528	1695.191	
		E1	64.199			CVD28BC	760983	95H2063	GPS	22 47 56	4161.639	4163.274
							252346	13H2706	GPS	28 17 18	1255.368	1255.859
							109132	94H1524	GPS	35 7 1	2827.499	2828.606
							579912	03H2510	GPS	46 41 23	1379.375	1379.915
							179028	13H2704	GPS	56 54 43	2956.326	2957.484
							853721	86H1398	GPS	79 41 26	2560.274	2561.275
							211995	87H3403	TERR	105 38 29	218.306	218.391
							533224	88H3936	GPS	140 44 32	2978.973	2980.139
							236232	99H2287	GPS	216 45 42	3624.654	3626.062
							216457	03H2517	GPS	225 5 41	924.943	925.305
							765206	13H2711	GPS	226 45 59	1899.194	1899.937
							717959	87H3408	TERR	236 10 5	102.195	102.235
251066	87H3405	E	462024.709	0.9996053	0.9999876	782805	87H3415	TERR	102 5 13	177.141	177.212	
		N	5364455.036									
		E1	96.977			CVD28BC						
695494	87H3406	E	463736.170	0.9996072	0.9999910	994947	86H1427	TERR	19 54 16	199.209	199.288	
		N	5364130.526			721647	88H3940	TERR	288 8 54	160.144	160.206	
		E1	75.342			CVD28BC						
783621	87H3407	E	463696.369	0.9996084	0.9999922	885202	87H3444	TERR	59 58 52	158.743	158.805	
		N	5364758.693			853549	87H3431	TERR	247 35 7	171.672	171.740	
		E1	67.572			CVD28BC	947614	86H1421	TERR	289 27 52	331.949	332.080
717959	87H3408	E	462122.396	0.9996101	0.9999925	716712	87H3404	TERR	56 10 5	102.195	102.235	
		N	5364809.972			482596	87H3411	TERR	123 30 12	187.628	187.702	
		E1	65.683			CVD28BC	621490	88H3935	TERR	280 12 34	173.273	173.340
758094	87H3409	E	462915.945	0.9996098	0.9999929	402834	87H3426	TERR	171 9 53	164.862	164.927	
		N	5365396.947									
		E1	63.139			CVD28BC						

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
908087	87H3410	E	463379.875	0.9996068	0.9999903	212522	89H4880	TERR	195 45 25	150.575	150.634
		N	5362939.067			209064	86H1435	TERR	340 26 28	115.087	115.132
		El	79.726	CVD28BC							
248575	87H3412	E	461898.125	0.9996042	0.9999864						
		N	5364370.810								
		El	104.810	CVD28BC							
768150	87H3413	E	462427.753	0.9996096	0.9999922	956094	89H4906	TERR	111 48 40	300.816	300.933
		N	5364432.741			482596	87H3411	TERR	331 26 56	311.550	311.671
		El	67.563	CVD28BC							
9019	87H3414	E	462489.334	0.9996078	0.9999905	532051	89H4893	TERR	135 13 0	100.928	100.967
		N	5364306.153			842039	87H3447	TERR	308 2 43	196.209	196.286
		El	78.726	CVD28BC							
782805	87H3415	E	462197.923	0.9996064	0.9999888	251066	87H3405	TERR	282 5 13	177.141	177.212
		N	5364417.943								
		El	89.319	CVD28BC							
507186	87H3416	E	462611.430	0.9996098	0.9999926	415943	87H3420	TERR	111 9 26	361.209	361.350
		N	5364749.819			227280	86H1397	TERR	176 9 25	76.975	77.005
		El	65.012	CVD28BC			211995	87H3403	TERR	286 42 13	202.464
255935	87H3418	E	463310.909	0.9996066	0.9999901	212522	89H4880	TERR	17 56 8	91.172	91.208
		N	5362707.409			121079	87H3419	TERR	157 41 39	169.780	169.847
		El	81.221	CVD28BC							
121079	87H3419	E	463375.349	0.9996068	0.9999903	394528	87H3423	TERR	196 21 43	111.426	111.469
		N	5362550.333			255935	87H3418	TERR	337 41 39	169.780	169.847
		El	79.948	CVD28BC							
415943	87H3420	E	462948.291	0.9996076	0.9999908	165449	86H1426	TERR	20 38 0	210.740	210.823
		N	5364619.448			90894	86H1429	TERR	112 30 28	167.242	167.308
		El	76.723	CVD28BC			507186	87H3416	TERR	291 9 26	361.209

MARKER ISOLATED

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
722900	87H3421	E	462598.759	0.9996068	0.9999897	860163	86H1424	TERR	33 4 34	107.137	107.179				
		N	5364076.378					87H3451				TERR	162 56 50	85.654	85.687
		El	83.865					CVD28BC							
798256	87H3422	E	463004.753	0.9996075	0.9999907	420273	86H1420	TERR	53 7 52	151.498	151.558				
		N	5364330.344					87H3433				TERR	231 47 25	267.527	267.633
		El	77.112									CVD28BC			
394528	87H3423	E	463343.960	0.9996064	0.9999898	121079	87H3419	TERR	16 21 43	111.426	111.469				
		N	5362443.420												
		El	82.716					CVD28BC							
999979	87H3424	E	463159.704	0.9996053	0.9999887	191346	87H3425	TERR	204 52 12	202.615	202.695				
		N	5362313.159												
		El	90.258					CVD28BC							
191346	87H3425	E	463074.492	0.9996053	0.9999885	999979	87H3424	TERR	24 52 12	202.615	202.695				
		N	5362129.334												
		El	91.218					CVD28BC							
402834	87H3426	E	462941.267	0.9996095	0.9999927	90506	87H3450	TERR	234 36 49	198.582	198.659				
		N	5365234.041					87H3409				TERR	351 9 53	164.862	164.927
		El	64.650									CVD28BC			
815522	87H3427	E	462871.975	0.9996100	0.9999931			MARKER DESTROYED							
		N	5361603.857												
		El	62.118					CVD28BC							
170373	87H3428	E	463039.436	0.9996091	0.9999923			MARKER ISOLATED							
		N	5361576.123												
		El	66.947					CVD28BC							
935759	87H3429	E	463336.042	0.9996103	0.9999938			MARKER DESTROYED							
		N	5361566.952												
		El	57.372					CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
87205	87H3430	E	463602.087	0.9996110	0.9999947	183442	89H5291	TERR	111 34 43	342.361	342.493
		N	5361481.195								
		El	51.707	CVD28BC							
853549	87H3431	E	463537.667	0.9996086	0.9999922	783621	87H3407	TERR	67 35 7	171.672	171.740
		N	5364693.233								
		El	67.543	CVD28BC							
890491	87H3433	E	462794.543	0.9996079	0.9999909	798256	87H3422	TERR	51 47 25	267.527	267.633
		N	5364164.867			860163	86H1424	TERR	270 32 12	137.320	137.373
		El	75.897	CVD28BC							
963892	87H3434	E	463363.558	0.9996071	0.9999906	962332	86H1433	TERR	57 4 16	134.830	134.883
		N	5363216.348			209064	86H1435	TERR	187 29 40	170.290	170.356
		El	77.957	CVD28BC		765313	89H4838	TERR	287 21 46	201.133	201.211
743021	87H3438	E	464231.350	0.9996065	0.9999908	891796	87H3439	TERR	11 55 40	198.311	198.389
		N	5362515.935			809822	87H3435	TERR	183 32 11	190.816	190.891
		El	76.690	CVD28BC		533224	88H3936	TERR	287 40 56	145.831	145.888
891796	87H3439	E	464272.337	0.9996066	0.9999909	743021	87H3438	TERR	191 55 40	198.311	198.389
		N	5362709.964								
		El	76.202	CVD28BC							
364273	87H3440	E	463323.081	0.9996078	0.9999912						
		N	5364514.484								
		El	73.772	CVD28BC							
954727	87H3441	E	463539.905	0.9996070	0.9999907	883660	89H4877	TERR	139 17 12	251.775	251.874
		N	5363999.858			884387	88H3941	TERR	242 48 41	99.181	99.221
		El	77.199	CVD28BC		810119	86H1428	TERR	330 12 28	273.895	274.002
19422	87H3442	E	463057.811	0.9996096	0.9999928	932327	86H1406	TERR	114 44 31	191.466	191.541
		N	5365442.139								
		El	63.866	CVD28BC							

MARKER DESTROYED

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
437517	87H3443	E	464168.948	0.9996065	0.9999908		MARKER DESTROYED				
		N	5362966.953								
		El	76.981	CVD28BC							
885202	87H3444	E	463833.818	0.9996083	0.9999922	72678	86H1412	TERR	52 24 17	97.356	97.394
		N	5364838.110			115188	86H1423	TERR	160 7 23	153.943	154.003
		El	67.659	CVD28BC		783621	87H3407	TERR	239 58 52	158.743	158.805
634386	87H3446	E	463961.509	0.9996066	0.9999906	342378	89H4864	TERR	198 26 52	209.139	209.222
		N	5363317.957								
		El	77.624	CVD28BC							
842039	87H3447	E	462334.815	0.9996078	0.9999904	839902	86H1437	TERR	22 52 46	263.797	263.900
		N	5364427.073			9019	87H3414	TERR	128 2 43	196.209	196.286
		El	79.271	CVD28BC		411900	89H4892	TERR	307 46 50	172.755	172.822
293753	87H3448	E	463088.933	0.9996091	0.9999923	210880	86H1407	TERR	19 38 32	201.147	201.226
		N	5364991.374			947614	86H1421	TERR	112 31 0	318.758	318.882
		El	66.802	CVD28BC		165449	86H1426	TERR	200 48 17	186.890	186.963
						90506	87H3450	TERR	292 24 45	334.857	334.987
893065	87H3449	E	463861.343	0.9996067	0.9999906		MARKER DESTROYED				
		N	5363592.949								
		El	77.783	CVD28BC							
667832	87H3451	E	462623.877	0.9996062	0.9999890	450296	87H3452	TERR	188 6 23	121.705	121.754
		N	5363994.490			722900	87H3421	TERR	342 56 50	85.654	85.687
		El	87.893	CVD28BC							
450296	87H3452	E	462606.715	0.9996039	0.9999867	667832	87H3451	TERR	8 6 23	121.705	121.754
		N	5363874.001			773465	89H4886	TERR	115 36 1	162.758	162.822
		El	102.789	CVD28BC		344150	88H3920	TERR	201 18 53	115.927	115.972
344150	88H3920	E	462564.577	0.9996011	0.9999839	450296	87H3452	TERR	21 18 53	115.927	115.972
		N	5363766.004			454371	88H3921	TERR	191 6 40	101.665	101.706
		El	120.787	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
454371	88H3921	E	462544.985	0.9995987	0.9999814	344150	88H3920	TERR	11 6 40	101.665	101.706		
		N	5363666.245					559674	88H3922	TERR	228 49 52	91.688	91.725
		El	136.461					CVD28BC					
559674	88H3922	E	462475.965	0.9995963	0.9999790	454371	88H3921	TERR	48 49 52	91.688	91.725		
		N	5363605.889					589366	88H3923	TERR	211 4 48	136.368	136.423
		El	151.604					CVD28BC					
589366	88H3923	E	462405.567	0.9995941	0.9999767	559674	88H3922	TERR	31 4 48	136.368	136.423		
		N	5363489.097					374629	88H3924	TERR	151 44 37	51.035	51.056
		El	166.516					CVD28BC					
374629	88H3924	E	462429.728	0.9995931	0.9999758	64717	89H4851	TERR	152 7 26	58.245	58.269		
		N	5363444.143					490995	88H3925	TERR	221 45 7	104.905	104.948
		El	172.530					CVD28BC		589366	88H3923	TERR	331 44 37
490995	88H3925	E	462359.871	0.9995914	0.9999740	374629	88H3924	TERR	41 45 7	104.905	104.948		
		N	5363365.880					139733	88H3926	TERR	324 10 13	144.351	144.410
		El	183.929					CVD28BC					
139733	88H3926	E	462275.371	0.9995901	0.9999726	490995	88H3925	TERR	144 10 13	144.351	144.410		
		N	5363482.914					2055	88H3927	TERR	296 57 8	127.374	127.426
		El	192.592					CVD28BC					
2055	88H3927	E	462161.832	0.9995894	0.9999718	410910	89H4887	TERR	0 56 26	77.967	77.998		
		N	5363540.646					139733	88H3926	TERR	116 57 8	127.374	127.426
		El	197.772					CVD28BC					
290502	88H3928	E	462285.958	0.9995887	0.9999712	374991	88H3946	TERR	2 52 27	91.981	92.018		
		N	5363687.228					410910	89H4887	TERR	240 48 39	140.715	140.773
		El	201.413					CVD28BC					
867747	88H3929	E	462218.793	0.9995905	0.9999730	374991	88H3946	TERR	139 25 49	110.363	110.408		
		N	5363862.926										
		El	190.378					CVD28BC					

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
722645	88H3930	E	462136.869	0.9995916	0.9999740	540351	88H3931	TERR	236 41 31	76.256	76.287
		N	5363757.247								
		El	183.952	CVD28BC							
540351	88H3931	E	462073.140	0.9995926	0.9999749	722645	88H3930	TERR	56 41 31	76.256	76.287
		N	5363715.372								
		El	177.765	CVD28BC							
870881	88H3932	E	461698.005	0.9996056	0.9999876	512236	88H3933	TERR	32 19 14	95.654	95.691
		N	5364222.047								
		El	97.155	CVD28BC							
512236	88H3933	E	461749.147	0.9996060	0.9999880	870881	88H3932	TERR	212 19 14	95.654	95.691
		N	5364302.881								
		El	94.239	CVD28BC							
438309	88H3934	E	461828.813	0.9996071	0.9999892						
		N	5364498.012								
		El	86.709	CVD28BC							
											MARKER DESTROYED
621490	88H3935	E	461951.867	0.9996103	0.9999925	717959	87H3408	TERR	100 12 34	173.273	173.340
		N	5364840.684			518951	89H4890	TERR	194 59 11	182.683	182.754
		El	65.490	CVD28BC							
533224	88H3936	E	464092.409	0.9996067	0.9999909	853721	86H1398	GPS	12 54 41	2836.563	2837.677
		N	5362560.229			255885	89H4895	GPS	51 42 35	2596.466	2597.474
		El	76.028	CVD28BC		600411		GPS	69 49 58	4469.310	4471.062
						222869	84H0154	GPS	73 25 33	5007.517	5009.473
						743021	87H3438	TERR	107 40 56	145.831	145.888
						432716	907001	GPS	182 50 55	2852.856	2853.971
						832741	89H4860	TERR	290 58 52	192.551	192.627
						716712	87H3404	GPS	320 44 32	2978.973	2980.139
468454	88H3937	E	463171.612	0.9996084	0.9999917	181164	88H3939	TERR	112 37 20	193.132	193.207
		N	5364758.000			90894	86H1429	TERR	198 45 49	213.944	214.027
		El	70.630	CVD28BC		165449	86H1426	TERR	291 29 5	160.190	160.253
438952	88H3938	E	463735.975	0.9996085	0.9999923	274589	87H3417	TERR	110 10 45	199.003	199.081
		N	5364426.372			737023	86H1418	TERR	291 21 30	251.223	251.320
		El	66.773	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
181164	88H3939	E	463349.884	0.9996085	0.9999920	947614	86H1421	TERR	10 14 2	188.594	188.668					
		N	5364683.711					468454				88H3937	TERR	292 37 20	193.132	193.207
		El	69.067					CVD28BC								
721647	88H3940	E	463583.993	0.9996070	0.9999907	695494	87H3406	TERR	108 8 54	160.144	160.206					
		N	5364180.407					810119				86H1428	TERR	287 35 51	189.019	189.094
		El	76.952					CVD28BC								
884387	88H3941	E	463451.683	0.9996073	0.9999909	954727	87H3441	TERR	62 48 41	99.181	99.221					
		N	5363954.540					464172				88H3942	TERR	200 57 20	207.900	207.981
		El	76.176					CVD28BC								
464172	88H3942	E	463377.329	0.9996074	0.9999909	884387	88H3941	TERR	20 57 20	207.900	207.981					
		N	5363760.391					36855				86H1416	TERR	110 29 7	113.877	113.922
		El	75.943					CVD28BC				774687	89H4839	TERR	207 17 2	225.278
135970	88H3944	E	463029.099	0.9996042	0.9999874	911347	88H3968	TERR	202 14 44	198.585	198.663					
		N	5361982.271													
		El	98.070					CVD28BC								
342832	88H3945	E	464257.240	0.9996080	0.9999923	MARKER DESTROYED										
		N	5363150.782													
		El	66.855			CVD28BC										
374991	88H3946	E	462290.570	0.9995889	0.9999715	290502	88H3928	TERR	182 52 27	91.981	92.018					
		N	5363779.093					867747				88H3929	TERR	319 25 49	110.363	110.408
		El	199.947					CVD28BC								
180562	88H3947	E	465602.621	0.9996111	0.9999965	569772	88H3950	TERR	11 7 7	156.383	156.444					
		N	5366266.906													
		El	40.294					CVD28BC								
36780	88H3948	E	465466.316	0.9996104	0.9999957	MARKER DESTROYED										
		N	5365945.387													
		El	45.258			CVD28BC										

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
569772	88H3950	E N El	465632.778 5366420.354 34.086	0.9996120	0.9999975	180562	88H3947	TERR	191 7 7	156.383	156.444
513226	88H3951	E N El	465145.236 5365401.694 63.098	0.9996079	0.9999929		MARKER DESTROYED				
309005	88H3952	E N El	464947.588 5365392.996 64.062	0.9996079	0.9999928	492983 853721	89H5301 86H1398	TERR TERR	87 28 55 252 56 31	197.839 231.548	197.917 231.639
88633	88H3953	E N El	465426.193 5365468.960 62.376	0.9996077	0.9999931	782276 20081	88H3954 88H3956	TERR TERR	151 55 24 335 18 52	120.896 200.151	120.943 200.230
782276	88H3954	E N El	465483.093 5365362.291 62.498	0.9996077	0.9999930	796847 835249 131623 88633	89H5304 88H3955 89H4898 88H3953	TERR TERR TERR TERR	9 45 23 9 45 26 152 9 43 331 55 24	114.837 114.839 290.605 120.896	114.881 114.884 290.720 120.943
835249	88H3955	E N El	465502.555 5365475.469 57.234	0.9996085	0.9999939	782276 971820	88H3954 89H4874	TERR TERR	189 45 26 359 48 3	114.839 337.372	114.884 337.504
20081	88H3956	E N El	465342.602 5365650.820 58.031	0.9996085	0.9999937	88633	88H3953	TERR	155 18 52	200.151	200.230
305045	88H3957	E N El	465282.652 5365905.265 47.491	0.9996102	0.9999954	596734	88H3959	TERR	256 52 48	540.816	541.028
400697	88H3958	E N El	464483.574 5365905.360 72.651	0.9996069	0.9999914	596734	88H3959	TERR	114 16 40	298.804	298.922

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
596734	88H3959	E	464755.953	0.9996069	0.9999916	305045	88H3957	TERR	76 52 48	540.816	541.028		
		N	5365782.504					190082	88H3960	TERR	117 18 2	310.546	310.668
		E1	71.290					CVD28BC	400697	88H3958	TERR	294 16 40	298.804
190082	88H3960	E	465031.908	0.9996069	0.9999919	596734	88H3959	TERR	297 18 2	310.546	310.668		
		N	5365640.069										
		E1	69.570					CVD28BC					
904359	88H3961	E	464415.196	0.9996087	0.9999931	853721	86H1398	TERR	107 23 55	325.943	326.070		
		N	5365422.537					854752	97H2185	TERR	284 14 56	288.283	288.396
		E1	61.960					CVD28BC					
519207	88H3962	E	462020.639	0.9996092	0.9999915	217737	88H3963	TERR	131 33 57	159.357	159.419		
		N	5362023.552										
		E1	72.242					CVD28BC					
217737	88H3963	E	462139.869	0.9996087	0.9999911	658294	88H3964	TERR	107 45 13	223.298	223.386		
		N	5361917.822					519207	88H3962	TERR	311 33 57	159.357	159.419
		E1	74.905					CVD28BC					
658294	88H3964	E	462352.533	0.9996089	0.9999915	2550	88H3965	TERR	147 57 30	88.801	88.836		
		N	5361849.733					217737	88H3963	TERR	287 45 13	223.298	223.386
		E1	72.095					CVD28BC					
2550	88H3965	E	462399.645	0.9996090	0.9999916	838342	88H3966	TERR	126 56 36	110.485	110.528		
		N	5361774.460					658294	88H3964	TERR	327 57 30	88.801	88.836
		E1	71.191					CVD28BC					
838342	88H3966	E	462487.948	0.9996090	0.9999917	597799	88H3967	TERR	97 22 59	180.542	180.613		
		N	5361708.056					2550	88H3965	TERR	306 56 36	110.485	110.528
		E1	70.680					CVD28BC					
597799	88H3967	E	462666.993	0.9996093	0.9999922	838342	88H3966	TERR	277 22 59	180.542	180.613		
		N	5361684.856										
		E1	67.773					CVD28BC					

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
911347	88H3968	E	462953.919	0.9996072	0.9999903	135970	88H3944	TERR	22 14 44	198.585	198.663
		N	5361798.467								
		El	79.560	CVD28BC							
555821	88H3969	E	465291.036	0.9996077	0.9999929		MARKER DESTROYED				
		N	5365569.155								
		El	63.187	CVD28BC							
765313	89H4838	E	463171.590	0.9996072	0.9999905	774687	89H4839	TERR	19 51 10	301.739	301.858
		N	5363276.370			963892	87H3434	TERR	107 21 46	201.133	201.211
		El	78.300	CVD28BC							
774687	89H4839	E	463274.062	0.9996077	0.9999911	464172	88H3942	TERR	27 17 2	225.278	225.366
		N	5363560.176			765313	89H4838	TERR	199 51 10	301.739	301.858
		El	74.732	CVD28BC		107474	89H4840	TERR	287 49 33	367.881	368.025
107474	89H4840	E	462923.843	0.9996072	0.9999903	774687	89H4839	TERR	107 49 33	367.881	368.025
		N	5363672.794			480483	89H4841	TERR	193 41 21	175.488	175.557
		El	79.812	CVD28BC							
480483	89H4841	E	462882.313	0.9996041	0.9999872	107474	89H4840	TERR	13 41 21	175.488	175.557
		N	5363502.291			453126	89H4842	TERR	200 18 18	152.768	152.829
		El	99.812	CVD28BC							
453126	89H4842	E	462829.300	0.9996027	0.9999857	480483	89H4841	TERR	20 18 18	152.768	152.829
		N	5363359.016			748574	89H4849	TERR	191 46 11	122.514	122.562
		El	108.954	CVD28BC							
38927	89H4843	E	464425.077	0.9996066	0.9999911		MARKER DESTROYED				
		N	5362776.068								
		El	74.955	CVD28BC							
741652	89H4844	E	463149.656	0.9996068	0.9999901	209064	86H1435	TERR	107 16 1	200.738	200.817
		N	5363107.097								
		El	80.912	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
4283	89H4845	E	462875.811	0.9996030	0.9999860	4309 748574	89H5299	TERR	77 11 3	91.962	91.998
		N	5363221.468				89H4849	TERR	283 50 10	73.638	73.667
		E1	106.949	CVD28BC							
975961	89H4846	E	463029.434	0.9996038	0.9999870	386086 798173	89H4847	TERR	192 33 3	103.932	103.972
		N	5363089.993				89H4858	TERR	317 18 58	124.052	124.100
		E1	100.952	CVD28BC							
386086	89H4847	E	463006.849	0.9996029	0.9999861	975961 653188	89H4846	TERR	12 33 3	103.932	103.972
		N	5362988.545				86H1388	TERR	238 19 36	123.381	123.431
		E1	106.490	CVD28BC							
337329	89H4848	E	462837.789	0.9996006	0.9999837	653188	86H1388	TERR	152 5 21	136.844	136.899
		N	5363044.687								
		E1	122.157	CVD28BC							
748574	89H4849	E	462804.310	0.9996026	0.9999856	453126 4283 141358 921585	89H4842	TERR	11 46 11	122.514	122.562
		N	5363239.078				89H4845	TERR	103 50 10	73.638	73.667
		E1	109.765	CVD28BC			89H5292	TERR	282 57 24	140.530	140.586
							89H4850	TERR	284 47 11	316.050	316.178
921585	89H4850	E	462498.726	0.9995949	0.9999776	748574 64717	89H4849	TERR	104 47 11	316.050	316.178
		N	5363319.739				89H4851	TERR	330 11 50	84.032	84.065
		E1	160.883	CVD28BC							
64717	89H4851	E	462456.961	0.9995935	0.9999762	921585 374629	89H4850	TERR	150 11 50	84.032	84.065
		N	5363392.657				88H3924	TERR	332 7 26	58.245	58.269
		E1	169.717	CVD28BC							
861278	89H4852	E	464491.203	0.9996104	0.9999949	643635 744946	89H4876	TERR	139 39 60	122.628	122.676
		N	5362976.591				89H4878	TERR	320 56 50	188.512	188.585
		E1	50.786	CVD28BC							
14787	89H4853	E	464685.529	0.9996122	0.9999969	127241 713412	89H4872	TERR	37 44 39	231.064	231.153
		N	5362523.692				89H4854	TERR	323 12 13	163.161	163.224
		E1	38.065	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
713412	89H4854	E	464587.800	0.9996106	0.9999952	763458	89H4875	TERR	35 0 31	182.240	182.310					
		N	5362654.346					14787				89H4853	TERR	143 12 13	163.161	163.224
		El	48.480					CVD28BC								
11668	89H4855	E	462454.343	0.9995925	0.9999752	625939	89H4856	TERR	207 13 30	118.515	118.563					
		N	5363160.267													
		El	176.223					CVD28BC								
625939	89H4856	E	462400.124	0.9995905	0.9999732	11668	89H4855	TERR	27 13 30	118.515	118.563					
		N	5363054.881					887299				89H4857	TERR	205 18 4	93.575	93.614
		El	189.170					CVD28BC								
887299	89H4857	E	462360.132	0.9995902	0.9999728	625939	89H4856	TERR	25 18 4	93.575	93.614					
		N	5362970.282													
		El	191.380					CVD28BC								
798173	89H4858	E	462945.333	0.9996034	0.9999865	975961	89H4846	TERR	137 18 58	124.052	124.100					
		N	5363181.184													
		El	103.800					CVD28BC								
336891	89H4859	E	463522.826	0.9996071	0.9999907	149849	89H4865	TERR	109 6 16	205.081	205.162					
		N	5362723.675					212522				89H4880	TERR	290 58 27	196.886	196.964
		El	77.113					CVD28BC								
832741	89H4860	E	463912.625	0.9996069	0.9999909	533224	88H3936	TERR	110 58 52	192.551	192.627					
		N	5362629.174													
		El	75.838					CVD28BC								
542928	89H4861	E	463807.733	0.9996071	0.9999910	342378	89H4864	TERR	22 33 59	228.260	228.349					
		N	5362908.782					44826				89H4879	TERR	111 26 45	359.016	359.156
		El	75.314					CVD28BC				149849	89H4865	TERR	199 51 47	268.183
679712	89H4862	E	463612.103	0.9996072	0.9999909	945766	89H4863	TERR	18 0 25	200.724	200.803					
		N	5363005.189													
		El	76.132					CVD28BC								

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
945766	89H4863	E	463674.153	0.9996067	0.9999905	342378	89H4864	TERR	109 4 59	234.037	234.130
		N	5363196.081			679712	89H4862	TERR	198 0 25	200.724	200.803
		E1	78.796	CVD28BC		962332	86H1433	TERR	295 21 22	218.473	218.559
342378	89H4864	E	463895.329	0.9996068	0.9999908	634386	87H3446	TERR	18 26 52	209.139	209.222
		N	5363119.565			542928	89H4861	TERR	202 33 59	228.260	228.349
		E1	76.940	CVD28BC		945766	89H4863	TERR	289 4 59	234.037	234.130
149849	89H4865	E	463716.612	0.9996072	0.9999911	542928	89H4861	TERR	19 51 47	268.183	268.288
		N	5362656.554			336891	89H4859	TERR	289 6 16	205.081	205.162
		E1	75.041	CVD28BC							
94821	89H4866	E	464788.643	0.9996157	1.0000005	258541	89H4873	TERR	124 47 51	167.841	167.905
		N	5362952.429			763458	89H4875	TERR	212 54 18	177.253	177.321
		E1	14.923	CVD28BC		207613	86H1431	TERR	303 22 15	317.991	318.114
258996	89H4867	E	464460.845	0.9996117	0.9999962	471847	89H4881	TERR	14 30 22	354.983	355.121
		N	5363185.242			207613	86H1431	TERR	132 56 0	85.004	85.037
		E1	42.453	CVD28BC							
93674	89H4868	E	465044.537	0.9996175	1.0000025	728725	89H4869	TERR	31 35 39	309.793	309.912
		N	5362770.489			708388	89H4871	TERR	214 39 0	186.007	186.078
		E1	1.916	CVD28BC		258541	89H4873	TERR	306 7 10	146.160	146.217
728725	89H4869	E	465206.837	0.9996174	1.0000025	467068	89H4870	TERR	35 32 13	407.748	407.905
		N	5363034.365			93674	89H4868	TERR	211 35 39	309.793	309.912
		E1	2.044	CVD28BC							
467068	89H4870	E	465443.831	0.9996171	1.0000025	399154	89H4894	TERR	38 26 17	288.267	288.378
		N	5363366.167			479162	84H0217	TERR	92 18 54	3561.000	3562.370
		E1	2.335	CVD28BC		728725	89H4869	TERR	215 32 13	407.748	407.905
					87825	89H4885	TERR	274 7 26	449.394	449.565	
708388	89H4871	E	464938.780	0.9996169	1.0000017	93674	89H4868	TERR	34 39 0	186.007	186.078
		N	5362617.472			127241	89H4872	TERR	308 29 58	142.865	142.919
		E1	6.869	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
471847	89H4881	E	464549.762	0.9996161	1.0000007	333112	89H4882	TERR	97 16 25	120.492	120.538		
		N	5363528.909					258996	89H4867	TERR	194 30 22	354.983	355.121
		El	13.836					CVD28BC					
333112	89H4882	E	464669.284	0.9996164	1.0000011	421123	89H4883	TERR	69 57 43	122.562	122.609		
		N	5363513.654					471847	89H4881	TERR	277 16 25	120.492	120.538
		El	11.252					CVD28BC					
421123	89H4883	E	464784.427	0.9996164	1.0000011	113951	89H4884	TERR	106 44 21	135.391	135.443		
		N	5363555.649					333112	89H4882	TERR	249 57 43	122.562	122.609
		El	10.739					CVD28BC					
113951	89H4884	E	464914.081	0.9996172	1.0000021	87825	89H4885	TERR	145 23 59	143.560	143.615		
		N	5363516.654					421123	89H4883	TERR	286 44 21	135.391	135.443
		El	4.781					CVD28BC					
87825	89H4885	E	464995.601	0.9996176	1.0000025	467068	89H4870	TERR	94 7 26	449.394	449.565		
		N	5363398.485					113951	89H4884	TERR	325 23 59	143.560	143.615
		El	2.083					CVD28BC					
410910	89H4887	E	462163.112	0.9995883	0.9999707	290502	88H3928	TERR	60 48 39	140.715	140.773		
		N	5363618.602					2055	88H3927	TERR	180 56 26	77.967	77.998
		El	204.919					CVD28BC					
371963	89H4888	E	465844.933	0.9996082	0.9999939	769711	89H4889	TERR	116 49 39	401.356	401.513		
		N	5365006.471					131623	89H4898	TERR	293 36 38	246.795	246.891
		El	57.187					CVD28BC					
769711	89H4889	E	466203.091	0.9996100	0.9999960	371963	89H4888	TERR	296 49 39	401.356	401.513		
		N	5364825.337										
		El	43.870					CVD28BC					
518951	89H4890	E	461904.627	0.9996089	0.9999911	621490	88H3935	TERR	14 59 11	182.683	182.754		
		N	5364664.215					521161	89H4891	TERR	108 0 27	93.698	93.734
		El	74.597					CVD28BC					

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING							
521161	89H4891	E	461993.735	0.9996084	0.9999906	411900	89H4892	TERR	116 34 50	228.715	228.805			
		N	5364635.249					852780	677019	TERR	282 6 37	4089.783	4091.490	
		El	77.514					CVD28BC	518951	89H4890	TERR	288 0 27	93.698	93.734
411900	89H4892	E	462198.276	0.9996080	0.9999904	842039	87H3447	TERR	127 46 50	172.755	172.822			
		N	5364532.909					521161	89H4891	TERR	296 34 50	228.715	228.805	
		El	78.936					CVD28BC						
532051	89H4893	E	462560.430	0.9996077	0.9999905	860163	86H1424	TERR	125 13 54	118.506	118.553			
		N	5364234.517					9019	87H3414	TERR	315 13 0	100.928	100.967	
		El	78.609					CVD28BC						
399154	89H4894	E	465623.038	0.9996170	1.0000024	255885	89H4895	TERR	41 18 49	768.410	768.704			
		N	5363591.961					467068	89H4870	TERR	218 26 17	288.267	288.378	
		El	2.480					CVD28BC	188250	89H5296	TERR	333 3 5	1614.509	1615.135
255885	89H4895	E	466130.328	0.9996166	1.0000025	600411	89H4895	GPS	91 48 23	2158.450	2159.286			
		N	5364169.118					222869	84H0154	GPS	93 44 21	2767.436	2768.504	
		El	2.104					CVD28BC	432716	907001	GPS	206 3 17	4962.539	4964.454
									399154	89H4894	TERR	221 18 49	768.410	768.704
									533224	88H3936	GPS	231 42 35	2596.466	2597.474
									853721	86H1398	GPS	309 27 49	1818.718	1819.424
									109132	94H1524	GPS	322 39 47	3786.517	3787.987
									420265	99H2286	GPS	357 31 2	2849.100	2850.196
953588	89H4896	E	466169.932	0.9996154	1.0000013	715896	89H4897	TERR	48 29 16	249.152	249.247			
		N	5364516.431											
		El	9.859					CVD28BC						
715896	89H4897	E	466356.500	0.9996121	0.9999981	953588	89H4896	TERR	228 29 16	249.152	249.247			
		N	5364681.564											
		El	29.943					CVD28BC						
131623	89H4898	E	465618.798	0.9996074	0.9999929	371963	89H4888	TERR	113 36 38	246.795	246.891			
		N	5365105.317					782276	88H3954	TERR	332 9 43	290.605	290.720	
		El	63.481					CVD28BC						
650218	89H4903	E	462583.040	0.9996093	0.9999921	135822	89H4904	TERR	275 33 19	120.033	120.080			
		N	5364878.843											
		El	68.485					CVD28BC						

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING				
135822	89H4904	E	462463.571	0.9996094	0.9999921	418475	89H4905	TERR	7 27 58	228.651	228.739
		N	5364890.463			650218	89H4903	TERR	95 33 19	120.033	120.080
		El	68.227	CVD28BC							
956094	89H4906	E	462707.034	0.9996099	0.9999928	768150	87H3413	TERR	291 48 40	300.816	300.933
		N	5364320.973								
		El	63.813	CVD28BC							
183442	89H5291	E	463920.453	0.9996122	0.9999962	87205	87H3430	TERR	291 34 43	342.361	342.493
		N	5361355.283								
		El	42.412	CVD28BC							
141358	89H5292	E	462667.358	0.9996022	0.9999850	748574	89H4849	TERR	102 57 24	140.530	140.586
		N	5363270.587			412239	89H5293	TERR	335 46 55	123.329	123.378
		El	113.283	CVD28BC							
412239	89H5293	E	462616.767	0.9996007	0.9999836	213777	89H5298	TERR	38 37 40	173.274	173.344
		N	5363383.062			141358	89H5292	TERR	155 46 55	123.329	123.378
		El	122.704	CVD28BC		825299	89H5294	TERR	195 4 53	160.284	160.348
825299	89H5294	E	462575.063	0.9995979	0.9999807	412239	89H5293	TERR	15 4 53	160.284	160.348
		N	5363228.299			894261	89H5302	TERR	197 28 42	122.432	122.481
		El	141.242	CVD28BC							
792051	89H5295	E	464769.591	0.9996083	0.9999931	188250	89H5296	TERR	141 23 29	195.143	195.219
		N	5365183.648								
		El	62.343	CVD28BC							
188250	89H5296	E	464891.360	0.9996084	0.9999933	399154	89H4894	TERR	153 3 5	1614.509	1615.135
		N	5365031.158			792051	89H5295	TERR	321 23 29	195.143	195.219
		El	60.944	CVD28BC							
360388	89H5297	E	462512.934	0.9995952	0.9999780	894261	89H5302	TERR	32 30 55	47.174	47.192
		N	5363071.741								
		El	158.421	CVD28BC							

Order in Council No. 0000

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
213777	89H5298	E	462724.935	0.9996028	0.9999857	412239	89H5293	TERR	218 37 40	173.274	173.344
		N	5363518.427								
		El	108.809	CVD28BC							
4309	89H5299	E	462965.482	0.9996039	0.9999871	4283	89H4845	TERR	257 11 3	91.962	91.998
		N	5363241.867								
		El	100.352	CVD28BC							
492983	89H5301	E	465145.236	0.9996079	0.9999929	309005	88H3952	TERR	267 28 55	197.839	197.917
		N	5365401.688								
		El	63.087	CVD28BC							
894261	89H5302	E	462538.291	0.9995957	0.9999784	825299	89H5294	TERR	17 28 42	122.432	122.481
		N	5363111.520			360388	89H5297	TERR	212 30 55	47.174	47.192
		El	155.614	CVD28BC							
796847	89H5304	E	465502.553	0.9996085	0.9999939	782276	88H3954	TERR	189 45 23	114.837	114.881
		N	5365475.467			971820	89H4874	TERR	359 48 4	337.374	337.506
		El	57.232	CVD28BC							
154286	89H5306	E	463320.000	0.9996077	0.9999911						
		N	5364520.000								
		El	74.438	1928 Canadian Vertical Datum							
854752	97H2185	E	464135.782	0.9996090	0.9999932	904359	88H3961	TERR	104 14 56	288.283	288.396
		N	5365493.494			549840	86H1400	TERR	263 26 21	192.012	192.087
		El	61.179	1928 Canadian Vertical Datum							
637280	NO MARKING	E	465712.217	0.9996086	0.9999942	512921	669	TERR	85 26 42	10247.728	10251.834
		N	5366309.335								
		El	55.307	CVD28BC							

END OF REPORT