

## Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Integrated Survey Area No:42 The Corporation of the City of White Rock  
 Order in Council No. 1580/91  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-04

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
838979	3123	E	515337.328	0.9995918	0.9999889	505677	89H5103	TERR	182 14 14	191.514	191.592	
		N	5430328.262			337246	NO MARKING	TERR	317 4 10	783.867	784.191	
		El	90.588	1928 Canadian Vertical		759894	88H3864	TERR	359 49 48	200.939	201.021	
						110296	3124	TERR	359 54 22	605.202	605.449	
48793	86H1295	E	515329.926	0.9995906	0.9999877		MARKER DESTROYED					
		N	5430942.794									
		El	98.001	CVD28GVRD2018								
589564	86H1296	E	514544.995	0.9995883	0.9999857	208850		5472	TERR	268 13 50	312.763	312.892
		N	5430944.370									
		El	110.863	CVD28GVRD2018								
978940	8748	E	515758.728	0.9995937	0.9999906	110296		3124	TERR	271 15 10	422.494	422.666
		N	5430924.225									
		El	79.453	CVD28GVRD2018								
216739	88H3843	E	513199.665	0.9995927	0.9999905	390740	88H3874	TERR	0 19 23	256.552	256.656	
		N	5430686.612									
		El	80.232	1928 Canadian Vertical Datum								
354274	88H3844	E	511306.353	0.9995923	0.9999907	488593	88H3850	TERR	91 16 21	292.728	292.847	
		N	5430741.726			510669	5661	TERR	181 47 41	253.983	254.086	
		El	79.165	CVD28GVRD2018		730085	5474	TERR	357 57 49	196.796	196.877	
563981	88H3845	E	515538.300	0.9995963	0.9999933	504126	88H3907	TERR	89 50 36	391.536	391.693	
		N	5429925.990			229187	WR88012	TERR	180 9 7	202.694	202.775	
		El	62.505	CVD28GVRD2018								
218941	88H3846	E	513737.876	0.9995931	0.9999907	335265	88H3862	TERR	359 8 16	192.608	192.686	
		N	5430533.798									
		El	78.815	CVD28GVRD2018								
904441	88H3847	E	514928.473	0.9995894	0.9999867		MARKER DESTROYED					
		N	5430740.537									
		El	104.709	CVD28GVRD2018								

Integrated Survey Area No:42 The Corporation of the City of White Rock  
 Order in Council No. 1580/91  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-04

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
770958	88H3848	E	514941.347	0.9995910	0.9999883	87395	88H3880	TERR	184 54 24	136.466	136.521
		N	5430276.789								
		El	94.427	CVD28GVRD2018							
352328	88H3849	E	513207.041	0.9995979	0.9999958	325241	88H3853	TERR	183 20 57	152.630	152.691
		N	5430401.255								
		El	46.542	CVD28GVRD2018							
488593	88H3850	E	511599.009	0.9995922	0.9999905	754804	88H3863	TERR	90 3 9	287.919	288.037
		N	5430735.225			354274	88H3844	TERR	271 16 21	292.728	292.847
		El	80.119	1928 Canadian Vertical Datum							
423889	88H3851	E	514730.569	0.9995882	0.9999855			MARKER DESTROYED			
		N	5430941.834								
		El	112.285	CVD28GVRD2018							
587972	88H3852	E	513989.225	0.9996014	0.9999990			MARKER DESTROYED			
		N	5430139.818								
		El	26.205	CVD28GVRD2018							
325241	88H3853	E	513198.124	0.9996039	1.0000018	352328	88H3849	TERR	3 20 57	152.630	152.691
		N	5430248.886			155747	89H5104	TERR	106 1 25	354.662	354.803
		El	8.394	CVD28GVRD2018							
337204	88H3854	E	511928.976	0.9995938	0.9999920	155887	88H3898	TERR	84 10 54	177.719	177.790
		N	5430521.363			225169	88H3884	TERR	266 55 43	316.608	316.736
		El	70.629	1928 Canadian Vertical Datum							
468983	88H3855	E	512397.724	0.9995933	0.9999914	588491	88H3896	TERR	180 12 32	126.222	126.273
		N	5430710.705								
		El	74.631	CVD28GVRD2018							
274431	88H3856	E	514545.381	0.9995911	0.9999885	776328	WR88027	TERR	185 5 53	217.057	217.146
		N	5430345.676			26922	88H3866	TERR	352 49 15	188.270	188.347
		El	93.230	1928 Canadian Vertical Datum							

Integrated Survey Area No:42 The Corporation of the City of White Rock  
 Order in Council No. 1580/91  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-04

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
622944	88H3857	E	513733.266	0.9995972	0.9999949		MARKER DESTROYED				
		N	5430378.307								
		El	52.171	CVD28GVRD2018							
753087	88H3858	E	515125.911	0.9995895	0.9999867	110296	3124	TERR	87 43 15	210.591	210.678
		N	5430925.088								
		El	104.418	CVD28GVRD2018							
489948	88H3859	E	514233.506	0.9995908	0.9999883	573568	88H3902	TERR	179 56 7	309.297	309.423
		N	5430540.575			296947	89H5101	TERR	267 48 38	196.090	196.171
		El	94.279	CVD28GVRD2018		208850	5472	TERR	359 50 11	394.140	394.301
43158	88H3860	E	512716.160	0.9995922	0.9999903	467191	5470	TERR	92 5 11	201.468	201.549
		N	5430943.914			74880	88H3892	TERR	180 17 3	169.767	169.836
		El	81.880	CVD28GVRD2018							
558536	88H3861	E	515065.065	0.9996053	1.0000025	789875	88H3893	TERR	19 19 23	183.392	183.465
		N	5429447.497			645085	WR88025	TERR	114 50 59	300.646	300.764
		El	3.640	CVD28GVRD2018		788679	88H3909	TERR	295 19 44	312.366	312.490
335265	88H3862	E	513734.978	0.9995915	0.9999892	218941	88H3846	TERR	179 8 16	192.608	192.686
		N	5430726.384			471623	5471	TERR	357 53 12	209.778	209.863
		El	88.724	CVD28GVRD2018							
754804	88H3863	E	511886.928	0.9995925	0.9999908	488593	88H3850	TERR	270 3 9	287.919	288.037
		N	5430734.961								
		El	78.490	1928 Canadian Vertical Datum							
759894	88H3864	E	515336.732	0.9995915	0.9999886	236414	88H3901	TERR	90 7 60	201.747	201.828
		N	5430529.200			838979	3123	TERR	179 49 48	200.939	201.021
		El	92.686	1928 Canadian Vertical Datum		110296	3124	TERR	359 56 37	404.263	404.428
838151	88H3865	E	514224.953	0.9995962	0.9999937	892729	89H5508	TERR	179 54 20	149.630	149.690
		N	5430130.536								
		El	60.114	CVD28GVRD2018							

Integrated Survey Area No:42 The Corporation of the City of White Rock  
 Order in Council No. 1580/91  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-04

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
26922	88H3866	E	514521.852	0.9995892	0.9999866	274431	88H3856	TERR	172 49 15	188.270	188.347
		N	5430532.470								
		El	105.367	CVD28GVRD2018							
213835	88H3868	E	514927.250	0.9995887	0.9999860		MARKER DESTROYED				
		N	5430941.951								
		El	109.042	CVD28GVRD2018							
840314	88H3869	E	514537.296	0.9996023	0.9999997	3277	88H3867	TERR	293 37 52	218.424	218.511
		N	5429695.263								
		El	21.847	CVD28GVRD2018							
677161	88H3870	E	514558.741	0.9995993	0.9999967	370817	88H3911	TERR	23 17 16	100.587	100.627
		N	5429776.981								
		El	40.696	CVD28GVRD2018							
21360	88H3871	E	514865.866	0.9995967	0.9999940	789875	88H3893	TERR	114 47 0	286.246	286.360
		N	5429740.549			788679	88H3909	TERR	207 32 33	179.794	179.866
		El	57.810	CVD28GVRD2018							
951087	88H3872	E	513724.500	0.9996050	1.0000027	975730	88H3889	TERR	3 26 52	195.373	195.451
		N	5430056.232			472605	88H3883	TERR	114 8 35	288.822	288.936
		El	2.798	CVD28GVRD2018		155747	89H5104	TERR	297 3 34	208.294	208.376
658492	88H3873	E	512714.777	0.9995940	0.9999920	74880	88H3892	TERR	0 14 55	124.691	124.742
		N	5430649.459								
		El	70.895	CVD28GVRD2018							
390740	88H3874	E	513201.111	0.9995913	0.9999892	471623	5471	TERR	90 46 39	526.180	526.395
		N	5430943.160			216739	88H3843	TERR	180 19 23	256.552	256.656
		El	88.750	CVD28GVRD2018		467191	5470	TERR	268 40 15	283.693	283.809
712299	88H3876	E	515532.285	0.9995938	0.9999908	505677	89H5103	TERR	275 39 4	203.422	203.504
		N	5430116.863								
		El	78.437	CVD28GVRD2018							

Integrated Survey Area No:42 The Corporation of the City of White Rock  
 Order in Council No. 1580/91  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-04

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
332460	88H3877	E	515219.063	0.9995965	0.9999937	2899	88H3890	TERR	25 58 17	202.321	202.402
		N	5429797.032								
		E1	60.235	CVD28GVRD2018							
595934	88H3878	E	514527.436	0.9995887	0.9999861		MARKER DESTROYED				
		N	5430729.875								
		E1	108.601	CVD28GVRD2018							
942086	88H3879	E	515938.530	0.9995967	0.9999936	504126	88H3907	TERR	182 35 15	192.619	192.697
		N	5430119.484								
		E1	60.623	CVD28GVRD2018							
87395	88H3880	E	514929.675	0.9995927	0.9999900	770958	88H3848	TERR	4 54 24	136.466	136.521
		N	5430140.823			903526	88H3895	TERR	96 32 21	130.723	130.776
		E1	83.781	CVD28GVRD2018		241737	88H3900	TERR	266 36 24	195.331	195.410
332445	88H3881	E	514928.115	0.9995899	0.9999872		MARKER DESTROYED				
		N	5430543.295								
		E1	101.424	CVD28GVRD2018							
296731	88H3882	E	515746.439	0.9995942	0.9999911	112110	88H3908	TERR	182 3 13	189.354	189.430
		N	5430718.807								
		E1	76.360	CVD28GVRD2018							
472605	88H3883	E	513988.058	0.9996050	1.0000026	951087	88H3872	TERR	294 8 35	288.822	288.936
		N	5429938.099								
		E1	3.303	CVD28GVRD2018							
225169	88H3884	E	511612.823	0.9995937	0.9999920	337204	88H3854	TERR	86 55 43	316.608	316.736
		N	5430504.399			510669	5661	TERR	266 59 26	314.858	314.987
		E1	70.592	1928 Canadian Vertical Datum							
583997	88H3885	E	512095.372	0.9995930	0.9999912	502807	5469	TERR	3 21 58	231.560	231.654
		N	5430706.603			155887	88H3898	TERR	176 26 20	167.548	167.616
		E1	75.662	CVD28GVRD2018							

Integrated Survey Area No:42 The Corporation of the City of White Rock  
 Order in Council No. 1580/91  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-04

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres		
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING						
74658	88H3886	E	514685.850	0.9995934	0.9999908	241737	88H3900	TERR	32 58 34	89.726	89.763		
		N	5430053.990					595173	88H3912	TERR	115 51 12	299.939	300.061
		E1	78.494					CVD28GVRD2018	776328	WR88027	TERR	295 17 30	176.694
161091	88H3888	E	515744.682	0.9995956	0.9999926	MARKER DESTROYED							
		N	5430134.192										
		E1	67.011			CVD28GVRD2018							
975730	88H3889	E	513736.249	0.9996013	0.9999990	951087	88H3872	TERR	183 26 52	195.373	195.451		
		N	5430251.251										
		E1	25.954					CVD28GVRD2018					
2899	88H3890	E	515307.664	0.9995948	0.9999920	332460	88H3877	TERR	205 58 17	202.321	202.402		
		N	5429978.921										
		E1	71.002					CVD28GVRD2018					
243543	88H3891	E	512395.347	0.9995922	0.9999903	MARKER DESTROYED							
		N	5430944.117										
		E1	81.492			CVD28GVRD2018							
74880	88H3892	E	512715.318	0.9995928	0.9999908	43158	88H3860	TERR	0 17 3	169.767	169.836		
		N	5430774.149					658492	88H3873	TERR	180 14 55	124.691	124.742
		E1	78.407					CVD28GVRD2018					
789875	88H3893	E	515125.748	0.9996002	0.9999974	111005	89H5509	TERR	114 22 2	238.669	238.764		
		N	5429620.558					558536	88H3861	TERR	199 19 23	183.392	183.465
		E1	36.165					CVD28GVRD2018	21360	88H3871	TERR	294 47 0	286.246
597500	88H3894	E	515739.165	0.9995949	0.9999919	112110	88H3908	TERR	0 8 20	201.838	201.920		
		N	5430327.738										
		E1	71.683					CVD28GVRD2018					
903526	88H3895	E	515059.548	0.9995924	0.9999896	595173	88H3912	TERR	207 6 26	227.758	227.850		
		N	5430125.936					87395	88H3880	TERR	276 32 21	130.723	130.776
		E1	86.049					CVD28GVRD2018					

Order in Council No. 1580/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
588491	88H3896	E	512397.264	0.9995941	0.9999922	468983	88H3855	TERR	0 12 32	126.222	126.273					
		N	5430584.484					628917				88H3904	TERR	180 51 28	144.399	144.458
		El	69.344					CVD28GVRD2018								
948612	88H3897	E	514206.564	0.9996040	1.0000016	MARKER DESTROYED										
		N	5429850.378													
		El	9.725			CVD28GVRD2018										
155887	88H3898	E	512105.779	0.9995940	0.9999922	337204	88H3854	TERR	264 10 54	177.719	177.790					
		N	5430539.379					583997				88H3885	TERR	356 26 20	167.548	167.616
		El	69.372					CVD28GVRD2018								
225938	88H3899	E	512922.210	0.9995941	0.9999920	854612	88H3910	TERR	357 54 21	140.605	140.662					
		N	5430569.680													
		El	70.792					CVD28GVRD2018								
241737	88H3900	E	514734.687	0.9995928	0.9999901	87395	88H3880	TERR	86 36 24	195.331	195.410					
		N	5430129.261					74658				88H3886	TERR	212 58 34	89.726	89.763
		El	82.579					CVD28GVRD2018								
236414	88H3901	E	515538.478	0.9995928	0.9999898	112110	88H3908	TERR	89 45 35	201.178	201.259					
		N	5430528.731					759894				88H3864	TERR	270 7 60	201.747	201.828
		El	84.679					1928 Canadian Vertical Datum								
573568	88H3902	E	514233.855	0.9995938	0.9999913	489948	88H3859	TERR	359 56 7	309.297	309.423					
		N	5430231.278													
		El	75.404					CVD28GVRD2018								
763003	88H3903	E	512908.356	0.9996007	0.9999986	225532	88H3906	TERR	283 6 7	207.220	207.304					
		N	5430347.967													
		El	28.358					CVD28GVRD2018								
628917	88H3904	E	512395.102	0.9995962	0.9999943	588491	88H3896	TERR	0 51 28	144.399	144.458					
		N	5430440.101					225532				88H3906	TERR	98 15 3	314.685	314.812
		El	55.978					CVD28GVRD2018								



Order in Council No. 1580/91

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
147637	88H3905	E	513922.613	0.9995913	0.9999889		MARKER DESTROYED				
		N	5430550.407								
		El	90.392	CVD28GVRD2018							
225532	88H3906	E	512706.530	0.9995992	0.9999972	763003	88H3903	TERR	103 6 7	207.220	207.304
		N	5430394.941			628917	88H3904	TERR	278 15 3	314.685	314.812
		El	37.436	CVD28GVRD2018							
504126	88H3907	E	515929.834	0.9995983	0.9999952	942086	88H3879	TERR	2 35 15	192.619	192.697
		N	5429927.061			563981	88H3845	TERR	269 50 36	391.536	391.693
		El	50.376	CVD28GVRD2018							
112110	88H3908	E	515739.654	0.9995946	0.9999916	296731	88H3882	TERR	2 3 13	189.354	189.430
		N	5430529.575			695254	5756	TERR	90 5 8	401.165	401.328
		El	73.388	CVD28GVRD2018		597500	88H3894	TERR	180 8 20	201.838	201.920
						236414	88H3901	TERR	269 45 35	201.178	201.259
788679	88H3909	E	514782.728	0.9996028	1.0000001	21360	88H3871	TERR	27 32 33	179.794	179.866
		N	5429581.132			558536	88H3861	TERR	115 19 44	312.366	312.490
		El	19.237	CVD28GVRD2018							
854612	88H3910	E	512917.072	0.9995927	0.9999906	467191	5470	TERR	0 6 24	226.388	226.481
		N	5430710.191			985606	86H1304	GPS	1 15 31	18277.919	18285.405
		El	79.620	CVD28GVRD2018		546473	85H0764	GPS	44 7 56	30098.882	30111.004
						967042	PIER 3	GPS	68 27 50	10319.981	10324.139
						929125	82H5827	GPS	70 10 13	30710.604	30722.998
						225938	88H3899	TERR	177 54 21	140.605	140.662
						258020	19713	GPS	292 14 28	29364.888	29376.691
						55384	6202	GPS	316 28 53	9491.173	9494.994
370817	88H3911	E	514598.508	0.9995965	0.9999939	677161	88H3870	TERR	203 17 16	100.587	100.627
		N	5429869.373								
		El	58.943	CVD28GVRD2018							
595173	88H3912	E	514955.769	0.9995944	0.9999916	903526	88H3895	TERR	27 6 26	227.758	227.850
		N	5429923.196			74658	88H3886	TERR	295 51 12	299.939	300.061
		El	73.061	CVD28GVRD2018							
49395	89H5100	E	515938.719	0.9996058	1.0000027		MARKER DESTROYED				
		N	5429315.953								
		El	2.716	CVD28GVRD2018							

Integrated Survey Area No:42 The Corporation of the City of White Rock  
 Order in Council No. 1580/91  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-04

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
296947	89H5101	E	514037.559	0.9995912	0.9999888	489948	88H3859	TERR	87 48 38	196.090	196.171
		N	5430533.084								
		E1	91.149	CVD28GVRD2018							
505677	89H5103	E	515329.852	0.9995931	0.9999902	838979	3123	TERR	2 14 14	191.514	191.592
		N	5430136.894			712299	88H3876	TERR	95 39 4	203.422	203.504
		E1	82.064	CVD28GVRD2018							
155747	89H5104	E	513539.007	0.9996049	1.0000026	951087	88H3872	TERR	117 3 34	208.294	208.376
		N	5430150.988			325241	88H3853	TERR	286 1 25	354.662	354.803
		E1	3.085	CVD28GVRD2018							
892729	89H5508	E	514225.200	0.9996000	0.9999975	838151	88H3865	TERR	359 54 20	149.630	149.690
		N	5429980.906								
		E1	35.440	CVD28GVRD2018							
111005	89H5509	E	515343.156	0.9996036	1.0000007	780924	WR88014	TERR	0 0 58	201.093	201.173
		N	5429522.087			121905	WR88016	TERR	89 54 26	194.469	194.546
		E1	15.292	CVD28GVRD2018		789875	88H3893	TERR	294 22 2	238.669	238.764
130286	WR88001	E	515437.085	0.9996043	1.0000014	816132	WR88004	TERR	89 54 23	99.911	99.951
		N	5429315.100			645085	WR88025	TERR	273 29 29	99.395	99.434
		E1	10.859	CVD28GVRD2018							
752972	WR88003	E	515737.204	0.9996054	1.0000024	704304	WR88018	TERR	0 25 23	207.143	207.225
		N	5429315.596			816132	WR88004	TERR	269 54 17	200.208	200.288
		E1	4.548	CVD28GVRD2018							
816132	WR88004	E	515536.996	0.9996047	1.0000017	752972	WR88003	TERR	89 54 17	200.208	200.288
		N	5429315.263			130286	WR88001	TERR	269 54 23	99.911	99.951
		E1	8.881	CVD28GVRD2018							
360545	WR88008	E	515939.992	0.9996002	0.9999971	878314	5870	TERR	89 58 1	200.818	200.898
		N	5429723.512			896845	WR88007	TERR	180 5 0	200.483	200.564
		E1	38.487	CVD28GVRD2018		284489	WR88010	TERR	269 58 7	200.974	201.054

Integrated Survey Area No:42 The Corporation of the City of White Rock  
 Order in Council No. 1580/91  
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.  
 Scale Factor at Reference Central Meridian = 0.9996  
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors  
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-04

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
284489	WR88010	E	515739.018	0.9995997	0.9999967	360545	WR88008	TERR	89 58 7	200.974	201.054
		N	5429723.402			704304	WR88018	TERR	180 4 53	200.669	200.749
		E1	40.962	CVD28GVRD2018		136036	WR88011	TERR	269 58 17	100.528	100.569
136036	WR88011	E	515638.490	0.9995993	0.9999963	284489	WR88010	TERR	89 58 17	100.528	100.569
		N	5429723.352			229187	WR88012	TERR	269 58 7	100.728	100.768
		E1	43.209	CVD28GVRD2018							
229187	WR88012	E	515537.762	0.9995996	0.9999966	563981	88H3845	TERR	0 9 7	202.694	202.775
		N	5429723.297			136036	WR88011	TERR	89 58 7	100.728	100.768
		E1	41.426	CVD28GVRD2018		121905	WR88016	TERR	180 2 21	200.895	200.976
						780924	WR88014	TERR	269 57 56	194.549	194.627
780924	WR88014	E	515343.213	0.9996007	0.9999978	229187	WR88012	TERR	89 57 56	194.549	194.627
		N	5429723.180			111005	89H5509	TERR	180 0 58	201.093	201.173
		E1	34.017	CVD28GVRD2018							
121905	WR88016	E	515537.625	0.9996036	1.0000006	229187	WR88012	TERR	0 2 21	200.895	200.976
		N	5429522.402			704304	WR88018	TERR	89 54 21	201.108	201.187
		E1	15.676	CVD28GVRD2018		111005	89H5509	TERR	269 54 26	194.469	194.546
704304	WR88018	E	515738.733	0.9996042	1.0000011	284489	WR88010	TERR	0 4 53	200.669	200.749
		N	5429522.733			896845	WR88007	TERR	89 54 56	200.967	201.047
		E1	12.499	CVD28GVRD2018		752972	WR88003	TERR	180 25 23	207.143	207.225
						121905	WR88016	TERR	269 54 21	201.108	201.187
645085	WR88025	E	515337.875	0.9996054	1.0000025	130286	WR88001	TERR	93 29 29	99.395	99.434
		N	5429321.153			558536	88H3861	TERR	294 50 59	300.646	300.764
		E1	3.817	CVD28GVRD2018							
776328	WR88027	E	514526.093	0.9995930	0.9999904	274431	88H3856	TERR	5 5 53	217.057	217.146
		N	5430129.478			74658	88H3886	TERR	115 17 30	176.694	176.766
		E1	80.890	CVD28GVRD2018		550905	WR88029	TERR	270 7 9	151.924	151.985
550905	WR88029	E	514374.169	0.9995937	0.9999911	776328	WR88027	TERR	90 7 9	151.924	151.985
		N	5430129.794								
		E1	76.273	CVD28GVRD2018							

END OF REPORT