

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Order in Council No. 0000/00

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
895904	10H2618	E	631792.987	0.9997074	0.9998944	6254	10H2639	GPS	5 26 34	1034.523	1034.825	
		N	6234510.533			838607	10H2637	GPS	24 15 60	791.431	791.662	
		E1	688.767			CVD28BC	807321	10H2622	GPS	85 19 13	1034.209	1034.509
							778977	10H2619	GPS	101 27 55	2445.019	2445.722
							171397	11H2655	GPS	121 24 32	1057.506	1057.814
							841924	10H2629	GPS	358 31 6	2465.393	2466.114
778977	10H2619	E	634189.215	0.9997181	0.9998972	923912	10H2642	GPS	16 29 54	361.783	361.886	
		N	6234024.521			317123	10H2624	GPS	27 40 47	3269.215	3270.142	
		E1	670.478			CVD28BC	8292	14H2732	GPS	29 8 46	3318.466	3319.405
							981274		GPS	71 46 40	5549.714	5551.237
							160648		GPS	74 12 5	6732.836	6734.675
							661181	14H2726	GPS	87 11 25	1680.176	1680.645
							235200	10H2621	GPS	90 1 59	1346.339	1346.716
							5678	10H2625	GPS	101 52 29	888.506	888.754
							564989	80C026	GPS	153 36 23	33412.973	33421.486
							171397	11H2655	GPS	267 30 16	1495.097	1495.524
							895904	10H2618	GPS	281 27 55	2445.019	2445.722
							807321	10H2622	GPS	292 40 18	1479.813	1480.234
973404	10H2620	E	635634.294	0.9997208	0.9998951	647438	11H2658	GPS	29 53 44	495.764	495.902	
		N	6234427.760			465716	10H2635	GPS	38 55 7	1611.761	1612.209	
		E1	684.076			CVD28BC	661181	14H2726	GPS	144 0 24	396.597	396.706
							497495	10H2634	GPS	147 6 21	2040.228	2040.789
							235200	10H2621	GPS	193 44 1	415.908	416.024
							923912	10H2642	GPS	267 35 46	1343.519	1343.896
235200	10H2621	E	635535.554	0.9997211	0.9998958	25031	10H2626	GPS	304 27 16	741.224	741.433	
		N	6234023.743			440685	10H2627	GPS	332 12 39	1350.363	1350.743	
		E1	680.031			CVD28BC	973404	10H2620	GPS	13 44 1	415.908	416.024
							608026	10H2640	GPS	52 11 23	1431.807	1432.204
							533323	10H2632	GPS	69 8 23	1836.923	1837.431
							661181	14H2726	GPS	75 56 3	342.074	342.169
							404012	11H2656	GPS	86 47 40	1135.571	1135.886
							497495	10H2634	GPS	137 19 46	1780.464	1780.955
			5678	10H2625	GPS	249 6 14	510.419	510.562				
			778977	10H2619	GPS	270 1 59	1346.339	1346.716				
			923912	10H2642	GPS	285 37 9	1291.280	1291.642				

Order in Council No. 0000/00

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
807321	10H2622	E	632823.748	0.9997127	0.9998963	826412	11H2662	GPS	11 29 9	691.455	691.654	
		N	6234594.912			707240	10H2631	GPS	71 45 52	624.855	625.033	
		E1	676.272			CVD28BC	923912	10H2642	GPS	98 39 20	1485.123	1485.545
							778977	10H2619	GPS	112 40 18	1479.813	1480.234
							171397	11H2655	GPS	191 24 23	648.296	648.483
							895904	10H2618	GPS	265 19 13	1034.209	1034.509
							838607	10H2637	GPS	312 5 5	950.605	950.880
							6254	10H2639	GPS	315 23 31	1328.058	1328.443
203190	10H2623	E	634959.158	0.9997187	0.9998953	8292	14H2732	GPS	131 44 4	1134.053	1134.373	
		N	6237677.720			317123	10H2624	GPS	135 21 29	1065.504	1065.806	
		E1	682.969			CVD28BC	723924	11H2660	GPS	179 7 15	1220.543	1220.887
							912279	10H2633	GPS	205 21 27	913.689	913.947
							67009	10H2638	GPS	228 34 23	2114.101	2114.703
							193748	10H2641	GPS	259 15 38	1679.132	1679.608
							745521	11H2661	GPS	268 0 60	818.183	818.414
							269720	14H2733	GPS	268 3 44	180.004	180.054
5678	10H2625	E	635058.706	0.9997205	0.9998968	235200	10H2621	GPS	69 6 14	510.419	510.562	
		N	6233841.689			404012	11H2656	GPS	81 19 54	1629.253	1629.706	
		E1	673.602			CVD28BC	497495	10H2634	GPS	123 47 58	2026.033	2026.592
							778977	10H2619	GPS	281 52 29	888.506	888.754
25031	10H2626	E	635023.097	0.9997167	0.9998930	647438	11H2658	GPS	89 18 9	858.359	858.599	
		N	6234847.107			973404	10H2620	GPS	124 27 16	741.224	741.433	
		E1	697.381			CVD28BC	923912	10H2642	GPS	236 57 3	872.270	872.516
							716365	11H2659	GPS	285 40 32	1236.165	1236.516
							416834	10H2636	GPS	312 35 56	1116.903	1117.222
							440685	10H2627	GPS	358 38 34	775.495	775.715
440685	10H2627	E	635004.728	0.9997168	0.9998932	317123	10H2624	GPS	28 27 33	1475.522	1475.941	
		N	6235622.384			465716	10H2635	GPS	87 55 44	1643.175	1643.634	
		E1	696.377			CVD28BC	647438	11H2658	GPS	131 6 9	1163.401	1163.728
							973404	10H2620	GPS	152 12 39	1350.363	1350.743
							25031	10H2626	GPS	178 38 34	775.495	775.715
							923912	10H2642	GPS	209 40 24	1439.785	1440.191
							416834	10H2636	GPS	268 37 31	804.027	804.257
							409425	11H2657	GPS	316 6 8	1015.953	1016.242
							912279	10H2633	GPS	340 26 29	1304.976	1305.348
							723924	11H2660	GPS	358 9 31	835.368	835.605

Order in Council No. 0000/00

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres				
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING								
21238	10H2628	E	633370.461	0.9997127	0.9998946	67009	10H2638	GPS	0 17 28	698.423	698.625				
		N	6235580.477			409425	11H2657	GPS	50 13 35	1209.808	1210.154				
		E1	687.586			CVD28BC	416834	10H2636	GPS	88 26 24	830.779	831.017			
							716365	11H2659	GPS	130 48 51	611.029	611.203			
							707240	10H2631	GPS	176 36 46	791.415	791.641			
							826412	11H2662	GPS	233 1 25	511.995	512.142			
							838607	10H2637	GPS	254 27 1	1299.784	1300.160			
							6254	10H2639	GPS	268 26 52	1479.890	1480.318			
							900472	10H2630	GPS	308 58 5	822.685	822.923			
		841924	10H2629			E	631729.238	0.9997088	0.9998960	659870	14H2728	GPS	71 23 21	897.608	897.868
N	6236975.102			193748	10H2641	GPS	76 8 45			1627.548	1628.018				
E1	678.349			CVD28BC	972232	11H2664	GPS			107 23 45	1043.928	1044.231			
					900472	10H2630	GPS			131 12 50	1331.445	1331.833			
					838607	10H2637	GPS			167 25 8	1785.949	1786.469			
					6254	10H2639	GPS			173 33 45	1443.813	1444.235			
					831420	14H2729	GPS			174 19 24	641.830	642.018			
					895904	10H2618	GPS			178 31 6	2465.393	2466.114			
900472	10H2630			E	632730.826	0.9997088	0.9998927			193748	10H2641	GPS	24 32 44	1392.842	1393.244
				N	6236097.852					67009	10H2638	GPS	74 16 46	668.175	668.369
		E1	699.354	CVD28BC	21238			10H2628	GPS	128 58 5	822.685	822.923			
					838607			10H2637	GPS	215 16 47	1060.606	1060.915			
					6254			10H2639	GPS	236 25 16	1007.908	1008.201			
					831420			14H2729	GPS	284 16 6	967.963	968.245			
					841924			10H2629	GPS	311 12 50	1331.445	1331.833			
					972232			11H2664	GPS	359 27 6	565.170	565.334			
		707240	10H2631	E	633417.221			0.9997154	0.9998971	416834	10H2636	GPS	43 57 41	1128.983	1129.306
				N	6234790.445					716365	11H2659	GPS	46 46 40	570.447	570.610
E1	671.594			CVD28BC	923912	10H2642	GPS			115 35 47	969.925	970.199			
					807321	10H2622	GPS			251 45 52	624.855	625.033			
					838607	10H2637	GPS			288 46 32	1371.978	1372.372			
					826412	11H2662	GPS			316 36 20	663.428	663.617			
					21238	10H2628	GPS			356 36 46	791.415	791.641			
533323	10H2632			E	637252.071	0.9997259	0.9998948			497495	10H2634	GPS	194 33 20	2028.319	2028.873
		N	6234677.850	404012	11H2656			GPS	224 36 54	829.688	829.916				
		E1	686.177	CVD28BC	235200			10H2621	GPS	249 8 23	1836.923	1837.431			
					608026			10H2640	GPS	290 54 45	626.600	626.772			
					317123			10H2624	GPS	325 26 21	2722.139	2722.898			
					465716			10H2635	GPS	328 54 55	1172.253	1172.576			

Order in Council No. 0000/00

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
912279	10H2633	E	634567.858	0.9997152	0.9998931	269720	14H2733	GPS	14 27 49	846.396	846.636	
		N	6236852.062			203190	10H2623	GPS	25 21 27	913.689	913.947	
		E1	696.976			CVD28BC	317123	10H2624	GPS	86 36 34	1142.000	1142.326
							723924	11H2660	GPS	133 54 43	569.160	569.321
							440685	10H2627	GPS	160 26 29	1304.976	1305.348
							416834	10H2636	GPS	196 22 19	1301.750	1302.122
							409425	11H2657	GPS	208 16 2	564.979	565.140
							67009	10H2638	GPS	244 21 15	1324.312	1324.692
							134247	14H2731	GPS	291 43 45	894.025	894.279
							193748	10H2641	GPS	292 10 9	1358.878	1359.265
			745521	11H2661	GPS	331 51 49	904.191	904.448				
497495	10H2634	E	636742.318	0.9997285	0.9998992	533323	10H2632	GPS	14 33 20	2028.319	2028.873	
		N	6232714.631			5678	10H2625	GPS	303 47 58	2026.033	2026.592	
		E1	658.093			CVD28BC	923912	10H2642	GPS	304 3 51	2957.902	2958.719
							235200	10H2621	GPS	317 19 46	1780.464	1780.955
							973404	10H2620	GPS	327 6 21	2040.228	2040.789
							404012	11H2656	GPS	356 57 25	1374.550	1374.927
416834	10H2636	E	634200.932	0.9997142	0.9998933	409425	11H2657	GPS	7 31 59	757.904	758.121	
		N	6235603.095			912279	10H2633	GPS	16 22 19	1301.750	1302.122	
		E1	695.794			CVD28BC	8292	14H2732	GPS	50 33 45	2077.513	2078.105
							440685	10H2627	GPS	88 37 31	804.027	804.257
							25031	10H2626	GPS	132 35 56	1116.903	1117.222
							923912	10H2642	GPS	175 46 24	1235.045	1235.395
							716365	11H2659	GPS	221 5 32	559.927	560.087
							707240	10H2631	GPS	223 57 41	1128.983	1129.306
							21238	10H2628	GPS	268 26 24	830.779	831.017
							67009	10H2638	GPS	309 15 26	1067.944	1068.250
838607	10H2637	E	632118.252	0.9997095	0.9998954	900472	10H2630	GPS	35 16 47	1060.606	1060.915	
		N	6235232.035			21238	10H2628	GPS	74 27 1	1299.784	1300.160	
		E1	682.456			CVD28BC	826412	11H2662	GPS	87 15 4	844.155	844.399
							707240	10H2631	GPS	108 46 32	1371.978	1372.372
							807321	10H2622	GPS	132 5 5	950.605	950.880
							895904	10H2618	GPS	204 15 60	791.431	791.662
							6254	10H2639	GPS	323 37 28	382.983	383.094
							841924	10H2629	GPS	347 25 8	1785.949	1786.469
67009	10H2638	E	633374.008	0.9997112	0.9998930	134247	14H2731	GPS	21 53 37	974.433	974.712	
		N	6236278.891			203190	10H2623	GPS	48 34 23	2114.101	2114.703	
		E1	697.715			CVD28BC	912279	10H2633	GPS	64 21 15	1324.312	1324.692
							409425	11H2657	GPS	85 20 10	929.362	929.629
							416834	10H2636	GPS	129 15 26	1067.944	1068.250
							21238	10H2628	GPS	180 17 28	698.423	698.625
							900472	10H2630	GPS	254 16 46	668.175	668.369
							972232	11H2664	GPS	300 38 5	753.794	754.013
							193748	10H2641	GPS	356 35 50	1087.851	1088.164

Order in Council No. 0000/00

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
6254	10H2639	E	631891.114	0.9997087	0.9998953	972232	11H2664	GPS	36 37 9	1398.679	1399.086	
		N	6235540.392			745521	11H2661	GPS	46 51 25	3084.154	3085.039	
		E1	682.847			CVD28BC	900472	10H2630	GPS	56 25 16	1007.908	1008.201
							317123	10H2624	GPS	70 7 56	4058.295	4059.464
							981274		GPS	88 20 20	7572.688	7574.804
							21238	10H2628	GPS	88 26 52	1479.890	1480.318
							826412	11H2662	GPS	104 3 3	1103.333	1103.653
							778977	10H2619	GPS	123 24 35	2753.023	2753.812
							807321	10H2622	GPS	135 23 31	1328.058	1328.443
							838607	10H2637	GPS	143 37 28	382.983	383.094
							895904	10H2618	GPS	185 26 34	1034.523	1034.825
							586586	900-J	GPS	298 34 21	4761.979	4763.405
							362715	897046	GPS	311 34 22	20579.136	20585.862
							831420	14H2729	GPS	352 57 14	802.085	802.319
			841924	10H2629	GPS	353 33 45	1443.813	1444.235				
608026	10H2640	E	636666.747	0.9997238	0.9998947	533323	10H2632	GPS	110 54 45	626.600	626.772	
		N	6234901.509			404012	11H2656	GPS	179 49 1	814.270	814.495	
		E1	686.803			CVD28BC	661181	14H2726	GPS	225 10 14	1127.137	1127.449
							235200	10H2621	GPS	232 11 23	1431.807	1432.204
							647438	11H2658	GPS	266 47 48	786.584	786.803
							317123	10H2624	GPS	334 35 8	2234.315	2234.941
							8292	14H2732	GPS	336 55 13	2197.158	2197.774
							465716	10H2635	GPS	358 32 16	780.517	780.733
193748	10H2641	E	633309.437	0.9997137	0.9998958	758938	14H2727	GPS	59 20 52	532.742	532.895	
		N	6237364.824			745521	11H2661	GPS	71 7 4	879.349	879.599	
		E1	679.862			CVD28BC	203190	10H2623	GPS	79 15 38	1679.132	1679.608
							912279	10H2633	GPS	112 10 9	1358.878	1359.265
							134247	14H2731	GPS	113 0 56	464.930	465.063
							67009	10H2638	GPS	176 35 50	1087.851	1088.164
							900472	10H2630	GPS	204 32 44	1392.842	1393.244
							972232	11H2664	GPS	219 45 55	913.039	913.302
							841924	10H2629	GPS	256 8 45	1627.548	1628.018
							659870	14H2728	GPS	261 56 37	736.801	737.013
923912	10H2642	E	634291.957	0.9997187	0.9998975	440685	10H2627	GPS	29 40 24	1439.785	1440.191	
		N	6234371.409			25031	10H2626	GPS	56 57 3	872.270	872.516	
		E1	668.711			CVD28BC	973404	10H2620	GPS	87 35 46	1343.519	1343.896
							235200	10H2621	GPS	105 37 9	1291.280	1291.642
							497495	10H2634	GPS	124 3 51	2957.902	2958.719
							778977	10H2619	GPS	196 29 54	361.783	361.886
							807321	10H2622	GPS	278 39 20	1485.123	1485.545
							707240	10H2631	GPS	295 35 47	969.925	970.199
							716365	11H2659	GPS	330 26 58	930.770	931.033
							416834	10H2636	GPS	355 46 24	1235.045	1235.395

Order in Council No. 0000/00

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING					
171397	11H2655	E	632695.536	0.9997110	0.9998951	807321	10H2622	GPS	11 24 23	648.296	648.483	
		N	6233959.421			778977	10H2619	GPS	87 30 16	1495.097	1495.524	
		E1	684.392			CVD28BC	895904	10H2618	GPS	301 24 32	1057.506	1057.814
404012	11H2656	E	636669.348	0.9997240	0.9998949	533323	10H2632	GPS	44 36 54	829.688	829.916	
		N	6234087.243			497495	10H2634	GPS	176 57 25	1374.550	1374.927	
		E1	685.379			CVD28BC	5678	10H2625	GPS	261 19 54	1629.253	1629.706
							235200	10H2621	GPS	266 47 40	1135.571	1135.886
							661181	14H2726	GPS	271 24 10	802.217	802.440
							608026	10H2640	GPS	359 49 1	814.270	814.495
409425	11H2657	E	634300.293	0.9997145	0.9998933	912279	10H2633	GPS	28 16 2	564.979	565.140	
		N	6236354.458			723924	11H2660	GPS	81 22 5	685.355	685.550	
		E1	695.572			CVD28BC	440685	10H2627	GPS	136 6 8	1015.953	1016.242
							416834	10H2636	GPS	187 31 59	757.904	758.121
							21238	10H2628	GPS	230 13 35	1209.808	1210.154
							67009	10H2638	GPS	265 20 10	929.362	929.629
			745521	11H2661	GPS	353 0 27	1304.648	1305.019				
647438	11H2658	E	635881.392	0.9997213	0.9998949	465716	10H2635	GPS	42 52 57	1124.823	1125.135	
		N	6234857.556			608026	10H2640	GPS	86 47 48	786.584	786.803	
		E1	685.791			CVD28BC	973404	10H2620	GPS	209 53 44	495.764	495.902
							25031	10H2626	GPS	269 18 9	858.359	858.599
							440685	10H2627	GPS	311 6 9	1163.401	1163.728
							723924	11H2660	GPS	330 32 36	1837.273	1837.790
716365	11H2659	E	633832.908	0.9997161	0.9998964	416834	10H2636	GPS	41 5 32	559.927	560.087	
		N	6235181.104			25031	10H2626	GPS	105 40 32	1236.165	1236.516	
		E1	675.798			CVD28BC	923912	10H2642	GPS	150 26 58	930.770	931.033
							707240	10H2631	GPS	226 46 40	570.447	570.610
							826412	11H2662	GPS	275 59 18	876.254	876.503
							21238	10H2628	GPS	310 48 51	611.029	611.203
723924	11H2660	E	634977.885	0.9997169	0.9998935	8292	14H2732	GPS	60 38 34	949.480	949.749	
		N	6236457.321			647438	11H2658	GPS	150 32 36	1837.273	1837.790	
		E1	694.591			CVD28BC	440685	10H2627	GPS	178 9 31	835.368	835.605
							409425	11H2657	GPS	261 22 5	685.355	685.550
							912279	10H2633	GPS	313 54 43	569.160	569.321
							203190	10H2623	GPS	359 7 15	1220.543	1220.887

Order in Council No. 0000/00

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
745521	11H2661	E	634141.465	0.9997168	0.9998961	269720	14H2733	GPS	88 0 13	638.179	638.360	
		N	6237649.402			203190	10H2623	GPS	88 0 60	818.183	818.414	
		E1	677.939			CVD28BC	160648		GPS	105 21 10	6767.766	6769.619
							981274		GPS	109 33 22	5644.779	5646.334
							8292	14H2732	GPS	113 35 21	1815.690	1816.205
							912279	10H2633	GPS	151 51 49	904.191	904.448
							409425	11H2657	GPS	173 0 27	1304.648	1305.019
							778977	10H2619	GPS	179 14 43	3625.196	3626.221
							134247	14H2731	GPS	220 54 35	617.082	617.258
							6254	10H2639	GPS	226 51 25	3084.154	3085.039
			193748	10H2641	GPS	251 7 4	879.349	879.599				
			758938	14H2727	GPS	268 0 43	373.947	374.052				
868398	11H2663	E	634273.891	0.9997184	0.9998973	MARKER DESTROYED						
		N	6233388.534									
		E1	670.209	CVD28BC								
972232	11H2664	E	632725.418	0.9997102	0.9998941	193748	10H2641	GPS	39 45 55	913.039	913.302	
		N	6236662.996			67009	10H2638	GPS	120 38 5	753.794	754.013	
		E1	690.313			CVD28BC	900472	10H2630	GPS	179 27 6	565.170	565.334
							6254	10H2639	GPS	216 37 9	1398.679	1399.086
							831420	14H2729	GPS	250 42 9	988.217	988.504
							841924	10H2629	GPS	287 23 45	1043.928	1044.231
			659870	14H2728	GPS	346 20 12	616.001	616.178				
661181	14H2726	E	635867.371	0.9997226	0.9998961	608026	10H2640	GPS	45 10 14	1127.137	1127.449	
		N	6234106.880			404012	11H2656	GPS	91 24 10	802.217	802.440	
		E1	677.638			CVD28BC	235200	10H2621	GPS	255 56 3	342.074	342.169
							778977	10H2619	GPS	267 11 25	1680.176	1680.645
			973404	10H2620	GPS	324 0 24	396.597	396.706				
758938	14H2727	E	633767.743	0.9997155	0.9998961	269720	14H2733	GPS	88 0 24	1012.126	1012.413	
		N	6237636.430			745521	11H2661	GPS	88 0 43	373.947	374.052	
		E1	678.036			CVD28BC	134247	14H2731	GPS	183 50 3	454.401	454.531
			193748	10H2641	GPS	239 20 52	532.742	532.895				
659870	14H2728	E	632579.908	0.9997116	0.9998959	193748	10H2641	GPS	81 56 37	736.801	737.013	
		N	6237261.564			972232	11H2664	GPS	166 20 12	616.001	616.178	
		E1	678.692			CVD28BC	831420	14H2729	GPS	220 23 37	1214.724	1215.075
			841924	10H2629	GPS	251 23 21	897.608	897.868				
831420	14H2729	E	631792.723	0.9997083	0.9998953	659870	14H2728	GPS	40 23 37	1214.724	1215.075	
		N	6236336.419			972232	11H2664	GPS	70 42 9	988.217	988.504	
		E1	682.877			CVD28BC	900472	10H2630	GPS	104 16 6	967.963	968.245
							6254	10H2639	GPS	172 57 14	802.085	802.319
			841924	10H2629	GPS	354 19 24	641.830	642.018				

Order in Council No. 0000/00

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-04

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING	Coordinates Metres		Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
134247	14H2731	E	633737.358	0.9997147	0.9998953	758938	14H2727	GPS	3 50 3	454.401	454.531	
		N	6237183.046			745521	11H2661	GPS	40 54 35	617.082	617.258	
		E1	682.804			CVD28BC	912279	10H2633	GPS	111 43 45	894.025	894.279
							67009	10H2638	GPS	201 53 37	974.433	974.712
				193748	10H2641	GPS	293 0 56	464.930	465.063			
8292	14H2732	E	635805.433	0.9997162	0.9998900	160648		GPS	102 21 26	4977.605	4978.970	
		N	6236922.806			981274		GPS	107 38 54	3835.711	3836.769	
		E1	716.779			CVD28BC	465716	10H2635	GPS	145 51 49	1499.371	1499.791
							608026	10H2640	GPS	156 55 13	2197.158	2197.774
							778977	10H2619	GPS	209 8 46	3318.466	3319.405
							416834	10H2636	GPS	230 33 45	2077.513	2078.105
							723924	11H2660	GPS	240 38 34	949.480	949.749
							745521	11H2661	GPS	293 35 21	1815.690	1816.205
			203190	10H2623	GPS	311 44 4	1134.053	1134.373				
269720	14H2733	E	634779.257	0.9997183	0.9998954	203190	10H2623	GPS	88 3 44	180.004	180.054	
		N	6237671.633			912279	10H2633	GPS	194 27 49	846.396	846.636	
		E1	681.954			CVD28BC	745521	11H2661	GPS	268 0 13	638.179	638.360
							758938	14H2727	GPS	268 0 24	1012.126	1012.413

END OF REPORT