

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Integrated Survey Area No:8 District of Mackenzie
 Order in Council No. 1094/72
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING					
451914	74H2616	E	493656.319	0.9994803	0.9998798	880740	74H2617	TERR	20 10 54	133.105	133.174	
		N	6133057.459			552042	9878	TERR	231 19 16	89.915	89.962	
		E1	779.426			CVD28BC	580472	74H2619	TERR	334 8 26	112.593	112.652
880740	74H2617	E	493702.240	0.9994800	0.9998794	794313	74H2618	TERR	35 10 20	109.019	109.076	
		N	6133182.392			451914	74H2616	TERR	200 10 54	133.105	133.174	
		E1	781.494			CVD28BC						
794313	74H2618	E	493765.039	0.9994797	0.9998792	864363	9851	TERR	87 35 54	259.190	259.325	
		N	6133271.507			418152	76H4091	TERR	181 53 19	387.395	387.597	
		E1	783.146			CVD28BC	349340	9880	TERR	185 1 40	368.420	368.612
							880740	74H2617	TERR	215 10 20	109.019	109.076
							16345	74H2625	TERR	264 1 52	265.858	265.997
							893073	76H4092	TERR	285 54 30	106.457	106.513
							39131	74H2621	TERR	302 34 52	126.847	126.913
580472	74H2619	E	493607.210	0.9994801	0.9998795	451914	74H2616	TERR	154 8 26	112.593	112.652	
		N	6133158.778			859769	74H2620	TERR	260 59 4	89.799	89.846	
		E1	780.812			CVD28BC						
859769	74H2620	E	493518.520	0.9994800	0.9998795	580472	74H2619	TERR	80 59 4	89.799	89.846	
		N	6133144.706			69989	9877	TERR	193 7 32	164.665	164.751	
		E1	781.337			CVD28BC	16345	74H2625	TERR	349 46 5	100.757	100.809
39131	74H2621	E	493658.154	0.9994795	0.9998789	794313	74H2618	TERR	122 34 52	126.847	126.913	
		N	6133339.813			893073	76H4092	TERR	173 25 55	39.385	39.406	
		E1	784.733			CVD28BC	365304	74H2622	TERR	270 15 3	88.395	88.441
365304	74H2622	E	493569.760	0.9994796	0.9998791	39131	74H2621	TERR	90 15 3	88.395	88.441	
		N	6133340.200			899351	74H2623	TERR	306 26 19	148.778	148.856	
		E1	783.615			CVD28BC						
899351	74H2623	E	493450.069	0.9994795	0.9998790	365304	74H2622	TERR	126 26 19	148.778	148.856	
		N	6133428.568			788380	74H2624	TERR	162 16 26	97.879	97.930	
		E1	784.397			CVD28BC	561845	74H2626	TERR	215 36 11	182.329	182.424
788380	74H2624	E	493479.870	0.9994796	0.9998791	16345	74H2625	TERR	167 13 6	93.799	93.849	
		N	6133335.336			899351	74H2623	TERR	342 16 26	97.879	97.930	
		E1	783.806			CVD28BC						

Integrated Survey Area No:8 District of Mackenzie
 Order in Council No. 1094/72
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING									
16345	74H2625	E	493500.622	0.9994799	0.9998793	794313	74H2618	TERR	84 1 52	265.858	265.997					
		N	6133243.861					859769	74H2620			TERR	169 46 5	100.757	100.809	
		E1	782.160					CVD28BC	120378			74H2631	TERR	225 13 33	139.463	139.535
						788380	74H2624	TERR	347 13 6	93.799	93.849					
561845	74H2626	E	493343.923	0.9994799	0.9998793	899351	74H2623	TERR	35 36 11	182.329	182.424					
		N	6133280.322					120378	74H2631			TERR	156 48 40	146.525	146.600	
		E1	782.493					CVD28BC	223172			74H2627	TERR	245 31 55	105.789	105.844
223172	74H2627	E	493247.635	0.9994803	0.9998796	561845	74H2626	TERR	65 31 55	105.789	105.844					
		N	6133236.506					416560	74H2628			TERR	189 23 24	163.985	164.070	
		E1	780.088					CVD28BC								
416560	74H2628	E	493220.880	0.9994808	0.9998802	223172	74H2627	TERR	9 23 24	163.985	164.070					
		N	6133074.718					120378	74H2631			TERR	68 34 35	194.154	194.255	
		E1	776.519					CVD28BC	307421			74H2629	TERR	143 7 6	180.784	180.878
307421	74H2629	E	493329.380	0.9994810	0.9998804	285841	74H2630	TERR	60 22 15	128.185	128.252					
		N	6132930.113					290791	9875			TERR	125 13 47	86.961	87.007	
		E1	775.085					CVD28BC	416560			74H2628	TERR	323 7 6	180.784	180.878
285841	74H2630	E	493440.804	0.9994806	0.9998800	552042	9878	TERR	86 56 8	145.530	145.606					
		N	6132993.486					307421	74H2629			TERR	240 22 15	128.185	128.252	
		E1	777.997					CVD28BC	120378			74H2631	TERR	345 33 28	157.114	157.196
120378	74H2631	E	493401.619	0.9994802	0.9998797	16345	74H2625	TERR	45 13 33	139.463	139.535					
		N	6133145.635					285841	74H2630			TERR	165 33 28	157.114	157.196	
		E1	780.064					CVD28BC	228338			76H4096	TERR	180 8 18	154.622	154.703
									416560			74H2628	TERR	248 34 35	194.154	194.255
									561845			74H2626	TERR	336 48 40	146.525	146.600
934935	74H2632	E	494471.148	0.9994842	0.9998838	917518	9453	TERR	140 19 26	369.655	369.847					
		N	6131355.000					95737	9494			TERR	305 35 16	127.932	127.998	
		E1	753.910					CVD28BC								
771329	75H2634	E	494413.364	0.9994798	0.9998793	66407	75H2635	TERR	64 42 29	115.963	116.024					
		N	6132938.530					897124	9883			TERR	257 22 47	201.061	201.165	
		E1	782.150					CVD28BC	494773			75H2638	TERR	326 14 42	205.861	205.968

Order in Council No. 1094/72

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres			
----- GCM-NO	----- TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	----- GCM-NO	----- TABLET MARKING							
125989	9456	E	494107.844	0.9994839	0.9998834	950253	9472	TERR	11 55 47	215.926	216.038			
		N	6131740.680					702951	9455	TERR	98 57 9	197.748	197.850	
		E1	755.986					CVD28BC	238246	9474	TERR	173 10 60	253.155	253.285
									883496	9473	TERR	261 56 45	107.052	107.107
300145	9457	E	494396.030	0.9994828	0.9998823	822585	9458	TERR	61 42 47	591.751	592.057			
		N	6131575.524					528448	9475	TERR	200 25 39	88.802	88.848	
		E1	763.000					CVD28BC	702951	9455	TERR	325 21 32	163.338	163.424
822585	9458	E	494917.117	0.9994804	0.9998801	300145	9457	TERR	241 42 47	591.751	592.057			
		N	6131855.948					468447	9459	TERR	305 52 47	173.237	173.327	
		E1	777.529					CVD28BC						
240515	9460	E	494208.520	0.9994803	0.9998798	543660	9461	TERR	89 52 33	123.103	123.167			
		N	6133282.108					348037	75H2639	TERR	168 29 3	48.187	48.212	
		E1	778.946					CVD28BC	864363	9851	TERR	270 4 51	184.519	184.615
543660	9461	E	494331.623	0.9994796	0.9998791	240515	9460	TERR	269 52 33	123.103	123.167			
		N	6133282.375											
		E1	783.427					CVD28BC						
98194	9462	E	494638.951	0.9994817	0.9998813	484550	9498	TERR	91 27 51	43.672	43.695			
		N	6133283.437											
		E1	769.528					CVD28BC						
909648	9463	E	494682.551	0.9994806	0.9998802	496091	9499	TERR	0 2 31	90.175	90.222			
		N	6133070.584											
		E1	776.508					CVD28BC						
269977	9464	E	494984.346	0.9994795	0.9998791	491282	9477	TERR	0 0 6	162.839	162.924			
		N	6132516.230											
		E1	783.366					CVD28BC						
796292	9465	E	494984.306	0.9994794	0.9998790	491282	9477	TERR	179 58 12	85.916	85.961			
		N	6132764.985											
		E1	784.037					CVD28BC						

Order in Council No. 1094/72

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres					
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING									
446179	9466	E	493758.687	0.9994837	0.9998832	785402	9470	TERR	88 20 46	247.401	247.530					
		N	6131941.592					389973				9500	TERR	179 32 52	67.028	67.062
		El	757.489					CVD28BC								
15412	9467	E	493758.607	0.9994809	0.9998803	865527	9468	TERR	1 41 44	247.673	247.802					
		N	6132808.029													
		El	775.685					CVD28BC								
865527	9468	E	493765.935	0.9994805	0.9998800	15412	9467	TERR	181 41 44	247.673	247.802					
		N	6133055.594					627497				9481	TERR	358 19 26	226.914	227.033
		El	777.819					CVD28BC								
126250	9469	E	494291.562	0.9994814	0.9998809	MARKER DESTROYED										
		N	6132383.557													
		El	772.021	CVD28BC												
950253	9472	E	494152.478	0.9994827	0.9998823	332262	9484	TERR	53 13 32	384.181	384.380					
		N	6131951.942					125989				9456	TERR	191 55 47	215.926	216.038
		El	763.457					CVD28BC								
238246	9474	E	494137.892	0.9994846	0.9998842	528448	9475	TERR	89 14 44	227.164	227.281					
		N	6131489.315					125989				9456	TERR	353 10 60	253.155	253.285
		El	751.179					CVD28BC								
657957	9476	E	493742.354	0.9994869	0.9998864	MARKER ISOLATED										
		N	6131567.625													
		El	736.976	CVD28BC												
817007	9478	E	494984.287	0.9994834	0.9998830	MARKER DESTROYED										
		N	6132880.188													
		El	758.495	CVD28BC												
216002	9479	E	494923.214	0.9994793	0.9998790	475905	9480	TERR	270 0 9	112.162	112.220					
		N	6132880.135													
		El	784.464					CVD28BC								

Order in Council No. 1094/72

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM Coordinates		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING		Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
475905	9480	E	494811.052	0.9994799	0.9998795	216002	9479	TERR	90 0 9	112.162	112.220						
		N	6132880.140									459339	9550	TERR	269 58 40	123.817	123.882
		El	781.050									CVD28BC					
627497	9481	E	493759.298	0.9994797	0.9998792	864363	9851	TERR	90 0 34	264.703	264.841						
		N	6133282.411									865527	9468	TERR	178 19 26	226.914	227.033
		El	782.848														
832956	9485	E	494886.986	0.9994778	0.9998775	51805	9483	TERR	249 10 15	239.430	239.555						
		N	6132428.764														
		El	793.973									CVD28BC					
524942	9487	E	493759.270	0.9994813	0.9998808	MARKER DESTROYED											
		N	6132679.089														
		El	772.851			CVD28BC											
770727	9489	E	493792.215	0.9994884	0.9998879	MARKER DESTROYED											
		N	6131070.300														
		El	727.283			CVD28BC											
351379	9490	E	494066.913	0.9994864	0.9998859	MARKER DESTROYED											
		N	6131283.948														
		El	740.079			CVD28BC											
368258	9492	E	494984.294	0.9994864	0.9998860	MARKER DESTROYED											
		N	6131070.133														
		El	739.475			CVD28BC											
707802	9496	E	494885.982	0.9994824	0.9998821	393272	9495	TERR	237 30 54	74.716	74.755						
		N	6131169.468									2683	9497	TERR	335 56 1	129.665	129.732
		El	764.582														
484550	9498	E	494682.609	0.9994829	0.9998825	98194	9462	TERR	271 27 51	43.672	43.695						
		N	6133282.321														
		El	761.878									CVD28BC					

Integrated Survey Area No:8 District of Mackenzie
 Order in Council No. 1094/72
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2021-MAY-03

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
496091	9499	E	494682.617	0.9994813	0.9998809	909648	9463	TERR	180 2 31	90.175	90.222
		N	6133160.759								
		E1	772.058	CVD28BC							
389973	9500	E	493759.216	0.9994843	0.9998837	446179	9466	TERR	359 32 52	67.028	67.062
		N	6131874.566								
		E1	753.984	CVD28BC							
459339	9550	E	494687.235	0.9994811	0.9998807	475905	9480	TERR	89 58 40	123.817	123.882
		N	6132880.092								
		E1	773.156	CVD28BC							
650051	9852	E	493732.739	0.9994818	0.9998812	846576	9863	TERR	2 34 18	164.941	165.027
		N	6132410.311			83	9471	TERR	85 53 60	292.886	293.038
		E1	770.028	CVD28BC							
302190	9853	E	493658.088	0.9994818	0.9998813			MARKER DESTROYED			
		N	6132415.101								
		E1	769.568	CVD28BC							
338780	9854	E	493663.979	0.9994816	0.9998810	821694	9855	TERR	0 9 45	91.748	91.796
		N	6132513.845			108811	9858	TERR	266 21 44	219.848	219.962
		E1	771.156	CVD28BC							
821694	9855	E	493664.239	0.9994812	0.9998807	846576	9863	TERR	111 53 48	81.802	81.844
		N	6132605.593			338780	9854	TERR	180 9 45	91.748	91.796
		E1	773.406	CVD28BC		409144	9861	TERR	270 37 7	105.392	105.446
						73130	9856	TERR	359 43 20	91.142	91.189
73130	9856	E	493663.797	0.9994808	0.9998803	821694	9855	TERR	179 43 20	91.142	91.189
		N	6132696.734								
		E1	775.981	CVD28BC							
582585	9857	E	493451.098	0.9994825	0.9998819	999656	9859	TERR	284 15 13	80.311	80.353
		N	6132414.929			108811	9858	TERR	355 36 33	85.217	85.261
		E1	765.432	CVD28BC							

Order in Council No. 1094/72

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres	
-----	-----	Coordinates	Metres	Combined	Ellipsoidal	-----	-----					
GCM-NO	TABLET MARKING					GCM-NO	TABLET MARKING					
108811	9858	E	493444.574	0.9994820	0.9998814	338780	9854	TERR	86 21 44	219.848	219.962	
		N	6132499.896			582585	9857	TERR	175 36 33	85.217	85.261	
		E1	769.050			CVD28BC	999656	9859	TERR	227 34 4	96.623	96.673
							133215	9862	TERR	263 54 48	77.958	77.998
						584953	9860	TERR	359 24 43	90.633	90.680	
584953	9860	E	493443.644	0.9994816	0.9998810	409144	9861	TERR	81 59 33	116.343	116.404	
		N	6132590.524			108811	9858	TERR	179 24 43	90.633	90.680	
		E1	771.156			CVD28BC	856591	9869	TERR	304 29 19	85.384	85.428
409144	9861	E	493558.853	0.9994811	0.9998805	821694	9855	TERR	90 37 7	105.392	105.446	
		N	6132606.731			584953	9860	TERR	261 59 33	116.343	116.404	
		E1	774.616			CVD28BC						
133215	9862	E	493367.056	0.9994822	0.9998816	169185	9867	TERR	0 3 9	95.933	95.982	
		N	6132491.630			108811	9858	TERR	83 54 48	77.958	77.998	
		E1	767.828			CVD28BC	999656	9859	TERR	173 46 53	57.264	57.294
							62901	9864	TERR	275 52 5	142.686	142.759
846576	9863	E	493740.140	0.9994814	0.9998809	650051	9852	TERR	182 34 18	164.941	165.027	
		N	6132575.086			821694	9855	TERR	291 53 48	81.802	81.844	
		E1	772.067			CVD28BC						
62901	9864	E	493225.118	0.9994824	0.9998818	133215	9862	TERR	95 52 5	142.686	142.759	
		N	6132506.218			697557	9865	TERR	329 11 38	67.828	67.864	
		E1	766.170			CVD28BC						
792341	9866	E	493259.939	0.9994820	0.9998814	766410	9868	TERR	2 17 50	140.884	140.957	
		N	6132587.331			169185	9867	TERR	89 52 34	107.205	107.260	
		E1	769.181			CVD28BC	697557	9865	TERR	251 48 39	73.217	73.255
169185	9867	E	493367.144	0.9994817	0.9998811	856591	9869	TERR	6 48 19	51.673	51.701	
		N	6132587.563			667683	9870	TERR	7 36 53	176.778	176.870	
		E1	771.046			CVD28BC	133215	9862	TERR	180 3 9	95.933	95.982
							792341	9866	TERR	269 52 34	107.205	107.260
856591	9869	E	493373.267	0.9994814	0.9998808	667683	9870	TERR	7 56 56	125.112	125.177	
		N	6132638.872			584953	9860	TERR	124 29 19	85.384	85.428	
		E1	772.631			CVD28BC	169185	9867	TERR	186 48 19	51.673	51.701

Order in Council No. 1094/72

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres						
GCM-NO	TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING										
272922	9872	E	493137.695	0.9994816	0.9998810	692137	9873	TERR	64 21 44	123.881	123.946						
		N	6132777.115									194209	9871	TERR	138 11 25	106.708	106.763
		E1	771.601									CVD28BC					
869172	9874	E	493393.687	0.9994811	0.9998805	MARKER DESTROYED											
		N	6132853.896														
		E1	774.768			CVD28BC											
290791	9875	E	493400.414	0.9994810	0.9998805	772806	9876	TERR	73 33 14	83.628	83.670						
		N	6132879.949			667683	9870	TERR	184 48 11	117.580	117.641						
		E1	774.902			307421	74H2629	TERR	305 13 47	86.961	87.007						
772806	9876	E	493480.620	0.9994807	0.9998802	69989	9877	TERR	0 21 36	80.720	80.762						
		N	6132903.625			286963	9879	TERR	100 12 54	132.372	132.441						
		E1	776.713			290791	9875	TERR	253 33 14	83.628	83.670						
286963	9879	E	493610.894	0.9994805	0.9998800	484402	76H4095	TERR	272 9 46	316.653	316.817						
		N	6132880.150			349340	9880	TERR	78 41 51	124.268	124.332						
		E1	778.133			772806	9876	TERR	280 12 54	132.372	132.441						
535641	9881	E	493740.318	0.9994810	0.9998805	MARKER DESTROYED											
		N	6132741.520														
		E1	774.740			CVD28BC											
245860	9882	E	493990.101	0.9994803	0.9998798	864363	9851	TERR	5 7 34	379.412	379.609						
		N	6132904.474			595348	75H2640	TERR	12 53 51	334.463	334.637						
		E1	778.919			897124	9883	TERR	92 29 23	227.275	227.393						
897124	9883	E	494217.161	0.9994804	0.9998799	418152	76H4091	TERR	265 9 24	238.681	238.806						
		N	6132894.601			349340	9880	TERR	270 0 25	257.349	257.483						
		E1	778.498			771329	75H2634	TERR	77 22 47	201.061	201.165						
294876	9884	E	494405.188	0.9994799	0.9998794	245860	9882	TERR	272 29 23	227.275	227.393						
		N	6132930.753			MARKER DESTROYED											
		E1	781.397			CVD28BC											

Order in Council No. 1094/72

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2021-MAY-03

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

MARKER IDENTIFIERS		UTM		Station Scale Factor		TO MARKER IDENTIFIERS		Obs. Type	UTM Grid Bearing	UTM Grid Distance Metres	Ground Distance Metres
GCM-NO	TABLET MARKING	Coordinates Metres	Coordinates Metres	Combined	Ellipsoidal	GCM-NO	TABLET MARKING				
30072	9885	E	494440.062	0.9994792	0.9998788		MARKER DESTROYED				
		N	6133002.740								
		E1	785.677	CVD28BC							
321125	9886	E	494546.039	0.9994795	0.9998791		MARKER DESTROYED				
		N	6133017.631								
		E1	783.513	CVD28BC							
607747	9888	E	494385.750	0.9994791	0.9998787		MARKER DESTROYED				
		N	6133186.575								
		E1	786.198	CVD28BC							
127779	9889	E	494401.465	0.9994791	0.9998787		MARKER DESTROYED				
		N	6133074.311								
		E1	786.329	CVD28BC							
365510	9890	E	494269.111	0.9994798	0.9998794		MARKER DESTROYED				
		N	6133227.643								
		E1	781.916	CVD28BC							

END OF REPORT