

Official Integrated Survey Area Coordinate Listing

This is the official integrated survey area coordinate listing established by order of the Surveyor General under authority of the *Land Survey Act*.

These listings rely upon and are generated from the provincial survey control record as managed by Base Mapping and Cadastre branch. For up to date information on the status of geodetic control monuments, please refer to the Province's website at: <http://a100.gov.bc.ca/pub/mascotw/>

MASCOT provides current information on the condition (good, anomalous or destroyed) of each geodetic control monument including location sketches and descriptions. The MASCOT system relies on users to report changes to the condition of geodetic control monuments. We encourage users to regularly complete survey monument condition reports via the easy to use MASCOT on-line reporting system at the following website address: <http://a100.gov.bc.ca/pub/mascotw/protected/markercond.html>

Order in Council No. 25/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2022-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS | | UTM Coordinates | | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|--------------------|----------------|-----------------|-------------------------------------|----------------------|-------------|-----------------------|---------------------|--------------|-----------------------|--------------------------|------------------------|
| GCM-NO | TABLET MARKING | Metres | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | | | | |
| 10223 | 80H1701 | E N E1 | 406017.458 5463606.534 13.595 | 0.9997090 | 1.0000005 | | MARKER DESTROYED | | | | |
| 29058 | 80H1702 | E N E1 | 403605.067 5463791.188 32.241 | 0.9997117 | 0.9999975 | | MARKER DESTROYED | | | | |
| 324889 | 80H1703 | E N E1 | 403455.173 5464016.980 26.625 | 0.9997129 | 0.9999984 | 985820 588731 | 80H1720 80H1739 | TERR TERR | 1 2 53 270 11 48 | 262.671 205.357 | 262.747 205.416 |
| 444125 | 80H1704 | E N E1 | 402557.354 5463967.533 49.387 | 0.9997115 | 0.9999949 | | MARKER DESTROYED | | | | |
| 910273 | 80H1705 | E N E1 | 404043.438 5463533.877 31.976 | 0.9997107 | 0.9999976 | 871350 | 80H1717 | TERR | 359 42 51 | 142.931 | 142.972 |
| 300640 | 80H1706 | E N E1 | 404458.374 5463673.308 20.517 | 0.9997115 | 0.9999994 | 401935 117986 | 98SG-001 80H1728 | TERR TERR | 85 55 40 217 24 53 | 146.298 225.691 | 146.341 225.756 |
| 368183 | 80H1707 | E N E1 | 402773.049 5463792.652 45.727 | 0.9997115 | 0.9999954 | | MARKER ISOLATED | | | | |
| 14845 | 80H1708 | E N E1 | 403795.734 5463186.209 42.380 | 0.9997096 | 0.9999960 | | MARKER ISOLATED | | | | |
| 980508 | 80H1709 | E N E1 | 403802.359 5464019.565 19.159 | 0.9997133 | 0.9999996 | | MARKER DESTROYED | | | | |

Order in Council No. 25/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2022-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS | | UTM Coordinates | | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|--------------------|----------------|-----------------|-------------------------------------|----------------------|-------------|-----------------------|--------------------|--------------|-----------------------|--------------------------|------------------------|
| GCM-NO | TABLET MARKING | Metres | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | | | | |
| 399998 | 80H1710 | E N E1 | 405487.444 5463822.833 12.233 | 0.9997104 | 1.0000007 | | MARKER DESTROYED | | | | |
| 976910 | 80H1711 | E N E1 | 403069.003 5464923.336 30.567 | 0.9997132 | 0.9999978 | | MARKER DESTROYED | | | | |
| 300715 | 80H1712 | E N E1 | 405765.539 5463361.561 16.502 | 0.9997091 | 1.0000000 | 410597 984161 | 80H1733 80H1746 | TERR TERR | 89 45 55 270 33 22 | 249.784 278.991 | 249.857 279.073 |
| 267336 | 80H1713 | E N E1 | 403797.118 5463789.294 31.155 | 0.9997114 | 0.9999977 | | MARKER DESTROYED | | | | |
| 776344 | 80H1714 | E N E1 | 403661.650 5464512.560 19.353 | 0.9997136 | 0.9999996 | | MARKER DESTROYED | | | | |
| 75937 | 80H1715 | E N E1 | 404172.279 5463348.021 33.089 | 0.9997102 | 0.9999974 | | MARKER DESTROYED | | | | |
| 86991 | 80H1716 | E N E1 | 403592.288 5464806.378 20.549 | 0.9997136 | 0.9999994 | | MARKER DESTROYED | | | | |
| 871350 | 80H1717 | E N E1 | 404042.725 5463676.806 28.015 | 0.9997113 | 0.9999982 | 910273 | 80H1705 | TERR | 179 42 51 | 142.931 | 142.972 |
| 476978 | 80H1718 | E N E1 | 403397.418 5463790.384 33.824 | 0.9997119 | 0.9999973 | | MARKER DESTROYED | | | | |

Order in Council No. 25/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2022-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS | | UTM Coordinates | | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|--------------------|----------------|-----------------|-------------------------------------|----------------------|-------------|----------------------------|--------------------------------|----------------------|-----------------------------------|-------------------------------|-------------------------------|
| GCM-NO | TABLET MARKING | Metres | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | | | | |
| 998583 | 80H1719 | E N E1 | 403796.739 5463389.331 36.916 | 0.9997105 | 0.9999968 | | MARKER DESTROYED | | | | |
| 985820 | 80H1720 | E N E1 | 403459.977 5464279.607 24.640 | 0.9997132 | 0.9999987 | 289330 324889 111088 | 80H1817 80H1703 80H1730 | TERR TERR TERR | 1 20 37 181 2 53 270 54 41 | 138.037 262.671 205.798 | 138.077 262.747 205.856 |
| 213934 | 80H1721 | E N E1 | 404039.935 5463234.559 37.876 | 0.9997098 | 0.9999967 | 285262 | 80H1751 | TERR | 221 52 57 | 141.371 | 141.412 |
| 619114 | 80H1722 | E N E1 | 403496.383 5465217.739 24.399 | 0.9997132 | 0.9999988 | | MARKER DESTROYED | | | | |
| 457895 | 80H1723 | E N E1 | 405007.639 5463656.139 14.226 | 0.9997112 | 1.0000004 | | MARKER DESTROYED | | | | |
| 602573 | 80H1724 | E N E1 | 404792.221 5463346.625 22.683 | 0.9997104 | 0.9999990 | 466367 469015 496075 | 98SG-002 80H1726 80H1749 | TERR TERR TERR | 2 49 39 85 23 16 271 30 7 | 308.222 213.467 185.775 | 308.311 213.529 185.829 |
| 606582 | 80H1725 | E N E1 | 404604.028 5462987.017 31.669 | 0.9997094 | 0.9999976 | | MARKER DESTROYED | | | | |
| 469015 | 80H1726 | E N E1 | 405004.997 5463363.790 19.216 | 0.9997104 | 0.9999996 | 533133 602573 811299 | 80H1737 80H1724 98SG-003 | TERR TERR TERR | 89 56 50 265 23 16 359 8 44 | 204.463 213.467 282.419 | 204.523 213.529 282.502 |
| 539221 | 80H1727 | E N E1 | 404612.537 5463677.347 17.852 | 0.9997116 | 0.9999998 | | MARKER DESTROYED | | | | |

Order in Council No. 25/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2022-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS | | UTM Coordinates | | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|--------------------|----------------|-----------------|-------------------------------------|----------------------|-------------|--------------------------------------|--------------------------------------|---------------------------|------------------------------------------------|-----------------------------------------------|-----------------------------------------------|
| GCM-NO | TABLET MARKING | Metres | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | | | | |
| 117986 | 80H1728 | E N E1 | 404321.248 5463494.051 27.594 | 0.9997107 | 0.9999983 | 300640 | 80H1706 | TERR | 37 24 53 | 225.691 | 225.756 |
| 499152 | 80H1729 | E N E1 | 405788.577 5463678.818 12.669 | 0.9997096 | 1.0000006 | | MARKER DESTROYED | | | | |
| 111088 | 80H1730 | E N E1 | 403254.205 5464282.880 30.533 | 0.9997128 | 0.9999978 | 985820 588731 283671 | 80H1720 80H1739 80H1767 | TERR TERR TERR | 90 54 41 180 56 53 271 29 12 | 205.798 265.231 242.914 | 205.856 265.308 242.984 |
| 631556 | 80H1731 | E N E1 | 403316.161 5464809.882 24.341 | 0.9997136 | 0.9999988 | | MARKER DESTROYED | | | | |
| 410597 | 80H1733 | E N E1 | 406015.321 5463362.584 14.293 | 0.9997089 | 1.0000004 | 597088 527721 270983 300715 | 11707 84C004 73C066 80H1712 | GPS GPS GPS TERR | 18 26 21 125 22 3 264 47 53 269 45 55 | 25512.268 8887.215 12279.666 249.784 | 25521.654 8889.883 12283.174 249.857 |
| 111203 | 80H1734 | E N E1 | 404390.524 5463350.621 26.504 | 0.9997107 | 0.9999984 | 496075 | 80H1749 | TERR | 89 46 6 | 215.988 | 216.051 |
| 273292 | 80H1735 | E N E1 | 403003.448 5464019.385 38.842 | 0.9997121 | 0.9999965 | 588731 | 80H1739 | TERR | 90 23 43 | 246.375 | 246.446 |
| 790501 | 80H1736 | E N E1 | 403225.834 5465009.452 26.081 | 0.9997136 | 0.9999985 | | MARKER DESTROYED | | | | |
| 533133 | 80H1737 | E N E1 | 405209.460 5463363.978 18.234 | 0.9997101 | 0.9999997 | 278192 984161 469015 | 80H1747 80H1746 80H1726 | TERR TERR TERR | 1 1 29 89 56 23 269 56 50 | 320.894 277.101 204.463 | 320.987 277.181 204.523 |

Integrated Survey Area No:32 Town of Parksville
 Order in Council No. 25/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2022-DEC-16

| MARKER IDENTIFIERS | | UTM Coordinates | | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|--------------------|----------------|-----------------|-------------------------------------|----------------------|-------------|----------------------------|-------------------------------|----------------------|----------------------------------|-------------------------------|-------------------------------|
| GCM-NO | TABLET MARKING | Metres | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | | | | |
| 311712 | 80H1738 | E N E1 | 405488.525 5463582.594 13.069 | 0.9997103 | 1.0000006 | | MARKER DESTROYED | | | | |
| 588731 | 80H1739 | E N E1 | 403249.817 5464017.685 31.949 | 0.9997126 | 0.9999976 | 111088 324889 273292 | 80H1730 80H1703 80H1735 | TERR TERR TERR | 0 56 53 90 11 48 270 23 43 | 265.231 205.357 246.375 | 265.308 205.416 246.446 |
| 622886 | 80H1740 | E N E1 | 406017.448 5463847.731 10.162 | 0.9997095 | 1.0000010 | | MARKER DESTROYED | | | | |
| 594283 | 80H1741 | E N E1 | 403150.405 5464739.868 26.636 | 0.9997136 | 0.9999984 | | MARKER DESTROYED | | | | |
| 310391 | 80H1742 | E N E1 | 402376.721 5463971.358 48.760 | 0.9997120 | 0.9999949 | | MARKER DESTROYED | | | | |
| 876987 | 80H1743 | E N E1 | 403457.131 5464506.842 25.318 | 0.9997131 | 0.9999986 | | MARKER DESTROYED | | | | |
| 65185 | 80H1744 | E N E1 | 403828.079 5464510.529 10.714 | 0.9997145 | 1.0000009 | | MARKER DESTROYED | | | | |
| 833509 | 80H1745 | E N E1 | 404351.127 5462986.086 37.362 | 0.9997091 | 0.9999967 | | MARKER DESTROYED | | | | |
| 984161 | 80H1746 | E N E1 | 405486.561 5463364.269 18.184 | 0.9997095 | 0.9999998 | 300715 533133 | 80H1712 80H1737 | TERR TERR | 90 33 22 269 56 23 | 278.991 277.101 | 279.073 277.181 |

Order in Council No. 25/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2022-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS | | UTM | | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|--------------------|----------------|--------------|-------------------------------------|----------------------|-------------|-----------------------|--------------------|--------------|----------------------|--------------------------|------------------------|
| ----- | ----- | Coordinates | Metres | Combined | Ellipsoidal | ----- | ----- | | | | |
| GCM-NO | TABLET MARKING | | | | | GCM-NO | TABLET MARKING | | | | |
| 278192 | 80H1747 | E N E1 | 405215.199 5463684.821 12.406 | 0.9997110 | 1.0000007 | 533133 | 80H1737 | TERR | 181 1 29 | 320.894 | 320.987 |
| 683789 | 80H1748 | E N E1 | 404129.787 5462985.615 42.358 | 0.9997089 | 0.9999960 | | MARKER DESTROYED | | | | |
| 496075 | 80H1749 | E N E1 | 404606.510 5463351.494 24.209 | 0.9997106 | 0.9999988 | 602573 111203 | 80H1724 80H1734 | TERR TERR | 91 30 7 269 46 6 | 185.775 215.988 | 185.829 216.051 |
| 285262 | 80H1751 | E N E1 | 403945.555 5463129.306 41.836 | 0.9997094 | 0.9999960 | 213934 | 80H1721 | TERR | 41 52 57 | 141.371 | 141.412 |
| 242925 | 80H1752 | E N E1 | 402549.263 5465216.597 33.824 | 0.9997140 | 0.9999973 | 125138 682781 | 80H1794 80H1753 | TERR TERR | 87 39 35 357 4 43 | 255.403 184.455 | 255.476 184.508 |
| 682781 | 80H1753 | E N E1 | 402539.862 5465400.812 27.771 | 0.9997149 | 0.9999982 | 538231 242925 | 80H1785 80H1752 | TERR TERR | 75 26 14 177 4 43 | 104.849 184.455 | 104.879 184.508 |
| 586180 | 80H1754 | E N E1 | 404772.036 5464341.244 2.902 | 0.9997135 | 1.0000021 | 814343 | 80H1777 | TERR | 168 59 23 | 240.995 | 241.064 |
| 246462 | 80H1755 | E N E1 | 403391.680 5463574.575 35.165 | 0.9997117 | 0.9999971 | 567032 | 80H1814 | TERR | 180 19 28 | 182.137 | 182.190 |
| 802785 | 80H1756 | E N E1 | 404176.385 5463782.831 21.207 | 0.9997121 | 0.9999993 | 360875 | 80H1783 | TERR | 269 56 35 | 118.602 | 118.636 |

Order in Council No. 25/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2022-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS | | UTM Coordinates | | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|--------------------|----------------|-----------------|-------------------------------------|----------------------|-------------|-----------------------|--------------------|--------------|-----------------------|--------------------------|------------------------|
| GCM-NO | TABLET MARKING | Metres | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | | | | |
| 953943 | 80H1757 | E N E1 | 404304.432 5463782.951 20.304 | 0.9997119 | 0.9999994 | | MARKER DESTROYED | | | | |
| 56937 | 80H1758 | E N E1 | 403805.216 5464257.147 15.780 | 0.9997138 | 1.0000001 | | MARKER DESTROYED | | | | |
| 51433 | 80H1760 | E N E1 | 402712.612 5464608.354 40.792 | 0.9997125 | 0.9999962 | 937326 | 80H1779 | TERR | 118 49 54 | 92.379 | 92.407 |
| 810788 | 80H1761 | E N E1 | 403095.618 5464578.885 34.374 | 0.9997126 | 0.9999972 | | MARKER ISOLATED | | | | |
| 883678 | 80H1762 | E N E1 | 404794.717 5463667.400 17.629 | 0.9997112 | 0.9999998 | | MARKER DESTROYED | | | | |
| 990911 | 80H1763 | E N E1 | 404614.378 5463795.974 15.057 | 0.9997120 | 1.0000002 | | MARKER DESTROYED | | | | |
| 536607 | 80H1765 | E N E1 | 404306.993 5464077.040 7.498 | 0.9997139 | 1.0000014 | | MARKER DESTROYED | | | | |
| 283671 | 80H1767 | E N E1 | 403011.373 5464289.182 37.039 | 0.9997123 | 0.9999968 | 111088 811786 | 80H1730 80H1781 | TERR TERR | 91 29 12 270 43 58 | 242.914 227.652 | 242.984 227.717 |
| 969782 | 80H1770 | E N E1 | 404096.937 5464129.399 10.682 | 0.9997139 | 1.0000009 | | MARKER DESTROYED | | | | |

Integrated Survey Area No:32 Town of Parksville
 Order in Council No. 25/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2022-DEC-16

| MARKER IDENTIFIERS | | UTM Coordinates | | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|--------------------|----------------|-----------------|-------------------------------------|----------------------|-------------|--------------------------------------|------------------------------------------|------------------------------|-------------------------------------------------|-----------------------------------------------|-----------------------------------------------|
| GCM-NO | TABLET MARKING | Metres | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | | | | |
| 918086 | 80H1771 | E N El | 402384.527 5464506.755 46.361 | 0.9997124 | 0.9999953 | | MARKER DESTROYED | | | | |
| 80564 | 80H1774 | E N El | 402779.925 5465285.493 27.463 | 0.9997144 | 0.9999983 | 125138 538231 | 80H1794 80H1785 | TERR TERR | 157 14 28 315 38 1 | 63.404 198.189 | 63.421 198.246 |
| 373225 | 80H1775 | E N El | 402615.430 5465796.402 26.490 | 0.9997149 | 0.9999984 | 726497 723585 | 80H1825 80H1813 | TERR TERR | 181 26 17 307 50 57 | 230.064 135.424 | 230.129 135.463 |
| 212506 | 80H1776 | E N El | 402236.718 5465915.732 23.983 | 0.9997162 | 0.9999988 | 597088 527721 813162 270983 | 11707 84C004 80H1824 73C066 | GPS GPS TERR GPS | 28 41 26 124 55 10 182 24 59 246 32 42 | 24679.340 13446.721 156.830 9211.623 | 24688.333 13450.709 156.876 9214.219 |
| 814343 | 80H1777 | E N El | 404818.062 5464104.685 3.775 | 0.9997133 | 1.0000020 | 689323 586180 | 91H0502 80H1754 | TERR TERR | 188 23 57 348 59 23 | 165.472 240.995 | 165.519 241.064 |
| 937326 | 80H1779 | E N El | 402793.540 5464563.805 40.583 | 0.9997123 | 0.9999962 | 811786 256065 51433 | 80H1781 80H1811 80H1760 | TERR TERR TERR | 182 3 56 186 3 17 298 49 54 | 271.889 112.468 92.379 | 271.966 112.500 92.407 |
| 832253 | 80H1780 | E N El | 405028.123 5464749.248 2.868 | 0.9997130 | 1.0000022 | | MARKER DESTROYED | | | | |
| 811786 | 80H1781 | E N El | 402783.740 5464292.093 41.662 | 0.9997122 | 0.9999961 | 937326 283671 973537 256065 | 80H1779 80H1767 91H0509 80H1811 | TERR TERR TERR TERR | 2 3 56 90 43 58 274 52 58 359 15 38 | 271.889 227.652 134.859 159.884 | 271.966 227.717 134.898 159.930 |
| 263244 | 80H1782 | E N El | 402636.022 5464469.223 43.811 | 0.9997122 | 0.9999957 | 256065 | 80H1811 | TERR | 96 45 27 | 146.674 | 146.716 |

Order in Council No. 25/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2022-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS | | UTM Coordinates | | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|--------------------|----------------|-----------------|-------------------------------------|----------------------|-------------|---------------------------|-------------------------------|----------------------|-------------------------------------|-------------------------------|-------------------------------|
| GCM-NO | TABLET MARKING | Metres | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | | | | |
| 360875 | 80H1783 | E N E1 | 404057.783 5463782.713 24.603 | 0.9997118 | 0.9999987 | 802785 | 80H1756 | TERR | 89 56 35 | 118.602 | 118.636 |
| 538231 | 80H1785 | E N E1 | 402641.342 5465427.175 26.286 | 0.9997149 | 0.9999985 | 80564 682781 726497 | 80H1774 80H1753 80H1825 | TERR TERR TERR | 135 38 1 255 26 14 347 10 46 | 198.189 104.849 142.796 | 198.246 104.879 142.836 |
| 780668 | 80H1786 | E N E1 | 402432.874 5465574.012 26.142 | 0.9997154 | 0.9999985 | | | MARKER DESTROYED | | | |
| 786640 | 80H1787 | E N E1 | 402796.643 5464739.101 39.970 | 0.9997124 | 0.9999963 | | | MARKER DESTROYED | | | |
| 615088 | 80H1789 | E N E1 | 405007.990 5463892.442 10.470 | 0.9997118 | 1.0000010 | | | MARKER DESTROYED | | | |
| 281725 | 80H1790 | E N E1 | 402770.415 5464021.776 45.030 | 0.9997117 | 0.9999955 | | | MARKER DESTROYED | | | |
| 500330 | 80H1792 | E N E1 | 403614.368 5463279.285 39.751 | 0.9997105 | 0.9999964 | | | MARKER ISOLATED | | | |
| 454835 | 80H1793 | E N E1 | 403640.792 5464389.477 18.957 | 0.9997137 | 0.9999996 | | | MARKER ISOLATED | | | |
| 125138 | 80H1794 | E N E1 | 402804.453 5465227.026 28.793 | 0.9997141 | 0.9999981 | 413203 242925 80564 | 86H2189 80H1752 80H1774 | TERR TERR TERR | 184 16 17 267 39 35 337 14 28 | 198.403 255.403 63.404 | 198.461 255.476 63.421 |

Order in Council No. 25/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2022-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS | | UTM Coordinates | | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|--------------------|----------------|-----------------|-------------------------------------|----------------------|-------------|-----------------------|----------------|------------------|------------------|--------------------------|------------------------|
| GCM-NO | TABLET MARKING | Metres | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | | | | |
| 343913 | 80H1795 | E N E1 | 402326.455 5465746.564 25.146 | 0.9997158 | 0.9999987 | 696831 | 80H1796 | TERR | 1 38 24 | 134.451 | 134.489 |
| 696831 | 80H1796 | E N E1 | 402330.303 5465880.960 24.479 | 0.9997159 | 0.9999988 | 343913 | 80H1795 | TERR | 181 38 24 | 134.451 | 134.489 |
| 699348 | 80H1797 | E N E1 | 406436.585 5463434.567 10.718 | 0.9997085 | 1.0000009 | | | MARKER ISOLATED | | | |
| 91736 | 80H1798 | E N E1 | 405206.718 5463893.950 9.129 | 0.9997116 | 1.0000012 | | | MARKER DESTROYED | | | |
| 676015 | 80H1799 | E N E1 | 402512.030 5464527.394 45.625 | 0.9997122 | 0.9999954 | | | MARKER ISOLATED | | | |
| 29926 | 80H1800 | E N E1 | 402222.505 5465584.670 30.158 | 0.9997153 | 0.9999979 | | | MARKER DESTROYED | | | |
| 615054 | 80H1801 | E N E1 | 404606.915 5463955.710 11.289 | 0.9997126 | 1.0000008 | | | MARKER DESTROYED | | | |
| 932905 | 80H1803 | E N E1 | 403489.600 5463305.614 38.980 | 0.9997109 | 0.9999965 | | | MARKER DESTROYED | | | |
| 717561 | 80H1806 | E N E1 | 402382.954 5464324.998 51.475 | 0.9997116 | 0.9999945 | 54502 | 91H0510 | TERR | 70 55 51 | 187.802 | 187.855 |

Integrated Survey Area No:32 Town of Parksville
 Order in Council No. 25/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2022-DEC-16

| MARKER IDENTIFIERS | | UTM Coordinates | | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|--------------------|----------------|-----------------|-------------------------------------|----------------------|-------------|----------------------------|-------------------------------|----------------------|----------------------------------|-------------------------------|-------------------------------|
| GCM-NO | TABLET MARKING | Metres | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | | | | |
| 460816 | 80H1807 | E N El | 403120.428 5465214.784 25.217 | 0.9997139 | 0.9999986 | | MARKER DESTROYED | | | | |
| 219956 | 80H1808 | E N El | 404790.927 5463919.964 11.556 | 0.9997121 | 1.0000008 | | MARKER DESTROYED | | | | |
| 988675 | 80H1809 | E N El | 402389.289 5464603.068 46.555 | 0.9997123 | 0.9999953 | | MARKER DESTROYED | | | | |
| 256065 | 80H1811 | E N El | 402781.677 5464451.964 41.795 | 0.9997121 | 0.9999960 | 937326 811786 263244 | 80H1779 80H1781 80H1782 | TERR TERR TERR | 6 3 17 179 15 38 276 45 27 | 112.468 159.884 146.674 | 112.500 159.930 146.716 |
| 687624 | 80H1812 | E N El | 402294.108 5466054.905 23.028 | 0.9997163 | 0.9999990 | | MARKER DESTROYED | | | | |
| 723585 | 80H1813 | E N El | 402508.495 5465879.496 24.991 | 0.9997154 | 0.9999987 | 373225 | 80H1775 | TERR | 127 50 57 | 135.424 | 135.463 |
| 567032 | 80H1814 | E N El | 403390.649 5463392.441 38.151 | 0.9997113 | 0.9999966 | 246462 693598 | 80H1755 80H1823 | TERR TERR | 0 19 28 91 37 5 | 182.137 212.024 | 182.190 212.084 |
| 848861 | 80H1815 | E N El | 402795.127 5465216.586 28.645 | 0.9997142 | 0.9999981 | | MARKER DESTROYED | | | | |
| 923474 | 80H1816 | E N El | 402382.442 5464219.697 52.761 | 0.9997114 | 0.9999943 | | MARKER DESTROYED | | | | |

Integrated Survey Area No:32 Town of Parksville
 Order in Council No. 25/82
 Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.
 Scale Factor at Reference Central Meridian = 0.9996
 Ground Level Distance = UTM Grid Distance / Mean of Combined Factors
 Datum: NAD83 (CSRS)

Issued: 2022-DEC-16

| MARKER IDENTIFIERS | | UTM Coordinates | | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|--------------------|----------------|-----------------|-------------------------------------|----------------------|-------------|-----------------------|--------------------|--------------|----------------------|--------------------------|------------------------|
| GCM-NO | TABLET MARKING | Metres | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | | | | |
| 289330 | 80H1817 | E N E1 | 403463.214 5464417.606 25.129 | 0.9997131 | 0.9999987 | 985820 | 80H1720 | TERR | 181 20 37 | 138.037 | 138.077 |
| 815340 | 80H1818 | E N E1 | 402507.096 5464466.262 45.255 | 0.9997123 | 0.9999955 | | MARKER DESTROYED | | | | |
| 30924 | 80H1819 | E N E1 | 402914.434 5465561.470 26.827 | 0.9997142 | 0.9999984 | | MARKER DESTROYED | | | | |
| 56150 | 80H1820 | E N E1 | 404314.369 5463782.984 20.350 | 0.9997119 | 0.9999994 | | MARKER DESTROYED | | | | |
| 413351 | 80H1822 | E N E1 | 402794.624 5465012.657 33.655 | 0.9997134 | 0.9999973 | | MARKER DESTROYED | | | | |
| 693598 | 80H1823 | E N E1 | 403602.588 5463386.454 37.525 | 0.9997109 | 0.9999967 | 567032 | 80H1814 | TERR | 271 37 5 | 212.024 | 212.084 |
| 813162 | 80H1824 | E N E1 | 402230.106 5465759.041 25.041 | 0.9997161 | 0.9999987 | 212506 | 80H1776 | TERR | 2 24 59 | 156.830 | 156.876 |
| 726497 | 80H1825 | E N E1 | 402609.656 5465566.411 25.529 | 0.9997151 | 0.9999986 | 373225 538231 | 80H1775 80H1785 | TERR TERR | 1 26 17 167 10 46 | 230.064 142.796 | 230.129 142.836 |
| 413203 | 86H2189 | E N E1 | 402789.676 5465029.174 33.830 | 0.9997134 | 0.9999973 | 125138 | 80H1794 | TERR | 4 16 17 | 198.403 | 198.461 |

Order in Council No. 25/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2022-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS | | UTM Coordinates | | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres | | | | |
|--------------------|----------------|-----------------|-------------|----------------------|-------------|-----------------------|----------------|-----------|------------------|--------------------------|------------------------|---------|-----------|---------|---------|
| GCM-NO | TABLET MARKING | Metres | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | | | | | | | | |
| 97410 | 91H0501 | E | 405015.693 | 0.9997117 | 1.0000009 | 811299 | 98SG-003 | TERR | 183 23 53 | 251.513 | 251.586 | | | | |
| | | N | 5463897.249 | | | | | 689323 | 91H0502 | TERR | 281 9 20 | 226.073 | 226.138 | | |
| | | E1 | 10.887 | | | | | CVD28BC | | | | | | | |
| 689323 | 91H0502 | E | 404793.892 | 0.9997121 | 1.0000008 | 814343 | 80H1777 | TERR | 8 23 57 | 165.472 | 165.519 | | | | |
| | | N | 5463940.988 | | | | | 97410 | 91H0501 | TERR | 101 9 20 | 226.073 | 226.138 | | |
| | | E1 | 11.653 | | | | | CVD28BC | | 466367 | 98SG-002 | TERR | 177 17 44 | 286.836 | 286.919 |
| | | | | | | | | | | 413336 | 91H0503 | TERR | 280 52 39 | 188.713 | 188.766 |
| 413336 | 91H0503 | E | 404608.570 | 0.9997126 | 1.0000008 | 689323 | 91H0502 | TERR | 100 52 39 | 188.713 | 188.766 | | | | |
| | | N | 5463976.600 | | | | | 312561 | 91H0505 | TERR | 177 56 20 | 178.399 | 178.451 | | |
| | | E1 | 11.277 | | | | | CVD28BC | | 202895 | 91H0504 | TERR | 287 0 56 | 331.812 | 331.907 |
| 202895 | 91H0504 | E | 404291.283 | 0.9997139 | 1.0000013 | 413336 | 91H0503 | TERR | 107 0 56 | 331.812 | 331.907 | | | | |
| | | N | 5464073.698 | | | | | 417238 | 91H0506 | TERR | 289 52 46 | 272.728 | 272.806 | | |
| | | E1 | 8.087 | | | | | CVD28BC | | | | | | | |
| 312561 | 91H0505 | E | 404614.986 | 0.9997120 | 1.0000002 | 401935 | 98SG-001 | TERR | 185 19 29 | 115.116 | 115.148 | | | | |
| | | N | 5463798.316 | | | | | 413336 | 91H0503 | TERR | 357 56 20 | 178.399 | 178.451 | | |
| | | E1 | 15.028 | | | | | CVD28BC | | | | | | | |
| 417238 | 91H0506 | E | 404034.807 | 0.9997138 | 1.0000007 | 202895 | 91H0504 | TERR | 109 52 46 | 272.728 | 272.806 | | | | |
| | | N | 5464166.437 | | | | | | | | | | | | |
| | | E1 | 12.095 | | | | | CVD28BC | | | | | | | |
| 531202 | 91H0507 | E | 403807.526 | 0.9997137 | 1.0000001 | MARKER DESTROYED | | | | | | | | | |
| | | N | 5464262.721 | | | | | | | | | | | | |
| | | E1 | 16.072 | | | CVD28BC | | | | | | | | | |
| 401489 | 91H0508 | E | 403794.746 | 0.9997132 | 0.9999995 | MARKER DESTROYED | | | | | | | | | |
| | | N | 5464026.347 | | | | | | | | | | | | |
| | | E1 | 19.554 | | | CVD28BC | | | | | | | | | |
| 973537 | 91H0509 | E | 402649.370 | 0.9997121 | 0.9999957 | 811786 | 80H1781 | TERR | 94 52 58 | 134.859 | 134.898 | | | | |
| | | N | 5464303.572 | | | | | 54502 | 91H0510 | TERR | 312 57 11 | 121.490 | 121.525 | | |
| | | E1 | 44.038 | | | | | CVD28BC | | | | | | | |

Order in Council No. 25/82

Universal Transverse Mercator Coordinates: Zone:10, Central Meridian 123.

Issued: 2022-DEC-16

Scale Factor at Reference Central Meridian = 0.9996

Ground Level Distance = UTM Grid Distance / Mean of Combined Factors

Datum: NAD83 (CSRS)

| MARKER IDENTIFIERS | | UTM Coordinates | | Station Scale Factor | | TO MARKER IDENTIFIERS | | Obs. Type | UTM Grid Bearing | UTM Grid Distance Metres | Ground Distance Metres |
|--------------------|----------------|-----------------|-------------|----------------------|-------------|-----------------------|----------------|-----------|------------------|--------------------------|------------------------|
| GCM-NO | TABLET MARKING | Metres | Metres | Combined | Ellipsoidal | GCM-NO | TABLET MARKING | | | | |
| 54502 | 91H0510 | E | 402560.450 | 0.9997120 | 0.9999954 | 973537 | 91H0509 | TERR | 132 57 11 | 121.490 | 121.525 |
| | | N | 5464386.355 | | | 717561 | 80H1806 | TERR | 250 55 51 | 187.802 | 187.855 |
| | | E1 | 45.860 | CVD28BC | | | | | | | |
| 401935 | 98SG-001 | E | 404604.303 | 0.9997116 | 0.9999998 | 312561 | 91H0505 | TERR | 5 19 29 | 115.116 | 115.148 |
| | | N | 5463683.697 | | | 466367 | 98SG-002 | TERR | 98 11 15 | 205.215 | 205.274 |
| | | E1 | 17.835 | CVD28BC | | 300640 | 80H1706 | TERR | 265 55 40 | 146.298 | 146.341 |
| 466367 | 98SG-002 | E | 404807.426 | 0.9997112 | 0.9999998 | 811299 | 98SG-003 | TERR | 92 27 22 | 193.537 | 193.592 |
| | | N | 5463654.472 | | | 602573 | 80H1724 | TERR | 182 49 39 | 308.222 | 308.311 |
| | | E1 | 17.573 | CVD28BC | | 401935 | 98SG-001 | TERR | 278 11 15 | 205.215 | 205.274 |
| 811299 | 98SG-003 | E | 405000.785 | 0.9997111 | 1.0000003 | 97410 | 91H0501 | TERR | 3 23 53 | 251.513 | 251.586 |
| | | N | 5463646.178 | | | 469015 | 80H1726 | TERR | 179 8 44 | 282.419 | 282.502 |
| | | E1 | 14.856 | CVD28BC | | 466367 | 98SG-002 | TERR | 272 27 22 | 193.537 | 193.592 |

END OF REPORT